



Guidance Number: GU5122JJW

Subject: Guidance to the ARAC Standard for Certified Responsible Antibiotic Use to Minimize the Use of Antibiotics in Poultry

Distribution: QAD Auditors

## 1 Purpose

This document provides guidance to auditors for audits of poultry complexes that have implemented the Antibiotic Resistance Action Center (ARAC) Standard for Certified Responsible Antibiotic Use (CRAU) to minimize the use of antibiotics in poultry production.

**Note:** Entities that are current on the Official Listing of Approved USDA Process Verified Programs for “No Antibiotics Ever” *and audited for compliance with CRAU* are considered to meet this standard for antibiotic use.

## 2 Audit Frequency

Poultry complexes will be audited at the frequency noted in the Program procedure for which the client applies. The onsite audit shall include the following locations and farm visits:

- 2.1 Feed mill(s), hatchery, harvest and further processing plants. If possible, schedule the hatchery visit at a time of *in ovo* vaccination.
- 2.2 Four farms (could have multiple barns). Where possible/applicable, include one or two farms where medically important antibiotics have been used recently. Otherwise, the farms should be randomly selected.

## 3 Definitions

### 3.1 “Therapeutic use” is restricted to the following two categories:

- 3.1.1 The use of antibiotics with analogues to human drugs (Table 1) in poultry diagnosed with bacterial disease at a level and durations expected to effectively treat the disease.
- 3.1.2 The use of antibiotics with analogues to human drugs (Table 1) in poultry after an exposure to infectious bacteria but before the onset of clinical signs or laboratory confirmed disease (control/metaphylaxis). Antibiotics should be given at treatment level as indicated on the label or on the veterinarian prescription (in the case of off label use).
- 3.1.3 The use of antibiotics with no analogues to human drugs (Table 2) in poultry may be used only according to label directions.



**3.2 “Non-therapeutic use”** is defined as use of antibiotics with analogues to human drugs (Table 1) in the absence of microbial disease or known (documented) disease exposure. Non-therapeutic use includes administration of antibiotics with analogues to human drugs (Table 1) for growth promotion, feed efficiency, weight gain, and/or disease prevention.

### **3.3 Valid veterinarian-client-patient relationship (VCPR)**

A valid VCPR is defined as one in which:

- 3.3.1 A veterinarian has assumed the responsibility for making medical judgments regarding the health of (an) animal(s) and the need for medical treatment, and the client (the owner of the animal or animals or other caretaker) has agreed to follow the instructions of the veterinarian.
- 3.3.2 There is sufficient knowledge of the animal(s) by the veterinarian to initiate at least a general or preliminary diagnosis of the medical condition of the animal(s).
- 3.3.3 The practicing veterinarian is readily available for follow-up in case of adverse reactions or failure of the regimen of therapy. Such a relationship can exist only when the veterinarian has recently seen and is personally acquainted with the keeping and care of the animal(s) by virtue of examination of the animal(s), and/or by medically appropriate and timely visits to the premises where the animal(s) are kept.
- 3.3.4 A feed containing a Veterinary Feed Directive drug (a VFD feed) shall NOT be fed to animals in absence of a lawful VFD issued by a licensed veterinarian in the course of the veterinarian’s professional practice and within the confines of a valid veterinarian-client-patient relationship.

### **3.4 CRAU compliance is at risk if antibiotics with analogues to human drugs (Table 1) are used for more than two consecutive growing cycles.**

- 3.4.1 If antibiotics with analogues to human drugs are used for three consecutive growing cycles (growing cycle encompasses hatchery to harvest) within the same barn/house, a written veterinary statement indicating the underlying problem(s) and a plan of action to correct the problem(s) must be sent to ARAC at the onset of the third consecutive treatment and a copy retained for auditor review. ARAC address and contact information for this report will be provided upon approval into the CRAU program.
- 3.4.2 If by the conclusion of the third growing cycle the problem(s) has been resolved without further use of medically important antibiotics, producers will report to ARAC on action taken and successful outcomes associated with antibiotic administration and/or alternative action(s). ARAC will review and advise USDA that no further action is needed to correct the problem.
- 3.4.3 However, if the problem(s) has not been resolved by the conclusion of the third consecutive growing cycle the barn/house in question will be suspended from the CRAU program.
- 3.4.4 Veterinary documentation of treatment and outcomes must include culture and sensitivity reports.

#### 4. Classes of Drugs by Category

##### 4.1 TABLE 1. THERAPEUTIC USE ONLY:

##### Medically Important Antibiotics / Antibiotics with Human Analogues

<b>Class of antibiotics</b>	<b>Conforming Use</b>	<b>Non-Conformance</b>
Aminoglycosides (Spectinomycin, Neomycin)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation
Cephalosporins	Subcutaneous use in day old chicks and day old turkey poults	<b>ANY USE EXCEPT Day 1 = NC</b>
Lincosamides (Lincomycin)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation
Macrolides (Tylosin, Erythromycin, Tilmicosin, Oleandomycin)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation
Penicillin (Penicillin G procaine)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation

Streptogramins (Virginiamycin)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation
Sulfonamides (Sulfanitran, Sulfadimethoxine, Sulfamethazine, Sulfaquinoxaline, Sulfathiazole)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation
Tetracyclines (Chlortetracycline, Oxytetracycline)	Veterinarian diagnosis of bacterial disease or exposure to disease. Documents: Veterinary record of diagnosis (laboratory results can substitute for veterinary record), antibiotic specifically named, dosage, duration of treatment, and estimate of # of animals to be treated (exact count can substitute for estimate)	No documentation Insufficient documentation Missing documentation

**4.2 TABLE 2. Drugs NOT currently considered important in human medicine, as their use at this time is believed to present minimal risk to public health.**

<b>Class of antibiotics</b>	<b>Conforming Use</b>	<b>Non-Conformance</b>
Bacitracin	Use in strict accordance with the label	Any use that is not in accordance with label
Bambermycin (flavomycin)	Use in strict accordance with the label	Any use that is not in accordance with label
Ionophores (lasalocid, monensin, narasin, salinomycin)	Use in strict accordance with the label	Any use that is not in accordance with label
Oligosaccharides (Avilamycin)	Use in strict accordance with the label	Any use that is not in accordance with label



**4.3 TABLE 3. Drug classes NOT approved for use in poultry:**

<b>Class of antibiotics</b>	<b>Conforming Use</b>	<b>Non-Conformance</b>
Carbapenems	<b>NONE</b>	<b>ANY USE = NC</b>
Chloramphenicol	<b>NONE</b>	<b>ANY USE = NC</b>
Cyclic polypeptides (e.g, colistin, polymixin)	<b>NONE</b>	<b>ANY USE = NC</b>
Furazolidine, Nitrofurazone, other nitrofurans	<b>NONE</b>	<b>ANY USE = NC</b>
Glycopeptides (e.g., vancomycin)	<b>NONE</b>	<b>ANY USE = NC</b>
Lipopetides	<b>NONE</b>	<b>ANY USE = NC</b>
Oxazolidinones	<b>NONE</b>	<b>ANY USE = NC</b>
Pleuromutilins	<b>NONE</b>	<b>ANY USE = NC</b>
Quinolones (e.g., enrofloxasin)	<b>NONE</b>	<b>ANY USE = NC</b>
Quinoxalines (e.g., carbadox)	<b>NONE</b>	<b>ANY USE = NC</b>

Jeff Waite, Branch Chief  
Quality Assessment Division  
Livestock and Poultry Program

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program Discrimination Complaint Form, AD-3027, found online at [How to File a Program Discrimination Complaint](#) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: [program.intake@usda.gov](mailto:program.intake@usda.gov).

USDA is an equal opportunity provider, employer, and lender.