



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2022 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	-	6	159	1,746	10,583	45,663	142,384	200,541
	3	-	-	6	61	551	3,741	13,059	36,907	54,325
	4	-	-	1	2	18	261	855	2,683	3,820
	5	-	-	-	-	1	2	22	75	100
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	13	222	2,316	14,587	59,599	182,049	258,786
31	1 - 2	-	-	1	37	856	3,157	15,091	54,636	73,778
	3	-	-	4	43	470	2,968	17,359	88,879	109,723
	4	-	-	-	9	102	765	3,691	18,228	22,795
	5	-	-	-	1	37	140	600	1,777	2,555
	6	-	-	-	2	-	10	77	126	215
	7	-	-	-	-	-	-	1	13	14
	8	-	-	-	-	-	-	2	-	2
TOTAL		-	-	5	92	1,465	7,040	36,821	163,659	209,082
41	1 - 2	-	-	-	16	149	916	4,831	13,764	19,676
	3	-	-	-	28	281	2,102	14,430	68,910	85,751
	4	-	-	1	2	59	733	6,259	33,995	41,049
	5	-	-	-	2	16	255	1,151	6,139	7,563
	6	-	-	-	1	3	39	244	899	1,186
	7	-	-	-	-	-	1	55	236	292
	8	-	-	-	-	-	-	10	75	85
TOTAL		-	-	1	49	508	4,046	26,980	124,018	155,602
51	1 - 2	-	-	-	2	41	196	680	2,027	2,946
	3	-	-	-	1	40	466	2,912	12,116	15,535
	4	-	-	-	-	11	198	1,693	8,568	10,470
	5	-	-	-	-	1	39	304	1,941	2,285
	6	-	-	-	-	-	14	91	359	464
	7	-	-	-	-	-	3	35	105	143
	8	-	-	-	-	-	-	22	56	78
TOTAL		-	-	-	3	93	916	5,737	25,172	31,921
61	1 - 2	-	-	-	-	-	2	29	130	161
	3	-	-	-	-	1	18	119	301	439
	4	-	-	-	1	1	37	33	130	202
	5	-	-	-	-	1	2	6	35	44
	6	-	-	-	-	-	-	3	13	16
	7	-	-	-	-	-	-	1	2	3
	8	-	-	-	-	-	-	1	1	2
TOTAL		-	-	-	1	3	59	192	612	867
71	1 - 2	-	-	-	-	-	-	-	3	3
	3	-	-	-	-	-	-	6	17	23
	4	-	-	-	-	-	1	1	3	5
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	-	-	-	1	7	24	32
12 & 22	1 - 2	-	1	22	449	2,034	5,013	12,176	15,662	35,357
	3	-	-	5	88	581	2,156	4,404	7,081	14,315
	4	-	-	1	2	33	201	474	909	1,620
	5	-	-	-	-	-	1	17	53	71
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	1	28	539	2,648	7,371	17,071	23,705	51,363
32	1 - 2	-	-	98	199	514	1,971	3,710	4,945	11,437
	3	-	2	56	386	1,068	2,403	5,174	8,381	17,470
	4	-	-	5	54	332	725	1,382	2,531	5,029
	5	-	-	-	3	49	152	220	447	871
	6	-	-	-	-	1	24	24	70	119
	7	-	-	-	-	-	-	1	10	11
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	2	159	642	1,964	5,275	10,511	16,385	34,938
42	1 - 2	-	1	14	131	485	997	1,786	2,765	6,179
	3	-	1	23	265	1,065	2,975	6,081	10,871	21,281
	4	-	-	8	105	555	1,688	3,117	6,641	12,114
	5	-	-	-	20	117	435	804	1,890	3,266
	6	-	-	-	1	13	75	168	409	666
	7	-	-	-	-	2	7	37	86	132
	8	-	-	-	-	-	1	13	56	70
TOTAL		-	2	45	522	2,237	6,178	12,006	22,718	43,708
52	1 - 2	-	-	3	23	42	127	363	1,006	1,564
	3	-	-	-	44	244	851	2,773	7,229	11,141
	4	-	-	-	39	293	838	2,306	5,078	8,554
	5	-	-	-	7	95	253	725	1,389	2,469
	6	-	-	-	1	7	16	152	276	452
	7	-	-	-	-	-	9	32	88	129
	8	-	-	-	-	-	1	15	43	59
TOTAL		-	-	3	114	681	2,095	6,366	15,109	24,368

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2022 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	4	23	87	114
	3	-	-	-	-	27	112	578	630	1,347
	4	-	-	-	4	70	215	343	476	1,108
	5	-	-	-	-	11	78	116	109	314
	6	-	-	-	-	1	7	24	10	42
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	1	3	4
TOTAL		-	-	-	4	109	416	1,085	1,315	2,929
13 & 23	1 - 2	-	2	35	144	229	489	1,070	749	2,718
	3	-	-	32	91	336	549	955	954	2,917
	4	-	-	1	26	123	141	120	179	590
	5	-	-	-	-	15	8	4	5	32
	6	-	-	-	-	2	4	-	-	6
	7	-	-	-	-	-	1	-	-	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	2	68	261	705	1,192	2,149	1,887	6,264
33	1 - 2	-	11	86	54	189	288	311	500	1,439
	3	-	6	66	230	656	1,057	1,047	1,075	4,137
	4	-	1	8	166	353	546	676	638	2,388
	5	-	-	-	15	94	83	111	163	466
	6	-	-	-	-	8	7	15	24	54
	7	-	-	-	-	-	-	-	10	10
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	18	160	465	1,300	1,981	2,160	2,411	8,495
43	1 - 2	-	2	6	27	130	301	186	259	911
	3	-	1	12	91	472	1,287	815	1,018	3,696
	4	-	1	3	56	354	1,377	1,112	846	3,749
	5	-	-	4	31	196	590	752	686	2,259
	6	-	-	-	6	72	129	250	314	771
	7	-	-	-	-	5	24	64	58	151
	8	-	-	-	-	-	21	7	20	48
TOTAL		-	4	25	211	1,229	3,729	3,186	3,201	11,585
53	1 - 2	-	-	-	9	42	37	15	28	131
	3	-	-	2	70	126	201	374	608	1,381
	4	-	-	3	60	162	270	499	870	1,864
	5	-	-	4	31	59	194	362	412	1,062
	6	-	-	1	15	8	45	132	146	347
	7	-	-	-	2	-	4	44	70	120
	8	-	-	-	-	-	5	10	27	42
TOTAL		-	-	10	187	397	756	1,436	2,161	4,947
63	1 - 2	-	-	-	-	-	-	1	1	2
	3	-	-	-	-	2	69	46	59	176
	4	-	-	-	-	19	131	172	223	545
	5	-	-	-	-	14	60	96	119	289
	6	-	-	-	-	-	37	47	24	108
	7	-	-	-	-	-	5	28	8	41
	8	-	-	-	-	-	-	4	7	11
TOTAL		-	-	-	-	35	302	394	441	1,172
24 - 54	1 - 8	-	-	-	7	92	363	721	790	1,973
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	6	28	123	136	293
TOTAL ALL		-	29	517	3,319	15,788	56,335	186,544	585,793	848,325

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2022 Crop

Quality Designation	Leaf	Staple							
		35	36	37	38	39	40 &+	35 to 40+	Total
11 & 21	1 - 2	314,056	605,188	868,763	571,385	362,145	127,218	2,848,755	3,049,296
	3	81,685	172,221	342,607	249,750	140,650	64,323	1,051,236	1,105,561
	4	6,354	14,405	27,704	17,306	9,329	4,530	79,628	83,448
	5	225	560	1,115	592	297	199	2,988	3,088
	6	5	15	44	19	3	9	95	95
	7	-	1	1	-	-	-	2	2
	8	2	-	1	1	-	-	4	4
TOTAL		402,327	792,390	1,240,235	839,053	512,424	196,279	3,982,708	4,241,494
31	1 - 2	127,095	222,500	375,063	212,146	115,119	38,153	1,090,076	1,163,854
	3	270,272	525,821	993,119	620,065	316,977	126,207	2,852,461	2,962,184
	4	67,374	171,516	377,947	232,681	121,914	53,728	1,025,160	1,047,955
	5	5,947	20,197	52,270	32,068	16,397	8,336	135,215	137,770
	6	458	1,818	4,821	3,385	1,403	822	12,707	12,922
	7	36	160	342	207	79	71	895	909
	8	-	7	9	6	-	-	22	24
TOTAL		471,182	942,019	1,803,571	1,100,558	571,889	227,317	5,116,536	5,325,618
41	1 - 2	25,630	33,029	39,458	15,225	5,257	1,181	119,780	139,456
	3	164,550	272,621	411,706	200,521	81,773	21,876	1,153,047	1,238,798
	4	106,365	230,971	448,887	244,569	111,815	36,599	1,179,206	1,220,255
	5	20,677	51,027	124,864	72,773	34,758	15,009	319,108	326,671
	6	2,512	6,860	18,905	13,456	5,354	2,755	49,842	51,028
	7	395	1,437	4,724	4,094	1,504	475	12,629	12,921
	8	97	333	1,045	708	309	67	2,559	2,644
TOTAL		320,226	596,278	1,049,589	551,346	240,770	77,962	2,836,171	2,991,773
51	1 - 2	3,382	2,889	2,974	834	193	16	10,288	13,234
	3	25,697	33,583	38,298	16,037	5,043	689	119,347	134,882
	4	21,770	35,886	51,686	27,323	12,487	2,820	151,972	162,442
	5	5,662	10,806	19,185	11,488	6,646	1,934	55,721	58,006
	6	751	1,683	3,520	2,066	1,216	434	9,670	10,134
	7	182	343	676	461	190	112	1,964	2,107
	8	93	250	266	284	103	101	1,097	1,175
TOTAL		57,537	85,440	116,605	58,493	25,878	6,106	350,059	381,980
61	1 - 2	187	81	42	8	-	-	318	479
	3	551	704	582	243	56	42	2,178	2,617
	4	439	743	936	389	120	82	2,709	2,911
	5	231	263	366	212	43	36	1,151	1,195
	6	61	52	124	67	11	10	325	341
	7	9	8	10	16	5	5	53	56
	8	2	2	5	3	-	1	13	15
TOTAL		1,480	1,853	2,065	938	235	176	6,747	7,614
71	1 - 2	4	1	-	-	-	-	5	8
	3	11	11	12	2	-	-	36	59
	4	39	14	5	-	1	-	59	64
	5	24	3	1	-	-	-	28	28
	6	2	1	-	1	-	-	4	4
	7	-	-	-	-	-	-	-	-
	8	-	1	1	-	-	-	2	3
TOTAL		80	31	19	3	1	-	134	166
12 & 22	1 - 2	17,759	15,297	11,333	2,749	1,065	235	48,438	83,795
	3	9,704	10,946	11,813	4,664	1,769	625	39,521	53,836
	4	1,672	2,128	3,174	1,455	454	154	9,037	10,657
	5	123	193	340	111	37	8	812	883
	6	2	20	29	4	-	1	56	56
	7	-	5	5	-	-	-	10	10
	8	-	-	-	-	-	-	-	-
TOTAL		29,260	28,589	26,694	8,983	3,325	1,023	97,874	149,237
32	1 - 2	6,353	5,744	4,462	1,094	362	64	18,079	29,516
	3	11,633	14,871	19,363	8,219	2,745	945	57,776	75,246
	4	5,094	7,926	12,345	6,197	2,545	1,104	35,211	40,240
	5	963	1,427	2,868	1,408	659	347	7,672	8,543
	6	135	202	589	234	83	56	1,299	1,418
	7	14	55	143	51	13	7	283	294
	8	5	12	27	6	-	-	50	51
TOTAL		24,197	30,237	39,797	17,209	6,407	2,523	120,370	155,308
42	1 - 2	3,282	2,540	1,305	228	40	10	7,405	13,584
	3	16,390	18,359	15,990	5,127	1,153	175	57,194	78,475
	4	12,570	18,798	23,548	9,258	2,672	638	67,484	79,598
	5	3,562	5,467	8,038	3,759	1,483	486	22,795	26,061
	6	661	864	1,433	801	392	186	4,337	5,003
	7	197	233	401	263	189	61	1,344	1,476
	8	120	104	157	188	171	19	759	829
TOTAL		36,782	46,365	50,872	19,624	6,100	1,575	161,318	205,026
52	1 - 2	1,238	605	355	39	10	1	2,248	3,812
	3	9,091	6,315	4,525	1,583	220	30	21,764	32,905
	4	7,106	7,229	6,744	3,200	853	101	25,233	33,787
	5	1,903	2,748	3,205	1,595	598	179	10,228	12,697
	6	325	579	915	417	209	103	2,548	3,000
	7	131	148	230	86	30	28	653	782
	8	60	78	97	32	80	17	364	423
TOTAL		19,854	17,702	16,071	6,952	2,000	459	63,038	87,406

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2022 Crop

Quality Designation	Leaf	Staple							
		35	36	37	38	39	40 &+	35 to 40+	Total
62	1 - 2	83	16	26	13	1	-	139	253
	3	627	346	364	236	28	1	1,602	2,949
	4	569	389	619	391	61	11	2,040	3,148
	5	158	183	301	271	48	8	969	1,283
	6	38	50	79	44	8	12	231	273
	7	6	2	22	-	3	5	38	38
	8	3	2	9	-	1	1	16	20
TOTAL		1,484	988	1,420	955	150	38	5,035	7,964
13 & 23	1 - 2	747	615	421	88	39	2	1,912	4,630
	3	654	740	702	221	64	17	2,398	5,315
	4	216	191	282	109	55	4	857	1,447
	5	4	12	48	16	13	6	99	131
	6	1	2	3	1	5	-	12	18
	7	-	-	-	-	-	-	-	1
	8	-	-	-	-	-	-	-	-
TOTAL		1,622	1,560	1,456	435	176	29	5,278	11,542
33	1 - 2	855	616	375	116	38	5	2,005	3,444
	3	1,355	1,591	2,070	915	331	144	6,406	10,543
	4	731	1,012	1,773	864	298	142	4,820	7,208
	5	169	268	399	251	101	50	1,238	1,704
	6	40	38	36	35	4	6	159	213
	7	5	7	6	1	-	2	21	31
	8	-	-	3	-	-	-	3	4
TOTAL		3,155	3,532	4,662	2,182	772	349	14,652	23,147
43	1 - 2	286	191	111	25	3	4	620	1,531
	3	1,167	1,356	1,584	612	182	37	4,938	8,634
	4	1,443	1,896	2,720	1,288	347	115	7,809	11,558
	5	790	995	1,374	741	225	94	4,219	6,478
	6	341	320	287	197	67	29	1,241	2,012
	7	66	68	66	23	13	6	242	393
	8	9	7	21	8	3	3	51	99
TOTAL		4,102	4,833	6,163	2,894	840	288	19,120	30,705
53	1 - 2	38	18	15	2	-	-	73	204
	3	717	616	330	101	7	-	1,771	3,152
	4	1,227	1,100	674	170	31	8	3,210	5,074
	5	610	568	422	147	34	17	1,798	2,860
	6	179	141	174	73	28	19	614	961
	7	99	82	54	24	16	9	284	404
	8	34	30	16	8	9	5	102	144
TOTAL		2,904	2,555	1,685	525	125	58	7,852	12,799
63	1 - 2	1	-	-	-	-	-	1	3
	3	36	25	41	24	2	2	130	306
	4	184	150	170	63	4	1	572	1,117
	5	115	109	124	22	-	2	372	661
	6	30	34	51	9	3	3	130	238
	7	1	7	21	-	-	-	29	70
	8	2	1	1	-	-	-	4	15
TOTAL		369	326	408	118	9	8	1,238	2,410
24 - 54	1 - 8	868	736	797	348	108	43	2,900	4,873
25 - 35	1 - 8	-	-	-	-	-	-	-	-
81 - 85	1 - 8	144	93	69	25	3	10	344	637
TOTAL ALL		1,377,573	2,555,527	4,362,178	2,610,641	1,371,212	514,243	12,791,374	13,639,699

EXTRANEIOUS MATTER	
Bark - Level 1	608,876
Bark - Level 2	13
Grass - Level 1	32,489
Grass - Level 2	7
Prep - Level 1	1,238
Prep - Level 2	-
Seed Coat - Level 1	17,267
Seed Coat - Level 2	1
Oil - Level 1	80
Oil - Level 2	-
Spindle Twist - Level 1	4
Spindle Twist - Level 2	-
Other - Level 1	156
Other - Level 2	-
Plastic - Level 1	3,975
Plastic - Level 2	-

Average Staple	36.91
Percent Tenderable	82.3
SAMPLES CLASSED	13,639,699

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1 - 2	-	-	*	*	*	0.1	0.3	1.0	2.3	4.4	6.4	4.2	2.7	0.9	22.4	
	3	-	-	*	*	*	*	0.1	0.3	0.6	1.3	2.5	1.8	1.0	0.5	8.1	
	4	-	-	*	*	*	*	*	*	*	0.1	0.2	0.1	0.1	*	0.6	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	8	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*	
TOTAL		-	-	*	*	*	0.1	0.4	1.3	2.9	5.8	9.1	6.2	3.8	1.4	31.1	
31	1 - 2	-	-	*	*	*	*	0.1	0.4	0.9	1.6	2.7	1.6	0.8	0.3	8.5	
	3	-	-	*	*	*	*	0.1	0.7	2.0	3.9	7.3	4.5	2.3	0.9	21.7	
	4	-	-	-	*	*	*	*	0.1	0.5	1.3	2.8	1.7	0.9	0.4	7.7	
	5	-	-	-	*	*	*	*	*	*	0.1	0.4	0.2	0.1	0.1	1.0	
	6	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*	
TOTAL		-	-	*	*	*	0.1	0.3	1.2	3.5	6.9	13.2	8.1	4.2	1.7	39.0	
41	1 - 2	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0	
	3	-	-	-	*	*	*	*	0.1	0.5	1.2	2.0	3.0	1.5	0.6	9.1	
	4	-	-	*	*	*	*	*	0.2	0.8	1.7	3.3	1.8	0.8	0.3	8.9	
	5	-	-	-	*	*	*	*	*	0.2	0.4	0.9	0.5	0.3	0.1	2.4	
	6	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	*	*	*	*	0.2	0.9	2.3	4.4	7.7	4.0	1.8	0.6	21.9	
51	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0	
	4	-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*	1.2	
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	0.4	
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	*	*	*	*	0.2	0.4	0.6	0.9	0.4	0.2	*	2.8	
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
71	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
12 & 22	1 - 2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6	
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4	
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL		-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	1.1
32	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2	
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6	
	4	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	
TOTAL		-	*	*	*	*	*	0.1	0.1	0.2	0.2	0.3	0.1	*	*	1.1	
42	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.6	
	4	-	-	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6	
	5	-	-	-	*	*	*	*	*	*	*	0.1	*	*	*	0.2	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL		-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.4	0.1	*	*	1.5	
52	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	0.2	
	4	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	*	0.2	
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	0.6	

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	*	*	*	*	*	*	*	*	*	*
33	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL		-	*	*	*	*	*	*	*	*	*	*	*	*	*
43	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	*	*	*	*	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	*	*	*	0.1	0.4	1.4	4.3	10.1	18.7	32.0	19.1	10.1	3.8	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	4.5
Bark - Level 2	*
Grass - Level 1	0.2
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.91
Percent Tenderable	82.3
SAMPLES CLASSED	13,639,699

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.3	0.9	1.7	2.9	1.8	1.0	0.2	8.9
	3	-	-	-	-	-	*	*	0.1	0.5	1.3	3.5	2.9	1.6	0.7	10.6
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	1.0
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.5	1.4	3.1	6.7	5.0	2.8	1.0
31	1 - 2	-	-	-	-	*	*	0.1	0.4	0.7	1.0	1.5	0.7	0.2	*	4.7
	3	-	-	-	-	*	*	0.1	1.0	3.0	4.7	8.8	5.3	2.0	0.6	25.5
	4	-	-	-	-	-	*	*	0.2	1.0	1.8	3.8	2.8	1.5	0.6	11.9
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.1	1.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.3	1.7	4.8	7.7	14.6	9.2	3.8	1.3
41	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	3	-	-	-	-	*	*	0.1	0.8	1.9	2.4	3.0	1.4	0.5	0.1	10.2
	4	-	-	-	-	*	*	0.1	0.6	1.8	2.9	4.3	2.4	0.9	0.2	13.3
	5	-	-	-	-	*	*	*	0.2	0.4	0.8	1.3	0.7	0.3	0.1	3.7
	6	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.4
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.2	1.7	4.4	6.4	8.9	4.6	1.8	0.4
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.2	0.3	0.4	0.4	0.1	*	*	1.6
	4	-	-	-	-	-	*	*	0.2	0.3	0.6	0.8	0.2	0.1	*	2.2
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.1	*	*	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	*	0.1	0.5	0.8	1.2	1.6	0.4	0.2	*
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*
71	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.2	0.1	*
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	0.3

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	*	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	TOTAL		-	-	-	-	*	-	*	*	*	*	*	*	*	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL ALL		-	-	-	-	*	0.1	0.7	4.5	11.8	19.1	32.7	19.7	8.6	2.8	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	1.0
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.87
Percent Tenderable	90.3
SAMPLES CLASSED	785,342

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.2	1.5	4.2	9.4	6.6	3.3	1.2	26.5
	3	-	-	-	-	-	-	*	*	0.2	0.9	2.3	2.0	1.1	0.7	7.3
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	0.2	1.7	5.1	11.8	8.6	4.4	2.0
31	1 - 2	-	-	-	-	-	*	*	0.2	1.1	3.0	5.9	2.9	1.1	0.4	14.6
	3	-	-	-	-	-	*	*	0.1	0.6	2.1	9.3	6.9	2.6	1.1	22.6
	4	-	-	-	-	-	-	*	*	*	0.3	1.8	2.1	1.0	0.5	5.7
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.4
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.3	1.7	5.4	17.0	12.1	4.7	2.1
41	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.5	0.2	0.1	*	1.1
	3	-	-	-	-	-	*	*	*	0.2	1.0	3.0	1.7	0.6	0.1	6.6
	4	-	-	-	-	-	*	*	*	0.1	0.6	2.1	2.1	0.9	0.4	6.2
	5	-	-	-	-	-	-	*	*	*	0.2	0.5	0.7	0.5	0.4	2.2
	6	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.2	0.6
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1	0.2
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.4	2.1	6.2	4.9	2.2	1.1	16.8
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	-	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	TOTAL		-	-	-	-	-	*	*	0.2	0.2	0.2	0.2	0.1	0.1	0.8
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	0.2	0.5	0.7	0.1	*	*	1.5
	3	-	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	0.8
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.3	0.8	1.0	0.2	*	*	2.4
32	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	3	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.5	0.2	0.1	*	1.4
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
33	1 - 2	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.8	4.5	14.4	37.1	26.3	11.5	5.3	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	1.7
Bark - Level 2	*
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	1.6
Seed Coat - Level 2	*
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	37.40
Percent Tenderable	83.3
SAMPLES CLASSED	257,371

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	2.8	10.3	12.6	9.1	7.1	2.8	44.7
	3	-	-	-	-	-	*	*	*	0.2	1.3	2.8	2.7	1.8	0.9	9.8
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	3.0	11.6	15.5	11.9	9.0	3.7
31	1 - 2	-	-	-	-	-	*	*	*	0.5	2.2	4.6	3.5	2.5	0.9	14.2
	3	-	-	-	-	-	*	*	*	0.3	1.9	6.4	6.3	3.8	1.9	20.7
	4	-	-	-	-	-	-	*	*	*	0.2	1.1	1.3	0.7	0.3	3.7
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	0.8	4.4	12.2	11.2	7.1	3.2
41	1 - 2	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.8	0.7	0.5	0.2	2.4
	4	-	-	-	-	-	*	*	*	*	0.2	0.7	0.6	0.3	0.2	2.0
	5	-	-	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.5	1.9	1.6	0.9	0.4	5.5
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	0.2	3.9	16.6	29.9	24.9	17.1	7.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.57
Percent Tenderable	88.3
SAMPLES CLASSED	1,643,729

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	*	0.5	4.3	9.9	22.3	11.8	4.8	1.2	54.8
	3	-	-	-	-	-	-	*	0.6	0.9	0.8	2.0	3.1	2.2	0.8	10.3
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	1.1	5.3	10.7	24.4	15.0	7.1	2.0
31	1 - 2	-	-	-	-	-	-	*	0.1	1.2	4.7	6.0	2.8	1.8	0.5	17.0
	3	-	-	-	-	-	*	-	0.1	0.3	0.7	1.3	2.3	2.9	1.0	8.7
	4	-	-	-	-	-	-	-	*	0.2	0.2	0.2	0.4	0.4	0.2	1.5
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.2	1.7	5.5	7.5	5.5	5.1	1.8
41	1 - 2	-	-	-	-	-	-	-	*	0.1	0.1	*	0.1	-	*	0.3
	3	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	*	*	0.6
	4	-	-	-	-	-	-	-	0.1	0.3	0.2	0.1	*	*	*	0.8
	5	-	-	-	-	-	-	-	*	0.1	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.2	0.6	0.4	0.4	0.2	0.1	0.1
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	0.3	0.2	0.2	*	0.8
	3	-	-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	0.7
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1	*	0.6
	4	-	-	-	-	-	-	-	0.1	0.2	0.1	*	*	*	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.3	0.3	0.2	0.2	*
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	0.2	0.5	0.2	0.1	*	*	0.9
	5	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	0.3	0.9	0.5	0.2	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	*	*	-	-	-

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*	*
	3	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	*	-	*	*	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	2.0	8.9	17.5	33.2	21.6	12.8	3.9	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	4.5
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	*
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.18
Percent Tenderable	87.8
SAMPLES CLASSED	90,067

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.4	0.3	0.6	1.0	0.4	0.1	*	2.9
	3	-	-	-	-	-	*	*	0.1	0.3	0.6	0.4	0.1	0.1	*	1.7
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.6	0.7	1.2	1.5	0.5	0.1	*
31	1 - 2	-	-	-	-	*	*	0.1	0.5	0.6	0.7	0.7	0.6	0.1	*	3.4
	3	-	-	-	-	*	*	0.3	1.5	3.9	4.6	4.1	2.1	1.2	0.2	17.9
	4	-	-	-	-	*	*	0.4	1.5	2.6	2.6	1.0	0.6	0.1	0.1	8.8
	5	-	-	-	-	*	*	*	0.1	0.3	0.4	0.1	0.1	0.1	*	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.4	2.5	6.1	8.2	7.9	3.8	2.0	0.3
41	1 - 2	-	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.3	*	*	1.6
	3	-	-	-	-	-	*	*	0.3	1.2	3.4	6.1	5.9	1.6	0.1	22.5
	4	-	-	-	-	*	*	0.2	0.8	3.0	6.2	7.4	4.0	2.1	0.4	24.1
	5	-	-	-	-	-	*	*	0.2	0.7	1.3	2.0	1.0	0.5	0.1	5.7
	6	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.5	2.3	7.5	14.0	15.9	9.4	4.2	0.7
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.2	0.4	0.8	0.5	0.3	0.1	*	2.3
	4	-	-	-	-	-	*	*	0.1	0.6	1.3	1.1	0.6	0.2	*	3.9
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.4	0.2	*	*	1.1
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	0.4	1.2	2.4	2.1	1.1	0.3	*
61	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	-	-
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	0.4
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	*
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	*	-	*
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL ALL		-	-	-	-	*	0.1	1.0	5.8	16.0	26.7	27.9	14.9	6.7	1.0	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.51
Percent Tenderable	92.5
SAMPLES CLASSED	130,020

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.3	0.7	1.1	1.7	0.8	0.2	*	4.8
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	1.5	0.7	0.2	*	3.9
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.4	1.2	2.0	3.3	1.5	0.5	0.1
31	1 - 2	-	-	-	-	*	*	0.2	0.8	1.6	2.1	3.0	1.0	0.2	*	8.8
	3	-	-	-	-	*	*	0.2	1.4	3.9	6.2	9.3	3.9	1.1	0.1	26.1
	4	-	-	-	-	-	*	*	0.2	0.8	1.7	3.2	1.5	0.5	0.1	8.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.4	2.4	6.4	10.2	15.8	6.5	1.9	0.3
41	1 - 2	-	-	-	-	*	*	*	0.2	0.3	0.5	0.7	0.2	*	*	2.0
	3	-	-	-	*	*	*	0.3	1.3	2.9	4.3	6.3	2.5	0.7	0.1	18.3
	4	-	-	-	-	*	*	0.1	0.6	1.7	3.1	5.4	2.6	0.9	0.2	14.7
	5	-	-	-	-	*	*	*	0.1	0.2	0.5	1.2	0.6	0.3	0.1	3.0
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL		-	-	-	*	*	*	0.4	2.2	5.2	8.4	13.7	6.0	1.9	0.4
51	1 - 2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	3	-	-	-	-	*	*	*	0.2	0.5	0.7	0.9	0.3	0.1	*	2.6
	4	-	-	-	-	*	*	*	0.2	0.4	0.7	1.0	0.5	0.2	*	3.1
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	0.1	0.4	1.0	1.6	2.3	1.1	0.4	0.1
61	1 - 2	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	*	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	*
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-
33	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
TOTAL ALL		-	-	-	*	*	0.1	1.0	5.5	14.2	22.7	35.6	15.3	4.7	0.8	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.2
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.55
Percent Tenderable	93.0
SAMPLES CLASSED	2,616,333

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	*	0.2	0.9	3.7	5.5	7.0	9.2	5.7	0.4	*	-	32.6
	3	-	-	-	*	0.1	0.9	2.8	4.2	4.5	5.0	4.2	0.6	*	*	22.4
	4	-	-	-	*	*	0.1	0.2	0.4	0.5	0.5	0.5	0.2	*	-	2.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	0.2	1.9	6.7	10.2	12.0	14.7	10.4	1.2	*	*
31	1 - 2	-	-	-	-	-	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
	3	-	-	-	*	*	0.2	1.0	1.5	1.3	1.2	0.8	0.2	0.1	*	6.4
	4	-	-	-	*	*	0.2	1.0	1.7	1.4	1.2	1.7	0.3	0.1	*	7.7
	5	-	-	-	-	*	0.1	0.3	0.5	0.4	0.5	0.9	0.1	0.1	*	2.8
	6	-	-	-	*	-	*	*	0.1	0.1	0.2	0.2	*	*	-	0.5
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL		-	-	-	*	*	0.5	2.6	4.0	3.3	3.3	3.6	0.6	0.3	0.1
41	1 - 2	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	0.1	0.1	*	*	*	1.1
	5	-	-	-	-	*	0.1	0.2	0.3	0.2	0.2	0.2	0.1	*	*	1.3
	6	-	-	-	-	-	*	0.1	0.1	0.1	0.1	0.2	0.1	0.1	*	0.8
	7	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	*	*	-	0.5
	8	-	-	-	-	-	-	*	*	*	*	0.1	*	*	-	0.2
	TOTAL		-	-	-	-	*	0.2	0.5	1.0	0.6	0.5	0.8	0.2	0.2	*
51	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	*	*	0.1	0.3	0.6	0.7	1.2	1.1	0.9	0.1	*	*	4.9
	3	-	-	-	*	*	0.2	0.8	1.2	1.5	1.2	0.6	0.1	*	-	5.6
	4	-	-	-	-	*	0.1	0.1	0.2	0.2	0.1	0.2	0.1	*	-	1.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	0.1	0.5	1.5	2.0	2.9	2.5	1.8	0.2	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.5	0.4	0.1	*	0.1	0.2	1.6
	4	-	-	-	-	*	0.1	0.1	0.3	0.3	0.3	0.3	0.1	0.1	0.1	1.6
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	0.2	*	*	*	0.6
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	*	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL		-	-	-	-	*	0.1	0.3	0.6	1.0	0.7	0.7	0.1	0.2	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	5	-	-	-	-	*	*	*	*	0.1	*	*	*	*	*	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL		-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	0.1	0.1	0.1
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.3	0.1	0.1	*	*	*	-	-	0.6
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.3	0.2	0.1	0.1	*	*	-	-	0.9
33	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.2	0.2	0.1	0.1	-	*	*	*	0.6
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	*	*	*	*	0.6
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	*	*	0.1
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.1	0.4	0.3	0.2	0.3	*	*	*	*	1.4
43	1 - 2	-	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	0.1	*	0.1	0.1	*	*	*	*	*	*	0.4
53	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	0.1	*	0.1	*	*	*	-	-	-	-	0.3
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	*	*	0.1	-	-	-	-	-	-	-	0.1
TOTAL ALL		-	-	*	0.1	0.5	3.6	12.2	19.0	20.9	22.2	17.8	2.5	0.8	0.5	0.5	100.0

EXTRANEOUS MATTER	
Bark - Level 1	19.0
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	0.3
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.14
Percent Tenderable	62.1
SAMPLES CLASSED	119,745

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	0.1	0.3	0.4	0.6	1.0	0.7	0.8	0.3	4.1
	3	-	-	-	-	-	*	*	*	0.2	0.3	0.6	0.5	0.6	0.4	2.6
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.3	0.5	0.9	1.6	1.2	1.4	0.7
31	1 - 2	-	-	-	-	-	*	0.1	0.6	1.1	1.3	1.6	1.4	1.2	0.4	7.8
	3	-	-	-	-	*	*	0.2	0.6	1.8	3.8	6.4	5.1	5.1	2.4	25.2
	4	-	-	-	-	-	-	*	*	0.2	0.7	1.1	0.8	1.0	0.6	4.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.3	1.2	3.1	5.8	9.0	7.3	7.4	3.4
41	1 - 2	-	-	-	-	-	*	0.1	0.1	0.1	0.2	0.5	0.4	0.3	0.1	1.7
	3	-	-	-	-	*	*	0.2	0.6	1.7	3.5	6.3	4.8	3.7	0.9	21.9
	4	-	-	-	-	-	*	0.1	0.4	1.6	2.9	4.2	3.0	2.9	1.0	16.2
	5	-	-	-	-	-	*	*	0.1	0.3	0.5	0.6	0.3	0.3	0.2	2.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.4	1.2	3.7	7.2	11.6	8.5	7.3	2.1
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.3	0.2	*	1.1
	4	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	0.5	0.4	0.1	2.0
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.7
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.4	0.4	0.5	0.6	0.9	0.7	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	*	-	*	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	-	*	*	*	-
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
42	1 - 2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	-	-	-	*	0.1	0.4	0.5	0.6	0.4	0.2	0.1	*	2.3
	4	-	-	-	-	-	*	*	0.1	0.3	0.4	0.5	0.3	0.1	*	1.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.1	0.5	0.8	1.2	1.0	0.5	0.2	*
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	0.1	0.4	0.3	0.3	0.4	0.2	*	*	1.6
	4	-	-	-	-	-	*	*	0.2	0.3	0.4	0.6	0.4	0.1	*	2.0
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	-	*	0.1	0.6	0.7	0.8	1.1	0.7	0.2	*

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	-	*	*
43	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	*	*	*	*	-	-	-	*	*
TOTAL ALL		-	-	-	-	*	0.2	1.2	4.4	9.5	16.6	25.2	19.3	17.2	6.4	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.4
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.19
Percent Tenderable	64.2
SAMPLES CLASSED	355,581

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.2	1.2	2.5	6.6	5.2	4.1	2.2	22.1
	3	-	-	-	-	-	*	*	*	0.3	0.8	2.6	2.7	2.0	1.4	9.9
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.3	1.5	3.4	9.3	8.0	6.2	3.7
31	1 - 2	-	-	-	-	*	*	*	0.2	0.7	1.4	3.9	2.8	2.0	0.8	11.7
	3	-	-	-	-	*	*	*	0.3	1.3	2.9	9.5	8.8	6.3	3.1	32.2
	4	-	-	-	-	-	*	*	0.1	0.3	0.7	2.1	2.1	1.6	1.1	8.1
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.5
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.5	2.3	5.1	15.6	13.8	10.0	5.1
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	0.5
	3	-	-	-	-	-	*	*	0.1	0.4	0.7	1.5	1.2	0.9	0.4	5.2
	4	-	-	-	-	-	*	*	0.1	0.3	0.6	1.3	1.3	1.1	0.6	5.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.3	0.2	0.2	1.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL		-	-	-	-	-	*	*	0.3	0.8	1.5	3.3	2.9	2.3	1.3
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	0.8
61	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	0.1	*
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.5

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL ALL		-	-	-	-	*	*	0.1	1.2	4.8	10.5	29.0	25.3	18.9	10.3	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.6
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.72
Percent Tenderable	78.8
SAMPLES CLASSED	1,132,798

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.3	3.3	13.2	22.1	17.9	12.5	3.7	72.9
	3	-	-	-	-	-	-	*	*	0.1	0.6	2.5	2.7	1.5	0.6	8.0
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.3	3.4	13.8	24.6	20.6	14.0	4.3	81.1
31	1 - 2	-	-	-	-	-	-	*	*	0.3	1.3	2.7	1.9	1.5	0.4	8.2
	3	-	-	-	-	-	-	*	*	0.1	0.8	2.4	2.4	1.7	0.7	7.9
	4	-	-	-	-	-	-	-	-	*	*	0.3	0.5	0.3	0.1	1.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	2.2	5.4	4.8	3.5	1.2	17.4
41	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.4
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	0.9
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	0.1	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	-	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	*	-	*	
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*	
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL ALL		-	-	-	-	*	*	*	0.3	3.8	16.2	30.5	25.8	17.8	5.6	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.54
Percent Tenderable	96.4
SAMPLES CLASSED	760,945

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	-	0.1	0.1	0.3	2.6	3.8	2.7	8.0	17.5
	3	-	-	-	-	-	-	-	*	*	*	0.2	1.1	0.7	1.7	3.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	0.1	0.1	0.3	2.8	4.9	3.4	9.7
31	1 - 2	-	-	-	-	-	-	*	0.5	1.2	1.4	4.0	3.3	1.1	2.9	14.3
	3	-	-	-	-	-	-	*	0.3	2.3	2.7	2.8	4.2	3.1	2.8	18.2
	4	-	-	-	-	-	-	*	0.1	0.4	1.1	1.7	1.2	0.5	0.5	5.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	0.1	1.0
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	1.0	3.9	5.3	8.9	9.0	4.7	6.3
41	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.2	0.1	0.1	*	*	1.0
	3	-	-	-	-	-	-	*	0.1	1.0	0.8	1.5	0.9	0.7	0.1	5.1
	4	-	-	-	-	-	-	*	0.8	1.9	2.4	2.2	0.7	0.2	0.1	8.4
	5	-	-	-	-	-	-	*	0.7	1.6	3.2	3.0	1.3	0.2	0.1	10.0
	6	-	-	-	-	-	-	-	0.2	0.6	1.6	2.1	1.4	0.2	-	6.0
	7	-	-	-	-	-	-	-	*	0.1	0.5	0.7	0.4	0.2	*	1.8
	8	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	0.3
	TOTAL		-	-	-	-	-	-	*	1.9	5.5	8.8	9.7	4.9	1.5	0.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	0.1	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	0.1	0.1	0.2	0.2	0.1	*	-	0.7
	7	-	-	-	-	-	-	-	0.1	0.1	0.2	0.3	0.3	*	-	0.9
	8	-	-	-	-	-	-	-	*	*	0.1	0.2	0.3	*	*	0.8
	TOTAL		-	-	-	-	-	-	-	0.1	0.3	0.7	0.8	0.7	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	0.5	0.2	0.1	0.8	
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL		-	-	-	-	-	-	-	-	*	0.1	*	0.5	0.2	0.1
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	-	-	*	0.2	0.1	0.1	*	-	0.5
	4	-	-	-	-	-	-	-	-	*	0.4	0.3	0.1	*	-	0.8
	5	-	-	-	-	-	-	-	-	-	0.1	0.2	0.1	*	-	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	*	0.7	0.7	0.2	0.1	-
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	-	*	0.2	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	-	0.2
	7	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	-	0.3
	8	-	-	-	-	-	-	-	-	-	-	0.3	0.1	*	-	0.4
	TOTAL		-	-	-	-	-	-	-	-	*	0.2	0.8	0.3	0.1	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	0.2	*	0.1	-	0.2
	TOTAL		-	-	-	-	-	-	-	-	-	0.2	*	0.1	-	0.3

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	*	3.0	9.9	16.0	23.9	20.6	10.2	16.3	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	14.2
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.56
Percent Tenderable	67.3
SAMPLES CLASSED	27,465

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.3	0.3	0.4	0.2	0.1	*	1.3
	3	-	-	-	-	-	*	*	*	0.1	0.4	0.6	0.4	0.3	0.1	2.0
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.4	0.7	1.1	0.7	0.4	0.1	3.5
31	1 - 2	-	-	-	*	*	*	*	0.2	0.6	0.6	0.7	0.3	0.1	*	2.6
	3	-	-	-	-	*	*	0.1	0.6	2.6	6.3	8.6	3.6	1.3	0.3	23.4
	4	-	-	-	-	*	*	*	0.1	0.6	2.8	6.9	2.8	1.1	0.3	14.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.7	0.3	0.1	0.1	1.4
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.1	0.9	3.8	9.9	17.0	7.0	2.6	0.7	42.1
41	1 - 2	-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	3	-	-	-	-	-	*	*	0.4	1.6	4.3	6.2	2.8	0.9	0.2	16.4
	4	-	-	-	-	-	*	*	0.2	1.2	4.7	10.9	5.2	1.9	0.4	24.6
	5	-	-	-	-	-	-	*	*	0.3	1.0	3.3	1.6	0.5	0.1	6.9
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	0.6
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.7	3.2	10.3	20.9	9.8	3.4	49.2
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.3	0.1	1.3
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.1	*	0.6
	6	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.2	0.5	1.0	0.6	0.2	*	2.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.1	0.2	0.4	0.2	0.1	*	1.1
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.2	0.3	0.4	0.1	0.1	*	1.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	-	-	-	-	*	-	-	*	
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	*	0.3	1.9	8.0	22.1	40.9	18.5	6.7	1.6	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.8
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.92
Percent Tenderable	85.1
SAMPLES CLASSED	1,030,231

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	0.2	0.7	1.1	1.7	2.7	2.1	1.5	0.5	10.4
	3	-	-	-	-	*	*	*	0.2	0.3	0.7	1.7	1.5	0.9	0.5	5.7
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.9	1.4	2.5	4.4	3.6	2.4	1.1	16.4
31	1 - 2	-	-	-	-	-	*	0.1	0.4	0.9	1.8	3.7	2.0	1.4	1.2	11.5
	3	-	-	-	-	-	*	0.2	0.7	1.5	2.3	6.1	5.7	5.2	4.3	26.0
	4	-	-	-	-	-	*	*	0.1	0.3	0.8	2.2	1.9	1.7	1.1	8.2
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.3	1.3	2.9	4.9	12.2	9.8	8.4	6.6	46.4
41	1 - 2	-	-	-	-	-	*	*	0.1	0.3	0.5	0.7	0.4	0.3	0.2	2.5
	3	-	-	-	-	*	*	0.1	0.5	1.1	1.7	3.3	2.6	1.8	1.6	12.7
	4	-	-	-	-	*	*	0.1	0.4	0.7	1.3	2.4	1.2	1.1	1.2	8.4
	5	-	-	-	-	*	*	*	0.1	0.2	0.4	0.5	0.4	0.3	0.6	2.5
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.2	0.6
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
TOTAL		-	-	-	-	*	0.1	0.2	1.1	2.4	3.9	7.0	4.8	3.5	3.7	26.8
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	0.1	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.1	*	0.4
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
TOTAL		-	-	-	-	-	*	0.1	0.1	0.3	0.3	0.4	0.2	0.1	0.1	1.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	*	*	0.2	0.2	0.2	0.1	0.2	0.1	*	*	1.0
	3	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.2	0.4	0.3	0.2	0.3	0.1	*	*	1.6
32	1 - 2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.2	*	*	*	0.6
	3	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	1.1
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.6	0.2	0.1	*	2.4
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	0.2	0.2	0.3	0.2	*	*	*	0.9
	4	-	-	-	-	*	*	*	0.2	0.2	0.3	0.3	0.1	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	*	*	0.1	0.4	0.5	0.7	0.7	0.1	*	*	2.6
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	*	0.1	*	*	*	*	*	*	0.2

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.4
33	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.2	0.1	*	*	-	0.6
43	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.8
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	*	*	0.1	*	0.1	*	*	-	-	0.3
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	-	-	*	-	-	*
TOTAL ALL		-	-	-	*	*	0.2	1.4	5.0	8.8	13.5	26.0	19.0	14.6	11.4	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	20.1
Bark - Level 2	*
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.33
Percent Tenderable	66.4
SAMPLES CLASSED	169,012

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	0.8
	3	-	-	-	-	-	-	*	*	0.1	0.4	0.6	0.5	0.5	0.3	2.4
	4	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.6	0.9	0.7	0.7	0.4
31	1 - 2	-	-	-	-	-	-	*	0.1	0.3	0.4	0.5	0.3	0.1	*	1.7
	3	-	-	-	-	-	*	*	0.2	1.7	3.4	6.4	4.6	2.5	0.7	19.5
	4	-	-	-	-	-	*	*	*	0.6	1.8	5.2	4.0	3.2	1.4	16.1
	5	-	-	-	-	-	-	-	*	*	0.2	0.9	0.7	0.6	0.4	2.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.3	2.6	5.8	13.0	9.6	6.4	2.6
41	1 - 2	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	-	*	0.1	0.4	1.2	2.0	3.3	2.1	1.0	0.3	10.5
	4	-	-	-	-	-	*	*	0.4	1.6	3.8	8.8	5.6	3.5	1.3	24.8
	5	-	-	-	-	-	-	*	*	0.3	1.2	3.8	2.3	1.5	0.7	9.7
	6	-	-	-	-	-	-	*	*	*	0.1	0.4	0.3	0.2	0.1	1.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.9	3.2	7.2	16.3	10.3	6.2	2.3
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.4
	4	-	-	-	-	-	*	*	0.1	0.4	0.7	1.3	0.8	0.4	0.1	3.7
	5	-	-	-	-	-	-	*	*	0.1	0.3	0.7	0.5	0.2	0.1	2.0
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.2	0.7	1.4	2.6	1.5	0.8	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	*
42	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.2	0.2	0.4	0.2	0.1	*
52	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	*	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.5	6.9	15.5	33.6	22.4	14.2	5.6	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	1.7
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.33
Percent Tenderable	87.5
SAMPLES CLASSED	434,221

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	1.6	5.2	13.9	10.1	5.2	1.1	37.2
	3	-	-	-	-	-	-	*	*	0.1	0.6	4.4	4.1	1.9	0.4	11.6
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	0.4
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	1.7	5.9	18.4	14.3	7.2	1.5	49.3
31	1 - 2	-	-	-	-	-	-	*	*	0.4	1.5	4.6	3.2	1.4	0.3	11.4
	3	-	-	-	-	-	-	*	*	0.3	1.9	8.6	6.5	2.3	0.4	20.1
	4	-	-	-	-	-	-	*	*	*	0.2	1.4	1.5	0.6	0.1	3.8
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.7	3.7	14.6	11.3	4.3	0.8	35.4
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.3	0.2	*	*	0.7
	3	-	-	-	-	-	-	-	*	0.1	0.5	2.0	1.3	0.4	0.1	4.5
	4	-	-	-	-	-	-	-	*	*	0.3	1.6	1.3	0.3	0.1	3.7
	5	-	-	-	-	-	-	-	-	*	*	0.3	0.2	0.1	*	0.6
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	1.0	4.2	3.1	0.9	0.2	9.6
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	-	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.1
32	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	0.3
	3	-	-	-	-	-	-	-	*	*	0.1	0.8	0.4	0.1	*	1.5
	4	-	-	-	-	-	-	-	-	*	*	0.2	0.2	0.1	*	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.2	1.2	0.7	0.2	*	2.3
42	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	0.1	0.4	0.1	*	*	0.6
	4	-	-	-	-	-	-	-	*	*	0.1	0.4	0.3	*	*	0.9
	5	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.2	0.9	0.5	0.1	*	1.8
52	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	0.1	0.3	0.2	*	*	0.6
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL ALL		-	-	-	-	-	*	*	0.2	2.6	11.3	40.2	30.3	12.8	2.6	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.47
Percent Tenderable	87.6
SAMPLES CLASSED	693,500

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	*	*	*	0.3	1.2	3.6	5.3	5.9	5.9	2.7	1.1	0.3	26.3
	3	-	-	*	*	*	0.1	0.3	0.8	1.5	2.6	3.8	2.0	0.9	0.4	12.4
	4	-	-	*	*	*	*	*	0.1	0.2	0.3	0.6	0.3	0.1	0.1	1.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	TOTAL		-	-	*	*	0.1	0.4	1.5	4.4	7.0	8.8	10.3	4.9	2.2	0.7
31	1 - 2	-	-	*	*	*	0.1	0.3	0.7	1.3	1.7	2.0	0.9	0.4	0.1	7.3
	3	-	-	*	*	*	0.1	0.2	0.8	2.0	3.5	5.3	2.7	1.3	0.5	16.3
	4	-	-	-	*	*	*	*	0.2	0.6	1.5	2.6	1.4	0.7	0.3	7.3
	5	-	-	-	*	*	*	*	*	0.1	0.3	0.7	0.4	0.2	0.1	1.9
	6	-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	TOTAL		-	-	*	*	*	0.2	0.5	1.7	3.9	7.1	10.8	5.5	2.5	1.0
41	1 - 2	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.3
	3	-	-	-	*	*	*	0.1	0.5	1.0	1.3	1.4	0.4	0.1	*	4.9
	4	-	-	*	*	*	*	*	0.1	0.4	0.7	1.2	0.5	0.2	0.1	3.2
	5	-	-	-	*	*	*	*	*	0.1	0.2	0.5	0.3	0.2	0.1	1.4
	6	-	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	0.3
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL		-	-	*	*	*	0.1	0.3	0.9	1.8	2.6	3.6	1.7	0.6	0.2
51	1 - 2	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	3	-	-	-	*	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.0
	4	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	0.1	0.2	0.5	0.5	0.4	0.2	*	*
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-
12 & 22	1 - 2	-	*	*	*	0.1	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	2.1
	3	-	-	*	*	*	0.1	0.1	0.2	0.2	0.3	0.3	0.1	*	*	1.3
	4	-	-	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	0.1	0.2	0.5	0.6	0.7	0.7	0.6	0.2	0.1	*
32	1 - 2	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1	*	*	*	0.7
	3	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.2	0.1	*	*	1.2
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL		-	*	*	*	0.1	0.2	0.3	0.4	0.5	0.5	0.5	0.2	*	*
42	1 - 2	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.4
	3	-	*	*	*	*	0.1	0.2	0.2	0.3	0.3	0.2	*	*	*	1.3
	4	-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	*	0.9
	5	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	*	*	*	0.1	0.2	0.3	0.4	0.6	0.6	0.5	0.1	*	*
52	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.2	*	*	*

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+	
62	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	*	*	*	-	*	-	-	*	*
	TOTAL		-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	*	*	*	0.1	*	*	*	*	*	*	0.3
33	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL		-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.5
43	1 - 2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	0.6
53	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
63	1 - 2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	
TOTAL ALL		-	*	*	0.1	0.5	1.5	4.0	9.3	15.8	21.4	27.0	12.8	5.6	2.0	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	15.1
Bark - Level 2	*
Grass - Level 1	0.6
Grass - Level 2	*
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	36.23
Percent Tenderable	65.6
SAMPLES CLASSED	3,191,030

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	*	*	0.2	0.3	0.4	0.2	*	*	1.2
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.6	0.3	0.1	*	1.8
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.4	0.7	1.0	0.6	0.2	*
31	1 - 2	-	-	-	-	-	*	*	0.2	0.9	1.6	1.7	0.9	0.3	*	5.6
	3	-	-	-	-	-	*	0.1	0.6	3.2	9.5	20.0	9.4	3.1	0.4	46.1
	4	-	-	-	-	-	-	*	*	0.3	2.2	7.8	3.5	1.1	0.2	15.2
	5	-	-	-	-	-	-	-	*	*	0.1	0.3	0.1	*	*	0.6
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.8	4.3	13.4	29.8	14.0	4.5	0.6
41	1 - 2	-	-	-	-	-	-	*	0.1	0.1	0.3	0.4	0.1	*	*	1.0
	3	-	-	-	-	-	*	*	0.2	1.3	3.2	6.2	2.6	0.7	0.1	14.3
	4	-	-	-	-	-	-	*	0.1	0.7	2.0	5.3	2.4	0.8	0.1	11.4
	5	-	-	-	-	-	-	-	*	0.1	0.3	0.8	0.2	0.1	*	1.5
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	*	*	-	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.3	2.2	5.8	12.6	5.4	1.6	0.2
51	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-
32	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	*
42	1 - 2	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	-	0.1	*	0.1	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2022 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.2	7.2	20.3	43.8	20.1	6.3	0.9		100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.2
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.96
Percent Tenderable	96.6
SAMPLES CLASSED	202,309

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2022 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	8,001	-	744	-	3	-	223	-	2,226	-
Arizona	4,267	1	182	-	1	-	1	-	4,192	1
Arkansas	3,931	-	2,136	-	12	-	23	-	82	-
California	4,089	-	178	-	-	-	-	-	4	-
Florida	940	-	144	-	-	-	1	-	485	-
Georgia	17,938	-	2,063	-	7	-	158	-	5,178	-
Kansas	22,806	-	100	-	-	-	359	-	31	-
Louisiana	1,860	-	1,049	-	-	-	1	-	1,293	-
Mississippi	6,988	-	1,744	-	23	-	22	-	548	-
Missouri	376	-	179	-	-	-	242	-	3	-
New Mexico	3,893	-	45	-	-	-	-	-	20	-
North Carolina	8,351	-	1,815	-	2	-	73	-	32	-
Oklahoma	34,007	1	15	-	1	-	3	-	5	-
South Carolina	7,205	-	1,165	-	-	-	68	-	141	-
Tennessee	3,563	-	500	-	4	-	15	-	26	-
Texas	480,263	11	20,383	7	27	-	47	-	3,000	-
Virginia	398	-	47	-	-	-	2	-	1	-
United States	608,876	13	32,489	7	80	-	1,238	-	17,267	1

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	4	-	216	-	1	-	11,418	-
Arizona	4	-	215	-	1	-	8,863	2
Arkansas	10	-	225	-	-	-	6,419	-
California	-	-	19	-	2	-	4,292	-
Florida	-	-	14	-	-	-	1,584	-
Georgia	5	-	571	-	-	-	25,920	-
Kansas	-	-	44	-	-	-	23,340	-
Louisiana	3	-	74	-	-	-	4,280	-
Mississippi	7	-	302	-	-	-	9,634	-
Missouri	5	-	167	-	-	-	972	-
New Mexico	1	-	8	-	-	-	3,967	-
North Carolina	3	-	139	-	-	-	10,415	-
Oklahoma	-	-	23	-	-	-	34,054	1
South Carolina	-	-	121	-	-	-	8,700	-
Tennessee	-	-	81	-	-	-	4,189	-
Texas	114	-	1,731	-	-	-	505,565	18
Virginia	-	-	25	-	-	-	473	-
United States	156	-	3,975	-	4	-	664,085	21

Table 21. -- Tenderability of upland cotton classed, by states, 2022 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	708,958	90.3	76,384	9.7
Arizona	214,473	83.3	42,898	16.7
Arkansas	1,452,164	88.3	191,565	11.7
California	79,104	87.8	10,963	12.2
Florida	120,205	92.5	9,815	7.5
Georgia	2,433,464	93.0	182,869	7.0
Kansas	74,308	62.1	45,437	37.9
Louisiana	228,387	64.2	127,194	35.8
Mississippi	892,952	78.8	239,846	21.2
Missouri	733,349	96.4	27,596	3.6
New Mexico	18,489	67.3	8,976	32.7
North Carolina	876,224	85.1	154,007	14.9
Oklahoma	112,192	66.4	56,820	33.6
South Carolina	380,120	87.5	54,101	12.5
Tennessee	607,595	87.6	85,905	12.4
Texas	2,092,664	65.6	1,098,366	34.4
Virginia	195,344	96.6	6,965	3.4
United States	11,219,992	82.3	2,419,707	17.7

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2022 Crop

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	32.6	10.4	22.3	20.7	33.9	18.8	24.4	22.6	1.3	0.8	1.2	1.2
	3	22.4	5.7	14.6	13.4	5.0	10.4	10.5	10.5	2.0	2.4	1.8	2.0
	4	2.4	0.3	1.7	1.4	0.1	0.2	0.2	0.2	0.2	0.3	0.1	0.2
	5	0.1	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
	TOTAL		57.4	16.4	38.6	35.5	39.0	29.5	35.2	33.3	3.5	3.5	3.0
31	1 - 2	0.8	11.5	7.9	7.4	6.9	16.8	13.9	14.9	2.6	1.7	5.6	2.7
	3	6.4	26.0	18.8	18.2	10.0	37.0	33.9	34.9	23.4	19.5	46.1	25.1
	4	7.7	8.2	7.8	7.9	1.4	6.2	6.8	6.6	14.6	16.1	15.2	15.1
	5	2.8	0.6	1.2	1.4	*	0.3	0.3	0.3	1.4	2.9	0.6	1.7
	6	0.5	*	0.1	0.2	*	*	*	*	*	0.1	*	0.1
	7	0.1	-	-	*	-	-	-	-	*	*	-	*
	8	*	-	-	*	*	-	-	-	-	-	-	-
	TOTAL		18.3	46.4	35.8	35.2	18.4	60.3	54.9	56.7	42.1	40.3	67.5
41	1 - 2	*	2.5	0.8	1.2	2.8	0.5	0.4	0.5	0.7	0.2	1.0	0.6
	3	0.3	12.7	5.0	6.5	9.3	4.8	4.1	4.3	16.4	10.5	14.3	14.6
	4	1.1	8.4	4.9	5.2	3.9	3.5	3.4	3.5	24.6	24.8	11.4	23.0
	5	1.3	2.5	2.0	2.0	0.4	0.5	0.6	0.6	6.9	9.7	1.5	7.0
	6	0.8	0.6	0.4	0.6	*	*	0.1	0.1	0.6	1.1	0.1	0.7
	7	0.5	0.1	0.1	0.2	*	*	*	*	*	0.1	*	*
	8	0.2	*	*	0.1	*	-	*	*	-	-	-	-
	TOTAL		4.1	26.8	13.2	15.7	16.4	9.4	8.6	8.9	49.2	46.5	28.2
51	1 - 2	*	*	*	*	0.5	*	*	*	*	*	*	*
	3	-	0.2	0.1	0.1	2.5	0.1	0.1	0.1	0.5	1.4	0.2	0.7
	4	-	0.4	0.1	0.2	1.2	0.1	0.2	0.2	1.3	3.7	0.2	1.8
	5	-	0.6	0.1	0.2	0.2	*	0.1	0.1	0.6	2.0	*	0.9
	6	*	0.3	*	0.1	*	*	*	*	0.1	0.4	-	0.2
	7	*	0.1	*	*	*	*	*	*	*	*	-	*
	8	*	*	*	*	*	-	*	*	-	-	-	-
	TOTAL		0.1	1.6	0.4	0.7	4.5	0.3	0.4	0.4	2.6	7.5	0.4
61	1 - 2	-	-	-	-	*	-	*	*	-	-	-	-
	3	-	-	-	-	0.1	-	*	*	*	*	-	*
	4	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	*
	6	-	-	-	-	*	-	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	*	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	0.2	-	*	*	*	*	-
71	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	-	-	-	-	-	-
12 & 22	1 - 2	4.9	1.0	2.0	2.4	4.0	*	*	*	*	*	*	*
	3	5.6	0.6	1.4	2.1	0.8	*	*	*	*	*	*	*
	4	1.1	0.1	0.2	0.4	0.1	*	*	*	*	*	*	*
	5	0.1	*	*	*	*	-	-	-	*	-	-	*
	6	*	-	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		11.7	1.6	3.6	4.9	4.8	*	0.1	*	*	*	*
32	1 - 2	0.1	0.6	0.9	0.6	1.4	*	*	*	*	*	*	*
	3	1.6	1.1	1.8	1.5	1.7	0.1	0.2	0.1	0.5	0.2	0.3	0.4
	4	1.6	0.5	0.8	0.9	0.3	0.1	0.1	0.1	0.5	0.3	0.2	0.4
	5	0.6	0.1	0.1	0.2	*	*	*	*	0.1	0.1	*	0.1
	6	0.1	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	*	-	-	-	-	-	*	-	*
	8	*	-	-	*	-	-	-	-	-	-	-	-
	TOTAL		4.2	2.4	3.6	3.3	3.5	0.1	0.3	0.2	1.1	0.6	0.5
42	1 - 2	*	0.1	0.2	0.1	0.8	*	*	*	*	*	*	*
	3	0.1	0.9	0.7	0.6	3.0	0.1	0.2	0.2	0.2	0.1	0.1	0.2
	4	0.3	1.1	0.8	0.8	1.8	0.2	0.2	0.2	0.7	0.5	0.1	0.6
	5	0.3	0.4	0.2	0.3	0.4	*	*	*	0.3	0.3	*	0.3
	6	0.1	0.1	*	0.1	*	*	*	*	*	0.1	*	*
	7	0.1	*	*	*	*	*	*	*	*	*	-	*
	8	*	*	*	*	*	-	-	-	-	-	-	-
	TOTAL		0.9	2.6	2.0	1.9	6.1	0.4	0.4	0.4	1.2	1.1	0.2

Table 23. --- Continued.

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	*	*	*	0.3	*	*	*	-	-	-	-
	3	-	*	*	*	1.9	*	*	*	*	*	*	*
	4	-	0.1	*	*	1.3	0.1	*	*	0.1	0.1	*	0.1
	5	*	*	*	*	0.3	*	*	*	*	0.1	*	0.1
	6	*	*	*	*	*	*	*	*	*	*	-	*
	7	*	*	-	*	*	-	*	*	*	*	-	*
	8	*	*	*	*	*	-	-	-	-	-	-	-
TOTAL		*	0.2	*	0.1	3.9	0.1	0.1	0.1	0.2	0.3	*	0.2
62	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	0.2	-	*	*	*	-	-	*
	4	-	-	-	-	0.1	-	*	*	*	*	-	*
	5	-	-	-	-	*	-	*	*	*	*	-	*
	6	-	-	-	-	*	-	*	*	*	-	-	*
	7	-	-	-	-	*	-	-	-	*	-	-	*
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.3	-	*	*	*	*	-	*
13 & 23	1 - 2	0.1	0.2	0.1	0.1	0.3	*	-	*	-	-	*	*
	3	0.6	0.2	0.1	0.3	0.2	-	*	*	*	-	*	*
	4	0.2	*	*	0.1	*	-	*	*	*	*	*	*
	5	*	-	-	*	*	-	-	-	*	*	-	*
	6	*	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.9	0.4	0.2	0.5	0.5	*	*	*	*	*	*	*
33	1 - 2	0.1	0.1	0.4	0.2	0.1	*	*	*	*	*	*	*
	3	0.6	0.3	0.4	0.4	0.3	*	*	*	*	*	*	*
	4	0.6	0.2	0.3	0.3	0.1	*	*	*	*	*	*	*
	5	0.1	*	0.1	0.1	*	*	*	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	*	*	-	*
	7	-	-	*	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		1.4	0.6	1.1	1.0	0.6	*	*	*	0.1	0.1	*	0.1
43	1 - 2	*	0.1	0.2	0.1	0.1	-	*	*	*	*	-	*
	3	0.2	0.2	0.4	0.3	0.3	*	*	*	*	*	*	*
	4	0.1	0.3	0.4	0.3	0.3	*	*	*	*	0.1	*	*
	5	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*
	6	*	*	*	*	0.1	-	*	*	*	*	-	*
	7	*	*	-	*	*	-	*	*	*	*	-	*
	8	*	*	-	*	*	-	*	*	*	*	-	*
TOTAL		0.4	0.8	1.1	0.8	0.9	*	*	*	0.1	0.1	*	0.1
53	1 - 2	*	-	*	*	*	-	*	*	-	-	-	-
	3	*	*	*	*	0.2	-	*	*	*	*	-	*
	4	*	*	*	*	0.3	-	*	*	*	*	-	*
	5	*	*	*	*	0.1	-	*	*	*	*	-	*
	6	*	*	-	*	*	-	*	*	*	*	-	*
	7	*	*	*	*	*	-	-	-	*	*	-	*
	8	*	*	-	*	*	-	-	-	-	-	-	-
TOTAL		*	*	*	*	0.7	-	*	*	*	*	-	*
63	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	*	*	-	-	-	-
	5	-	-	-	-	*	-	*	*	*	-	-	*
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	*	-	-	*
	8	-	-	-	-	*	-	-	-	-	-	-	-
TOTAL		-	-	-	-	0.1	-	*	*	*	-	-	*
24 - 54	1 - 8	0.3	0.3	0.3	0.3	0.1	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	0.1	*	*	*	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	*	-	-	-	-	-	-	-
29		*	-	-	*	*	-	-	-	-	-	-	-
30		0.1	*	*	0.1	0.2	-	-	-	*	-	-	*
31		0.5	*	0.1	0.1	1.0	-	-	-	*	-	-	*
32		3.6	0.2	0.2	1.1	3.0	*	*	*	*	*	*	*
33		12.2	1.4	1.1	3.9	7.6	*	0.1	0.1	0.3	0.2	0.2	0.3
34		19.0	5.0	4.6	8.3	16.5	0.2	0.7	0.5	1.9	1.5	1.2	1.7
35		20.9	8.8	10.0	12.3	23.7	0.9	3.4	2.6	8.0	6.9	7.2	7.6
36		22.2	13.5	17.2	17.2	23.3	3.8	9.3	7.5	22.1	15.5	20.3	20.1
37		17.8	26.0	28.5	25.0	18.5	25.3	28.7	27.6	40.9	33.6	43.8	39.4
38		2.5	19.0	19.1	15.1	4.7	31.5	26.3	28.0	18.5	22.4	20.1	19.7
39		0.8	14.7	13.5	10.8	1.1	22.7	20.2	21.0	6.7	14.2	6.3	8.6
40 & Longer		0.5	11.5	5.8	6.5	0.2	15.5	11.2	12.6	1.6	5.6	0.9	2.6
Average Staple		35.14	37.33	37.08	36.69	35.33	38.21	37.84	37.96	36.92	37.33	36.96	37.03
Average Length		1.10	1.17	1.16	1.15	1.10	1.20	1.18	1.19	1.15	1.17	1.15	1.16

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2022 Crop

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					Classing Office Total
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	
11 & 21	1 - 2	34.9	19.6	4.7	2.9	4.8	4.7	17.6	54.1	15.5	72.9	37.2	49.1
	3	12.0	18.5	7.1	1.7	3.9	4.3	18.0	9.5	8.5	8.0	11.6	10.2
	4	1.0	2.9	0.8	0.1	0.3	0.4	1.4	0.2	0.5	0.1	0.4	0.3
	5	*	0.2	*	-	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	-	-	*	-	*	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		47.9	41.2	12.6	4.7	8.9	9.4	37.0	63.8	24.5	81.1	49.3
31	1 - 2	9.5	7.3	4.7	3.4	8.8	7.9	4.7	13.2	4.4	8.2	11.4	10.3
	3	19.6	20.6	24.8	17.9	26.1	25.6	26.9	14.8	26.4	7.9	20.1	16.1
	4	9.8	11.7	11.9	8.8	8.3	8.9	11.8	2.7	13.2	1.2	3.8	4.1
	5	2.1	3.5	1.5	1.0	0.7	0.8	0.9	0.3	1.3	0.1	0.2	0.4
	6	0.2	0.6	0.1	*	*	*	*	*	*	*	*	*
	7	*	*	*	-	*	*	*	*	-	*	-	*
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL		41.2	43.8	42.9	31.2	43.9	43.2	44.3	31.1	45.2	17.4	35.4
41	1 - 2	0.2	0.2	0.8	1.6	2.0	1.8	0.4	0.2	0.5	0.1	0.7	0.3
	3	0.9	1.7	12.3	22.5	18.3	17.5	5.8	1.5	7.2	0.4	4.5	2.7
	4	1.7	2.6	16.4	24.1	14.7	15.3	6.7	1.5	11.7	0.3	3.7	2.9
	5	1.4	2.0	4.8	5.7	3.0	3.4	1.5	0.6	3.6	0.1	0.6	0.8
	6	0.5	1.2	0.5	0.4	0.2	0.3	0.1	0.2	0.4	*	*	0.1
	7	0.1	0.6	0.1	*	*	*	*	*	*	*	*	*
	8	-	0.1	*	-	*	*	-	*	-	-	-	*
	TOTAL		4.9	8.5	34.9	54.4	38.2	38.3	14.5	4.0	23.4	0.9	9.6
51	1 - 2	-	*	0.1	0.1	0.2	0.2	*	*	*	*	*	*
	3	*	*	2.2	2.3	2.6	2.5	0.3	*	0.2	0.1	*	0.1
	4	*	*	3.0	3.9	3.1	3.1	0.3	0.1	0.7	*	0.1	0.1
	5	-	*	1.0	1.1	0.9	1.0	0.1	*	0.7	*	*	0.1
	6	*	*	0.2	0.1	0.1	0.1	*	*	0.2	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	*	*	*	*	*	-	*	*	-	-	*
	TOTAL		*	0.1	6.6	7.5	6.9	6.9	0.7	0.2	1.8	0.1	0.2
61	1 - 2	-	*	-	*	*	*	*	-	*	-	*	*
	3	-	*	0.1	0.1	*	*	0.1	*	*	*	*	*
	4	-	*	0.2	0.1	*	*	0.1	*	*	*	0.1	*
	5	-	*	0.1	0.1	*	*	*	*	-	-	*	*
	6	-	-	*	*	*	*	*	*	-	-	*	*
	7	-	-	*	*	*	*	-	*	-	-	-	*
	8	-	*	-	-	*	*	-	-	-	-	-	-
	TOTAL		-	*	0.4	0.3	*	0.1	0.2	*	*	*	0.1
71	1 - 2	-	*	*	-	-	*	-	-	-	-	-	-
	3	-	*	*	-	-	*	-	-	-	-	-	-
	4	-	*	*	-	*	*	-	-	-	-	-	-
	5	-	-	*	-	-	*	-	-	-	-	-	-
	6	-	-	*	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	*	*	-	-	-	-	-	-
	TOTAL		-	*	*	-	*	*	-	-	-	-	-
12 & 22	1 - 2	0.7	0.9	*	*	*	*	*	0.1	*	0.1	0.1	0.1
	3	0.6	1.8	*	*	*	*	0.1	*	*	0.1	0.1	0.1
	4	0.1	0.5	*	*	*	*	*	*	-	*	*	*
	5	*	*	*	-	*	*	*	*	-	-	-	*
	6	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		1.4	3.2	*	*	*	*	0.1	0.1	*	0.2	0.1
32	1 - 2	0.3	0.1	*	*	*	*	0.1	0.1	*	*	0.3	0.1
	3	1.1	0.7	0.1	0.3	0.2	0.2	0.7	0.2	0.1	0.1	1.5	0.5
	4	0.9	0.6	0.2	0.2	0.1	0.1	0.5	0.1	0.1	0.1	0.5	0.2
	5	0.3	0.2	0.1	*	*	*	*	*	*	*	*	*
	6	*	0.1	*	*	*	*	*	*	*	-	*	*
	7	*	*	*	-	-	*	*	*	*	-	-	*
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL		2.6	1.7	0.4	0.5	0.3	0.3	1.4	0.4	0.2	0.3	2.3
42	1 - 2	*	*	*	*	*	*	*	*	*	*	*	*
	3	0.1	0.1	0.3	0.4	0.4	0.4	0.4	*	0.5	*	0.6	0.2
	4	0.2	0.2	0.6	0.5	0.5	0.5	0.6	0.1	1.4	*	0.9	0.4
	5	0.2	0.1	0.3	0.1	0.2	0.2	0.2	0.1	0.7	*	0.3	0.1
	6	0.1	0.1	0.1	*	*	*	*	*	0.1	*	*	*
	7	0.1	*	*	-	*	*	*	*	*	*	*	*
	8	-	*	*	-	*	*	-	*	-	-	-	*
	TOTAL		0.7	0.6	1.2	1.0	1.1	1.1	1.2	0.2	2.6	*	1.8

* Less than 0.05 percent.

Table 24. -- Continued.

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					Classing Office Total
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	
52	1 - 2	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	0.1	0.1	0.1	0.1	0.1	*	0.1	*	*	*
	4	*	*	0.2	0.2	0.2	0.2	0.1	*	0.6	*	*	0.1
	5	*	*	0.1	0.1	0.1	0.1	*	*	0.9	*	*	0.1
	6	*	*	*	*	*	*	*	*	0.3	*	*	*
	7	*	*	*	*	*	*	*	*	*	-	*	*
	8	-	*	*	-	*	*	-	*	*	-	-	*
TOTAL		*	*	0.4	0.3	0.4	0.4	0.2	*	1.9	*	0.1	0.2
62	1 - 2	-	-	*	-	*	*	*	*	-	-	*	*
	3	-	-	*	*	*	*	*	*	-	*	*	*
	4	-	-	0.1	*	*	*	0.1	*	*	-	*	*
	5	-	-	0.1	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	-	*	*
	7	-	-	*	-	*	*	-	-	-	-	*	*
	8	-	*	*	*	*	*	-	-	-	*	-	*
TOTAL		-	*	0.2	*	*	*	0.1	*	*	*	0.1	*
13 & 23	1 - 2	0.1	*	*	-	*	*	*	*	*	*	*	*
	3	0.1	0.1	*	-	*	*	*	*	*	*	*	*
	4	*	*	*	-	*	*	*	-	-	-	*	*
	5	*	*	*	-	*	*	*	-	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.2	0.2	*	-	*	*	*	*	*	*	*	*
33	1 - 2	0.1	*	*	*	*	*	*	*	*	*	*	*
	3	0.2	0.1	*	*	*	*	*	*	*	*	0.2	*
	4	0.1	0.1	*	*	*	*	*	*	*	*	0.1	*
	5	0.1	*	*	-	*	*	*	*	*	-	*	*
	6	*	*	*	-	*	*	-	-	*	*	-	*
	7	*	*	*	-	-	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		0.5	0.2	0.1	0.1	*	*	*	*	*	*	0.3	0.1
43	1 - 2	*	*	*	-	*	*	-	*	*	*	*	*
	3	*	*	*	*	*	*	*	*	0.1	*	0.2	0.1
	4	0.1	0.1	0.1	*	*	*	0.1	*	0.1	*	0.3	0.1
	5	0.1	0.1	0.1	*	*	*	*	*	*	*	0.1	*
	6	0.1	*	*	-	*	*	*	*	*	-	*	*
	7	*	*	*	-	*	*	-	*	*	-	*	*
	8	-	*	*	-	*	*	-	-	-	-	-	-
TOTAL		0.3	0.2	0.2	*	0.1	0.1	0.1	0.1	0.2	*	0.6	0.2
53	1 - 2	-	-	-	-	*	*	-	-	-	-	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	*	*	*	*	*	*	*	*	*	*	*
	5	*	*	*	*	*	*	*	*	*	*	*	*
	6	*	*	*	-	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	-	*	*	-	*	*
	8	-	*	*	-	*	*	*	-	*	-	-	*
TOTAL		*	*	0.1	*	*	*	*	*	0.1	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	*	*	-	*	-	*	*
	4	-	-	*	-	*	*	*	*	*	*	*	*
	5	-	-	*	-	*	*	*	*	*	*	*	*
	6	-	-	*	-	*	*	*	*	*	*	*	*
	7	-	-	*	-	*	*	-	-	*	-	*	*
	8	-	-	-	-	*	*	-	-	-	-	*	*
TOTAL		-	-	*	-	*	*	*	*	*	*	*	*
24 - 54	1 - 8	0.2	0.1	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	*	-	*	*	*	*	-	-	*	*
Staple 28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		*	*	-	-	*	*	-	-	-	-	-	-
31		0.1	0.1	*	*	*	*	0.1	-	*	*	-	*
32		0.8	0.5	0.1	0.1	0.1	0.1	*	*	*	*	*	*
33		1.7	1.5	0.9	1.0	1.0	1.0	0.2	*	0.2	*	*	*
34		5.9	4.4	5.9	5.8	5.5	5.6	1.5	0.2	1.7	0.3	0.2	0.4
35		13.3	10.4	14.8	16.0	14.2	14.3	5.7	5.0	7.0	3.8	2.6	4.4
36		24.1	20.2	22.1	26.7	22.7	22.8	12.9	21.2	13.5	16.2	11.3	16.6
37		32.7	33.3	35.0	27.9	35.6	35.2	27.9	31.6	31.2	30.5	40.2	32.9
38		15.6	18.1	16.9	14.9	15.3	15.5	25.7	22.5	23.1	25.8	30.3	25.3
39		4.6	8.3	4.1	6.7	4.7	4.7	18.1	15.0	15.4	17.8	12.8	15.5
40 & Longer		1.2	3.1	0.3	1.0	0.8	0.7	8.0	4.4	8.0	5.6	2.6	4.9
Average Staple		36.49	36.81	36.53	36.51	36.55	36.55	37.58	37.34	37.46	37.54	37.47	37.45
Average Length		1.14	1.15	1.14	1.14	1.14	1.14	1.17	1.17	1.17	1.17	1.17	1.17

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2022 Crop

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1 - 2	-	4.1	2.9	15.7	5.1	26.5	54.8	17.5	14.3	32.0	22.4
	3	-	2.6	3.8	7.8	3.2	7.3	10.3	3.7	7.2	7.7	8.1
	4	-	0.1	0.2	0.7	0.1	0.2	0.4	0.1	0.4	0.2	0.6
	5	-	*	-	0.1	*	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	6.8	6.9	24.2	8.4	33.9	65.5	21.3	21.9	39.9
31	1 - 2	-	7.8	6.2	7.8	7.7	14.6	17.0	14.3	6.9	14.8	8.5
	3	-	25.2	25.4	22.2	24.9	22.6	8.7	18.2	22.2	19.0	21.7
	4	-	4.5	6.1	4.2	4.6	5.7	1.5	5.5	16.3	5.1	7.7
	5	-	0.1	0.2	0.5	0.2	0.4	0.1	1.0	3.0	0.5	1.0
	6	-	*	*	0.1	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	*	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	37.7	37.8	34.8	37.4	43.3	27.4	39.1	48.5	39.5
41	1 - 2	-	1.7	2.3	1.9	1.8	1.1	0.3	1.0	0.2	0.8	1.0
	3	-	21.9	27.4	7.3	20.8	6.6	0.6	5.1	1.3	4.9	9.1
	4	-	16.2	11.0	3.2	14.7	6.2	0.8	8.4	6.3	5.1	8.9
	5	-	2.2	0.5	0.9	2.0	2.2	0.2	10.0	6.1	2.5	2.4
	6	-	0.1	*	0.1	0.1	0.6	*	6.0	1.7	0.9	0.4
	7	-	*	-	0.1	*	0.2	*	1.8	0.2	0.2	0.1
	8	-	*	-	*	*	*	-	0.3	*	0.1	*
	TOTAL		-	42.1	41.3	13.5	39.4	16.8	2.0	32.5	15.8	14.5
51	1 - 2	-	*	*	*	*	*	-	-	-	*	0.1
	3	-	1.1	2.4	1.2	1.2	0.1	*	0.1	-	0.1	1.0
	4	-	2.0	2.8	2.8	2.1	0.1	*	0.1	-	0.1	1.2
	5	-	0.7	0.2	1.0	0.7	0.2	*	0.2	-	0.1	0.4
	6	-	0.1	*	0.2	0.1	0.2	*	0.7	*	0.2	0.1
	7	-	*	-	*	*	0.1	-	0.9	*	0.1	*
	8	-	-	-	0.1	*	0.1	-	0.8	*	0.1	*
	TOTAL		-	3.8	5.5	5.4	4.1	0.8	*	2.8	*	0.7
61	1 - 2	-	-	-	*	*	-	-	-	-	-	*
	3	-	*	*	0.1	*	*	-	-	-	*	*
	4	-	*	0.1	0.5	0.1	-	-	-	-	-	*
	5	-	*	0.1	0.4	*	-	-	-	-	-	*
	6	-	*	*	0.2	*	*	-	-	-	*	*
	7	-	*	-	*	*	-	-	*	-	*	*
	8	-	-	-	*	*	-	-	-	-	-	*
	TOTAL		-	*	0.2	1.3	0.1	*	-	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	*	-	1.2	0.1	1.5	0.8	0.8	*	1.2	0.6
	3	-	*	*	0.8	0.1	0.8	0.7	0.1	0.1	0.7	0.4
	4	-	-	*	0.3	*	0.1	*	*	*	0.1	0.1
	5	-	-	-	0.1	*	*	-	-	-	*	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	*	2.3	0.2	2.4	1.6	1.0	0.1	2.0
32	1 - 2	-	*	0.1	0.3	*	0.3	0.2	0.1	0.1	0.2	0.2
	3	-	0.1	0.3	2.9	0.4	0.6	0.6	0.5	1.5	0.6	0.6
	4	-	*	*	1.9	0.2	0.4	0.5	0.8	2.4	0.6	0.3
	5	-	*	-	0.4	*	0.1	0.1	0.3	0.5	0.2	0.1
	6	-	-	-	0.1	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	-	*	*
	8	-	-	-	-	-	-	-	*	-	*	*
	TOTAL		-	0.2	0.4	5.5	0.7	1.4	1.4	1.7	4.5	1.5
42	1 - 2	-	0.2	0.2	0.2	0.2	*	*	*	*	*	0.1
	3	-	2.3	3.0	2.0	2.3	0.1	0.3	*	0.7	0.1	0.6
	4	-	1.6	1.4	3.0	1.8	0.2	0.9	0.2	2.2	0.4	0.6
	5	-	0.2	*	1.2	0.3	0.3	0.6	0.2	1.9	0.4	0.2
	6	-	*	*	0.2	*	0.1	0.1	0.2	0.5	0.1	*
	7	-	*	-	0.1	*	*	*	0.3	*	0.1	*
	8	-	*	-	*	*	*	*	0.4	-	*	*
	TOTAL		-	4.5	4.6	6.7	4.7	0.7	1.9	1.4	5.4	1.2

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
 * Less than 0.05 percent.

Table 25. -- Continued.

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
52	1 - 2	-	0.1	*	*	0.1	-	-	-	-	-	*
	3	-	1.6	1.2	0.3	1.5	*	*	-	-	*	0.2
	4	-	2.0	1.5	1.2	1.9	*	*	-	-	*	0.2
	5	-	0.4	0.2	0.7	0.4	*	0.1	*	*	*	0.1
	6	-	*	*	0.1	*	*	*	*	*	*	*
	7	-	*	-	*	*	0.1	*	*	-	*	*
	8	-	*	-	0.1	*	*	-	0.2	-	*	*
TOTAL		-	4.2	2.9	2.4	4.0	0.2	0.1	0.3	*	0.2	0.6
62	1 - 2	-	*	-	-	*	-	-	-	-	-	*
	3	-	0.1	*	0.2	0.1	-	-	-	-	-	*
	4	-	0.1	0.1	0.5	0.1	-	-	-	-	-	*
	5	-	*	*	0.3	*	*	-	-	-	*	*
	6	-	*	-	0.1	*	*	-	-	*	*	*
	7	-	*	-	*	*	*	-	-	-	*	*
	8	-	-	-	*	*	-	-	-	-	-	*
TOTAL		-	0.1	0.2	1.0	0.2	*	-	-	*	*	0.1
13 & 23	1 - 2	-	-	-	*	*	*	*	-	-	*	*
	3	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	-	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	*	*	*	0.1	0.1
33	1 - 2	-	-	-	-	-	*	*	-	0.1	*	*
	3	-	*	*	0.1	*	0.1	*	-	0.5	0.1	0.1
	4	-	*	-	0.4	*	*	*	-	0.5	*	0.1
	5	-	*	-	0.1	*	*	*	*	0.1	*	*
	6	-	-	-	*	*	-	-	-	*	*	*
	7	-	-	-	*	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	*	0.7	0.1	0.1	*	*	1.3	0.1	0.2
43	1 - 2	-	*	-	*	*	*	-	-	*	*	*
	3	-	*	*	0.2	*	*	*	*	0.3	*	0.1
	4	-	*	*	0.6	0.1	0.1	*	*	0.8	0.1	0.1
	5	-	*	-	0.5	0.1	0.1	*	*	0.7	0.1	*
	6	-	*	-	0.1	*	*	*	*	0.3	*	*
	7	-	*	-	*	*	*	*	*	*	*	*
	8	-	*	-	-	*	*	-	-	-	*	*
TOTAL		-	0.1	*	1.5	0.2	0.2	*	0.1	2.1	0.2	0.2
53	1 - 2	-	*	-	-	*	-	-	-	-	-	*
	3	-	0.1	*	*	0.1	-	*	-	-	*	*
	4	-	0.2	0.1	0.2	0.2	*	*	-	-	*	*
	5	-	*	*	0.2	0.1	*	*	-	0.1	*	*
	6	-	*	-	*	*	*	-	-	0.1	*	*
	7	-	-	-	-	-	*	-	-	-	*	*
	8	-	*	-	*	*	*	-	-	*	*	*
TOTAL		-	0.3	0.1	0.5	0.3	0.1	*	-	0.1	*	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	*	-	*	-	-	-	-	-	*
	4	-	0.1	0.1	*	0.1	-	-	-	-	-	*
	5	-	*	*	*	*	-	-	-	-	-	*
	6	-	*	-	*	*	*	-	-	-	*	*
	7	-	-	-	*	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	0.2	0.1	0.1	*	-	-	-	*	*
24 - 54	1 - 8	-	*	-	*	*	*	*	*	0.2	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	*	-	*	*	-	*	-	-	*	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	*
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	-	-	-	-	-	-	-	0.1
31		-	*	-	*	*	*	-	-	0.1	*	0.2
32		-	0.2	0.1	1.3	0.3	*	*	-	0.1	*	0.5
33		-	1.2	0.5	8.1	1.8	0.1	*	*	0.8	0.1	1.4
34		-	4.4	13.7	12.2	5.7	0.8	2.0	3.0	2.2	1.3	4.3
35		-	9.5	33.1	14.5	11.4	4.5	8.9	9.9	7.7	6.0	10.1
36		-	16.6	21.9	11.5	16.4	14.4	17.5	16.0	17.7	15.3	18.7
37		-	25.2	17.0	21.1	24.3	37.1	33.2	23.9	29.6	35.0	32.0
38		-	19.3	9.7	21.6	18.9	26.3	21.6	20.9	17.2	24.6	19.1
39		-	17.2	4.3	8.0	15.6	11.5	13.1	10.4	14.1	11.9	10.1
40 & Longer		-	6.4	0.9	1.9	5.7	5.3	4.0	16.6	12.1	6.0	3.8
Average Staple		-	37.19	35.92	36.27	37.03	37.40	37.18	37.56	37.58	37.37	36.91
Average Length		-	1.16	1.12	1.13	1.16	1.17	1.16	1.17	1.17	1.17	1.15

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
 * Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2022 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	19.0	20.1	25.7	22.1	0.5	0.4	0.5	0.5	0.8	1.7	0.2	1.0
Bark - Level 2	-	*	-	*	-	-	-	-	-	-	-	-
Grass - Level 1	0.1	*	0.1	0.1	1.5	0.2	0.2	0.2	0.2	0.3	*	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	*	*	*	*	*	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	-	-	-	*	*	*	*	*	-	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	2.5	*	-	0.2	*	*	*	*	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	*	*	0.2	*	*	*	*	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	0.2	0.1	*	0.1	0.7	-	-	-	-	-	-	-
23	0.1	*	*	*	0.9	-	-	-	-	-	-	-
24	0.2	*	*	0.1	1.6	*	*	*	*	*	-	*
25	0.6	0.1	0.3	0.3	2.6	*	*	*	*	0.1	*	*
26	1.5	0.8	1.4	1.2	4.5	*	0.1	0.1	0.1	0.6	0.1	0.3
27	3.8	2.3	3.8	3.3	8.0	0.2	0.5	0.4	0.9	2.7	0.6	1.3
28	11.1	5.4	9.5	8.5	13.9	1.4	2.4	2.1	4.5	10.1	4.4	5.9
29	19.1	10.5	15.6	14.7	18.8	6.7	11.0	9.6	15.5	23.6	18.0	17.9
30	23.3	15.1	18.7	18.6	18.9	20.2	31.1	27.4	28.2	28.4	33.9	28.9
31	18.0	16.7	17.5	17.3	14.0	32.5	33.0	32.8	26.4	19.0	25.9	24.4
32	11.2	17.2	13.8	14.3	8.3	23.8	15.0	18.0	14.9	9.8	11.4	13.2
33	7.1	15.5	9.5	11.0	4.5	9.7	4.7	6.4	6.6	4.3	4.3	5.7
34	3.4	11.5	5.8	7.2	2.2	3.4	1.7	2.3	2.2	1.1	1.3	1.8
35	0.8	3.8	2.6	2.6	0.7	1.5	0.5	0.8	0.5	0.2	0.2	0.4
36	0.2	1.0	1.0	0.8	0.2	0.4	0.1	0.2	0.1	*	*	0.1
37	*	0.2	0.3	0.2	*	0.1	*	*	*	*	-	*
38	*	0.1	0.1	0.1	*	-	-	-	-	-	-	-
39	*	*	*	*	-	-	-	-	-	-	-	-
40 & Above	-	-	*	*	-	-	-	-	-	-	-	-
Average	30.61	31.83	31.11	31.24	29.80	31.68	31.14	31.32	31.05	30.47	30.84	30.87
MIKE												
2.4 & Below	*	*	*	*	*	-	-	-	-	-	-	-
2.5	0.1	0.1	*	0.1	*	-	*	*	*	*	-	*
2.6	0.6	0.3	0.1	0.3	*	-	*	*	*	*	*	*
2.7	0.8	0.5	0.2	0.4	*	-	*	*	*	*	-	*
2.8	1.2	0.6	0.5	0.7	*	-	*	*	*	*	*	*
2.9	1.2	0.9	0.8	0.9	*	*	*	*	*	*	*	*
3.0	1.7	1.3	1.2	1.3	*	*	*	*	*	0.1	*	0.1
3.1	2.3	1.5	1.3	1.6	*	*	*	*	0.1	0.2	*	0.1
3.2	2.9	1.9	1.9	2.1	0.1	*	*	*	0.1	0.2	*	0.1
3.3	3.2	3.4	2.4	2.9	0.1	*	0.1	*	0.2	0.4	0.1	0.2
3.4	3.0	5.2	3.2	3.8	0.2	*	0.1	0.1	0.2	0.5	0.3	0.3
3.5	3.6	5.9	3.9	4.5	0.3	*	0.2	0.1	0.3	0.9	0.5	0.5
3.6	3.8	7.2	4.8	5.4	0.5	*	0.3	0.2	0.4	1.5	0.8	0.8
3.7	4.2	7.7	5.9	6.1	1.1	0.1	0.3	0.3	0.7	2.3	1.5	1.2
3.8	5.5	7.6	6.3	6.6	2.1	0.2	0.6	0.4	1.1	3.3	2.8	1.9
3.9	6.6	7.4	6.8	7.0	3.6	0.5	1.0	0.8	1.9	4.4	5.0	2.9
4.0	6.1	8.5	7.3	7.4	5.7	0.9	1.5	1.3	3.1	5.4	7.3	4.2
4.1	7.7	7.4	7.1	7.4	8.5	1.4	2.4	2.1	4.9	6.8	10.3	6.0
4.2	8.7	7.1	7.2	7.6	11.5	2.4	3.7	3.2	7.0	8.4	12.9	8.1
4.3	10.5	6.6	7.0	7.7	12.8	3.9	5.6	5.0	9.0	9.7	14.7	9.9
4.4	9.4	5.6	6.7	7.0	12.2	6.1	7.9	7.3	10.5	10.9	12.7	10.9
4.5	7.3	4.8	6.3	6.0	11.0	8.1	10.3	9.6	11.8	10.6	9.9	11.3
4.6	5.2	3.1	5.2	4.5	10.2	10.7	12.2	11.7	11.3	9.9	7.5	10.5
4.7	2.7	2.4	3.9	3.1	8.3	12.6	12.6	12.6	10.5	8.1	5.2	9.2
4.8	1.4	1.3	3.4	2.2	5.6	13.3	11.7	12.2	8.8	6.1	3.8	7.5
4.9	0.8	0.9	2.3	1.5	3.3	12.7	10.1	10.9	6.9	4.1	2.3	5.6
5.0	0.3	0.5	1.9	1.0	1.6	10.5	7.5	8.5	4.7	2.6	1.3	3.8
5.1	0.1	0.3	1.3	0.7	0.7	7.5	5.4	6.1	2.9	1.7	0.5	2.3
5.2	*	0.1	0.7	0.3	0.3	4.7	3.5	3.9	1.8	1.0	0.2	1.4
5.3	-	*	0.3	0.2	0.1	2.5	1.8	2.0	0.9	0.5	0.1	0.7
5.4	-	*	0.1	0.1	*	1.1	0.7	0.9	0.5	0.2	0.2	0.4
5.5 & Above	-	*	0.1	0.1	*	0.8	0.5	0.6	0.2	0.2	0.1	0.2
Average	4.00	3.92	4.08	4.01	4.38	4.76	4.67	4.70	4.53	4.38	4.32	4.46

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).
* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2022 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	7.8	26.9	1.1	0.7	0.7	0.8	0.9	0.2	0.9	*	0.5	0.3
Bark - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.3	*	0.1	0.1	0.1	0.1	0.1	0.1	0.2	*	0.1	0.1
Grass - Level 2	-	*	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	*	*	*	*	-	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	*	*	-	*	*	*	*	-	*	-	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	*	*	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	*	*	0.4	0.4	0.2	0.2	*	*	0.2	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	*	-	-	-	-	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	-	*	*	-	*	-	*	*	*
23	*	*	*	*	*	*	*	*	-	*	*	*
24	0.1	0.1	0.1	*	0.1	0.1	*	*	*	*	*	*
25	0.5	0.5	0.2	0.2	0.3	0.3	*	*	*	*	*	*
26	1.6	1.6	0.9	0.7	1.4	1.3	0.1	*	0.2	*	0.1	0.1
27	5.3	4.4	3.0	2.6	4.8	4.5	0.8	0.5	0.7	0.9	1.1	0.8
28	10.6	9.0	9.2	7.7	12.8	12.0	4.7	6.2	3.7	6.6	6.7	6.1
29	18.2	14.4	20.4	16.3	23.6	22.7	18.3	24.3	15.4	25.2	24.5	23.4
30	21.2	18.4	27.0	23.6	26.2	26.2	31.1	36.1	32.7	38.0	37.2	36.1
31	18.0	18.9	21.6	20.1	17.7	18.4	27.0	23.5	30.2	21.2	22.1	23.4
32	11.4	15.6	11.3	16.0	8.5	9.2	12.9	7.3	12.1	6.0	6.5	7.6
33	6.7	9.6	4.8	8.9	3.2	3.7	4.2	1.7	3.7	1.4	1.6	2.0
34	4.1	4.8	1.3	2.8	1.0	1.1	0.7	0.3	0.9	0.5	0.3	0.4
35	1.7	1.9	0.3	0.8	0.3	0.3	0.1	0.1	0.2	0.1	*	0.1
36	0.6	0.6	0.1	0.3	0.1	0.1	*	*	*	*	*	*
37	0.1	0.1	*	0.1	*	*	-	-	-	-	-	-
38	*	*	*	*	*	*	-	-	-	-	-	-
39	*	-	-	*	-	*	-	-	-	-	-	-
40 & Above	-	-	-	-	-	-	-	-	-	-	-	-
Average	30.70	31.01	30.58	30.99	30.24	30.32	30.84	30.51	30.90	30.44	30.45	30.53
MIKE												
2.4 & Below	*	0.1	-	-	*	*	-	-	-	-	-	-
2.5	0.1	0.3	*	*	*	*	*	*	-	-	-	*
2.6	0.1	0.5	*	*	*	*	*	-	-	*	*	*
2.7	0.3	0.8	*	*	*	*	*	*	*	*	*	*
2.8	0.6	1.3	0.1	*	*	*	*	*	*	*	*	*
2.9	0.6	1.9	0.1	*	*	0.1	*	*	*	*	*	*
3.0	1.0	2.6	0.1	0.1	0.1	0.1	*	*	*	0.1	0.1	*
3.1	1.3	3.3	0.3	0.2	0.1	0.2	0.1	*	*	0.1	0.2	0.1
3.2	2.1	4.1	0.4	0.2	0.3	0.3	0.2	0.1	*	0.2	0.4	0.2
3.3	2.9	4.7	0.8	0.6	0.5	0.5	0.3	0.1	0.1	0.4	0.6	0.3
3.4	3.4	5.2	1.1	1.0	0.8	0.8	0.5	0.3	0.2	0.7	0.8	0.5
3.5	4.2	5.7	2.0	1.3	1.2	1.3	0.7	0.6	0.4	1.1	1.4	0.9
3.6	4.7	6.0	3.0	1.8	1.8	2.0	1.5	1.0	0.6	1.7	2.0	1.4
3.7	5.4	6.1	3.9	2.4	2.6	2.8	2.6	1.5	0.8	2.4	2.9	2.1
3.8	6.2	6.1	5.7	3.6	3.6	3.9	4.2	2.7	1.3	3.3	3.7	3.1
3.9	5.6	6.0	7.2	5.2	4.8	5.2	5.5	4.1	2.1	4.8	4.9	4.4
4.0	5.0	5.8	8.7	7.5	6.3	6.7	6.9	6.3	2.8	6.4	6.0	6.0
4.1	5.9	5.5	10.0	9.8	8.0	8.4	7.8	8.2	3.9	8.5	7.1	7.7
4.2	7.6	5.3	10.9	11.1	9.8	10.0	9.2	10.3	5.0	10.1	8.3	9.3
4.3	7.3	5.0	10.5	11.1	11.3	11.2	9.7	11.7	6.5	11.5	9.3	10.6
4.4	6.9	4.6	9.4	10.8	12.1	11.6	9.5	11.6	7.9	12.0	10.0	10.9
4.5	6.4	4.1	7.7	10.4	11.6	11.0	9.3	10.9	9.7	11.5	9.4	10.5
4.6	5.1	3.6	6.1	9.0	9.5	8.9	8.7	9.9	10.6	10.0	8.4	9.6
4.7	4.5	3.0	4.5	6.5	6.7	6.4	7.8	7.6	10.7	7.1	7.5	7.7
4.8	4.1	2.5	3.2	3.9	4.2	4.0	6.1	5.2	9.5	4.1	5.9	5.5
4.9	3.3	1.9	1.7	1.7	2.3	2.2	4.3	3.6	9.0	2.0	4.7	3.9
5.0	2.7	1.4	1.2	0.9	1.3	1.3	2.4	2.0	7.6	1.0	3.1	2.4
5.1	1.6	1.0	0.6	0.6	0.7	0.7	1.4	1.2	5.0	0.5	1.8	1.5
5.2	1.0	0.6	0.3	0.3	0.3	0.3	0.9	0.6	3.6	0.2	1.0	0.8
5.3	0.4	0.4	0.1	0.2	0.1	0.1	0.4	0.3	1.6	0.1	0.5	0.4
5.4	0.3	0.3	0.1	0.1	*	*	0.2	0.1	0.7	*	0.2	0.2
5.5 & Above	0.1	0.4	0.2	*	*	*	*	0.1	0.5	*	*	0.1
Average	4.11	3.89	4.20	4.28	4.31	4.29	4.35	4.37	4.61	4.31	4.35	4.37

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).

* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2022 Crop

	Rayville					Visalia					United States
	Arkansas 2/	Louisiana	Mississippi	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
Extraneous Matter											
Bark - Level 1	-	0.5	1.0	10.2	1.5	1.7	4.5	14.2	20.3	3.9	4.5
Bark - Level 2	-	-	-	-	-	*	-	-	0.2	*	*
Grass - Level 1	-	0.3	0.1	1.2	0.4	0.1	0.2	0.2	1.1	0.1	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	*
Oil - Level 1	-	-	-	0.1	0.1	*	-	-	0.1	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	*	*	-	*	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	*	*	*	0.1	*	*	0.2	0.1	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	*	*	-	-	0.1	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	0.4	0.3	0.2	0.4	1.6	*	0.1	1.1	1.2	0.1
Seed Coat - Level 2	-	-	-	-	-	*	-	-	-	*	*
Spindle Twist - Level 1	-	-	-	-	-	*	*	-	-	*	*
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-
Strength 1/											
22 & Below	-	*	0.1	*	*	*	-	-	-	*	0.1
23	-	*	*	0.1	*	*	-	*	-	*	0.1
24	-	*	*	0.5	0.1	*	-	*	*	*	0.2
25	-	0.1	0.2	0.7	0.2	*	*	0.2	0.1	*	0.4
26	-	0.7	0.7	3.0	0.9	0.3	*	0.7	0.4	0.3	1.1
27	-	2.0	5.2	8.8	2.8	1.3	0.7	3.7	2.6	1.4	3.0
28	-	5.5	18.4	14.6	7.2	4.2	3.1	8.2	7.5	4.3	8.3
29	-	14.3	31.8	23.6	16.2	9.3	6.8	15.4	9.8	9.2	18.8
30	-	24.3	22.4	26.7	24.4	15.1	13.3	29.5	12.5	15.6	26.7
31	-	27.7	12.8	13.7	25.5	22.6	19.3	22.2	17.5	21.6	21.6
32	-	16.8	4.3	6.5	15.1	21.4	15.9	13.1	16.8	19.4	11.5
33	-	6.4	1.8	1.7	5.7	13.4	10.4	5.7	11.7	12.1	5.1
34	-	1.6	2.0	0.3	1.5	7.3	9.4	1.0	8.6	7.4	2.1
35	-	0.3	1.3	0.1	0.4	3.1	8.4	0.5	5.2	4.2	0.7
36	-	*	0.4	*	0.1	1.5	5.9	*	3.7	2.5	0.2
37	-	*	*	*	*	0.5	5.1	*	2.7	1.6	0.1
38	-	*	-	*	*	0.2	2.0	-	1.1	0.6	*
39	-	-	-	-	-	*	0.2	-	0.3	0.1	*
40 & Above	-	-	-	-	-	*	0.2	-	0.1	0.1	*
Average	-	30.99	30.01	29.81	30.82	31.86	32.77	30.71	32.12	32.00	30.66
MIKE											
2.4 & Below	-	-	-	-	-	*	*	0.1	-	*	*
2.5	-	-	-	-	-	*	*	1.2	*	0.1	0.1
2.6	-	-	-	*	*	*	*	0.7	0.1	0.1	0.1
2.7	-	*	-	*	*	*	*	1.2	0.3	0.1	0.1
2.8	-	-	-	*	*	*	*	2.1	0.5	0.2	0.2
2.9	-	*	*	0.1	*	0.1	0.1	1.3	0.8	0.2	0.3
3.0	-	-	*	0.1	0.1	0.1	0.1	1.9	1.4	0.2	0.4
3.1	-	*	0.1	0.1	*	0.1	0.1	2.4	1.5	0.3	0.5
3.2	-	*	0.2	0.1	*	0.1	0.2	3.7	1.4	0.5	0.7
3.3	-	*	0.7	0.1	0.1	0.2	0.4	3.4	1.4	0.5	0.9
3.4	-	*	0.6	0.2	0.1	0.3	0.7	3.8	1.7	0.7	1.2
3.5	-	*	1.4	0.3	0.1	0.4	1.2	5.6	2.9	1.1	1.5
3.6	-	0.1	2.7	0.8	0.3	0.7	1.7	4.4	3.9	1.3	1.9
3.7	-	0.1	4.4	1.1	0.5	1.1	2.2	5.6	3.6	1.8	2.5
3.8	-	0.2	5.3	1.5	0.6	1.3	3.2	8.7	4.3	2.4	3.2
3.9	-	0.4	6.9	2.1	1.0	1.9	4.5	7.9	5.8	3.1	4.1
4.0	-	0.8	7.7	5.1	1.7	3.1	5.7	6.4	6.9	4.1	5.3
4.1	-	1.1	7.6	5.4	1.9	4.4	7.2	8.0	7.6	5.4	6.7
4.2	-	1.9	5.8	9.6	2.9	5.9	8.5	4.6	8.1	6.5	8.2
4.3	-	3.0	4.6	9.1	3.6	8.3	10.8	3.8	7.0	8.5	9.3
4.4	-	4.5	5.2	11.4	5.2	9.9	12.0	3.6	6.2	9.8	9.7
4.5	-	7.1	6.2	12.1	7.6	11.7	10.2	3.9	7.2	10.7	9.6
4.6	-	10.0	8.3	11.8	10.0	11.5	8.4	4.1	5.8	10.0	8.9
4.7	-	12.5	8.7	10.8	12.1	10.9	7.4	3.7	5.1	9.4	7.5
4.8	-	14.5	8.2	8.1	13.5	9.8	5.6	3.5	4.6	8.2	5.9
4.9	-	14.1	6.3	4.7	12.7	7.0	3.8	2.7	4.8	5.9	4.3
5.0	-	13.0	4.2	3.7	11.6	4.8	2.1	1.2	4.4	3.9	3.0
5.1	-	8.2	2.2	1.6	7.2	2.9	1.7	0.4	3.2	2.5	1.9
5.2	-	4.1	2.0	0.4	3.6	1.7	1.9	0.3	0.9	1.6	1.1
5.3	-	2.1	2.1	*	1.9	1.1	0.8	0.3	0.4	1.0	0.6
5.4	-	1.2	0.6	*	1.1	0.4	1.4	*	4.1	0.5	0.3
5.5 & Above	-	1.1	*	*	1.0	0.2	0.4	-	2.0	0.2	0.2
Average	-	4.78	4.39	4.45	4.73	4.53	4.36	3.90	4.21	4.43	4.34

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2022 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	*	*	*	*	*	-	-	-	-	-	-	-
2.5 - 2.6	0.7	0.5	0.1	0.4	*	-	*	*	*	*	*	*
2.7 - 2.9	3.0	2.0	1.6	2.0	*	*	*	*	0.1	0.1	*	0.1
3.0 - 3.2	6.8	4.7	4.3	5.0	0.2	*	0.1	0.1	0.2	0.5	0.1	0.3
3.3 - 3.4	6.2	8.5	5.7	6.8	0.2	*	0.1	0.1	0.4	0.9	0.4	0.5
3.5 - 3.6	7.3	13.1	8.8	9.9	0.9	0.1	0.4	0.3	0.8	2.4	1.3	1.3
3.7 - 4.2	38.7	45.7	40.6	41.9	32.5	5.4	9.5	8.1	18.7	30.6	39.8	24.4
4.3 - 4.9	37.3	24.6	34.8	31.9	63.4	67.4	70.4	69.4	68.7	59.3	56.2	64.7
5.0 - 5.2	0.4	0.9	3.8	2.0	2.7	22.7	16.5	18.6	9.5	5.4	2.0	7.5
5.3 & Above	-	*	0.4	0.3	0.2	4.5	3.0	3.5	1.7	0.9	0.3	1.3
Average	4.00	3.92	4.08	4.01	4.38	4.76	4.67	4.70	4.53	4.38	4.32	4.46
Leaf Grade												
1 - 2	38.7	26.6	34.9	33.0	51.2	36.2	38.8	38.0	4.7	2.8	7.8	4.6
3	38.0	48.1	43.4	43.7	35.4	52.5	49.0	50.2	43.0	34.1	62.8	43.1
4	15.3	19.6	17.0	17.5	11.2	10.3	11.0	10.7	42.0	46.0	27.1	41.2
5	5.4	4.4	3.9	4.4	1.9	0.9	1.1	1.1	9.4	15.2	2.2	10.0
6	1.6	1.1	0.6	1.0	0.2	*	0.1	0.1	0.8	1.8	0.1	1.0
7	0.7	0.2	0.1	0.3	*	*	*	*	0.1	0.1	*	0.1
8	0.3	*	*	0.1	*	-	*	*	-	-	-	-
Average	2.93	3.02	2.87	2.94	2.50	2.75	2.72	2.73	3.59	3.79	3.24	3.60
Trash 1/												
00	-	*	*	*	0.1	-	*	*	*	-	-	*
01	11.1	6.6	9.3	8.8	20.6	7.0	9.6	8.7	0.4	0.1	0.4	0.4
02	33.2	20.8	26.3	26.1	29.3	38.2	35.9	36.7	6.2	3.9	9.6	6.0
03	21.1	24.8	24.9	23.9	21.5	30.5	28.7	29.3	18.0	13.8	28.5	18.2
04	12.2	19.3	17.0	16.6	13.8	14.4	14.8	14.7	24.3	21.7	30.3	24.3
05	7.9	12.5	10.2	10.5	7.6	6.0	6.5	6.3	21.5	21.8	18.3	21.2
06	5.2	7.2	5.8	6.1	3.7	2.4	2.7	2.6	14.5	16.8	8.1	14.3
07	3.2	3.9	3.1	3.4	1.7	0.9	1.1	1.0	8.1	10.7	3.2	8.2
08	2.1	2.2	1.6	1.9	0.8	0.4	0.4	0.4	4.0	5.9	1.1	4.1
09	1.3	1.2	0.8	1.1	0.4	0.2	0.2	0.2	1.8	3.0	0.3	1.9
10	0.9	0.7	0.4	0.6	0.2	0.1	0.1	0.1	0.8	1.4	0.1	0.9
11	0.6	0.4	0.2	0.4	0.1	*	*	*	0.3	0.6	*	0.4
12	0.4	0.2	0.1	0.2	*	*	*	*	0.1	0.3	*	0.1
13	0.3	0.1	0.1	0.1	*	*	*	*	0.1	0.1	*	0.1
14	0.2	0.1	*	0.1	*	*	*	*	*	*	*	*
15	0.2	*	*	0.1	*	*	*	*	*	*	*	*
16	0.1	*	*	*	*	*	*	*	*	*	-	*
17	0.1	*	*	*	*	*	*	*	*	*	-	*
18 & Above	0.1	*	*	*	*	*	*	*	*	*	-	*
Average	0.34	0.38	0.34	0.36	0.29	0.29	0.29	0.29	0.48	0.52	0.40	0.48
Uniformity 2/												
74 & Below	*	*	*	*	*	-	-	-	-	-	-	-
75	*	*	0.1	0.1	0.1	-	-	-	*	*	-	*
76	0.3	0.3	0.3	0.3	0.6	-	-	-	*	*	*	*
77	2.5	1.8	2.1	2.1	1.9	*	*	*	*	0.1	*	*
78	11.5	7.3	9.2	9.1	4.4	0.2	0.2	0.2	0.3	0.7	0.1	0.4
79	30.0	17.9	22.6	22.8	11.6	1.0	1.2	1.2	2.0	4.2	0.8	2.4
80	34.1	27.0	31.8	30.7	29.4	4.9	7.0	6.3	9.6	18.5	7.7	11.7
81	18.0	26.6	24.4	23.6	35.0	15.3	25.7	22.2	25.8	37.4	26.3	28.9
82	3.5	16.4	7.9	9.8	14.7	33.3	40.0	37.8	36.1	27.2	37.3	33.9
83	0.1	2.6	1.4	1.5	2.2	32.7	21.8	25.5	22.1	10.0	23.8	19.1
84	*	0.1	0.2	0.1	0.1	10.9	3.7	6.1	3.8	1.7	3.7	3.2
85 & Above	-	*	*	*	*	1.7	0.3	0.7	0.3	0.2	0.3	0.3
Average	80.09	80.72	80.41	80.44	80.88	82.76	82.30	82.46	82.23	81.68	82.32	82.10
Tenderable	62.1	66.4	60.8	63.0	79.6	72.0	79.2	76.8	85.1	87.5	96.6	87.1
SAMPLES CLASSED	119,745	169,012	198,662	487,419	1,238,859	437,978	870,936	1,308,914	1,030,231	434,221	202,309	1,666,761

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2022 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	0.1	-	-	*	*	-	-	-	-	-	-
2.5 - 2.6	0.1	0.8	*	*	*	*	*	*	-	*	*	*
2.7 - 2.9	1.5	4.0	0.2	0.1	0.1	0.1	*	*	*	*	*	*
3.0 - 3.2	4.5	10.0	0.8	0.5	0.5	0.5	0.3	0.2	0.1	0.4	0.7	0.3
3.3 - 3.4	6.3	9.9	1.9	1.6	1.2	1.4	0.7	0.5	0.3	1.1	1.3	0.8
3.5 - 3.6	8.9	11.7	5.0	3.1	3.0	3.3	2.2	1.6	1.0	2.8	3.3	2.3
3.7 - 4.2	35.7	34.9	46.4	39.6	35.1	37.1	36.1	33.2	15.9	35.5	32.8	32.6
4.3 - 4.9	37.3	24.6	43.2	53.3	57.8	55.3	55.4	60.4	63.9	58.3	55.1	58.6
5.0 - 5.2	5.1	3.0	2.1	1.7	2.2	2.2	4.6	3.7	16.1	1.7	5.9	4.7
5.3 & Above	0.8	1.0	0.4	0.3	0.2	0.2	0.6	0.5	2.8	0.1	0.7	0.6
Average	4.11	3.89	4.20	4.28	4.31	4.29	4.35	4.37	4.61	4.31	4.35	4.37
Leaf Grade												
1 - 2	45.7	28.2	10.4	8.1	15.9	14.7	22.9	67.7	20.5	81.4	49.8	59.9
3	34.7	43.8	47.1	45.3	51.6	50.6	52.3	26.2	43.0	16.6	39.0	30.1
4	14.0	18.9	33.5	38.0	27.1	28.5	21.7	4.7	28.2	1.8	9.7	8.2
5	4.2	6.2	8.0	8.1	5.0	5.6	2.8	1.1	7.2	0.2	1.3	1.5
6	1.1	2.0	1.0	0.6	0.4	0.5	0.2	0.2	1.0	*	0.1	0.2
7	0.3	0.7	0.1	*	*	0.1	*	0.1	0.1	*	*	*
8	-	0.2	*	*	*	*	*	*	*	*	*	*
Average	2.69	3.11	3.43	3.48	3.22	3.26	3.04	2.27	3.23	1.94	2.53	2.38
Trash 1/												
00	0.1	*	*	0.1	*	*	*	*	-	0.1	*	*
01	20.7	5.9	1.7	1.9	2.9	2.7	4.1	27.3	5.8	44.5	18.3	26.0
02	29.8	26.8	14.0	10.2	18.8	17.7	22.5	41.8	17.8	38.3	32.3	35.5
03	20.9	25.4	24.2	21.1	27.2	26.5	28.0	17.0	22.9	11.2	23.4	18.3
04	12.6	16.8	23.5	24.1	22.6	22.8	21.2	7.2	21.1	3.8	13.5	9.9
05	7.2	10.2	16.9	19.4	14.2	14.9	12.8	3.3	14.7	1.4	6.9	5.3
06	3.9	5.9	10.1	12.0	7.7	8.3	6.5	1.6	8.5	0.5	3.2	2.6
07	2.1	3.5	5.2	6.3	3.7	4.0	2.9	0.8	4.6	0.2	1.4	1.2
08	1.2	2.1	2.5	2.9	1.6	1.8	1.1	0.4	2.4	0.1	0.6	0.6
09	0.7	1.3	1.1	1.3	0.7	0.8	0.5	0.3	1.1	*	0.2	0.3
10	0.4	0.8	0.5	0.5	0.3	0.3	0.2	0.1	0.6	*	0.1	0.1
11	0.2	0.5	0.2	0.2	0.1	0.1	0.1	0.1	0.2	*	*	0.1
12	0.1	0.3	0.1	0.1	0.1	0.1	*	*	0.1	*	*	*
13	*	0.2	*	*	*	*	*	*	*	*	*	*
14	*	0.1	*	*	*	*	*	*	*	*	*	*
15	*	0.1	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	*	*	*	*
17	*	*	*	*	*	*	*	*	*	*	*	*
18 & Above	*	*	*	*	*	*	*	*	*	*	*	*
Average	0.29	0.37	0.42	0.44	0.38	0.39	0.36	0.23	0.39	0.18	0.28	0.25
Uniformity 2/												
74 & Below	*	*	*	*	*	*	-	-	-	-	-	-
75	0.1	0.1	*	*	*	*	-	-	-	-	-	-
76	0.3	0.6	*	*	0.1	0.1	*	*	*	*	*	*
77	2.2	2.7	0.2	0.1	0.5	0.4	0.1	*	0.1	*	*	*
78	9.0	8.5	1.8	1.1	2.6	2.4	0.5	0.2	0.4	0.5	0.3	0.3
79	21.3	19.5	10.0	6.7	11.0	10.7	3.6	3.8	3.5	4.6	3.2	3.8
80	31.2	28.8	28.9	25.0	26.7	27.0	15.0	21.5	17.3	20.9	15.9	19.3
81	27.7	25.1	37.5	34.6	32.4	33.3	35.0	31.9	36.1	32.6	33.9	33.1
82	7.4	11.6	18.2	23.6	19.1	19.1	34.0	28.9	27.4	28.6	33.8	30.2
83	0.8	2.7	3.1	7.8	6.4	5.9	10.7	12.2	12.3	10.9	11.9	11.7
84	*	0.4	0.3	1.0	1.1	1.0	1.1	1.4	2.7	1.8	1.0	1.5
85 & Above	-	*	*	0.1	0.1	0.1	0.1	*	0.2	0.2	*	0.1
Average	80.42	80.56	81.15	81.45	81.22	81.22	81.80	81.73	81.80	81.70	81.82	81.75
Tenderable	72.7	53.4	90.1	92.5	93.0	92.5	90.6	94.3	77.0	96.4	87.6	91.7
SAMPLES CLASSED	214,622	1,485,271	532,642	130,020	2,616,333	3,278,995	252,700	1,205,751	236,860	760,945	693,500	3,149,756

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2022 Crop

	Rayville					Visalia					United States
	Arkansas 3/	Louisiana	Mississippi	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
MIKE Range											
2.4 & Below	-	-	-	-	-	*	*	0.1	-	*	*
2.5 - 2.6	-	-	-	*	*	*	*	1.9	0.1	0.2	0.1
2.7 - 2.9	-	*	*	0.1	*	0.1	0.2	4.6	1.7	0.5	0.6
3.0 - 3.2	-	*	0.3	0.2	0.1	0.3	0.4	8.1	4.0	1.0	1.6
3.3 - 3.4	-	*	1.2	0.3	0.1	0.5	1.0	7.2	3.0	1.2	2.1
3.5 - 3.6	-	0.1	4.0	1.1	0.4	1.1	2.9	9.9	6.9	2.4	3.4
3.7 - 4.2	-	4.6	37.7	24.9	8.5	17.8	31.3	41.3	36.4	23.2	29.9
4.3 - 4.9	-	65.6	47.1	67.8	64.7	69.1	58.2	25.0	39.8	62.4	55.3
5.0 - 5.2	-	25.3	8.3	5.6	22.4	9.4	4.8	1.7	8.5	7.8	5.9
5.3 & Above	-	4.4	2.8	0.1	4.0	1.7	1.3	0.3	1.0	1.5	1.0
Average	-	4.78	4.39	4.45	4.73	4.53	4.36	3.90	4.21	4.43	4.34
Leaf Grade											
1 - 2	-	14.0	11.7	27.2	15.1	43.9	73.2	33.6	22.0	49.2	33.1
3	-	55.1	63.6	45.6	54.7	38.0	21.3	27.7	33.9	33.3	41.9
4	-	26.9	23.4	19.5	26.0	13.0	4.2	15.1	28.9	11.7	19.9
5	-	3.8	1.3	6.3	3.9	3.4	1.1	11.8	12.5	3.8	4.3
6	-	0.2	0.1	1.3	0.3	1.0	0.2	7.0	2.7	1.3	0.6
7	-	*	-	0.3	*	0.4	*	3.1	0.3	0.5	0.1
8	-	*	-	0.2	*	0.2	*	1.8	0.1	0.3	0.1
Average	-	3.21	3.14	3.10	3.20	2.74	2.13	3.42	3.32	2.67	2.92
Trash 1/											
00	-	*	-	-	*	*	0.1	-	*	*	*
01	-	1.8	1.3	5.4	2.1	15.5	36.8	9.9	12.2	19.9	11.3
02	-	18.8	21.9	27.0	19.8	33.5	39.5	25.1	9.9	33.5	25.3
03	-	30.9	40.9	26.1	31.1	22.2	14.4	17.1	16.1	19.8	23.1
04	-	24.2	24.7	16.2	23.5	12.5	5.1	10.1	16.7	10.7	17.1
05	-	13.6	8.3	9.8	12.9	6.9	2.3	7.6	14.3	6.1	10.8
06	-	6.2	2.1	6.5	6.0	3.9	1.2	6.2	11.2	3.7	6.1
07	-	2.5	0.5	3.7	2.5	2.1	0.6	5.9	7.8	2.2	3.2
08	-	1.1	0.2	2.2	1.1	1.2	0.3	4.7	5.0	1.4	1.6
09	-	0.4	0.1	1.2	0.5	0.8	0.2	3.8	2.8	0.9	0.8
10	-	0.2	*	0.8	0.2	0.5	0.1	3.2	2.0	0.6	0.4
11	-	0.1	*	0.5	0.1	0.3	*	2.1	1.1	0.4	0.2
12	-	*	*	0.3	0.1	0.2	*	1.4	0.5	0.3	0.1
13	-	*	*	0.2	*	0.1	*	1.0	0.4	0.2	0.1
14	-	*	*	0.1	*	0.1	*	0.8	0.2	0.1	*
15	-	*	*	0.1	*	0.1	-	0.5	0.1	0.1	*
16	-	*	*	0.1	*	*	-	0.4	0.1	0.1	*
17	-	*	-	*	*	*	-	0.3	0.2	0.1	*
18 & Above	-	*	-	0.2	*	*	-	0.6	0.1	0.1	*
Average	-	0.37	0.33	0.37	0.37	0.30	0.21	0.46	0.45	0.30	0.34
Uniformity 2/											
74 & Below	-	-	-	-	-	*	*	*	-	*	*
75	-	*	*	*	*	*	*	*	*	*	*
76	-	*	*	0.1	*	0.1	0.1	0.8	0.1	0.1	0.2
77	-	0.2	0.2	0.4	0.2	0.4	0.5	1.2	0.3	0.5	0.7
78	-	1.4	1.0	3.3	1.6	2.1	2.9	5.3	1.5	2.5	2.6
79	-	5.2	7.1	14.9	6.2	9.3	11.9	17.7	5.4	10.4	8.7
80	-	17.7	35.7	27.3	19.7	27.1	30.9	24.2	20.6	27.5	21.8
81	-	34.9	40.2	33.9	35.1	37.4	32.9	32.3	34.1	35.9	30.6
82	-	30.3	13.8	17.3	28.1	20.1	10.3	16.0	26.3	17.8	23.8
83	-	9.3	2.2	2.7	8.2	3.2	8.3	2.8	9.3	4.5	9.9
84	-	1.0	0.1	0.2	0.9	0.3	3.7	0.1	2.7	1.1	1.7
85 & Above	-	0.1	*	*	0.1	*	0.1	*	0.8	0.1	0.2
Average	-	81.63	81.11	80.99	81.54	81.18	81.14	80.81	81.66	81.16	81.43
Tenderable	-	64.2	81.4	70.9	65.9	83.3	87.8	67.3	61.4	82.5	82.3
SAMPLES CLASSED	-	355,581	25,002	39,966	420,549	257,371	90,067	27,465	13,650	388,553	13,639,699

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2022 Crop

Quality Designation	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	12,601	46.4	138,480	38.7	854	2.7	1,486	3.8	153,421	33.7
	2	4,078	15.0	69,323	19.4	3,637	11.7	3,773	9.8	80,811	17.8
	3	243	0.9	1,247	0.3	260	0.8	413	1.1	2,163	0.5
	4	5	*	4	*	1	*	1	*	11	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL	-----	16,927	62.4	209,054	58.4	4,752	15.3	5,673	14.7	236,406	52.0
02	1	4,363	16.1	41,243	11.5	898	2.9	3,086	8.0	49,590	10.9
	2	4,977	18.3	90,939	25.4	16,089	51.8	17,892	46.3	129,897	28.6
	3	294	1.1	8,631	2.4	5,357	17.2	6,385	16.5	20,667	4.5
	4	15	0.1	166	*	118	0.4	428	1.1	727	0.2
	5	-	-	1	*	-	-	1	*	2	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL	-----	9,649	35.6	140,980	39.4	22,462	72.3	27,792	71.9	200,883	44.2
03	1	35	0.1	135	*	4	*	127	0.3	301	0.1
	2	404	1.5	3,541	1.0	1,137	3.7	1,653	4.3	6,735	1.5
	3	79	0.3	3,078	0.9	2,072	6.7	2,334	6.0	7,563	1.7
	4	10	*	321	0.1	353	1.1	821	2.1	1,505	0.3
	5	1	*	3	*	21	0.1	34	0.1	59	*
	6	-	-	-	-	-	-	2	*	2	*
	7	-	-	-	-	-	-	-	-	-	-
TOTAL	-----	529	1.9	7,078	2.0	3,587	11.5	4,971	12.9	16,165	3.6
04	1	1	*	4	*	-	-	-	-	5	*
	2	5	*	188	0.1	62	0.2	79	0.2	334	0.1
	3	11	*	331	0.1	123	0.4	96	0.2	561	0.1
	4	7	*	99	*	22	0.1	42	0.1	170	*
	5	-	-	27	*	9	*	7	*	43	*
	6	-	-	1	*	-	-	1	*	2	*
	7	-	-	1	*	-	-	-	-	1	*
TOTAL	-----	24	0.1	651	0.2	216	0.7	225	0.6	1,116	0.2
05	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	106	*	-	-	2	*	108	*
	3	-	-	51	*	-	-	4	*	55	*
	4	2	*	40	*	4	*	1	*	47	*
	5	-	-	13	*	-	-	1	*	14	*
	6	-	-	10	*	-	-	1	*	11	*
	7	-	-	4	*	-	-	-	-	4	*
TOTAL	-----	2	*	224	0.1	4	*	9	*	239	0.1
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	16	*	-	-	-	-	16	*
	3	-	-	18	*	13	*	-	-	31	*
	4	-	-	2	*	5	*	-	-	7	*
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL	-----	-	-	37	*	18	0.1	-	-	55	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	19	0.1	-	-	19	*
	4	-	-	1	*	9	*	-	-	10	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL	-----	-	-	1	*	28	0.1	-	-	29	*
Staple											
44 & Shorter		53	0.2	4,438	1.2	34	0.1	321	0.8	4,846	1.1
46		951	3.5	39,329	11.0	1,061	3.4	4,272	11.0	45,613	10.0
48		10,901	40.2	175,667	49.1	18,222	58.7	24,092	62.3	228,882	50.3
50		12,061	44.5	128,789	36.0	10,663	34.3	9,688	25.1	161,201	35.4
52 & Longer		3,165	11.7	9,802	2.7	1,087	3.5	297	0.8	14,351	3.2
Average Staple		49.28		48.56		48.75		48.28		48.59	
Average Length		1.43		1.41		1.42		1.40		1.41	
Extraneous Matter											
Bark		3	*	16	*	175	0.6	310	0.8	504	0.1
Grass		7	*	961	0.3	346	1.1	847	2.2	2,161	0.5
Spindle Twist		10	*	381	0.1	2	*	42	0.1	435	0.1
Prep		-	-	8	*	44	0.1	39	0.1	91	*
All Other		7	*	76	*	16	0.1	967	2.5	1,066	0.2

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2022 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5 - 2.6	-	-	3	*	1	*	13	*	17	*
2.7 - 2.9	1	*	98	*	37	0.1	107	0.3	243	0.1
3.0 - 3.2	5	*	2,078	0.6	1,002	3.2	736	1.9	3,821	0.8
3.3 - 3.4	37	0.1	3,772	1.1	2,167	7.0	2,203	5.7	8,179	1.8
3.5 - 3.6	283	1.0	11,465	3.2	4,956	16.0	5,091	13.2	21,795	4.8
3.7 - 4.2	21,833	80.5	285,646	79.8	21,069	67.8	27,835	72.0	356,383	78.3
4.3 - 4.9	4,972	18.3	54,956	15.3	1,835	5.9	2,684	6.9	64,447	14.2
5.0 - 5.2	-	-	5	*	-	-	-	-	5	*
5.3 & Above	-	-	2	*	-	-	1	*	3	*
Average	4.08		4.03		3.82		3.87		4.01	
MIKE										
2.4 & Below	-	-	-	-	-	-	-	-	-	-
2.5	-	-	-	-	-	-	2	*	2	*
2.6	-	-	3	*	1	*	11	*	15	*
2.7	-	-	-	-	6	*	9	*	15	*
2.8	-	-	5	*	16	0.1	16	*	37	*
2.9	1	*	93	*	15	*	82	0.2	191	*
3.0	1	*	242	0.1	58	0.2	116	0.3	417	0.1
3.1	2	*	666	0.2	283	0.9	167	0.4	1,118	0.2
3.2	2	*	1,170	0.3	661	2.1	453	1.2	2,286	0.5
3.3	12	*	1,631	0.5	1,101	3.5	692	1.8	3,436	0.8
3.4	25	0.1	2,141	0.6	1,066	3.4	1,511	3.9	4,743	1.0
3.5	92	0.3	3,326	0.9	1,942	6.3	1,875	4.8	7,235	1.6
3.6	191	0.7	8,139	2.3	3,014	9.7	3,216	8.3	14,560	3.2
3.7	677	2.5	17,510	4.9	4,089	13.2	3,637	9.4	25,913	5.7
3.8	1,877	6.9	30,942	8.6	3,500	11.3	4,772	12.3	41,091	9.0
3.9	3,246	12.0	47,519	13.3	4,685	15.1	5,951	15.4	61,401	13.5
4.0	5,323	19.6	64,189	17.9	4,051	13.0	5,834	15.1	79,397	17.5
4.1	5,639	20.8	67,659	18.9	3,007	9.7	4,432	11.5	80,737	17.7
4.2	5,071	18.7	57,827	16.2	1,737	5.6	3,209	8.3	67,844	14.9
4.3	3,165	11.7	35,436	9.9	989	3.2	1,544	4.0	41,134	9.0
4.4	1,156	4.3	14,124	3.9	581	1.9	639	1.7	16,500	3.6
4.5	486	1.8	4,445	1.2	227	0.7	406	1.0	5,564	1.2
4.6	146	0.5	860	0.2	37	0.1	47	0.1	1,090	0.2
4.7	18	0.1	73	*	-	-	14	*	105	*
4.8	1	*	16	*	-	-	33	0.1	50	*
4.9	-	-	2	*	1	*	1	*	4	*
5.0	-	-	5	*	-	-	-	-	5	*
5.1	-	-	-	-	-	-	-	-	-	-
5.2	-	-	-	-	-	-	-	-	-	-
5.3 & Above	-	-	2	*	-	-	1	*	3	*
Average	4.08		4.03		3.82		3.87		4.01	
Strength										
36 & Below	239	0.9	622	0.2	1,895	6.1	2,644	6.8	5,400	1.2
37	181	0.7	4,425	1.2	2,733	8.8	4,799	12.4	12,138	2.7
38	387	1.4	13,814	3.9	2,286	7.4	7,134	18.4	23,621	5.2
39	519	1.9	17,980	5.0	1,857	6.0	5,459	14.1	25,815	5.7
40	672	2.5	8,900	2.5	1,757	5.7	3,236	8.4	14,565	3.2
41	1,121	4.1	7,973	2.2	2,208	7.1	2,707	7.0	14,009	3.1
42	3,225	11.9	17,338	4.8	3,617	11.6	4,135	10.7	28,315	6.2
43	6,107	22.5	37,767	10.5	4,734	15.2	3,657	9.5	52,265	11.5
44	6,616	24.4	59,577	16.6	4,861	15.6	2,808	7.3	73,862	16.2
45	4,690	17.3	71,386	19.9	3,321	10.7	1,197	3.1	80,594	17.7
46	2,128	7.8	57,695	16.1	1,225	3.9	509	1.3	61,557	13.5
47	893	3.3	38,648	10.8	441	1.4	218	0.6	40,200	8.8
48 & Above	353	1.3	21,900	6.1	132	0.4	167	0.4	22,552	5.0
Average	43.95		44.60		42.02		40.43		44.03	
Uniformity										
83 & Below	13	*	2,323	0.6	83	0.3	412	1.1	2,831	0.6
84	249	0.9	20,295	5.7	621	2.0	2,472	6.4	23,637	5.2
85	2,444	9.0	62,214	17.4	9,474	30.5	13,877	35.9	88,009	19.3
86	11,644	42.9	168,910	47.2	14,558	46.9	16,234	42.0	211,346	46.5
87	11,899	43.9	95,405	26.6	6,014	19.4	5,397	14.0	118,715	26.1
88 & Above	882	3.3	8,878	2.5	317	1.0	278	0.7	10,355	2.3
Average	86.85		86.46		86.32		86.08		86.44	
SAMPLES CLASSED	27,131		358,025		31,067		38,670		454,893	

NOTE: Totals may not add due to rounding.
* Less than 0.05 percent.