



Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
11 & 21	1 - 2	-	-	39	308	2,417	12,845	47,290	138,988	201,887
	3	-	-	5	77	483	2,669	11,235	47,928	62,397
	4	-	-	-	7	12	88	534	2,759	3,400
	5	-	-	-	-	-	1	34	164	199
	6	-	-	-	-	-	-	2	3	5
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	44	392	2,912	15,603	59,095	189,842	267,888
31	1 - 2	-	-	30	193	1,219	5,294	23,663	75,016	105,415
	3	-	-	11	259	1,604	8,349	39,029	155,090	204,342
	4	-	-	4	45	398	2,025	9,329	36,075	47,876
	5	-	-	3	11	54	205	717	2,720	3,710
	6	-	-	-	1	2	9	22	158	192
	7	-	-	-	-	-	1	-	6	7
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	48	509	3,277	15,883	72,760	269,065	361,542
41	1 - 2	-	-	-	3	42	409	2,453	7,468	10,375
	3	-	-	-	15	190	2,320	14,932	60,265	77,722
	4	-	-	1	20	219	1,774	11,612	47,646	61,272
	5	-	-	-	11	94	599	3,807	13,358	17,869
	6	-	-	-	1	22	137	714	2,449	3,323
	7	-	-	-	-	1	39	192	445	677
	8	-	-	-	-	-	-	13	38	51
TOTAL		-	-	1	50	568	5,278	33,723	131,669	171,289
51	1 - 2	-	-	-	1	5	93	388	997	1,484
	3	-	-	-	10	141	618	2,162	7,084	10,015
	4	-	-	-	7	95	465	1,526	5,724	7,817
	5	-	-	-	-	13	168	652	2,042	2,875
	6	-	-	-	-	5	58	375	785	1,223
	7	-	-	-	-	1	22	122	283	428
	8	-	-	-	-	2	9	38	115	164
TOTAL		-	-	-	18	262	1,433	5,263	17,030	24,006
61	1 - 2	-	-	-	-	-	2	19	86	107
	3	-	-	-	-	4	6	28	103	141
	4	-	-	-	-	2	5	12	32	51
	5	-	-	-	-	-	3	10	18	31
	6	-	-	-	-	-	-	15	7	22
	7	-	-	-	-	-	-	8	1	9
	8	-	-	-	-	-	-	2	2	4
TOTAL		-	-	-	-	6	16	94	249	365
71	1 - 2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	2	-	2
	5	-	-	-	-	-	-	1	-	1
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	3	-	3
12 & 22	1 - 2	-	-	33	344	1,596	7,232	24,968	56,525	90,698
	3	-	-	7	127	652	3,702	9,754	24,260	38,502
	4	-	-	-	22	81	459	1,221	3,064	4,847
	5	-	-	-	2	5	24	78	300	409
	6	-	-	-	-	-	-	2	9	11
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	40	495	2,334	11,417	36,023	84,158	134,467
32	1 - 2	-	-	3	73	415	2,361	4,060	6,880	13,792
	3	-	-	18	139	1,014	4,623	9,782	18,570	34,146
	4	-	-	7	53	412	1,813	4,203	8,359	14,847
	5	-	-	-	11	80	340	972	1,631	3,034
	6	-	-	-	2	10	53	130	179	374
	7	-	-	-	1	-	1	4	10	16
	8	-	-	-	-	-	-	1	1	2
TOTAL		-	-	28	279	1,931	9,191	19,152	35,630	66,211
42	1 - 2	-	-	-	1	13	103	294	946	1,357
	3	-	-	2	16	101	619	2,418	6,075	9,231
	4	-	-	14	41	145	761	2,497	6,303	9,761
	5	-	-	6	13	142	691	1,829	4,070	6,751
	6	-	-	1	4	51	334	1,120	2,278	3,788
	7	-	-	-	2	14	111	328	514	969
	8	-	-	-	1	-	3	28	69	101
TOTAL		-	-	23	78	466	2,622	8,514	20,255	31,958
52	1 - 2	-	-	-	-	1	13	58	146	218
	3	-	-	-	-	4	144	526	1,099	1,773
	4	-	-	-	-	-	89	314	818	1,221
	5	-	-	-	-	1	41	210	500	752
	6	-	-	-	-	1	48	175	340	564
	7	-	-	-	-	1	35	171	161	368
	8	-	-	-	-	2	9	71	102	184
TOTAL		-	-	-	-	10	379	1,525	3,166	5,080

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple								
		26 & -	28	29	30	31	32	33	34	34 & -
62	1 - 2	-	-	-	-	-	-	9	15	24
	3	-	-	-	-	-	2	13	68	83
	4	-	-	-	-	1	9	15	44	69
	5	-	-	-	-	-	2	13	27	42
	6	-	-	-	-	-	-	1	5	6
	7	-	-	-	-	-	-	1	1	2
	8	-	-	-	-	-	-	3	-	3
TOTAL		-	-	-	-	1	13	55	160	229
13 & 23	1 - 2	-	-	10	52	462	979	3,356	4,146	9,005
	3	-	-	6	67	355	981	2,066	3,044	6,519
	4	-	-	2	13	61	224	515	621	1,436
	5	-	-	-	-	4	63	84	61	212
	6	-	-	-	-	-	11	7	-	18
	7	-	-	-	-	-	1	-	-	1
	8	-	-	-	-	-	-	-	-	-
TOTAL		-	-	18	132	882	2,259	6,028	7,872	17,191
33	1 - 2	-	-	3	20	43	96	274	634	1,070
	3	-	-	6	106	239	461	1,102	1,840	3,754
	4	-	-	2	34	144	541	902	1,364	2,987
	5	-	-	-	1	44	167	408	551	1,171
	6	-	-	-	-	7	21	63	78	169
	7	-	-	-	-	-	-	3	13	16
	8	-	-	-	-	-	-	-	1	1
TOTAL		-	-	11	161	477	1,286	2,752	4,481	9,168
43	1 - 2	-	-	-	-	1	3	20	30	54
	3	-	-	-	2	36	46	164	294	542
	4	-	-	1	9	66	172	258	565	1,071
	5	-	-	-	7	56	175	336	739	1,313
	6	-	-	1	9	45	106	237	336	734
	7	-	-	-	2	31	44	106	89	272
	8	-	-	-	-	3	6	12	15	36
TOTAL		-	-	2	29	238	552	1,133	2,068	4,022
53	1 - 2	-	-	-	-	-	-	2	2	4
	3	-	-	-	5	12	8	28	75	128
	4	-	-	4	11	22	29	27	108	201
	5	-	-	-	4	5	24	18	29	80
	6	-	-	-	-	-	6	15	21	42
	7	-	-	-	-	5	7	16	10	38
	8	-	-	-	-	2	9	9	18	38
TOTAL		-	-	4	20	46	83	115	263	531
63	1 - 2	-	-	-	-	-	-	1	-	1
	3	-	-	1	-	-	4	1	1	7
	4	-	-	4	6	15	5	2	5	37
	5	-	-	-	6	5	7	3	3	24
	6	-	-	-	-	-	1	-	-	1
	7	-	-	-	-	-	-	-	-	-
	8	-	-	-	1	-	-	-	-	1
TOTAL		-	-	5	13	20	17	7	9	71
24 - 54	1 - 8	-	-	1	4	41	166	355	750	1,317
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	3	11	16	30	60
TOTAL ALL		-	-	225	2,180	13,474	66,209	246,613	766,697	1,095,398

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple								
		35	36	37	38	39	40 &+	35 to 40+	Total	
Color										
11 & 21	1 - 2	261,090	372,939	476,005	183,526	67,089	17,405	1,378,054	1,579,941	
	3	99,297	151,363	225,238	97,902	35,017	9,092	617,909	680,306	
	4	6,036	10,603	13,586	6,220	2,569	737	39,751	43,151	
	5	162	210	222	109	51	29	783	982	
	6	4	2	1	3	2	4	16	21	
	7	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	
TOTAL		366,589	535,117	715,052	287,760	104,728	27,267	2,036,513	2,304,401	
31	1 - 2	181,926	333,631	423,367	124,547	37,246	6,041	1,106,758	1,212,173	
	3	405,801	791,934	1,299,739	444,921	119,147	21,285	3,082,827	3,287,169	
	4	99,812	195,469	394,648	194,919	48,478	10,188	943,514	991,390	
	5	7,728	14,440	31,314	21,882	6,348	1,674	83,386	87,096	
	6	444	579	1,173	1,100	315	109	3,720	3,912	
	7	24	39	28	52	12	5	160	167	
	8	-	-	-	-	-	-	-	-	
TOTAL		695,735	1,336,092	2,150,269	787,421	211,546	39,302	5,220,365	5,581,907	
41	1 - 2	16,111	22,650	23,878	6,438	1,559	152	70,788	81,163	
	3	150,066	256,134	341,809	102,734	23,085	3,108	876,936	954,658	
	4	130,880	234,106	404,018	165,055	39,954	6,757	980,770	1,042,042	
	5	37,416	59,830	113,544	62,855	18,039	3,316	295,000	312,869	
	6	6,086	10,304	15,071	8,514	3,253	636	43,864	47,187	
	7	781	1,401	1,699	941	436	85	5,343	6,020	
	8	45	79	67	30	9	6	236	287	
TOTAL		341,385	584,504	900,086	346,567	86,335	14,060	2,272,937	2,444,226	
51	1 - 2	1,174	1,513	1,426	286	26	-	4,425	5,909	
	3	14,342	17,981	16,314	3,841	798	37	53,313	63,328	
	4	13,328	18,724	23,049	8,659	2,775	248	66,783	74,600	
	5	4,921	7,018	9,585	4,739	2,037	278	28,578	31,453	
	6	2,041	2,712	2,988	1,366	912	123	10,142	11,365	
	7	791	1,099	1,049	389	338	32	3,698	4,126	
	8	181	232	167	58	59	6	703	867	
TOTAL		36,778	49,279	54,578	19,338	6,945	724	167,642	191,648	
61	1 - 2	13	13	6	2	-	-	34	141	
	3	91	103	99	19	2	1	315	456	
	4	78	86	66	22	3	-	255	306	
	5	36	35	17	7	5	-	100	131	
	6	5	7	11	3	1	-	27	49	
	7	1	4	3	2	1	-	11	20	
	8	17	1	-	-	-	-	18	22	
TOTAL		241	249	202	55	12	1	760	1,125	
71	1 - 2	-	-	-	-	-	-	-	-	
	3	-	1	-	-	-	-	1	1	
	4	-	2	-	-	-	-	2	4	
	5	-	1	-	-	-	-	1	2	
	6	-	-	2	-	-	-	2	2	
	7	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	
TOTAL		-	4	2	-	-	-	6	9	
12 & 22	1 - 2	75,453	54,784	30,091	5,103	961	267	166,659	257,357	
	3	40,728	35,377	22,869	6,070	1,287	405	106,736	145,238	
	4	4,651	4,834	3,304	1,102	228	59	14,178	19,025	
	5	255	285	125	47	10	2	724	1,133	
	6	5	19	2	-	-	-	26	37	
	7	-	-	-	-	-	-	-	-	
	8	-	-	-	-	-	-	-	-	
TOTAL		121,092	95,299	56,391	12,322	2,486	733	288,323	422,790	
32	1 - 2	7,622	5,586	3,150	831	394	97	17,680	31,472	
	3	26,474	24,504	18,334	4,813	1,699	488	76,312	110,458	
	4	12,307	12,376	11,071	3,953	1,450	496	41,653	56,500	
	5	2,113	2,245	2,259	1,031	504	235	8,387	11,421	
	6	219	261	237	152	78	25	972	1,346	
	7	22	42	25	6	1	-	96	112	
	8	1	-	1	-	-	-	2	4	
TOTAL		48,758	45,014	35,077	10,786	4,126	1,341	145,102	211,313	
42	1 - 2	1,470	1,086	515	91	11	4	3,177	4,534	
	3	11,092	11,981	9,366	2,184	398	52	35,073	44,304	
	4	12,368	14,539	14,713	5,313	1,662	261	48,856	58,617	
	5	6,450	7,013	7,589	3,001	1,324	304	25,681	32,432	
	6	2,934	2,649	2,349	877	371	109	9,289	13,077	
	7	1,025	932	679	251	84	19	2,990	3,959	
	8	133	142	75	12	11	4	377	478	
TOTAL		35,472	38,342	35,286	11,729	3,861	753	125,443	157,401	
52	1 - 2	161	129	105	6	1	-	402	620	
	3	1,905	1,818	1,832	573	179	14	6,321	8,094	
	4	1,940	2,673	3,935	1,626	664	98	10,936	12,157	
	5	964	1,288	2,383	1,046	511	143	6,335	7,087	
	6	715	553	821	356	225	62	2,732	3,296	
	7	556	454	327	139	83	19	1,578	1,946	
	8	187	284	174	40	30	24	739	923	
TOTAL		6,428	7,199	9,577	3,786	1,693	360	29,043	34,123	

Table 1. - United States: Distribution of color, leaf and staple for upland cotton classed through 2023 Crop

Quality Designation	Leaf	Staple							Total
		35	36	37	38	39	40 &+	35 to 40+	
62	1 - 2	2	3	-	-	-	-	5	29
	3	83	39	13	3	2	-	140	223
	4	108	47	55	12	2	-	224	293
	5	26	31	29	9	-	1	96	138
	6	16	9	7	16	3	-	51	57
	7	1	3	2	1	-	-	7	9
	8	-	-	-	1	-	-	1	4
TOTAL		236	132	106	42	7	1	524	753
13 & 23	1 - 2	3,210	2,296	1,132	226	54	6	6,924	15,929
	3	2,982	2,676	1,633	274	63	24	7,652	14,171
	4	676	546	449	70	19	5	1,765	3,201
	5	70	74	27	5	1	-	177	389
	6	2	-	-	-	1	-	3	21
	7	-	-	-	-	-	-	-	1
	8	-	-	-	-	-	-	-	-
TOTAL		6,940	5,592	3,241	575	138	35	16,521	33,712
33	1 - 2	995	755	662	245	45	25	2,727	3,797
	3	2,400	2,776	3,083	1,019	307	159	9,744	13,498
	4	1,369	1,620	1,817	719	219	84	5,828	8,815
	5	413	394	461	134	50	51	1,503	2,674
	6	83	61	58	7	3	14	226	395
	7	24	14	11	2	-	-	51	67
	8	4	1	-	-	-	-	5	6
TOTAL		5,288	5,621	6,092	2,126	624	333	20,084	29,252
43	1 - 2	60	56	69	15	2	2	204	258
	3	520	691	810	204	65	17	2,307	2,849
	4	845	1,189	1,340	455	153	44	4,026	5,097
	5	805	779	807	281	158	71	2,901	4,214
	6	449	408	361	85	46	18	1,367	2,101
	7	151	97	110	30	10	1	399	671
	8	32	20	16	20	-	1	89	125
TOTAL		2,862	3,240	3,513	1,090	434	154	11,293	15,315
53	1 - 2	4	61	57	5	-	-	127	131
	3	65	208	299	52	8	-	632	760
	4	123	193	495	164	33	8	1,016	1,217
	5	87	127	324	112	71	10	731	811
	6	42	37	106	34	38	12	269	311
	7	26	22	60	15	11	8	142	180
	8	36	9	12	6	2	-	65	103
TOTAL		383	657	1,353	388	163	38	2,982	3,513
63	1 - 2	-	1	1	-	-	-	2	3
	3	1	3	3	-	-	-	7	14
	4	10	21	31	1	-	-	63	100
	5	5	19	26	4	2	-	56	80
	6	1	9	11	4	3	1	29	30
	7	1	-	1	3	-	-	5	5
	8	-	-	-	1	-	-	1	2
TOTAL		18	53	73	13	5	1	163	234
24 - 54	1 - 8	995	1,164	1,266	403	131	65	4,024	5,341
25 - 35	1 - 8	-	-	-	-	-	-	-	-
81 - 85	1 - 8	68	57	44	26	4	-	199	259
TOTAL ALL		1,669,268	2,707,615	3,972,208	1,484,427	423,238	85,168	10,341,924	11,437,322

EXTRANEIOUS MATTER	
Bark - Level 1	332,683
Bark - Level 2	-
Grass - Level 1	17,838
Grass - Level 2	-
Prep - Level 1	392
Prep - Level 2	-
Seed Coat - Level 1	11,948
Seed Coat - Level 2	-
Oil - Level 1	70
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	113
Other - Level 2	-
Plastic - Level 1	2,995
Plastic - Level 2	-

Average Staple	36.37
Percent Tenderable	79.3
SAMPLES CLASSED	11,437,322

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	*	*	*	0.1	0.4	1.2	2.3	3.3	4.2	1.6	0.6	0.2	13.8
	3	-	-	*	*	*	*	0.1	0.4	0.9	1.3	2.0	0.9	0.3	0.1	5.9
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	0.1	0.5	1.7	3.2	4.7	6.3	2.5	0.9	0.2
31	1 - 2	-	-	*	*	*	*	0.2	0.7	1.6	2.9	3.7	1.1	0.3	0.1	10.6
	3	-	-	*	*	*	0.1	0.3	1.4	3.5	6.9	11.4	3.9	1.0	0.2	28.7
	4	-	-	*	*	*	*	0.1	0.3	0.9	1.7	3.5	1.7	0.4	0.1	8.7
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	0.1	0.6	2.4	6.1	11.7	18.8	6.9	1.8	0.3
41	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	3	-	-	-	*	*	*	0.1	0.5	1.3	2.2	3.0	0.9	0.2	*	8.3
	4	-	-	*	*	*	*	0.1	0.4	1.1	2.0	3.5	1.4	0.3	0.1	9.1
	5	-	-	-	*	*	*	*	0.1	0.3	0.5	1.0	0.5	0.2	*	2.7
	6	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.3	1.2	3.0	5.1	7.9	3.0	0.8	0.1
51	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	*	0.1	0.3	0.4	0.5	0.2	0.1	*
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	-	-	*	*	-	-	-
12 & 22	1 - 2	-	-	*	*	*	0.1	0.2	0.5	0.7	0.5	0.3	*	*	*	2.3
	3	-	-	*	*	*	*	0.1	0.2	0.4	0.3	0.2	0.1	*	*	1.3
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	0.1	0.3	0.7	1.1	0.8	0.5	0.1	*	*
32	1 - 2	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.3
	3	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	1.0
	4	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.4	0.4	0.3	0.1	*	*
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	*	-	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.1	0.2	0.3	0.3	0.3	0.1	*	*
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	*	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	*
13 & 23	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*
33	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	0.1	*	*	*
43	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	8	-	-	-	*	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
TOTAL ALL		-	-	*	*	0.1	0.6	2.2	6.7	14.6	23.7	34.7	13.0	3.7	0.7	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	2.9
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.37
Percent Tenderable	79.3
SAMPLES CLASSED	11,437,322

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.2	1.2	2.5	5.0	1.7	0.5	0.1	11.3
	3	-	-	-	-	-	*	*	0.1	0.5	1.7	5.2	2.3	0.7	0.1	10.6
	4	-	-	-	-	-	*	*	*	*	0.2	0.4	0.2	0.1	*	0.9
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	0.1	0.4	1.7	4.4	10.5	4.3	1.2	0.3
31	1 - 2	-	-	-	-	*	*	0.2	0.7	1.5	2.1	2.4	0.6	0.1	*	7.7
	3	-	-	-	-	*	0.1	0.4	1.4	3.9	7.2	11.8	4.2	1.1	0.2	30.2
	4	-	-	-	-	*	*	0.1	0.4	1.3	2.7	4.7	2.1	0.6	0.1	12.1
	5	-	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	1.5
	6	-	-	-	-	-	-	*	*	*	*	*	0.1	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	0.1	0.7	2.6	6.9	12.3	19.4	7.5	1.8	0.3
41	1 - 2	-	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	*	0.9
	3	-	-	-	*	*	0.1	0.3	0.9	1.6	2.0	1.8	0.4	0.1	*	7.1
	4	-	-	-	*	*	*	0.2	0.7	1.3	2.0	2.2	0.6	0.1	*	7.3
	5	-	-	-	*	*	*	*	0.2	0.4	0.6	0.7	0.3	0.1	*	2.3
	6	-	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL		-	-	-	*	*	0.2	0.6	1.9	3.6	5.0	5.0	1.4	0.3	0.1
51	1 - 2	-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.1	0.3	0.4	0.5	0.4	0.1	*	*	1.8
	4	-	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.1	*	*	1.8
	5	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	TOTAL		-	-	-	*	*	0.1	0.2	0.6	0.9	1.2	1.1	0.2	0.1	*
61	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	4	-	-	-	*	-	*	*	*	0.1	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	*	-	*	0.1	0.1	0.2	0.2	0.1	*	*	*
42	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	TOTAL		-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.2	0.3	0.1	*	*

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-
33	1 - 2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-
43	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	0.1	0.4	1.7	5.8	13.8	23.7	36.7	13.6	3.5	0.7	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.45
Percent Tenderable	86.8
SAMPLES CLASSED	695,109

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	0.1	0.6	4.0	12.1	24.9	17.1	8.3	2.5	69.6
	3	-	-	-	-	-	*	*	*	0.4	1.2	2.3	2.5	1.7	0.9	9.0
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.6	4.3	13.3	27.3	19.7	10.1	3.4
31	1 - 2	-	-	-	-	-	*	*	0.1	0.8	1.0	2.1	1.3	0.6	0.2	6.1
	3	-	-	-	-	-	*	*	0.1	0.4	0.9	2.2	2.4	1.5	0.6	8.1
	4	-	-	-	-	-	-	-	*	0.1	0.2	0.6	0.7	0.5	0.3	2.3
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.3	1.3	2.1	4.8	4.4	2.6	1.2
41	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	*
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	*	-	-	*
	5	-	-	-	-	-	-	*	*	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	0.3	0.8	0.8	*	*	*	2.0
	3	-	-	-	-	-	-	*	*	*	0.3	0.3	*	*	*	0.7
	4	-	-	-	-	-	-	-	*	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.3	1.0	1.1	0.1	*	*
32	1 - 2	-	-	-	-	-	-	-	*	0.1	0.1	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*
42	1 - 2	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	0.1
33	1 - 2	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.0	6.2	16.8	33.7	24.5	12.9	4.7	100.0

EXTRANEOUS MATTER	
Bark - Level 1	0.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.7
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.32
Percent Tenderable	88.3
SAMPLES CLASSED	182,824

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.8	2.5	2.9	0.6	0.2	*	6.9
	3	-	-	-	-	-	-	-	*	0.1	0.5	1.6	0.5	0.1	*	2.8
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.9	3.0	4.5	1.1	0.3	*	9.8
31	1 - 2	-	-	-	-	-	*	*	0.1	1.7	5.2	5.5	1.2	0.4	*	14.0
	3	-	-	-	-	-	*	*	0.1	1.8	8.2	21.4	5.9	1.4	0.1	38.9
	4	-	-	-	-	-	*	*	*	0.2	0.9	6.3	4.0	0.6	0.1	12.0
	5	-	-	-	-	-	-	*	*	*	*	0.3	0.5	0.1	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	3.7	14.3	33.4	11.5	2.5	0.2	66.0
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.2	*	*	*	0.4
	3	-	-	-	-	-	*	*	0.1	0.5	1.6	4.2	1.2	0.2	*	7.9
	4	-	-	-	-	*	*	*	0.1	0.5	1.3	5.9	3.0	0.5	0.1	11.3
	5	-	-	-	-	-	*	*	*	0.2	0.3	1.4	1.4	0.3	*	3.5
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.2	1.2	3.4	11.8	5.8	1.0	0.1	23.6
51	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.2
52	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	*	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.1	0.5	5.9	20.7	50.0	18.5	3.9	0.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.93
Percent Tenderable	79.0
SAMPLES CLASSED	1,495,199

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	*	0.5	4.4	11.8	26.0	11.7	3.4	0.9	58.6
	3	-	-	-	-	-	-	-	0.1	0.6	0.6	3.1	2.8	1.2	0.7	9.0
	4	-	-	-	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.6
	5	-	-	-	-	-	-	-	-	*	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.5	5.1	12.4	29.1	14.6	4.8	1.7
31	1 - 2	-	-	-	-	-	-	*	0.1	0.4	2.0	3.2	1.7	2.1	0.4	9.9
	3	-	-	-	-	-	*	0.1	0.3	0.7	1.2	3.2	1.6	2.2	1.1	10.3
	4	-	-	-	-	-	-	*	0.1	0.2	0.3	1.7	0.5	1.4	0.9	5.2
	5	-	-	-	-	-	-	-	-	*	*	0.3	*	0.4	0.3	1.0
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.1	0.5	1.3	3.5	8.5	3.8	6.1	2.7
41	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	-	-	-	-	*	0.2	0.3	0.2	0.3	*	*	*	1.1
	5	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	0.1	*	0.4
	6	-	-	-	-	-	-	-	-	*	*	*	-	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.4	0.5	0.4	0.5	*	0.2	0.1	2.1
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	-	*	-	*	-	-	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	0.1	*	*	*	0.2
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	0.1	0.1	*	*	*	0.1	0.2	0.6
	5	-	-	-	-	-	-	-	*	*	*	-	*	*	0.2	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.2	0.3	0.1	0.1	0.1	0.2	0.4	1.4
42	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	-	*	-	0.2
	4	-	-	-	-	-	-	*	0.1	0.3	0.1	*	-	*	*	0.6
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	0.5
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.3	0.5	0.3	0.1	*	0.1	0.1	1.4
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	-	-	-	-	-

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
43	1 - 2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	0.1	*	*	*	*	*	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	0.2	1.9	7.9	16.8	38.3	18.6	11.4	5.0	100.0

EXTRANEOUS MATTER	
Bark - Level 1	4.2
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.18
Percent Tenderable	88.5
SAMPLES CLASSED	71,578

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.1	0.3	0.3	0.2	0.1	*	*	1.1
	3	-	-	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	1.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.5	0.6	0.5	0.3	0.1	*	2.4
31	1 - 2	-	-	-	-	*	*	0.2	0.8	1.8	1.7	1.4	0.5	0.2	0.1	6.6
	3	-	-	-	-	*	*	0.5	2.8	6.9	6.8	6.3	2.5	0.9	0.1	26.8
	4	-	-	-	-	-	*	0.1	0.8	2.1	2.6	2.7	1.2	0.4	0.1	10.1
	5	-	-	-	-	-	-	*	0.1	0.2	0.2	0.3	0.1	*	*	1.0
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.8	4.5	11.0	11.4	10.7	4.3	1.5	0.2	44.6
41	1 - 2	-	-	-	-	-	*	0.1	0.1	0.2	0.2	0.4	*	*	-	1.1
	3	-	-	-	-	*	0.1	0.4	1.4	2.8	3.4	4.2	0.9	0.3	0.1	13.5
	4	-	-	-	-	*	0.1	0.3	1.1	2.5	3.7	4.3	1.5	0.8	0.1	14.5
	5	-	-	-	-	-	*	0.1	0.3	0.6	1.0	1.0	0.5	0.3	*	3.9
	6	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.5
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	0.2	0.9	2.9	6.3	8.5	10.0	3.0	1.5	0.2	33.4
51	1 - 2	-	-	-	-	*	*	*	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.2	0.6	0.8	1.1	0.4	0.1	*	3.4
	4	-	-	-	-	-	*	0.1	0.2	0.4	0.9	1.1	0.6	0.3	*	3.6
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.5	1.2	2.0	2.7	1.2	0.5	*	8.3
61	1 - 2	-	-	-	-	-	-	*	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
32	1 - 2	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	*	0.1	0.4	0.7	0.3	0.1	*	*	-	1.6
	4	-	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	0.7
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.6	1.0	0.6	0.2	*	*	-	2.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	0.3	0.6	0.9	0.5	0.2	*	*	*	2.5
	4	-	-	-	-	-	*	0.1	0.3	0.7	0.6	0.3	0.1	*	*	2.2
	5	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.4	0.9	1.8	1.4	0.7	0.2	0.1	0.1	5.5
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.1	*	1.0
	5	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.3	0.5	0.8	0.4	0.1	*	2.3

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	-	-	-
43	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	*	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	0.1	*	0.1	0.1	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	0.1	*	*	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.3	2.5	9.8	22.4	25.2	25.8	9.5	3.8	0.6	100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.5
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.08
Percent Tenderable	67.7
SAMPLES CLASSED	92,319

* Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	*	0.1	0.3	0.4	0.5	0.1	*	*	1.5
	3	-	-	-	-	*	*	*	0.1	0.2	0.3	0.5	0.2	0.1	*	1.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.2	0.6	0.8	1.0	0.4	0.1	*	3.0
31	1 - 2	-	-	-	*	*	*	0.2	0.7	1.6	2.1	1.9	0.5	0.1	*	7.2
	3	-	-	-	-	*	*	0.3	1.7	4.6	7.8	8.7	2.5	0.5	0.1	26.3
	4	-	-	-	-	*	*	0.1	0.4	1.1	2.4	3.6	1.3	0.4	0.1	9.3
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.4	0.2	0.1	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.5	2.8	7.5	12.5	14.6	4.5	1.1	0.2	43.8
41	1 - 2	-	-	-	-	*	*	0.1	0.2	0.4	0.5	0.4	0.1	*	*	1.7
	3	-	-	-	*	*	*	0.3	1.4	3.6	5.9	6.2	1.5	0.3	*	19.4
	4	-	-	-	*	*	*	0.2	0.8	2.4	4.7	6.8	2.2	0.5	0.1	17.7
	5	-	-	-	-	*	*	*	0.2	0.5	1.0	1.9	0.9	0.3	0.1	4.8
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.3	0.2	0.1	*	0.7
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	0.1	0.6	2.6	7.0	12.3	15.7	4.9	1.2	0.2	44.4
51	1 - 2	-	-	-	*	-	*	*	*	*	*	0.1	*	*	-	0.2
	3	-	-	-	*	*	*	*	0.2	0.4	0.6	0.5	0.1	*	*	1.9
	4	-	-	-	-	*	*	*	0.2	0.4	0.5	0.7	0.3	0.1	*	2.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.2	0.3	0.1	*	*	0.8
	6	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
TOTAL		-	-	-	*	*	*	0.1	0.4	1.0	1.4	1.6	0.6	0.2	*	5.3
61	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
12 & 22	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	0.9
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	*	*	*	0.1	0.2	0.5	0.7	0.3	0.1	*	1.9
52	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
TOTAL		-	-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	*	-	-	*
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	-
33	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL ALL		-	-	-	*	*	0.1	1.3	6.2	16.5	27.7	34.1	10.9	2.7	0.4	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.7
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.1
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.32
Percent Tenderable	90.0
SAMPLES CLASSED	2,140,439

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	0.1	0.4	0.9	1.4	1.1	1.0	1.5	0.4	0.1	*	7.0
	3	-	-	-	*	*	0.1	0.2	1.1	2.0	2.3	2.9	1.2	0.4	*	10.3
	4	-	-	-	-	*	*	0.1	0.3	0.6	0.7	0.5	0.2	*	-	2.5
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.6	1.3	2.8	3.7	4.1	5.0	1.8	0.5	*	20.0
31	1 - 2	-	-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	0.6
	3	-	-	-	-	*	*	0.1	0.4	0.7	1.5	2.5	1.1	0.7	*	7.0
	4	-	-	-	-	*	*	0.2	0.7	1.3	2.0	2.8	1.6	0.5	*	9.3
	5	-	-	-	-	-	*	0.1	0.2	0.6	1.0	1.0	0.4	0.1	*	3.4
	6	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.1	0.5	1.4	2.7	4.7	6.6	3.2	1.3	0.1	20.7
41	1 - 2	-	-	-	-	-	-	*	-	-	-	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	0.1	*	0.8
	4	-	-	-	-	*	*	0.2	0.4	0.8	0.8	1.2	0.7	0.8	*	4.9
	5	-	-	-	-	*	*	0.2	0.7	1.3	2.0	1.9	0.9	0.8	0.1	8.0
	6	-	-	-	-	-	*	0.1	0.4	0.6	1.4	1.2	0.4	0.3	*	4.5
	7	-	-	-	-	-	*	0.1	0.1	0.1	0.2	0.3	*	*	*	0.8
	8	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL		-	-	-	-	*	0.1	0.7	1.8	2.9	4.5	4.8	2.1	2.0	0.1	19.1
51	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.1	*	*	-	-	-	-	0.1
	4	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	*	0.4
	5	-	-	-	-	*	*	0.1	0.1	0.4	0.3	0.2	0.1	0.1	*	1.4
	6	-	-	-	-	-	*	0.1	0.2	0.6	0.6	0.6	0.1	0.3	*	2.7
	7	-	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.1	0.2	*	1.7
	8	-	-	-	-	-	-	*	0.1	0.1	*	0.1	*	*	-	0.3
TOTAL		-	-	-	*	*	*	0.3	0.6	1.7	1.5	1.4	0.3	0.7	*	6.6
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	*	*	0.1	0.5	0.8	0.9	0.2	*	*	-	2.6
	3	-	-	-	*	0.1	0.2	0.2	0.8	1.8	1.3	0.7	0.3	*	*	5.5
	4	-	-	-	*	*	0.1	0.1	0.3	0.5	0.4	0.4	0.1	*	-	2.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.3	0.5	1.7	3.0	2.6	1.3	0.4	0.1	*	10.1
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.4	0.3	0.4	0.1	*	*	1.5
	4	-	-	-	*	*	*	0.3	0.6	1.0	0.8	0.8	0.1	*	*	3.6
	5	-	-	-	-	*	*	0.2	0.2	0.3	0.3	0.4	0.1	*	*	1.6
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.5	1.0	1.7	1.5	1.6	0.3	0.1	0.1	7.0
42	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.2
	4	-	-	-	-	-	*	0.2	0.4	0.9	0.7	0.3	*	*	*	2.5
	5	-	-	-	-	-	*	0.1	0.4	1.0	1.4	1.0	0.6	0.1	0.1	4.9
	6	-	-	-	-	-	*	0.1	0.4	0.8	1.0	0.7	0.4	0.1	*	3.5
	7	-	-	-	-	-	*	0.1	0.1	0.2	0.4	0.3	0.1	*	*	1.1
	8	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	-	*	0.3	1.1	2.5	3.7	2.7	1.5	0.3	0.2	0.1	12.3
52	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	0.4
	6	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	0.1	*	*	0.6
	7	-	-	-	-	-	-	*	0.1	*	0.2	0.1	0.1	*	*	0.6
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
TOTAL		-	-	-	-	-	0.1	0.3	0.4	0.6	0.3	0.2	*	*	-	1.8

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
33	1 - 2	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	0.1	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	*	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	0.1	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.2	0.1	*	*	*	0.8
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL		-	-	-	-	*	*	0.1	0.2	0.3	0.1	0.1	*	-	-	-	0.9
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	*	*	*	*	-	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL ALL		-	-	-	*	0.3	1.6	5.5	12.6	20.6	22.4	22.9	8.8	4.9	0.4	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	24.0
Bark - Level 2	-
Grass - Level 1	1.0
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.86
Percent Tenderable	39.6
SAMPLES CLASSED	124,779

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.2	0.3	0.9	1.1	0.6	0.2	*	3.2
	3	-	-	-	-	-	*	*	*	0.1	0.3	0.6	0.4	0.1	*	1.5
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.3	1.1	1.7	1.0	0.3	0.1	4.8
31	1 - 2	-	-	-	-	-	*	0.2	0.3	1.2	2.2	2.4	1.0	0.4	*	7.6
	3	-	-	-	-	-	*	0.2	0.8	2.3	6.5	9.4	3.3	1.3	0.3	24.1
	4	-	-	-	-	*	*	0.1	0.4	0.8	1.4	2.4	1.1	0.4	0.1	6.8
	5	-	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.4	1.6	4.3	10.2	14.3	5.5	2.1	0.4	38.9
41	1 - 2	-	-	-	-	-	*	0.1	0.1	0.3	0.3	0.3	0.1	*	*	1.2
	3	-	-	-	-	-	*	0.2	0.8	2.3	5.0	5.6	2.0	0.7	0.1	16.6
	4	-	-	-	-	*	*	0.2	1.1	2.4	4.3	6.1	2.4	1.1	0.2	17.8
	5	-	-	-	-	-	*	*	0.3	0.7	1.3	1.1	0.6	0.3	0.1	4.4
	6	-	-	-	-	-	-	*	*	*	0.2	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	*	*	0.5	2.3	5.7	11.0	13.1	5.2	2.2	0.3	40.4
51	1 - 2	-	-	-	-	-	-	-	*	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	0.2
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	0.1	*	0.6
	5	-	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	0.1	*	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.3	0.5	0.4	0.3	0.1	*	1.7
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	0.1	0.4	0.4	0.7	0.2	*	-	1.8
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.4	0.2	*	*	0.7
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	0.1	0.5	0.5	1.0	0.4	*	*	2.6
32	1 - 2	-	-	-	-	-	*	*	0.1	0.4	0.2	0.1	*	*	*	0.9
	3	-	-	-	-	*	*	*	0.2	0.8	0.7	0.6	0.2	*	*	2.6
	4	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.6
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	*	0.4	1.3	1.1	0.9	0.3	0.1	*	4.1
42	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.4
	3	-	-	-	-	-	*	0.1	0.4	1.1	1.2	0.4	0.2	*	*	3.4
	4	-	-	-	-	*	*	0.2	0.5	0.8	0.4	0.2	0.2	0.2	*	2.3
	5	-	-	-	-	-	-	*	0.1	0.2	0.1	0.1	0.1	0.1	*	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	0.7	1.9	2.3	0.9	0.5	0.3	*	6.7
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.1	-	0.3
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.2	0.2	0.1	0.1	0.1	*	0.7

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	-	*	*	-	-	-	0.1
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.1	1.2	5.4	14.5	26.9	32.5	13.2	5.3	0.9	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	0.1
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.49
Percent Tenderable	63.8
SAMPLES CLASSED	207,195

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.6	1.5	2.2	1.1	0.4	0.1	5.9
	3	-	-	-	-	-	-	*	0.1	0.3	0.9	1.9	1.0	0.4	0.1	4.6
	4	-	-	-	-	-	-	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.2	0.9	2.4	4.1	2.1	0.8	0.2
31	1 - 2	-	-	-	-	-	*	*	0.3	1.2	2.7	3.5	1.2	0.3	*	9.5
	3	-	-	-	-	-	*	0.2	1.5	4.3	9.8	14.7	5.9	2.0	0.3	38.6
	4	-	-	-	-	-	*	0.1	0.5	1.4	2.5	4.7	2.2	0.7	0.1	12.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.4	0.2	0.1	*	0.9
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	0.3	2.4	6.9	15.1	23.3	9.5	3.1	0.5
41	1 - 2	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	-	*	*	0.1	0.4	1.1	2.6	2.9	0.8	0.2	*	8.2
	4	-	-	-	-	*	*	0.1	0.6	1.8	3.1	4.9	1.5	0.4	0.1	12.4
	5	-	-	-	-	-	*	*	0.2	0.9	0.9	1.6	0.6	0.1	*	4.5
	6	-	-	-	-	-	*	*	*	0.2	0.1	0.2	0.1	*	*	0.7
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	TOTAL		-	-	-	-	*	*	0.2	1.3	4.1	6.8	9.8	3.0	0.9	0.1
51	1 - 2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	-	*	*	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	*	0.6
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.3	0.2	*	*	*
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	*

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	3	-	-	-	-	-	-	*	*	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	*	*	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	*	-	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	0.1	0.6	4.1	12.5	25.0	37.6	14.7	4.7	0.8	100.0	

EXTRANEIOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.62
Percent Tenderable	61.0
SAMPLES CLASSED	833,036

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	*	0.6	2.3	3.0	1.1	0.3	*	7.3
	3	-	-	-	-	-	-	*	*	*	0.2	1.2	0.5	0.1	*	2.1
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.6	2.6	4.2	1.6	0.4	*	9.5
31	1 - 2	-	-	-	-	-	*	*	*	1.2	6.3	10.4	3.6	1.1	0.2	22.8
	3	-	-	-	*	-	*	*	*	0.5	5.6	22.9	11.3	2.6	0.4	43.4
	4	-	-	-	-	-	-	-	*	*	0.2	2.6	3.3	0.7	0.1	7.0
	5	-	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	-	*	*	0.1	1.8	12.1	36.0	18.3	4.5	0.7	73.3
41	1 - 2	-	-	-	-	-	-	-	*	*	0.2	0.5	0.2	0.1	*	1.0
	3	-	-	-	-	-	*	*	*	0.1	0.7	4.7	2.9	0.6	0.1	9.1
	4	-	-	-	-	-	-	*	*	*	0.2	2.2	3.0	0.6	0.1	6.1
	5	-	-	-	-	-	-	*	-	*	*	0.2	0.5	0.2	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	0.1	1.0	7.5	6.6	1.5	0.2	17.1
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	*

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	-	*	*	0.1	2.5	15.7	47.7	26.6	6.5	0.9	100.0	

EXTRANEOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.22
Percent Tenderable	92.4
SAMPLES CLASSED	790,676

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	-	-	0.7	2.2	13.6	17.2	10.0	10.0	5.0	58.6
	3	-	-	-	-	-	-	-	0.3	0.2	0.9	2.4	0.8	0.3	0.4	5.4
	4	-	-	-	-	-	-	-	-	*	*	*	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	1.0	2.4	14.5	19.6	10.8	10.4	5.4
31	1 - 2	-	-	-	-	-	-	-	0.7	1.5	2.3	2.9	1.7	0.8	0.4	10.3
	3	-	-	-	-	-	-	*	1.1	1.7	2.9	4.5	1.1	1.8	1.0	14.2
	4	-	-	-	-	-	-	-	*	0.3	0.6	1.0	0.1	1.1	0.3	3.4
	5	-	-	-	-	-	-	-	-	*	*	0.1	-	0.1	0.1	0.3
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	1.8	3.5	5.8	8.5	2.9	3.7	1.8
41	1 - 2	-	-	-	-	-	-	-	-	*	0.1	-	-	*	-	0.1
	3	-	-	-	-	-	-	-	*	0.2	0.3	0.4	*	*	-	0.9
	4	-	-	-	-	-	-	-	*	0.2	0.8	1.0	*	*	*	2.0
	5	-	-	-	-	-	-	-	*	0.3	0.2	0.3	*	*	*	0.9
	6	-	-	-	-	-	-	-	-	0.2	*	*	-	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.8	1.4	1.7	*	0.1	0.1	4.2
51	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	-	-	-	*	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	0.2	*	*	*	*	-	0.3
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.2	0.1	0.1	*	*	-	0.4
32	1 - 2	-	-	-	-	-	-	*	0.2	0.2	0.1	0.1	*	-	-	0.6
	3	-	-	-	-	-	-	*	0.5	0.2	0.4	0.4	*	-	-	1.5
	4	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	0.8	0.5	0.6	0.6	*	-	2.6
42	1 - 2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	0.1	0.1	0.1	*	-	-	-	0.3
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	0.1	-	0.1	0.1	-	-	-	0.2
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	-	-	*	3.8	7.6	22.6	30.7	13.9	14.2	7.3	100.0

EXTRANEOUS MATTER	
Bark - Level 1	8.4
Bark - Level 2	-
Grass - Level 1	1.1
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	0.5
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.17
Percent Tenderable	80.6
SAMPLES CLASSSED	16,119

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	*	0.1	0.5	0.9	1.2	0.9	0.2	*	*	3.9
	3	-	-	-	-	*	*	*	0.1	0.5	0.9	0.9	0.3	0.1	*	2.7
	4	-	-	-	-	-	*	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	*	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.1	0.7	1.4	2.1	1.9	0.5	0.1	*	6.7
31	1 - 2	-	-	-	*	*	*	0.6	1.9	3.0	2.7	1.8	0.3	*	*	10.4
	3	-	-	-	*	*	0.1	0.8	4.2	10.8	14.3	10.8	1.8	0.3	*	43.1
	4	-	-	-	-	-	*	0.1	0.7	2.5	4.5	5.2	1.0	0.2	*	14.1
	5	-	-	-	-	-	*	*	*	0.1	0.2	0.4	0.1	*	*	0.9
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	1.4	6.9	16.4	21.7	18.2	3.3	0.5	*	68.6
41	1 - 2	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	3	-	-	-	*	*	*	0.2	1.0	2.4	2.8	1.8	0.3	*	*	8.4
	4	-	-	-	-	*	*	0.2	1.0	2.8	3.7	2.9	0.4	0.1	*	11.2
	5	-	-	-	-	-	*	*	0.2	0.6	0.8	0.9	0.2	*	*	2.8
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	*	0.5	2.3	5.9	7.4	5.8	1.0	0.2	*	23.2
51	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	0.5
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
32	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.4
42	1 - 2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	-	-	*	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
52	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
33	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	-	*	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	*	*	0.2	2.1	10.1	24.0	31.6	26.4	4.8	0.8	0.1	-	100.0

EXTRANEOUS MATTER	
Bark - Level 1	1.2
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	35.88
Percent Tenderable	62.5
SAMPLES CLASSED	748,553

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	*	0.2	0.5	1.0	2.0	5.5	9.7	4.2	1.4	0.3	24.8
	3	-	-	-	-	*	*	0.1	0.2	0.4	1.0	1.6	0.8	0.3	*	4.5
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	0.2	0.7	1.2	2.4	6.6	11.4	5.0	1.6	0.3	29.4
31	1 - 2	-	-	-	-	*	0.1	0.3	0.6	1.2	2.2	3.7	1.8	1.2	0.6	11.8
	3	-	-	-	-	*	0.3	0.5	0.8	1.8	3.4	7.0	4.2	2.4	1.7	22.1
	4	-	-	-	-	*	0.1	0.3	0.2	0.4	0.6	1.3	0.7	0.2	0.1	4.0
	5	-	-	-	*	-	*	*	*	*	*	0.1	*	*	*	0.3
	6	-	-	-	-	-	*	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.6	1.1	1.7	3.4	6.3	12.1	6.7	3.8	2.4	38.1
41	1 - 2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7
	3	-	-	-	-	*	0.1	0.1	0.5	0.9	1.1	1.7	0.6	0.3	0.4	5.6
	4	-	-	-	*	*	0.1	0.2	0.5	0.7	0.5	0.8	0.3	0.1	0.1	3.3
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.2	0.2	*	*	*	1.1
	6	-	-	-	-	-	*	*	0.1	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL		-	-	-	*	*	0.2	0.4	1.3	2.1	2.0	3.0	1.0	0.5	0.5	11.0
51	1 - 2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	*	0.1	0.3	0.6	1.0	0.9	0.7	0.5	0.2	*	-	4.2
	3	-	-	-	*	*	0.1	0.3	0.4	0.4	0.4	0.5	0.1	*	*	2.3
	4	-	-	-	-	*	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.5	0.9	1.4	1.3	1.1	1.0	0.3	*	*	6.7
32	1 - 2	-	-	-	*	*	0.2	0.2	0.3	0.2	0.2	0.1	0.1	*	-	1.4
	3	-	-	-	*	0.1	0.3	0.5	0.8	0.8	0.7	0.5	0.2	*	*	3.9
	4	-	-	-	*	*	0.1	0.2	0.2	0.5	0.5	0.3	0.1	*	*	1.9
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	0.1	0.6	0.9	1.5	1.6	1.5	1.0	0.4	0.1	*	7.6
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	*	0.2	0.3	0.2	0.1	*	*	-	0.9
	4	-	-	*	*	*	0.1	0.1	0.3	0.5	0.2	0.1	*	*	-	1.3
	5	-	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.7
	6	-	-	-	*	*	*	*	*	*	0.1	*	*	-	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	*	*	*	-	*	-	-	-	-	*
TOTAL		-	-	*	*	*	0.1	0.3	0.7	1.1	0.6	0.3	0.1	*	*	3.3
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	-	-	*	*	0.1	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	3	-	-	-	-	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	4	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	*	*	0.1	0.3	0.2	0.1	0.2	0.1	*	*	*	*	1.1
33	1 - 2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	*	*	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	*	*	*	0.1	0.1	0.1	0.2	0.2	0.3	0.1	*	*	*	1.2
43	1 - 2	-	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL		-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.7
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL ALL		-	-	*	*	0.5	2.3	4.6	8.3	12.6	19.0	29.5	13.8	6.0	3.3		100.0

EXTRANEOUS MATTER	
Bark - Level 1	6.8
Bark - Level 2	-
Grass - Level 1	0.3
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.34
Percent Tenderable	78.8
SAMPLES CLASSED	140,925

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.5	0.8	1.0	0.2	0.1	*	2.8
	3	-	-	-	-	-	-	*	*	0.3	0.7	1.1	0.5	0.2	*	2.7
	4	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.2	0.8	1.5	2.2	0.8	0.2	*	5.8
31	1 - 2	-	-	-	-	*	*	0.1	0.5	1.3	1.2	1.1	0.3	0.1	*	4.5
	3	-	-	-	-	*	*	0.1	1.1	4.5	8.5	10.5	3.7	1.1	0.1	29.6
	4	-	-	-	-	-	*	*	0.2	1.3	3.6	7.1	2.6	0.9	0.2	15.9
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.8	0.4	0.1	*	1.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.9	7.2	13.5	19.4	7.0	2.2	0.4	51.9
41	1 - 2	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	3	-	-	-	-	-	*	*	0.1	0.6	2.1	3.2	3.3	1.2	0.3	10.8
	4	-	-	-	-	-	*	*	0.1	0.5	2.2	5.3	8.4	2.7	1.0	20.5
	5	-	-	-	-	-	*	*	0.1	0.5	1.3	3.3	1.2	0.4	0.2	7.0
	6	-	-	-	-	-	-	*	*	*	0.1	0.3	0.2	0.1	*	0.8
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.3	4.9	10.0	15.5	5.3	1.8	0.5	39.4
51	1 - 2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
32	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	0.3
42	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.3	0.1	*	*	0.6
52	1 - 2	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	*	*	*	0.1	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	*	*	0.1	0.3	*	*	-	0.4

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	-	*	-
13 & 23	1 - 2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-
33	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
43	1 - 2	-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	*
53	1 - 2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	*	*	*	*	*	*	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	*	-	-	-	*	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	*	*	*	-	*	*	*	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	0.5	3.5	13.3	25.9	38.2	13.3	4.3	0.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	3.5
Bark - Level 2	-
Grass - Level 1	0.5
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.59
Percent Tenderable	85.5
SAMPLES CLASSED	330,845

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	-	-	-	*	*	0.1	0.9	3.4	8.8	2.8	0.7	*	16.9
	3	-	-	-	-	-	-	*	*	0.1	0.8	3.8	1.8	0.3	*	6.7
	4	-	-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.2	1.0	4.2	12.7	4.7	0.9	0.1
31	1 - 2	-	-	-	-	-	*	*	*	0.9	5.0	14.0	4.2	0.8	0.1	25.0
	3	-	-	-	-	-	*	*	*	0.5	4.8	21.3	7.5	1.2	0.1	35.4
	4	-	-	-	-	-	-	*	*	*	0.5	3.7	1.9	0.3	*	6.4
	5	-	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	*	*	0.1	1.4	10.3	39.2	13.7	2.3	0.2
41	1 - 2	-	-	-	-	-	-	-	*	*	0.1	0.4	0.1	*	*	0.6
	3	-	-	-	-	-	-	-	*	0.1	0.7	2.5	0.6	0.1	*	4.0
	4	-	-	-	-	-	-	-	*	*	0.5	2.1	0.7	0.1	*	3.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.4	0.2	*	*	0.8
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	*	0.1	1.3	5.5	1.7	0.2	*
51	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	-	*
32	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
42	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	*
52	1 - 2	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	*

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 &+		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1 - 2	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
24 - 54	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	-	*	*	0.2	2.5	15.8	57.6	20.1	3.4	0.2		100.0

EXTRANEIOUS MATTER	
Bark - Level 1	*
Bark - Level 2	-
Grass - Level 1	*
Grass - Level 2	-
Prep - Level 1	-
Prep - Level 2	-
Seed Coat - Level 1	-
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	-
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	37.06
Percent Tenderable	97.5
SAMPLES CLASSED	657,268

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
11 & 21	1 - 2	-	-	*	*	0.1	0.4	1.6	4.4	7.0	7.1	6.9	2.6	1.1	0.3	31.5
	3	-	-	*	*	*	0.1	0.4	1.5	2.8	3.3	2.7	1.2	0.6	0.2	12.6
	4	-	-	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	0.9
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	-	*	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	0.1	0.5	2.0	6.0	9.9	10.6	9.8	3.8	1.6	0.5
31	1 - 2	-	-	*	*	*	0.1	0.4	1.0	1.5	1.5	1.4	0.5	0.2	0.1	6.8
	3	-	-	*	*	0.1	0.2	0.7	1.8	3.0	3.3	3.1	1.3	0.6	0.2	14.2
	4	-	-	*	*	*	0.1	0.2	0.4	0.8	0.9	0.9	0.4	0.2	0.1	4.0
	5	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	-	*	*	*	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	0.1	0.4	1.3	3.2	5.3	5.9	5.6	2.2	1.0	0.3
41	1 - 2	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	3	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.4	0.1	0.1	*	1.6
	4	-	-	*	*	*	*	0.1	0.2	0.4	0.4	0.4	0.2	0.1	*	1.8
	5	-	-	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	0.8
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	0.1	0.3	0.6	0.9	1.1	1.1	0.5	0.2	0.1
51	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	0.1	*	*
61	1 - 2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	-	*	-	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	-	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	*	*	*	*	*	*	*	*	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	*	-	-	*	*	-	-	-
12 & 22	1 - 2	-	-	*	*	0.1	0.2	0.9	2.0	2.6	1.9	1.0	0.2	*	*	8.8
	3	-	-	*	*	*	0.1	0.3	0.8	1.4	1.2	0.7	0.2	*	*	4.8
	4	-	-	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	0.1	0.4	1.3	2.9	4.2	3.2	1.8	0.4	0.1	*
32	1 - 2	-	-	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*	*	0.9
	3	-	-	*	*	*	0.2	0.3	0.5	0.6	0.6	0.4	0.1	*	*	2.8
	4	-	-	*	*	*	0.1	0.1	0.2	0.3	0.3	0.2	0.1	*	*	1.3
	5	-	-	-	*	*	*	*	*	0.1	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	8	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	TOTAL		-	-	*	*	0.1	0.3	0.6	1.0	1.2	1.0	0.7	0.2	0.1	*
42	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.6
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	8	-	-	-	*	-	*	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.5	0.4	0.3	0.1	*	*
52	1 - 2	-	-	-	-	*	*	*	*	*	*	*	-	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL		-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.2

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
62	1 - 2	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	*	-	-	*
	8	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL		-	-	-	-	-	*	*	*	*	*	*	*	-	-
13 & 23	1 - 2	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	0.5
	3	-	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	*
33	1 - 2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	-	*	*	*	*	*	*	*	0.1	*	*	*	*	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	0.1	0.1	0.2	0.2	0.2	0.1	*	*
43	1 - 2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*
53	1 - 2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1 - 2	-	-	-	-	-	-	*	-	-	*	*	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	*	*	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	8	-	-	-	*	-	-	-	-	-	-	-	*	-	-	*
	TOTAL		-	-	*	*	*	*	*	*	*	*	*	*	-	-
24 - 54	1 - 8	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL ALL		-	-	*	0.1	0.4	1.9	6.0	14.7	22.7	22.8	19.8	7.4	3.2	0.9	100.0

EXTRANEOUS MATTER	
Bark - Level 1	8.3
Bark - Level 2	-
Grass - Level 1	0.2
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	0.3
Seed Coat - Level 2	-
Oil - Level 1	*
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	0.1
Plastic - Level 2	-

Average Staple	35.68
Percent Tenderable	72.1
SAMPLES CLASSED	2,724,036

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
11 & 21	1 - 2	-	-	-	-	*	*	0.2	1.1	2.3	4.1	2.8	0.4	0.1	*	*	11.0
	3	-	-	-	-	-	*	*	0.2	0.8	2.9	3.4	0.7	0.1	*	*	8.2
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.2	1.3	3.1	7.1	6.5	1.2	0.2	*	*	19.7
31	1 - 2	-	-	-	-	*	*	0.5	2.2	5.1	6.9	3.1	0.2	*	*	*	18.0
	3	-	-	-	-	-	*	0.2	2.1	9.6	22.2	12.1	1.2	0.1	*	*	47.5
	4	-	-	-	-	-	-	*	0.1	0.9	3.1	2.9	0.4	*	*	*	7.5
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.5
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	*	0.7	4.3	15.6	32.3	18.3	2.0	0.2	*	*	73.5
41	1 - 2	-	-	-	-	-	-	*	0.1	0.2	0.3	0.2	*	-	-	-	0.7
	3	-	-	-	-	-	*	*	0.2	0.6	1.8	1.1	0.1	*	-	-	3.8
	4	-	-	-	-	-	-	*	*	0.3	0.7	0.5	*	*	-	-	1.6
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	*	0.3	1.1	2.8	1.9	0.1	*	-	-	6.3
51	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1
32	1 - 2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
42	1 - 2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	-	-	-	*	0.1	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
52	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed: 2023 Crop

Quality Designation	Leaf	Staple														Total	
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
62	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1 - 2	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
33	1 - 2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
43	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
53	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24 - 54	1 - 8	-	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL ALL		-	-	-	-	*	*	1.0	5.9	19.9	42.4	26.9	3.4	0.5	0.1		100.0

EXTRANEIOUS MATTER	
Bark - Level 1	0.3
Bark - Level 2	-
Grass - Level 1	0.1
Grass - Level 2	-
Prep - Level 1	*
Prep - Level 2	-
Seed Coat - Level 1	*
Seed Coat - Level 2	-
Oil - Level 1	-
Oil - Level 2	-
Spindle Twist - Level 1	-
Spindle Twist - Level 2	-
Other - Level 1	*
Other - Level 2	-
Plastic - Level 1	*
Plastic - Level 2	-

Average Staple	36.00
Percent Tenderable	89.8
SAMPLES CLASSSED	186,422

* Less than 0.05 percent.

Table 20. --- Extraneous matter by specified causes of upland cotton classed in the United States, by states, 2023 Crop

State	Extraneous Matter									
	Bark		Grass		Oil		Prep		Seed Coat	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2,140	-	347	-	-	-	11	-	419	-
Arizona	1,245	-	112	-	-	-	-	-	1,355	-
Arkansas	671	-	766	-	36	-	4	-	53	-
California	2,976	-	240	-	-	-	2	-	2	-
Florida	469	-	107	-	-	-	15	-	45	-
Georgia	35,500	-	3,040	-	2	-	239	-	2,954	-
Kansas	29,986	-	1,258	-	-	-	-	-	2	-
Louisiana	114	-	39	-	1	-	1	-	3	-
Mississippi	168	-	158	-	5	-	-	-	127	-
Missouri	191	-	471	-	1	-	10	-	2	-
New Mexico	1,360	-	171	-	1	-	-	-	86	-
North Carolina	8,701	-	2,525	-	1	-	37	-	14	-
Oklahoma	9,650	-	483	-	1	-	2	-	4	-
South Carolina	11,423	-	1,638	-	-	-	29	-	14	-
Tennessee	130	-	60	-	-	-	-	-	-	-
Texas	227,379	-	6,207	-	22	-	41	-	6,867	-
Virginia	580	-	216	-	-	-	1	-	1	-
United States	332,683	-	17,838	-	70	-	392	-	11,948	-

State	Extraneous Matter							
	Other		Plastic		Spindle Twist		Total	
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2
Alabama	2	-	134	-	-	-	3,053	-
Arizona	23	-	87	-	-	-	2,822	-
Arkansas	1	-	225	-	-	-	1,756	-
California	-	-	13	-	-	-	3,233	-
Florida	1	-	10	-	-	-	647	-
Georgia	4	-	465	-	-	-	42,204	-
Kansas	1	-	27	-	-	-	31,274	-
Louisiana	3	-	36	-	-	-	197	-
Mississippi	4	-	184	-	-	-	646	-
Missouri	-	-	85	-	-	-	760	-
New Mexico	-	-	1	-	-	-	1,619	-
North Carolina	20	-	118	-	-	-	11,416	-
Oklahoma	-	-	35	-	-	-	10,175	-
South Carolina	6	-	125	-	-	-	13,235	-
Tennessee	-	-	65	-	-	-	255	-
Texas	44	-	1,370	-	-	-	241,930	-
Virginia	4	-	15	-	-	-	817	-
United States	113	-	2,995	-	-	-	366,039	-

Table 21. -- Tenderability of upland cotton classed, by states, 2023 Crop

State	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
Alabama	603,313	86.8	91,796	13.2
Arizona	161,510	88.3	21,314	11.7
Arkansas	1,181,400	79.0	313,799	21.0
California	63,370	88.5	8,208	11.5
Florida	62,518	67.7	29,801	32.3
Georgia	1,927,189	90.0	213,250	10.0
Kansas	49,422	39.6	75,357	60.4
Louisiana	132,129	63.8	75,066	36.2
Mississippi	507,929	61.0	325,107	39.0
Missouri	730,800	92.4	59,876	7.6
New Mexico	12,991	80.6	3,128	19.4
North Carolina	468,108	62.5	280,445	37.5
Oklahoma	111,035	78.8	29,890	21.2
South Carolina	283,009	85.5	47,836	14.5
Tennessee	640,752	97.5	16,516	2.5
Texas	1,964,013	72.1	760,023	27.9
Virginia	167,430	89.8	18,992	10.2
United States	9,066,918	79.3	2,370,404	20.7

Table 22. -- Tenderability of upland cotton classed, in the United States, for the past 20 crops.

Year	Tenderable		Untenderable	
	Bales	Pct.	Bales	Pct.
2003	12,891,375	74.6	4,398,580	25.4
2004	13,925,489	63.8	7,906,411	36.2
2005	16,098,519	71.1	6,539,728	28.9
2006	14,270,019	70.5	5,962,273	29.5
2007	12,468,975	69.6	5,456,175	30.4
2008	7,619,913	63.1	4,454,978	36.9
2009	7,723,984	67.6	3,694,643	32.4
2010	11,521,580	67.2	5,616,572	32.8
2011	10,000,238	70.2	4,254,644	29.8
2012	9,794,043	61.0	6,258,167	39.0
2013	7,669,482	64.4	4,240,432	35.6
2014	10,756,421	70.1	4,580,498	29.9
2015	6,932,091	57.3	5,171,470	42.7
2016	11,625,861	72.0	4,531,519	28.0
2017	13,613,792	69.1	6,080,090	30.9
2018	11,353,252	66.7	5,671,478	33.3
2019	14,763,958	78.8	3,964,880	21.2
2020	10,205,244	74.8	3,441,658	25.2
2021	13,876,313	82.7	2,896,284	17.3
2022	11,219,992	82.3	2,419,707	17.7

Table 23. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
11 & 21	1 - 2	7.0	24.8	26.6	20.5	28.0	1.5	5.8	4.2	3.9	2.8	11.0	4.7
	3	10.3	4.5	8.4	7.7	18.6	2.3	4.4	3.6	2.7	2.7	8.2	3.5
	4	2.5	0.1	0.4	0.9	1.7	0.2	0.1	0.1	0.1	0.2	0.4	0.2
	5	0.2	*	*	0.1	*	*	*	*	*	*	*	*
	6	*	-	-	*	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		20.0	29.4	35.4	29.1	48.4	3.9	10.4	7.9	6.7	5.8	19.7
31	1 - 2	0.6	11.8	7.6	6.9	2.6	3.7	10.1	7.7	10.4	4.5	18.0	10.0
	3	7.0	22.1	17.7	16.1	6.0	29.2	38.8	35.1	43.1	29.6	47.5	40.2
	4	9.3	4.0	5.0	5.9	1.8	15.3	11.6	13.0	14.1	15.9	7.5	13.6
	5	3.4	0.3	0.4	1.2	0.1	1.2	0.7	0.9	0.9	1.7	0.5	1.1
	6	0.4	*	*	0.1	*	*	*	*	*	0.1	*	*
	7	*	-	*	*	*	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		20.7	38.1	30.7	30.2	10.5	49.5	61.3	56.8	68.6	51.9	73.5
41	1 - 2	*	0.7	0.6	0.5	0.4	0.3	0.4	0.3	0.4	0.3	0.7	0.4
	3	0.8	5.6	4.1	3.7	2.0	12.0	8.0	9.5	8.4	10.8	3.8	8.4
	4	4.9	3.3	5.1	4.5	1.2	25.0	13.0	17.5	11.2	20.5	1.6	12.2
	5	8.0	1.1	2.2	3.5	0.2	7.7	4.7	5.8	2.8	7.0	0.2	3.5
	6	4.5	0.3	0.6	1.6	*	0.5	0.6	0.6	0.3	0.8	*	0.4
	7	0.8	*	0.1	0.3	*	*	*	*	*	*	-	*
	8	*	*	*	*	*	-	*	*	-	-	-	-
	TOTAL		19.1	11.0	12.8	14.0	3.7	45.4	26.6	33.8	23.2	39.4	6.3
51	1 - 2	*	*	*	*	*	*	*	*	*	*	*	*
	3	0.1	*	*	*	0.3	0.1	*	*	0.1	0.3	*	0.2
	4	0.4	*	0.1	0.2	0.3	0.2	*	0.1	0.3	0.6	*	0.3
	5	1.4	0.1	0.2	0.5	0.1	0.1	*	0.1	0.1	0.3	*	0.1
	6	2.7	0.1	0.1	0.8	*	*	*	*	*	0.1	*	*
	7	1.7	*	0.1	0.5	*	*	*	*	*	*	-	*
	8	0.3	*	*	0.1	-	*	*	*	-	-	-	-
	TOTAL		6.6	0.4	0.5	2.2	0.9	0.3	0.2	0.2	0.5	1.4	*
61	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	*	-	-	*
	4	-	-	-	-	*	-	-	-	*	*	-	*
	5	*	-	-	*	*	-	*	*	*	*	-	*
	6	-	-	-	-	*	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	*	-	-	*	-	-	-	-	-	-	-	-
	TOTAL		*	-	-	*	*	-	*	*	*	*	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	*	-	-	-	-	-	-
12 & 22	1 - 2	2.6	4.2	3.1	3.3	17.8	*	*	*	*	*	*	*
	3	5.5	2.3	2.3	3.2	8.7	*	*	*	*	*	*	*
	4	2.0	0.2	0.3	0.7	1.0	-	*	*	*	*	*	*
	5	0.1	*	*	*	0.1	*	*	*	*	*	*	*
	6	*	-	-	*	*	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		10.1	6.7	5.6	7.3	27.6	*	*	*	*	0.1	0.1
32	1 - 2	0.1	1.4	0.8	0.8	0.8	*	*	*	*	*	*	*
	3	1.5	3.9	4.0	3.3	2.0	0.1	0.5	0.4	0.3	0.1	0.1	0.2
	4	3.6	1.9	2.2	2.5	0.9	0.1	0.2	0.1	0.1	0.1	0.1	0.1
	5	1.6	0.3	0.3	0.7	0.2	*	*	*	*	0.1	*	*
	6	0.2	*	*	0.1	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	-	*	*	-	-	-	-
	8	-	-	-	-	*	-	-	-	-	-	-	-
	TOTAL		7.0	7.6	7.4	7.4	3.8	0.2	0.8	0.6	0.4	0.3	0.2
42	1 - 2	*	0.1	0.1	*	0.2	*	*	*	*	*	*	*
	3	0.2	0.9	0.5	0.5	0.8	0.1	0.2	0.2	0.1	*	0.1	0.1
	4	2.5	1.3	1.1	1.6	0.5	0.3	0.3	0.3	0.2	0.2	0.1	0.2
	5	4.9	0.7	1.0	2.0	0.1	0.2	0.1	0.1	0.1	0.2	*	0.1
	6	3.5	0.2	0.5	1.3	*	*	*	*	*	0.1	*	*
	7	1.1	0.1	0.2	0.4	*	*	*	*	*	*	-	*
	8	*	*	0.1	*	*	-	*	*	-	-	-	-
	TOTAL		12.3	3.3	3.4	5.9	1.6	0.6	0.7	0.7	0.4	0.6	0.2

Table 23. --- Continued.

Color	Leaf	Abilene				Corpus Christi	Dumas			Florence			
		Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
52	1 - 2	-	*	*	*	*	-	-	-	*	-	-	*
	3	*	*	*	*	0.2	*	*	*	*	*	*	*
	4	0.1	*	*	*	0.2	*	*	*	*	0.1	*	*
	5	0.4	0.1	*	0.1	*	*	*	*	*	0.2	-	0.1
	6	0.6	0.1	*	0.2	*	*	*	*	*	0.1	-	*
	7	0.6	0.1	*	0.2	*	*	*	*	*	*	-	*
	8	0.1	*	0.1	0.1	-	*	*	*	-	-	-	-
TOTAL		1.8	0.3	0.2	0.7	0.4	0.1	*	*	*	0.4	*	0.1
62	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	*	-	*
	5	-	-	-	-	*	-	-	-	-	-	-	-
	6	-	-	-	-	*	-	-	-	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	-	*	-	*
13 & 23	1 - 2	0.1	0.5	0.3	0.3	1.1	-	-	-	*	*	*	*
	3	0.2	0.5	0.4	0.4	0.8	-	-	-	*	*	*	*
	4	0.1	0.1	*	0.1	0.2	-	*	*	*	*	*	*
	5	*	*	*	*	*	-	*	*	-	-	-	-
	6	-	-	-	-	*	-	*	*	-	-	-	-
	7	-	-	-	-	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.4	1.1	0.8	0.8	2.1	-	*	*	*	*	*	*
33	1 - 2	*	0.1	0.2	0.1	0.1	*	*	*	*	-	*	*
	3	0.2	0.6	1.1	0.7	0.2	-	*	*	*	*	*	*
	4	0.4	0.4	0.6	0.5	0.2	-	*	*	*	*	*	*
	5	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*	*
	6	*	*	*	*	*	*	-	*	-	-	-	-
	7	*	-	-	*	*	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.8	1.2	2.1	1.4	0.6	*	*	*	*	*	*	*
43	1 - 2	-	*	*	*	*	-	*	*	*	*	-	*
	3	*	0.1	0.1	0.1	*	*	*	*	*	*	*	*
	4	0.2	0.3	0.2	0.3	0.1	*	*	*	*	*	*	*
	5	0.4	0.1	0.1	0.2	*	*	*	*	*	*	*	*
	6	0.2	*	0.1	0.1	*	*	*	*	*	*	*	*
	7	0.1	*	*	*	*	-	-	-	*	*	-	*
	8	*	*	*	*	*	-	*	*	-	-	-	-
TOTAL		0.9	0.7	0.6	0.7	0.2	*	*	*	*	0.1	*	*
53	1 - 2	-	-	-	-	*	-	-	-	-	*	-	*
	3	-	-	*	*	*	-	-	-	*	*	-	*
	4	*	*	*	*	*	-	*	*	*	*	-	*
	5	*	*	*	*	*	-	*	*	*	*	-	*
	6	*	*	*	*	*	-	*	*	*	*	-	*
	7	*	*	*	*	*	-	-	-	*	*	-	*
	8	*	*	*	*	*	-	-	-	-	-	-	-
TOTAL		0.1	*	*	0.1	*	-	*	*	*	*	-	*
63	1 - 2	-	-	-	-	*	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	*	-	*
	5	-	-	-	-	*	-	-	-	-	*	-	*
	6	-	-	-	-	*	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	-	-	-	*	-	-	-	*	*	-	*
24 - 54	1 - 8	0.1	0.2	0.4	0.3	*	*	*	*	*	*	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	*	*	*	-	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	*	*	-	-	-	-	-	-	-
30		*	*	*	*	*	-	-	-	*	-	-	*
31		0.3	0.5	0.1	0.3	0.3	-	-	-	*	*	*	*
32		1.6	2.3	0.9	1.6	1.7	*	*	*	0.2	*	*	0.1
33		5.5	4.6	2.5	4.0	6.5	*	0.6	0.4	2.1	0.5	1.0	1.5
34		12.6	8.3	6.8	9.0	19.0	0.4	4.7	3.0	10.1	3.5	5.9	7.8
35		20.6	12.6	14.1	15.5	27.5	2.6	13.3	9.2	24.0	13.3	19.9	20.6
36		22.4	19.0	22.0	21.1	22.2	15.6	25.1	21.5	31.6	25.9	42.4	31.7
37		22.9	29.5	28.6	27.3	14.7	54.1	38.6	44.5	26.4	38.2	26.9	29.6
38		8.8	13.8	14.5	12.7	5.4	21.8	13.7	16.7	4.8	13.3	3.4	6.8
39		4.9	6.0	7.8	6.4	2.3	4.9	3.6	4.1	0.8	4.3	0.5	1.7
40 & Longer		0.4	3.4	2.8	2.3	0.3	0.7	0.5	0.5	0.1	0.9	0.1	0.3
Average Staple		35.86	36.34	36.53	36.28	35.40	37.12	36.54	36.76	35.88	36.59	36.00	36.08
Average Length		1.12	1.13	1.14	1.13	1.10	1.16	1.14	1.15	1.12	1.14	1.12	1.12

* Less than 0.05 percent.

Table 24. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					Classing Office Total
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	
11 & 21	1 - 2	41.7	33.3	5.5	1.1	1.5	2.1	20.4	8.8	6.6	7.3	16.9	11.0
	3	6.9	9.9	5.9	1.2	1.4	2.1	17.8	3.0	5.5	2.1	6.7	5.1
	4	0.3	0.4	0.7	0.1	0.1	0.2	1.2	0.1	0.2	*	0.1	0.2
	5	*	*	*	-	*	*	*	*	*	*	*	*
	6	-	*	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		48.9	43.6	12.1	2.4	3.0	4.5	39.5	11.8	12.3	9.5	23.7
31	1 - 2	6.9	10.1	8.1	6.6	7.2	7.3	7.2	17.5	8.1	22.8	25.0	18.9
	3	14.8	20.4	29.5	26.8	26.3	26.8	31.3	42.2	39.2	43.4	35.4	39.9
	4	4.9	5.4	10.7	10.1	9.3	9.6	14.2	10.9	14.4	7.0	6.4	9.4
	5	0.7	0.4	1.1	1.0	1.0	1.0	2.1	0.8	1.4	0.2	0.3	0.7
	6	0.1	*	0.1	*	*	*	0.2	*	0.1	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		27.4	36.3	49.5	44.6	43.8	44.7	55.1	71.5	63.1	73.3	67.1
41	1 - 2	0.1	0.1	1.3	1.1	1.7	1.6	0.1	0.5	0.4	1.0	0.6	0.6
	3	1.1	1.0	11.0	13.5	19.4	17.8	1.0	6.5	7.7	9.1	4.0	6.2
	4	1.9	1.8	10.5	14.5	17.7	16.5	2.2	6.7	10.9	6.1	3.5	5.7
	5	1.3	1.0	2.9	3.9	4.8	4.5	1.3	2.1	4.2	0.9	0.8	1.6
	6	0.6	0.3	0.4	0.5	0.7	0.6	0.3	0.3	0.9	*	0.1	0.2
	7	0.2	0.1	*	0.1	0.1	0.1	*	*	0.1	*	*	*
	8	*	*	*	*	*	*	-	-	-	-	-	-
	TOTAL		5.4	4.2	26.2	33.4	44.4	41.1	5.0	16.1	24.1	17.1	8.9
51	1 - 2	*	*	0.3	0.2	0.2	0.2	*	*	*	*	*	*
	3	*	*	3.0	3.4	1.9	2.1	0.1	*	*	*	*	*
	4	*	*	2.9	3.6	2.2	2.4	0.1	0.1	*	*	*	*
	5	*	*	0.8	1.0	0.8	0.8	*	0.1	0.1	*	*	*
	6	*	0.1	0.1	0.1	0.2	0.2	*	*	*	*	*	*
	7	0.1	*	*	*	*	*	*	*	*	*	*	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
	TOTAL		0.1	0.2	7.2	8.3	5.3	5.7	0.2	0.2	0.2	*	*
61	1 - 2	-	*	*	*	*	*	-	*	-	-	-	*
	3	-	-	0.1	0.1	*	*	-	-	*	-	*	*
	4	-	-	*	*	*	*	-	*	-	-	-	*
	5	-	-	*	*	*	*	-	*	-	-	-	*
	6	-	-	*	*	*	*	-	*	-	-	-	*
	7	-	-	*	*	*	*	-	*	-	-	-	*
	8	-	-	*	-	*	*	-	-	-	-	-	-
	TOTAL		-	*	0.1	0.1	*	*	-	*	*	-	*
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	*	*	-	-	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	*	-	-	*	*	-	-	-	-	-
12 & 22	1 - 2	5.4	3.4	*	*	*	*	*	*	*	*	*	*
	3	2.5	2.6	*	*	*	*	*	*	*	*	*	*
	4	0.2	0.4	*	-	*	*	*	*	*	*	*	*
	5	*	*	*	-	*	*	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		8.1	6.4	*	*	*	*	*	*	*	*	*
32	1 - 2	1.4	0.9	0.1	0.2	*	*	*	*	*	*	*	*
	3	3.5	3.0	0.7	1.6	0.3	0.4	*	0.1	*	*	*	*
	4	1.6	1.4	0.3	0.7	0.2	0.2	*	*	*	*	*	*
	5	0.3	0.3	*	0.1	*	*	*	*	*	*	*	*
	6	0.1	*	*	*	*	*	-	*	-	-	*	*
	7	*	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
	TOTAL		6.8	5.6	1.1	2.6	0.6	0.8	0.1	0.1	0.1	*	0.1
42	1 - 2	*	*	*	0.1	*	*	*	*	*	*	*	*
	3	0.1	0.2	0.7	2.5	0.6	0.7	*	*	*	*	*	*
	4	0.3	0.5	0.9	2.2	0.9	0.9	*	0.1	0.1	*	*	*
	5	0.3	0.5	0.4	0.5	0.3	0.3	0.1	*	0.1	*	*	*
	6	0.2	0.2	0.1	0.1	0.1	0.1	*	*	*	*	*	*
	7	0.1	0.1	*	*	*	*	*	*	*	-	*	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
	TOTAL		1.0	1.5	2.1	5.5	1.9	2.1	0.1	0.1	0.2	*	*

* Less than 0.05 percent.

Table 24. -- Continued.

Color	Leaf	Lamesa	Lubbock	Macon				Memphis					Classing Office Total
		Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	
52	1 - 2	-	*	*	*	*	*	-	*	-	-	-	*
	3	*	*	0.5	0.7	0.1	0.2	-	*	*	*	*	*
	4	*	*	0.6	1.0	0.3	0.3	*	*	*	-	*	*
	5	*	*	0.2	0.4	0.1	0.2	*	*	*	*	*	*
	6	*	*	*	0.1	*	0.1	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	-	-	*
	8	*	*	*	-	*	*	-	-	-	-	-	-
TOTAL		*	0.1	1.4	2.3	0.6	0.8	*	*	*	*	*	*
62	1 - 2	-	-	*	*	*	*	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	*	-	-	*	*
	4	-	-	*	*	*	*	-	-	-	-	*	*
	5	-	-	*	*	*	*	-	-	-	-	-	-
	6	*	-	*	*	*	*	-	-	-	-	-	-
	7	-	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
TOTAL		*	*	0.1	0.1	*	*	-	*	-	-	*	*
13 & 23	1 - 2	0.5	0.2	*	-	*	*	-	-	-	-	-	-
	3	0.4	0.2	*	-	*	*	-	-	-	-	-	-
	4	0.1	0.1	-	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-	-	-
	6	-	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL		0.9	0.5	*	-	*	*	-	-	-	-	-	-
33	1 - 2	0.2	0.1	*	*	*	*	-	*	-	*	*	*
	3	0.6	0.5	*	*	*	*	*	*	*	*	*	*
	4	0.2	0.3	*	*	*	*	*	*	-	*	*	*
	5	0.1	0.1	*	-	*	*	-	*	-	*	*	*
	6	*	*	*	-	*	*	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		1.1	1.0	*	0.1	*	*	*	*	*	*	*	*
43	1 - 2	*	*	*	*	*	*	-	*	-	*	-	*
	3	*	0.1	*	0.1	*	*	-	*	*	*	*	*
	4	*	0.1	*	0.1	0.1	*	*	*	*	*	*	*
	5	*	0.1	*	*	*	*	*	*	*	*	*	*
	6	*	0.1	*	-	*	*	*	*	-	-	-	*
	7	*	*	*	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	*	*	-	-	-	-	-	-
TOTAL		0.1	0.4	0.1	0.2	0.1	0.1	*	*	*	*	*	*
53	1 - 2	-	*	*	*	*	*	-	-	-	*	-	*
	3	-	*	*	0.1	*	*	-	-	-	*	-	*
	4	*	*	*	0.1	*	*	*	*	-	-	*	*
	5	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	*	*	*	*	*	*	-	-	-	-	*
	7	*	*	*	*	*	*	*	-	-	-	-	*
	8	-	*	-	*	*	*	-	-	-	-	-	-
TOTAL		*	*	0.1	0.2	0.1	0.1	*	*	-	*	*	*
63	1 - 2	*	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	-	-	-	-	-
	4	-	*	*	*	*	*	-	-	-	-	*	*
	5	-	*	*	*	*	*	-	-	-	-	*	*
	6	-	-	*	*	*	*	-	-	-	-	-	-
	7	-	*	-	-	*	*	-	-	-	-	-	-
	8	-	*	-	-	-	-	-	-	-	-	-	-
TOTAL		*	*	*	*	*	*	-	-	-	-	*	*
24 - 54	1 - 8	0.1	0.2	*	*	*	*	-	-	-	-	-	-
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	*	*	-	-	*	*	-	-	-	-	-	-
Staple													
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-	-	-
30		*	0.1	*	-	*	*	-	-	-	*	-	*
31		0.3	0.6	0.1	*	*	*	*	*	-	-	-	*
32		1.8	2.3	0.7	0.3	0.1	0.2	*	*	*	*	*	*
33		6.3	5.9	2.8	2.5	1.3	1.6	0.1	0.1	0.1	*	*	0.1
34		15.3	12.3	9.0	9.8	6.2	6.8	0.7	0.6	1.0	0.1	0.2	0.4
35		24.4	19.6	18.8	22.4	16.5	17.1	6.1	7.0	8.8	2.5	2.5	4.9
36		24.4	23.1	26.4	25.2	27.7	27.4	19.5	22.5	24.4	15.7	15.8	19.1
37		21.0	22.6	32.5	25.8	34.1	33.6	43.2	48.6	36.4	47.7	57.6	49.0
38		4.8	8.6	7.9	9.5	10.9	10.4	22.3	17.4	18.8	26.6	20.1	20.9
39		1.5	3.6	1.5	3.8	2.7	2.5	6.6	3.6	8.4	6.5	3.4	4.9
40 & Longer		0.3	1.3	0.2	0.6	0.4	0.4	1.5	0.2	2.1	1.0	0.2	0.7
Average Staple		35.53	35.81	36.05	36.08	36.32	36.27	37.06	36.87	36.97	37.22	37.06	37.02
Average Length		1.11	1.12	1.12	1.12	1.13	1.13	1.16	1.15	1.15	1.16	1.16	1.16

* Less than 0.05 percent.

Table 25. -- Percentage distribution of color and leaf for upland cotton classed, by classing office, 2023 Crop

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
11 & 21	1 - 2	-	3.2	-	3.7	3.1	69.6	58.6	58.6	34.6	65.0	13.8
	3	-	1.5	-	6.6	2.1	9.0	9.0	5.4	3.2	8.6	5.9
	4	-	*	-	0.2	*	0.3	0.6	*	0.1	0.3	0.4
	5	-	-	-	*	*	*	*	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	4.8	-	10.5	5.3	78.9	68.3	64.1	37.9	74.0
31	1 - 2	-	7.6	-	3.4	6.9	6.1	9.9	10.3	22.5	7.8	10.6
	3	-	24.1	-	5.2	21.9	8.1	10.3	14.2	16.6	9.3	28.7
	4	-	6.8	-	1.7	6.0	2.3	5.2	3.4	2.7	3.1	8.7
	5	-	0.3	-	0.1	0.3	0.2	1.0	0.3	0.1	0.4	0.8
	6	-	*	-	*	*	*	*	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	38.9	-	10.4	35.1	16.7	26.4	28.1	41.8	20.7
41	1 - 2	-	1.2	-	1.2	1.2	0.1	0.1	0.1	0.1	0.1	0.7
	3	-	16.6	-	7.6	15.8	0.2	0.4	0.9	0.5	0.3	8.3
	4	-	17.8	-	6.8	16.2	0.3	1.1	2.0	0.8	0.6	9.1
	5	-	4.4	-	2.7	4.0	0.2	0.4	0.9	0.3	0.3	2.7
	6	-	0.3	-	0.5	0.3	*	0.1	0.2	*	0.1	0.4
	7	-	*	-	0.1	*	*	-	-	*	*	0.1
	8	-	*	-	*	*	*	-	-	*	*	*
	TOTAL		-	40.4	-	19.0	37.6	0.7	2.1	4.2	1.8	1.3
51	1 - 2	-	*	-	-	*	-	*	-	-	*	0.1
	3	-	0.2	-	0.2	0.2	*	-	-	-	*	0.6
	4	-	0.6	-	0.7	0.6	*	*	-	-	*	0.7
	5	-	0.7	-	0.6	0.7	*	*	*	-	*	0.3
	6	-	0.1	-	0.5	0.2	*	-	*	*	*	0.1
	7	-	*	-	0.3	*	*	-	-	-	*	*
	8	-	-	-	0.1	*	*	-	-	-	*	*
	TOTAL		-	1.7	-	2.3	1.7	*	*	*	*	*
61	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	*	-	*	*	-	-	-	-	-	*
	6	-	*	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	*	-	*	*	-	-	-	-	-
71	1 - 2	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	-	-	-	-	-	-	-	-	-
12 & 22	1 - 2	-	1.8	-	1.3	1.6	2.0	0.1	0.3	3.5	1.4	2.3
	3	-	0.7	-	4.9	1.2	0.7	0.1	0.1	1.3	0.5	1.3
	4	-	*	-	0.8	0.1	*	*	-	0.1	*	0.2
	5	-	-	-	0.1	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-
	TOTAL		-	2.6	-	7.0	3.0	2.7	0.2	0.4	4.9	2.0
32	1 - 2	-	0.9	-	1.2	0.9	0.1	0.1	0.6	1.0	0.2	0.3
	3	-	2.6	-	8.4	3.7	0.3	0.5	1.5	3.7	0.5	1.0
	4	-	0.6	-	7.2	1.5	0.2	0.6	0.4	1.4	0.4	0.5
	5	-	*	-	1.4	0.2	*	0.2	*	0.1	0.1	0.1
	6	-	-	-	0.1	*	*	*	-	-	*	*
	7	-	*	-	*	*	*	-	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
	TOTAL		-	4.1	-	18.3	6.3	0.7	1.4	2.6	6.2	1.2
42	1 - 2	-	0.4	-	0.3	0.3	*	*	*	-	*	*
	3	-	3.4	-	5.4	3.8	*	0.2	0.1	0.3	0.1	0.4
	4	-	2.3	-	11.6	3.8	*	0.6	0.1	0.6	0.2	0.5
	5	-	0.6	-	6.5	1.4	0.1	0.5	0.1	0.2	0.2	0.3
	6	-	0.1	-	2.7	0.4	*	0.1	*	0.1	0.1	0.1
	7	-	*	-	0.5	0.1	*	*	-	-	*	*
	8	-	-	-	*	*	*	-	-	-	*	*
	TOTAL		-	6.7	-	27.0	9.8	0.1	1.4	0.3	1.2	0.5

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 25. -- Continued.

Color	Leaf	Rayville					Visalia					United States
		Arkansas	Louisiana	Mississippi 1/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
52	1 - 2	-	*	-	-	*	-	-	-	-	-	*
	3	-	0.2	-	0.1	0.1	-	-	-	-	-	0.1
	4	-	0.3	-	0.2	0.2	-	*	-	-	*	0.1
	5	-	0.2	-	0.4	0.2	*	*	-	-	*	0.1
	6	-	0.1	-	0.6	0.1	*	*	-	-	*	*
	7	-	*	-	0.7	0.1	*	-	-	-	*	*
	8	-	-	-	0.2	*	*	-	-	-	*	*
TOTAL		-	0.7	-	2.1	0.8	*	*	-	-	*	0.3
62	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	*	*	-	-	-	-	-	*
13 & 23	1 - 2	-	*	-	*	*	0.1	*	-	1.2	0.1	0.1
	3	-	*	-	0.5	0.1	*	-	-	0.2	*	0.1
	4	-	-	-	0.4	*	-	-	-	*	*	*
	5	-	-	-	0.1	*	-	-	-	-	-	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	-
TOTAL		-	0.1	-	1.0	0.2	0.1	*	-	1.5	0.1	0.3
33	1 - 2	-	*	-	*	*	*	*	-	1.6	0.1	*
	3	-	*	-	0.1	*	*	*	*	2.2	0.1	0.1
	4	-	*	-	0.2	*	*	*	0.1	0.3	*	0.1
	5	-	-	-	0.2	*	-	*	*	*	*	*
	6	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.6	0.1	*	0.1	0.1	4.1	0.2	0.3
43	1 - 2	-	*	-	-	*	-	*	-	*	*	*
	3	-	*	-	0.1	*	*	*	0.1	0.1	*	*
	4	-	*	-	0.3	0.1	*	0.1	0.1	0.1	*	*
	5	-	*	-	0.6	0.1	*	0.1	0.1	0.1	*	*
	6	-	*	-	0.5	0.1	*	*	-	*	*	*
	7	-	-	-	0.1	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	0.1	-	1.5	0.2	*	0.2	0.2	0.3	0.1	0.1
53	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	*	-	-	-	-	-	*
	4	-	*	-	*	*	-	*	-	-	*	*
	5	-	*	-	0.1	*	-	-	-	-	-	*
	6	-	*	-	*	*	-	-	-	-	-	*
	7	-	*	-	*	*	-	*	-	-	*	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	0.1	*	-	*	-	-	*	*
63	1 - 2	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*
	4	-	*	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*
	8	-	-	-	-	-	-	-	-	-	-	*
TOTAL		-	*	-	-	*	-	-	-	-	-	*
24 - 54	1 - 8	-	*	-	0.1	*	*	-	-	0.3	*	*
25 - 35	1 - 8	-	-	-	-	-	-	-	-	-	-	-
81 - 85	1 - 8	-	-	-	-	-	-	-	-	-	-	*
Staple												
28 & Shorter		-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	*
30		-	-	-	*	*	-	-	-	-	-	*
31		-	*	-	0.1	*	-	-	-	-	-	0.2
32		-	0.1	-	3.5	0.6	*	*	-	0.2	*	0.6
33		-	1.2	-	9.5	2.5	0.2	0.2	*	3.0	0.2	2.2
34		-	5.6	-	15.2	7.6	1.0	1.9	3.8	14.0	1.8	6.7
35		-	14.7	-	24.7	16.9	6.2	7.9	7.6	26.8	7.3	14.6
36		-	26.9	-	23.6	26.7	16.8	16.8	22.6	23.7	17.4	23.7
37		-	32.5	-	18.2	29.6	33.8	38.6	30.8	16.6	34.3	34.7
38		-	13.2	-	4.2	11.3	24.5	18.7	13.9	10.8	22.0	13.0
39		-	5.3	-	0.9	4.5	12.9	11.7	14.2	5.0	12.4	3.7
40 & Longer		-	0.9	-	0.1	0.8	4.7	5.4	7.3	2.0	4.9	0.7
Average Staple		-	36.49	-	35.31	36.27	37.32	37.18	37.17	36.00	37.24	36.37
Average Length		-	1.14	-	1.10	1.13	1.17	1.16	1.16	1.12	1.16	1.13

1/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.
* Less than 0.05 percent.

Table 26. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
Extraneous Matter												
Bark - Level 1	24.0	6.8	12.8	14.1	0.1	*	*	*	1.2	3.5	0.3	1.6
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	1.3	0.3	0.3	0.6	0.4	0.1	*	*	0.3	0.5	0.1	0.3
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	*	*	*	*	*	*	-	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	*	-	0.1	*	*	*	*	*	*	*	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	0.1	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	-	-	-	*	*	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	*	*	0.6	*	*	*	*	*	*	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/22 & Below	*	0.2	*	0.1	0.5	-	-	-	-	-	-	-
23	0.1	0.3	0.1	0.1	0.6	-	-	-	-	-	-	-
24	0.1	0.6	0.2	0.3	1.4	*	*	*	*	*	*	*
25	0.6	1.3	0.5	0.8	2.7	*	*	*	*	*	*	*
26	1.4	2.0	1.6	1.7	5.0	0.1	0.1	0.1	0.1	0.1	0.2	0.1
27	2.6	3.6	3.7	3.4	8.2	0.6	0.9	0.8	0.9	0.8	2.2	1.0
28	4.1	6.5	7.8	6.3	11.3	2.7	3.8	3.4	4.8	4.1	15.0	6.1
29	8.3	9.5	12.5	10.3	14.1	7.9	13.3	11.3	15.4	16.8	33.5	18.4
30	13.8	12.9	17.1	14.8	14.8	18.5	26.5	23.5	26.3	32.0	28.1	28.1
31	19.7	12.9	17.9	16.8	12.6	31.1	29.1	29.9	26.5	26.6	15.4	24.9
32	19.6	11.8	14.4	15.0	10.6	25.4	15.7	19.4	16.2	13.1	4.4	13.7
33	14.5	15.2	11.4	13.5	8.7	9.9	6.7	7.9	7.0	5.3	1.0	5.7
34	9.9	15.2	7.1	10.5	5.4	2.8	2.7	2.7	2.2	0.9	0.3	1.6
35	4.4	6.7	3.8	4.9	2.9	0.8	0.8	0.8	0.5	0.2	0.1	0.4
36	0.7	1.2	1.6	1.2	1.1	0.2	0.2	0.2	0.1	*	*	0.1
37	0.1	0.2	0.5	0.3	0.2	*	*	*	*	*	-	*
38	*	*	*	*	*	-	-	-	-	-	-	-
39	*	*	*	*	*	-	-	-	-	-	-	-
40 & Above	-	-	*	*	-	-	-	-	-	-	-	-
Average	31.80	31.75	31.36	31.61	30.37	31.57	31.17	31.33	31.09	30.91	30.03	30.88
MIKE												
2.4 & Below	0.1	*	0.1	0.1	*	-	-	-	-	-	-	-
2.5	0.6	*	0.2	0.2	*	*	-	*	*	-	-	*
2.6	0.5	*	0.1	0.2	0.1	*	*	*	*	-	*	*
2.7	1.1	*	0.1	0.4	0.1	*	*	*	*	*	*	*
2.8	1.4	*	0.2	0.5	0.1	*	-	*	*	*	*	*
2.9	1.8	0.1	0.2	0.6	0.2	*	*	*	*	*	*	*
3.0	2.9	0.2	0.2	1.0	0.2	*	*	*	*	*	*	*
3.1	3.5	0.3	0.3	1.2	0.4	*	*	*	*	*	*	*
3.2	4.4	0.4	0.3	1.5	0.6	*	*	*	*	0.1	*	*
3.3	4.7	0.7	0.5	1.7	0.8	*	*	*	*	0.2	0.1	0.1
3.4	6.2	1.1	0.8	2.4	1.1	*	*	*	0.1	0.3	0.2	0.2
3.5	7.3	1.5	1.2	3.0	1.3	*	*	*	0.1	0.4	0.4	0.2
3.6	7.6	1.9	1.7	3.4	1.7	0.1	*	*	0.2	0.7	0.5	0.4
3.7	8.2	2.7	2.4	4.2	2.2	0.1	0.1	0.1	0.3	1.1	0.9	0.6
3.8	8.4	3.5	3.2	4.8	3.0	0.1	0.1	0.1	0.6	2.0	1.5	1.1
3.9	9.0	5.7	4.2	6.1	3.9	0.3	0.2	0.2	1.0	2.9	2.2	1.6
4.0	8.0	7.6	4.2	6.4	5.2	0.4	0.5	0.4	1.6	4.2	3.2	2.5
4.1	6.3	8.7	5.3	6.7	6.8	0.8	0.9	0.8	2.2	5.9	4.9	3.6
4.2	4.9	9.7	6.5	7.1	8.6	1.3	1.7	1.5	3.0	8.0	6.8	4.9
4.3	4.7	10.7	8.0	8.0	10.2	2.2	2.6	2.5	4.1	10.1	8.6	6.3
4.4	3.5	9.6	10.0	8.0	10.8	3.5	4.0	3.8	5.3	10.8	10.2	7.5
4.5	2.6	10.0	11.0	8.3	10.7	5.1	6.2	5.7	7.0	10.9	11.2	8.7
4.6	1.2	8.1	11.0	7.3	9.5	7.3	8.4	8.0	8.0	11.0	12.3	9.4
4.7	0.9	5.5	9.2	5.7	7.6	10.0	10.4	10.2	9.5	9.7	11.5	9.8
4.8	0.5	4.7	6.4	4.2	5.7	12.1	12.6	12.4	10.4	7.9	9.9	9.6
4.9	0.2	3.2	4.8	3.0	3.8	13.1	14.4	13.9	11.0	5.7	6.6	9.0
5.0	*	2.4	3.4	2.1	2.4	13.2	12.9	13.0	10.9	3.8	4.5	8.1
5.1	*	1.1	2.3	1.5	1.6	11.5	10.0	10.6	9.5	2.3	2.3	6.5
5.2	-	0.4	1.3	0.9	0.8	8.8	7.3	7.9	7.2	1.3	1.2	4.8
5.3	-	0.2	0.9	0.6	0.4	5.3	4.4	4.7	4.4	0.6	0.6	2.9
5.4	-	*	0.3	0.3	0.1	2.9	2.2	2.5	2.2	0.2	0.2	1.4
5.5 & Above	-	*	0.1	0.1	0.1	2.1	1.2	1.5	1.6	0.1	0.2	1.0
Average	3.73	4.29	4.40	4.17	4.34	4.88	4.84	4.86	4.78	4.47	4.52	4.66

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).
* Less than 0.05 percent.

Table 27. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
Extraneous Matter												
Bark - Level 1	6.4	14.8	0.5	0.5	1.7	1.4	*	*	*	*	*	*
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	0.2	0.1	0.1	0.1	0.1	0.1	*	*	*	0.1	*	*
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	*	*	-	-	*	*	-	*	-	*	-	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	0.2	0.1	*	*	-	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	*	*	*	*	*	*	*	*	*	*	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	*	*	*	*	-	*	-	*	-	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	0.1	*	0.1	*	0.1	0.1	0.1	*	-	*	-	*
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-	-
Strength 1/ 22 & Below	*	*	*	*	*	*	-	*	*	-	-	*
23	0.1	*	*	*	*	*	-	*	*	*	*	*
24	0.2	0.2	*	*	*	*	*	*	*	*	*	*
25	0.6	0.7	0.1	0.1	0.1	0.1	*	*	*	*	*	*
26	2.4	2.0	0.4	0.4	0.5	0.4	0.1	*	0.1	0.1	0.1	0.1
27	5.8	4.9	1.7	1.2	2.4	2.2	0.9	0.5	0.5	0.6	1.1	0.7
28	11.4	9.5	5.1	3.5	8.5	7.8	4.9	4.9	3.3	5.9	8.2	5.8
29	16.8	14.3	12.4	7.5	18.7	17.3	21.6	23.9	11.7	27.7	28.9	25.0
30	19.7	16.9	22.8	14.2	26.1	25.2	38.3	40.6	23.4	40.3	39.5	38.9
31	17.8	17.1	26.6	19.2	22.5	23.1	22.4	23.5	29.8	19.1	18.2	21.5
32	11.7	14.7	18.6	18.8	12.9	14.0	9.0	5.7	21.3	5.0	3.5	6.4
33	7.3	10.1	8.7	14.6	5.5	6.3	2.5	0.9	7.8	1.1	0.5	1.4
34	3.9	5.6	2.7	9.7	2.0	2.4	0.3	0.1	1.8	0.3	0.1	0.3
35	1.6	2.7	0.7	6.3	0.6	0.8	*	*	0.4	0.1	*	0.1
36	0.6	1.0	0.2	3.4	0.2	0.3	*	*	0.1	*	*	*
37	0.2	0.3	0.1	0.9	*	0.1	*	*	*	*	*	*
38	*	*	*	0.1	*	*	-	-	-	-	-	-
39	*	-	-	*	*	*	-	-	-	-	-	-
40 & Above	*	-	-	*	*	*	-	-	-	-	-	-
Average	30.65	31.05	31.21	32.23	30.77	30.89	30.60	30.48	31.30	30.37	30.23	30.46
MIKE												
2.4 & Below	*	*	*	-	*	*	-	-	-	-	-	-
2.5	*	*	*	-	*	*	*	-	-	-	-	*
2.6	*	0.1	*	-	*	*	*	-	-	-	*	*
2.7	*	0.1	*	-	*	*	*	-	-	*	*	*
2.8	*	0.2	*	-	*	*	*	-	-	*	*	*
2.9	*	0.2	*	-	*	*	*	*	-	*	*	*
3.0	0.1	0.3	*	*	*	*	0.1	*	*	*	*	*
3.1	0.1	0.4	0.1	*	*	0.1	0.2	*	*	*	0.1	*
3.2	0.2	0.5	0.2	*	0.1	0.1	0.5	*	*	*	0.1	0.1
3.3	0.4	0.7	0.2	*	0.2	0.2	0.6	*	*	*	0.2	0.1
3.4	0.6	0.9	0.2	0.1	0.2	0.2	0.8	*	*	*	0.3	0.2
3.5	0.7	1.2	0.4	0.1	0.4	0.4	1.3	0.1	*	0.1	0.5	0.3
3.6	1.1	1.5	0.5	0.2	0.7	0.7	1.9	0.1	0.1	0.1	1.0	0.5
3.7	1.6	1.9	0.8	0.3	1.2	1.1	3.5	0.1	0.2	0.2	1.6	0.8
3.8	2.3	2.2	1.3	0.5	2.0	1.8	5.2	0.3	0.4	0.5	2.4	1.2
3.9	3.0	2.7	2.2	0.8	3.2	3.0	6.9	0.4	0.8	1.0	3.7	1.9
4.0	3.5	3.4	3.6	1.4	4.9	4.6	9.1	0.8	1.0	1.9	5.7	2.9
4.1	4.5	4.1	5.1	2.4	6.8	6.4	10.8	1.8	1.5	3.2	7.9	4.3
4.2	5.8	5.1	6.9	3.7	8.9	8.4	10.4	3.6	2.5	5.2	10.8	6.1
4.3	7.2	6.1	8.8	4.7	10.7	10.2	10.6	6.2	3.4	8.0	14.1	8.6
4.4	8.0	7.5	9.8	6.4	12.0	11.4	10.1	10.1	4.3	11.5	15.1	11.2
4.5	9.0	8.6	10.9	7.8	12.0	11.7	8.2	13.3	6.3	14.1	12.8	12.5
4.6	10.1	9.6	10.8	10.1	11.3	11.2	6.5	14.7	8.6	15.3	10.0	12.7
4.7	10.5	10.3	10.3	12.5	9.4	9.7	4.5	14.5	9.8	14.0	6.7	11.5
4.8	9.3	9.8	9.0	13.1	7.1	7.6	3.2	12.5	11.4	10.6	3.9	9.2
4.9	7.0	8.0	7.3	11.9	4.7	5.3	1.9	9.2	11.4	6.9	1.6	6.4
5.0	5.5	5.6	5.0	10.5	2.4	3.1	1.5	6.2	10.6	4.0	1.0	4.4
5.1	3.9	3.6	3.0	6.7	1.1	1.6	1.1	3.7	8.5	1.9	0.4	2.6
5.2	2.5	2.3	1.8	3.2	0.3	0.7	0.6	1.6	6.2	0.8	0.1	1.3
5.3	1.8	1.4	1.0	2.0	0.1	0.3	0.3	0.6	4.9	0.3	*	0.7
5.4	1.1	0.9	0.5	1.1	*	0.1	0.2	0.2	3.8	0.1	*	0.4
5.5 & Above	0.5	0.9	0.3	0.8	*	0.1	0.1	0.1	4.3	0.1	*	0.4
Average	4.53	4.50	4.52	4.71	4.42	4.45	4.24	4.64	4.83	4.57	4.34	4.53

1/ Fiber strength expressed in terms of 1/8 gage (grams per tex).
* Less than 0.05 percent.

Table 28. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2023 Crop

	Rayville					Visalia					United States
	Arkansas 2/	Louisiana	Mississippi 2/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
Extraneous Matter											
Bark - Level 1	-	0.1	-	8.4	1.5	0.7	4.2	8.7	9.5	2.3	2.9
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	*	-	*	*	0.1	0.4	1.1	5.1	0.4	0.2
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-
Oil - Level 1	-	*	-	-	*	-	-	*	-	*	*
Oil - Level 2	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	*	-	*	*	*	-	-	-	*	*
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
Plastic - Level 1	-	*	-	-	*	*	*	*	0.1	*	*
Plastic - Level 2	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	*	-	-	*	-	*	-	-	*	*
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-
Seed Coat - Level 1	-	*	-	0.2	*	0.7	*	0.7	0.1	0.6	0.1
Seed Coat - Level 2	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 1	-	-	-	-	-	-	-	-	-	-	-
Spindle Twist - Level 2	-	-	-	-	-	-	-	-	-	-	-
Strength 1/											
22 & Below	-	-	-	-	-	-	-	-	-	-	0.1
23	-	-	-	-	-	*	*	-	-	*	0.1
24	-	*	-	0.6	0.1	0.1	*	-	0.1	*	0.2
25	-	*	-	3.1	0.5	0.3	0.5	*	0.1	0.3	0.4
26	-	0.6	-	5.6	1.5	1.2	1.4	*	0.7	1.2	1.0
27	-	2.2	-	7.5	3.4	2.4	2.5	0.5	0.2	2.2	2.5
28	-	4.6	-	9.6	6.5	5.1	6.2	3.7	3.9	5.3	7.1
29	-	10.3	-	17.1	12.0	9.3	15.3	16.6	10.2	11.3	17.8
30	-	22.4	-	21.8	22.0	13.3	18.4	25.6	16.1	15.4	26.4
31	-	29.6	-	18.0	27.0	16.9	14.7	20.9	22.9	16.7	21.4
32	-	19.6	-	9.5	17.4	19.4	7.4	18.5	25.3	16.5	12.3
33	-	7.8	-	4.7	7.1	14.9	6.0	11.7	10.5	12.4	6.2
34	-	1.9	-	2.2	1.9	8.1	7.4	2.1	6.6	7.6	2.8
35	-	0.8	-	0.2	0.7	4.9	11.1	0.3	3.8	5.5	1.2
36	-	0.3	-	*	0.3	2.4	8.0	0.2	1.2	3.1	0.4
37	-	*	-	*	*	1.1	9.9	0.1	0.1	2.4	0.1
38	-	*	-	-	*	0.4	7.0	0.3	0.2	1.5	0.1
39	-	-	-	-	-	0.2	1.6	0.2	0.1	0.4	*
40 & Above	-	-	-	-	-	0.1	0.4	0.1	0.1	0.1	*
Average	-	31.22	-	30.06	30.97	31.97	32.10	31.25	31.84	31.96	30.83
MIKE											
2.4 & Below	-	-	-	-	-	-	*	-	-	*	*
2.5	-	-	-	-	-	*	0.1	-	-	*	*
2.6	-	-	-	-	-	*	0.2	-	-	0.1	*
2.7	-	-	-	0.1	0.1	*	0.2	*	-	0.1	*
2.8	-	-	-	0.2	0.2	0.1	0.2	*	-	0.1	0.1
2.9	-	-	-	0.3	0.2	0.1	0.3	*	-	0.2	0.1
3.0	-	*	-	0.2	0.1	0.3	0.3	-	-	0.3	0.1
3.1	-	*	-	0.2	0.1	0.4	0.3	0.1	*	0.4	0.2
3.2	-	*	-	0.7	0.2	0.5	0.6	0.3	*	0.5	0.2
3.3	-	*	-	1.4	0.2	0.7	0.9	0.3	0.1	0.7	0.3
3.4	-	*	-	2.2	0.4	0.9	0.8	1.4	0.1	0.9	0.4
3.5	-	*	-	2.6	0.5	1.1	1.1	1.6	0.3	1.1	0.6
3.6	-	*	-	2.8	0.6	1.6	1.6	1.9	0.8	1.6	0.8
3.7	-	0.1	-	3.5	0.6	2.4	3.5	1.5	1.0	2.6	1.2
3.8	-	0.2	-	3.2	1.0	3.6	7.0	2.0	1.6	4.3	1.8
3.9	-	0.5	-	3.2	1.3	4.4	12.0	2.4	0.7	6.1	2.5
4.0	-	1.0	-	3.6	1.7	5.5	14.1	4.7	3.3	7.6	3.5
4.1	-	2.0	-	6.4	2.8	7.1	12.3	6.2	1.4	8.2	4.7
4.2	-	3.3	-	8.0	4.0	7.9	8.6	5.7	4.5	7.9	6.2
4.3	-	4.8	-	10.5	5.6	8.5	7.0	9.6	4.2	8.0	7.9
4.4	-	6.2	-	10.4	6.8	9.4	5.5	11.3	4.5	8.4	9.4
4.5	-	8.0	-	12.6	8.4	10.1	5.0	8.9	7.2	8.6	10.3
4.6	-	10.8	-	9.3	10.4	9.8	4.4	11.9	8.6	8.5	10.5
4.7	-	12.0	-	7.3	11.1	7.9	3.8	10.6	13.1	7.2	9.9
4.8	-	12.7	-	5.0	11.4	6.4	3.1	6.9	10.0	5.7	8.7
4.9	-	9.9	-	2.8	9.0	4.5	3.7	4.5	7.6	4.4	7.0
5.0	-	9.0	-	1.6	7.9	2.8	3.6	4.5	10.0	3.3	5.2
5.1	-	6.7	-	0.6	5.7	1.5	0.9	2.7	9.8	1.7	3.6
5.2	-	5.2	-	0.4	4.4	1.1	0.7	1.5	7.0	1.3	2.3
5.3	-	3.4	-	0.3	2.8	0.8	0.3	0.6	4.0	0.8	1.3
5.4	-	2.5	-	0.3	2.1	0.6	0.1	0.1	0.4	0.5	0.7
5.5 & Above	-	2.0	-	*	1.8	0.3	0.1	-	3.4	0.4	0.5
Average	-	4.76	-	4.28	4.68	4.36	4.16	4.44	4.73	4.33	4.52

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

2/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 29. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Abilene				Corpus Christi	Dumas			Florence			
	Kansas	Oklahoma	Texas	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total	North Carolina	South Carolina	Virginia	Classing Office Total
MIKE Range												
2.4 & Below	0.1	*	0.1	0.1	*	-	-	-	-	-	-	-
2.5 - 2.6	1.0	*	0.3	0.4	0.1	*	*	*	*	-	*	*
2.7 - 2.9	4.2	0.2	0.5	1.5	0.4	*	*	*	*	*	*	*
3.0 - 3.2	10.8	0.9	0.8	3.6	1.2	*	*	*	*	0.1	0.1	0.1
3.3 - 3.4	10.8	1.8	1.3	4.1	1.9	0.1	*	*	0.1	0.5	0.4	0.3
3.5 - 3.6	14.9	3.4	2.8	6.5	3.0	0.1	0.1	0.1	0.3	1.1	0.9	0.6
3.7 - 4.2	44.8	37.9	25.8	35.1	29.8	3.0	3.3	3.2	8.7	24.1	19.4	14.3
4.3 - 4.9	13.5	51.8	60.4	44.3	58.2	53.2	58.6	56.6	55.2	66.1	70.3	60.3
5.0 - 5.2	*	3.9	6.9	4.0	4.8	33.4	30.2	31.4	27.6	7.3	8.0	19.4
5.3 & Above	-	0.3	1.3	0.9	0.6	10.2	7.8	8.7	8.1	0.9	1.0	5.2
Average	3.73	4.29	4.40	4.17	4.34	4.88	4.84	4.86	4.78	4.47	4.52	4.66
Leaf Grade												
1 - 2	10.4	43.6	39.3	32.4	51.0	5.5	16.4	12.2	14.7	7.7	29.8	15.1
3	25.8	40.6	39.1	35.8	39.7	43.7	52.0	48.9	54.9	43.6	59.8	52.7
4	26.0	11.8	15.2	17.2	8.0	41.0	25.3	31.3	26.1	37.8	9.8	26.8
5	20.6	2.8	4.5	8.5	1.1	9.2	5.6	7.0	3.9	9.6	0.7	4.9
6	12.2	0.8	1.4	4.3	0.2	0.5	0.7	0.6	0.3	1.1	*	0.5
7	4.4	0.2	0.5	1.5	*	*	0.1	*	*	0.1	-	0.1
8	0.6	*	0.2	0.3	*	*	*	*	-	-	-	-
Average	4.13	2.68	2.84	3.16	2.51	3.56	3.22	3.35	3.20	3.53	2.80	3.23
Trash 1/												
00	-	0.1	*	0.1	*	-	*	*	*	-	-	*
01	3.8	15.5	14.3	12.0	15.4	0.4	2.0	1.4	1.8	0.8	3.4	1.8
02	10.3	30.8	28.9	24.2	36.6	8.4	19.2	15.1	15.6	8.8	29.0	15.8
03	13.4	23.9	23.1	20.6	25.7	21.1	28.2	25.5	27.0	19.4	35.9	26.3
04	12.9	13.9	14.3	13.8	12.9	24.0	22.2	22.9	24.5	23.7	19.8	23.6
05	11.7	7.2	8.1	8.8	5.5	19.6	13.6	15.9	15.8	19.7	7.9	15.7
06	10.1	3.7	4.7	5.9	2.2	12.8	7.5	9.5	8.4	13.1	2.8	8.8
07	8.9	2.0	2.7	4.3	0.9	7.2	3.9	5.2	4.0	7.4	0.9	4.4
08	7.5	1.1	1.5	3.1	0.4	3.6	1.9	2.5	1.7	3.8	0.3	2.0
09	6.1	0.7	0.9	2.3	0.2	1.7	0.9	1.2	0.7	1.8	0.1	0.9
10	4.8	0.4	0.5	1.7	0.1	0.7	0.4	0.5	0.3	0.8	*	0.4
11	3.6	0.3	0.3	1.2	0.1	0.3	0.2	0.2	0.1	0.4	*	0.2
12	2.7	0.2	0.2	0.9	*	0.1	0.1	0.1	0.1	0.2	*	0.1
13	1.8	0.1	0.1	0.6	*	*	*	*	*	0.1	*	*
14	1.2	0.1	0.1	0.4	*	*	*	*	*	*	-	*
15	0.7	*	0.1	0.2	*	*	*	*	*	*	-	*
16	0.4	*	0.1	0.1	*	*	*	*	*	*	-	*
17	0.2	*	*	0.1	*	*	*	*	*	*	-	*
18 & Above	0.3	*	*	0.1	*	*	*	*	*	*	-	*
Average	0.60	0.31	0.32	0.40	0.27	0.46	0.38	0.41	0.40	0.46	0.31	0.40
Uniformity 2/												
74 & Below	*	*	*	*	*	-	-	-	-	-	-	-
75	0.1	0.1	0.1	0.1	0.1	-	-	-	*	-	-	*
76	1.0	0.6	0.3	0.6	0.4	-	-	-	*	*	-	*
77	5.1	2.5	1.5	2.9	1.5	*	*	*	*	*	*	*
78	17.3	8.0	7.0	10.3	4.0	0.2	0.3	0.3	0.2	0.2	0.2	0.2
79	29.1	14.9	18.9	20.5	10.3	1.3	1.6	1.5	1.8	2.0	2.0	1.9
80	24.1	21.8	30.1	25.8	24.2	5.0	7.9	6.8	11.7	13.8	13.2	12.4
81	15.7	25.1	27.9	23.5	36.4	11.9	22.6	18.5	30.0	37.9	33.1	32.5
82	6.8	22.1	11.8	13.7	20.0	25.2	38.4	33.4	36.5	32.2	35.5	35.2
83	0.6	4.8	2.2	2.6	3.0	35.4	23.3	27.9	17.6	12.5	14.5	15.8
84	*	0.1	0.2	0.1	0.2	17.8	5.4	10.1	2.1	1.4	1.4	1.8
85 & Above	-	*	-	*	*	3.2	0.5	1.5	0.1	0.1	0.1	0.1
Average	79.92	80.88	80.65	80.51	81.07	82.99	82.36	82.60	82.07	81.88	81.96	82.01
Tenderable	39.6	78.8	71.0	64.6	82.0	55.4	60.9	58.8	62.5	85.5	89.8	72.6
SAMPLES CLASSED	124,779	140,925	173,458	439,162	994,253	378,519	614,206	992,725	748,553	330,845	186,422	1,265,820

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 30. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Lamesa	Lubbock	Macon				Memphis					
	Texas	Texas	Alabama	Florida	Georgia	Classing Office Total	Alabama	Arkansas	Mississippi	Missouri	Tennessee	Classing Office Total
MIKE Range												
2.4 & Below	*	*	*	-	*	*	-	-	-	-	-	-
2.5 - 2.6	*	0.1	*	-	*	*	*	-	-	-	*	*
2.7 - 2.9	0.1	0.5	0.1	-	*	*	*	*	-	*	*	*
3.0 - 3.2	0.4	1.1	0.3	*	0.2	0.2	0.8	*	*	*	0.2	0.1
3.3 - 3.4	1.0	1.5	0.4	0.1	0.4	0.4	1.4	*	*	0.1	0.5	0.3
3.5 - 3.6	1.8	2.7	0.9	0.3	1.1	1.1	3.1	0.1	0.2	0.2	1.5	0.7
3.7 - 4.2	20.5	19.4	19.9	9.0	27.0	25.2	45.8	6.9	6.4	12.1	32.0	17.1
4.3 - 4.9	61.1	59.9	66.9	66.4	67.2	67.2	45.0	80.5	55.1	80.4	64.2	72.1
5.0 - 5.2	11.9	11.6	9.7	20.4	3.9	5.4	3.1	11.5	25.3	6.7	1.6	8.3
5.3 & Above	3.3	3.2	1.7	3.8	0.2	0.5	0.6	0.9	13.0	0.6	*	1.4
Average	4.53	4.50	4.52	4.71	4.42	4.45	4.24	4.64	4.83	4.57	4.34	4.53
Leaf Grade												
1 - 2	56.2	48.1	15.4	9.4	10.7	11.4	27.7	26.8	15.1	31.1	42.5	30.6
3	30.0	37.9	51.3	50.2	50.1	50.3	50.3	51.9	52.5	54.6	46.2	51.3
4	9.6	10.4	26.8	32.4	30.8	30.2	17.8	17.9	25.6	13.2	10.2	15.5
5	2.8	2.5	5.6	7.0	7.2	6.9	3.6	3.1	5.7	1.1	1.1	2.4
6	1.0	0.8	0.8	0.8	1.1	1.0	0.6	0.3	1.0	*	0.1	0.3
7	0.4	0.3	0.1	0.1	0.2	0.1	0.1	*	0.1	*	*	*
8	*	0.1	*	*	*	*	-	-	-	-	-	-
Average	2.42	2.62	3.25	3.40	3.38	3.36	2.97	2.97	3.25	2.83	2.66	2.88
Trash 1/												
00	0.5	*	-	-	*	*	-	*	-	*	*	*
01	31.3	17.8	2.4	1.0	1.2	1.4	6.3	4.8	1.9	5.3	11.1	6.2
02	29.7	35.1	18.7	12.1	13.7	14.4	26.7	26.1	17.8	28.9	34.6	28.1
03	17.7	22.6	28.3	25.3	26.2	26.5	28.5	28.6	27.6	31.5	27.6	29.1
04	9.6	11.9	23.1	25.3	24.2	24.0	18.9	19.5	22.1	19.2	14.8	18.5
05	4.9	5.9	14.0	17.5	16.3	16.0	10.2	10.9	13.9	9.1	7.0	9.7
06	2.6	2.9	7.2	10.0	9.2	8.9	4.9	5.5	8.0	3.7	3.0	4.6
07	1.5	1.5	3.4	5.0	4.8	4.6	2.4	2.6	4.3	1.4	1.2	2.1
08	0.9	0.9	1.6	2.2	2.3	2.2	1.1	1.2	2.2	0.5	0.5	0.9
09	0.6	0.5	0.7	1.0	1.1	1.1	0.6	0.5	1.1	0.2	0.2	0.4
10	0.4	0.3	0.3	0.4	0.5	0.5	0.3	0.2	0.6	0.1	0.1	0.2
11	0.2	0.2	0.1	0.2	0.3	0.2	0.1	0.1	0.3	*	*	0.1
12	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.2	*	*	*
13	0.1	0.1	*	*	0.1	0.1	*	*	0.1	*	*	*
14	*	0.1	*	*	*	*	*	*	*	*	*	*
15	*	*	*	*	*	*	*	*	*	*	*	*
16	*	*	*	*	*	*	*	*	-	*	*	*
17	*	*	*	-	*	*	-	*	-	*	*	*
18 & Above	*	*	*	*	*	*	*	-	-	*	-	*
Average	0.25	0.28	0.38	0.42	0.41	0.41	0.34	0.34	0.40	0.32	0.29	0.33
Uniformity 2/												
74 & Below	*	0.1	*	*	*	*	-	-	-	-	-	-
75	0.1	0.3	*	-	*	*	*	*	-	*	*	*
76	0.7	1.0	*	*	*	*	*	*	*	*	*	*
77	3.2	3.6	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
78	10.6	10.1	0.9	0.7	1.2	1.2	0.4	0.1	0.1	0.1	0.1	0.1
79	23.0	20.8	6.2	3.9	7.1	6.9	2.0	1.2	0.7	0.9	1.0	1.1
80	31.3	28.0	22.6	16.1	24.3	23.7	8.6	10.1	5.6	9.0	6.6	8.7
81	23.3	22.4	37.2	33.7	36.9	36.8	27.0	23.9	21.3	23.4	24.1	23.9
82	7.3	10.5	27.6	32.4	22.9	24.0	39.8	36.8	37.3	36.2	44.4	38.6
83	0.6	2.7	5.1	11.7	6.5	6.4	19.5	25.5	27.4	25.5	22.1	24.3
84	*	0.5	0.2	1.3	0.9	0.8	2.4	2.4	7.2	4.3	1.7	3.1
85 & Above	*	0.1	*	0.1	0.1	*	0.2	0.1	0.4	0.4	0.1	0.2
Average	80.28	80.41	81.45	81.78	81.41	81.43	82.18	82.27	82.52	82.36	82.30	82.31
Tenderable	71.8	65.1	82.6	67.7	90.0	88.1	93.3	87.0	60.8	92.4	97.5	89.5
SAMPLES CLASSED	277,758	1,240,358	422,578	92,319	2,140,439	2,655,336	272,531	1,116,680	202,682	790,676	657,268	3,039,837

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

* Less than 0.05 percent.

Table 31. -- Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2023 Crop

	Rayville					Visalia					United States
	Arkansas 3/	Louisiana	Mississippi 3/	Texas	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total	
MIKE Range											
2.4 & Below	-	-	-	-	-	-	*	-	-	*	*
2.5 - 2.6	-	-	-	-	-	*	0.3	-	-	0.1	0.1
2.7 - 2.9	-	-	-	0.5	0.4	0.2	0.7	*	-	0.3	0.2
3.0 - 3.2	-	*	-	1.2	0.3	1.2	1.3	0.3	*	1.2	0.5
3.3 - 3.4	-	*	-	3.5	0.6	1.6	1.7	1.6	0.1	1.6	0.8
3.5 - 3.6	-	0.1	-	5.4	1.0	2.7	2.7	3.5	1.1	2.7	1.4
3.7 - 4.2	-	6.9	-	28.1	11.0	30.8	57.4	22.1	12.0	36.5	20.0
4.3 - 4.9	-	64.3	-	57.9	62.6	56.6	31.9	63.7	54.8	50.7	63.7
5.0 - 5.2	-	20.9	-	2.7	18.0	5.3	5.0	8.7	25.4	6.1	11.0
5.3 & Above	-	7.9	-	0.6	6.6	1.6	0.5	0.7	7.1	1.6	2.6
Average	-	4.76	-	4.28	4.68	4.36	4.16	4.44	4.73	4.33	4.52
Leaf Grade											
1 - 2	-	15.2	-	11.2	14.2	77.9	68.9	69.9	64.6	74.7	27.9
3	-	49.4	-	39.1	48.9	18.3	20.6	22.3	28.2	19.4	46.6
4	-	28.4	-	30.1	28.7	3.1	8.1	6.2	6.1	4.7	20.3
5	-	6.3	-	12.7	6.8	0.5	2.2	1.6	0.9	1.0	4.3
6	-	0.6	-	5.0	1.1	0.1	0.3	0.3	0.2	0.2	0.7
7	-	0.1	-	1.6	0.3	*	*	-	*	*	0.2
8	-	*	-	0.4	0.3	*	-	-	*	*	*
Average	-	3.27	-	3.67	3.32	1.98	2.22	2.12	2.20	2.06	3.00
Trash 1/											
00	-	-	-	-	-	0.1	*	0.1	0.1	0.1	*
01	-	2.7	-	0.9	2.3	43.7	34.4	37.4	35.0	40.7	7.8
02	-	16.3	-	12.4	15.8	36.7	35.5	33.1	31.5	36.1	23.8
03	-	25.6	-	20.1	25.7	12.1	14.1	15.0	16.6	12.9	25.8
04	-	22.6	-	19.1	22.6	4.3	6.5	6.8	8.8	5.2	18.9
05	-	15.5	-	15.0	15.2	1.7	4.2	3.6	5.2	2.6	11.4
06	-	9.0	-	10.6	8.9	0.7	2.7	2.2	2.3	1.3	6.1
07	-	4.6	-	6.8	4.6	0.3	1.5	1.2	1.3	0.7	3.1
08	-	2.2	-	4.5	2.3	0.1	0.7	0.6	0.4	0.3	1.5
09	-	1.0	-	3.2	1.2	0.1	0.4	0.3	0.3	0.2	0.8
10	-	0.5	-	2.3	0.7	*	0.2	0.2	0.2	0.1	0.4
11	-	0.2	-	1.9	0.4	*	0.1	0.1	0.2	*	0.2
12	-	0.1	-	1.3	0.2	*	*	*	*	*	0.1
13	-	*	-	0.8	0.1	*	*	-	*	*	0.1
14	-	*	-	0.5	0.1	*	*	-	-	*	*
15	-	-	-	0.2	0.2	*	-	-	-	*	*
16	-	-	-	0.2	0.2	*	-	-	*	*	*
17	-	-	-	0.2	0.2	*	-	-	-	*	*
18 & Above	-	-	-	0.1	0.1	*	-	-	0.1	*	*
Average	-	0.40	-	0.50	0.41	0.19	0.23	0.22	0.23	0.20	0.35
Uniformity 2/											
74 & Below	-	-	-	*	*	-	-	-	-	-	*
75	-	-	-	*	*	*	*	-	*	*	0.1
76	-	-	-	*	*	*	0.1	-	-	*	0.2
77	-	*	-	1.2	0.2	0.3	1.2	0.1	0.2	0.5	0.8
78	-	0.5	-	7.4	1.5	2.1	2.9	1.2	3.3	2.3	2.5
79	-	3.1	-	18.7	5.9	9.0	7.8	5.0	12.2	8.6	7.1
80	-	10.8	-	35.5	15.4	23.0	30.2	18.4	31.5	24.9	17.6
81	-	30.7	-	24.0	29.5	32.7	27.6	43.9	34.0	32.1	28.6
82	-	35.2	-	11.9	31.0	24.7	12.4	27.2	11.4	21.3	27.4
83	-	17.8	-	1.1	14.9	7.4	10.8	4.2	4.8	8.0	13.3
84	-	1.9	-	0.1	1.6	0.8	13.7	0.2	4.9	3.0	2.3
85 & Above	-	0.1	-	*	0.1	*	1.6	-	0.1	0.3	0.2
Average	-	82.03	-	80.59	81.78	81.39	81.43	81.49	81.16	81.40	81.63
Tenderable	-	63.8	-	48.3	62.3	88.3	88.5	80.6	53.4	86.8	79.3
SAMPLES CLASSED	-	207,195	-	29,328	252,671	182,824	71,578	16,119	8,881	279,402	11,437,322

1/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc.

2/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100.

3/ Data withheld to avoid disclosure of individual gin information. Data included in classing office total.

* Less than 0.05 percent.

Table 32. -- Percentage distribution of color, leaf and staple American Pima cotton classed, by states and United States, 2023 Crop

Quality Designation	Leaf	Arizona		California		New Mexico		Texas		United States	
01	1	17,990	74.9	13,089	5.9	8,306	28.9	2,823	9.9	42,208	14.0
	2	3,456	14.4	27,678	12.5	8,709	30.3	5,105	17.9	44,948	14.9
	3	129	0.5	1,007	0.5	304	1.1	261	0.9	1,701	0.6
	4	2	*	-	-	2	*	5	*	9	*
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
TOTAL		21,577	89.8	41,774	18.9	17,321	60.2	8,194	28.8	88,866	29.4
02	1	1,146	4.8	16,192	7.3	1,752	6.1	2,210	7.8	21,300	7.0
	2	1,068	4.4	109,768	49.6	6,536	22.7	12,984	45.6	130,356	43.1
	3	138	0.6	25,355	11.5	1,836	6.4	2,591	9.1	29,920	9.9
	4	18	0.1	1,419	0.6	73	0.3	60	0.2	1,570	0.5
	5	-	-	23	*	-	-	-	-	23	*
	6	-	-	1	*	-	-	-	-	1	*
	7	-	-	1	*	-	-	1	*	2	*
TOTAL		2,370	9.9	152,759	69.1	10,197	35.4	17,846	62.7	183,172	60.6
03	1	6	*	240	0.1	4	*	61	0.2	311	0.1
	2	35	0.1	7,027	3.2	342	1.2	973	3.4	8,377	2.8
	3	10	*	11,128	5.0	780	2.7	980	3.4	12,898	4.3
	4	2	*	3,519	1.6	103	0.4	130	0.5	3,754	1.2
	5	-	-	295	0.1	-	-	1	*	296	0.1
	6	-	-	43	*	-	-	-	-	43	*
	7	-	-	2	*	-	-	-	-	2	*
TOTAL		53	0.2	22,254	10.1	1,229	4.3	2,145	7.5	25,681	8.5
04	1	-	-	1	*	-	-	1	*	2	*
	2	3	*	134	0.1	5	*	28	0.1	170	0.1
	3	4	*	1,047	0.5	13	*	111	0.4	1,175	0.4
	4	1	*	1,340	0.6	7	*	98	0.3	1,446	0.5
	5	1	*	435	0.2	-	-	2	*	438	0.1
	6	-	-	161	0.1	-	-	-	-	161	0.1
	7	-	-	46	*	-	-	-	-	46	*
TOTAL		9	*	3,164	1.4	25	0.1	240	0.8	3,438	1.1
05	1	-	-	-	-	-	-	-	-	-	-
	2	4	*	23	*	-	-	-	-	27	*
	3	3	*	75	*	-	-	4	*	82	*
	4	-	-	132	0.1	2	*	15	0.1	149	*
	5	-	-	98	*	-	-	1	*	99	*
	6	-	-	218	0.1	-	-	-	-	218	0.1
	7	-	-	422	0.2	-	-	-	-	422	0.1
TOTAL		7	*	968	0.4	2	*	20	0.1	997	0.3
06	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	6	*	-	-	-	-	6	*
	4	-	-	12	*	-	-	1	*	13	*
	5	-	-	4	*	-	-	-	-	4	*
	6	-	-	5	*	-	-	-	-	5	*
	7	-	-	120	0.1	-	-	-	-	120	*
TOTAL		-	-	147	0.1	-	-	1	*	148	*
07	1	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	2	*	-	-	-	-	2	*
	5	-	-	1	*	-	-	-	-	1	*
	6	-	-	2	*	-	-	-	-	2	*
	7	-	-	26	*	-	-	-	-	26	*
TOTAL		-	-	31	*	-	-	-	-	31	*
Staple											
44 & Shorter		11	*	964	0.4	186	0.6	1,447	5.1	2,608	0.9
46		228	0.9	13,316	6.0	2,665	9.3	6,609	23.2	22,818	7.5
48		13,268	55.2	59,363	26.8	18,717	65.0	11,963	42.1	103,311	34.2
50		10,161	42.3	114,092	51.6	6,737	23.4	8,067	28.4	139,057	46.0
52 & Longer		348	1.4	33,362	15.1	469	1.6	360	1.3	34,539	11.4
Average Staple		48.88		49.50		48.32		47.95		49.19	
Average Length		1.42		1.44		1.40		1.39		1.43	
Extraneous Matter											
Bark		-	-	9	*	74	0.3	161	0.6	244	0.1
Grass		-	-	288	0.1	64	0.2	144	0.5	496	0.2
Spindle Twist		13	0.1	697	0.3	3	*	6	*	719	0.2
Prep		4	*	39	*	-	-	1	*	44	*
All Other		12	*	42	*	5	*	48	0.2	107	*

* Less than 0.05 percent.

Table 33. -- Percentage distribution of mike, strength and uniformity for American Pima cotton classed, by states and United States, 2023 Crop

	Arizona		California		New Mexico		Texas		United States	
MIKE Range										
2.4 & Below	2	*	3	*	-	-	1	*	6	*
2.5 - 2.6	36	0.1	426	0.2	-	-	1	*	463	0.2
2.7 - 2.9	22	0.1	1,752	0.8	21	0.1	1	*	1,796	0.6
3.0 - 3.2	87	0.4	4,225	1.9	68	0.2	4	*	4,384	1.5
3.3 - 3.4	260	1.1	8,625	3.9	1,006	3.5	239	0.8	10,130	3.4
3.5 - 3.6	1,668	6.9	26,806	12.1	2,931	10.2	1,538	5.4	32,943	10.9
3.7 - 4.2	21,832	90.9	168,473	76.2	21,743	75.6	19,612	68.9	231,660	76.6
4.3 - 4.9	109	0.5	10,773	4.9	3,005	10.4	7,050	24.8	20,937	6.9
5.0 - 5.2	-	-	13	*	-	-	-	-	13	*
5.3 & Above	-	-	1	*	-	-	-	-	1	*
Average	3.88		3.86		3.94		4.07		3.89	
MIKE										
2.4 & Below	2	*	3	*	-	-	1	*	6	*
2.5	15	0.1	102	*	-	-	1	*	118	*
2.6	21	0.1	324	0.1	-	-	-	-	345	0.1
2.7	2	*	468	0.2	2	*	-	-	472	0.2
2.8	11	*	566	0.3	9	*	1	*	587	0.2
2.9	9	*	718	0.3	10	*	-	-	737	0.2
3.0	38	0.2	803	0.4	10	*	1	*	852	0.3
3.1	28	0.1	1,264	0.6	7	*	1	*	1,300	0.4
3.2	21	0.1	2,158	1.0	51	0.2	2	*	2,232	0.7
3.3	44	0.2	3,178	1.4	261	0.9	83	0.3	3,566	1.2
3.4	216	0.9	5,447	2.5	745	2.6	156	0.5	6,564	2.2
3.5	555	2.3	9,829	4.4	1,209	4.2	762	2.7	12,355	4.1
3.6	1,113	4.6	16,977	7.7	1,722	6.0	776	2.7	20,588	6.8
3.7	2,749	11.4	22,960	10.4	2,326	8.1	1,520	5.3	29,555	9.8
3.8	4,603	19.2	30,617	13.8	3,284	11.4	2,161	7.6	40,665	13.5
3.9	5,533	23.0	35,418	16.0	4,525	15.7	3,316	11.7	48,792	16.1
4.0	5,368	22.4	35,551	16.1	4,394	15.3	3,033	10.7	48,346	16.0
4.1	2,793	11.6	27,852	12.6	3,937	13.7	4,478	15.7	39,060	12.9
4.2	786	3.3	16,075	7.3	3,277	11.4	5,104	17.9	25,242	8.3
4.3	88	0.4	7,176	3.2	1,743	6.1	4,181	14.7	13,188	4.4
4.4	12	*	2,699	1.2	880	3.1	2,135	7.5	5,726	1.9
4.5	6	*	665	0.3	289	1.0	636	2.2	1,596	0.5
4.6	3	*	179	0.1	78	0.3	95	0.3	355	0.1
4.7	-	-	32	*	8	*	3	*	43	*
4.8	-	-	18	*	2	*	-	-	20	*
4.9	-	-	4	*	5	*	-	-	9	*
5.0	-	-	9	*	-	-	-	-	9	*
5.1	-	-	3	*	-	-	-	-	3	*
5.2	-	-	1	*	-	-	-	-	1	*
5.3 & Above	-	-	1	*	-	-	-	-	1	*
Average	3.88		3.86		3.94		4.07		3.89	
Strength										
36 & Below	38	0.2	5,488	2.5	3,569	12.4	588	2.1	9,683	3.2
37	106	0.4	8,456	3.8	3,378	11.7	1,971	6.9	13,911	4.6
38	568	2.4	12,625	5.7	2,265	7.9	3,076	10.8	18,534	6.1
39	606	2.5	12,746	5.8	1,112	3.9	4,010	14.1	18,474	6.1
40	1,855	7.7	16,908	7.6	816	2.8	2,215	7.8	21,794	7.2
41	5,463	22.7	26,735	12.1	2,101	7.3	1,950	6.9	36,249	12.0
42	6,792	28.3	38,234	17.3	4,487	15.6	3,552	12.5	53,065	17.6
43	5,075	21.1	37,286	16.9	5,484	19.1	4,629	16.3	52,474	17.4
44	2,699	11.2	30,191	13.7	3,560	12.4	3,322	11.7	39,772	13.2
45	678	2.8	21,059	9.5	1,534	5.3	1,999	7.0	25,270	8.4
46	96	0.4	8,304	3.8	401	1.4	783	2.8	9,584	3.2
47	29	0.1	2,409	1.1	44	0.2	272	1.0	2,754	0.9
48 & Above	11	*	656	0.3	23	0.1	79	0.3	769	0.3
Average	42.42		42.37		41.22		41.67		42.20	
Uniformity										
83 & Below	44	0.2	1,387	0.6	16	0.1	28	0.1	1,475	0.5
84	109	0.5	8,863	4.0	880	3.1	1,594	5.6	11,446	3.8
85	3,076	12.8	40,085	18.1	9,406	32.7	7,805	27.4	60,372	20.0
86	14,118	58.8	108,919	49.3	12,800	44.5	11,095	39.0	146,932	48.6
87	6,574	27.4	58,154	26.3	5,601	19.5	7,647	26.9	77,976	25.8
88 & Above	95	0.4	3,689	1.7	71	0.2	277	1.0	4,132	1.4
Average	86.58		86.47		86.27		86.35		86.45	
SAMPLES CLASSED	24,016		221,097		28,774		28,446		302,333	

NOTE: Totals may not add due to rounding.
* Less than 0.05 percent.