

APPROVED

Agricultural Marketing Service (AMS) Livestock, Poultry and Seed (LPS) Program Food Safety and Commodity Specification (FSCS) Division Room 2624 S-Bldg, Phone: (202) 692-0342

Effective: March 2015

SUPPLEMENT 404 TO THE AMS MASTER SOLICITATION FOR PURCHASE OF FROZEN COOKED BEEF AND PORK PRODUCTS FOR DISTRIBUTION TO FEDERAL FOOD AND NUTRITION ASSISTANCE PROGRAMS

100 OVERVIEW

This document provides additional program requirements for the purchase of Frozen Cooked Beef and Pork Products by the Department of Agriculture (USDA), including the applicable Federal Purchase Program Specification (FPPS) (**Exhibit A and A1**).

200 INSTRUCTIONS TO POTENTIAL SUPPLIERS

- The frozen cooked beef and pork products will be purchased on a competitive bid basis from qualified suppliers who have met the requirements described in this Section. Interested suppliers may submit sample(s) and technical proposal at any time during the purchase program. Suppliers should allow 10 working days, from USDA's receipt of the product sample(s) and technical proposal for notification of evaluation results. A supplier is deemed eligible upon notification of approval of the sample(s) and technical proposal by the FSCS Division.
- Submission of sample(s) and technical proposal is not binding on USDA. Actual purchases will be described in the AMS Master Solicitation and Solicitations.
- 230 Documentation Requirements
- 231 Technical Proposal Requirement
- 231.1 Include a detailed description of the cooked beef and pork products offered and each of the production steps that are taken to meet or exceed the minimum product requirements set forth in the FPPS. (Plan/Do)
- 231.2 Describe all the quality assurance methods used to verify conformance to all requirements. This will include the monitoring and measurements taken during the process to verify conformance with each requirement. All measurement results shall be recorded and made

Approved by CMS

- available to AMS. (Check)
- 231.3 Identify all corrective actions to be taken if deviations from contractual and specification requirements occur during production, and all preventative actions to be taken to preclude a reoccurrence. (Act)
- 231.4 The technical proposal shall follow the format as shown in **Exhibit B**. Technical proposals should be brief and concise.
- 231.5 The technical proposal shall be preceded by the following, as required by the template:
- 231.5.1 Table of Contents listing the major areas as they appear in the technical proposal; and
- 231.5.2 List of attachments, forms provided with the technical proposal, if appropriate with the applicable document name and reference number.
- The FSCS Division will review each technical proposal to determine if the proposal is adequate and will notify the supplier of the status of their technical proposal and their eligibility to bid.
- 233. Animal Welfare Requirements
- 233.1 All contractors and subcontractors must meet the animal handling and welfare requirements set forth in the Federal Purchase Program Specification (FPPS) For Animal Handling and Welfare, effective January 2015 (Exhibit C).
- 240 Product Sample
- 241 Potential suppliers must submit samples that are produced in accordance with their submitted production plan.
- Supplier shall submit one 5-pound sample (or two samples if a sample unit is less than 5-pounds) along with a legible product label which illustrates the ingredient statement, Nutrition Facts, and allergen declaration (if applicable). All samples must arrive in the frozen state (0 °F or lower).

300 INSTRUCTIONS FOR SUBMISSION OF TECHNICAL PROPOSAL

- The following procedures establish the acceptable minimum requirements for the format and content of the technical proposal:
- The Government has provided a technical proposal format which is to be used in preparing the technical proposal (see **Exhibit B**). The supplier shall submit the technical proposal as an email file attachment to AMS (<u>Darin.Doerscher@ams.usda.gov</u>) and <u>Steve.Whisenant@ams.usda.gov</u>). The technical proposal shall be saved in a non-portable document file format (not PDF; e.g., Microsoft Word). The technical proposal must be submitted in its entirety. If the file size of the technical proposal is too large to send in a single email, it may be divided and sent in multiple emails (i.e., Part 1, Part 2, Part 3, etc.). The collection of attachments and appendices may be submitted as a separate document as well.

Approved by CMS

- 310.2. The technical proposal must be submitted by an authorized agent of the company.
- While it is not the desire of the Government to penalize an offeror for non-compliance with formatting instructions, technical evaluators may have difficulty evaluating the technical proposal to the fullest extent possible if the proposal is not presented in the proper format. Technical evaluators will not be required to search other subsections or sections of the offeror's technical proposal for information requested in the evaluation.
- 320 Technical Proposal Revisions
- Changes to a supplier's technical proposal may be submitted at any time or at the request of the FSCS Division. All technical proposal revisions must meet the following criteria:
- Any changes to a technical proposal made by the supplier after its initial submittal shall be accomplished by submitting an entire technical proposal. A cover letter must be submitted with the changes identified and an explanation of the need for the change. The supplier shall include the revision date and the appropriate page number(s).
- 321.2 Changes from the original technical proposal shall be highlighted and deletions in strikeouts.

400 QUALITY ASSESSMENT (QA) DIVISION

- Once a supplier is notified by the FSCS Division that the technical proposal meets the applicable criteria, the QA Division will contact the supplier to set up a pre-award onsite capability assessment audit of the facility's processes, food security plan, and quality control program used to produce the product(s) to determine the supplier's ability to meet contractual requirements.
- 420 Pre-Award Onsite Capability Assessment Audit
- 421 Food Defense Assessment
- The QA Division will conduct a food defense audit that will include, but is not limited to, a thorough evaluation of the potential contractors' and subcontractors' food defense plan. Documentation must support the contractor's or subcontractor's food defense plan. If the report demonstrates that the food defense plan is inadequate, the applicant will be notified by the FSCS Division that they are ineligible to bid. The applicant will have an opportunity to correct identified deficiencies, modify their food defense plan and resubmit a brief description for further consideration. Eligibility will depend on whether the modifications demonstrate compliance with their food defense plan.
- 422 Documentation must support:
- the production of the cooked beef and pork products that complies with the applicable specification and the potential contractor's approved technical proposal, and
- the contractor's or subcontractor's food security plan. In addition, the audit will consist of the review of records related to purchasing, receiving, production, quality control, inventory

Approved by CMS

- and shipping records, and interviews with management and production personnel.
- Upon completion of the onsite capability assessment, the auditor will provide either a verbal or email notification of the audit findings to the FSCS Division to determine (based on the audit findings), supplier eligibility to bid. Supplier will be notified by the FSCS Division and the official final report will be sent once released from the QA Division.
- 423.1 If the audit findings demonstrate that the process or food security plan is inadequate, the applicant will be notified by the FSCS Division that they are ineligible to bid. The supplier will have an opportunity to correct identified deficiencies, modify their process, food security plan, and/or technical proposal, and resubmit for further consideration.
- 423.2 Eligibility will depend on whether the modifications demonstrate that:
- 423.2.1 the process is capable of delivering cooked beef and pork products in compliance with the FPPS,
- 423.2.2 the supplier is in compliance with their food security plan,
- 423.2.3 includes the applicable assessment by USDA, and
- 423.2.4 the supplier complies with other applicable contractual requirements.
- 430 Post-Award Assessment Audit
- Eligible suppliers who receive contracts must have their documented food security plan, technical proposal, and supporting documentation readily available for review by the FSCS Division or AMS agents. Records may be maintained on hard copy or electronic media. However, records maintained as electronic media will be made available in printed form immediately upon request by the FSCS Division or AMS agents.
- The QA Division will conduct an onsite audit of the contractor's and subcontractor's facility(s) and processes when production commences for the first contract awarded. Additional audits will be conducted as determined by the FSCS Division, but not less than once per month for contractors or subcontractors with continuous or multiple contracts, or once per contract for intermittent contractors. At the discretion of the FSCS Division, more frequent audits may be conducted when audit deficiencies are detected.
- 440 Post-Award Actions
- Any deviation from contractual requirements will be immediately reported by the contractor to the Contracting Officer and FSCS Division. The Contracting Officer or FSCS Division will notify the contractor regarding eligibility to continue to participate as a contractor.
- 442 Contractor will assure that the delivered product complies with the provisions of the FPPS, the applicable assessment by USDA, and the contractor's technical proposal approved by the FSCS Division.
- 450 The cost of all audit, product monitoring, and certification services performed by the AMS

Approved by CMS

agents must be borne by the contractor. This includes, but is not limited to, audits, examinations, supervision, official documentation, and related services.

- 460 AMS Monitoring and Production Assessment
- The contractor has the option for using an AMS audit-based system or an AMS grader certification-based system.
- If the contractor uses the AMS grader certification-based system, a QA Division agent must be present during the production of the finished product for all USDA contracts. The QA Division agent will monitor and verify the processing steps, quality assurance activities, and any corrective actions to assure that all requirements outlined in the approved technical proposal and FPPS are complied with. The QA Division agent will be conducting the monitoring and production verification in accordance with applicable QA Division procedures. Any deviations to contractual requirements will be reported to the contractor and FSCS Division. The FSCS Division will make all determinations as to the acceptability of the product relative to findings documented by the QA Division agent.
- Questions concerning charges and the availability of AMS agents can contact USDA/AMS, LPS Program's QA Division field office or the Director of the QA Division, LPS Program, AMS, USDA, Room 3953-S, STOP 0258, 1400 Independence Avenue, SW, Washington, DC 20250-0258, telephone (202) 720-3271.

500 DOMESTIC ORIGIN CERTIFICATION CLAUSE

The contractor agrees to include this domestic origin certification clause in its entirety in all subcontracts for meat or meat products used in fulfilling any contracts awarded under this Supplement and Master Solicitation. The burden of proof of compliance is on the Contractor. All raw materials will be shipped in containers labeled as "Domestic Only Product" on the principle display panel and the bill of lading accompanying the shipment will contain the statement "Domestic Only Product."

600 CERTIFICATE OF CONFORMANCE (COC)

In addition to the referenced payment documents required in the Master Solicitation, please include a copy of the Contractor's Certificate of Conformance (**Exhibit D**).

700 CONTRACTOR CHECKLOADING

- 710 Contractor will perform checkloading examinations as described in the FPPS at the time of shipment and issue contractor's certificate to accompany each shipment that includes all of the following information:
- 710.1 Purchase Order Number,
- 710.2 Sales Order and Sales Order Item Number,
- 710.3 Name of product,

Approved by CMS

- 610.4 Shipping Date,
- 710.5 Production lot number(s) and date each lot was produced,
- 710.6 Count of shipping containers and total projected net weight in each production lot,
- 710.7 Identity of car or truck (car numbers and letters, seals, truck license, etc.) as applicable
- 710.8 Contractor certification that product conforms with the FPPS,
- 710.9 Count and projected net weight verified, and
- 710.10 Signature of company official responsible for checkloading.

800 CHILD NUTRITION (CN) LABELING

- The CN Labeling Program is run by FNS directly with commercial food processing firms and in cooperation with AMS and FSIS and other Federal agencies. The Program requires an evaluation of a product's formulation by FNS to determine its contribution toward meal patterns requirements.
- To carry a CN label, the eligible product's formulation must be evaluated by FNS to verify its contribution toward meal pattern requirements using yields in the USDA Food Buying Guide for Child Nutrition Programs.
- The manufacturer must have an approved QC Program in order to participate, and products must be produced under Federal inspection.
- 813 Cooked Pork Items 100145, 100144 and Cooked Beef Items 100130, 110321, 110322, 100134, 110264 require CN Labels.
- For information on the CN Labeling Program, see the section on Food Manufacturers/Industry on the FNS website www.fns.usda.gov/cnd/cnlabeling and contact the following:
- 814.1 Child Nutrition Labeling Program Operations Office USDA, AMS, FV, PPB Stop 0247, Room 0710-S 1400 Independence Ave., SW Washington, DC 20250

Email: CNLabeling@ams.usda.gov Phone Number: 202-720-9939 Fax Number: 202-690-3824

900 EXHIBITS

Approved by CMS



APPROVED

FEDERAL PURCHASE PROGRAM SPECIFICATION (FPPS) FOR COOKED BEEF ITEMS Agricultural Marketing Service (AMS) Livestock, Poultry and Seed (LPS) Program Food Safety and Commodity Specification (FSCS) Division

Room 2628 S-Bldg, Phone: (202) 692-0342

Effective: March 2015

100 ITEM DESCRIPTIONS

- 101 <u>Beef Patties, Homestyle, Fully Cooked</u> These items consist of ground beef with soy protein product (SPP) with a handmade appearance and Individually Quick Frozen (IQF) for use as sandwiches or a stand-alone item. Portion Weight 1.7, 2.2 and 2.7 ounces.
- Beef Taco Filling, Fully Cooked This item consists of ground beef cooked in lightly seasoned ingredients for use in a variety of applications, including taco fillings, burritos, enchiladas and similar items.
- Beef Sloppy Joe Mix, Fully Cooked This item consists of ground beef cooked in seasoned tomato product for use in a variety of applications, including sandwich fillings and similar items.
- Breaded Beef Patties, Fully Cooked This item consists of ground beef that is formed into round or oval patties, breaded and IQF for use as sandwiches or a stand-alone item. Portion Weight 3.0 ounces.
- Beef Crumbles, Fully Cooked This item consists of ground beef with SPP that is lightly seasoned to a crumble size of ¼-inch maximum for use in a variety of applications such as chili, sloppy joe, tacos, spaghetti sauce, pizza, lasagna, casseroles, pasta dishes, and any recipe that calls for ground beef.
- Beef Crumbles, Fully Cooked (LFTB Optional) This item consists of ground beef with SPP that is lightly seasoned to a crumble size of ¼-inch maximum for use in a variety of applications such as chili, sloppy joe, tacos, spaghetti sauce, pizza, lasagna, casseroles, pasta dishes, and any recipe that calls for ground beef. Lean Finely Textured Beef (LFTB) may be used in the product formulation as outlined in Section 327 below.
- Formula Beef will comprise at least 75 percent of the raw formula for all items.

Approved by CMS

- Non-Meat Component Non-meat components will comprise no more than 25 percent of the raw formula.
- 130 Fat Fat will not exceed 13 g per 100 g basis.
- Sodium The sodium content will not exceed 340 mg per 100 g basis.
- Packing Four (4) 10-pound, five (5) 8-pound, eight (8) 5-pound, or twenty (20) 2-pound immediate containers (packages) will be packed in a 40-pound (net weight) shipping container.
- Delivery Unit Each delivery unit will consist of 1,000 cases and 40,000 pounds, except for the beef patties, homestyle, fully cooked 1.7, 2.2 and 2.7 ounces, which will consist of 950 cases and 38,000 pounds.

200 CHECKLIST OF REQUIREMENTS

All items must be produced in accordance with Food Safety and Inspection Service (FSIS) regulations. The contractor's technical proposal, submitted to the FSCS Division, must adhere to the following Checklist of Requirements.

300 MATERIALS

The contractor's technical proposal must include procedures to address conformance with the following material requirements.

320 MEAT COMPONENT

- 321 Beef will be the only meat component allowed.
- Domestic Origin of Meat Component All cattle will originate from U.S. produced livestock as described in the Master Solicitation and Supplement.
- Harvesting Cattle will be harvested in facilities that comply with the following requirements:
- Humane Handling Cattle will be humanely handled in accordance with all applicable FSIS regulations and AMS requirements.
- Non-Ambulatory Disabled Animals Meat from carcasses of non-ambulatory disabled livestock will not be included in USDA Purchase Programs.
- 323.3 Spinal Cord Removal All spinal cord tissue will be removed during the harvesting process.
- Boneless Beef Boneless beef must comply with the following requirements:

Approved by CMS

- 324.1 Traceability Contractors are responsible for providing sufficient product traceability and must have records to verify the source of raw materials used in each lot of product.
- Handling All boneless beef must be maintained in excellent condition. The contractor's technical proposal shall include detailed production scheduling that addresses time and temperature controls necessary to maintain excellent condition of the boneless beef. Frozen boneless beef may be used provided it is processed into the final product within 60 days from the date of pack.
- Objectionable Materials The following objectionable materials shall be excluded: Major lymph glands (*prefemoral*, *popliteal*, and *prescapular*), *thymus* gland, the *sciatic* (*ischiatic*) nerve (lies medial to the outside round), all bone, cartilage, shoulder tendon, elbow tendon, silver skin, *sacrociatic* ligament, opaque *periosteum*, *serous* membrane (*peritoneum*), tendinous ends of shanks, *gracilis* membrane, *patellar* ligament (associated with the *stifle* joint), *achilles* tendon, back strap and *abdominal tunic*.
- Mechanical Separation Beef that is mechanically separated from bone with automatic deboning systems, advanced lean (meat) recovery (AMR) systems, or powered knives will not be allowed.
- Pathogen Testing Boneless and ground beef previously tested and found positive for any pathogen will not be allowed.
- 327 LFTB When specified, LFTB, or meat components produced using similar methods may be used as a raw material in the production of material number 110264. When LFTB is used, the following criteria must be met:
- 327.1 LFTB may be used at a rate not to exceed 15 percent of the meat component.
- 327.2 Red Color The producer of LFTB shall assure that the product has a discernible redness in color. The LFTB shall maintain the same redness in color until time of processing to minimize the effect of the color to the finished ground beef.
- 327.3 Fat Content Does not exceed 10 percent fat.

330 NON-MEAT COMPONENTS

- Domestic Origin of Non-Meat Component Significant ingredients (more than 1 percent) will be derived from U.S. produced products
- Seasoning and Ingredient Seasonings and other ingredients will be used to produce products with mild flavor profiles suitable for institutional feeding systems. For crumbles and patties, seasonings and other ingredients will comprise no more than 2 percent of the raw formula.

.

Approved by CMS

- 333 MSG Monosodium Glutamate (MSG) is not allowed.
- Soy Protein Product (SPP) Beef Patties, Homestyle, Fully Cooked and Beef Crumbles, Fully Cooked must contain SPP in the raw formula that meets the following requirements:
- The source of the SPP will be soy and will be hydrated to yield no less than 18 percent protein (as is basis).
- The physical characteristics of SPP, in the dry form, must be either granular or textured. The types of soy that may be used are soy concentrate or isolate (65 percent and 85 percent as-is basis, respectively).
- Batter and Breading For Breaded Beef Patties, Only If flour is used in the batter and breading combination, it must be enriched.

400 PROCESSING

410 GRINDER PLATE

The size of the grinding plate for grinding boneless beef will be declared.

420 BONE COLLECTOR / EXTRUDER SYSTEM

A bone collector/extruder system must be in operation to effectively remove bone, cartilage, and heavy connective tissue during the final grind.

430 PATTIES

- Beef Patties with SPP, Homestyle, Fully Cooked, only Patties must comply with the following:
- 431.1 Handmade Appearance Patties will have a "handmade" appearance.
- 431.2 Grill Marks At least one side of the patties will have grill (char) marks.
- Breaded Beef Patties, Fully Cooked, Only Patties will have a round or oval shape.
- Raw Weight The raw weight of the patties will be declared and charted on control charts featuring average weight and range.
- IQF Patties will be IQF so the individual pieces do not stick together after they are packaged and packed.
- Pink Appearance Patties with pink appearance after cooking will not be allowed.

Approved by CMS

440 CRUMBLES

- Size The size of the crumbles will be ¼-inch maximum with an allowance of five percent 'fines' (<1/16-inch) in each immediate package. 'Fines' per immediate package will be charted on control charts featuring average value and range.
- IQF The crumbles will be IQF or may be produced from IQF's materials to prevent it from sticking together after freezing.
- Flavor Crumbles must not have a 'char-broil' flavor.

450 COOKING TEMPERATURE

451 All products will be fully cooked in accordance with FSIS regulations.

460 METAL DETECTION

All products will be free of metal contaminants. Detection of stainless steel, ferrous, and non-ferrous (e.g., lead, copper, and aluminum) metals is required. The contractor's technical proposal must identify and describe the equipment, location, detection procedure, sensitivity levels, frequency of equipment validation, and corrective action procedures.

500 FINISHED PRODUCT LIMITATIONS

The declared serving size, fat content and sodium level will be stated on the nutrition facts panel on each label according to FSIS nutritional labeling regulations.

520 FAT

- The fat content of the finished product will not exceed 13 percent
- 522 (Percent Fat = (Total Fat ÷ Serving Size (racc)) x 100).

530 SODIUM

- Sodium level must not exceed 340 mg per 100 g basis
- 532 ((Declared Sodium Level (mg) X 100) ÷ Declared Serving Size (grams racc) < 340)).

Approved by CMS

540 MEAT / MEAT ALTERNATES

Beef Patties with SPP, Homestyle, Fully Cooked, only – Patties must comply with the following Meat / Meat Alternate (MMA) designations:

Material Number	Portion Weight (ounces)	MMA (ounces)
110321	1.7	1.5
110322	2.2	2.0
100130	2.7	2.5

550 MICROBIAL

The contractor will have a documented plan to comply with the current FSIS Salmonella and Listeria monocytogenes requirements for ready-to-eat foods. Product tested positive for any pathogen will not be allowed as rework or delivery to USDA.

600 HEATING INSTRUCTIONS

Heating instructions for the end-user will be provided in the contractor's technical proposal and must be included on the immediate container and/or in the shipping container (e.g. flyer, included on the package label, etc.) as specified for a particular packing orientation discussed in Section 722.4 below. Finished product will be processed so that the end-user may prepare them in a conventional or microwave type oven for serving.

700 PREPARATION FOR DELIVERY

710 PACKAGING AND PACKING

- Packaging All products will be vacuum packaged or packed in a sealed (tamper proof) immediate package. In addition, beef taco fillings and sloppy joe mix will be hot-filled into reheatable high oxygen and high moisture barrier pouches.
- Packing^{1/} Four (4) 10-pound, five (5) 8-pound, eight (8) 5-pound, or twenty (20) 2-pound immediate containers (packages) will be packed in a 40-pound (net weight) shipping container.

Approved by CMS

^{1/}The contracting officer will designate the packing orientation permitted for each solicitation.

720 LABELING^{2/}

- The shipping containers will be in compliance with the National Motor Freight Classification, or the Uniform Freight Classification, as applicable. Both immediate and shipping containers will be labeled to include all information required by FSIS regulations.
- 722 Immediate Container Labels Immediate container labels will contain the following information:
- 722.1 A "Best-If-Used-By" date.
- A nutrition facts panel based on actual nutritional analysis of the product.
- A traceability code that is traced back to establishment number, production lot, and date.
- For the twenty (20) 2-pound packing orientation, the heating instructions must be included on the immediate container. The heating instructions for the four (4) 10-pound, five (5) 8-pound and eight (8) 5-pound packing orientations must be included in/on the shipping container and/or on the immediate container.
- 722.5 Ingredient declaration (including single ingredient products).
- 723 Shipping Container Labels Shipping container labels will contain the following information:
- 723.1 USDA shield at least 2 inches high and appearing on the top of the container or on the principal display panel.



- 723.2 Applicable purchase order number.
- 723.3 A traceability code that is traced back to establishment number, production lot, and date.
- 723.4 A nutrition facts panel based on actual nutritional analysis of the product.

Approved by CMS

^{2/}All labeling illustrations must be provided.

723.5 The appropriate product name and material number listed in the table below for each of the items.

<u>Item</u>	Material Number
Beef Patties with SPP, Homestyle, Fully Cooked – 1.7 oz. (MMA 1.5 oz.)	110321
Beef Patties with SPP, Homestyle, Fully Cooked – 2.2 oz. (MMA 2.0 oz.)	110322
Beef Patties with SPP, Homestyle, Fully Cooked – 2.7 oz. (MMA 2.5 oz.)	100130
Beef Taco Filling, Fully Cooked	100131
Breaded Beef Patties, Fully Cooked	100132
Beef Sloppy Joe Mix, Fully Cooked	100133
Beef Crumbles, Fully Cooked	100134
Beef Crumbles, Fully Cooked (LFTB Opt)	110264

An allergen statement in a format which complies with the Food Allergen Labeling and Consumer Protection Act (FALCPA) for any product which contains milk, eggs, fish, crustacean shellfish, tree nuts, peanuts, soy or wheat; e.g. Allergen: This product contains _____.

730 CLOSURE

Shipping containers will be closed by strapping, taping or gluing. When strapping is used, the initial closure (usually the bottom of container) shall be secured by the gluing or taping method.

740 PALLETIZED UNIT LOADS

All product shall be stacked on new or well-maintained pallets and palletized with shrink wrap plastic, unless otherwise specified in the solicitation. Pallet loads shall be stacked in a manner that minimizes the overhang of the shipping containers over the edges of the pallets and exposes each shipping container's principal display panel to facilitate certification examinations.

800 DELIVERY UNIT

Each delivery unit will consist of 1,000 cases and 40,000 pounds except for Beef Patties, Homestyle, Fully Cooked – 1.7, 2.2 and 2.7 ounces, which will consist of 950 cases and 38,000 pounds.

Approved by CMS

900 DELIVERED PRODUCT

910 SIZE AND STYLE OF CONTAINER

Only one size and style of immediate and shipping containers may be offered in an individual shipping unit.

920 TEMPERATURE

All products will not exceed 0°F at the time of shipment and delivery.

930 **SEALING**

Sealing - All products must be delivered to AMS assigned destinations under seal with tamper proof, tamper resistant, serially numbered, high security seals that meet the American Society for Testing and Materials Standard (ASTM) F 1157-04 and/or the International Organization for Standards (ISO) 17712-2010 as required under the Master Solicitation. Seals shall be $\geq \frac{1}{6}$ th inch diameter cable, high-security bolt, or equivalent.

1000 PRODUCT ASSURANCE

1010 WARRANTY AND COMPLAINT RESOLUTION

- 1011 Warranty The contractor will guarantee that the product complies with all contractual requirements required under the Master Solicitation and Supplement.
- 1012 Complaint Resolution The contractor's technical proposal must provide steps taken to resolve complaints received on the product (i.e. point of contact, cause and effect analysis, corrective and preventative actions taken, and product replacement).

1020 AMS MONITORING AND PRODUCTION ASSESSMENT

- The contractor has the option for using an AMS audit-based system or an AMS grader certification-based system.
- If the contractor uses the AMS grader certification-based system, a QA Division agent must be present during the production of the finished product for all USDA contracts. The QA Division agent will monitor and verify the processing steps, quality assurance activities, and any corrective actions to assure that all requirements outlined in the approved technical proposal and FPPS are complied with. The QA Division agent will be conducting the monitoring and production verification in accordance with applicable QA Division procedures. Any deviations to contractual requirements will be reported to the contractor and FSCS Division. The FSCS Division will make all determinations as to the acceptability of the product relative to findings documented by the QA Division agent.

Approved by CMS

1030 NON-CONFORMING PRODUCT

The contractor must have documented procedures that assure nonconforming product identification, segregation, and disposition in order to prevent misuse and that nonconforming product is not delivered to USDA. The plan must address 1) control and segregation of non-conforming product, 2) removal of any USDA markings, and 3) disposition of non-conforming product, including vendor notification in writing to the FSCS Division of final disposition (e.g., diverted to commercial production, cooked or destroyed).

1040 CONTRACTOR CHECKLOADING

- 1041 Contractor will perform checkloading examinations at the time of shipment and issue a contractor's certificate to accompany each shipment that includes all of the following information:
- 1041.1 Purchase Order Number/Purchase Order Line Item Number;
- 1041.2 Sales Order Number/Sales Order Line Item Number;
- 1041.3 Destination of shipment;
- 1041.4 Name of Product and applicable Material Number;
- 1041.5 Shipping Date;
- 1041.6 Production lot number(s) and date each lot was produced along with shipping container and immediate container code(s) and the code used that provides traceability to establishment number, production lot and date;
- 1041.7 Count of shipping containers and total projected net weight in each production lot:
- 1041.8 Identity of car or truck (car numbers and letters, seals, truck license, etc.) as applicable;
- 1031.9 Contractor certification that product conforms with the applicable specification (FPPS-CB-2015);
- 1031.10 Count and projected net weight verified and;
- 1031.11 Signature of company official responsible for checkloading.

Approved by Cms CMS



APPROVED

FEDERAL PURCHASE PROGRAM SPECIFICATION (FPPS) FOR COOKED PORK ITEMS Agricultural Marketing Service (AMS) Livestock, Poultry and Seed (LPS) Program Food Safety and Commodity Specification (FSCS) Division

Room 2628 S-Bldg, Phone: (202) 692-0342

Effective: March 2015

100 ITEM DESCRIPTIONS

- Pork Taco Filling, Fully Cooked This item consists of ground pork cooked in lightly seasoned ingredients for use in a variety of applications, including taco fillings, burritos, enchiladas and similar items.
- 102 <u>Pork Sloppy Joe Mix, Fully Cooked</u> This item consists of ground pork cooked in seasoned tomato product for use in a variety of applications, including sandwich filling and similar items.
- Breaded Pork Patties, Fully Cooked This item consists of ground pork that is formed into round or oval patties, breaded and Individually Quick Frozen (IQF) for use as sandwiches or a stand-alone item. Portion Weight 3.0 ounces.
- Pork Patties with SPP, Fully Cooked 2.7 oz. This item consists of ground pork with soy protein product (SPP) and sausage seasonings, formed into round or oval patties, fully cooked, and then IQF for use as sandwiches or a stand-alone item. Portion Weight 2.7 ounces.
- Pork Patties with SPP, Fully Cooked 1.2 oz. This item consists of ground pork with SPP and sausage seasonings, formed into round or oval patties, fully cooked, and then IQF for use as sandwiches or a stand-alone item. Portion Weight 1.2 ounce.
- 106 Pork Patty Links with SPP, Skinless, Fully Cooked This item consists of ground pork with SPP and sausage seasonings, processed into skinless links cylindrical in shape, fully cooked, and then IQF for use as a stand-alone item. Portion Weight 1.0 ounce.

Approved by Cms CMS

- Pork Patty Crumbles, Fully Cooked This item consists of ground pork with SPP that is lightly seasoned and processed to a crumble size of ¼-inch maximum for use in a variety of applications such as chili, sloppy joe, tacos, spaghetti sauce, pizza, lasagna, casseroles, pasta dishes, and any recipe that calls for ground pork.
- Formula Pork will comprise at least 75 percent of the raw formula for all items.
- Non-Meat Component Non-meat components will comprise no more than 25 percent of the raw formula.
- 130 Fat Fat will not exceed 13 g per 100 g basis.
- Sodium The sodium content will not exceed 440 mg per 100 g basis.
- Packing Four (4) 10-pound, five (5) 8-pound, eight (8) 5-pound, or twenty (20) 2-pound immediate containers (packages) will be packed in a 40-pound (net weight) shipping container.
- Delivery Unit Each delivery unit will consist of 1,000 cases and 40,000 pounds, except for the pork patties 1.2/2.7 ounces which will consist of 950 cases and 38,000 pounds.

200 CHECKLIST OF REQUIREMENTS

All items must be produced in accordance with Food Safety and Inspection Service (FSIS) regulations. The contractor's technical proposal, submitted to the FSCS Division, must adhere to the following Checklist of Requirements.

300 MATERIALS

The contractor's technical proposal must include procedures to address conformance with the following material requirements.

320 MEAT COMPONENT

- Pork (shall be derived from suitable lean from any portion of the sow and/or hog carcass) will be the only meat component allowed. Pork derived from boars is not permissible.
- Domestic Origin of Meat Component All sows and/or hogs will originate from U.S. produced livestock as defined in the Supplement.
- Harvesting (Slaughtering) All sows and/or hogs will be harvested in facilities that comply with the following requirements:
- 323.1 Humane Handling All sows and/or hogs will be humanely handled in accordance with all applicable FSIS regulations and AMS requirements.

Approved by CMS

- Non-Ambulatory Disabled Animals Meat from carcasses of non-ambulatory disabled livestock will not be included in USDA Purchase Programs.
- 323.3 Raw Material Type^{1/} The type of boneless pork utilized shall be specified from the following options:
- 323.3.1 Type I Sow Trimmings Only
- 323.3.2 Type II Hog Trimmings Only
- 323.3.3 Type III Combination of Sow and Hog Trimmings^{2/}
- 323.4 The contracting officer will designate the raw material type permitted for each solicitation.
- Boneless Pork Boneless pork will comply with the following requirements:
- 324.1 Traceability Contractors are responsible for providing sufficient product traceability and must have records to verify the source of raw materials used in each lot of product.
- 324.2 Handling All boneless pork must be maintained in excellent condition. The contractor's technical proposal shall include detailed production scheduling that addresses time and temperature controls necessary to maintain excellent condition of the boneless pork. Frozen boneless pork may be used provided it is processed into the final product within 60 days from the date of pack.
- Objectionable Materials Boneless pork shall be free of skin, bones, cartilages, organ tissue, heavy connective tissue, significant glandular tissue, spinal cord, and foreign materials.
- Mechanical Separation Meat that is mechanically separated from bone with automatic deboning systems, advanced lean (meat) recovery (AMR) systems, or powered knives will not be allowed.
- Pathogen Testing Boneless pork previously tested and found positive for any pathogen will not be allowed.

330 NON-MEAT COMPONENTS

Domestic Origin of Non-Meat Component – Significant ingredients (more than one percent) will be derived from U.S. produced products.

Approved by CMS

^{1/}One, two, or all of these types may be represented in the contractor's technical proposal.

^{2/}The contractor shall specify the ratio of these two raw material types in their technical proposal.

- Seasonings and Other Ingredients Seasonings and other ingredients will be used to produce products with mild flavor profiles suitable for institutional feeding systems. For pork patty crumbles and breaded patties, seasonings and other ingredients will comprise no more than 2 percent of the raw formula.
- 333 MSG Monosodium Glutamate (MSG) is not allowed.
- Soy Protein Product (SPP) Pork Patties with SPP, Pork Patty Links with SPP, and Pork Patty Crumbles must contain SPP in the raw formula that meets the following requirements:
- The SPP will be hydrated to yield no less than 18 percent protein (as-is basis).
- The physical characteristics of SPP, in the dry form, must be either granular or textured. The types of soy that may be used are soy concentrate or isolate (65 percent and 85 percent as-is basis, respectively).
- Batter and Breading For Breaded Pork Patties, Only If flour is used in the batter and breading combination, it must be enriched.

400 PROCESSING

410 GRINDER PLATE

The size of the grinding plate for grinding boneless pork will be declared.

420 BONE COLLECTOR / EXTRUDER SYSTEM

A bone collector/extruder system must be in operation to effectively remove skin, bone, cartilage, and heavy connective tissue during the final grind.

430 PATTIES

- Raw Weight The raw weight of the patties will be declared and charted on control charts featuring average weight and range.
- Individually Quick Frozen (IQF) Patties will be IQF so the individual pieces do not stick together after they are packaged and packed.
- Pink Appearance Patties with pink appearance after cooking will not be allowed.
- 434 Shape Patties will be round or oval shape.

Approved by Cms CMS

440 LINKS

- 441 Skinless Casing must be removed.
- Weight Target packaged weight per cooked link will be 1.0 ounce. The raw weight of links shall be declared. All weights will be charted on control charts featuring average weight and range.
- IQF Links will be IQF so individual links do not stick together after they are packaged.
- 444 Pink Appearance Links with pink appearance after cooking will not be allowed.

450 CRUMBLES

- Size The size of the crumbles will be ¼-inch maximum with an allowance of five percent 'fines' (<1/16-inch) in each immediate package. 'Fines' per immediate package will be charted on control charts featuring average value and range.
- IQF The crumbles will be IQF or may be produced from IQF's materials to prevent it from sticking together after freezing.
- 453 Flavor Crumbles must not have a 'char-broil' flavor.

460 COOKING TEMPERATURE

461 All products will be fully cooked in accordance with FSIS regulations.

470 METAL DETECTION

All products will be free of metal contaminants. Detection of stainless steel, ferrous, and non-ferrous (e.g., lead, copper, and aluminum) metals is required. The contractor's technical proposal must identify and describe the equipment, location, detection procedure, sensitivity levels, frequency of equipment validation, and corrective action procedures.

500 FINISHED PRODUCT LIMITATIONS

- The declared serving size, fat content and sodium level will be stated on the nutrition facts panel on each label according to FSIS nutritional labeling regulations.
- 520 FAT
- The fat content of the finished product will not exceed 13 percent
- 522 (Percent Fat = (Total Fat ÷ Serving Size) x 100).

Approved by CMS

530 SODIUM

- 531 Sodium level, must not exceed 440 mg per 100 g basis
- 532 ((Declared Sodium Level (mg) X 100) ÷ Declared Serving Size (grams racc*) < 440)).

540 MICROBIAL

Contractor will have documented plan to comply with the latest FSIS Salmonella and Listeria monocytogenes requirements for ready-to-eat foods. Product tested positive for any pathogen will not be allowed as rework or delivery to USDA.

600 HEATING INSTRUCTIONS

Heating instructions for the end-user will be provided in the contractor's technical proposal and must be included on the immediate container and/or in the shipping container (e.g. flyer, included on the package label, etc.) as specified for a particular packing orientation discussed in Section 722.4 below. Finished product will be processed so that the end-user may prepare them in a conventional or microwave type oven for serving.

700 PREPARATION FOR DELIVERY

710 PACKAGING AND PACKING

- Packaging All products will be vacuum packaged or packed in a sealed (tamper proof) immediate package. In addition, pork taco fillings and sloppy joe mix will be hot-filled into reheatable high oxygen and high moisture barrier pouches.
- Packing^{3/} Four (4) 10-pound, five (5) 8-pound, eight (8) 5-pound, or twenty (20) 2-pound immediate containers (packages) will be packed in a 40-pound (net weight) shipping container.

720 LABELING^{4/}

- The shipping containers will be in compliance with the National Motor Freight Classification, or the Uniform Freight Classification, as applicable. Both immediate and shipping containers will be labeled to include all information required by FSIS regulations.
- 722 Immediate Container Labels Immediate container labels will contain the following information:

Approved by Cms CMS

^{3/}The contracting officer will designate the packaging orientation permitted for each solicitation.

^{4/}All labeling illustrations must be provided.

- 722.1 A "Best-If-Used-By" date.
- 722.2 A nutrition facts panel based on actual nutritional analysis of the product.
- A traceability code that is traced back to establishment number, production lot, and date.
- For the twenty (20) 2-pound packing orientation, the heating instructions must be included on the immediate container. The heating instructions for the four (4) 10-pound, five (5) 8-pound and eight (8) 5-pound packing orientations must be included in/on the shipping container and/or on the immediate container.
- 722.5 Ingredient declaration (including single ingredient products).
- Shipping Container Labels Shipping container labels will contain the following information:
- 723.1 USDA shield at least 2 inches high and appearing on the top of the container or on the principal display panel.



- 723.2 Applicable purchase order number.
- A traceability code that is traced back to establishment number, production lot, and date.
- A nutrition facts panel based on actual nutritional analysis of the product.
- The appropriate product name and material number listed in the table below for each of the items.

<u>Item</u>	Material Number
Pork Taco Filling, Fully Cooked	100150
Breaded Pork Patties, Fully Cooked	100149
Pork Sloppy Joe Mix, Fully Cooked	100148
Pork Patties with SPP, Fully Cooked, 2.7 ounce	100145
Pork Patties with SPP, Fully Cooked, 1.2 ounce	100146
Pork Patty Links, Skinless, Fully Cooked, 1.0 ounce	100143
Pork Patty Crumbles, Fully Cooked	100144

An allergen statement in a format which complies with the Food Allergen Labeling and Consumer Protection Act (FALCPA) for any product which contains milk, eggs, fish, crustacean shellfish, tree nuts, peanuts, soy or wheat; e.g. Allergen: This product contains _____.

730 CLOSURE

Shipping containers will be closed by strapping, taping or gluing. When strapping is used, the initial closure (usually the bottom of container) shall be secured by the gluing or taping method.

740 PALLETIZED UNIT LOADS

All product shall be stacked on new or well-maintained pallets and palletized with shrink wrap plastic, unless otherwise specified in the solicitation. Pallet loads shall be stacked in a manner that minimizes the overhang of the shipping containers over the edges of the pallets and exposes each shipping container's principal display panel to facilitate certification examinations.

800 DELIVERY UNIT

Each delivery unit will consist of 1,000 cases and 40,000 pounds, except for pork patties 1.2/2.7 ounces which will consist of 950 cases and 38,000 pounds.

900 DELIVERED PRODUCT

910 SIZE AND STYLE OF CONTAINER

Only one size and style of immediate and shipping containers may be offered in an individual shipping unit.

920 TEMPERATURE

All products will not exceed 0°F at the time of shipment and delivery.

930 SEALING

Sealing - All products must be delivered to AMS assigned destinations under seal with tamper proof, tamper resistant, serially numbered, high security seals that meet the American Society for Testing and Materials Standard (ASTM) F 1157-04 and/or the International Organization for Standards (ISO) 17712-2010 as required under the Master Solicitation. Seals shall be >1/8th inch diameter cable, high-security bolt, or equivalent.

Approved by CMS

1000 PRODUCT ASSURANCE

1010 WARRANTY AND COMPLAINT RESOLUTION

- 1011 Warranty The contractor will guarantee that the product complies with all contractual requirements required under the Master Solicitation and Supplement.
- 1012 Complaint Resolution The contractor's technical proposal must provide steps taken to resolve complaints received on the product (i.e. point of contact, cause and effect analysis, corrective and preventative actions taken, and product replacement).

1020 AMS MONITORING AND PRODUCTION ASSESSMENT

- The contractor has the option for using an AMS audit-based system or an AMS grader certification-based system.
- If the contractor uses the AMS grader certification-based system, a QA Division agent must be present during the production of the finished product for all USDA contracts. The QA Division agent will monitor and verify the processing steps, quality assurance activities, and any corrective actions to assure that all requirements outlined in the approved technical proposal and FPPS are complied with. The QA Division agent will be conducting the monitoring and production verification in accordance with applicable QA Division procedures. Any deviations to contractual requirements will be reported to the contractor and FSCS Division. The FSCS Division will make all determinations as to the acceptability of the product relative to findings documented by the QA Division agent.

1030 NON-CONFORMING PRODUCT

The contractor must have documented procedures that assure nonconforming product identification, segregation, and disposition in order to prevent misuse and that nonconforming product is not delivered to USDA. The plan must address 1) control and segregation of non-conforming product, 2) removal of any USDA markings, and 3) disposition of non-conforming product, including vendor notification in writing to the FSCS Division of final disposition (e.g., diverted to commercial production, cooked or destroyed).

1040 CONTRACTOR CHECKLOADING

- 1041 Contractor will perform checkloading examinations at the time of shipment and issue a contractor's certificate to accompany each shipment that includes all of the following information:
- 1041.1 Purchase Order Number/Purchase Order Line Item Number:
- 1041.2 Sales Order Number/Sales Order Line Item Number;

Approved by Cms CMS

- 1041.3 Destination of shipment;
- 1041.4 Name of Product and applicable Material Number;
- 1041.5 Shipping Date;
- 1041.6 Production lot number(s) and date each lot was produced along with shipping container and immediate container code(s) and the code used that provides traceability to establishment number, production lot and date;
- 1041.7 Count of shipping containers and total projected net weight in each production lot;
- 1041.8 Identity of car or truck (car numbers and letters, seals, truck license, etc.) as applicable;
- 1041.9 Contractor certification that product conforms with the applicable specification (FPPS-CP-2015);
- 1041.10 Count and projected net weight verified and;
- 1041.11 Signature of company official responsible for checkloading.

Approved by Cms CMS

Cover Page:

Company Name

Company Address

Contact Person, including title, phone number, including emergency contact information, e-mail address (must be authorized to represent the company).

Technical Proposal for: [Supplement Number] and [FPPS]

Table of Contents (all pages and attachments must be number and identified – any attachments must be identified and referenced in the Technical Proposal).

The technical proposal should document a quality control program that includes procedures, records, forms, pictures, etc., which demonstrates conformance with the following checklist of requirements:

100	ITEM DESCRIPTION
200	CHECKLIST OF REQUIREMENTS
300	MATERIALS
320	MEAT COMPONENT
321	Domestic Origin of Meat Component
322	Harvest (Slaughter)
322.1	Humane Handling
322.2	Non-Ambulatory Cattle
322.3	Spinal Cord Removal
323.1	Traceability
330	NON-MEAT COMPONENTS
390	PACKING
400	PROCESSING
420	LABELING
430	PALLETIZED UNIT LOADS
440	DELIVERY UNIT

Approved by CMS

450	DELIVERED PRODUCT
460	SIZE AND STYLE OF CONTAINER
470	TEMPERATURE
480	SEALING
500	PRODUCT ASSURANCE
510	WARRANTY AND COMPLAINT RESOLUTION
511	Warranty
512	Complaint Resolution
600	NON-CONFORMING PRODUCT
700	AMS MONITORING AND PRODUCTION ASSESSMENT

Attachments or Appendixes - Please attach all referenced documents with the applicable document name and reference number.

Approved by CMS



APPROVED

FEDERAL PURCHASE PROGRAM SPECIFICATION (FPPS) FOR ANIMAL HANDLING AND WELFARE Agricultural Marketing Service (AMS) Livestock, Poultry and Seed (LPS) Program Food Safety and Commodity Specification (FSCS) Division

Room 2628 S-Bldg, Phone: (202) 692-0342

Supersedes: FPPS-AHW-2014 June 2014 – Changes from previous requirements in blue

Effective: January 2015

100 GENERAL

This document is for use by the Department of Agriculture (USDA), AMS, LPS Program to ensure that the animal handling and welfare requirements for Federal nutrition assistance programs reflect industry best practices.

110 PROGRAM APPROACH

All animal harvest facilities that supply raw materials from bovine, porcine and ovine species for the production of AMS destined finished products must develop and implement a written program that is consistent with a systematic approach to humane animal handling and welfare as outlined in 69 FR 54625. The program will ensure proper animal handling and welfare techniques are conducted from the time the transportation conveyance enters the facility's premises through the stunning and exsanguination of the animal.

120 PROGRAM SUBMISSION

The program will be submitted as a supporting document to the organization's approved technical proposal and must address the requirements outlined in **Section 200 – PROGRAM COMPONENTS**.

200 PROGRAM COMPONENTS

The contractor must ensure that any facility that harvests animals has a:

210 MANAGEMENT COMMITMENT

211 Steering Committee (internal) which is ultimately accountable for animal handling and welfare initiatives within the organization.

Approved by CMS

Date Issued: 08/11/08 Date Revised: 01/13/15 212 Mission Statement on animal handling and welfare that is distributed to all employees and conspicuously displayed at the premises.

220 TRAINING PROGRAM

- 221 Training program on Animal Handling and Welfare that:
- 221.1 is provided to all employees interacting with animals;
- 221.2 covers the AMI Recommended Animal Handling Guidelines and Audit Guide 2013 Edition;
- is facilitated by an employee that has earned and maintained a certification of animal handling and welfare training, such as that offered through the Professional Animal Auditor Certification Organization (PAACO) or an equivalent.
- 221.4 is conducted no less frequently than once a year for each designated employee; and,
- requires signed documentation from each employee and confirmation by signature of the designated, certified trainer upon successful completion of training.

230 QUALITY MANAGEMENT PLAN

- Written quality management plan (internal) which addresses all provisions of Chapter 3: Transportation Audit Guidelines, 7 Core Criteria and Chapter 4: Auditing Animal Handling and Stunning, 7 Core Criteria, of the AMI *Recommended Animal Handling Guidelines and Audit Guide 2013 Edition*, found at the following web site address:
- 231.1 http://animalhandling.org/ht/d/sp/i/26752/pid/26752
- This internal quality management plan must also provide for routine assessment and monitoring of humane handling through the use of a numerical scoring system conducted by a trained employee.
- All animal harvest facilities that supply raw materials from bovine, porcine and ovine species for the production of AMS destined finished products must have a fully functioning back-up stunning device onsite wherever animal stunning is performed.

240 NON-AMBULATORY AND U.S. SUSPECTS

241 CATTLE

Written protocol in-place and enforced that precludes the receipt of or having nonambulatory, disabled cattle on the harvest facility premise. In the event that animals become non-ambulatory or disabled at any time while present at the harvest facility, the animal will be humanely euthanized and the carcass removed from the premise in a timely manner through contracted services or other means.

Approved by CMS
Date Issued: 08/11/08

Date Revised: 01/13/15

243 HOGS AND SHEEP

Written protocol in-place and enforced that ensures all animals designated by Food Safety Inspection Service (FSIS) as U.S. Suspects (9 CFR 301.2) that are slaughtered are appropriately segregated during the harvest and production processes and precluded from inclusion in any products purchased by AMS.

300 PROGRAM EVALUATION AND ELIGIBILITY

- The program will be audited (external) by AMS or a firm accredited by AMS. The accreditation of the firm will be conducted by the Quality Assessment Division (QAD) through the **USDA ISO Guide 65 Program.** Alternatively, at the option of the organization, the audits can be performed by QAD auditors.
- Audit findings thought to be in conflict with Food Safety and Inspection Service (FSIS) regulations will be communicated to the establishment's FSIS Inspector in Charge (IIC) or designee.

310 AUDIT FORMAT

AMS or the AMS accredited auditing firm will conduct audits utilizing the following format:

TRANSPORTATION SEGMENT (CHAPTER 3: AMI RECOMMENDED ANIMAL HANDLING GUIDELINES AND AUDIT GUIDE 2013 EDITION)

- Audited organizations must pass Core Criteria 1 and 6 with a minimum scoring of excellent, Core Criteria 2 through 5 with a minimum scoring of acceptable and Core Criteria 7 must be adhered to with full compliance (zero tolerance) each time an audit is performed.
- 313 ANIMAL HANDLING AND STUNNING SEGMENT (CHAPTER 4: AMI RECOMMENDED ANIMAL HANDLING GUIDELINES AND AUDIT GUIDE 2013 EDITION)
- 313.1 Audited organizations must adhere to Core Criteria 1, 2, 6 and 7 with full compliance (zero tolerance) and to Core Criteria 3, 4 and 5 with a minimum scoring of Acceptable each time an audit is performed.^{1/}
- 313.2 The auditor shall inform FSIS and organization officials in writing of all audit findings, including any observations of missed stuns and/or animals regaining sensibility following stunning, upon completion of the audit during the exit interview.

Approved by CMS
Date Issued: 08/11/08
Date Revised: 01/13/15

^{1/}Religious harvest (Kosher and Halal) shall be exempt from the AMS auditing of Core Criteria 1: Effective Stunning.

320 INITIAL AUDIT

Initial audit must be performed prior to award of contracts.

330 AUDIT FAILURE

If an audit is failed for any of the Core Criteria, the organization is not eligible to provide product until such a time that corrective and preventative actions are approved by the Food Safety and Commodity Specification (FSCS) Division, implemented and proven effective.

340 AUDIT FREQUENCY AND STATUS

- 341 STANDARD Until four (4) consecutive successfully passed audits are attained, an audit must be conducted within 3 months of the previous audit.
- MONTHLY If at any time an audit identifies any of the Core Criteria not meeting the pass requirements while in the STANDARD phase, auditing will be required to be conducted on a monthly basis once corrective and preventative actions have been approved by the FSCS Division, implemented and proven effective. This schedule will be for a period of time until four (4) successive audits are found to meet the passing requirements noted in **SECTION 310 AUDIT FORMAT**; at which time audits shall be conducted on the STANDARD basis.
- If four successfully conducted audits are sequentially completed within a one year period while in STANDARD auditing phase, the facility may move to a SEMI-ANNUAL audit basis.
- 344 SEMI-ANNUAL Semi-annual audits may continue until such time that a failed audit is reported or a period of greater than six months has elapsed without any audits being performed; at which time the audits must resume as described for STANDARD audits.
- FOR-CAUSE Any official enforcement actions issued by FSIS for missed stuns or for an animal regaining sensibility following stunning shall result in an immediate forcause animal handling and welfare audit by AMS. Subsequent audit frequency will be determined by results of the AMS audit, as described above.

400 FSCS Division

- The FSCS Division can declare an organization's Animal Handing and Welfare Program out of compliance at any time.
- The organization shall immediately notify the FSCS Division when any animal handling and welfare official enforcement action is issued by FSIS.

Approved by CMS
Date Issued: 08/11/08
Date Revised: 01/13/15

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, POULTRY AND SEED PROGRAM

CERTIFICATE OF CONFORMANCE FOR THE PROCUREMENT OF COOKED BEEF AND PORK PRODUCTS, FROZEN

CERTIFICATE OF CONFORMANCE

I certify the following:

(1) On [delivery date(s)], [Contractor's name] furnished the (insert the appropriate
commodity description) called for by Purchase Order Numbervia [Carrier] under Sales Order Number/Item number(s):
(2) The (insert the appropriate material name) is of the quality specified and conforms in all respects with the purchase order requirements, including [Contractor's name] Technical Proposal as approved by the AMS, LPS Program, FSCS Division.
(3) Product identification, (i.e. production lot number(s)) is in the quantity shown on the attached acceptance document.
(4) Contractor assures all meat or meat products used in fulfilling this contract was produced in the United States as defined in the AMS Master Solicitation Section I.E.
Date:
Signature:
(Signed by an officer or representative authorized to sign offers)
Γitle:

Approved by CMS