



**U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON PROGRAM, MARKET NEWS BRANCH
3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
Telephone 901-384-3016**



QUALITY OF COTTON CLASSED

Volume 46, No. 15

29-Oct-04

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Classing Office	Week	Season
UPLAND		
Abilene	60,816	249,543
Birmingham	86,611	299,338
Corpus Christi	44,703	1,420,700
Dumas	275,074	1,370,551
Florence	177,566	628,238
Lamesa	27,046	41,216
Lubbock	97,823	127,741
Macon	207,601	617,762
Memphis	291,644	1,172,529
Phoenix	39,761	165,286
Rayville	117,903	525,305
Visalia	122,801	390,194
United States	1,549,349	7,008,403
Percent tenderable	77.3	79.5
AMERICAN PIMA		
Phoenix	1,194	1,456
Visalia	39,477	118,821
United States	40,671	120,277
United States all cotton	1,590,020	7,128,680

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	2.2	7.1	0.6	0.8	0.7	2.6	7.4	8.0	*	*
	3	6.9	18.8	10.9	6.7	7.7	16.3	28.3	37.8	0.2	0.3
	4	0.7	2.4	2.8	1.6	0.8	3.3	4.8	5.6	*	*
	5	*	0.1	*	*	*	*	0.1	0.1	-	-
	6	-	*	-	*	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	----	9.8	28.4	14.3	9.1	9.2	22.3	40.6	51.5	0.2	0.3
31	1-2	2.6	2.3	0.4	1.3	0.2	1.6	0.4	0.7	0.4	0.3
	3	26.4	23.9	30.0	36.1	19.8	25.9	11.1	19.0	20.3	20.8
	4	10.4	12.5	21.2	25.4	14.3	18.0	12.0	17.8	5.3	7.0
	5	1.9	2.0	2.0	2.2	1.0	1.4	1.4	1.8	0.2	0.2
	6	0.2	0.2	0.1	0.1	-	*	*	*	*	*
	7	*	*	*	*	-	*	-	*	-	-
Total	----	41.5	40.9	53.7	65.0	35.3	46.8	25.0	39.2	26.3	28.3
41	1-2	0.4	0.2	0.1	0.1	*	0.2	0.1	*	0.1	0.1
	3	12.2	4.8	10.2	8.7	8.0	5.7	8.1	2.0	36.0	31.6
	4	14.4	6.1	11.0	10.5	14.3	8.9	9.4	2.6	27.5	28.3
	5	5.0	2.3	2.4	2.1	3.1	2.1	2.0	0.8	3.3	2.5
	6	1.4	0.6	0.4	0.2	0.2	0.2	*	*	0.2	0.1
	7	0.3	0.1	0.1	*	*	*	*	*	-	*
Total	----	33.9	14.2	24.2	21.6	25.6	17.2	19.6	5.4	67.1	62.5
51	1-2	*	*	-	*	-	*	*	*	-	*
	3	0.3	0.1	0.3	0.1	0.8	0.5	0.6	0.1	0.3	0.2
	4	1.0	0.4	0.9	0.3	1.3	0.8	1.3	0.3	0.5	0.4
	5	0.7	0.3	0.2	0.1	0.5	0.3	0.7	0.2	0.2	0.1
	6	0.2	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	-	*	-	-	-	*
Total	----	2.3	0.9	1.4	0.5	2.6	1.6	2.6	0.6	0.9	0.8
61	1-2	-	*	-	*	-	-	-	-	-	-
	3	*	*	-	*	-	*	-	*	*	*
	4	*	*	-	*	*	*	-	*	*	*
	5	*	*	-	*	-	*	-	-	-	-
	6	-	-	-	*	-	*	-	-	-	*
	7	*	*	-	-	-	-	-	-	-	-
Total	----	*	*	-	*	*	*	-	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	-	*	-	-	-	*	-	-
12 & 22	1-2	0.2	0.7	-	*	*	0.1	*	*	-	*
	3	0.8	2.3	0.1	0.1	0.5	1.1	0.2	0.1	*	*
	4	0.3	0.8	*	*	0.1	0.5	0.1	0.1	*	*
	5	0.1	0.1	*	*	-	*	*	*	-	-
	6	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	----	1.4	4.0	0.2	0.1	0.6	1.8	0.4	0.2	*	*
32	1-2	0.1	0.2	*	*	*	0.1	*	*	*	*
	3	1.4	2.5	0.8	0.7	3.5	1.7	0.5	0.2	0.5	0.9
	4	1.6	3.2	0.6	0.7	4.8	2.5	0.6	0.4	0.3	0.6
	5	0.7	1.1	*	*	0.4	0.4	0.2	0.1	*	*
	6	*	0.1	*	*	*	*	*	*	-	*
	7	-	*	*	*	-	-	-	-	-	-
Total	----	3.8	7.1	1.5	1.5	8.7	4.7	1.3	0.7	0.8	1.6
42	1-2	*	*	*	*	*	*	*	*	*	*
	3	1.2	0.6	1.4	0.6	3.5	0.9	1.6	0.4	1.7	2.3
	4	1.9	1.1	1.5	0.9	7.0	2.0	4.3	0.9	2.0	3.2
	5	1.0	0.6	0.2	0.1	1.4	0.8	1.8	0.4	0.4	0.4
	6	0.3	0.2	*	*	0.1	0.1	*	*	0.1	*
	7	0.1	0.1	*	*	*	*	*	*	-	-
Total	----	4.6	2.6	3.1	1.6	12.0	3.8	7.6	1.7	4.1	6.0
52	1-2	*	*	-	-	-	*	*	*	-	*
	3	0.2	0.1	0.2	*	0.7	0.1	0.4	0.1	0.1	0.1
	4	0.2	0.1	0.8	0.2	1.3	0.3	1.1	0.2	0.2	0.2
	5	0.2	0.1	0.2	0.1	0.5	0.2	0.7	0.1	0.1	*
	6	0.1	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	-	-	-	*
Total	----	0.7	0.2	1.2	0.4	2.5	0.7	2.2	0.5	0.4	0.3

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	*	-	-	-	-
	3	*	*	-	-	*	*	*	*	-	-
	4	*	*	*	*	*	*	*	*	*	*
	5	*	*	-	*	*	*	-	*	*	*
	6	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	*	*	-	*	-	*
	Total	----	*	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	-	-	-	*	*	*	-	-
	3	0.1	0.1	*	*	*	*	*	*	*	*
	4	0.1	*	-	-	*	*	*	*	*	*
	5	*	*	-	*	-	*	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	0.2	0.2	*	*	*	*	*	*	*
33	1-2	0.1	*	*	*	-	*	*	*	*	*
	3	0.5	0.4	*	*	0.4	0.1	0.2	0.1	*	*
	4	0.4	0.4	*	*	0.6	0.3	0.2	*	*	*
	5	0.1	0.1	*	*	0.1	*	*	*	*	*
	6	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	1.0	0.9	0.1	0.1	1.1	0.5	0.4	0.1	*
43	1-2	-	*	*	*	-	*	*	*	-	-
	3	0.1	*	*	*	0.4	0.1	0.1	*	0.1	0.1
	4	0.1	0.1	0.1	0.1	0.9	0.3	0.1	*	0.1	*
	5	0.1	0.1	*	*	0.3	0.1	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*
	7	*	*	0.1	*	*	*	-	-	-	-
	Total	----	0.3	0.3	0.2	0.1	1.6	0.4	0.2	0.1	0.2
53	1-2	*	*	-	-	-	-	-	-	-	*
	3	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	0.2	*	*	*	*	*
	5	*	*	-	-	0.2	*	*	*	*	*
	6	*	*	-	-	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	-
	Total	----	0.1	*	0.1	*	0.6	0.1	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	*	-	-	-	-
	4	*	*	*	*	*	*	-	-	-	-
	5	-	-	-	-	*	*	-	-	-	-
	6	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	*	*	-	-	-	-
	Total	----	*	*	*	*	*	*	-	*	-
24 - 54	1-7	0.2	0.1	*	*	0.2	0.1	*	*	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	-	*	*	*	*	*	-	-
All Colors	8 2/	0.2	0.1	*	*	*	*	-	*	-	*
EXTRANEous MATTER											
Bark - Level 1		19.7	17.3	0.9	0.6	14.5	14.1	0.7	0.3	2.1	1.4
Bark - Level 2		-	*	-	-	-	*	-	-	-	*
Grass - Level 1		0.2	0.2	0.1	0.3	1.3	2.3	0.2	0.2	1.6	1.3
Grass - Level 2		*	*	-	-	*	*	*	*	-	-
Prep - Level 1		*	*	0.1	0.1	0.3	0.2	0.1	*	0.2	0.3
Prep - Level 2		-	*	-	-	*	*	*	*	-	-
Other - Level 1		*	*	-	*	0.1	*	*	*	-	*
Other - Level 2		*	*	-	*	*	*	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		*	*	-	-	-	-	-	-	-	-
30		0.2	0.1	-	-	-	*	-	-	-	-
31		0.8	0.8	*	0.1	*	0.1	-	-	*	*
32		4.1	5.0	1.2	1.9	1.3	1.2	*	*	0.3	0.3
33		12.6	15.3	10.8	13.4	3.5	4.8	0.9	2.2	3.4	4.0
34		22.9	25.8	29.5	31.2	9.5	9.9	9.3	15.5	16.2	18.1
35		25.6	25.9	36.4	35.5	16.1	16.8	33.9	37.4	37.9	38.5
36		20.7	15.7	18.5	15.0	25.8	23.5	40.2	33.8	33.2	31.4
37		11.4	9.1	3.4	2.6	39.4	35.0	15.1	10.5	8.8	7.6
38 & longer		1.6	2.3	0.2	0.2	4.4	8.9	0.6	0.5	0.2	0.1
Average staple		34.8	34.7	34.7	34.6	36.0	36.0	35.6	35.4	35.3	35.2

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
		Week	Season								
Color 11 & 21	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	1-2	1.5	1.2	1.3	1.2	*	0.2	5.9	8.1	86.3	81.6
	3	2.9	2.7	7.8	6.6	0.7	1.3	38.6	43.8	4.4	6.1
	4	0.2	0.2	2.5	2.0	0.1	0.1	5.4	6.4	0.1	0.4
	5	-	-	*	*	*	*	0.1	0.1	*	*
	6	-	-	*	*	-	-	*	*	-	*
	7	-	-	*	*	-	-	-	-	-	-
Total	----	4.7	4.2	11.5	9.9	0.8	1.6	49.9	58.3	90.8	88.1
31	1-2	3.9	3.5	0.5	0.4	0.3	0.7	0.2	0.5	3.8	2.2
	3	27.6	24.1	19.9	17.6	22.2	26.6	18.6	18.7	1.2	0.7
	4	15.2	12.1	26.4	23.9	7.2	7.7	17.7	16.5	0.2	0.5
	5	0.5	0.4	2.3	2.2	0.1	0.1	1.2	1.5	0.1	0.1
	6	*	*	*	*	-	*	*	*	-	*
	7	-	-	*	*	-	-	*	*	-	*
Total	----	47.2	40.1	49.1	44.1	29.7	35.2	37.7	37.3	5.4	3.6
41	1-2	0.6	0.5	*	*	0.2	0.2	*	*	0.1	0.1
	3	10.8	9.8	3.1	3.7	31.4	28.1	2.4	0.8	0.1	*
	4	17.7	19.0	12.6	15.2	27.7	23.5	6.0	2.0	0.2	*
	5	2.6	2.8	4.4	4.9	0.7	0.7	1.2	0.5	0.1	*
	6	0.1	0.2	0.3	0.3	*	*	*	*	*	*
	7	*	*	*	*	*	*	-	*	-	*
Total	----	31.9	32.2	20.4	24.3	60.0	52.5	9.6	3.4	0.4	0.3
51	1-2	*	*	-	-	*	*	-	*	*	*
	3	0.1	0.1	0.1	0.1	1.1	0.7	*	*	-	*
	4	0.2	0.2	0.1	0.3	2.3	1.4	0.1	*	-	*
	5	0.1	0.1	0.2	0.3	0.2	0.1	*	*	-	*
	6	*	*	*	0.1	*	*	*	*	*	*
	7	-	-	*	*	-	*	-	*	-	*
Total	----	0.3	0.3	0.3	0.8	3.6	2.3	0.2	0.1	*	*
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	*	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	*	-	*	-	-
Total	----	-	*	-	-	-	*	*	*	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	----	-	-	*	*	*	*	-	-	-	-
12 & 22	1-2	0.1	*	*	0.1	-	*	*	*	2.2	5.2
	3	0.3	0.4	0.3	0.3	*	*	0.2	0.1	0.8	1.9
	4	*	0.1	0.2	0.2	-	*	*	*	*	0.1
	5	-	-	*	*	-	-	*	*	*	*
	6	-	-	-	-	-	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	----	0.4	0.5	0.6	0.6	*	*	0.3	0.1	3.0	7.2
32	1-2	0.4	0.5	0.1	0.1	*	*	*	*	*	0.2
	3	3.6	4.1	3.3	3.1	0.2	0.9	0.4	0.2	*	0.1
	4	2.3	2.3	3.9	3.5	0.2	0.5	0.5	0.2	*	0.1
	5	0.1	0.1	0.5	0.4	*	*	0.1	*	*	*
	6	*	*	*	*	-	-	*	*	*	*
	7	-	*	-	-	-	-	*	*	-	*
Total	----	6.3	7.0	7.8	7.3	0.4	1.4	1.0	0.4	0.1	0.5
42	1-2	*	0.1	*	*	*	*	*	*	*	*
	3	1.6	4.1	2.1	2.8	1.2	1.8	0.3	0.1	*	*
	4	5.4	7.4	5.2	6.4	2.4	3.2	0.6	0.2	*	*
	5	1.1	1.5	1.4	1.6	0.1	0.2	0.1	*	*	*
	6	0.1	0.3	0.2	0.2	-	*	*	*	-	*
	7	*	0.2	*	*	-	*	-	-	*	*
Total	----	8.2	13.5	8.9	11.1	3.7	5.1	1.0	0.3	*	0.1
52	1-2	-	-	-	*	*	*	*	*	*	*
	3	0.1	*	*	0.1	0.3	0.2	*	*	-	-
	4	0.1	0.1	0.1	0.3	0.9	0.8	*	*	*	*
	5	*	0.1	0.1	0.1	0.1	0.1	*	*	*	*
	6	*	*	*	*	-	*	*	*	*	*
	7	-	-	*	*	-	-	-	-	*	*
Total	----	0.2	0.2	0.2	0.5	1.3	1.2	0.1	*	*	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	*	*	*	*	-	-
	4	-	-	-	*	*	*	*	*	-	-
	5	-	-	*	*	-	*	-	-	-	-
	6	-	-	-	*	-	-	*	*	-	-
	7	-	-	-	-	*	-	-	-	-	-
	Total	----	*	*	*	*	*	*	*	-	-
13 & 23	1-2	-	-	*	*	-	*	*	*	*	0.1
	3	*	*	*	*	*	*	*	*	0.1	*
	4	-	*	*	*	-	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	*	*	*	*	*	*	*	0.1	0.1
33	1-2	-	*	*	*	*	*	*	*	*	*
	3	-	0.2	0.1	0.2	*	0.1	0.1	*	*	*
	4	*	0.5	0.1	0.1	*	*	*	*	*	*
	5	-	0.1	*	*	-	*	*	*	*	*
	6	-	*	*	*	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	*	0.7	0.2	0.2	*	0.1	0.1	0.1	*
43	1-2	*	*	*	*	*	*	*	*	*	*
	3	0.3	0.3	0.5	0.5	0.1	0.1	*	*	-	*
	4	0.2	0.4	0.3	0.4	0.2	0.2	*	*	*	*
	5	0.1	0.1	*	*	*	*	*	*	*	*
	6	*	*	*	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
	Total	----	0.6	0.8	0.8	0.9	0.3	0.3	*	*	*
53	1-2	-	-	*	*	-	*	-	*	-	-
	3	*	*	*	0.1	*	*	*	*	-	-
	4	*	*	*	0.1	0.1	0.1	*	*	*	*
	5	*	*	*	*	*	*	-	-	-	-
	6	*	*	-	*	-	*	*	*	-	-
	7	-	-	-	-	*	-	-	-	-	-
	Total	----	0.1	0.1	*	0.2	0.1	0.1	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	*	*	-	*	-	-
	4	-	-	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	-	-	*	*	*	*	*	-	-
24 - 54	1-7	*	0.3	*	*	*	*	*	*	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	-	-
All Colors	8 2/	-	-	*	*	-	*	-	*	-	-
EXTRANEous MATTER											
Bark - Level 1		27.4	27.3	12.8	11.6	3.1	2.2	0.1	0.2	0.1	0.2
Bark - Level 2		-	-	-	-	*	*	-	-	-	-
Grass - Level 1	*	*	*	*	*	0.2	0.2	0.1	0.1	0.3	0.9
Grass - Level 2	-	-	-	-	-	*	*	-	*	-	-
Prep - Level 1	*	0.2	*	*	*	0.9	1.3	*	*	*	*
Prep - Level 2	-	*	-	-	*	*	*	-	*	-	-
Other - Level 1	*	*	*	*	*	*	*	*	0.1	0.4	0.7
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29	-	-	*	*	-	-	-	-	-	-	-
30	-	-	0.1	0.1	*	*	-	-	*	*	*
31	0.2	0.1	0.3	0.3	0.1	0.1	*	*	0.2	0.1	
32	0.7	1.2	2.7	2.7	0.8	0.9	0.4	0.5	0.6	0.9	
33	4.9	7.0	11.7	11.4	6.8	8.1	5.4	6.9	3.0	4.9	
34	18.7	21.4	21.4	21.6	28.5	30.8	24.1	27.1	10.8	19.9	
35	31.3	32.2	26.8	27.8	40.7	40.2	37.2	37.8	25.9	35.5	
36	26.3	22.8	25.7	25.8	18.7	16.4	26.3	23.0	33.3	26.6	
37	15.4	12.9	10.3	9.5	4.2	3.4	6.4	4.4	21.7	10.4	
38 & longer	2.6	2.3	0.9	0.8	0.2	0.2	0.3	0.2	4.5	1.7	
Average staple	35.3	35.2	34.9	34.9	34.8	34.7	35.0	34.9	35.7	35.2	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	RAYVILLE		VISALIA				
		Week	Season	Week	Season			
Color 11 & 21	Pct.	Pct.	Pct.	Pct.				
	1-2	2.3	5.2	46.0	54.4			
	3	9.0	21.8	43.2	36.0			
	4	1.0	1.0	2.9	1.9			
	5	*	*	0.1	*			
	6	-	*	*	*			
	7	-	-	-	-			
Total	----	12.2	28.1	92.3	92.4			
31	1-2	0.4	1.2	0.5	1.0			
	3	11.7	31.7	3.4	4.0			
	4	6.0	13.1	1.6	1.3			
	5	0.3	0.9	0.3	0.2			
	6	*	*	*	*			
	7	-	*	-	-			
Total	----	18.4	46.9	5.8	6.5			
41	1-2	0.1	*	*	*			
	3	21.7	7.1	0.4	0.2			
	4	16.3	7.2	0.2	0.1			
	5	1.0	1.5	0.1	*			
	6	*	0.1	*	*			
	7	-	*	-	-			
Total	----	39.1	15.9	0.7	0.4			
51	1-2	*	*	*	*			
	3	5.4	1.5	-	-			
	4	8.1	2.2	-	*			
	5	1.0	0.3	-	-			
	6	*	*	-	-			
	7	-	*	-	-			
Total	----	14.5	4.0	*	*			
61	1-2	-	-	-	-			
	3	*	*	-	-			
	4	*	*	-	-			
	5	*	*	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	0.1	*	-	*			
71	1-2	-	-	-	-			
	3	*	*	-	-			
	4	*	*	-	-			
	5	-	-	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	*	*	-	-			
12 & 22	1-2	*	*	0.3	0.2			
	3	*	*	0.3	0.2			
	4	*	*	*	*			
	5	*	*	*	*			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	0.1	0.1	0.7	0.5			
32	1-2	*	*	*	*			
	3	0.4	0.2	0.2	0.1			
	4	0.3	0.2	0.1	0.1			
	5	*	*	*	*			
	6	*	*	*	*			
	7	-	-	-	-			
Total	----	0.7	0.5	0.4	0.2			
42	1-2	*	*	*	*			
	3	3.1	0.9	*	*			
	4	4.8	1.4	*	*			
	5	1.0	0.4	*	*			
	6	*	*	*	*			
	7	*	*	-	-			
Total	----	8.9	2.8	0.1	*			
52	1-2	*	*	-	-			
	3	1.3	0.4	*	*			
	4	2.8	0.8	*	*			
	5	1.0	0.3	*	*			
	6	*	*	-	-			
	7	*	*	-	-			
Total	----	5.2	1.5	*	*			

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	Leaf	RAYVILLE		VISALIA				
		Week	Season	Week	Season			
Color 62	Pct.	Pct.		Pct.	Pct.			
	1-2	-	*	-	-			
	3	*	*	-	-			
	4	0.1	*	-	-			
	5	*	*	-	*			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	0.1	*	-	*			
13 & 23	1-2	*	*	-	-			
	3	*	*	*	*			
	4	-	*	-	-			
	5	-	-	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	*	*	*	*			
33	1-2	*	*	-	-			
	3	0.1	0.1	*	*			
	4	*	*	*	*			
	5	*	*	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	0.2	0.1	*	*			
43	1-2	*	*	*	*			
	3	0.1	*	*	*			
	4	0.1	*	-	-			
	5	*	*	*	*			
	6	*	*	-	-			
	7	-	-	-	-			
Total	----	0.2	0.1	*	*			
53	1-2	-	-	-	-			
	3	*	*	*	*			
	4	0.1	*	-	-			
	5	0.1	*	-	-			
	6	*	*	*	*			
	7	-	-	-	-			
Total	----	0.2	*	*	*			
63	1-2	-	-	-	-			
	3	*	*	-	-			
	4	*	*	-	-			
	5	*	*	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
Total	----	*	*	-	-			
24 - 54	1-7	*	*	-	-			
25 - 35	1-7	-	-	-	-			
81 - 85 1/	1-7	*	*	*	*			
All Colors	8 2/	-	*	-	*			
EXTRANEous MATTER								
Bark - Level 1	0.3	0.2	0.1	0.1				
Bark - Level 2	-	-	-	-				
Grass - Level 1	0.6	0.4	0.2	0.2				
Grass - Level 2	-	*	-	-				
Prep - Level 1	0.4	0.1	*	*				
Prep - Level 2	-	*	*	*				
Other - Level 1	*	*	0.2	0.1				
Other - Level 2	-	*	-	-				
STAPLE								
28 & shorter	-	-	-	-				
29	-	-	-	*				
30	-	-	*	*				
31	-	*	*	*				
32	*	0.1	0.1	0.1				
33	1.1	2.5	0.8	0.6				
34	10.7	17.5	3.8	3.5				
35	35.4	39.6	16.6	15.7				
36	38.9	30.2	25.4	25.6				
37	12.3	9.0	30.6	33.5				
38 & longer	1.6	1.1	22.6	20.8				
Average staple	35.6	35.3	36.5	36.5				

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	*	*	-	-	-	-	-	-	-	-
19	*	*	-	-	*	*	-	-	-	-
20	*	*	-	-	*	*	-	-	-	-
21	*	*	-	-	*	*	-	-	*	*
22	0.1	*	-	*	*	*	-	-	*	*
23	0.1	0.1	*	0.1	0.1	*	*	*	0.1	0.1
24	0.6	0.8	0.4	0.4	0.1	0.1	0.1	0.1	0.7	0.6
25	2.1	3.0	1.9	2.3	0.6	0.5	0.3	0.3	3.6	3.2
26	5.9	7.7	7.0	8.1	1.7	1.7	0.8	1.2	9.9	10.1
27	12.7	14.7	15.2	16.6	3.2	3.4	2.8	4.5	19.2	19.4
28	20.7	21.2	22.5	22.6	4.2	5.3	9.3	13.9	25.5	24.2
29	21.9	20.0	20.7	20.2	8.1	7.2	22.4	26.8	20.2	19.7
30	17.0	14.1	13.9	13.1	8.2	10.2	29.8	27.3	11.5	12.2
31	9.9	8.3	9.2	8.4	9.9	17.1	20.4	15.9	5.6	6.3
32	5.1	4.7	5.2	4.8	14.0	24.2	9.0	6.6	2.6	2.8
33	2.3	2.6	2.7	2.3	23.3	19.2	3.5	2.4	0.9	1.0
34	1.1	1.5	1.0	0.9	18.8	8.4	1.0	0.7	0.2	0.3
35	0.4	0.7	0.3	0.3	5.5	2.1	0.4	0.3	*	*
36 & above	0.1	0.4	0.1	*	2.3	0.4	0.1	0.1	*	*
Average	28.9	28.8	28.8	28.7	31.9	31.3	30.0	29.7	28.2	28.3
MIKE										
24 & below	-	-	-	*	-	*	-	-	-	*
25	*	*	-	*	-	*	-	*	-	*
26	0.1	*	*	*	-	*	-	*	-	*
27	0.1	*	-	*	*	*	*	*	-	*
28	0.1	*	*	*	*	*	*	*	*	*
29	0.2	*	*	*	*	*	*	*	*	*
30	0.2	0.1	*	*	0.1	*	*	*	*	*
31	0.4	0.2	0.1	0.1	*	*	*	*	*	*
32	0.5	0.2	0.2	0.1	0.2	0.1	*	*	*	*
33	0.8	0.3	0.5	0.3	0.2	0.1	*	*	*	*
34	1.2	0.5	0.7	0.5	0.6	0.2	0.1	0.1	*	*
35	1.5	0.7	1.3	1.1	0.7	0.4	0.2	0.3	0.1	*
36	2.3	1.1	2.1	1.8	0.9	0.6	0.4	0.5	0.1	0.1
37	3.3	1.8	2.8	2.8	1.4	0.9	0.8	1.0	0.2	0.2
38	4.7	2.7	3.8	4.0	2.1	1.7	1.3	1.7	0.6	0.6
39	5.8	3.6	5.0	4.9	2.9	2.7	1.8	2.4	1.0	1.3
40	6.6	4.2	6.0	6.1	4.1	4.2	2.5	3.2	2.2	2.5
41	8.0	5.5	6.9	7.0	5.4	6.0	3.3	4.4	4.1	4.2
42	8.4	6.6	7.4	7.7	8.1	7.7	4.8	5.6	5.8	5.9
43	8.8	7.6	8.6	8.7	8.5	9.5	6.6	6.7	7.3	7.6
44	8.6	8.6	9.6	9.4	9.0	11.1	8.4	7.9	9.8	9.3
45	8.5	9.4	9.8	9.5	9.6	11.7	10.1	9.3	12.1	11.1
46	7.4	9.2	9.7	9.3	10.7	11.5	12.2	10.8	12.9	12.5
47	6.1	8.7	8.2	8.3	10.6	10.2	12.2	11.6	12.3	12.3
48	4.7	7.7	6.4	6.7	8.2	8.2	11.6	11.5	10.3	10.7
49	4.3	6.4	4.6	5.2	5.8	6.0	9.5	9.4	8.2	8.4
50	3.2	5.2	3.0	3.1	4.7	3.7	6.4	6.4	5.7	5.7
51	2.0	4.1	1.7	1.8	3.6	2.2	4.1	3.8	3.6	3.7
52	1.2	3.0	0.9	1.0	1.9	1.0	2.3	2.2	2.2	2.2
53	0.6	1.5	0.4	0.4	0.5	0.3	0.9	0.8	1.0	1.1
54	0.2	0.6	0.2	0.2	0.1	0.1	0.3	0.3	0.4	0.5
55	0.1	0.3	*	*	*	*	0.1	0.1	0.1	0.1
56	*	0.1	*	*	*	*	*	*	*	*
57	*	*	-	*	-	*	*	*	-	*
58	-	*	-	-	-	*	*	*	-	*
59	-	*	-	-	-	*	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-	-
Average	43	45	44	44	45	45	46	46	46	46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season								
STRENGTH 1/	Pct.									
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	*	-	-	-
21	-	-	-	-	*	*	-	*	-	-
22	-	-	*	*	*	*	-	*	*	*
23	*	*	*	*	*	*	*	*	*	0.1
24	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.4	0.7
25	0.7	1.2	0.6	0.6	0.4	0.5	0.8	0.7	1.6	3.2
26	3.2	4.5	2.6	2.5	1.8	2.0	3.6	3.4	3.6	7.7
27	11.0	11.9	6.1	6.1	6.8	7.2	11.6	11.7	8.0	14.1
28	18.9	18.8	11.7	11.8	17.3	17.7	24.9	25.8	14.3	19.5
29	26.2	24.0	17.4	17.6	26.5	26.1	29.2	30.0	19.4	20.2
30	22.7	20.9	21.0	21.0	23.3	22.6	17.7	17.3	21.3	16.2
31	11.5	12.2	19.3	19.1	13.4	13.3	7.5	6.7	16.9	10.4
32	4.2	4.6	12.3	12.7	6.6	6.7	2.8	2.5	8.9	5.1
33	1.2	1.3	5.7	5.7	2.9	2.8	1.2	1.1	3.7	2.0
34	0.3	0.3	2.3	2.2	0.9	0.9	0.3	0.4	1.3	0.7
35	0.1	0.2	0.7	0.6	0.1	0.1	0.1	0.1	0.4	0.2
36 & above	*	*	0.1	*	*	*	*	*	0.1	*
Average	29.1	29.1	30.0	30.0	29.5	29.5	28.9	28.8	29.6	28.8
MIKE										
24 & below	*	*	0.3	0.2	-	-	-	-	-	*
25	*	*	0.3	0.2	-	-	*	*	-	*
26	0.3	0.2	0.9	0.8	-	-	*	*	*	*
27	1.4	1.0	1.9	1.9	-	-	*	*	*	*
28	2.1	1.5	2.4	2.5	*	*	*	*	-	*
29	2.6	2.0	2.9	3.1	-	*	*	*	*	*
30	4.6	4.0	4.1	4.1	*	*	*	*	*	*
31	5.5	5.3	5.6	5.3	*	*	*	*	0.1	0.1
32	6.9	6.1	5.8	5.5	0.1	*	*	0.1	0.1	0.1
33	7.4	7.1	6.7	6.3	0.1	0.1	0.1	0.1	0.3	0.1
34	8.2	8.0	7.5	7.2	0.2	0.1	0.3	0.3	0.3	0.1
35	8.5	8.7	8.3	8.4	0.5	0.3	0.8	0.8	0.6	0.2
36	8.3	8.4	8.4	8.8	0.9	0.6	1.8	1.6	1.3	0.5
37	8.1	8.0	8.0	8.4	1.6	1.1	2.8	2.5	1.4	0.7
38	7.6	7.2	7.3	7.5	2.3	1.7	3.6	3.7	1.5	1.2
39	6.2	6.5	6.7	6.8	3.3	2.6	4.9	5.1	2.2	2.1
40	5.8	6.3	5.9	5.9	4.8	3.8	6.4	6.6	3.0	3.1
41	4.8	5.6	4.8	4.8	6.6	5.5	7.3	7.8	3.6	4.3
42	3.4	4.4	4.1	4.1	7.8	7.0	8.5	8.9	4.6	5.8
43	3.3	3.9	3.1	3.2	9.5	9.0	9.1	9.6	5.6	7.1
44	2.7	2.9	2.0	2.0	10.7	11.2	8.9	9.6	7.0	8.2
45	1.1	1.3	1.1	1.1	11.3	12.3	9.7	9.6	8.0	8.3
46	0.6	0.8	0.6	0.6	11.5	12.4	8.9	8.7	9.4	8.8
47	0.5	0.5	0.4	0.4	10.1	10.9	7.9	7.7	10.6	9.4
48	0.2	0.1	0.4	0.4	7.4	8.5	6.6	6.4	10.5	9.4
49	0.1	0.1	0.2	0.2	4.8	5.6	5.0	4.6	9.5	9.0
50	*	*	0.1	0.1	3.0	3.4	3.4	3.1	7.4	7.7
51	-	-	*	*	1.8	2.0	2.0	1.8	6.2	5.8
52	-	-	*	*	1.1	1.1	1.0	0.9	3.6	3.8
53	-	-	-	*	0.5	0.4	0.5	0.3	1.8	1.9
54	-	-	-	-	0.2	0.2	0.2	0.1	0.8	1.2
55	-	-	-	-	0.1	0.1	0.1	*	0.4	0.6
56	-	-	-	-	*	*	*	*	0.1	0.3
57	-	-	-	-	*	*	*	*	*	*
58	-	-	-	-	-	*	-	*	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	36	36	36	36	44	45	44	44	46	46

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.			
17 & below	-	-	-	-			
18	-	-	-	-			
19	-	-	-	-			
20	-	-	-	-			
21	-	-	-	-			
22	-	*	-	-			
23	*	*	-	-			
24	*	*	*	*			
25	0.1	0.2	0.1	0.1			
26	0.9	1.1	0.2	0.3			
27	4.5	5.0	0.6	0.7			
28	13.8	15.1	1.3	1.1			
29	24.7	26.3	2.2	2.2			
30	26.5	25.1	5.3	6.1			
31	15.6	14.0	11.5	12.5			
32	7.0	6.6	16.3	17.2			
33	3.6	3.5	22.0	23.5			
34	2.1	2.0	23.6	21.9			
35	0.9	0.8	12.6	10.7			
36 & above	0.2	0.2	4.3	3.8			
Average	29.9	29.7	32.9	32.7			
MIKE							
24 & below	-	-	-	-			
25	-	-	-	-			
26	-	*	-	-			
27	-	*	-	-			
28	*	*	-	-			
29	*	*	*	*			
30	*	*	-	*			
31	*	*	*	*			
32	*	*	*	*			
33	*	*	0.1	0.2			
34	*	*	0.2	0.3			
35	*	0.1	0.4	0.5			
36	0.1	0.1	0.8	1.0			
37	0.2	0.2	1.8	1.9			
38	0.2	0.3	3.3	3.2			
39	0.4	0.5	5.3	5.0			
40	0.8	0.9	7.6	7.1			
41	1.4	1.5	9.1	9.2			
42	2.4	2.6	10.5	10.7			
43	3.4	4.0	11.4	12.3			
44	4.9	5.7	11.3	11.6			
45	7.3	7.5	10.4	9.9			
46	10.0	9.8	9.1	8.7			
47	13.3	12.7	6.9	7.3			
48	15.0	14.6	5.1	5.1			
49	15.0	14.3	3.3	3.2			
50	12.8	12.0	2.1	1.8			
51	7.5	7.7	0.8	0.6			
52	3.4	3.8	0.2	0.1			
53	1.1	1.1	0.1	*			
54	0.3	0.4	*	*			
55	0.1	0.1	*	*			
56	*	*	*	*			
57	*	*	*	*			
58	-	*	-	-			
59	-	-	-	-			
60 & above	-	-	-	-			
Average	48	47	43	43			

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	*	-	*	-	-	-	*
25 - 26	0.1	*	*	*	-	*	-	*	-	*
27 - 29	0.4	0.1	*	*	0.1	*	*	*	*	*
30 - 32	1.1	0.5	0.4	0.3	0.2	0.1	*	*	*	*
33 - 34	1.9	0.8	1.2	0.9	0.7	0.3	0.1	0.1	0.1	*
35 - 36	3.8	1.9	3.4	2.9	1.6	0.9	0.6	0.8	0.2	0.2
37 - 42	36.9	24.5	31.9	32.5	24.1	23.2	14.6	18.3	13.9	14.6
43 - 49	48.4	57.6	56.8	57.0	62.4	68.1	70.5	67.2	72.8	72.0
50 - 52	6.5	12.3	5.5	5.8	10.2	6.9	12.9	12.3	11.6	11.5
53 & above	0.9	2.4	0.6	0.6	0.7	0.4	1.3	1.3	1.5	1.7
Average	43	45	44	44	45	45	46	46	46	46
HVI TRASH 1/										
00	-	*	-	-	-	*	-	-	-	*
01	1.6	5.0	0.1	0.3	0.1	0.9	1.6	3.4	*	0.1
02	13.6	19.1	3.6	4.5	3.8	12.0	12.5	20.3	2.1	2.2
03	22.9	24.7	16.5	16.5	17.1	27.0	20.3	27.2	13.2	13.1
04	17.1	16.5	21.6	22.1	22.6	22.7	18.5	19.3	22.8	22.3
05	14.1	12.5	21.3	21.9	18.9	13.9	14.1	11.8	23.5	23.7
06	10.0	8.1	15.3	15.0	13.9	9.9	12.7	8.6	17.1	17.7
07	7.2	5.4	9.4	9.5	8.7	4.9	7.1	3.9	10.4	10.7
08	3.9	2.9	5.5	5.1	5.6	3.3	5.2	2.4	5.1	5.1
09	2.8	2.0	3.5	2.9	3.7	2.2	3.9	1.5	3.0	2.8
10	1.8	1.1	1.3	1.0	2.1	1.2	1.9	0.7	1.2	1.1
11	1.3	0.8	0.7	0.5	1.2	0.7	1.3	0.4	0.8	0.6
12	1.1	0.6	0.4	0.3	0.9	0.5	0.7	0.2	0.4	0.3
13	0.7	0.4	0.2	0.1	0.5	0.3	0.1	*	0.2	0.2
14	0.6	0.3	0.2	0.1	0.3	0.1	*	*	0.1	0.1
15	0.5	0.2	0.1	*	0.2	0.1	*	*	*	*
16	0.2	0.1	*	*	0.1	0.1	*	*	*	*
17	0.1	*	0.1	*	0.1	*	*	*	*	*
18 & above	0.5	0.2	0.1	*	0.1	0.1	*	*	*	*
Average	0.49	0.42	0.52	0.50	0.53	0.44	0.48	0.39	0.53	0.52
UNIFORMITY 2/										
72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	*	-	-	-	*	-	-	-	-
76	*	*	-	-	*	*	-	-	-	-
77	0.2	0.3	*	*	*	*	-	-	*	*
78	1.6	1.7	0.6	0.4	0.6	0.4	-	*	0.2	0.2
79	8.1	6.7	3.6	3.0	2.0	2.0	1.1	1.7	1.6	2.0
80	22.3	19.2	13.1	12.3	6.0	6.2	8.8	11.7	7.8	9.2
81	33.6	33.2	28.8	29.8	17.8	18.6	30.1	29.0	23.9	25.1
82	25.2	27.7	36.8	37.8	38.3	36.6	34.7	33.2	37.8	37.2
83	8.1	9.8	15.0	14.9	30.4	29.3	20.6	20.0	23.7	22.0
84	0.9	1.3	2.0	1.7	4.4	6.5	4.4	4.1	4.9	4.1
85	*	*	*	*	0.4	0.4	0.3	0.2	0.1	0.1
86	-	-	-	-	*	*	-	*	-	-
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average	81.0	81.1	81.5	81.5	82.0	82.1	81.8	81.7	81.9	81.8
Tenderable 3/	62.6	59.9	84.7	86.7	58.4	70.9	75.2	83.2	78.7	77.9
SAMPLES CLASSED										
Week	60,816		86,611		44,703		275,074		177,566	
Season		249,543		299,338		1,420,700		1,370,551		628,238

'1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	0.3	0.2	-	-	-	-	-	*
25 - 26	0.3	0.2	1.2	1.0	-	-	*	*	*	*
27 - 29	6.1	4.5	7.2	7.5	*	*	*	*	*	0.1
30 - 32	17.0	15.4	15.6	14.9	0.1	0.1	0.1	0.1	0.2	0.2
33 - 34	15.6	15.1	14.3	13.6	0.4	0.2	0.4	0.5	0.6	0.3
35 - 36	16.8	17.1	16.7	17.2	1.4	0.9	2.6	2.3	1.9	0.8
37 - 42	35.8	38.1	36.8	37.5	26.3	21.7	33.6	34.7	16.3	17.2
43 - 49	8.4	9.5	7.8	8.0	65.3	70.0	56.0	56.1	60.6	60.2
50 - 52	*	*	0.1	0.1	5.9	6.5	6.4	5.7	17.2	17.3
53 & above	-	-	-	*	0.8	0.6	0.8	0.5	3.1	4.0
Average	36	36	36	36	44	45	44	44	46	46
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	*	*
01	0.4	0.4	0.2	0.2	*	0.1	1.9	2.8	51.7	56.7
02	6.9	7.0	3.3	3.1	1.9	2.7	13.5	19.4	38.2	34.1
03	17.5	17.9	12.0	11.3	12.0	13.9	25.1	30.5	7.9	6.8
04	20.2	19.8	18.7	18.0	24.7	25.3	22.2	21.1	1.3	1.3
05	17.5	17.5	20.4	20.2	23.5	22.7	14.7	11.7	0.3	0.4
06	15.9	16.2	16.6	17.0	17.7	16.8	11.0	7.7	0.3	0.3
07	8.3	8.4	11.8	12.3	10.4	9.6	5.6	3.4	0.1	0.1
08	5.5	5.2	7.0	7.3	5.2	4.7	3.3	1.9	0.1	0.1
09	3.6	3.2	4.3	4.6	2.6	2.4	1.8	1.0	*	0.1
10	1.7	1.7	2.2	2.4	0.8	0.8	0.5	0.3	*	*
11	1.0	1.0	1.4	1.5	0.4	0.4	0.3	0.2	*	*
12	0.6	0.6	0.9	0.9	0.3	0.2	0.1	*	*	*
13	0.4	0.4	0.4	0.5	0.1	0.1	*	*	*	*
14	0.3	0.3	0.3	0.3	0.1	0.1	*	*	-	*
15	0.2	0.2	0.2	0.2	*	*	*	*	*	*
16	*	0.1	0.1	0.1	*	*	*	*	-	-
17	*	*	0.1	*	*	*	*	*	-	-
18 & above	*	0.1	0.1	0.1	*	*	*	*	-	-
Average	0.51	0.51	0.56	0.57	0.52	0.51	0.42	0.38	0.16	0.16
UNIFORMITY 2/										
72 & below	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-
75	-	-	*	*	-	-	-	-	-	-
76	*	*	*	*	*	*	-	-	*	*
77	1.4	1.4	0.2	0.2	*	*	*	*	0.3	0.4
78	6.3	6.7	1.5	1.4	1.6	0.9	*	0.1	1.8	2.3
79	19.2	19.3	8.3	8.2	12.0	9.3	0.3	0.6	8.5	10.0
80	36.4	36.1	26.4	26.6	35.1	32.9	3.0	4.0	26.8	28.0
81	28.4	28.2	40.2	40.4	33.5	35.1	17.3	20.5	37.7	34.9
82	7.5	7.4	19.8	19.5	14.4	17.0	47.7	48.4	20.4	19.5
83	0.7	0.8	3.4	3.4	3.1	4.2	28.0	23.9	4.1	4.4
84	*	*	0.2	0.2	0.3	0.5	3.4	2.5	0.2	0.4
85	-	-	*	*	*	*	0.1	0.1	*	*
86	-	-	*	*	-	-	*	*	-	-
87	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average	80.1	80.1	80.8	80.8	80.6	80.7	82.1	82.0	80.8	80.7
Tenderable 3/	41.5	40.6	44.4	43.9	84.6	83.1	89.9	91.5	77.1	74.6
SAMPLES CLASSED										
Week	27,046		97,823		207,601		291,644		39,761	
Season		41,216		127,741		617,762		1,172,529		165,286

'1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
MIKE	Pct.	Pct.	Pct.	Pct.			
24 & below	-	-	-	-			
25 - 26	-	*	-	-			
27 - 29	*	*	*	*			
30 - 32	*	*	*	*			
33 - 34	*	*	0.3	0.4			
35 - 36	0.2	0.2	1.3	1.5			
37 - 42	5.3	5.9	37.6	37.2			
43 - 49	69.0	68.7	57.5	58.3			
50 - 52	23.8	23.5	3.1	2.5			
53 & above	1.6	1.7	0.2	0.1			
Average	48	47	43	43			
HVI TRASH 1/							
00	*	*	*	*			
01	0.6	2.7	37.9	39.0			
02	5.7	16.5	43.5	44.2			
03	14.8	24.5	13.9	13.1			
04	19.7	20.2	3.2	2.7			
05	20.4	14.4	0.9	0.7			
06	15.0	8.9	0.4	0.2			
07	11.2	6.1	0.1	*			
08	6.2	3.3	*	*			
09	3.8	1.9	*	*			
10	1.2	0.7	*	*			
11	0.8	0.4	-	-			
12	0.5	0.3	-	-			
13	0.1	0.1	-	-			
14	0.1	*	-	-			
15	*	*	*	*			
16	*	*	-	-			
17	*	*	-	-			
18 & above	*	*	-	-			
Average	0.52	0.42	0.19	0.18			
UNIFORMITY 2/							
72 & below	-	-	-	-			
73	-	-	-	-			
74	-	-	-	-			
75	-	-	-	-			
76	-	-	*	*			
77	*	*	*	*			
78	0.3	0.4	0.1	0.1			
79	3.5	4.5	0.9	1.0			
80	17.5	20.6	5.6	6.4			
81	36.0	33.5	27.1	31.4			
82	29.2	26.7	48.0	46.7			
83	11.8	12.3	16.5	13.1			
84	1.7	2.0	1.7	1.2			
85	*	*	0.1	0.1			
86	*	*	*	*			
87	-	-	-	-			
88	-	-	-	-			
89	-	-	-	-			
90 & above	-	-	-	-			
Average	81.3	81.3	81.8	81.7			
Tenderable 3/	62.3	70.5	95.5	96.2			
SAMPLES CLASSED							
Week	117,903		122,801				
Season	525,305		390,194				

'1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Color Grade	Leaf	PHOENIX		VISALIA	
		Week	Season	Week	Season
01	1	18.7	28.8	37.8	36.9
	2	29.0	27.3	7.5	12.1
	3	-	-	*	0.1
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total -----		47.7	56.1	45.4	49.1
02	1	4.6	4.3	7.8	7.3
	2	38.7	32.1	40.4	39.1
	3	6.5	5.4	3.8	3.4
	4	-	-	0.1	0.1
	5	-	-	*	*
	6	-	-	-	-
	7	-	-	-	-
Total -----		49.8	41.7	52.2	49.8
03	1	-	-	*	*
	2	0.6	0.5	0.8	0.4
	3	1.0	0.9	1.2	0.5
	4	0.3	0.3	0.2	0.1
	5	0.3	0.2	0.1	*
	6	-	-	-	-
	7	-	-	-	-
Total -----		2.2	1.9	2.3	1.0
04	1	-	-	-	-
	2	-	-	-	-
	3	-	-	*	*
	4	-	-	*	*
	5	0.3	0.2	*	*
	6	-	-	-	-
	7	-	-	-	-
Total -----		0.3	0.2	0.1	*
05	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	*	*
	5	-	-	*	*
	6	-	-	-	-
	7	-	-	-	-
Total -----		-	-	*	*
06	1	0.1	0.1	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total -----		0.1	0.1	-	-
07	1	-	0.1	-	-
	2	-	-	*	*
	3	-	-	*	*
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total -----		-	0.1	*	*
STAPLE		-	-	-	-
40 & shorter		-	-	-	-
42		-	-	*	*
44		17.6	23.4	8.0	9.7
46		70.1	66.2	61.5	61.8
48 & longer		12.3	10.4	30.4	28.5
Average		45.9	45.7	46.5	46.4
UNIFORMITY		-	-	-	-
72 & below		-	-	-	-
73		-	-	-	-
74		-	-	-	-
75		-	-	-	-
76		-	-	-	-
77		-	-	-	-
78		-	-	-	-
79		-	-	-	-
80		-	-	-	*
81		-	-	*	*
82		0.2	1.4	0.4	0.4
83		4.1	8.0	3.8	5.0
84		17.9	22.5	20.5	24.4
85		34.9	32.1	47.4	45.7
86		29.7	25.1	23.7	21.3
87		11.6	9.5	4.1	3.1
88		1.5	1.2	0.1	*
89		-	-	-	-
90 & above		-	-	-	-
Average		85.3	85.7	85.0	84.9
SAMPLES CLASSED					
Week		1,194		39,477	
Season			1,456		118,821

* Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
Week and Season Ended October 28, 2004

Quality Designation	PHOENIX		VISALIA	
	Week	Season	Week	Season
MIKE				
24 & below	-	-	-	-
25 - 26	-	-	-	-
27 - 29	0.1	0.1	-	-
30 - 32	0.3	0.5	*	*
33 - 34	1.7	2.2	0.1	0.1
35 - 36	4.9	6.4	0.7	1.4
37 - 42	81.2	81.0	67.9	74.4
43 - 49	12.0	9.8	31.3	24.1
50 - 52	-	-	*	*
53 & above	-	-	-	-
Average	40	39	41	41
ALL RANGE MIKE				
24 & below	-	-	-	-
25	-	-	-	-
26	-	-	-	-
27	-	-	-	-
28	-	-	-	-
29	0.1	0.1	-	-
30	0.1	0.1	-	-
31	0.2	0.2	-	-
32	-	0.2	*	*
33	0.6	0.9	*	0.1
34	1.1	1.3	*	0.1
35	1.8	2.5	0.2	0.4
36	3.1	3.9	0.5	1.0
37	6.1	7.1	1.4	2.6
38	15.1	17.2	5.0	7.2
39	18.7	20.7	9.1	13.0
40	16.5	15.4	14.5	17.1
41	13.5	11.4	19.0	18.4
42	11.3	9.3	19.0	16.1
43	6.2	5.1	15.3	13.0
44	3.4	2.7	10.3	7.5
45	1.5	1.2	4.3	2.7
46	0.7	0.5	1.0	0.6
47	0.2	0.1	0.3	0.2
48	0.1	0.1	*	*
49	-	-	*	*
50	-	-	*	*
51	-	-	-	-
52	-	-	-	-
53	-	-	-	-
54	-	-	-	-
55	-	-	-	-
56	-	-	-	-
57	-	-	-	-
58	-	-	-	-
59	-	-	-	-
60 & above	-	-	-	-
Average	40	39	41	41
Strength				
17 & below	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20	-	-	-	-
21	-	-	-	-
22	-	-	-	-
23	-	-	-	-
24	-	-	-	-
25	-	-	-	-
26	-	-	-	-
27	-	-	-	-
28	-	-	-	-
29	-	-	-	-
30	-	-	-	-
31	-	-	-	-
32	-	-	*	*
33	0.2	0.5	*	*
34	1.3	2.7	0.1	0.1
35	4.4	7.1	0.3	0.3
36	11.2	14.1	0.9	1.0
37	14.4	15.5	3.8	3.8
38	16.8	16.8	10.5	9.6
39	15.1	13.1	15.5	15.9
40	14.9	12.4	20.7	20.9
41	10.4	8.5	21.3	20.7
42	6.7	5.5	13.8	14.2
43	3.4	2.8	7.6	8.1
44	1.1	0.9	3.5	3.7
45 & above	0.2	0.1	2.0	1.7
Average	38.7	38.3	40.4	40.4
EXTRANEous MATTER				
Bark	0.3	0.3	*	*
Grass	1.1	1.1	*	*
Spindle Twist Preparation	-	-	0.1	*
	0.1	0.1	0.1	0.1

* Less than 0.05 percent.