


No.

7600020



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Ferry-Morse Seed Company

Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (44 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN

'Torrent'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, DC this 19th day of July in the year of our Lord one thousand nine hundred and seventy-six

Attest:

J. J. Rollin

Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service

Earl L. Butz
Secretary of Agriculture

Variety: Torrent (formerly designated E2203 and 1C-69A)

Exhibit A: Origin and Breeding History of the Variety

Torrent was selected as a single plant selection, involving the pedigree method of breeding, from a cross made in 1966 between the pedigreed lines, 1H-25F(C)MsMsMs (later named Avalanche 73), as the seed parent and 59 x 491G(H)1(C)Ms (from which Gator Green was later selected) as the pollen parent. Consecutive bulk-masses were made of the F₂, F₃, and F₄ generations before the first single F₅ plants were selected for tall, upright habits and dark green pods. Single plants were again selected in the F₆ progeny row for improved habit and color and one F₈ progeny row exhibited the uniformity and improvement desired. The decision to increase this line as a possible new variety was made on 20 August 1970. A portion of the F₉ bulk-mass was tested and found resistant to the New York strain of Common Bean Mosaic virus (NY15).

Among 50 F₁₀ plants and approximately 1000 F₁₁ plants utilized to increase the line no off-types were recovered.

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1. VARIETY NAME OR TEMPORARY DESIGNATION TORRENT	2. KIND NAME SNAP BEAN	FOR OFFICIAL USE ONLY	
		PVPO NUMBER 7600020	
3. GENUS AND SPECIES NAME Phaseolus vulgaris L.	4. FAMILY NAME (Botanical) Leguminosae	FILING DATE 11.26.75	TIME 11 A.M.
	5. DATE OF DETERMINATION 20 August 1970	FEE RECEIVED \$ 750	CHARGES —
6. NAME OF APPLICANT(S) FERRY-MORSE SEED COMPANY Dr. George C. Emery, Breeder	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P. O. Box 100 111 FERRY-MORSE WAY MOUNTAIN VIEW, CALIFORNIA 94042	8. TELEPHONE AREA CODE AND NUMBER (415) 967-6973	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) Corporation	10. STATE OF INCORPORATION California	11. DATE OF INCORPORATION 7 April 1969	

12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers:

Mr. D. V. Brondyke, Executive Vice President
Ferry-Morse Seed Company
P. O. Box 100, 111 Ferry-Morse Way
Mountain View California 94042

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- 12A. Exhibit A, Origin and Breeding History of the Variety (See Section 52, P.L. 91-577)
- 12B. Exhibit B, Botanical Description of the Variety
- 12C. Exhibit C, Objective Description of the Variety
- 12D. Exhibit D, Data Indicative of Novelty
- 12E. Exhibit E, Statement of the Basis of Applicant's Ownership

The applicant declares that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable. (See Section 52, P.L. 91-577).

14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a), P.L. 91-577) (If "Yes," answer 14B and 14C below.) YES NO

14B. Does the applicant(s) specify that this variety be limited as to number of generations? YES NO

14C. If "Yes," to 14B, how many generations of production beyond breeder seed? 1

Applicant is informed that false representation herein can jeopardize protection and result in penalties.

The undersigned applicant(s) of this sexually-reproduced novel plant variety believes that the variety is distinct, uniform, and stable as required in Section 41 and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act (P.L. 91-577).

11/21/75
(DATE)

(DATE)

Ferry-Morse Seed Company
(SIGNATURE OF APPLICANT)

D. V. Brondyke
(SIGNATURE OF APPLICANT)

Variety: Torrent (formerly designated E2203 and 1C-69A)

Exhibit B: Botanical Description of the Variety

Seed germination and emergence are rapid, early seedling growth vigorous. Time of flowering is one day earlier than Tendercrop. Pods attain their mature size and their rate of seed and fiber development are more rapid than Tendercrop.

Plants are determinate, bush, erect, tall (17-22") with a medium narrow spread; the mature plant is taller than Tendercrop. Foliage is slightly darker but similar in smoothness to Tendercrop; leaflets are deltoid ovate, acuminate, with rounded or truncate bases. Stems and leaves are slightly pubescent. Inflorescences arising from the apex and leaf axils contain 4-8 white flower buds. Pods are borne high in the plant and only infrequently touch the soil.

The stringless pods are 5 1/2 to 6" in length, round to round-oval, 7/16 inch in cross-section and 7/16 to 1/2 inch from suture to suture. The neck is medium in length, the spur medium short. The pod surface is smooth, slightly pubescent, and a uniform medium bright green in color. Compared to Tendercrop, the average pod length is 1/2 inch longer, the pods are more oval, smoother, slightly lighter in color, with a shorter spur.

The seeds are white, round-oval in cross-section, and oblong. The seeds are similar in size and shape but slightly less round in cross-section to Tendercrop.

OBJECTIVE DESCRIPTION OF VARIETY
BEAN (PHASEOLUS VULGARIS)

INSTRUCTIONS: See Reverse.

NAME OF APPLICANT(S) FERRY-MORSE SEED COMPANY DR. GEORGE C. EMERY, BREEDER ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P. O. Box 100 111 Ferry-Morse Way Mountain View, California 94042	FOR OFFICIAL USE ONLY
	PVPO NUMBER 7600020
	VARIETY NAME OR TEMPORARY DESIGNATION TORRENT

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g. or) when number is either 99 or less or 9 or less.

1. TYPE:

<input type="text" value="1"/>	1 = SNAPBEAN	<input type="text" value="2"/>	2 = GREEN SHELL	<input type="text" value="3"/>	3 = DRY EDIBLE	<input type="text" value="4"/>	4 = MULTIPURPOSE
--------------------------------	--------------	--------------------------------	-----------------	--------------------------------	----------------	--------------------------------	------------------

2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.:

<input type="text" value="2"/>	Grows best during:	<input type="text" value="1"/>	1 = SPRING	<input type="text" value="2"/>	2 = SUMMER	<input type="text" value="3"/>	3 = FALL	<input type="text" value="4"/>	4 = WINTER
<input type="text" value="6"/>	Best adapted in:	<input type="text" value="1"/>	1 = NORTHWEST	<input type="text" value="2"/>	2 = NORTHCENTRAL	<input type="text" value="3"/>	3 = NORTHEAST	<input type="text" value="4"/>	4 = SOUTHEAST
		<input type="text" value="5"/>	5 = SOUTHWEST	<input type="text" value="6"/>	6 = MOST REGIONS				

3. MATURITY (Days from seeding to first harvest):

<input type="text" value="5"/>	<input type="text" value="3"/>	GREEN PODS	<input type="text" value=""/>	<input type="text" value=""/>	GREEN SHELLS	<input type="text" value=""/>	<input type="text" value=""/>	DRY SEEDS
<input type="text" value="1"/>		NO. DAYS EARLIER THAN	-----	<input type="text" value="1"/>				
<input type="text" value="4"/>		NO. DAYS LATER THAN	-----	<input type="text" value="7"/>				

<input type="text" value="1"/>	1 = TENDERCROP	<input type="text" value="2"/>	2 = KENTUCKY WONDER	<input type="text" value="3"/>	3 = KINGHORN WAX
<input type="text" value="4"/>	4 = WHITE KIDNEY	<input type="text" value="5"/>	5 = MICHELITE 62	<input type="text" value="6"/>	6 = DWARF HORTICULTURAL
<input type="text" value="7"/>	7 = BUSH BLUE LAKE	<input type="text" value="8"/>	8 = OTHER (Specify)		

4. PLANT:

<input type="text" value="1"/>	1 = DETERMINATE, ERECT BUSH	<input type="text" value="2"/>	2 = DETERMINATE, SPRAWLING BUSH
	3 = DETERMINATE, SEMIPOLE	<input type="text" value="4"/>	4 = INDETERMINATE, POLE
<input type="text" value="4"/>	<input type="text" value="7"/>	CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE	
<input type="text" value="4"/>	<input type="text" value="7"/>	NUMBER PRIMARY BRANCHES PER MAIN STALK	CM. SPREAD
<input type="text" value="1"/>	Branching habit: 1 = COMPACT	<input type="text" value="2"/>	2 = OPEN
<input type="text" value="6"/>		NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF TERMINAL INFLORESCENCE	
<input type="text" value="1"/>	CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF	<input type="text" value="8"/>	MM. STALK DIAMETER ABOVE FIRST TRIFOLIATE LEAF
<input type="text" value="1"/>	Main stalk: 1 = BRITTLE	<input type="text" value="2"/>	2 = WIREY
	<input type="text" value="1"/>	1. STOUT	2. THIN
<input type="text" value="2"/>	Flower position:	<input type="text" value="1"/>	1 = LOW, CONCENTRATED
		<input type="text" value="2"/>	2 = HIGH, CONCENTRATED
		<input type="text" value="3"/>	3 = SCATTERED

5. LEAVES:

<input type="text" value="1"/>	1 = SMOOTH	<input type="text" value="2"/>	2 = WRINKLED	<input type="text" value="2"/>	1 = DULL	<input type="text" value="2"/>	2 = GLOSSY	<input type="text" value="2"/>	Thickness: 1 = THIN	<input type="text" value="2"/>	2 = MEDIUM	<input type="text" value="3"/>	3 = THICK
<input type="text" value="3"/>	Size: 1 = SMALL (Earliwax)	<input type="text" value="2"/>	2 = MEDIUM	<input type="text" value="3"/>	3 = LARGE (Tendercrop)	<input type="text" value="11"/>	CM. PETIOLE LENGTH (To basal leaflets of first trifoliate leaf)						
<input type="text" value="2"/>	Tip shape of center leaflet:	<input type="text" value="1"/>	1 = ROUNDED	<input type="text" value="2"/>	2 = TAPER POINTED	<input type="text" value="3"/>	3 = SHARP POINTED						
<input type="text" value="2"/>	PUBESCENCE - Dorsal:	<input type="text" value="1"/>	1 = NONE	<input type="text" value="2"/>	2 = SLIGHT	<input type="text" value="3"/>	3 = CONSIDERABLE						
<input type="text" value="2"/>	PUBESCENCE - Ventral:												
<input type="text" value="2"/>	Color: 1 = LIGHT GREEN (Bountiful)	<input type="text" value="2"/>	2 = MEDIUM GREEN	<input type="text" value="3"/>	3 = DARK GREEN (Bush Blue Lake)								

Variety: Torrent (formerly designated E2203 and 1C-69A)

Exhibit D: Data Indicative of Novelty

Torrent most closely resembles the variety Avalanche. It differs from Avalanche by having a taller bush, produces more pods per plant, its pods are longer and thicker with a longer spur and a darker pod color than Avalanche. The seed of Torrent are longer than Avalanche seed.

	Torrent	Avalanche	\bar{d}	s_d
Plant height	46.9 cm.	40.7 cm.	6.1	2.3
Pod length	17.9 cm.	15.3 cm.	2.6	0.2
Pod thickness	12.0 mm.	10.9 mm.	1.1	0.2
Number of pods per plant	23.9	18.0	5.9	1.8
Seed length	13.3 mm.	12.1 mm.	1.2	0.3
Pod spur length	15.1 mm.	10.7 mm.	4.4	0.7

(Measurements were made under field trial conditions at Columbus, Wisconsin. The seed was planted June 24, 1974, and the measurements were made September 15, 1974. Each measurement represents 10 comparisons.)

EXHIBIT "E"

Plant Variety Protection Application

No: _____

ASSIGNMENT

I, DR. GEORGE C. EMERY, agree and hereby do transfer and assign to FERRY-MORSE SEED COMPANY all of my rights, title, and interest in and to that certain variety namely, _____
Snap Bean, TORRENT,
for which application for Plant Variety Protection Certificate has been filed. This agreement shall be binding on my administrators, successors and assigns.

In Witness Whereof, I have executed this agreement this
20 day of October, 19 75.

BREEDER

George C. Emery

ASSIGNMENT OF INTELLECTUAL PROPERTY

WHEREAS, HARRIS MORAN SEED COMPANY, a corporation duly organized and existing under the laws of the State of Maryland, having its principal place of business at 4511 Willow Road, Suite 3, Pleasanton, California 94588 ("Assignor"), has, pursuant to that certain Bill of Sale and Assignment dated as of June 30, 1997, transferred to FERRY-MORSE SEED COMPANY (CALIFORNIA), a corporation duly organized and existing under the laws of the State of California, having its principal place of business at 555 Codoni Avenue, P.O. Box 4938, Modesto, California 95352-4938 ("Assignee"), all of the intellectual property Assignor had adopted, used and was using as of the effective date of this Assignment, including without limitation, the intellectual property represented by the United States Plant Variety Protection Certificates of Assignor identified on Schedule A hereto (collectively, the "Property"); and


WHEREAS, on the date hereof, Assignee has changed its name to "Harris Moran Seed Company";

NOW, THEREFORE, effective by this instrument as of the close of business on June 30, 1997, and for good and valuable consideration, receipt of which is hereby acknowledged, Assignor hereby assigns to Assignee any and all right, title and interest worldwide in and to the Property and any and all recordations thereof, including, but not limited to, the use of the Property in any manner, all benefit of any and all prior use of the Property, and any and all rights to initiate claims or proceedings for past, present or future infringements of Assignor's rights, title and interest in and to the Property.


Dated: as of June 30, 1997

HARRIS MORAN SEED COMPANY

By:


Philip Ashcraft, President

INSTRUCTIONS



GENERAL: Send an original copy of the application, exhibits and \$50.00 fee to U.S. Dept. of Agriculture, Consumer and Marketing Service, Grain Division, Hyattsville, Maryland 20782. Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Insert the date the applicant determined that he had a new variety.
- 12a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 12b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 12c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 12d Provide complete data indicative of novelty. Seed and plant specimens may be submitted and seeds submitted may be sterile. Where possible, include photographs of plant comparisons, chemical tests, etc.
- 12e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.

CERTIFICATE OF AMENDMENT
OF THE
ARTICLES OF INCORPORATION
OF

FERRY-MORSE SEED COMPANY (CALIFORNIA)
(a California corporation)

1400010

ENDORSED
FILED

In the office of the Secretary of State
of the State of California

JUN 30 1997

Bill Jones
BILL JONES, Secretary of State

To the Secretary of State
State of California

Pursuant to the provisions of the General Corporation Law of the State of California, the undersigned officers of FERRY-MORSE SEED COMPANY (CALIFORNIA), a California corporation (the "Corporation"), do hereby certify as follows:

1. The name of the Corporation is Ferry-Morse Seed Company (California).
2. Article One of the Corporation's Articles of Incorporation, which relates to the name of the Corporation, is hereby amended in its entirety to read as follows:
 - One. The name of this Corporation is:
HARRIS MORAN SEED COMPANY.
3. The amendment herein provided for has been approved by the Corporation's Board of Directors.
4. The amendment herein provided for was approved by the written consent of the Corporation's sole shareholder in accordance with the provisions of Section 902 of the California General Corporation Law. The total number of outstanding shares of the corporation is 5,000.

IN WITNESS WHEREOF, each of the undersigned does hereby declare under the penalty of perjury that he or she signed the foregoing Certificate of Amendment as of June 30,

1997, in the Town of Modesto, State of California, in the official capacity set forth beneath his or her signature and that the statements set forth in this certificate are true of his or her own knowledge.



Yves Queste
Yves Queste, President

Helen Andritsakis
Helen Andritsakis, Secretary

State of California

SECRETARY OF STATE



I, *BILL JONES*, Secretary of State of the State of California, hereby certify:

That the attached transcript has been compared with the record on file in this office, of which it purports to be a copy, and that it is full, true and correct.

IN WITNESS WHEREOF, I execute this certificate and affix the Great Seal of the State of California this

JUN 30 1937



Bill Jones

Secretary of State

OBJECTIVE DESCRIPTION OF VARIETY
BEAN (*PHASEOLUS VULGARIS*)

INSTRUCTIONS: See Reverse.

NAME OF APPLICANT(S) FERRY-MORSE SEED COMPANY DR. GEORGE C. EMERY, BREEDER ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P. O. Box 100 111 Ferry-Morse Way Mountain View, California 94042	FOR OFFICIAL USE ONLY
	PVPO NUMBER 7600020
	VARIETY NAME OR TEMPORARY DESIGNATION TORRENT

Place the appropriate number that describes the varietal character of this variety in the boxes below.
Place a zero in first box (e.g. or) when number is either 99 or less or 9 or less.

1. TYPE:

<input type="text" value="1"/> 1 = SNAPBEAN	<input type="text" value="2"/> 2 = GREEN SHELL	<input type="text" value="3"/> 3 = DRY EDIBLE	<input type="text" value="4"/> 4 = MULTIPURPOSE
---	--	---	---

2. SEASON AND REGION OF ADAPTABILITY IN THE U.S.:

<input type="text" value="2"/> Grows best during:	<input type="text" value="1"/> 1 = SPRING	<input type="text" value="2"/> 2 = SUMMER	<input type="text" value="3"/> 3 = FALL	<input type="text" value="4"/> 4 = WINTER
<input type="text" value="6"/> Best adapted in:	<input type="text" value="1"/> 1 = NORTHWEST <input type="text" value="5"/> 5 = SOUTHWEST	<input type="text" value="2"/> 2 = NORTHCENTRAL <input type="text" value="6"/> 6 = MOST REGIONS	<input type="text" value="3"/> 3 = NORTHEAST	<input type="text" value="4"/> 4 = SOUTHEAST

3. MATURITY (Days from seeding to first harvest):

<input type="text" value="5"/> <input type="text" value="3"/> GREEN PODS	<input type="text" value=""/> <input type="text" value=""/> GREEN SHELLS	<input type="text" value=""/> <input type="text" value=""/> DRY SEEDS
<input type="text" value=""/> <input type="text" value="1"/> NO. DAYS EARLIER THAN	<input type="text" value=""/> <input type="text" value="1"/> NO. DAYS LATER THAN	1 = TENDERCROP 2 = KENTUCKY WONDER 3 = KINGHORN WAX 4 = WHITE KIDNEY 5 = MICHELITE 62 6 = DWARF HORTICULTURAL 7 = BUSH BLUE LAKE 8 = OTHER (Specify)

4. PLANT:

<input type="text" value="1"/> 1 = DETERMINATE, ERECT BUSH 3 = DETERMINATE, SEMIPOLE	<input type="text" value="2"/> 2 = DETERMINATE, SPRAWLING BUSH 4 = INDETERMINATE, POLE
<input type="text" value=""/> <input type="text" value="4"/> <input type="text" value="7"/> CM. HEIGHT OR LENGTH OF VINE FROM PRIMARY LEAF NODE	<input type="text" value=""/> <input type="text" value="4"/> <input type="text" value="7"/> CM. SPREAD
<input type="text" value=""/> <input type="text" value=""/> <input type="text" value="4"/> NUMBER PRIMARY BRANCHES PER MAIN STALK	<input type="text" value=""/> <input type="text" value=""/> <input type="text" value="6"/> NUMBER INTERNODES ON MAIN STALK BETWEEN PRIMARY LEAF AND BASE OF TERMINAL INFLORESCENCE
<input type="text" value="1"/> Branching habit: 1 = COMPACT 2 = OPEN	<input type="text" value=""/> <input type="text" value=""/> <input type="text" value="8"/> MM. STALK DIAMETER ABOVE FIRST TRIFOLIATE LEAF
<input type="text" value=""/> <input type="text" value="1"/> CM. LENGTH OF FIRST INTERNODE ABOVE PRIMARY LEAF	
<input type="text" value="1"/> Main stalk: 1 = BRITTLE 2 = WIREY	<input type="text" value=""/> <input type="text" value="1"/> 1. STOUT 2. THIN
<input type="text" value="2"/> Flower position:	
<input type="text" value="2"/> Pod Position:	1 = LOW, CONCENTRATED 2 = HIGH, CONCENTRATED 3 = SCATTERED

5. LEAVES:

<input type="text" value="1"/> 1 = SMOOTH 2 = WRINKLED	<input type="text" value="2"/> 1 = DULL 2 = GLOSSY	<input type="text" value="2"/> Thickness: 1 = THIN 2 = MEDIUM 3 = THICK
<input type="text" value="3"/> Size: 1 = SMALL (<i>Earliwax</i>) 2 = MEDIUM 3 = LARGE (<i>Tendercrop</i>)	<input type="text" value=""/> <input type="text" value="11"/> CM. PETIOLE LENGTH (To basal leaflets of first trifoliolate leaf)	
<input type="text" value="2"/> Tip shape of center leaflet: 1 = ROUNDED 2 = TAPER POINTED 3 = SHARP POINTED		
<input type="text" value="2"/> PUBESCENCE - Dorsal:	1 = NONE 2 = SLIGHT 3 = CONSIDERABLE	
<input type="text" value="2"/> PUBESCENCE - Ventral:		
<input type="text" value="2"/> Color: 1 = LIGHT GREEN (<i>Bountiful</i>) 2 = MEDIUM GREEN 3 = DARK GREEN (<i>Bush Blue Lake</i>)		

6. FLOWERS:

1 Color: 1 = WHITE 2 = CREAM 3 = PINK 4 = LILAC 5 = PURPLE
6 = OTHER (Specify) _____

2 Racemes: 1 = LONG 2 = MEDIUM 3 = SHORT 6 NUMBER FLOWERS PER RACEME

7. FRESH PODS: (Edible maturity, averages for 10 pods)

2 Color: 1 = LIGHT GREEN (Bountiful) 2 = MEDIUM GREEN (Tendergreen) 3 = DARK GREEN (Wade)
4 = LIGHT YELLOW (Brittlewax) 5 = GOLDEN YELLOW (Cherokee Wax) 6 = GREEN-RED VARIAGATED (Horticultural)
7 = OTHER (Specify) _____

1 8 CM. LENGTH 1 0 MM. WIDTH (Between sutures) 1 2 MM. THICKNESS 8 $\frac{\text{WIDTH}}{\text{THICKNESS}} \times 10$

4 Cross section pod shape: 1 = FLAT 2 = OVAL 3 = CREASEBACK 4 = ROUND

2 Curvature: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED 2 Pubescence: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE

2 Constrictions: 1 = NONE 2 = SLIGHT 3 = DEEP 1 Spur: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED

1 Surface: 1 = SHINY 2 = DULL 1 Surface: 1 = SMOOTH 2 = BLISTERED

1 Pod flesh: 1 = LIGHT 2 = DARK 1 Pod flesh: 1 = FIRM 2 = WATERY

15 MM. SPUR LENGTH 2 Suture string: 1 = PRESENT 2 = ABSENT

2 Fiber: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE 2 Seed development: 1 = SLOW 2 = MEDIUM 3 = FAST

7 NUMBER OF SEEDS PER POD 24 NUMBER PODS PER PLANT (Once over harvest)

20 NUMBER MARKETABLE PODS PER PLANT (Once over harvest) 1 Machine harvest: 1 = ADAPTED 2 = NOT ADAPTED

8. SEED COAT COLOR:

1 1 = MONOCHROME 2 = POLYCHROME 2 1 = SHINY 2 = DULL

1 Primary color: 1 = WHITE 2 = YELLOW 3 = BUFF 4 = TAN
Secondary color: 5 = BROWN 6 = PINK 7 = RED 8 = PURPLE
9 = BLUE 10 = BLACK 11 = OTHER (Specify) _____

Color pattern: 1 = SPLASHED 2 = MOTTLED 3 = STRIPED 4 = FLECKED 5 = DOTTED

Secondary color location: 1 = HILAR RING 2 = HILAR SURFACE
3 = STROPHIOLE 4 = MICROPYLE
5 = SIDES 6 = DORSAL SURFACE
7 = NOT RESTRICTED TO ANY AREA 8 = COMBINATION OF LOCATIONS (Specify) _____

2 Hilar ring: 1 = NOT PRESENT 2 = NARROW 3 = BUTTERFLY SHAPED

2 Vein-like under coat pattern: 1 = ABSENT 2 = PRESENT

9. SEED SHAPE AND SIZE:

1 Hilum view: 1 = ELLIPTICAL 2 = OVAL 3 = ROUND 3 Side view: 1 = OVAL 2 = ROUND
3 = KIDNEY 4 = TRUNCATE ENDS

1 Cross section: 1 = ELLIPTICAL 2 = OVAL 34 GM. WEIGHT PER 100 SEEDS
3 = CORDATE 4 = ROUND

4 Classification: 1 = PEA 2 = MEDIUM 3 = MARROW 4 = KIDNEY 5 = PINTO

0 5 MM. WIDTH (Dorsal to ventral) 0 4 MM. THICKNESS (Side to side)

1 3 MM. LENGTH 0 1 3 $\frac{\text{WIDTH}}{\text{THICKNESS}} \times 10$

10. ANTHOCYANIN: (1 = Absent 2 = Present):

1 FLOWERS 1 STEMS 1 PODS 1 SEEDS 1 LEAVES

11. DISEASE RESISTANCE (0 = Not tested; 1 = Susceptible; 2 = Resistant):

<input type="checkbox"/> 0 RUST (Specify race) _____	<input type="checkbox"/> 0 ANGULAR LEAF SPOT
<input type="checkbox"/> 0 BACTERIAL WILT	<input type="checkbox"/> 2 COMMON BEAN MOSAIC
<input type="checkbox"/> 0 ANTHRACNOSE	<input type="checkbox"/> 0 YELLOW BEAN MOSAIC
<input type="checkbox"/> 0 SOUTHERN BEAN MOSAIC	<input type="checkbox"/> 0 FUSARIUM ROOT ROT
<input type="checkbox"/> 0 CURLY TOP	<input type="checkbox"/> 2 N.Y. 15 BEAN MOSAIC
<input type="checkbox"/> 0 POWDERY MILDEW	<input type="checkbox"/> 0 BEAN MOSAIC VIRUS 4
<input type="checkbox"/> 0 HALO BLIGHT	<input type="checkbox"/> 0 FUSCOUS BLIGHT
<input type="checkbox"/> 0 ALFALFA MOSAIC VIRUS	<input type="checkbox"/> 0 ALFALFA MOSAIC VIRUS 2
<input type="checkbox"/> 0 POD MOTTLE VIRUS	<input type="checkbox"/> 0 RED NODE VIRUS
<input type="checkbox"/> 0 ROOT KNOT NEMATODE	<input type="checkbox"/> 0 OTHER (Specify) _____

12. INSECT RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)

<input type="checkbox"/> 0 APHIDS	<input type="checkbox"/> 0 LEAF HOPPERS
<input type="checkbox"/> 0 POD BORER	<input type="checkbox"/> 0 LYGUS
<input type="checkbox"/> 0 THRIPS	<input type="checkbox"/> 0 WEAVILS
<input type="checkbox"/> 0 SEED CORN MAGGOT	<input type="checkbox"/> 0 OTHER (Specify) _____

13. PHYSIOLOGICAL RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)

0 HEAT 0 COLD 0 DROUGHT 0 OTHER (Specify) _____

REFERENCES: The following publications may be used as a reference in completing this form:

1. Beans of New York. Vol. 1 Part II of Vegetables of New York. U.P. Hedrick et al. J. B. Lyon Company, Albany, N.Y. 1931.
2. Yarnell, S. H., Cytogenetics of the Vegetable Crops IV. Legumes. Bot. Rev. 31:247 - 330, 1965.
3. USDA Yearbook of Agriculture. 1937.

COLOR: Nickerson's or any recognized color fan may be used to determine the colors.