


No.



7700097

# THE UNITED STATES OF AMERICA

**TO ALL TO WHOM THESE PRESENTS SHALL COME:**

## Asgrow Seed Company

**Whereas, THERE HAS BEEN PRESENTED TO THE  
Secretary of Agriculture**

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (P.L. 57-17, STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

BEAN

'Goldrush'

*In Testimony Whereof, I have hereunto set  
my hand and caused the seal of the Plant  
Variety Protection Office to be affixed  
at the City of Washington  
this 30th day of December in  
the year of our Lord one thousand nine  
hundred and seventy-seven*

*Attest:*

*[Signature]*  
Commissioner  
Plant Variety Protection Office  
Grain Division  
Agricultural Marketing Service

*[Signature]*  
Secretary of Agriculture

XP-B 91

FORM GR-470  
(1-76)UNITED STATES DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
GRAIN DIVISION  
PLANT VARIETY PROTECTION OFFICE  
NATIONAL AGRICULTURAL LIBRARY  
BELTSVILLE, MARYLAND 20705FORM APPROVED  
OMB NO. 40-R3712

## APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1a. TEMPORARY DESIGNATION OF VARIETY XP-B 91	1b. VARIETY NAME Goldrush	FOR OFFICIAL USE ONLY	
		PV NUMBER 7700097	
2. KIND NAME Garden Bean	3. GENUS AND SPECIES NAME Phaseolus vulgaris	FILING DATE 8-30-77	TIME 3:00 <u>A.M.</u> <u>P.M.</u>
		FEE RECEIVED \$ 250.00	DATE 8/30/77
4. FAMILY NAME (BOTANICAL) Leguminosae	5. DATE OF DETERMINATION August, 1974	\$ 250.00	8/30/77
		\$ 250.00	12/19/77
6. NAME OF APPLICANT(S) Asgrow Seed Company	7. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) Kalamazoo, Michigan 49001	8. TELEPHONE AREA CODE AND NUMBER (616) 385-6605	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) Corporation		10. IF INCORPORATED, GIVE STATE AND DATE OF INCORPORATION Delaware	11. DATE OF INCORPORATION March 22, 1968
12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers: John A. Batcha Asgrow Seed Company Unit 9630-190-1 7000 Portage Road Kalamazoo, Michigan 49001			
13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:			
<input checked="" type="checkbox"/> 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)			
<input checked="" type="checkbox"/> 13B. Exhibit B, Novelty Statement.			
<input checked="" type="checkbox"/> 13C. Exhibit C, Objective Description of the Variety (Request form from Plant Variety Protection Office.)			
<input type="checkbox"/> 13D. Exhibit D, Additional Description of the Variety.			
14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a). (If "Yes," answer 14B and 14C below.) <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
14B. Does the applicant(s) specify that this variety be limited as to number of generations? <input type="checkbox"/> YES <input type="checkbox"/> NO		14C. If "Yes," to 14B, how many generations of production beyond breeder seed? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED	
15. Does the applicant(s) agree to the publication of his/her (their) name(s) and address in the Official Journal? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			
16. The applicant(s) declare(s) that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable.			

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

July 27, 1977  
(DATE)

John A. Batcha  
(SIGNATURE OF APPLICANT)  
John A. Batcha : 1  
(SIGNATURE OF APPLICANT)

## INSTRUCTIONS

**GENERAL:** Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, National Agricultural Library, Beltsville, Maryland 20705. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

## ITEM

- 5 Give the date the applicant determined that he had a new variety based on (1) the definition in Section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- 13a Give (1), the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. (2), the details of subsequent stages of selection and multiplication. (3), the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4), evidence of stability.
- 13b Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties; (1) identify these varieties and state all differences objectively; (2) Attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form for all characteristics, for which you have adequate data.
- 13d Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe; such as; plant habit, plant color, disease resistance, etc.
- 14A If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled or published or the certificate has been issued. However, if the applicant specifies "NO", he may change his choice. (See Section 180.15 of the Regulations and Rules of Practice.)

EXHIBIT A--Origin and Breeding History of ~~XP-B91~~ Wax Bean  
*Goldrush*

The original cross, Eagle x Bonanza, was made in 1970, and ~~XP-B91~~ *Goldrush* has been developed by straight selection from the above cross. Single plant selections have been made through F<sub>6</sub>.

In August, 1974, it was determined that this line was a unique wax bean with definite potential. Since then, the line has been in trial and increase and was designated ~~XP-B91~~ *Goldrush* on August 17, 1976.

A large number of single vine selections were made in 1975, and the progenies were grown in 1976 as a final test of homozygosity. All progenies were practically identical, indicating that the line is breeding true. Any progeny suspect in any way was eliminated, and the remaining progenies were harvested to become our original "Breeder's Seed".

*Goldrush*

~~XP-B91~~ is a stable, true breeding line. We have found no off-types other than for the mutation to flat pod, which occurs in all round podded varieties known to us.

J.D. Atkin  
6/10/77

EXHIBIT B--Novelty Statement Concerning ~~XP-B-91~~ Garden Bean  
*Goldrush*

The commercial wax bean variety most similar to ~~XP-B-91~~ to our knowledge is Midas. Comparative characteristics which make ~~XP-B-91~~ a different variety include, but are not restricted to, the following:

1. ~~XP-B-91~~ has considerably smaller sieve size.
2. Pods of ~~XP-B-91~~ are approximately two centimeters longer than those of Midas.
3. ~~XP-B-91~~ is earlier in maturity.

The following table summarizes data from yield trials conducted at Twin Falls, Idaho in 1976. This trial consists of four replications and a succession of once-over harvests was made to correlate yield with the increase of sieve size, fiber, and seed development. The sieve size is calculated by grading all beans harvested in a commercial bean grader. The percent seed is derived in conjunction with the fiber test where it is necessary to test 100 grams of deseeded pods. The seeds removed from the pods are weighed and the percent seed is then calculated. The fiber test is conducted during the winter on canned samples. The pod length is obtained by measuring the length of 25 randomly selected sieve size five pods.

HARVEST DATE	LBS/ACRE	5% SIEVE & OVER	POD LENGTH				LBS/ACRE	5% SIEVE & OVER	POD LENGTH					
			% SEED		STAND.				% SEED		STAND.			
			4's	5's	CM	ERROR			4's	5's	CM	ERRO		
7/31/76	8,100	1	4.7											
8/2/76						6,100	16			5.7				
8/3/76	11,200	7		8.9										
8/5/76	12,600	15	7.6	9.4	14.3	0.13	8,100	23		7.6				
8/7/76	14,200	13	10.5	12.3	14.0	0.19	8,300	22	7.7	10.7	11.9	0.3		
8/9/76							9,600	36	5.6	11.6	12.2	0.2		

The above data indicate that ~~XP-B-91~~ is earlier than Midas. The pods of ~~XP-B-91~~ in the field are much longer than those of Midas and the data confirm this observation. The percent seed data indicate that ~~XP-B-91~~ pods are as mature at 13 or 15 percent seed as Midas pods at 36 percent seed. This is very good evidence that Midas produces considerably larger sieve pods than ~~XP-B-91~~.



7700097

6. FLOWERS:

1 Color: 1 = WHITE 2 = CREAM 3 = PINK 4 = LILAC 5 = PURPLE  
 6 = OTHER (Specify) \_\_\_\_\_

2 Racemes: 1 = LONG 2 = MEDIUM 3 = SHORT  6 NUMBER FLOWERS PER RACEME

7. FRESH PODS: (Edible maturity, averages for 10 pods)

7 Color: 1 = LIGHT GREEN (Bountiful) 2 = MEDIUM GREEN (Tendergreen) 3 = DARK GREEN (Wade)  
 4 = LIGHT YELLOW (Brittlewax) 5 = GOLDEN YELLOW (Cherokee Wax) 6 = GREEN-RED VARIAGATED (Horticultural)  
 7 = OTHER (Specify) Bright Yellow

1  4 CM. LENGTH  0  9 MM. WIDTH (Between sutures)  0  9 MM. THICKNESS  1  0  $\frac{\text{WIDTH}}{\text{THICKNESS}} \times 10$

4 Cross section pod shape: 1 = FLAT 2 = OVAL 3 = CREASEBACK 4 = ROUND

1 Curvature: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED  2 Pubescence: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE

1 Constrictions: 1 = NONE 2 = SLIGHT 3 = DEEP  2 Spur: 1 = STRAIGHT 2 = SLIGHTLY CURVED 3 = CURVED

1 Surface: 1 = SHINY 2 = DULL  1 Surface: 1 = SMOOTH 2 = BLISTERED

1 Pod flesh: 1 = LIGHT 2 = DARK  1 Pod flesh: 1 = FIRM 2 = WATERY

15 MM. SPUR LENGTH  2 Suture string: 1 = PRESENT 2 = ABSENT

2 Fiber: 1 = NONE 2 = SPARSE 3 = CONSIDERABLE  2 Seed development: 1 = SLOW 2 = MEDIUM 3 = FAST

6 NUMBER OF SEEDS PER POD  NUMBER PODS PER PLANT (Once over harvest)

NUMBER MARKETABLE PODS PER PLANT (Once over harvest)  1 Machine harvest: 1 = ADAPTED 2 = NOT ADAPTED

8. SEED COAT COLOR:

1 1 = MONOCHROME 2 = POLYCHROME  1 1 = SHINY 2 = DULL

1 Primary color: 1 = WHITE 2 = YELLOW 3 = BUFF 4 = TAN  
 5 = BROWN 6 = PINK 7 = RED 8 = PURPLE  
 Secondary color: 9 = BLUE 10 = BLACK 11 = OTHER (Specify) \_\_\_\_\_

Color pattern: 1 = SPLASHED 2 = MOTTLED 3 = STRIPED 4 = FLECKED 5 = DOTTED

Secondary color location: 1 = HILAR RING 2 = HILAR SURFACE  
 3 = STROPHIOLE 4 = MICROPYLE  
 5 = SIDES 6 = DORSAL SURFACE  
 7 = NOT RESTRICTED TO ANY AREA 8 = COMBINATION OF LOCATIONS (Specify) \_\_\_\_\_

1 Hilar ring: 1 = NOT PRESENT 2 = NARROW 3 = BUTTERFLY SHAPED

1 Vein-like under coat pattern: 1 = ABSENT 2 = PRESENT

9. SEED SHAPE AND SIZE:

1 Hilum view: 1 = ELLIPTICAL 2 = OVAL 3 = ROUND  3 Side view: 1 = OVAL 2 = ROUND  
 3 = KIDNEY 4 = TRUNCATE ENDS

4 Cross section: 1 = ELLIPTICAL 2 = OVAL  23 GM. WEIGHT PER 100 SEEDS  
 3 = CORDATE 4 = ROUND

4 Classification: 1 = PEA 2 = MEDIUM 3 = MARROW 4 = KIDNEY 5 = PINTO

5.5 MM. WIDTH (Dorsal to ventral)  5.5 MM. THICKNESS (Side to side)

1  2 MM. LENGTH  0  1  0  $\frac{\text{WIDTH}}{\text{THICKNESS}} \times 10$

7700097

10. ANTHOCYANIN: (1 = Absent 2 = Present):

 FLOWERS     STEMS     PODS     SEEDS     LEAVES

11. DISEASE RESISTANCE (0 = Not tested; 1 = Susceptible; 2 = Resistant):

<input type="checkbox"/> RUST (Specify race) _____	<input type="checkbox"/> ANGULAR LEAF SPOT
<input type="checkbox"/> BACTERIAL WILT	<input checked="" type="checkbox"/> COMMON BEAN MOSAIC
<input type="checkbox"/> ANTHRACNOSE	<input type="checkbox"/> YELLOW BEAN MOSAIC
<input type="checkbox"/> SOUTHERN BEAN MOSAIC	<input type="checkbox"/> FUSARIUM ROOT ROT
<input type="checkbox"/> CURLY TOP	<input checked="" type="checkbox"/> N.Y. 15 BEAN MOSAIC
<input type="checkbox"/> POWDERY MILDEW	<input type="checkbox"/> BEAN MOSAIC VIRUS 4
<input type="checkbox"/> HALO BLIGHT	<input type="checkbox"/> FUSCOUS BLIGHT
<input type="checkbox"/> ALFALFA MOSAIC VIRUS	<input type="checkbox"/> ALFALFA MOSAIC VIRUS 2
<input type="checkbox"/> POD MOTTLE VIRUS	<input type="checkbox"/> RED NODE VIRUS
<input type="checkbox"/> ROOT KNOT NEMATODE	<input type="checkbox"/> OTHER (Specify) _____

12. INSECT RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)

<input type="checkbox"/> APHIDS	<input type="checkbox"/> LEAF HOPPERS
<input type="checkbox"/> POD BORER*	<input type="checkbox"/> LYGUS
<input type="checkbox"/> THRIPS	<input type="checkbox"/> WEAVILS
<input type="checkbox"/> SEED CORN MAGGOT	<input type="checkbox"/> OTHER (Specify) _____

13. PHYSIOLOGICAL RESISTANCE: (0 = Not tested; 1 = Susceptible; 2 = Resistant)

 HEAT     COLD     DROUGHT     OTHER (Specify) \_\_\_\_\_

REFERENCES: The following publications may be used as a reference in completing this form:

1. Beans of New York. Vol. 1 Part II of Vegetables of New York. U.P. Hedrick et al. J. B. Lyon Company, Albany, N.Y. 1931.
2. Yarnell, S. H., Cytogenetics of the Vegetable Crops IV. Legumes. Bot. Rev. 31:247 - 330. 1965.
3. USDA Yearbook of Agriculture. 1937.

COLOR: Nickerson's or any recognized color fan may be used to determine the colors.