


No.



7800037

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

W. Brotherton Seed Company, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE
Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *seventeen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (U.S.C. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

PEA

'Quincy'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this 18th day of May in the year of our Lord one thousand nine hundred and seventy-eight

Attest:

Acting
Commissioner
Plant Variety Protection Office
Grain Division
Agricultural Marketing Service


Secretary of Agriculture



APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

INSTRUCTIONS: See Reverse.

1a. TEMPORARY DESIGNATION OF VARIETY Quincy	1b. VARIETY NAME Quincy	FOR OFFICIAL USE ONLY	
		PV NUMBER 7800037	
2. KIND NAME Garden Pea	3. GENUS AND SPECIES NAME Pisum sativum	FILING DATE 3-17-78	TIME 3:00 <small>A.M.</small> <input checked="" type="checkbox"/> <small>P.M.</small>
4. FAMILY NAME (BOTANICAL) Leguminosae	5. DATE OF DETERMINATION Nov. 1968	FEE RECEIVED	DATE
		\$ 250.00	3-17-78
		\$ 250.00	3-17-78
6. NAME OF APPLICANT(S) W. Brotherton Seed Co., Inc.	7. ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P. O. Box 906 Moses Lake, WA. 98837	8. TELEPHONE AREA CODE AND NUMBER 509/765-5131	
9. IF THE NAMED APPLICANT IS NOT A PERSON, FORM OF ORGANIZATION: (Corporation, partnership, association, etc.) Corporation		10. IF INCORPORATED, GIVE STATE AND DATE OF INCORPORATION Washington Feb. 1955	11. DATE OF INCORPORATION Feb. 1955

12. Name and mailing address of applicant representative(s), if any, to serve in this application and receive all papers:
**Wilber Brotherton 3rd, Pres. or Harley Brotherton, Vice Pres.
W. Brotherton Seed Co., Inc.
P. O. Box 906
Moses Lake, WA. 98837**

13. CHECK BOX BELOW FOR EACH ATTACHMENT SUBMITTED:

- 13A. Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.)
- 13B. Exhibit B, Novelty Statement.
- 13C. Exhibit C, Objective Description of the Variety (Request form from Plant Variety Protection Office.)
- 13D. Exhibit D, Additional Description of the Variety.

14A. Does the applicant(s) specify that seed of this variety be sold by variety name only as a class of certified seed? (See Section 83(a). (If "Yes," answer 14B and 14C below.) YES NO

14B. Does the applicant(s) specify that this variety be limited as to number of generations? YES NO

14C. If "Yes," to 14B, how many generations of production beyond breeder seed? FOUNDATION REGISTERED CERTIFIED

15. Does the applicant(s) agree to the publication of his/her (their) name(s) and address in the Official Journal? YES NO

16. The applicant(s) declare(s) that a viable sample of basic seed of this variety will be deposited upon request before issuance of a certificate and will be replenished periodically in accordance with such regulations as may be applicable.

The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Act.

Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

24 Feb 78
(DATE)

Wilber Brotherton 3rd, Inc
(SIGNATURE OF APPLICANT)

1

(DATE)

(SIGNATURE OF APPLICANT)

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, National Agricultural Library, Beltsville, Maryland 20705. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- 5 Give the date the applicant determined that he had a new variety based on (1) the definition in Section 41(a) of the Act and (2) the date a decision was made to increase the seed.
- 13a Give (1), the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. (2), the details of subsequent stages of selection and multiplication. (3), the type and frequency of variants during reproduction and multiplication and state how these variants may be identified and (4), evidence of stability.
- 13b Give a summary statement of the variety's novelty. Clearly state how this novel variety may be distinguished from all other varieties in the same crop. If the new variety most closely resembles one or a group of related varieties; (1) identify these varieties and state all differences objectively; (2) Attach statistical data for characters expressed numerically and demonstrate that these differences are significant; and (3) submit, if helpful, seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty.
- 13c Fill in the Exhibit C, Objective Description form for all characteristics, for which you have adequate data.
- 13d Describe any additional characteristics that are not described, or whose description cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the description of characteristics that are difficult to describe; such as; plant habit, plant color, disease resistance, etc.
- 14A If "YES" is specified (seed of this variety be sold by variety name only as a class of certified seed) the applicant may NOT reverse his affirmative decision after the variety has either been sold and so labeled or published or the certificate has been issued. However, if the applicant specifies "NO", he may change his choice. (See Section 180.15 of the Regulations and Rules of Practice.)

EXHIBIT A

ORIGIN & BREEDING HISTORY OF THE VARIETY

- 1.) Quincy originated as a hand pollinated cross between an unknown, white-flowered, no-stipule variety crossed with a variety designated Peru II. This original cross took place in the greenhouse of W. Brotherton Seed Co., Inc. in the winter of 1968-1969. This white-flowered no-stipuled variety originated in the early sixties as a cross between Puget (see attached brochure for details of Puget) and an unknown, no-stipule variety. Only those plants with reduced stipules and white flowers were saved. Peru II is a tall, indeterminate, late (23rd node), round, yellow seeded variety which is resistant to Fusarium oxysporum Race 5.

- 2.) F₁ and F₂ seed were grown in Moses Lake in 1969 and 1970. Single plants were selected out of this seed for desirable vine type and plant habit. F₃ seed were screened for resistance to Fusarium oxysporum Race 5 in the greenhouse in Moses Lake in the winter of 1970-1971. In 1971 F₄ seed were further screened for resistance in the Skagit Valley of Washington. Mass selections of the most promising varieties of F₅-F₇ generations were made in Moses Lake in the years 1972-1974. Enough seed in the F₈ generation has been available for selected commercial trials since 1975.

- 3.) Due to the parentage of this variety, there has been no trouble in stabilizing the vine height or plant habit. The presence of reduced stipules is also a clear cut segregation. The only trouble or roguing necessary has been in stabilizing the multipodding habit. This was accomplished in the early generations through single plant selections.

7800037

EXHIBIT B. "Quincy"

Application No. 7800037

"Quincy" most closely resembles the variety "Puget" but differs by the following characteristics. The most notable difference is the greatly reduced stipules (in size) and coupled with it's very determinate multipodding habit give it a very distinctive appearance. "Quincy" has a vine length of 61 cm. or about 10 cm. shorter than "Puget". "Quincy" has an average sieve size of 4.40 while "Puget's" is about 3.80. "Quincy" is resistant to Fusarium oxysporum Race 5 while "Puget" is susceptible. "Quincy" differs from "Avon" (Application No. 7800036) in all of the above characteristics except that like "Avon", "Quincy" is resistant to Fusarium oxysporum Race 5. "Quincy" also is one to two days later in maturity than "Avon".

7800037

EXHIBIT ~~B~~ ^B 7/17 4/19/78

DATA INDICATIVE OF NOVELTY

The novelty of this variety, Quincy is based on the following characteristics:

- 1.) Greatly reduced stipules with a bluish-green color of foliage.
- 2.) Disease resistance to Fusarium oxysporum Races 1 and 5
- 3.) Multipodded habit

Neither parent or as far as we know no other variety expresses all three of these characteristics.

8. PODS:

2 Shape: 1 = STRAIGHT 2 = SLIGHTLY CURVED 2 End: 1 = POINTED (Alderman) 2 = BLUNT (Alaska)
 1 Color: 1 = LIGHT GREEN (Alaska WR) 2 = MEDIUM GREEN 3 = DARK GREEN (Alderman)
 1 Color: 4 = OTHER (Specify) _____
 1 Surface: 1 = SMOOTH 2 = ROUGH 2 Surface: 1 = SHINY 2 = DULL
 5 Borne: 1 = SINGLE 2 = DOUBLE 3 = SINGLE AND DOUBLE 4 = SINGLE, DOUBLE, & TRIPEE
 5 Borne: 5 = DOUBLE & TRIPLE 6 = TRIPLE 7 = OTHER (Specify) _____
 7 5 CM. LENGTH 1 5 MM. WIDTH (Between sutures) 0 6 NO. SEEDS PER POD

9. SEEDS (95-100 Tenderometer):

2 Color: 1 = LIGHT GREEN 2 = GREEN 3 = DARK GREEN 4 = OTHER (Specify) _____
 Selve: % - - 0 8 1 4 2 6 3 4 1 8 - - - - 4 4 0

SEEDS (Dry, Mature):

4 Shape: 1 = FLATTENED 2 = ANGULAR 3 = OVAL 4 = ROUNDED
 3 Surface: 1 = SMOOTH 2 = DIMPLED 2 Surface: 1 = SHINY 2 = DULL
 3 Surface: 3 = WRINKLED
 1 Color Pattern: 1 = MONOCOLOR 2 = MOTTLED 3 = STRIPED 4 = DOTTED
 3 Primary Color: { 1 = CREAMY-WHITE 2 = CREAM & GREEN 3 = LIGHT GREEN 4 = MEDIUM GREEN
 5 = DARK GREEN 6 = BLUE-GREEN 7 = YELLOW 8 = BROWN 9 = RED
 3 Secondary Color: { 10 = GRAY 11 = BLACK
 1 Hilum Floor Color: 1 = WHITE 2 = TAN 1 Cotyledon Color: 1 = GREEN 2 = YELLOW 3 = ORANGE
 3 = BLACK

2 4 GRAMS PER 100 SEEDS

10. DISEASE: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)

2 FUSARIUM WILT 0 NEAR-WILT 0 DOWNY MILDEW
 0 ASCOCHYTA BLIGHT 1 POWDERY MILDEW 0 BACTERIAL BLIGHT
 0 MOSAIC 0 PEA ENATION MOSAIC 0 YELLOW BEAN MOSAIC
 2 OTHER (Specify) Fusarium oxysporum Race 5

11. INSECT: (0 = Not Tested; 1 = Susceptible; 2 = Resistant)

0 APHIDS 0 OTHER (Specify) _____

12. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Leafiness	(Unique) reduced stipules	Fresh Seed Color	Puget
Leaf Color	Thomas Laxton	Mature Seed Color	Puget
Pod Color	Puget	Seed Shape	Puget
Pod Shape	Puget	Plant Habit	Puget

COMMENTS:

EXHIBIT ^D/_B ~~4/15~~ 4/19/78

7800037

BOTANICAL DESCRIPTION OF THE VARIETY

Quincy, formally designated Freezer 761 in our breeding program is a late season main type crop for freezing. In season Quincy is the same as Dark Skin Perfection or Puget i.e. 70 days and about 1520 heat units. Quincy is a very determinate multipodded pea and with its reduced stipules make its vine and appearance very distinctive. Quincy has a vine length of about 61 cm making it about 20 cm shorter than Dark Sin Perfection.

The pods of Quincy are about 7.5 cm in length, blunt and slightly curved. As mentioned before its multipodded habit i.e. borne 2 to 3 pods per peduncle coupled with a sieve size of 4.40 give Quincy a good yield potential. The green pea at canning stage as well as the mature seed are quite indistinguishable from that of Puget except for being slightly larger.

Quincy is resistant to Races 1 and 5 of Fusarium oxysporum.

7800037

EXHIBIT E

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

W. BROTHERTON SEED CO., INC. is the employer of the actual breeder of this variety (Quincy), the breeder being Harley Brotherton.

W. Brotherton Seed Co., Inc.

A handwritten signature in cursive script, appearing to read "Wilber Brotherton 3rd".

By: Wilber Brotherton 3rd

FORM GR-470-14
(5-15-74)

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
GRAIN DIVISION
HYATTSVILLE, MARYLAND 20782
OBJECTIVE DESCRIPTION OF VARIETY
PEA (*PISUM SATIVUM*)

NAME OF APPLICANT(S) W. BROTHERTON SEED CO., INC.	VARIETY NAME OR TEMPORARY DESIGNATION QUINCY
ADDRESS (Street and No. or R.F.D. No., City, State, and ZIP Code) P. O. Box 906 Moses Lake, WA. 98837	FOR OFFICIAL USE ONLY PVPO NUMBER 7800037

Place the appropriate number that describes the varietal character in the boxes below.
Place a zero in first box (e.g. or) when number is either 99 or less or 9 or less.

1. TYPE:

1 = GARDEN 2 = FIELD 3 = EDIBLE-PODDED

2. MATURITY:

Node number of first bloom: No. of days to processing Heat Units

No. of days Earlier than 1 = ALASKA WR 2 = THOMAS LAXTON WR 3 = LITTLE MARVEL

No. of days Later than 4 = WANDO 5 = ALDERMAN WR 6 = AUSTRIAN WINTER

3. PLANT HEIGHT:

CM. HIGH

Cm. Shorter than } 1 = ALASKA WR 2 = THOMAS LAXTON WR 3 = LITTLE MARVEL

Cm. Taller than } 4 = WANDO 5 = ALDERMAN WR 6 = AUSTRIAN WINTER

4. VINE:

Habit: 1 = DETERMINATE 2 = INDETERMINATE Stockiness: 1 = SLIM (Alaska) 3 = HEAVY (Alderman)
2 = MEDIUM (Thomas Laxton WR)

Branching: 1 = NONE (Alaska) 2 - 1-2 BRANCHES (Little Marvel) 3 = MORE THAN 2 BRANCHES (Dwarf Gray Sugar)

Internodes: 1 = STRAIGHT 2 = ZIG ZAG NUMBER OF NODES

5. LEAFLETS:

Color: 1 = LIGHT GREEN (Alaska WR) 2 = MED. GREEN (Thomas Laxton WR) 3 = DARK GREEN (Alderman)
4 = OTHER (Specify) Bluish-green, Unique color

Wax: 1 = NONE 2 = LIGHT 3 = MEDIUM 4 = HEAVY 1 = NOT MARBLED 2 = MARBLED (Alaska) (slightly)

Number of leaflet pairs: 1 = NOT PAIRED 2 = ONE 3 = TWO 4 = THREE OR MORE

6. STIPULES:

(greatly reduced)
1 = LACKING 2 = PRESENT 1 = NOT CLASPING 2 = CLASPING

1 = NOT MARBLED 2 = MARBLED Size (Compared with leaflets): 1 = SMALLER 2 = SAME
3 = LARGER

Color (Compared with leaflets): 1 = LIGHTER 2 = SAME 3 = DARKER

7. FLOWER COLOR:

VENATION STANDARD WING KEEL } 1 = WHITE 2 = GREENISH 3 = LAVENDER
4 = PURPLE 5 = RED
6 = OTHER (Specify)