


COTTON PRICE STATISTICS 2010-2011



ANNUAL REPORT

**UNITED STATES DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service
Cotton and Tobacco Programs
Memphis, TN**

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 137.88 cents per pound for the 2010-2011 season, up sharply from 67.76 cents for the 2009-2010 season. The season's highest lowest average quotation for the base quality occurred on August 2, 2010 at 80.18 cents per pound and the season's highest daily quotation was 209.60 cents on March 7, 2011. The lowest monthly average for the marketing year was 83.24 cents per pound in August 2010 and the highest was 195.79 cents per pound in March 2011.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 139.98 cents per pound for the 2010-2011 season, up from 69.96 cents for the 2009-2010 season.

The average price received by farmers for Upland cotton was 62.90 cents per pound for the 2009-2010 marketing year and 55.20 cents for the 2008-2009 marketing year, according to the National Agricultural Statistics Service, USDA. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 656,176 running bales in the 2010-2011 marketing year, down from 904,101 bales in the 2009-2010 marketing year and 1,383,986 bales in 2008-2009.

August 12, 2011

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2005-2010 1/ 2/

Market Areas	2005	2006	2007	2008	2009	2010
Southeast	49.65	49.90	63.95	48.97	70.13	139.70
North Delta	49.67	49.46	62.67	47.99	69.30	139.02
South Delta	49.63	49.46	62.67	47.99	69.30	139.02
East Texas-Oklahoma	47.69	48.17	60.89	47.08	66.57	135.51
West Texas	47.78	48.06	60.64	46.93	66.38	135.10
Desert Southwest	48.26	47.08	59.07	47.03	65.40	137.91
San Joaquin Valley	50.06	48.58	60.57	49.10	67.20	138.91
Average	48.96	48.67	61.50	47.87	67.76	137.88

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2005 2/	14-Feb-06	53.25	15-Aug-05	43.46
2006 2/	13-Jul-07	60.67	14-May-07	42.84
2007 2/	5-Mar-08	79.16	16-Aug-07	50.34
2008 2/	1-Aug-08	62.69	11-Nov-08	36.28
2009 2/	30-Jul-10	78.90	26-Aug-09	50.98
2010 2/	7-Mar-11	209.60	2-Aug-11	80.18

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2010-2011 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1		86.56	93.59	125.76	116.71		163.87	189.21	190.75		160.48	129.58
2	80.18	87.19		130.94	121.71		167.87	196.21		156.54	163.74	
3	80.79	87.25		132.19	127.71	134.82	164.19	201.36		159.58	161.16	
4	80.43		93.45	137.21		136.13	160.19	208.36	190.75	153.58		
5	80.64		94.08	138.84		137.68			196.26	146.76		126.75
6	80.86		95.07		125.66	134.41			203.26	145.47	155.16	124.77
7		87.51	99.07		125.98	133.96	166.79	209.60	203.37		148.16	124.00
8		86.98	102.80	142.84	127.57		167.67	202.60	198.12		144.61	124.34
9	80.69	86.84		147.84	131.57		172.91	199.44		145.36	150.61	
10	81.06	87.19		142.29	132.62	136.57	179.91	195.77		150.29	149.59	
11	81.01		106.32	140.83		140.57	182.34	199.74	199.70	149.21		119.20
12	83.39		105.74	136.24		141.05			194.88	143.21		114.06
13	84.14	88.00	106.87		136.62	137.11			192.46	144.04	150.54	117.82
14		89.71	110.87		139.78	134.53	179.61	192.74	190.39		155.10	113.82
15		89.01	105.87	134.21	137.81		184.38	185.74	180.29		151.47	108.90
16	84.09	90.81		125.14	141.26		191.38	179.94		150.04	145.47	
17	84.31	92.59		119.18	144.12		198.38	186.94		154.31	136.22	
18	84.01		109.34	124.39		138.56	191.38	193.94	181.04	159.11		104.25
19	84.41		106.26	118.32		142.06			174.04	154.89		108.25
20	83.86	93.55	110.26		148.12	145.49			169.97	154.86	135.99	107.21
21		94.85	111.79		152.76	149.49		193.83	170.44		137.02	105.24
22		94.16	115.86	113.35	148.26		184.38	200.83			134.94	105.03
23	84.43	92.41		107.14	142.84		180.66	196.84		153.42	132.21	
24	85.12	94.52		111.74		154.49	172.81	203.87		153.41	134.66	
25	84.86		120.94			153.81	179.81	199.56	169.28	155.52		102.99
26	85.78		125.85	106.94		158.09			163.28	150.52		106.99
27	85.63	98.52	119.85		139.22	160.64			156.28	152.19	135.67	106.75
28		100.10	117.91		136.43	156.32	186.81	192.56	154.94		135.72	105.72
29		96.89	121.61	111.01	133.20			189.91	160.09		134.96	104.99
30	85.87	97.51		112.71	134.42			188.84			131.42	
31	85.66				135.83	160.10		195.38		158.19		
Average	83.24	91.53	108.26	126.62	135.46	144.30	177.65	195.79	181.98	151.93	144.77	113.03
High	85.87	100.10	125.85	147.84	152.76	160.64	198.38	209.60	203.37	159.58	163.74	129.58
Low	80.18	86.56	93.45	106.94	116.71	133.96	160.19	179.94	154.94	143.21	131.42	102.99

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2010-2011 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	86.16	94.54	110.27	128.65	137.74	145.52	179.05	196.97	183.78	153.38	146.09	114.22	139.70
North Delta	85.91	93.98	109.63	128.10	136.96	145.22	178.43	196.14	182.78	152.38	145.36	113.35	139.02
South Delta	85.91	93.98	109.63	128.10	136.96	145.22	178.43	196.14	182.78	152.38	145.36	113.35	139.02
East Texas-Oklahoma	80.03	87.96	106.98	125.24	132.64	142.14	175.63	193.71	178.73	147.71	142.64	112.69	135.51
West Texas	79.94	87.48	106.64	125.17	132.39	141.53	175.13	193.21	178.23	147.21	142.14	112.19	135.10
Desert Southwest	81.85	90.89	106.83	125.05	135.28	144.72	177.93	196.69	183.28	154.72	145.40	112.22	137.91
San Joaquin Valley	82.85	91.89	107.83	126.05	136.28	145.72	178.93	197.69	184.28	155.72	146.40	113.22	138.91
Average	83.24	91.53	108.26	126.62	135.46	144.30	177.65	195.79	181.98	151.93	144.77	113.03	137.88

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2010-2011 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	86.91	95.29	111.02	129.40	138.49	146.03	179.55	197.47	184.28	153.88	146.59	114.72	140.30
North Delta	86.41	94.48	110.13	128.60	137.46	145.72	178.93	196.64	183.28	152.88	145.86	113.85	139.52
South Delta	86.41	94.48	110.13	128.60	137.46	145.72	178.93	196.64	183.28	152.88	145.86	113.85	139.52
East Texas-Oklahoma	83.03	90.96	109.98	128.24	135.64	145.14	178.63	196.71	181.73	150.71	145.64	115.69	138.51
West Texas	83.44	90.98	110.21	128.92	135.89	145.03	178.63	196.71	181.73	150.71	145.64	115.69	138.63
Desert Southwest	83.35	92.39	108.33	126.55	136.78	146.22	179.43	198.19	184.78	156.22	146.90	113.72	139.41
San Joaquin Valley	88.60	97.64	113.58	131.80	142.03	151.47	184.68	203.44	190.03	161.47	152.15	118.97	144.66
Average	85.38	93.67	110.40	128.77	137.56	146.35	179.72	197.86	184.05	154.00	146.84	115.10	139.98

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2010-July 2011

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-254	-179	-129	-166	-6	268	521	621	640
	3	-304	-204	-141	-181	-19	235	439	532	557
	4	-350	-275	-188	-200	-108	111	272	336	358
	5	-438	-363	-263	-315	-229	-54	111	165	186
	6	-638	-538	-438	-445	-392	-321	-236	-212	-197
31	7	-713	-613	-513	-575	-538	-454	-393	-366	-354
	1 & 2	-304	-229	-179	-181	-32	224	443	544	565
	3	-354	-266	-204	-191	-41	210	398	469	490
	4	-400	-338	-225	-230	-150	82	229	289	305
	5	-488	-413	-288	-335	-246	-104	61	104	123
41	6	-675	-575	-475	-460	-400	-346	-273	-246	-231
	7	-750	-663	-550	-590	-546	-468	-418	-392	-377
	1 & 2	-413	-363	-275	-265	-152	86	224	277	279
	3	-438	-388	-300	-275	-160	68	182	234	237
	4	-513	-438	-325	-305	-225	137.88	121	162	165
51	5	-550	-488	-375	-420	-325	-232	-164	-112	-109
	6	-738	-650	-563	-525	-479	-414	-357	-334	-334
	7	-813	-763	-688	-670	-633	-579	-543	-535	-534
	1 & 2	-550	-500	-463	-445	-292	-236	-121	-99	-97
	3	-550	-500	-463	-480	-308	-268	-154	-127	-126
61	4	-600	-550	-513	-505	-338	-318	-214	-193	-191
	5	-625	-600	-563	-590	-513	-443	-346	-325	-325
	6	-862	-799	-725	-690	-638	-586	-543	-532	-532
	7	-949	-899	-825	-785	-783	-739	-707	-700	-700
	1-5	-663	-625	-563	-640	-565	-490	-445	-445	-445
71	6	-851	-776	-750	-775	-710	-660	-630	-620	-620
	7	-926	-876	-850	-900	-820	-755	-725	-720	-720
	1-6	-913	-838	-813	-980	-920	-825	-795	-795	-795
12 & 22	7	-988	-938	-888	-1020	-970	-870	-845	-845	-845
	1 & 2	-350	-300	-213	-205	-79	100	254	331	348
	3	-400	-338	-238	-225	-92	75	218	284	309
	4	-438	-375	-275	-250	-175	4	157	223	241
	5	-525	-475	-425	-420	-346	-200	-107	-68	-54
32	6	-725	-650	-575	-525	-483	-411	-361	-350	-336
	7	-813	-738	-663	-650	-625	-571	-536	-521	-507
	1 & 2	-388	-338	-313	-300	-179	-7	86	141	142
	3	-438	-375	-338	-315	-192	-32	54	123	124
	4	-500	-425	-400	-360	-250	-136	-21	26	28
42	5	-575	-538	-488	-500	-400	-329	-257	-218	-218
	6	-763	-713	-613	-595	-567	-500	-446	-432	-432
	7	-900	-825	-725	-730	-700	-646	-614	-607	-607
	1-3	-488	-425	-413	-375	-292	-211	-100	-50	-50
	4	-550	-475	-475	-420	-313	-250	-154	-111	-111
52	5	-625	-600	-550	-550	-442	-404	-314	-296	-296
	6	-875	-825	-700	-680	-617	-546	-511	-500	-500
	7	-963	-913	-813	-815	-758	-707	-675	-671	-671
	1-4	-675	-625	-575	-535	-446	-446	-411	-404	-404
	5	-750	-700	-675	-615	-554	-539	-504	-504	-504
62	6	-975	-925	-875	-790	-742	-693	-671	-671	-671
	7	-1050	-1000	-975	-880	-867	-829	-814	-811	-811
	1-5	-825	-750	-725	-760	-705	-610	-595	-595	-595
	6	-1000	-950	-900	-960	-895	-790	-775	-775	-775

Table 6. United States (Continued)

August 2010-July 2011

Color	Leaf	Staple									
		26-29	30	31	32	33	34	35	36	37	
13 & 23	1 & 2	-525	-425	-375	-263	-200	-138	-100	-75	-75	
	3	-525	-463	-400	-288	-225	-163	-125	-100	-100	
	4	-600	-500	-475	-363	-288	-213	-175	-150	-150	
	5	-725	-625	-600	-463	-413	-338	-300	-275	-275	
	6	-825	-750	-650	-550	-488	-413	-388	-363	-363	
	7	-900	-825	-725	-638	-575	-488	-488	-463	-463	
33	1 & 2	-613	-538	-488	-338	-275	-292	-275	-258	-258	
	3	-613	-538	-488	-338	-275	-292	-275	-258	-258	
	4	-663	-613	-538	-413	-338	-358	-342	-325	-325	
	5	-763	-763	-663	-525	-450	-517	-492	-475	-475	
	6	-888	-838	-738	-613	-575	-658	-658	-642	-642	
	7	-1013	-913	-838	-713	-638	-783	-775	-758	-758	
43	1-3	-663	-588	-538	-595	-492	-457	-425	-404	-404	
	4	-713	-663	-588	-640	-542	-500	-454	-436	-436	
	5	-788	-788	-688	-700	-650	-643	-596	-586	-586	
	6	-938	-888	-763	-800	-771	-768	-754	-746	-746	
	7	-1038	-963	-863	-925	-875	-893	-879	-871	-871	
	53	1-4	-850	-750	-725	-750	-696	-608	-575	-571	-571
5		-925	-850	-800	-805	-788	-692	-658	-654	-654	
6		-1025	-963	-925	-960	-904	-813	-788	-783	-783	
7		-1100	-1038	-1013	-1020	-1029	-925	-913	-908	-908	
63		1-5	-1063	-963	-938	-965	-895	-805	-775	-770	-770
		6	-1113	-1038	-1038	-1080	-990	-885	-870	-865	-865
34	1 & 2	-725	-625	-575	-475	-425	-350	-350	-350	-350	
	3	-725	-625	-575	-475	-425	-350	-350	-350	-350	
	4	-850	-750	-700	-600	-525	-450	-450	-450	-450	
	5	-950	-850	-800	-700	-650	-575	-575	-575	-575	
	6	-1075	-1000	-950	-850	-800	-725	-725	-725	-725	
	44	1-3	-838	-738	-688	-588	-538	-463	-463	-463	-463
4		-900	-813	-750	-688	-588	-513	-513	-513	-513	
5		-1000	-900	-863	-763	-688	-613	-613	-613	-613	
6		-1125	-1050	-1000	-900	-850	-775	-775	-775	-775	
54		1-4	-938	-838	-813	-713	-663	-588	-588	-588	-588
		5	-1025	-925	-888	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-1000
25-26	-938
27-29	-736
30-32	-368
33-34	-196
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-341

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-39
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	46
32.5 & Above	46

Uniformity	
Unit	Points
77.4 & Below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Prep	Diff.
Level 1	-129
Level 2	-686
Base	
Level 1	-368
Level 2	-732
Other	
Level 1	-215
Level 2	-450

Table 7. Southeast spot cotton differences, season average.

August 2010 - July 2011

Color	Leaf	Staple						Mike	
		32	33	34	35	36	37	Range	Diff.
11 & 21	1 & 2	-225	-100	86	188	238	238	25-26	-825
	3	-225	-100	86	188	238	238	27-29	-425
	4	-225	-125	25	96	154	154	30-32	-275
	5	-375	-225	-150	25	100	100	33-34	-150
	6	-500	-350	-325	-250	-225	-225	Base 35-36	0
	7	-800	-650	-650	-600	-575	-575	37-42	0
	31	1 & 2	-225	-100	61	188	213	213	Base 43-49
3	-225	-100	61	188	188	188	50-52	-203	
4	-225	-150	25	96	146	146	53 & Above	-270	
5	-375	-225	-150	25	50	50			
6	-500	-350	-325	-300	-275	-275			
7	-800	-650	-650	-650	-625	-625			
41	1 & 2	-275	-125	36	146	146	146	Strength	
	3	-275	-125	36	121	121	121	(Grams per Tex)	
	4	-275	-150	139.70	46	71	71	Range	Diff.
	5	-450	-350	-225	-200	-175	-175	20.5-21.4	-425
	6	-575	-475	-450	-425	-400	-400	21.5-22.4	-350
	7	-850	-750	-750	-750	-725	-725	22.5-23.4	-300
	51	1 & 2	-425	-200	-100	-100	-100	-100	23.5-24.4
3	-500	-225	-175	-150	-125	-125	-125	24.5-25.4	-200
4	-525	-225	-200	-200	-200	-200	-200	25.5-26.4	-25
5	-625	-450	-375	-325	-300	-300	-300	Base 26.5-28.4	0
6	-700	-525	-500	-500	-475	-475	-475	28.5-29.4	0
7	-925	-800	-800	-800	-775	-775	-775	29.5-30.4	25
61	1-5	-725	-625	-550	-550	-550	-550	30.5-32.4	50
	6	-900	-825	-775	-775	-775	-775	32.5 & Above	50
	7	-1025	-900	-850	-850	-850	-850		
71	1-6	-1050	-975	-925	-925	-925	-925		
	7	-1050	-975	-925	-925	-925	-925		
12 & 22	1 & 2	-275	-125	50	125	150	150	Extraneous Matter	
	3	-275	-125	50	100	125	125	Prep	Diff.
	4	-275	-125	0	75	100	100	Level 1	-100
	5	-425	-325	-200	-150	-125	-125	Level 2	-800
	6	-550	-425	-425	-425	-425	-425		
	7	-825	-725	-725	-725	-700	-700		
	32	1 & 2	-325	-175	-25	-25	25	25	Other
3	-350	-200	-50	-25	0	0	0	Level 1	-375
4	-450	-200	-150	-125	-75	-75	-75	Level 2	-800
5	-525	-350	-300	-300	-275	-275	-275		
6	-600	-450	-450	-450	-425	-425	-425		
7	-875	-750	-750	-750	-725	-725	-725		
42	1-3	-425	-200	-100	-75	-50	-50	Uniformity	
	4	-500	-200	-150	-150	-125	-125	Unit	Points
	5	-600	-375	-350	-325	-300	-300	77.4 & Below	-125
	6	-675	-525	-500	-500	-475	-475	77.5-78.4	-110
	7	-925	-800	-800	-800	-775	-775	78.5-79.4	-100
52	1-4	-500	-300	-275	-250	-250	-250	79.5-80.4	-25
	5	-600	-500	-425	-425	-425	-425	Base 80.5-81.4	0
	6	-775	-750	-700	-700	-700	-700	81.5-82.4	0
	7	-925	-850	-800	-800	-800	-800	82.5-83.4	20
62	1-5	-775	-700	-650	-650	-650	-650	83.5-84.4	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	84.5-85.4	40
43	1-3	-550	-450	-400	-375	-350	-350	85.5 & Above	50
	4	-575	-500	-450	-400	-375	-375		
	5	-600	-550	-500	-500	-500	-500		
	6	-775	-750	-700	-700	-700	-700		
	7	-925	-850	-800	-800	-800	-800		
53	1-4	-650	-550	-450	-450	-450	-450		
	5	-675	-625	-525	-525	-525	-525		
	6	-875	-825	-725	-725	-725	-725		
	7	-975	-925	-825	-825	-825	-825		
63	1-5	-1025	-975	-875	-875	-875	-875		
	6	-1250	-1200	-1100	-1100	-1100	-1100		

Table 8. North Delta spot cotton differences, season average.

August 2010 - July 2011

Color	Leaf	Staple						Mike	
		32	33	34	35	36	38	Range	Diff.
11 & 21	1 & 2	-250	-173	75	250	350	350	25-26	-1000
	3	-250	-173	50	200	250	250	27-29	-650
	4	-275	-200	50	125	200	200	30-32	-325
	5	-450	-325	0	75	100	100	33-34	-125
	6	-500	-475	-350	-325	-325	-325	Base 35-36	0
	7	-600	-575	-450	-425	-425	-425	37-42	25
31	1 & 2	-250	-175	50	200	300	300	Base 43-49	0
	3	-250	-175	50	150	200	200	50-52	-150
	4	-275	-250	25	50	125	125	53 & Above	-275
	5	-450	-325	-50	25	50	50		
	6	-500	-475	-350	-325	-325	-325		
	7	-600	-575	-450	-425	-425	-425		
41	1 & 2	-350	-250	50	100	125	125	Strength	
	3	-350	-250	25	50	100	100	(Grams per Tex)	
	4	-375	-275	139.02	25	25	25	Range	Diff.
	5	-525	-400	-225	-250	-225	-225	20.5-21.4	-300
	6	-575	-500	-375	-350	-350	-350	21.5-22.4	-250
	7	-700	-675	-550	-525	-525	-525	22.5-23.4	-200
51	1 & 2	-575	-325	-250	-150	-150	-150	23.5-24.4	-175
	3	-600	-350	-325	-225	-225	-225	24.5-25.4	-150
	4	-625	-375	-350	-300	-300	-300	25.5-26.4	-25
	5	-700	-600	-425	-400	-400	-400	Base 26.5-28.4	0
	6	-800	-725	-575	-550	-550	-550	28.5-29.4	0
	7	-850	-850	-675	-625	-625	-625	29.5-30.4	25
61	1-5	-750	-675	-650	-575	-575	-575	30.5-32.4	50
	6	-875	-775	-775	-750	-750	-750	32.5 & Above	50
	7	-1025	-925	-875	-850	-850	-850		
71	1-6	-1225	-1175	-1025	-975	-975	-975		
	7	-1275	-1225	-1075	-1025	-1025	-1025		
12 & 22	1 & 2	-275	-125	50	100	150	150	Extraneous Matter	
	3	-275	-125	25	100	125	125	Prep	Diff.
	4	-300	-200	-25	50	75	75	Level 1	-200
	5	-500	-375	-125	-150	-125	-125	Level 2	-800
	6	-575	-500	-375	-375	-375	-375		
	7	-675	-650	-525	-500	-500	-500	Other	Diff.
32	1 & 2	-375	-250	-100	-25	0	0	Level 1	-375
	3	-375	-250	-100	-50	0	0	Level 2	-785
	4	-400	-275	-200	-125	-100	-100		
	5	-525	-375	-250	-250	-225	-225		
	6	-625	-600	-475	-450	-425	-425		
	7	-725	-700	-575	-550	-550	-550		
42	1-3	-400	-325	-275	-150	-125	-125	Uniformity	
	4	-425	-350	-300	-225	-200	-200	Unit	Points
	5	-550	-425	-350	-325	-300	-300	77.4 & Below	-90
	6	-750	-650	-500	-475	-450	-450	77.5-78.4	-80
	7	-875	-775	-625	-600	-600	-600	78.5-79.4	-70
52	1-4	-650	-475	-425	-400	-400	-400	79.5-80.4	0
	5	-675	-575	-550	-500	-500	-500	Base 80.5-81.4	0
	6	-825	-775	-700	-675	-675	-675	81.5-82.4	0
	7	-900	-875	-800	-775	-775	-775	82.5-83.4	30
								83.5-84.4	40
62	1-5	-875	-825	-750	-725	-725	-725	84.5-85.4	50
	6	-1025	-975	-850	-825	-825	-825	85.5 & Above	60
43	1-3	-775	-575	-400	-375	-375	-375		
	4	-800	-600	-425	-400	-400	-400		
	5	-850	-750	-675	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700		
	5	-950	-900	-825	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975		

Table 9. South Delta spot cotton differences, season average.

August 2010 - July 2011

Color	Leaf	Staple						Mike	
		32	33	34	35	36	38	Range	Diff.
11 & 21	1 & 2	-250	-149	75	250	350	350	25-26	-1100
	3	-250	-149	50	200	250	250	27-29	-750
	4	-300	-200	50	100	200	200	30-32	-325
	5	-375	-300	25	75	100	100	33-34	-125
	6	-475	-475	-350	-325	-325	-325	Base 35-36	0
	7	-575	-575	-450	-425	-425	-425	37-42	25
	31	1 & 2	-250	-150	50	200	300	300	Base 43-49
3		-250	-150	50	150	200	200	50-52	-150
4		-300	-250	25	50	125	125	53 & Above	-275
5		-375	-325	-25	25	50	50		
6		-475	-475	-350	-325	-325	-325		
7		-575	-575	-450	-425	-425	-425		
41		1 & 2	-325	-250	25	100	150	150	Strength
	3	-325	-250	25	50	125	125	(Grams per Tex)	
	4	-350	-275	139.02	25	25	25	Range	Diff.
	5	-525	-400	-250	-225	-225	-225	20.5-21.4	-275
	6	-550	-500	-375	-350	-350	-350	21.5-22.4	-225
	7	-675	-625	-500	-475	-475	-475	22.5-23.4	-175
	51	1 & 2	-575	-325	-250	-150	-150	-150	23.5-24.4
3		-625	-375	-300	-225	-225	-225	24.5-25.4	-100
4		-650	-400	-325	-300	-300	-300	25.5-26.4	-25
5		-725	-625	-450	-400	-400	-400	Base 26.5-28.4	0
6		-825	-725	-575	-550	-550	-550	28.5-29.4	0
7		-900	-875	-725	-675	-675	-675	29.5-30.4	25
61		1-5	-800	-675	-650	-575	-575	-575	30.5-32.4
	6	-925	-825	-750	-725	-725	-725	32.5 & Above	50
	7	-1025	-925	-875	-850	-850	-850		
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025		
	7	-1275	-1225	-1125	-1075	-1075	-1075		
12 & 22	1 & 2	-275	-125	50	125	150	150	Extraneous Matter	
	3	-275	-125	25	100	125	125	Prep	Diff.
	4	-300	-250	-75	50	100	100	Level 1	-200
	5	-500	-350	-175	-125	-125	-125	Level 2	-800
	6	-575	-500	-375	-350	-350	-350		
	7	-625	-575	-475	-450	-450	-450	Other	Diff.
	32	1 & 2	-400	-250	-75	-25	0	0	Level 1
3		-400	-250	-75	-50	0	0	Level 2	-785
4		-425	-275	-175	-100	-75	-75		
5		-600	-425	-250	-250	-200	-200		
6		-700	-650	-475	-450	-425	-425		
7		-800	-750	-575	-550	-550	-550		
42		1-3	-475	-350	-275	-175	-175	-175	Uniformity
	4	-500	-375	-300	-225	-225	-225	Unit	Points
	5	-650	-500	-375	-350	-325	-325	77.4 & Below	-90
	6	-850	-750	-525	-450	-425	-425	77.5-78.4	-80
	7	-900	-800	-625	-600	-600	-600	78.5-79.4	-70
52	1-4	-650	-475	-400	-375	-375	-375	79.5-80.4	0
	5	-725	-625	-550	-500	-500	-500	Base 80.5-81.4	0
	6	-875	-775	-650	-625	-625	-625	81.5-82.4	0
	7	-900	-875	-750	-725	-725	-725	82.5-83.4	30
	62	1-5	-925	-825	-700	-675	-675	-675	83.5-84.4
6		-1075	-925	-800	-775	-775	-775	84.5-85.4	50
43	1-3	-800	-500	-375	-350	-350	-350	85.5 & Above	60
	4	-825	-525	-400	-375	-375	-375		
	5	-850	-675	-625	-600	-600	-600		
	6	-900	-775	-725	-700	-700	-700		
53	7	-1050	-925	-875	-850	-850	-850		
	1-4	-900	-725	-675	-650	-650	-650		
	5	-975	-875	-775	-750	-750	-750		
	6	-1150	-975	-900	-875	-875	-875		
63	7	-1175	-1050	-975	-950	-950	-950		
	1-5	-1075	-1000	-950	-925	-925	-925		
	6	-1175	-1050	-950	-925	-925	-925		

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2010 - July 2011

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	200	350	567	712	712
	3	-275	-175	-100	-75	175	325	442	562	562
	4	-350	-275	-175	-100	125	225	325	425	425
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	175	325	467	612	612
	3	-325	-225	-175	-100	150	300	417	492	492
	4	-375	-325	-200	-175	75	175	300	325	325
	5	-450	-375	-250	-225	-125	-75	50	125	125
	6	-600	-500	-400	-350	-300	-300	-300	-225	-225
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	135.51	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	100	100
	6	-675	-600	-500	-400	-375	-325	-325	-225	-225
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-525	-425	-375	-275	-225	-225	-225
	6	-824	-774	-650	-525	-525	-425	-425	-425	-425
	7	-924	-874	-750	-550	-550	-500	-500	-500	-500
61	1-5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-776	-701	-675	-550	-525	-450	-425	-425	-425
	7	-851	-801	-775	-650	-625	-550	-525	-525	-525
71	1-6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1-3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1-4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1-5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

EAST TEXAS-OKLAHOMA (Continued)

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1-3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
	53	1-4	-800	-700	-675	-625	-525	-450	-425	-400
5		-875	-800	-750	-700	-625	-525	-500	-475	-475
6		-975	-900	-875	-800	-725	-625	-625	-600	-600
7		-1050	-975	-950	-875	-825	-700	-700	-675	-675
63	1-5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1-3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1-4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & Below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	10
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-150
Level 2	-400
Bark	
Level 1	-215
Level 2	-450
Other	
Level 1	-376
Level 2	-526

Table 7. West Texas spot cotton differences, monthly average.

August 2010 - July 2011

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-267	-192	-142	-67	240	415	715	785	810
	3	-317	-217	-167	-92	183	353	558	673	698
	4	-350	-275	-200	-101	25	225	385	435	435
	5	-475	-400	-300	-175	-75	50	325	375	375
	6	-700	-600	-500	-425	-325	-200	-175	-175	-175
31	7	-775	-675	-575	-475	-400	-275	-250	-250	-250
	1 & 2	-317	-242	-192	-92	183	308	496	648	648
	3	-367	-292	-217	-117	158	283	477	622	622
	4	-425	-350	-250	-175	0	175	285	410	410
	5	-525	-450	-325	-250	-100	-50	275	350	350
41	6	-750	-650	-550	-475	-325	-225	-225	-200	-200
	7	-825	-750	-625	-525	-400	-275	-275	-250	-250
	1 & 2	-475	-425	-350	-250	-37	163	225	250	250
	3	-500	-450	-375	-275	-62	113	200	250	250
	4	-575	-500	-400	-300	-175	135.10	100	150	150
51	5	-600	-525	-400	-325	-200	-75	25	150	150
	6	-800	-700	-625	-525	-425	-275	-250	-225	-225
	7	-875	-825	-750	-625	-525	-375	-325	-300	-300
	1 & 2	-600	-550	-525	-350	-250	-100	-50	-25	-25
	3	-600	-550	-525	-350	-250	-100	-50	-25	-25
61	4	-650	-600	-575	-375	-325	-175	-100	-75	-75
	5	-675	-650	-600	-475	-450	-300	-250	-200	-200
	6	-900	-825	-800	-600	-575	-475	-425	-375	-375
	7	-975	-925	-900	-700	-675	-575	-525	-500	-500
	1-5	-700	-675	-600	-500	-475	-325	-250	-250	-250
71	6	-925	-850	-825	-625	-600	-550	-475	-425	-425
	7	-1000	-950	-925	-775	-725	-625	-550	-525	-525
	1-6	-975	-900	-875	-725	-650	-575	-525	-525	-525
12 & 22	7	-1050	-1000	-950	-775	-725	-625	-600	-600	-600
	1 & 2	-375	-325	-225	-125	75	100	225	350	350
	3	-425	-375	-250	-175	50	75	175	300	300
	4	-475	-400	-300	-225	-125	-25	125	250	250
	5	-575	-525	-475	-350	-350	-225	-100	-100	-100
	6	-775	-700	-625	-500	-500	-400	-350	-350	-350
	7	-850	-775	-700	-600	-575	-475	-425	-425	-425
32	1 & 2	-425	-375	-350	-175	25	50	50	125	125
	3	-475	-425	-375	-225	0	0	0	125	125
	4	-575	-475	-475	-275	-175	-75	0	100	100
	5	-625	-600	-550	-475	-425	-275	-200	-200	-200
	6	-825	-775	-675	-575	-550	-425	-400	-400	-400
	7	-950	-875	-775	-675	-600	-525	-475	-475	-475
42	1-3	-550	-500	-475	-300	-250	-100	-50	100	100
	4	-625	-550	-550	-375	-275	-125	-50	75	75
	5	-675	-650	-600	-525	-450	-300	-225	-225	-225
	6	-925	-875	-750	-600	-575	-450	-425	-425	-425
	7	-1000	-950	-850	-750	-675	-575	-500	-500	-500
52	1-4	-750	-700	-650	-475	-450	-375	-325	-325	-325
	5	-825	-775	-750	-575	-525	-425	-375	-375	-375
	6	-1050	-1000	-950	-775	-725	-575	-525	-525	-525
	7	-1125	-1075	-1050	-875	-825	-675	-625	-625	-625
62	1-5	-900	-825	-800	-650	-625	-525	-500	-500	-500
	6	-1075	-1025	-975	-825	-800	-700	-675	-675	-675

Table 7. West Texas spot cotton differences, monthly average.

August 2010 - July 2011

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-225	-175	-125	-100	-100	-100
	3	-525	-475	-400	-250	-200	-150	-125	-125	-125
	4	-600	-500	-475	-325	-275	-200	-175	-175	-175
	5	-725	-625	-600	-425	-400	-325	-300	-300	-300
	6	-825	-750	-650	-525	-500	-425	-375	-375	-375
33	1 & 2	-625	-550	-500	-300	-250	-175	-175	-175	-175
	3	-625	-550	-500	-300	-250	-175	-175	-175	-175
	4	-675	-625	-550	-375	-325	-225	-225	-225	-225
	5	-775	-775	-675	-500	-450	-375	-350	-350	-350
	6	-900	-850	-750	-600	-600	-450	-450	-450	-450
43	1-3	-675	-600	-550	-400	-350	-250	-250	-250	-250
	4	-725	-675	-600	-475	-400	-275	-250	-250	-250
	5	-800	-800	-700	-575	-500	-400	-375	-375	-375
	6	-950	-900	-775	-675	-625	-525	-525	-525	-525
	7	-1050	-975	-875	-775	-700	-600	-600	-600	-600
53	1-4	-900	-800	-775	-675	-600	-475	-450	-450	-450
	5	-975	-900	-850	-725	-675	-575	-550	-550	-550
	6	-1075	-1025	-975	-825	-775	-675	-675	-675	-675
	7	-1150	-1100	-1075	-900	-875	-750	-750	-750	-750
63	1-5	-1125	-1025	-1000	-825	-750	-625	-575	-575	-575
	6	-1175	-1100	-1100	-925	-825	-725	-700	-700	-700
34	1 & 2	-750	-650	-600	-450	-400	-325	-325	-325	-325
	3	-750	-650	-600	-450	-400	-325	-325	-325	-325
	4	-875	-775	-725	-575	-500	-425	-425	-425	-425
	5	-975	-875	-825	-675	-625	-550	-550	-550	-550
	6	-1100	-1025	-975	-825	-775	-700	-700	-700	-700
44	1-3	-875	-775	-725	-575	-525	-450	-450	-450	-450
	4	-950	-850	-800	-675	-575	-500	-500	-500	-500
	5	-1050	-950	-900	-750	-675	-600	-600	-600	-600
	6	-1175	-1100	-1050	-900	-850	-775	-775	-775	-775
54	1-4	-975	-875	-850	-700	-650	-575	-575	-575	-575
	5	-1075	-975	-925	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-925
25-26	-875
27-29	-600
30-32	-375
33-34	-200
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & Below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-150
Level 2	-400
Bark	
Level 1	-215
Level 2	-450
Other	
Level 1	-376
Level 2	-501

Table 12. Desert Southwest spot cotton differences, season average.

August 2010 - July 2011

Color	Leaf	Staple					Mike		
		33	34	35	36	37	Range	Diff.	
11 & 21	1 & 2	-50	225	700	760	795	24 & Below	-1200	
	3	-50	200	625	735	770	25-26	-1000	
	4	-275	75	400	435	470	27-29	-900	
	5	-350	-150	75	150	235	30-32	-425	
	6	-450	-350	-100	-85	-30	33-34	-275	
	7	-650	-375	-175	-140	-100	Base 35-36	0	
	31	1 & 2	-125	175	650	735	770	37-42	25
3		-125	150	600	685	720	Base 43-49	0	
4		-325	50	375	410	445	50-52	-275	
5		-375	-175	25	50	120	53 & Above	-475	
6		-475	-375	-110	-95	-40			
7		-675	-400	-200	-170	-115			
41		1 & 2	-350	25	225	310	320	Strength	
	3	-350	25	225	310	320	(Grams per Tex)		
	4	-400	137.91	175	260	270	Range	Diff.	
	5	-425	-300	-225	-215	-205	20.5-21.4	-450	
	6	-600	-475	-350	-340	-340	21.5-22.4	-300	
	7	-750	-625	-600	-595	-585	22.5-23.4	-150	
	51	1 & 2	-450	-275	-175	-140	-130	23.5-24.4	-100
3		-450	-275	-175	-140	-130	24.5-25.4	-100	
4		-475	-350	-250	-200	-190	25.5-26.4	-50	
5		-575	-525	-450	-425	-425	Base 26.5-28.4	0	
6		-750	-650	-550	-550	-550	28.5-29.4	0	
7		-950	-850	-825	-825	-825	29.5-30.4	25	
12 & 22		1 & 2	-275	50	300	360	420	30.5-32.4	50
	3	-275	50	275	335	395	32.5 & Above	50	
	4	-375	25	250	310	370			
	5	-400	-225	-100	-100	-50			
	6	-550	-425	-300	-300	-250			
	7	-725	-600	-550	-550	-500			
	32	1 & 2	-375	-100	125	210	220	Extraneous Matter	
3		-375	-100	125	210	220	Prep	Diff.	
4		-425	-225	0	85	95	Level 1	-50	
5		-475	-475	-375	-375	-375	Level 2	-800	
6		-675	-600	-500	-500	-500			
7		-825	-775	-750	-750	-750	Other		
42		1-3	-425	-250	-150	-100	-100	Level 1	-350
	4	-450	-325	-225	-175	-175	Level 2	-800	
	5	-525	-500	-400	-400	-400			
	6	-700	-625	-525	-525	-525			
	7	-900	-800	-775	-775	-775			
	52	1-4	-650	-525	-450	-400	-400	Uniformity	
		5	-700	-600	-550	-550	-550	Unit	Points
6		-800	-700	-650	-650	-650	77.4 & Below	-100	
7		-1050	-950	-950	-925	-925	77.5-78.4	-90	
43	1-3	-725	-650	-550	-475	-475	78.5-79.4	-80	
	4	-825	-750	-600	-550	-550	79.5-80.4	0	
	5	-925	-825	-625	-600	-600	Base 80.5-81.4	0	
	6	-1025	-925	-875	-875	-875	81.5-82.4	0	
	7	-1100	-1050	-1000	-1000	-1000	82.5-83.4	30	
	53	1-4	-975	-875	-775	-775	-775	83.5-84.4	40
5		-1025	-925	-825	-825	-825	84.5-85.4	50	
6		-1125	-1025	-925	-925	-925	85.5 & Above	60	
7		-1375	-1275	-1250	-1250	-1250			

Table 9. San Joaquin Valley spot cotton differences, monthly average.

Color	Leaf	Staple				Mike	
		34	35	36	37	Range	Diff.
11 & 21	1 & 2	650	981	1171	1246	27-29	-1250
	3	585	866	1021	1131	30-32	-550
	4	125	475	505	625	33-34	-350
	5	-125	75	130	190	Base 35-36	0
	6	-400	-200	-150	-100	37-42	25
	7	-625	-525	-475	-425	Base 43-49	0
						50-52	-450
31	1 & 2	600	906	1002	1112		
	3	575	806	902	1012		
	4	100	450	480	560		
	5	-200	0	55	115		
	6	-500	-325	-275	-225		
	7	-675	-575	-525	-475		
41	1 & 2	200	550	630	640	Strength	
	3	150	450	530	540	(Grams per Tex)	
	4	138.91	350	430	440	Range	Diff.
	5	-425	-200	-195	-185	23.5-24.4	-100
	6	-625	-450	-450	-450	24.5-25.4	-100
	7	-825	-725	-725	-725	25.5-26.4	-50
						Base 26.5-28.4	0
51	1 & 2	-575	-125	-75	-75	28.5-29.4	0
	3	-600	-150	-100	-100	29.5-30.4	25
	4	-650	-200	-175	-175	30.5-32.4	50
	5	-750	-375	-325	-325	32.5 & Above	50
	6	-900	-800	-800	-800		
	7	-1050	-1000	-1000	-1000		
12 & 22	1 & 2	225	675	830	890		
	3	150	600	730	840		
	4	25	425	475	540		
	5	-250	-50	0	50		
	6	-525	-400	-350	-300		
	7	-775	-700	-650	-600		
32	1 & 2	100	350	375	375	Extraneous Matter	
	3	50	300	325	325	Prep	Diff.
	4	-100	200	200	200	Level 1	-50
	5	-525	-275	-275	-275	Level 2	-800
	6	-675	-475	-475	-475		
	7	-850	-750	-750	-750	Other	
						Level 1	-350
42	1-3	-450	-100	-75	-75	Level 2	-925
	4	-500	-175	-150	-150		
	5	-675	-350	-300	-300		
	6	-800	-775	-775	-775		
	7	-1000	-950	-950	-950		
52	1-4	-825	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	77.4 & Below	-60
	7	-1225	-1225	-1225	-1225	77.5-78.4	-50
						78.5-79.4	-40
						79.5-80.4	0
						Base 80.5-81.4	0
33	1 & 2	-500	-500	-500	-500	81.5-82.4	0
	3	-500	-500	-500	-500	82.5-83.4	30
	4	-600	-600	-600	-600	83.5-84.4	40
	5	-800	-800	-800	-800	84.5-85.4	50
	6	-1075	-1075	-1075	-1075	85.5 & Above	60
	7	-1225	-1225	-1225	-1225		
43	1-3	-875	-875	-875	-875		
	4	-925	-925	-925	-925		
	5	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425		

Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2010-2011

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	0	505	7,222	13,208	18,222	20,319	8,844	10,668	1,141	3,297	2,619	177	86,222
North Delta	0	50	341	0	624	507	0	1,085	0	2,848	2,216	3,866	11,537
South Delta	0	627	1,871	644	626	216	337	585	3	0	169	0	5,078
East Texas-Oklahoma	1,415	3,478	18,577	22,659	38,443	21,460	18,091	2,310	961	2,333	10,950	88	140,765
West Texas	16	838	41,111	83,268	94,711	86,720	29,748	12,454	8,504	18,810	17,850	3,450	397,480
Desert Southwest	0	0	0	180	0	0	0	0	0	0	0	0	180
San Joaquin Valley	0	0	0	4,800	154	510	0	0	0	0	0	0	5,464
Total	1,431	5,498	69,122	124,759	152,780	129,732	57,020	27,102	10,609	27,288	33,804	7,581	646,726

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2005-2010. 1/

Market Area	2005	2006	2007	2008	2009	2010
Southeast	166,806	187,504	171,563	153,398	138,254	86,222
North Delta	193,524	200,023	153,267	112,627	47,549	11,537
South Delta	120,932	185,085	32,946	41,231	20,617	5,078
East Texas-Oklahoma	251,288	169,051	187,650	184,020	165,428	140,765
West Texas	1,155,920	1,043,015	1,178,348	876,914	511,970	397,480
Desert Southwest	43,015	41,479	54,171	8,990	3,763	180
San Joaquin Valley	39,781	23,703	9,481	6,806	16,520	14,914
Total	1,971,266	1,849,860	1,787,426	1,383,986	904,101	656,176

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/
AMERICAN PIMA SPOT QUOTATIONS, Season Average

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 2004-2010

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	58.80	54.80	53.30	46.00	41.20	40.40	44.70	44.90	46.40	43.60	55.20
2009	47.70	55.00	58.50	59.50	63.40	60.80	65.00	65.00	66.70	66.60	68.50	68.50	62.90
2010	77.20	74.70	78.10	81.20	80.90	82.20	92.70	82.30	87.30	81.30	81.40	79.70 2/	
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
2009	53.77	55.78	59.19	64.90	68.11	65.93	68.08	74.54	75.46	74.70	75.19	76.16	67.65
2010	83.24	91.53	108.26	126.62	135.46	144.30	177.65	195.79	181.98	151.93	144.77	113.03	137.88
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
2009	55.81	57.84	61.33	67.09	70.36	68.21	70.37	76.83	77.75	76.99	77.41	78.30	69.86
2010	85.38	93.67	110.40	128.77	138.56	145.35	179.72	197.86	184.05	154.00	146.84	115.10	139.98
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2004	51.88	56.27	51.45	49.62	48.38	50.30	49.79	55.35	57.06	56.81	52.85	55.88	52.97
2005	52.38	54.91	58.49	56.46	56.69	59.55	60.94	57.77	56.35	53.69	56.64	55.96	56.65
2006	57.45	54.78	53.67	54.82	58.74	58.46	56.64	57.69	55.71	53.43	59.40	65.84	57.22
2007	62.82	66.25	69.26	69.18	68.97	73.32	74.25	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2009	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2010	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2004	54.15	58.09	52.87	51.49	50.15	51.85	51.46	57.28	59.38	58.98	54.71	57.80	54.85
2005	54.61	56.91	60.67	58.41	59.78	62.90	64.40	60.86	59.47	56.94	59.16	58.37	59.37
2006	60.36	57.64	55.94	56.95	61.45	60.98	59.35	60.50	58.70	56.18	61.52	68.41	59.83
2007	68.41	67.99	71.30	71.49	71.93	76.49	76.82	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2009	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
2010	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ Monthly average quotations of cotton for Southeastern, Memphis, TX-OK, and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 4/ Landed Mill quotations were not published.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-258	-183	-133	-144	54	256	482	563	576
	3	-308	-208	-154	-159	29	221	393	480	493
	4	-350	-275	-195	-173	-63	132	257	319	323
	5	-460	-385	-285	-284	-178	-26	166	220	225
	6	-675	-575	-475	-449	-364	-279	-231	-216	-213
31	7	-750	-650	-550	-579	-507	-420	-382	-366	-364
	1 & 2	-308	-233	-183	-159	25	197	373	479	483
	3	-358	-279	-208	-172	13	183	346	426	430
	4	-415	-345	-240	-212	-97	101	200	281	284
	5	-510	-435	-310	-318	-193	-83	125	175	179
41	6	-720	-620	-520	-472	-367	-294	-268	-243	-240
	7	-795	-715	-595	-603	-511	-424	-408	-385	-382
	1 & 2	-450	-400	-320	-264	-104	96	187	218	219
	3	-475	-425	-345	-277	-116	72	154	193	194
	4	-550	-475	-370	-301	-190	137.26	82	118	119
51	5	-580	-510	-390	-396	-287	-165	-109	-33	-33
	6	-775	-680	-600	-534	-456	-358	-328	-302	-302
	7	-850	-800	-725	-685	-614	-523	-492	-476	-476
	1 & 2	-580	-530	-500	-414	-258	-148	-95	-77	-77
	3	-580	-530	-500	-443	-271	-181	-123	-99	-99
61	4	-630	-580	-550	-468	-310	-233	-179	-161	-161
	5	-655	-630	-585	-560	-482	-362	-308	-280	-280
	6	-885	-815	-770	-664	-597	-513	-482	-456	-456
	7	-965	-915	-870	-779	-744	-667	-635	-620	-620
	1-5	-685	-655	-585	-609	-547	-449	-401	-401	-401
71	6	-896	-821	-795	-747	-692	-645	-606	-585	-585
	7	-971	-921	-895	-882	-804	-730	-691	-680	-680
	1-6	-950	-875	-850	-914	-847	-763	-731	-731	-731
12 & 22	7	-1025	-975	-925	-951	-897	-802	-781	-781	-781
	1 & 2	-365	-315	-220	-191	-38	85	189	268	272
	3	-415	-360	-245	-218	-53	66	154	227	232
	4	-460	-390	-290	-247	-142	-7	109	187	191
	5	-555	-505	-455	-400	-347	-200	-117	-90	-87
32	6	-755	-680	-605	-522	-487	-400	-368	-364	-361
	7	-835	-760	-685	-663	-634	-549	-518	-508	-505
	1 & 2	-410	-360	-335	-265	-114	2	35	96	96
	3	-460	-405	-360	-292	-135	-30	2	84	85
	4	-545	-455	-445	-347	-226	-119	-50	15	15
42	5	-605	-575	-525	-494	-417	-285	-239	-209	-209
	6	-800	-750	-650	-588	-548	-452	-428	-415	-415
	7	-930	-855	-755	-732	-650	-602	-574	-566	-566
	1-3	-525	-470	-450	-357	-277	-143	-79	-1	-1
	4	-595	-520	-520	-416	-305	-176	-118	-52	-52
52	5	-655	-630	-580	-547	-453	-338	-282	-269	-269
	6	-905	-855	-730	-652	-589	-486	-463	-452	-452
	7	-985	-935	-835	-811	-740	-653	-614	-608	-608
	1-4	-720	-670	-620	-512	-417	-368	-333	-331	-331
	5	-795	-745	-720	-599	-522	-460	-427	-427	-427
62	6	-1020	-970	-920	-782	-728	-635	-608	-608	-608
	7	-1095	-1045	-1020	-886	-835	-743	-719	-717	-717
	1-5	-870	-795	-770	-728	-681	-593	-577	-577	-577
	6	-1045	-995	-945	-942	-892	-796	-780	-780	-780

Table 14. United States spot cotton differences, WEIGHTED monthly average.
Weighted averages based on the 2010-crop year's production by spot market

August 2010 - July 2011

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-240	-185	-130	-100	-90	-90
	3	-525	-470	-400	-265	-210	-155	-125	-115	-115
	4	-600	-500	-475	-340	-280	-205	-175	-165	-165
	5	-725	-625	-600	-440	-405	-330	-300	-290	-290
	6	-825	-750	-650	-535	-495	-420	-380	-370	-370
33	7	-900	-825	-725	-630	-575	-480	-480	-470	-470
	1 & 2	-620	-545	-495	-436	-318	-190	-180	-170	-170
	3	-620	-545	-495	-471	-395	-195	-185	-175	-175
	4	-670	-620	-545	-588	-536	-248	-239	-229	-229
	5	-770	-770	-670	-703	-647	-401	-371	-362	-362
43	6	-895	-845	-745	-712	-670	-482	-482	-472	-472
	7	-1020	-920	-845	-887	-818	-608	-588	-578	-578
	1-3	-670	-595	-545	-528	-434	-335	-314	-299	-299
	4	-720	-670	-595	-579	-481	-369	-330	-317	-317
	5	-795	-795	-695	-647	-579	-498	-469	-463	-463
53	6	-945	-895	-770	-760	-714	-633	-625	-620	-620
	7	-1045	-970	-870	-882	-811	-732	-725	-720	-720
	1-4	-880	-780	-755	-713	-634	-534	-512	-509	-509
	5	-955	-880	-830	-761	-719	-623	-601	-598	-598
	6	-1055	-1000	-955	-907	-844	-749	-739	-737	-737
63	7	-1130	-1075	-1050	-977	-953	-842	-835	-833	-833
	1-5	-1100	-1000	-975	-934	-866	-763	-732	-729	-729
	6	-1150	-1075	-1075	-1058	-974	-871	-855	-852	-852
	1 & 2	-740	-640	-590	-460	-410	-335	-335	-335	-335
	3	-740	-640	-590	-460	-410	-335	-335	-335	-335
34	4	-865	-765	-715	-585	-510	-435	-435	-435	-435
	5	-965	-865	-815	-685	-635	-560	-560	-560	-560
	6	-1090	-1015	-965	-835	-785	-710	-710	-710	-710
	1-3	-860	-760	-710	-580	-530	-455	-455	-455	-455
	4	-930	-835	-780	-680	-580	-505	-505	-505	-505
44	5	-1030	-930	-885	-755	-680	-605	-605	-605	-605
	6	-1155	-1080	-1030	-900	-850	-775	-775	-775	-775
	1-4	-960	-860	-835	-705	-655	-580	-580	-580	-580
	5	-1055	-955	-910	-780	-705	-630	-630	-630	-630

Mike	
Range	Diff.
24 & Below	-939
25-26	-897
27-29	-599
30-32	-339
33-34	-174
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-218
53 & Above	-326

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-261
21.5-22.4	-213
22.5-23.4	-171
23.5-24.4	-249
24.5-25.4	-232
25.5-26.4	-89
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	50
30.5-32.4	90
32.5 & Above	90

Uniformity	
Unit	Points
77.4 & below	-98
77.5-78.4	-85
78.5-79.4	-72
79.5-80.4	-6
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	14
83.5-84.4	23
84.5-85.4	33
85.5 & above	43

Extraneous Matter	
Level	Diff.
Prep	
Level 1	-142
Level 2	-604
Other (ET-OK and WT Bark not included)	
Level 1	-374
Level 2	-656
Bark	
Level 1	-184
Level 2	-247