



# Daily Spot Cotton Quotations

Volume 92, No. 80

23-Nov-09

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 26.5 to 28.4 grams per tex and uniformity 80.5 to 81.4.

American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS			
	Basis N.Y. Futures	Color 41 Leaf 4 Staple 34	Color 31 Leaf 3 Staple 35	Usable sales provided to Cotton Program				
		Points	Cents per pound		Today	Season		
Southeast	-400 Mar-10	70.48	72.23	Bales	Bales			
North Delta	-525 Mar-10	69.23	70.48	0	22,779			
South Delta	-525 Mar-10	69.23	70.48	0	5,136			
East TX-OK	-948 Mar-10	65.00	68.75	2,215	4,358			
West Texas	-973 Mar-10	64.75	69.00	15,193	52,518			
Desert SW	-950 Mar-10	64.98	72.48	0	187,021			
SJ Valley	-775 Mar-10	66.73	77.48	0	0			
Average	-728 Mar-10	67.20	71.56	Upland Total				
Previous day	-726 Mar-10	66.78	71.03	<b>17,408</b>	<b>271,812</b>			
<b>AMERICAN PIMA SPOT PRICE QUOTATIONS</b>								
American Pima	<b>Color 02, Leaf 2 - Staple 46</b>	<b>Color 03, Leaf 3 - Staple 44</b>	<b>Color 03, Leaf 3 - Staple 46</b>	AP Total				
	117.00	99.00	104.00	<b>1,000</b>	<b>13,164</b>			
<b>ICE FUTURES US - CONTRACT NO. 2 1/</b>			<b>7-MARKET</b>		<b>Nov 20 - Nov 26</b>			
<b>COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER</b>			<b>BASE QUOTATIONS</b>		<b>ADJ. WORLD PRICE</b>			
Month	Cents per pound			<b>FOR UPLAND COTTON</b>		54.80		
	Today	Previous	Change			<b>CC ADJUSTMENT</b>		
Dec-09	70.38	70.41	-0.03	<b>Season high</b>		0.00		
Mar-10	74.48	74.04	0.44	11/23/2009	67.20	<b>LOAN DEFICIENCY PMT.</b>		
May-10	75.40	75.31	0.09			0.00		
Jul-10	75.96	76.26	-0.30	<b>Season low</b>		<b>Pima Competitiveness</b>		
Oct-10	76.56	77.02	-0.46	8/26/2009	50.98	<b>Payment</b>		
Dec-10	77.05	77.47	-0.42			10.37		
Mar-11	78.05	78.48	-0.43					
May-11	78.65	79.07	-0.42					
Jul-11	79.05	79.50	-0.45					
Oct-11	80.15	80.70	-0.55					
<b>PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/</b>								
Staple 33	Color							
	11	21	31	41	51	12	22	32
Leaf 1 & 2	13	13	-8	-135	-280	-70	-70	-165
3	8	8	-18	-145	-293	-85	-85	-180
4	-95	-95	-135	-215	-323	NOT TENDERABLE		
5	-213	-213	-230	-310	-443	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	210	210	175	63	-160	85	85	-13
3	190	190	160	50	-188	70	70	-38
4	115	115	85	0	-243	NOT TENDERABLE		
5	-53	-53	-98	-188	-343	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	475	475	395	170	-110	198	198	55
3	405	405	370	145	-133	165	165	23
4	253	253	220	98	-188	NOT TENDERABLE		
5	125	125	90	-120	-298	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-225	-100	75	175	225	43	1 & 2	-550	-450	-400	-375	-350
	3	-225	-100	75	175	225		3	-550	-450	-400	-375	-350
	4	-225	-125	25	100	175		4	-575	-500	-450	-400	-375
	5	-375	-225	-150	25	100		5	-600	-550	-500	-500	-500
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800
	31	1 & 2	-225	-100	50	175		200	53	1 & 2	-600	-500	-400
3		-225	-100	50	175	175	3	-600		-500	-400	-400	-400
4		-225	-150	25	100	150	4	-650		-550	-450	-450	-450
5		-375	-225	-150	25	50	5	-675		-625	-525	-525	-525
6		-500	-350	-325	-300	-275	6	-875		-825	-725	-725	-725
7		-800	-650	-650	-650	-625	7	-975		-925	-825	-825	-825
41		1 & 2	-275	-125	25	125	125	63		1 & 2	-925	-825	-725
	3	-275	-125	25	100	100	3		-925	-825	-725	-725	-725
	4	-275	-150	70.48	75	100	4		-975	-875	-775	-775	-775
	5	-450	-350	-225	-175	-150	5		-1025	-975	-875	-875	-875
	6	-575	-475	-450	-425	-400	6		-1250	-1200	-1100	-1100	-1100
	7	-850	-750	-750	-750	-725							
	51	1 & 2	-400	-175	-75	-75	-75		<b>Mike</b>				
3		-475	-200	-150	-125	-100	<b>Range</b>		<b>Diff.</b>				
4		-500	-200	-175	-175	-175	25-26			-825			
5		-600	-425	-350	-300	-275	27-29			-425			
6		-675	-500	-475	-475	-450	30-32			-275			
7		-925	-800	-800	-800	-775	33-34			-150			
61		1 & 2	-575	-400	-350	-325	-325	Base 35-36			0		
	3	-625	-475	-450	-425	-400	37-42			0			
	4	-675	-525	-500	-475	-450	Base 43-49			0			
	5	-725	-625	-550	-550	-550	50-52			-200			
	6	-900	-825	-775	-775	-775	53 & Above			-300			
	7	-1025	-900	-850	-850	-850	<b>Strength</b>						
	71	1 & 2	-875	-750	-700	-700	-700	<b>(Grams per Tex)</b>					
3		-875	-750	-700	-700	-700	<b>Range</b>		<b>Diff.</b>				
4		-875	-750	-700	-700	-700	20.5-21.4			-425			
5		-925	-875	-850	-850	-850	21.5-22.4			-350			
6		-1050	-975	-925	-925	-925	22.5-23.4			-300			
7		-1050	-975	-925	-925	-925	23.5-24.4			-250			
12 & 22		1 & 2	-275	-125	50	125	150	24.5-25.4			-200		
	3	-275	-125	50	100	125	25.5-26.4			-25			
	4	-275	-125	0	75	100	Base 26.5-28.4			0			
	5	-425	-325	-200	-150	-125	28.5-29.4			0			
	6	-550	-425	-425	-425	-425	29.5-30.4			25			
	7	-825	-725	-725	-725	-700	30.5-32.4			50			
	32	1 & 2	-325	-175	-25	-25	25	32.5 & Above			50		
3		-350	-200	-50	-25	0	<b>Extraneous Matter</b>						
4		-450	-200	-150	-125	-75	<b>Level</b>		<b>Diff.</b>				
5		-525	-350	-300	-300	-275	Prep						
6		-600	-450	-450	-450	-425	1			-100			
7		-875	-750	-750	-750	-725	2			-800			
42		1 & 2	-350	-175	-75	-75	-50	Other					
	3	-425	-200	-100	-75	-50	1			-375			
	4	-500	-200	-150	-150	-125	2			-800			
	5	-600	-375	-350	-325	-300	<b>Uniformity</b>						
	6	-675	-525	-500	-500	-475	<b>Unit</b>		<b>Points</b>				
	7	-925	-800	-800	-800	-775	77.4 & below			-125			
	52	1 & 2	-450	-250	-175	-175	-175	77.5-78.4			-110		
3		-475	-250	-200	-175	-175	78.5-79.4			-100			
4		-500	-300	-275	-250	-250	79.5-80.4			-25			
5		-600	-500	-425	-425	-425	Base 80.5-81.4			0			
6		-775	-750	-700	-700	-700	81.5-82.4			0			
7		-925	-850	-800	-800	-800	82.5-83.4			20			
62		1 & 2	-575	-400	-350	-350	-350	83.5-84.4			30		
	3	-625	-475	-450	-425	-400	84.5-85.4			40			
	4	-675	-525	-500	-475	-450	85.5 & Above			50			
	5	-775	-700	-650	-650	-650							
	6	-1125	-1050	-1000	-1000	-1000							

Color	Leaf	Staple					Color	Leaf	Staple																																																																																												
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																								
11 & 21	1 & 2	-250	-175	75	200	300	43	1 & 2	-775	-575	-400	-375	-375																																																																																								
	3	-250	-175	50	150	200		3	-775	-575	-400	-375	-375																																																																																								
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400																																																																																								
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650																																																																																								
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750																																																																																								
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900																																																																																								
	31	1 & 2	-250	-175	50	150		250	53	1 & 2	-875	-775	-700	-675	-675																																																																																						
3		-250	-175	50	125	200	3	-875		-775	-700	-675	-675																																																																																								
4		-275	-250	25	75	150	4	-900		-800	-725	-700	-700																																																																																								
5		-450	-325	-50	75	100	5	-950		-900	-825	-800	-800																																																																																								
6		-500	-475	-350	-325	-325	6	-1150		-1000	-925	-900	-900																																																																																								
7		-600	-575	-450	-425	-425	7	-1175		-1125	-1025	-1000	-1000																																																																																								
41		1 & 2	-350	-250	50	75	100	63		1 & 2	-1050	-950	-875	-850	-850																																																																																						
	3	-350	-250	25	50	75	3		-1050	-950	-875	-850	-850																																																																																								
	4	-375	-275	69.23	25	25	4		-1075	-975	-900	-875	-875																																																																																								
	5	-525	-400	-225	-200	-175	5		-1125	-1075	-1000	-975	-975																																																																																								
	6	-575	-500	-375	-350	-350	6		-1175	-1125	-1000	-975	-975																																																																																								
	7	-700	-675	-550	-525	-525																																																																																															
	51	1 & 2	-575	-325	-250	-150	-150		<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>25-26</td> <td>-1000</td> </tr> <tr> <td>27-29</td> <td>-650</td> </tr> <tr> <td>30-32</td> <td>-325</td> </tr> <tr> <td>33-34</td> <td>-125</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-150</td> </tr> <tr> <td>53 &amp; Above</td> <td>-275</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>20.5-21.4</td> <td>-300</td> </tr> <tr> <td>21.5-22.4</td> <td>-250</td> </tr> <tr> <td>22.5-23.4</td> <td>-200</td> </tr> <tr> <td>23.5-24.4</td> <td>-175</td> </tr> <tr> <td>24.5-25.4</td> <td>-150</td> </tr> <tr> <td>25.5-26.4</td> <td>-25</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-375</td> </tr> <tr> <td>2</td> <td>-785</td> </tr> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> <tr> <td>77.4 &amp; below</td> <td>-90</td> </tr> <tr> <td>77.5-78.4</td> <td>-80</td> </tr> <tr> <td>78.5-79.4</td> <td>-70</td> </tr> <tr> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>85.5 &amp; Above</td> <td>60</td> </tr> </tbody> </table>					Mike		Range	Diff.	25-26	-1000	27-29	-650	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-300	21.5-22.4	-250	22.5-23.4	-200	23.5-24.4	-175	24.5-25.4	-150	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785	Uniformity		Unit	Points	77.4 & below	-90	77.5-78.4	-80	78.5-79.4	-70	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50
Mike																																																																																																					
Range		Diff.																																																																																																			
25-26		-1000																																																																																																			
27-29		-650																																																																																																			
30-32		-325																																																																																																			
33-34		-125																																																																																																			
Base 35-36	0																																																																																																				
37-42	25																																																																																																				
Base 43-49	0																																																																																																				
50-52	-150																																																																																																				
53 & Above	-275																																																																																																				
Strength																																																																																																					
(Grams per Tex)																																																																																																					
Range	Diff.																																																																																																				
20.5-21.4	-300																																																																																																				
21.5-22.4	-250																																																																																																				
22.5-23.4	-200																																																																																																				
23.5-24.4	-175																																																																																																				
24.5-25.4	-150																																																																																																				
25.5-26.4	-25																																																																																																				
Base 26.5-28.4	0																																																																																																				
28.5-29.4	0																																																																																																				
29.5-30.4	25																																																																																																				
30.5-32.4	50																																																																																																				
32.5 & Above	50																																																																																																				
Extraneous Matter																																																																																																					
Level	Diff.																																																																																																				
Prep																																																																																																					
1	-50																																																																																																				
2	-800																																																																																																				
Other																																																																																																					
1	-375																																																																																																				
2	-785																																																																																																				
Uniformity																																																																																																					
Unit	Points																																																																																																				
77.4 & below	-90																																																																																																				
77.5-78.4	-80																																																																																																				
78.5-79.4	-70																																																																																																				
79.5-80.4	0																																																																																																				
Base 80.5-81.4	0																																																																																																				
81.5-82.4	0																																																																																																				
82.5-83.4	30																																																																																																				
83.5-84.4	40																																																																																																				
84.5-85.4	50																																																																																																				
85.5 & Above	60																																																																																																				
3	-600	-350	-325	-225	-225																																																																																																
4	-625	-375	-350	-275	-275																																																																																																
5	-700	-600	-425	-375	-375																																																																																																
6	-800	-725	-575	-550	-550																																																																																																
7	-850	-850	-675	-625	-625																																																																																																
61	1 & 2	-675	-450	-350	-325	-325																																																																																															
	3	-675	-450	-375	-350	-350																																																																																															
	4	-700	-475	-400	-375	-375																																																																																															
	5	-750	-675	-650	-575	-575																																																																																															
	6	-875	-775	-775	-750	-750																																																																																															
	7	-1025	-925	-875	-850	-850																																																																																															
	71	1 & 2	-1100	-1000	-850	-800	-800																																																																																														
3		-1100	-1000	-850	-800	-800																																																																																															
4		-1150	-1050	-900	-850	-850																																																																																															
5		-1175	-1125	-975	-925	-925																																																																																															
6		-1225	-1175	-1025	-975	-975																																																																																															
7		-1275	-1225	-1075	-1025	-1025																																																																																															
12 & 22		1 & 2	-275	-125	50	100	150																																																																																														
	3	-275	-125	25	100	125																																																																																															
	4	-300	-200	-25	25	75																																																																																															
	5	-500	-375	-125	-150	-125																																																																																															
	6	-575	-500	-375	-375	-375																																																																																															
	7	-675	-650	-525	-500	-500																																																																																															
	32	1 & 2	-375	-250	-100	-25	0																																																																																														
3		-375	-250	-100	-50	0																																																																																															
4		-400	-275	-200	-100	-75																																																																																															
5		-525	-375	-250	-225	-200																																																																																															
6		-625	-600	-475	-450	-425																																																																																															
7		-725	-700	-575	-550	-550																																																																																															
42		1 & 2	-375	-300	-225	-125	-100																																																																																														
	3	-400	-325	-275	-150	-125																																																																																															
	4	-425	-350	-300	-200	-175																																																																																															
	5	-550	-425	-350	-300	-275																																																																																															
	6	-750	-650	-500	-475	-450																																																																																															
	7	-875	-775	-625	-600	-600																																																																																															
	52	1 & 2	-625	-400	-325	-300	-300																																																																																														
3		-625	-450	-400	-375	-375																																																																																															
4		-650	-475	-425	-400	-400																																																																																															
5		-675	-575	-550	-500	-500																																																																																															
6		-825	-775	-700	-675	-675																																																																																															
7		-900	-875	-800	-775	-775																																																																																															
62		1 & 2	-750	-650	-550	-525	-525																																																																																														
	3	-750	-650	-600	-575	-575																																																																																															
	4	-775	-675	-625	-600	-600																																																																																															
	5	-875	-825	-750	-725	-725																																																																																															
	6	-1025	-975	-850	-825	-825																																																																																															

Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-250	-150	75	200	300	43	1 & 2	-800	-500	-375	-350	-350	
	3	-250	-150	50	150	200		3	-800	-500	-375	-350	-350	
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375	
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600	
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700	
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850	
	31	1 & 2	-250	-150	50	150		250	53	1 & 2	-875	-700	-650	-625
3		-250	-150	50	125	200	3	-875		-700	-650	-625	-625	
4		-300	-250	25	75	150	4	-900		-725	-675	-650	-650	
5		-375	-325	-25	75	100	5	-975		-875	-775	-750	-750	
6		-475	-475	-350	-325	-325	6	-1150		-975	-900	-875	-875	
7		-575	-575	-450	-425	-425	7	-1175		-1050	-975	-950	-950	
41		1 & 2	-325	-250	25	75	100	63		1 & 2	-1000	-875	-825	-800
	3	-325	-250	25	50	75	3		-1000	-875	-825	-800	-800	
	4	-350	-275	69.23	0	50	4		-1025	-900	-850	-825	-825	
	5	-525	-400	-200	-150	-150	5		-1075	-1000	-950	-925	-925	
	6	-550	-500	-375	-350	-350	6		-1175	-1050	-950	-925	-925	
	7	-675	-625	-500	-475	-475								
	51	1 & 2	-575	-325	-250	-150	-150		<b>Mike</b>					
3		-625	-375	-300	-200	-200	<b>Range</b>		<b>Diff.</b>					
4		-650	-400	-325	-250	-250	25-26			-1100				
5		-725	-625	-450	-400	-400	27-29			-750				
6		-825	-725	-575	-550	-550	30-32			-325				
7		-900	-875	-725	-675	-675	33-34			-125				
61		1 & 2	-675	-450	-350	-325	-325	Base 35-36			0			
	3	-725	-500	-400	-375	-375	37-42			25				
	4	-750	-525	-425	-400	-400	Base 43-49			0				
	5	-800	-675	-650	-575	-575	50-52			-150				
	6	-925	-825	-750	-725	-725	53 & Above			-275				
	7	-1025	-925	-875	-850	-850	<b>Strength</b>							
	71	1 & 2	-1100	-1000	-900	-850	-850	(Grams per Tex)						
3		-1100	-1000	-900	-850	-850	<b>Range</b>		<b>Diff.</b>					
4		-1150	-1050	-950	-900	-900	20.5-21.4			-275				
5		-1175	-1125	-1025	-975	-975	21.5-22.4			-225				
6		-1225	-1175	-1075	-1025	-1025	22.5-23.4			-175				
7		-1275	-1225	-1125	-1075	-1075	23.5-24.4			-125				
12 & 22		1 & 2	-275	-125	50	125	150	24.5-25.4			-100			
	3	-275	-125	25	100	125	25.5-26.4			-25				
	4	-300	-250	-75	50	100	Base 26.5-28.4			0				
	5	-500	-350	-175	-125	-125	28.5-29.4			0				
	6	-575	-500	-375	-350	-350	29.5-30.4			25				
	7	-625	-575	-475	-450	-450	30.5-32.4			50				
	32	1 & 2	-400	-250	-75	0	25	32.5 & Above			50			
3		-400	-250	-75	-25	25	<b>Extraneous Matter</b>							
4		-425	-275	-175	-75	-50	<b>Level</b>		<b>Diff.</b>					
5		-600	-425	-200	-175	-125	Prep							
6		-700	-650	-475	-450	-425	1			-50				
7		-800	-750	-575	-550	-550	2			-800				
42		1 & 2	-425	-300	-225	-125	-125	Other						
	3	-475	-350	-275	-175	-175	1			-375				
	4	-500	-375	-300	-225	-225	2			-785				
	5	-650	-500	-375	-350	-325	<b>Uniformity</b>							
	6	-850	-750	-525	-450	-425	<b>Unit</b>		<b>Points</b>					
	7	-900	-800	-625	-600	-600	77.4 & below			-90				
	52	1 & 2	-625	-400	-325	-300	-300	77.5-78.4			-80			
3		-625	-450	-375	-350	-350	78.5-79.4			-70				
4		-650	-475	-400	-375	-375	79.5-80.4			0				
5		-725	-625	-550	-500	-500	Base 80.5-81.4			0				
6		-875	-775	-650	-625	-625	81.5-82.4			0				
7		-900	-875	-750	-725	-725	82.5-83.4			30				
62		1 & 2	-750	-625	-525	-500	-500	83.5-84.4			40			
	3	-800	-675	-575	-550	-550	84.5-85.4			50				
	4	-825	-700	-600	-575	-575	85.5 & Above			60				
	5	-925	-825	-700	-675	-675								
	6	-1075	-925	-800	-775	-775								

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	175	325	525	650	650
	3	-275	-175	-100	-75	150	300	400	500	500
	4	-350	-275	-175	-100	100	200	300	400	400
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	150	300	425	550	550
	3	-325	-225	-175	-100	125	275	375	450	450
	4	-375	-325	-200	-175	50	150	275	300	300
	5	-450	-375	-250	-225	-125	-75	50	100	100
	6	-600	-500	-400	-350	-300	-300	-300	-250	-250
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	65.00	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-325	-325	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-475	-375	-250	-200	-200	-200	-200
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-500	-375	-350	-325	-325
	3	-750	-650	-625	-550	-525	-400	-375	-350	-350
	4	-800	-700	-675	-625	-525	-450	-425	-400	-400
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600
	7	-1050	-975	-950	-875	-825	-700	-700	-675	-675
63	1 & 2	-850	-750	-725	-625	-550	-425	-375	-350	-350
	3	-850	-750	-725	-625	-550	-425	-375	-350	-350
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
	34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375
3		-700	-600	-550	-500	-450	-375	-375	-375	-375
4		-825	-725	-675	-625	-550	-475	-475	-475	-475
5		-925	-825	-775	-725	-675	-600	-600	-600	-600
6		-1050	-975	-925	-875	-825	-750	-750	-750	-750
44		1 & 2	-775	-675	-625	-550	-500	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500
3		-850	-750	-700	-650	-575	-500	-500	-500	-500
4		-900	-800	-775	-725	-675	-600	-600	-600	-600
5		-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	10
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-175	-100	-50	-50	200	350	625	675	700
	3	-225	-125	-75	-75	200	325	525	600	625
	4	-275	-200	-125	-100	25	225	375	425	425
	5	-400	-325	-225	-175	-75	50	325	375	375
	6	-625	-525	-425	-425	-325	-200	-175	-175	-175
31	7	-700	-600	-500	-475	-400	-275	-250	-250	-250
	1 & 2	-225	-150	-100	-75	200	300	425	575	575
	3	-275	-200	-125	-100	175	275	425	550	550
	4	-350	-275	-175	-175	0	175	275	400	400
	5	-450	-375	-250	-250	-100	-50	275	350	350
41	6	-675	-575	-475	-475	-325	-225	-225	-200	-200
	7	-750	-675	-550	-525	-400	-275	-275	-250	-250
	1 & 2	-400	-350	-275	-250	-50	125	200	225	225
	3	-425	-375	-300	-275	-75	75	175	225	225
	4	-500	-425	-325	-300	-175	64.75	100	150	150
51	5	-525	-450	-325	-325	-200	-75	25	150	150
	6	-725	-625	-550	-525	-425	-275	-250	-225	-225
	7	-800	-750	-675	-625	-525	-375	-325	-300	-300
	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
61	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
71	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
12 & 22	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
32	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
	1 & 2	-300	-250	-150	-125	75	100	225	350	350
	3	-350	-300	-175	-175	50	75	175	300	300
	4	-400	-325	-225	-225	-125	-25	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
42	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
	1 & 2	-350	-300	-275	-175	25	50	50	125	125
	3	-400	-350	-300	-225	0	0	0	125	125
	4	-500	-400	-400	-275	-175	-75	0	100	100
52	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
62	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
62	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
	34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325
3	-675	-575	-525	-450	-400	-325	-325	-325	-325	
4	-800	-700	-650	-575	-500	-425	-425	-425	-425	
5	-900	-800	-750	-675	-625	-550	-550	-550	-550	
6	-1025	-950	-900	-825	-775	-700	-700	-700	-700	
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475
3		-850	-750	-700	-625	-550	-475	-475	-475	-475
4		-900	-800	-775	-700	-650	-575	-575	-575	-575
5		-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-950
25-26	-900
27-29	-625
30-32	-350
33-34	-200
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-275
2	-475
Other	
1	-375
2	-500

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	850	910	945	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	775	885	920		3	-725	-650	-550	-475	-475																																															
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-650	-375	-175	-140	-100	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	800	885	920	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-125	150	750	835	870		3	-875	-775	-675	-675	-675																																															
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																															
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-350	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77.4 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>77.5-78.4</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>78.5-79.4</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>85.5 &amp; Above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77.4 & below	-100	25-26	-1000	77.5-78.4	-90	27-29	-900	78.5-79.4	-80	30-32	-425	79.5-80.4	0	33-34	-275	Base 80.5-81.4	0	Base 35-36	0	81.5-82.4	0	37-42	25	82.5-83.4	30	Base 43-49	0	83.5-84.4	40	50-52	-275	84.5-85.4	50	53 & Above	-475	85.5 & Above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77.4 & below	-100																																																								
	25-26	-1000	77.5-78.4	-90																																																								
27-29	-900	78.5-79.4	-80																																																									
30-32	-425	79.5-80.4	0																																																									
33-34	-275	Base 80.5-81.4	0																																																									
Base 35-36	0	81.5-82.4	0																																																									
37-42	25	82.5-83.4	30																																																									
Base 43-49	0	83.5-84.4	40																																																									
50-52	-275	84.5-85.4	50																																																									
53 & Above	-475	85.5 & Above	60																																																									
3	-350	25	225	310	320																																																							
4	-400	64.98	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-600	-475	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-450	-275	-175	-140	-130																																																						
	3	-450	-275	-175	-140	-130																																																						
	4	-475	-350	-250	-200	-190																																																						
	5	-575	-525	-450	-425	-425																																																						
	6	-750	-650	-550	-550	-550																																																						
	7	-950	-850	-825	-825	-825																																																						
12 & 22	1 & 2	-275	50	300	360	420																																																						
	3	-275	50	275	335	395																																																						
	4	-375	25	250	310	370																																																						
	5	-400	-225	-100	-100	-50																																																						
	6	-550	-425	-300	-300	-250																																																						
	7	-725	-600	-550	-550	-500																																																						
32	1 & 2	-375	-100	125	210	220																																																						
	3	-375	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-475	-475	-375	-375	-375																																																						
	6	-675	-600	-500	-500	-500																																																						
	7	-825	-775	-750	-750	-750																																																						
42	1 & 2	-425	-250	-150	-100	-100																																																						
	3	-425	-250	-150	-100	-100																																																						
	4	-450	-325	-225	-175	-175																																																						
	5	-525	-500	-400	-400	-400																																																						
	6	-700	-625	-525	-525	-525																																																						
	7	-900	-800	-775	-775	-775																																																						
52	1 & 2	-475	-400	-325	-275	-275																																																						
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	750	1150	1440	1515	33	1 & 2	-500	-500	-500	-500
	3	685	1085	1240	1350		3	-500	-500	-500	-500
	4	125	475	505	625		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
31	7	-625	-525	-475	-425	7	-1225	-1225	-1225	-1225	
	1 & 2	700	1125	1180	1290	43	1 & 2	-875	-875	-875	-875
	3	675	1075	1080	1190		3	-875	-875	-875	-875
	4	100	450	480	560		4	-925	-925	-925	-925
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075
6	-500	-325	-275	-225	6		-1225	-1225	-1225	-1225	
41	7	-675	-575	-525	-475	7	-1425	-1425	-1425	-1425	
	1 & 2	200	650	730	740	<b>Mike</b>					
	3	150	550	630	640	Range		Diff.			
	4	66.73	350	430	440	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
51	6	-625	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
	1 & 2	-575	-125	-75	-75	37-42		25			
	3	-600	-150	-100	-100	Base 43-49		0			
	4	-650	-200	-175	-175	50-52		-450			
12 & 22	5	-750	-375	-325	-325	<b>Strength</b>					
	6	-900	-800	-800	-800	(Grams per Tex)					
	7	-1050	-1000	-1000	-1000	Range		Diff.			
	1 & 2	225	675	930	990	23.5-24.4		-100			
	3	150	600	880	940	24.5-25.4		-100			
32	4	25	425	475	540	25.5-26.4		-50			
	5	-250	-50	0	50	Base 26.5-28.4		0			
	6	-525	-400	-350	-300	28.5-29.4		0			
	7	-775	-700	-650	-600	29.5-30.4		25			
	1 & 2	100	350	375	375	30.5-32.4		50			
42	3	50	300	325	325	32.5 & Above		50			
	4	-100	200	200	200	<b>Uniformity</b>					
	5	-525	-275	-275	-275	Unit		Points			
	6	-675	-475	-475	-475	77.4 & below		-60			
	7	-850	-750	-750	-750	77.5-78.4		-50			
52	1 & 2	-725	-675	-675	-675	78.5-79.4		-40			
	3	-725	-675	-675	-675	79.5-80.4		0			
	4	-825	-775	-775	-775	Base 80.5-81.4		0			
	5	-875	-825	-825	-825	81.5-82.4		0			
	6	-1025	-1025	-1025	-1025	82.5-83.4		30			
	7	-1225	-1225	-1225	-1225	83.5-84.4		40			
	1 & 2	-725	-675	-675	-675	84.5-85.4		50			
	3	-725	-675	-675	-675	85.5 & Above		60			
	4	-825	-775	-775	-775	<b>Extraneous Matter</b>					
	5	-875	-825	-825	-825	Level		Diff.			
	6	-1025	-1025	-1025	-1025	Prep					
	7	-1225	-1225	-1225	-1225	1		-50			
						2		-800			
						Other					
						1		-350			
					2		-925				

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.

1/

**AMERICAN PIMA SPOT QUOTATIONS**

Color	Leaf	Staple		
		44	46	48
1	1	113.00	118.00	118.25
	2	112.75	117.75	118.25
	3	110.25	115.25	115.50
	4			
	5			
	6			
2	1	112.50	117.50	118.25
	2	112.00	117.00	117.75
	3	109.00	114.00	114.25
	4	99.25	104.25	105.00
	5			
	6			
3	1	109.00	114.00	114.75
	2	107.00	112.00	113.25
	3	99.00	104.00	106.00
	4	90.25	95.25	96.25
	5	88.75	89.75	91.00
	6			
4	1	88.00	93.00	94.00
	2	87.75	92.75	93.25
	3	87.50	92.50	92.50
	4	82.00	87.50	87.50
	5	82.00	86.25	86.25
	6			
5	1			
	2	76.00	83.25	83.25
	3	76.00	82.75	83.25
	4	76.00	77.25	77.25
	5	75.75	77.00	77.00
	6			
6	1			
	2	68.25	68.50	68.50
	3	68.25	68.50	68.50
	4	68.25	68.50	68.50
	5	68.00	68.25	68.25
	6	67.50	67.75	67.75

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
35.4 & Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 & Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

2/ The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on November 19, 2009.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-160	-17	268	532	643	662
	3	-250	-150	-88	-175	-21	241	466	550	574
	4	-313	-238	-150	-200	-113	107	261	327	349
	5	-400	-325	-225	-315	-229	-54	111	165	186
	6	-600	-500	-400	-445	-392	-321	-236	-212	-197
	7	-675	-575	-475	-575	-538	-454	-393	-366	-354
31	1 & 2	-250	-175	-125	-175	-33	232	464	556	576
	3	-300	-213	-150	-185	-42	218	436	499	519
	4	-363	-300	-188	-230	-154	79	232	291	308
	5	-450	-375	-250	-335	-246	-104	75	115	134
	6	-638	-538	-438	-460	-400	-346	-273	-249	-234
	7	-713	-625	-513	-590	-546	-468	-418	-392	-377
41	1 & 2	-375	-325	-238	-265	-154	79	225	274	276
	3	-400	-350	-263	-275	-163	61	189	231	234
	4	-475	-400	-288	-305	-225	67.20	121	170	173
	5	-513	-450	-338	-420	-325	-225	-139	-98	-95
	6	-700	-613	-525	-525	-479	-414	-357	-341	-341
	7	-775	-725	-650	-670	-633	-579	-543	-535	-534
51	1 & 2	-513	-463	-425	-440	-288	-232	-118	-95	-94
	3	-513	-463	-425	-475	-304	-264	-146	-120	-119
	4	-563	-513	-475	-500	-333	-314	-200	-179	-177
	5	-588	-563	-488	-560	-471	-414	-321	-300	-300
	6	-788	-713	-688	-665	-613	-571	-529	-518	-518
	7	-863	-813	-788	-775	-771	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-650	-630	-620	-620
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-79	100	254	345	362
	3	-363	-300	-200	-225	-92	75	218	306	323
	4	-400	-338	-238	-250	-175	4	154	223	241
	5	-488	-438	-388	-420	-346	-200	-107	-68	-54
	6	-688	-613	-538	-525	-483	-411	-361	-350	-336
	7	-775	-700	-625	-650	-625	-571	-536	-521	-507
32	1 & 2	-350	-300	-275	-300	-179	-7	89	144	146
	3	-400	-338	-300	-315	-192	-32	57	126	128
	4	-463	-388	-363	-360	-250	-136	-14	34	35
	5	-538	-500	-450	-500	-400	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-267	-186	-71	-25	-25
	3	-450	-388	-375	-375	-292	-211	-100	-50	-50
	4	-513	-438	-438	-420	-313	-250	-150	-107	-107
	5	-588	-563	-513	-550	-442	-404	-311	-293	-293
	6	-838	-788	-663	-680	-617	-546	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-375	-368	-336	-329	-329
	3	-588	-513	-488	-515	-392	-389	-354	-346	-346
	4	-638	-588	-538	-535	-446	-446	-411	-404	-404
	5	-713	-663	-638	-615	-554	-539	-504	-504	-504
	6	-938	-888	-838	-790	-742	-693	-671	-671	-671
	7	-1013	-963	-938	-880	-867	-829	-814	-811	-811
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-505	-485	-480	-480
	5	-788	-713	-688	-760	-705	-610	-595	-595	-595
	6	-963	-913	-863	-960	-895	-790	-775	-775	-775

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-595	-492	-457	-425	-404	-404
	3	-625	-550	-500	-595	-492	-457	-425	-404	-404
	4	-675	-625	-550	-640	-542	-500	-454	-436	-436
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-646	-554	-521	-517	-517
	3	-763	-663	-638	-695	-650	-563	-529	-525	-525
	4	-813	-713	-688	-750	-696	-608	-575	-571	-571
	5	-888	-813	-763	-805	-788	-692	-658	-654	-654
	6	-988	-925	-888	-960	-904	-813	-788	-783	-783
	7	-1063	-1000	-975	-1020	-1029	-925	-913	-908	-908
63	1 & 2	-875	-775	-750	-855	-765	-665	-635	-630	-630
	3	-875	-775	-750	-855	-765	-665	-640	-635	-635
	4	-925	-825	-800	-895	-805	-715	-685	-680	-680
	5	-1025	-925	-900	-965	-895	-805	-775	-770	-770
	6	-1075	-1000	-1000	-1080	-990	-885	-870	-865	-865
	34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350
3		-688	-588	-538	-475	-425	-350	-350	-350	-350
4		-813	-713	-663	-600	-525	-450	-450	-450	-450
5		-913	-813	-763	-700	-650	-575	-575	-575	-575
6		-1038	-963	-913	-850	-800	-725	-725	-725	-725
44		1 & 2	-775	-675	-625	-538	-488	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488
3		-850	-750	-700	-638	-563	-488	-488	-488	-488
4		-900	-800	-775	-713	-663	-588	-588	-588	-588
5		-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-1008
25-26	-942
27-29	-739
30-32	-364
33-34	-196
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-346

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-39
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	46
32.5 & Above	46

Uniformity	
Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-731
Bark - (ET-OK and WT only)	
1	-250
2	-463