

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-100	75	175	300	300	325	25-26	-825
	3	-225	-100	75	175	300	300	325	27-29	-425
	4	-225	-125	25	75	200	200	225	30-32	-275
	5	-375	-225	-150	25	100	100	100	33-34	-150
	6	-500	-350	-325	-250	-225	-225	-225	Base 35-36	0
31	7	-800	-650	-650	-600	-575	-575	-575	37-42	0
	1 & 2	-225	-100	50	175	275	275	300	Base 43-49	0
	3	-225	-100	50	175	250	250	275	50-52	-375
	4	-225	-150	25	75	200	200	225	53 & Above	-450
	5	-375	-225	-150	25	50	50	50		
41	6	-500	-350	-325	-300	-275	-275	-275		
	7	-800	-650	-650	-650	-625	-625	-625		
	1 & 2	-275	-125	25	125	200	200	225	Strength	
	3	-275	-125	25	100	175	175	200	(Grams per Tex)	
	4	-275	-150	85	25	125	125	150	Range	Diff.
51	5	-450	-350	-225	-200	-175	-175	-175	21.0 - 21.9	-425
	6	-575	-475	-450	-425	-400	-400	-400	22.0 - 22.9	-350
	7	-850	-750	-750	-750	-725	-725	-725	23.0 - 23.9	-300
	1 & 2	-425	-200	-100	-100	-100	-100	-100	24.0 - 24.9	-250
	3	-500	-225	-175	-150	-125	-125	-125	25.0 - 25.9	-200
61	4	-525	-225	-200	-200	-200	-200	-200	26.0 - 26.9	-25
	5	-625	-450	-375	-325	-300	-300	-300	Base 27.0 - 28.9	0
	6	-700	-525	-500	-500	-475	-475	-475	29.0 - 29.9	0
	7	-925	-800	-800	-800	-775	-775	-775	30.0 - 30.9	25
	1-5	-725	-625	-550	-550	-550	-550	-550	31.0 - 32.9	50
71	6	-900	-825	-775	-775	-775	-775	-775	33.0 & Above	50
	7	-1025	-900	-850	-850	-850	-850	-850		
12 & 22	1-6	-1050	-975	-925	-925	-925	-925	-925		
	7	-1050	-975	-925	-925	-925	-925	-925		
32	1 & 2	-275	-125	50	125	200	200	200	Extraneous Matter	
	3	-275	-125	50	100	175	175	175	Prep	Diff.
	4	-275	-125	0	75	150	150	150	Level 1	-100
	5	-425	-325	-200	-150	-125	-125	-125	Level 2	-800
	6	-550	-425	-425	-425	-425	-425	-425		
42	7	-825	-725	-725	-725	-700	-700	-700	Other	Diff.
	1 & 2	-325	-175	-25	-25	25	25	25	Level 1	-375
	3	-350	-200	-50	-25	0	0	0	Level 2	-800
	4	-450	-200	-150	-125	-75	-75	-75		
	5	-525	-350	-300	-300	-275	-275	-275		
52	6	-600	-450	-450	-450	-425	-425	-425		
	7	-875	-750	-750	-750	-725	-725	-725		
	1-3	-425	-200	-100	-75	-50	-50	-50	Uniformity	
	4	-500	-200	-150	-150	-125	-125	-125	Unit	Points
	5	-600	-375	-350	-325	-300	-300	-300	77.9 & Below	-125
62	6	-675	-525	-500	-500	-475	-475	-475	78.0 - 78.9	-110
	7	-925	-800	-800	-800	-775	-775	-775	79.0 - 79.9	-100
	1-4	-575	-300	-275	-250	-250	-250	-250	80.0 - 80.9	-25
	5	-650	-500	-425	-425	-425	-425	-425	Base 81.0 - 81.9	0
	6	-775	-750	-700	-700	-700	-700	-700	82.0 - 82.9	0
43	7	-975	-900	-850	-850	-850	-850	-850	83.0 - 83.9	20
	1-5	-775	-700	-650	-650	-650	-650	-650	84.0 - 84.9	30
	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
53	1-3	-550	-450	-400	-375	-350	-350	-350	86.0 & Above	50
	4	-575	-500	-450	-400	-375	-375	-375		
	5	-725	-625	-550	-550	-550	-550	-550		
	6	-900	-825	-775	-775	-775	-775	-775		
	7	-1025	-900	-850	-850	-850	-850	-850		
63	1-4	-650	-550	-450	-450	-450	-450	-450		
	5	-800	-750	-650	-650	-650	-650	-650		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1025	-975	-875	-875	-875	-875	-875		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-250	-100	75	200	275	325	325	25-26	-1000
	3	-250	-100	50	150	175	225	225	27-29	-650
	4	-275	-200	25	50	125	150	150	30-32	-325
	5	-450	-325	-25	0	25	50	50	33-34	-125
	6	-500	-475	-350	-325	-325	-325	-325	Base 35-36	0
	7	-600	-575	-450	-425	-425	-425	-425	37-42	25
31	1 & 2	-250	-175	50	150	250	275	275	Base 43-49	0
	3	-250	-175	50	100	150	175	175	50-52	-300
	4	-275	-250	0	25	50	75	75	53 & Above	-425
	5	-450	-325	-125	-75	-50	-25	-25		
	6	-500	-475	-350	-325	-325	-325	-325		
	7	-600	-575	-450	-425	-425	-425	-425		
41	1 & 2	-350	-250	50	100	125	150	150	Strength	
	3	-350	-250	25	50	100	125	125	(Grams per Tex)	
	4	-375	-275	84.13	25	25	50	50	Range	Diff.
	5	-525	-400	-275	-275	-225	-225	-225	21.0 - 21.9	-300
	6	-575	-500	-400	-375	-350	-350	-350	22.0 - 22.9	-250
	7	-700	-675	-550	-525	-525	-525	-525	23.0 - 23.9	-200
	51	1-2	-575	-325	-250	-150	-150	-150	-150	24.0 - 24.9
3		-600	-350	-325	-225	-225	-225	-225	25.0 - 25.9	-150
4		-625	-375	-350	-300	-300	-300	-300	26.0 - 26.9	-25
5		-700	-600	-450	-425	-400	-400	-400	Base 27.0 - 28.9	0
6		-800	-725	-575	-550	-550	-550	-550	29.0 - 29.9	0
7		-850	-850	-675	-625	-625	-625	-625	30.0 - 30.9	25
61		1-5	-750	-675	-650	-575	-575	-575	-575	31.0 - 32.9
	6	-875	-775	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1025	-925	-875	-850	-850	-850	-850		
71	1-6	-1225	-1175	-1025	-975	-975	-975	-975		
	7	-1275	-1225	-1075	-1025	-1025	-1025	-1025		
12 & 22	1 & 2	-275	-125	50	100	150	150	150	Extraneous Matter	
	3	-275	-125	25	100	125	125	125	Prep	Diff.
	4	-300	-200	-50	25	50	50	50	Level 1	-200
	5	-500	-375	-175	-175	-150	-150	-150	Level 2	-800
	6	-575	-500	-375	-375	-375	-375	-375		
	7	-675	-650	-525	-500	-500	-500	-500	Other	
32	1 & 2	-375	-250	-100	-25	0	0	0	Level 1	-375
	3	-375	-250	-100	-50	0	0	0	Level 2	-785
	4	-400	-275	-200	-125	-100	-100	-100		
	5	-525	-375	-250	-250	-225	-225	-225		
	6	-625	-600	-475	-450	-425	-425	-425		
	7	-725	-700	-575	-550	-550	-550	-550		
42	1-3	-400	-325	-275	-150	-125	-125	-125	Uniformity	
	4	-425	-350	-300	-225	-200	-200	-200	Unit	Points
	5	-550	-425	-350	-325	-300	-300	-300	77.9 & Below	-90
	6	-750	-650	-500	-475	-450	-450	-450	78.0 - 78.9	-80
	7	-875	-775	-625	-600	-600	-600	-600	79.0 - 79.9	-70
52	1-4	-650	-475	-425	-400	-400	-400	-400	80.0 - 80.9	0
	5	-675	-575	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
	6	-825	-775	-700	-675	-675	-675	-675	82.0 - 82.9	0
	7	-900	-875	-800	-775	-775	-775	-775	83.0 - 83.9	30
62	1-5	-875	-825	-750	-725	-725	-725	-725	84.0 - 84.9	40
	6	-1025	-975	-850	-825	-825	-825	-825	85.0 - 85.9	50
43	1-3	-775	-575	-400	-375	-375	-375	-375	86.0 & Above	60
	4	-800	-600	-425	-400	-400	-400	-400		
	5	-850	-750	-675	-650	-650	-650	-650		
	6	-950	-850	-775	-750	-750	-750	-750		
	7	-1100	-1000	-925	-900	-900	-900	-900		
53	1-4	-900	-800	-725	-700	-700	-700	-700		
	5	-950	-900	-825	-800	-800	-800	-800		
	6	-1150	-1000	-925	-900	-900	-900	-900		
	7	-1175	-1125	-1025	-1000	-1000	-1000	-1000		
63	1-5	-1125	-1075	-1000	-975	-975	-975	-975		
	6	-1175	-1125	-1000	-975	-975	-975	-975		

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike		
		32	33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-250	-100	75	200	275	325	325	25-26	-1100	
	3	-250	-100	50	150	175	225	225	27-29	-750	
	4	-300	-200	25	50	125	150	150	30-32	-325	
	5	-375	-300	0	0	25	50	50	33-34	-125	
	6	-475	-475	-350	-325	-325	-325	-325	Base 35-36	0	
	7	-575	-575	-450	-425	-425	-425	-425	37-42	25	
	31	1 & 2	-250	-150	50	150	250	275	275	Base 43-49	0
3		-250	-150	50	100	150	175	175	50-52	-300	
4		-300	-250	-25	0	50	75	75	53 & Above	-425	
5		-375	-325	-100	-75	-50	-25	-25			
6		-475	-475	-350	-325	-325	-325	-325			
7		-575	-575	-450	-425	-425	-425	-425			
41		1 & 2	-325	-250	25	100	125	150	150	Strength	
	3	-325	-250	25	50	100	125	125	(Grams per Tex)		
	4	-350	-275	84.13	25	25	50	50	Range	Diff.	
	5	-525	-400	-275	-275	-225	-225	-225	21.0 - 21.9	-275	
	6	-550	-500	-400	-375	-350	-350	-350	22.0 - 22.9	-225	
	7	-675	-625	-500	-475	-475	-475	-475	23.0 - 23.9	-175	
	51	1-2	-575	-325	-250	-150	-150	-150	-150	24.0 - 24.9	-125
3		-625	-375	-300	-225	-225	-225	-225	25.0 - 25.9	-100	
4		-650	-400	-325	-300	-300	-300	-300	26.0 - 26.9	-25	
5		-725	-625	-475	-425	-400	-400	-400	Base 27.0 - 28.9	0	
6		-825	-725	-575	-550	-550	-550	-550	29.0 - 29.9	0	
7		-900	-875	-725	-675	-675	-675	-675	30.0 - 30.9	25	
61		1-5	-800	-675	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-925	-825	-750	-725	-725	-725	-725	33.0 & Above	50	
	7	-1025	-925	-875	-850	-850	-850	-850			
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025			
	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075			
12 & 22	1 & 2	-275	-125	50	125	150	150	150	Extraneous Matter		
	3	-275	-125	25	100	125	125	125	Prep	Diff.	
	4	-300	-250	-100	25	75	75	75	Level 1	-200	
	5	-500	-350	-200	-150	-150	-150	-150	Level 2	-800	
	6	-575	-500	-375	-350	-350	-350	-350			
	7	-625	-575	-475	-450	-450	-450	-450	Other		
	32	1 & 2	-400	-250	-75	-25	0	0	0	Level 1	-375
3		-400	-250	-75	-50	0	0	0	Level 2	-785	
4		-425	-275	-175	-100	-75	-75	-75			
5		-600	-425	-250	-250	-200	-200	-200			
6		-700	-650	-475	-450	-425	-425	-425			
7		-800	-750	-575	-550	-550	-550	-550			
42		1-3	-475	-350	-275	-175	-175	-175	-175	Uniformity	
	4	-500	-375	-300	-225	-225	-225	-225	Unit	Points	
	5	-650	-500	-375	-350	-325	-325	-325	77.9 & Below	-90	
	6	-850	-750	-525	-450	-425	-425	-425	78.0 - 78.9	-80	
	7	-900	-800	-625	-600	-600	-600	-600	79.0 - 79.9	-70	
	52	1-4	-650	-475	-400	-375	-375	-375	-375	80.0 - 80.9	0
		5	-725	-625	-550	-500	-500	-500	-500	Base 81.0 - 81.9	0
6		-875	-775	-650	-625	-625	-625	-625	82.0 - 82.9	0	
7		-900	-875	-750	-725	-725	-725	-725	83.0 - 83.9	30	
62	1-5	-925	-825	-700	-675	-675	-675	-675	84.0 - 84.9	40	
	6	-1075	-925	-800	-775	-775	-775	-775	85.0 - 85.9	50	
43	1-3	-800	-500	-375	-350	-350	-350	-350	86.0 & Above	60	
	4	-825	-525	-400	-375	-375	-375	-375			
	5	-850	-675	-625	-600	-600	-600	-600			
	6	-900	-775	-725	-700	-700	-700	-700			
	7	-1050	-925	-875	-850	-850	-850	-850			
53	1-4	-900	-725	-675	-650	-650	-650	-650			
	5	-975	-875	-775	-750	-750	-750	-750			
	6	-1150	-975	-900	-875	-875	-875	-875			
	7	-1175	-1050	-975	-950	-950	-950	-950			
63	1-5	-1075	-1000	-950	-925	-925	-925	-925			
	6	-1175	-1050	-950	-925	-925	-925	-925			

EAST TEXAS-OKLAHOMA DIFFERENCES

09-Feb-12

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-375	-250	-25	325	625	775	775	775
	3	-400	-300	-50	300	500	625	625	625
	4	-500	-325	-100	200	350	450	450	450
	5	-550	-425	-325	0	150	225	225	225
	6	-700	-550	-500	-250	-250	-175	-175	-175
	7	-775	-650	-600	-325	-325	-250	-250	-250
31	1 & 2	-425	-300	-50	300	525	675	675	675
	3	-450	-325	-75	275	475	550	550	550
	4	-550	-400	-150	150	325	350	350	350
	5	-600	-450	-350	-50	75	150	150	150
	6	-725	-575	-525	-275	-275	-200	-200	-200
	7	-800	-675	-625	-350	-350	-300	-300	-300
41	1 & 2	-525	-350	-125	75	250	350	350	350
	3	-550	-375	-150	75	200	225	225	225
	4	-600	-450	-300	80.00	150	200	200	200
	5	-675	-500	-400	-100	-25	125	125	125
	6	-825	-625	-600	-300	-300	-200	-200	-200
	7	-925	-725	-700	-400	-375	-375	-375	-375
51	1 & 2	-675	-525	-425	-75	-75	-25	-25	-25
	3	-675	-550	-425	-75	-75	-25	-25	-25
	4	-725	-575	-450	-150	-125	-75	-75	-75
	5	-775	-650	-600	-250	-200	-200	-200	-200
	6	-950	-750	-750	-400	-400	-400	-400	-400
	7	-1050	-775	-775	-475	-475	-475	-475	-475
61	1-5	-800	-650	-600	-250	-250	-250	-250	-250
	6	-975	-775	-750	-425	-400	-400	-400	-400
	7	-1075	-875	-850	-525	-500	-500	-500	-500
71	1-6	-1000	-900	-850	-500	-500	-500	-500	-500
	7	-1100	-950	-925	-575	-575	-575	-575	-575
12 & 22	1 & 2	-550	-350	-175	150	200	300	300	300
	3	-575	-400	-225	125	150	225	225	225
	4	-625	-425	-250	75	100	225	225	225
	5	-700	-600	-550	-225	-100	75	75	75
	6	-875	-700	-700	-375	-350	-325	-325	-325
	7	-975	-800	-775	-450	-425	-400	-400	-400
32	1 & 2	-575	-500	-325	25	125	225	225	225
	3	-600	-500	-350	25	50	175	175	175
	4	-650	-525	-425	-50	-25	25	25	25
	5	-750	-650	-625	-250	-175	0	0	0
	6	-925	-750	-750	-425	-425	-400	-400	-400
	7	-1050	-850	-850	-500	-500	-475	-475	-475
42	1-3	-625	-550	-475	-50	-25	50	50	50
	4	-675	-575	-500	-75	-50	0	0	0
	5	-825	-700	-650	-300	-250	-250	-250	-250
	6	-1050	-800	-775	-450	-450	-450	-450	-450
	7	-1150	-900	-875	-550	-525	-525	-525	-525
52	1-4	-825	-675	-600	-325	-325	-325	-325	-325
	5	-900	-775	-675	-375	-375	-375	-375	-375
	6	-1125	-975	-900	-525	-525	-525	-525	-525
	7	-1200	-1075	-1000	-625	-625	-625	-625	-625
62	1-5	-950	-850	-825	-450	-450	-450	-450	-450
	6	-1150	-1025	-1000	-625	-625	-625	-625	-625

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-575	-500	-175	-125	-75	-75	-75
	3	-725	-600	-525	-200	-150	-100	-100	-100
	4	-775	-675	-575	-250	-200	-150	-150	-150
	5	-900	-775	-700	-375	-325	-275	-275	-275
	6	-1025	-850	-750	-425	-425	-375	-375	-375
	7	-1100	-925	-850	-525	-525	-475	-475	-475
33	1 & 2	-800	-650	-575	-225	-175	-125	-125	-125
	3	-800	-650	-575	-225	-175	-125	-125	-125
	4	-875	-725	-625	-275	-225	-175	-175	-175
	5	-1025	-825	-725	-400	-350	-300	-300	-300
	6	-1100	-900	-825	-475	-475	-425	-425	-425
	7	-1175	-1000	-900	-575	-575	-525	-525	-525
43	1-3	-850	-725	-625	-275	-225	-175	-175	-175
	4	-925	-800	-675	-300	-250	-200	-200	-200
	5	-1050	-900	-775	-425	-375	-325	-325	-325
	6	-1150	-975	-875	-525	-525	-475	-475	-475
	7	-1225	-1050	-950	-600	-600	-550	-550	-550
53	1-4	-975	-900	-800	-475	-450	-425	-425	-425
	5	-1075	-975	-900	-550	-525	-500	-500	-500
	6	-1175	-1075	-1000	-650	-650	-625	-625	-625
	7	-1250	-1150	-1100	-725	-725	-700	-700	-700
63	1-5	-1175	-1050	-950	-600	-550	-525	-525	-525
	6	-1250	-1150	-1025	-675	-675	-650	-650	-650
34	1 & 2	-875	-775	-725	-400	-400	-400	-400	-400
	3	-875	-775	-725	-400	-400	-400	-400	-400
	4	-1000	-900	-825	-500	-500	-500	-500	-500
	5	-1100	-1000	-950	-625	-625	-625	-625	-625
	6	-1250	-1150	-1100	-775	-775	-775	-775	-775
44	1-3	-975	-875	-825	-500	-500	-500	-500	-500
	4	-1050	-975	-875	-550	-550	-550	-550	-550
	5	-1125	-1050	-975	-650	-650	-650	-650	-650
	6	-1275	-1175	-1125	-800	-800	-800	-800	-800
54	1-4	-1075	-1000	-950	-625	-625	-625	-625	-625
	5	-1150	-1075	-1000	-675	-675	-675	-675	-675

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	50
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	10
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-300
Level 2	-500
Other	
Level 1	-500
Level 2	-600

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-450	-325	25	400	800	875	900	900
	3	-475	-350	-50	325	625	775	800	800
	4	-500	-375	-200	200	435	485	485	485
	5	-625	-400	-300	75	375	425	425	425
	6	-825	-650	-550	-175	-125	-125	-125	-125
	7	-900	-700	-625	-250	-200	-200	-200	-200
31	1 & 2	-500	-350	-50	275	575	750	750	750
	3	-550	-375	-75	250	550	725	725	725
	4	-575	-400	-225	150	335	460	460	460
	5	-675	-475	-325	-25	325	400	400	400
	6	-875	-700	-550	-200	-175	-150	-150	-150
	7	-975	-750	-625	-250	-225	-200	-200	-200
41	1 & 2	-650	-475	-250	50	275	300	300	300
	3	-675	-500	-275	25	225	300	300	300
	4	-725	-525	-400	80.25	150	200	200	200
	5	-750	-550	-425	-50	75	200	200	200
	6	-925	-750	-650	-250	-200	-175	-175	-175
	7	-1050	-850	-750	-350	-275	-250	-250	-250
51	1 & 2	-775	-575	-475	-75	0	25	25	25
	3	-775	-575	-475	-75	0	25	25	25
	4	-825	-600	-550	-150	-50	-25	-25	-25
	5	-875	-700	-675	-275	-200	-150	-150	-150
	6	-1050	-825	-800	-450	-375	-325	-325	-325
	7	-1150	-925	-900	-550	-475	-450	-450	-450
61	1-5	-900	-725	-700	-300	-200	-200	-200	-200
	6	-1075	-850	-825	-525	-425	-375	-375	-375
	7	-1175	-1000	-950	-600	-500	-475	-475	-475
71	1-6	-1125	-950	-875	-550	-475	-475	-475	-475
	7	-1225	-1000	-950	-600	-550	-550	-550	-550
12 & 22	1 & 2	-600	-400	-200	75	225	350	350	350
	3	-650	-450	-225	50	175	300	300	300
	4	-675	-500	-400	-50	125	250	250	250
	5	-800	-625	-625	-250	-100	-100	-100	-100
	6	-975	-775	-775	-425	-350	-350	-350	-350
	7	-1050	-875	-850	-500	-425	-425	-425	-425
32	1 & 2	-650	-450	-250	25	50	125	125	125
	3	-700	-500	-275	-25	0	125	125	125
	4	-750	-550	-450	-100	0	100	100	100
	5	-875	-750	-700	-300	-200	-200	-200	-200
	6	-1050	-850	-825	-450	-400	-400	-400	-400
	7	-1150	-950	-875	-550	-475	-475	-475	-475
42	1-3	-775	-575	-525	-125	-50	100	100	100
	4	-825	-650	-550	-150	-50	75	75	75
	5	-925	-800	-725	-325	-225	-225	-225	-225
	6	-1150	-875	-850	-475	-425	-425	-425	-425
	7	-1225	-1025	-950	-600	-500	-500	-500	-500
	52	1-4	-975	-750	-725	-400	-325	-325	-325
5		-1050	-850	-800	-450	-375	-375	-375	-375
6		-1275	-1050	-1000	-600	-525	-525	-525	-525
7		-1350	-1150	-1100	-700	-625	-625	-625	-625
62	1-5	-1100	-925	-900	-550	-500	-500	-500	-500
	6	-1300	-1100	-1075	-725	-675	-675	-675	-675

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-500	-450	-150	-100	-100	-100	-100
	3	-750	-525	-475	-175	-125	-125	-125	-125
	4	-775	-600	-550	-225	-175	-175	-175	-175
	5	-900	-700	-675	-350	-300	-300	-300	-300
	6	-1025	-800	-775	-450	-375	-375	-375	-375
	7	-1100	-900	-850	-500	-475	-475	-475	-475
33	1 & 2	-825	-575	-525	-200	-175	-175	-175	-175
	3	-825	-575	-525	-200	-175	-175	-175	-175
	4	-900	-650	-600	-250	-225	-225	-225	-225
	5	-1050	-775	-725	-400	-350	-350	-350	-350
	6	-1125	-875	-875	-475	-450	-450	-450	-450
	7	-1200	-975	-925	-600	-550	-550	-550	-550
43	1-3	-875	-675	-625	-275	-250	-250	-250	-250
	4	-950	-750	-675	-300	-250	-250	-250	-250
	5	-1075	-850	-775	-425	-375	-375	-375	-375
	6	-1175	-950	-900	-550	-525	-525	-525	-525
	7	-1250	-1050	-975	-625	-600	-600	-600	-600
	53	1-4	-1075	-950	-875	-500	-450	-450	-450
5	-1175	-1000	-950	-600	-550	-550	-550	-550	
6	-1300	-1100	-1050	-700	-675	-675	-675	-675	
7	-1375	-1175	-1150	-775	-750	-750	-750	-750	
63	1-5	-1300	-1100	-1025	-650	-575	-575	-575	-575
	6	-1375	-1200	-1100	-750	-700	-700	-700	-700
34	1 & 2	-925	-725	-675	-350	-325	-325	-325	-325
	3	-925	-725	-675	-350	-325	-325	-325	-325
	4	-1050	-850	-775	-450	-425	-425	-425	-425
	5	-1150	-950	-900	-575	-550	-550	-550	-550
	6	-1300	-1100	-1050	-725	-700	-700	-700	-700
	44	1-3	-1050	-850	-800	-475	-450	-450	-450
4	-1125	-950	-850	-525	-500	-500	-500	-500	
5	-1225	-1025	-950	-625	-600	-600	-600	-600	
6	-1375	-1175	-1125	-800	-775	-775	-775	-775	
54	1-4	-1150	-975	-925	-600	-575	-575	-575	-575
	5	-1250	-1050	-975	-650	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-925
25-26	-875
27-29	-600
30-32	-375
33-34	-200
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-265
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-150
22.0 - 22.9	-125
23.0 - 23.9	-100
24.0 - 24.9	-100
25.0 - 25.9	-100
26.0 - 26.9	-50
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	25
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	10
85.0 - 85.9	20
86.0 & Above	30

Extraneous Matter	
Prep	Diff.
Level 1	-200
Level 2	-400
Bark	
Level 1	-300
Level 2	-500
Other	
Level 1	-475
Level 2	-550

Color	Leaf	Staple						Mike	
		33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-50	225	675	735	770	820	24 & Below	-1200
	3	-50	200	600	710	745	795	25-26	-1000
	4	-275	75	400	435	470	470	27-29	-900
	5	-350	-150	75	150	235	235	30-32	-500
	6	-450	-350	-100	-85	-30	-30	33-34	-300
	7	-650	-375	-175	-140	-100	-100	35-36	0
	31	1 & 2	-125	175	625	710	745	795	37-42
3		-125	150	575	660	695	745	43-49	0
4		-325	50	375	410	445	445	50-52	-325
5		-375	-175	25	50	120	120	53 & Above	-525
6		-475	-375	-110	-95	-40	-40		
7		-675	-400	-200	-170	-115	-115		
41	1 & 2	-550	0	125	210	220	270	Strength	
	3	-550	0	125	210	220	270	(Grams per Tex)	
	4	-600	83.63	100	185	195	195	Range	Diff.
	5	-625	-500	-225	-215	-205	-205	21.0 - 21.9	-600
	6	-800	-675	-350	-340	-340	-340	22.0 - 22.9	-450
	7	-950	-825	-600	-595	-585	-585	23.0 - 23.9	-300
	51	1 & 2	-650	-475	-175	-140	-130	-130	24.0 - 24.9
3		-650	-475	-175	-140	-130	-130	25.0 - 25.9	-200
4		-675	-550	-250	-200	-190	-190	26.0 - 26.9	-125
5		-775	-725	-450	-425	-425	-425	Base 27.0 - 28.9	0
6		-950	-850	-550	-550	-550	-550	29.0 - 29.9	0
7		-1150	-1050	-825	-825	-825	-825	30.0 - 30.9	25
12 & 22		1 & 2	-475	50	300	360	420	420	31.0 - 32.9
	3	-475	50	275	335	395	395	33.0 & above	100
	4	-575	0	250	310	370	370		
	5	-600	-425	-100	-100	-50	-50		
	6	-750	-625	-300	-300	-250	-250		
	7	-925	-800	-550	-550	-500	-500		
	32	1 & 2	-575	-200	125	210	220	220	Extraneous Matter
3		-575	-200	125	210	220	220	Prep	Diff.
4		-625	-425	0	85	95	95	Level 1	-50
5		-675	-675	-375	-375	-375	-375	Level 2	-800
6		-875	-800	-500	-500	-500	-500		
7		-1025	-975	-750	-750	-750	-750	Other	
42		1-3	-625	-450	-150	-100	-100	-100	Level 1
	4	-650	-525	-225	-175	-175	-175	Level 2	-800
	5	-725	-700	-400	-400	-400	-400		
	6	-900	-825	-525	-525	-525	-525		
	7	-1100	-1000	-775	-775	-775	-775		
52	1-4	-850	-725	-450	-400	-400	-400	Uniformity	
	5	-900	-800	-550	-550	-550	-550	Unit	Points
	6	-1000	-900	-650	-650	-650	-650	77.9 & Below	-100
	7	-1250	-1150	-950	-925	-925	-925	78.0 - 78.9	-90
43	1-3	-725	-650	-550	-475	-475	-475	79.0 - 79.9	-80
	4	-825	-750	-600	-550	-550	-550	80.0 - 80.9	0
	5	-925	-825	-625	-600	-600	-600	Base 81.0 - 81.9	0
	6	-1025	-925	-875	-875	-875	-875	82.0 - 82.9	0
	7	-1100	-1050	-1000	-1000	-1000	-1000	83.0 - 83.9	30
53	1-4	-975	-875	-775	-775	-775	-775	84.0 - 84.9	40
	5	-1025	-925	-825	-825	-825	-825	85.0 - 85.9	50
	6	-1125	-1025	-925	-925	-925	-925	86.0 & Above	60
	7	-1375	-1275	-1250	-1250	-1250	-1250		

SAN JOAQUIN VALLEY DIFFERENCES

9-Feb-12

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	590	1190	1440	1515	1615	27-29	-1600
	3	540	1085	1390	1465	1565	30-32	-1000
	4	75	450	500	600	600	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
	31	1 & 2	500	1090	1340	1415	1515	50-52
3		440	1040	1290	1365	1465		
4		50	400	430	510	510		
5		-200	0	55	115	115		
6		-500	-325	-275	-225	-225		
7		-675	-575	-525	-475	-475		
41		1 & 2	100	450	530	540	540	Strength
	3	50	350	430	440	440	(Grams per Tex)	
	4	84.88	300	380	390	390	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-200
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-200
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-150
	51	1 & 2	-575	-125	-75	-75	-75	Base 27.0 - 28.9
3		-600	-150	-100	-100	-100	29.0 - 29.9	0
4		-650	-200	-175	-175	-175	30.0 - 30.9	25
5		-750	-375	-325	-325	-325	31.0 - 32.9	50
6		-900	-800	-800	-800	-800	33.0 & Above	100
7		-1050	-1000	-1000	-1000	-1000		
12 & 22		1 & 2	225	675	930	990	1090	
	3	150	600	880	940	1040		
	4	25	425	475	540	540		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
	32	1 & 2	100	350	425	475	575	Extraneous Matter
3		50	300	375	425	525	Prep	Diff.
4		-100	125	150	200	200	Level 1	-50
5		-525	-275	-275	-275	-275	Level 2	-800
6		-675	-475	-475	-475	-475		
7		-850	-750	-750	-750	-750	Other	
42		1-3	-450	-100	-75	-75	-75	Level 1
	4	-500	-175	-150	-150	-150	Level 2	-925
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
	33	1 & 2	-500	-500	-500	-500	-500	79.0 - 79.9
3		-500	-500	-500	-500	-500	80.0 - 80.9	0
4		-600	-600	-600	-600	-600	Base 81.0 - 81.9	0
5		-800	-800	-800	-800	-800	82.0 - 82.9	0
6		-1075	-1075	-1075	-1075	-1075	83.0 - 83.9	30
7		-1225	-1225	-1225	-1225	-1225	84.0 - 84.9	40
43		1-3	-875	-875	-875	-875	-875	85.0 - 85.9
	4	-925	-925	-925	-925	-925	86.0 & Above	60
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.
1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple		
		44	46	48
1	1	140.50	145.50	145.75
	2	140.25	145.25	145.50
	3	132.25	137.25	137.50
	4			
	5			
	6			
2	1	140.25	145.25	145.50
	2	140.00	145.00	145.25
	3	132.00	137.00	137.25
	4	122.00	127.50	127.75
	5			
	6			
3	1	130.00	135.00	135.25
	2	127.50	132.50	132.75
	3	127.00	132.00	132.25
	4	118.00	123.00	123.25
	5	102.00	106.50	106.75
	6			
4	1	112.00	117.00	118.00
	2	111.75	116.75	117.25
	3	111.50	116.50	116.50
	4	106.50	111.50	111.50
	5	95.25	100.25	100.25
	6			
5	1			
	2	91.00	98.25	98.25
	3	91.00	97.75	98.25
	4	91.00	92.25	92.25
	5	90.75	92.00	92.00
	6			
6	1			
	2	83.25	83.50	83.50
	3	83.25	83.50	83.50
	4	83.25	83.50	83.50
	5	83.00	83.25	83.25
	6	82.50	82.75	82.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on January 23, 2012.

Mike	
Range	Diff.
26 & Below	-2700
27-29	-2200
30-32	-1700
33-34	-750
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
35.4 & Below	-1350
35.5-36.4	-1100
36.5-37.4	-850
37.5 & Above	0

Extraneous Matter	
Prep	Diff.
Level 1	-810
Level 2	-1095
Other	
Level 1	-715
Level 2	-1035

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

9-Feb-12

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-413	-260	-58	252	552	668	701	726
	3	-438	-275	-75	220	469	593	626	651
	4	-500	-300	-183	89	259	331	358	361
	5	-588	-405	-304	-54	100	154	182	182
	6	-763	-535	-467	-314	-225	-201	-186	-186
	7	-838	-665	-613	-446	-382	-356	-343	-343
31	1 & 2	-463	-275	-108	200	470	607	630	655
	3	-500	-285	-117	181	431	539	562	587
	4	-563	-320	-225	57	219	279	302	306
	5	-638	-425	-321	-118	43	86	112	112
	6	-800	-550	-475	-339	-262	-235	-220	-220
	7	-888	-680	-621	-461	-407	-381	-366	-366
41	1 & 2	-588	-355	-258	46	204	263	273	284
	3	-613	-365	-267	32	157	220	230	241
	4	-663	-395	-333	83.09	111	163	173	176
	5	-713	-510	-433	-264	-161	-101	-99	-99
	6	-875	-615	-588	-443	-354	-324	-324	-324
	7	-988	-760	-742	-600	-532	-524	-523	-523
51	1 & 2	-725	-535	-400	-257	-111	-88	-86	-86
	3	-725	-570	-417	-289	-143	-116	-115	-115
	4	-775	-595	-446	-339	-204	-182	-181	-181
	5	-825	-680	-621	-471	-343	-314	-314	-314
	6	-1000	-780	-746	-607	-532	-521	-521	-521
	7	-1100	-875	-892	-761	-696	-689	-689	-689
61	1-5	-850	-730	-655	-480	-430	-430	-430	-430
	6	-1025	-865	-800	-650	-615	-605	-605	-605
	7	-1125	-990	-910	-745	-710	-705	-705	-705
71	1-6	-1063	-1070	-1010	-815	-780	-780	-780	-780
	7	-1163	-1110	-1060	-860	-830	-830	-830	-830
12 & 22	1 & 2	-575	-315	-204	93	250	349	366	380
	3	-613	-335	-217	68	214	309	326	341
	4	-650	-360	-300	-14	146	219	237	237
	5	-750	-530	-471	-246	-118	-79	-64	-64
	6	-925	-635	-608	-446	-364	-354	-339	-339
	7	-1013	-760	-750	-607	-539	-525	-511	-511
32	1 & 2	-613	-410	-304	-36	82	144	153	167
	3	-650	-425	-317	-54	50	126	135	149
	4	-700	-470	-375	-171	-36	16	24	24
	5	-813	-610	-525	-364	-261	-221	-221	-221
	6	-988	-705	-692	-536	-450	-436	-436	-436
	7	-1100	-840	-825	-682	-618	-611	-611	-611
42	1-3	-700	-485	-417	-246	-104	-54	-54	-54
	4	-750	-530	-438	-286	-157	-114	-114	-114
	5	-875	-660	-567	-439	-318	-300	-300	-300
	6	-1100	-790	-742	-582	-514	-504	-504	-504
	7	-1188	-925	-883	-743	-679	-675	-675	-675
52	1-4	-900	-660	-571	-482	-414	-407	-407	-407
	5	-975	-735	-679	-575	-507	-507	-507	-507
	6	-1200	-900	-867	-729	-675	-675	-675	-675
	7	-1275	-1000	-1000	-871	-825	-821	-821	-821
62	1-5	-1025	-870	-815	-620	-600	-600	-600	-600
	6	-1225	-1070	-1005	-800	-780	-780	-780	-780

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-700	-538	-475	-163	-113	-88	-88	-88
	3	-738	-563	-500	-188	-138	-113	-113	-113
	4	-775	-638	-563	-238	-188	-163	-163	-163
	5	-900	-738	-688	-363	-313	-288	-288	-288
	6	-1025	-825	-763	-438	-400	-375	-375	-375
	7	-1100	-913	-850	-513	-500	-475	-475	-475
33	1 & 2	-813	-613	-550	-308	-283	-267	-267	-267
	3	-813	-613	-550	-308	-283	-267	-267	-267
	4	-888	-688	-613	-375	-350	-333	-333	-333
	5	-1038	-800	-725	-533	-500	-483	-483	-483
	6	-1113	-888	-850	-675	-667	-650	-650	-650
	7	-1188	-988	-913	-800	-783	-767	-767	-767
43	1-3	-863	-705	-583	-464	-429	-407	-407	-407
	4	-938	-750	-633	-507	-457	-439	-439	-439
	5	-1063	-835	-754	-657	-607	-596	-596	-596
	6	-1163	-935	-875	-786	-768	-761	-761	-761
	7	-1238	-1055	-975	-907	-889	-882	-882	-882
53	1-4	-1025	-860	-788	-617	-579	-575	-575	-575
	5	-1125	-940	-900	-721	-683	-679	-679	-679
	6	-1238	-1125	-1042	-867	-838	-833	-833	-833
	7	-1313	-1185	-1167	-979	-963	-958	-958	-958
63	1-5	-1238	-1075	-1005	-815	-780	-775	-775	-775
	6	-1313	-1190	-1100	-895	-875	-870	-870	-870
34	1 & 2	-900	-750	-700	-375	-363	-363	-363	-363
	3	-900	-750	-700	-375	-363	-363	-363	-363
	4	-1025	-875	-800	-475	-463	-463	-463	-463
	5	-1125	-975	-925	-600	-588	-588	-588	-588
	6	-1275	-1125	-1075	-750	-738	-738	-738	-738
44	1-3	-1013	-863	-813	-488	-475	-475	-475	-475
	4	-1088	-963	-863	-538	-525	-525	-525	-525
	5	-1175	-1038	-963	-638	-625	-625	-625	-625
	6	-1325	-1175	-1125	-800	-788	-788	-788	-788
54	1-4	-1113	-988	-938	-613	-600	-600	-600	-600
	5	-1200	-1063	-988	-663	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-1000
25-26	-938
27-29	-736
30-32	-368
33-34	-196
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-240
53 & Above	-338

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-175
20.0 - 20.9	-175
21.0 - 21.9	-292
22.0 - 22.9	-229
23.0 - 23.9	-171
24.0 - 24.9	-136
25.0 - 25.9	-121
26.0 - 26.9	-39
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	25
31.0 - 32.9	46
33.0 & Above	46

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	-4
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	21
84.0 - 84.9	30
85.0 - 85.9	40
86.0 & Above	50

Extraneous Matter	
Prep	Diff.
Level 1	-129
Level 2	-686
Other (ET-OK and WT not included)	
Level 1	-368
Level 2	-731
Bark - ET-OK and WT only	
Level 1	-200
Level 2	-450