



Quality of Cotton Classed by Classing Office

Volume 53, No. 30

3-Feb-12

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY CLASSING OFFICE
 For The Week Ending February 2, 2012

<i>Classing Office</i>	<i>Week</i>	<i>Season</i>
<i>UPLAND</i>		
Abilene	6,205	504,352
Corpus Christi	-	1,170,602
Dumas	-	1,321,093
Florence	9,835	1,625,918
Lamesa	-	334,364
Lubbock	-	1,501,989
Macon	17,196	2,990,428
Memphis *	-	2,817,133
Rayville	-	538,924
Visalia	55,017	1,207,461
<i>United States</i>	<i>88,253</i>	<i>14,012,264</i>
Percent tenderable	51.5	66.5
<i>AMERICAN PIMA</i>		
Visalia	38,655	757,110
<i>United States</i>	<i>38,655</i>	<i>757,110</i>
<i>United States all cotton</i>	<i>126,908</i>	<i>14,769,374</i>

* Data Withheld to avoid disclosure of individual gin.

MP_CN100

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending February 2, 2012

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	0.3	35.6	-	53.0	-	1.2	0.7	0.2	-	73.0
	3	0.2	7.9	-	9.4	-	1.1	0.3	0.2	-	12.8
	4	-	0.5	-	0.4	-	0.1	-	*	-	0.5
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.4	44.0	-	62.8	-	2.4	1.0	0.4	-	86.3
31	1-2	1.6	4.1	-	8.1	-	6.4	20.1	3.9	-	1.1
	3	3.6	8.9	-	8.2	-	25.3	19.1	8.1	-	2.2
	4	0.4	4.1	-	1.4	-	14.1	2.2	1.4	-	1.0
	5	-	0.8	-	0.1	-	1.5	*	0.1	-	0.1
	6	-	0.2	-	*	-	0.1	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	-
Total	-----	5.5	18.1	-	17.9	-	47.2	41.4	13.6	-	4.5
41	1-2	3.0	0.6	-	1.5	-	0.8	9.2	4.3	-	*
	3	13.6	1.8	-	3.0	-	11.2	27.3	29.9	-	*
	4	15.1	2.1	-	1.0	-	23.1	12.0	18.3	-	0.1
	5	3.6	1.2	-	0.3	-	10.4	0.6	3.3	-	0.1
	6	0.3	0.4	-	0.1	-	1.6	-	0.4	-	*
	7	-	0.1	-	*	-	0.2	-	*	-	*
Total	-----	35.7	6.2	-	5.9	-	47.2	49.2	56.1	-	0.2
51	1-2	-	*	-	0.1	-	*	-	0.3	-	-
	3	0.5	*	-	0.2	-	0.1	0.5	3.7	-	-
	4	1.6	0.1	-	0.1	-	0.2	0.9	3.9	-	-
	5	1.6	0.1	-	*	-	0.2	0.5	1.4	-	-
	6	0.6	0.1	-	*	-	0.1	0.1	0.3	-	-
	7	0.1	*	-	*	-	0.1	*	0.1	-	*
Total	-----	4.4	0.4	-	0.5	-	0.7	2.0	9.7	-	*
61	1-2	-	-	-	*	-	*	-	*	-	-
	3	-	-	-	*	-	*	-	0.1	-	-
	4	-	-	-	*	-	*	-	0.1	-	-
	5	-	-	-	*	-	*	*	*	-	-
	6	-	-	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	*	*	*	-	-
Total	-----	-	-	-	*	-	*	*	0.2	-	-
71	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	-	-	-	*	-	-	-	*	-	-
12 & 22	1-2	0.6	14.6	-	8.7	-	*	0.1	*	-	4.2
	3	0.4	4.1	-	2.1	-	*	0.1	*	-	2.6
	4	-	0.4	-	0.1	-	*	-	*	-	0.4
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-
Total	-----	1.0	19.2	-	10.9	-	*	0.1	*	-	7.2
32	1-2	2.2	0.7	-	0.5	-	*	0.4	0.4	-	0.2
	3	5.3	1.7	-	0.4	-	0.2	1.1	1.0	-	0.3
	4	1.1	0.7	-	0.1	-	0.3	0.5	0.2	-	0.3
	5	-	0.1	-	*	-	0.1	-	*	-	0.1
	6	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	-	-	-
Total	-----	8.6	3.3	-	0.9	-	0.7	2.0	1.6	-	0.8
42	1-2	1.2	0.2	-	0.2	-	*	0.2	0.7	-	*
	3	6.6	0.6	-	0.2	-	0.2	1.3	5.4	-	*
	4	4.6	0.7	-	0.1	-	0.6	1.4	3.4	-	*
	5	1.2	0.4	-	0.1	-	0.5	0.3	0.7	-	*
	6	0.5	0.1	-	*	-	0.1	*	0.1	-	*
	7	0.4	*	-	*	-	*	-	*	-	*
Total	-----	14.6	1.9	-	0.6	-	1.4	3.2	10.3	-	*
52	1-2	0.1	*	-	*	-	*	-	0.3	-	-
	3	1.0	*	-	*	-	*	*	2.6	-	-
	4	1.3	0.1	-	*	-	*	0.1	2.3	-	-
	5	0.4	0.1	-	*	-	*	0.1	0.6	-	*
	6	0.2	*	-	*	-	*	0.1	0.1	-	*
	7	0.3	*	-	*	-	*	*	*	-	-
Total	-----	3.3	0.2	-	0.1	-	0.1	0.3	6.0	-	*

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending February 2, 2012

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	0.4	-	-
	4	-	-	-	*	-	*	-	0.5	-	-
	5	-	-	-	-	-	*	-	0.1	-	-
	6	*	*	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	*	*	*	-	-
Total	-----	*	*	-	*	-	*	-	1.0	-	-
13 & 23	1-2	0.1	2.2	-	0.1	-	*	-	-	-	0.2
	3	0.1	1.3	-	0.1	-	-	-	-	-	0.3
	4	-	0.2	-	*	-	-	-	-	-	*
	5	-	0.1	-	*	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-
Total	-----	0.3	3.8	-	0.2	-	*	-	-	-	0.6
33	1-2	0.5	0.2	-	*	-	*	0.1	*	-	*
	3	3.0	0.5	-	*	-	*	0.1	*	-	0.1
	4	0.8	0.2	-	*	-	*	0.1	*	-	*
	5	0.1	0.1	-	*	-	*	*	*	-	*
	6	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	*
Total	-----	4.3	1.0	-	*	-	*	0.3	0.1	-	0.2
43	1-2	0.4	*	-	*	-	*	*	*	-	*
	3	4.0	0.3	-	*	-	*	0.2	0.1	-	*
	4	5.8	0.4	-	*	-	*	0.1	0.1	-	*
	5	3.4	0.2	-	*	-	*	0.1	*	-	*
	6	1.2	0.1	-	*	-	*	*	*	-	*
	7	0.5	*	-	*	-	*	-	*	-	*
Total	-----	15.2	1.1	-	*	-	0.1	0.4	0.3	-	*
53	1-2	*	*	-	*	-	*	-	*	-	*
	3	0.3	*	-	*	-	*	*	0.1	-	*
	4	0.4	*	-	*	-	*	-	0.1	-	-
	5	0.4	*	-	*	-	*	-	*	-	-
	6	0.4	*	-	*	-	*	-	*	-	-
	7	0.2	*	-	*	-	*	-	*	-	*
Total	-----	1.6	0.1	-	*	-	*	*	0.3	-	*
63	1-2	-	-	-	*	-	*	-	*	-	*
	3	-	-	-	*	-	*	-	0.1	-	-
	4	-	-	-	*	-	-	-	0.1	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	*	-	*	-	-
Total	-----	-	-	-	*	-	*	-	0.2	-	*
24 - 54	1-7	4.0	0.6	-	*	-	*	*	*	-	0.1
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	0.8	0.1	-	*	-	*	*	*	-	*
All Colors	8 2/	0.3	*	-	*	-	*	*	0.1	-	*
EXTRANEOUS MATTER											
Bark - Level 1		54.7	21.0	-	4.2	-	1.1	2.0	0.4	-	9.4
Bark - Level 2		-	*	-	*	-	-	-	-	-	-
Grass - Level 1		*	0.2	-	2.7	-	0.2	0.1	0.4	-	0.4
Grass - Level 2		-	*	-	*	-	-	-	-	-	-
Prep - Level 1		*	*	-	*	-	0.5	0.4	4.6	-	*
Prep - Level 2		-	*	-	*	-	-	-	*	-	-
Other - Level 1		-	-	-	*	-	*	-	*	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	0.1	-	*	-	-	-	-	-	*
29		-	1.2	-	*	-	-	-	*	-	0.1
30		0.2	4.2	-	0.6	-	*	-	*	-	0.3
31		2.4	7.2	-	4.4	-	*	*	0.4	-	1.9
32		8.5	8.0	-	15.5	-	0.3	0.7	2.2	-	7.0
33		22.9	11.9	-	24.4	-	2.3	3.1	8.3	-	16.7
34		20.7	17.8	-	21.0	-	10.2	14.0	21.4	-	25.2
35		20.5	20.5	-	17.9	-	25.0	33.2	31.9	-	23.8
36		18.8	16.3	-	11.3	-	28.6	33.3	24.4	-	15.2
37		5.9	9.8	-	4.6	-	27.4	14.7	10.6	-	7.9
38 & longer		0.1	2.9	-	0.3	-	6.1	1.0	0.8	-	1.8
Average staple		34.3	34.2	-	33.8	-	35.9	35.4	35.0	-	34.5

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending February 2, 2012

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	65.1	1.7	3.6	-	1.8	-	2.4	15.5	36.5
	3	-	17.2	0.7	2.0	-	2.6	-	3.5	3.6	9.8
	4	-	1.5	0.1	0.1	-	0.3	-	0.5	0.1	0.5
	5	-	0.1	*	*	-	*	-	*	*	*
	6	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	-
Total	-----	-	83.9	2.4	5.7	-	4.7	-	6.4	19.3	46.7
31	1-2	-	2.2	6.0	10.6	-	6.0	-	4.5	26.0	18.0
	3	-	4.5	15.9	22.8	-	32.1	-	19.7	21.1	18.3
	4	-	2.1	4.5	6.1	-	20.6	-	13.5	3.1	3.7
	5	-	0.4	0.4	0.5	-	2.4	-	2.0	0.3	0.5
	6	-	0.1	*	*	-	0.1	-	0.1	*	*
	7	-	*	-	*	-	*	-	*	-	*
Total	-----	-	9.3	26.8	40.1	-	61.2	-	39.8	50.4	40.5
41	1-2	-	0.1	4.4	4.6	-	0.8	-	0.7	3.2	1.7
	3	-	0.3	25.6	21.5	-	9.3	-	9.0	10.8	3.4
	4	-	0.4	14.3	13.0	-	14.4	-	19.5	6.3	2.0
	5	-	0.2	5.4	3.1	-	5.1	-	10.7	2.8	0.8
	6	-	0.1	0.7	0.4	-	0.7	-	1.8	0.9	0.2
	7	-	*	0.1	*	-	*	-	0.2	0.2	0.1
Total	-----	-	1.1	50.5	42.7	-	30.3	-	42.0	24.3	8.2
51	1-2	-	*	0.5	0.2	-	*	-	*	*	0.2
	3	-	*	2.1	1.2	-	0.1	-	0.2	0.4	0.2
	4	-	*	1.8	1.4	-	0.1	-	0.9	0.6	0.1
	5	-	*	1.1	0.6	-	0.1	-	0.8	0.6	0.1
	6	-	*	0.6	0.2	-	*	-	0.3	0.5	0.1
	7	-	*	0.1	*	-	*	-	0.1	0.3	0.1
Total	-----	-	*	6.3	3.6	-	0.3	-	2.2	2.4	0.7
61	1-2	-	-	-	*	-	-	-	-	*	*
	3	-	-	*	*	-	*	-	-	-	*
	4	-	-	-	*	-	*	-	*	*	*
	5	-	-	-	*	-	*	-	*	*	*
	6	-	-	-	*	-	*	-	*	*	*
	7	-	-	-	*	-	*	-	*	*	*
Total	-----	-	-	*	*	-	*	-	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	-	-	-	*	-	-	-	-	-	*
12 & 22	1-2	-	2.7	0.1	0.1	-	*	-	0.6	0.1	0.9
	3	-	1.4	0.1	0.1	-	*	-	0.5	0.1	0.6
	4	-	0.2	*	*	-	*	-	*	*	0.1
	5	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	-	-	*
	7	-	*	-	-	-	-	-	-	-	*
Total	-----	-	4.3	0.2	0.2	-	0.1	-	1.1	0.1	1.7
32	1-2	-	0.1	0.4	0.4	-	0.2	-	0.7	0.1	0.2
	3	-	0.3	2.0	1.1	-	0.6	-	1.6	0.4	0.4
	4	-	0.2	1.0	0.4	-	0.4	-	0.5	0.2	0.3
	5	-	*	0.3	0.1	-	0.1	-	*	*	0.1
	6	-	*	0.1	*	-	*	-	*	*	*
	7	-	*	-	*	-	*	-	-	-	*
Total	-----	-	0.6	3.8	2.0	-	1.2	-	2.7	0.7	1.0
42	1-2	-	*	0.2	0.5	-	0.1	-	0.4	*	0.1
	3	-	*	2.0	2.1	-	0.5	-	2.3	0.1	0.2
	4	-	*	2.7	1.3	-	0.6	-	1.4	0.2	0.2
	5	-	*	1.5	0.4	-	0.2	-	0.3	0.1	0.1
	6	-	*	1.0	0.1	-	*	-	0.1	0.1	*
	7	-	*	0.1	*	-	*	-	*	0.1	*
Total	-----	-	0.1	7.5	4.4	-	1.4	-	4.5	0.7	0.5
52	1-2	-	*	0.1	*	-	*	-	*	-	*
	3	-	*	0.4	0.3	-	*	-	0.2	*	*
	4	-	*	0.2	0.4	-	*	-	0.3	*	*
	5	-	*	0.1	0.1	-	*	-	0.1	0.1	*
	6	-	*	0.3	*	-	*	-	*	0.1	*
	7	-	*	0.1	*	-	*	-	*	0.1	*
Total	-----	-	*	1.2	0.9	-	*	-	0.7	0.4	0.1

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending February 2, 2012

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	*	*	-	-	-	-	-	-
	3	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	*	*	*
	6	-	-	*	*	-	*	-	*	*	*
	7	-	-	-	*	-	*	-	*	*	*
	Total	----	-	-	*	*	-	*	-	*	*
13 & 23	1-2	-	0.2	-	*	-	*	-	*	*	*
	3	-	0.2	-	*	-	*	-	*	*	*
	4	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	-	-	*
	6	-	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	----	-	0.4	-	*	-	*	-	0.1	*
33	1-2	-	*	*	*	-	*	-	*	*	*
	3	-	0.1	0.1	*	-	0.1	-	0.1	*	*
	4	-	*	0.1	*	-	*	-	0.1	*	*
	5	-	*	*	*	-	*	-	*	*	*
	6	-	*	-	*	-	*	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	Total	----	-	0.2	0.3	0.1	-	0.1	-	0.2	0.1
43	1-2	-	*	*	*	-	*	-	*	-	*
	3	-	*	0.1	*	-	0.1	-	0.1	*	*
	4	-	*	0.3	0.1	-	0.2	-	0.1	*	*
	5	-	*	0.1	*	-	0.1	-	*	0.1	*
	6	-	*	0.2	*	-	*	-	*	*	*
	7	-	*	*	*	-	*	-	*	*	*
	Total	----	-	*	0.7	0.2	-	0.3	-	0.2	0.2
53	1-2	-	*	-	*	-	*	-	*	-	-
	3	-	*	*	*	-	*	-	*	*	*
	4	-	*	*	*	-	*	-	0.1	*	*
	5	-	*	*	*	-	*	-	*	*	*
	6	-	*	*	*	-	*	-	*	*	*
	7	-	*	-	*	-	*	-	-	*	*
	Total	----	-	*	0.1	*	-	*	-	0.1	*
63	1-2	-	-	-	*	-	-	-	-	-	-
	3	-	*	-	*	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	*	-	*	-	-	-	-	-	*
	Total	----	-	*	-	*	-	*	-	-	*
24 - 54	1-7	-	*	0.2	*	-	0.1	-	*	*	*
25 - 35	1-7	-	*	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	*	*	*	-	*	-	*	*	*
All Colors	8 2/	-	*	*	*	-	*	-	*	1.3	0.2
EXTRANEOUS MATTER											
Bark - Level 1		-	14.9	10.7	3.4	-	0.6	-	0.9	5.0	1.2
Bark - Level 2		-	-	-	*	-	*	-	-	0.1	*
Grass - Level 1		-	1.1	*	0.1	-	*	-	0.2	0.1	0.2
Grass - Level 2		-	*	-	*	-	*	-	-	-	-
Prep - Level 1		-	*	2.7	0.9	-	*	-	*	-	*
Prep - Level 2		-	*	-	*	-	*	-	-	-	-
Other - Level 1		-	-	-	*	-	*	-	*	-	*
Other - Level 2		-	-	-	-	-	*	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		-	*	-	*	-	-	-	-	-	-
30		-	0.2	*	*	-	*	-	*	-	-
31		-	1.2	0.6	0.1	-	*	-	0.4	*	*
32		-	4.2	2.5	0.6	-	0.1	-	2.5	0.3	*
33		-	10.7	6.9	2.9	-	2.3	-	9.6	1.2	0.6
34		-	19.0	16.8	9.7	-	10.0	-	24.2	5.5	4.1
35		-	23.9	25.8	22.1	-	23.4	-	32.7	16.5	14.3
36		-	20.7	29.0	31.7	-	30.2	-	22.0	32.2	26.4
37		-	15.7	12.9	27.1	-	27.3	-	8.2	26.6	28.4
38 & longer		-	4.5	5.5	5.8	-	6.6	-	0.6	17.6	26.1
Average staple		-	35.1	35.3	35.9	-	35.9	-	34.9	36.4	36.8

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending February 2, 2012

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	*	-	-	-	-	-	-
18	-	*	-	*	-	-	-	-	-	-
19	-	0.1	-	*	-	-	-	-	-	-
20	-	0.4	-	*	-	-	-	-	-	-
21	*	1.0	-	*	-	-	-	*	-	*
22	0.1	2.0	-	0.1	-	-	-	*	-	0.1
23	0.3	3.0	-	0.3	-	-	-	*	-	0.2
24	1.4	3.9	-	1.4	-	*	0.3	0.1	-	0.6
25	3.3	4.7	-	4.4	-	*	1.6	0.5	-	1.6
26	6.7	6.1	-	10.1	-	0.2	7.9	4.1	-	3.9
27	11.8	8.4	-	17.3	-	1.3	19.4	11.6	-	8.3
28	19.1	11.9	-	20.7	-	4.9	27.9	22.4	-	14.4
29	17.6	14.5	-	17.3	-	12.7	22.1	26.2	-	19.8
30	14.2	14.7	-	12.6	-	21.7	11.9	18.9	-	20.0
31	12.0	12.6	-	8.5	-	23.0	6.2	9.8	-	15.5
32	6.4	8.5	-	4.5	-	16.7	2.3	4.6	-	9.2
33	3.8	4.7	-	2.0	-	10.8	0.5	1.5	-	4.4
34	2.0	2.2	-	0.7	-	5.8	*	0.2	-	1.7
35	0.9	0.9	-	0.2	-	2.2	-	0.1	-	0.4
36 & above	0.5	0.4	-	*	-	0.6	-	*	-	-
Average	29.0	28.7	-	28.4	-	30.9	28.3	28.9	-	29.5
MIKE										
24 & below	0.7	*	-	*	-	*	-	*	-	*
25	0.2	0.1	-	*	-	*	-	*	-	*
26	0.3	0.2	-	*	-	*	*	*	-	*
27	0.5	0.3	-	*	-	*	*	*	-	*
28	1.1	0.3	-	*	-	*	0.1	*	-	0.1
29	1.0	0.5	-	*	-	*	0.1	*	-	0.2
30	1.1	0.7	-	*	-	*	0.1	*	-	0.3
31	2.0	0.9	-	*	-	*	0.1	*	-	0.3
32	2.8	1.2	-	*	-	*	0.1	0.1	-	0.5
33	4.3	1.5	-	0.1	-	*	0.1	0.1	-	0.7
34	4.8	2.1	-	0.2	-	0.1	0.4	0.1	-	0.9
35	6.1	2.6	-	0.5	-	0.2	0.4	0.2	-	1.3
36	9.0	3.2	-	1.0	-	0.2	0.5	0.2	-	1.5
37	9.8	3.7	-	1.7	-	0.3	0.9	0.3	-	1.8
38	6.6	4.3	-	2.4	-	0.5	1.5	0.4	-	2.3
39	6.4	5.2	-	3.4	-	0.8	1.4	0.6	-	3.0
40	6.7	5.8	-	4.3	-	1.2	1.6	0.8	-	3.7
41	6.2	6.3	-	5.3	-	1.9	2.9	1.2	-	4.5
42	7.1	7.2	-	6.1	-	2.9	3.5	1.8	-	5.1
43	5.1	8.0	-	7.5	-	4.5	5.8	2.7	-	6.4
44	5.8	8.2	-	8.7	-	6.2	6.6	4.1	-	7.7
45	5.7	8.0	-	9.2	-	8.3	7.9	5.9	-	8.6
46	3.5	7.2	-	9.6	-	10.5	9.0	8.1	-	9.6
47	1.9	6.6	-	9.2	-	11.9	12.3	10.4	-	9.6
48	0.7	5.5	-	9.0	-	12.5	13.3	12.3	-	9.0
49	0.4	4.2	-	7.8	-	11.4	12.4	13.0	-	7.6
50	0.4	2.9	-	6.2	-	9.5	10.0	12.1	-	6.1
51	-	1.9	-	4.2	-	7.2	4.9	10.1	-	4.3
52	-	0.9	-	2.2	-	4.9	3.0	7.4	-	2.7
53	-	0.4	-	1.0	-	2.8	0.9	4.5	-	1.5
54	-	0.1	-	0.4	-	1.3	0.3	2.3	-	0.6
55	-	*	-	0.1	-	0.4	0.1	0.9	-	0.1
56	-	*	-	*	-	0.1	*	0.2	-	*
57	-	*	-	*	-	*	-	0.1	-	*
58	-	-	-	-	-	*	-	*	-	-
59	-	-	-	-	-	*	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	39	42	-	45	-	47	46	48	-	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending February 2, 2012

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	-	-	-	-
19	-	*	-	-	-	-	-	-	-	-
20	-	*	-	-	-	*	-	-	-	-
21	-	*	-	-	-	*	-	-	-	-
22	-	*	*	*	-	*	-	*	*	*
23	-	0.1	*	*	-	*	-	*	*	*
24	-	0.4	0.5	0.1	-	*	-	0.1	0.1	*
25	-	1.1	2.3	0.5	-	*	-	1.0	0.2	0.1
26	-	2.9	8.8	2.6	-	0.2	-	4.8	1.0	0.5
27	-	6.7	25.5	8.8	-	0.9	-	13.2	3.7	2.4
28	-	12.6	29.5	18.7	-	3.4	-	21.8	7.6	7.4
29	-	18.6	13.9	23.7	-	10.2	-	21.5	12.4	12.6
30	-	20.3	6.9	19.2	-	20.3	-	15.7	22.2	15.9
31	-	17.0	4.8	12.2	-	25.1	-	10.7	20.8	15.2
32	-	11.4	4.9	7.3	-	19.2	-	6.7	12.1	11.5
33	-	5.8	2.0	4.0	-	11.5	-	3.1	7.5	11.1
34	-	2.2	0.6	2.0	-	6.1	-	1.1	7.7	11.4
35	-	0.6	0.2	0.7	-	2.4	-	0.3	3.9	7.5
36 & above	-	0.1	0.1	0.2	-	0.8	-	0.1	0.9	4.5
Average	-	29.8	28.2	29.5	-	31.1	-	29.0	30.7	31.4
MIKE										
24 & below	-	0.1	-	*	-	*	-	-	0.1	*
25	-	0.1	*	*	-	*	-	-	0.1	*
26	-	0.3	0.1	*	-	*	-	*	0.1	0.1
27	-	0.3	0.1	*	-	*	-	*	0.2	0.1
28	-	0.4	0.1	0.1	-	*	-	*	0.2	0.1
29	-	0.5	0.2	0.1	-	0.1	-	*	0.3	0.1
30	-	0.6	0.5	0.1	-	0.1	-	*	0.4	0.2
31	-	0.9	0.5	0.2	-	0.1	-	*	0.4	0.4
32	-	1.2	0.6	0.2	-	0.2	-	*	1.0	0.6
33	-	1.5	0.7	0.3	-	0.3	-	*	1.0	0.9
34	-	1.8	0.9	0.4	-	0.5	-	0.1	1.1	1.4
35	-	2.1	1.4	0.5	-	0.9	-	0.1	0.9	1.8
36	-	2.6	1.8	0.6	-	1.3	-	0.1	1.6	2.4
37	-	3.1	1.2	0.8	-	2.0	-	0.2	1.9	3.0
38	-	3.7	2.3	1.1	-	2.8	-	0.3	2.5	3.7
39	-	4.6	2.9	1.6	-	3.5	-	0.4	3.5	4.1
40	-	5.5	3.2	2.3	-	4.4	-	0.6	4.3	5.0
41	-	6.4	3.4	3.3	-	5.4	-	1.0	5.0	5.8
42	-	7.5	4.3	4.7	-	6.5	-	1.5	6.9	6.4
43	-	8.6	6.6	6.6	-	7.4	-	2.5	7.8	7.4
44	-	9.1	6.4	9.1	-	8.2	-	3.8	9.3	8.1
45	-	9.0	9.0	11.7	-	8.6	-	5.5	9.8	8.3
46	-	8.4	9.8	13.6	-	8.6	-	7.5	10.3	8.5
47	-	7.2	12.1	13.5	-	8.3	-	9.4	8.9	7.9
48	-	5.6	10.6	11.4	-	7.6	-	11.6	7.8	7.2
49	-	4.1	7.8	8.0	-	6.7	-	13.1	6.8	6.3
50	-	2.5	5.6	4.9	-	5.6	-	13.2	4.1	4.8
51	-	1.4	3.1	2.6	-	4.3	-	11.8	2.0	3.0
52	-	0.7	2.1	1.4	-	3.0	-	8.6	1.0	1.5
53	-	0.3	1.4	0.6	-	1.8	-	5.0	0.4	0.6
54	-	0.1	0.8	0.3	-	1.0	-	2.3	*	0.2
55	-	*	0.4	0.1	-	0.4	-	0.8	*	0.1
56	-	*	0.1	*	-	0.1	-	0.2	*	*
57	-	-	*	*	-	*	-	*	*	*
58	-	-	-	*	-	*	-	*	-	-
59	-	-	-	*	-	*	-	-	-	-
60 & above	-	-	-	-	-	*	-	-	-	-
Average	-	43	45	46	-	45	-	49	44	44

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending February 2, 2012

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.7	*	-	*	-	*	-	*	-	-
25 - 26	0.5	0.3	-	*	-	*	*	*	-	-
27 - 29	2.6	1.1	-	*	-	*	0.2	*	-	-
30 - 32	5.9	2.8	-	0.1	-	0.1	0.2	0.1	-	-
33 - 34	9.1	3.6	-	0.3	-	0.1	0.5	0.2	-	-
35 - 36	15.0	5.8	-	1.5	-	0.4	0.9	0.4	-	-
37 - 42	42.7	32.6	-	23.2	-	7.7	11.8	5.0	-	-
43 - 49	23.1	47.6	-	61.0	-	65.4	67.3	56.6	-	-
50 - 52	0.4	5.7	-	12.5	-	21.6	17.8	29.6	-	-
53 & above	-	0.5	-	1.5	-	4.7	1.4	8.0	-	-
Average	39	42	-	45	-	47	46	48	-	45
HVI TRASH 1/										
00	-	0.1	-	0.1	-	-	-	-	-	0.1
01	1.1	32.5	-	35.7	-	1.4	5.4	1.0	-	47.5
02	12.2	29.5	-	39.6	-	10.1	29.2	14.5	-	35.5
03	19.9	15.7	-	15.3	-	20.1	29.8	29.1	-	11.0
04	20.9	8.9	-	5.4	-	23.4	20.0	26.0	-	3.5
05	17.0	5.3	-	2.1	-	19.3	10.0	15.6	-	1.3
06	11.4	3.2	-	0.9	-	12.6	3.7	7.7	-	0.6
07	6.7	1.9	-	0.4	-	6.9	1.2	3.4	-	0.3
08	3.7	1.1	-	0.2	-	3.3	0.4	1.5	-	0.1
09	2.7	0.7	-	0.1	-	1.5	0.2	0.6	-	0.1
10	1.3	0.4	-	0.1	-	0.7	0.1	0.3	-	*
11	0.7	0.2	-	*	-	0.3	*	0.1	-	*
12	0.5	0.2	-	*	-	0.1	0.1	0.1	-	*
13	0.5	0.1	-	*	-	0.1	*	*	-	*
14	0.5	0.1	-	*	-	*	-	*	-	*
15	0.3	*	-	*	-	*	*	*	-	*
16	0.3	*	-	*	-	*	-	*	-	*
17	0.2	*	-	*	-	*	-	*	-	*
18 & above	0.2	*	-	*	-	*	-	*	-	*
Average	0.48	0.26	-	0.21	-	0.45	0.32	0.39	-	0.18
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	-	-	*
74.5-75.4	0.1	0.3	-	*	-	-	-	-	-	*
75.5-76.4	0.5	1.4	-	0.1	-	*	-	-	-	0.3
76.5-77.4	2.6	4.7	-	0.6	-	*	*	0.1	-	1.2
77.5-78.4	8.0	9.3	-	3.2	-	0.2	0.5	0.8	-	4.8
78.5-79.4	22.8	16.1	-	11.9	-	1.4	2.3	5.1	-	14.1
79.5-80.4	31.8	24.1	-	27.1	-	7.8	11.3	17.7	-	27.9
80.5-81.4	24.4	25.2	-	32.0	-	26.5	32.8	33.8	-	30.5
81.5-82.4	8.9	14.2	-	19.6	-	39.7	34.3	30.1	-	16.5
82.5-83.4	1.0	3.9	-	5.2	-	20.8	16.2	10.8	-	4.1
83.5-84.4	*	0.6	-	0.5	-	3.4	2.4	1.4	-	0.5
84.5-85.4	-	*	-	*	-	0.2	*	*	-	*
85.5-86.4	-	*	-	-	-	*	-	*	-	-
86.5-87.4	-	-	-	-	-	*	-	-	-	-
87.5-88.4	-	-	-	-	-	*	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	79.9	80.1	-	80.6	-	81.8	81.5	81.2	-	80.4
Tenderable 3/	17.2	43.6	-	60.0	-	69.4	74.2	51.0	-	65.3
SAMPLES CLASSED										
Week	6,205						9,835			
Season		504,352		1,170,602		1,321,093		1,625,918		334,364

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending February 2, 2012

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	0.1	-	*	-	*	-	-	0.1	*
25 - 26	-	0.4	0.1	*	-	*	-	*	0.3	0.1
27 - 29	-	1.2	0.4	0.2	-	0.1	-	*	0.6	0.3
30 - 32	-	2.7	1.6	0.5	-	0.5	-	*	1.8	1.2
33 - 34	-	3.3	1.6	0.6	-	0.9	-	0.1	2.1	2.3
35 - 36	-	4.7	3.2	1.1	-	2.3	-	0.2	2.5	4.2
37 - 42	-	30.8	17.3	13.8	-	24.5	-	4.0	24.3	28.0
43 - 49	-	52.0	62.3	73.8	-	55.5	-	53.5	60.8	53.7
50 - 52	-	4.5	10.8	8.9	-	13.0	-	33.7	7.1	9.4
53 & above	-	0.4	2.6	1.0	-	3.3	-	8.4	0.4	0.9
Average	-	43	45	46	-	45	-	49	44	44
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	-	36.4	2.2	3.6	-	1.3	-	1.7	17.7	28.1
02	-	38.5	16.6	22.8	-	11.1	-	12.3	37.7	41.0
03	-	15.1	27.0	29.7	-	22.8	-	21.5	21.6	18.4
04	-	5.8	21.7	21.2	-	25.0	-	22.6	9.5	6.8
05	-	2.3	13.5	11.9	-	18.7	-	18.0	4.8	2.7
06	-	1.0	7.8	5.9	-	11.1	-	11.5	3.0	1.2
07	-	0.5	5.2	2.7	-	5.6	-	6.5	1.8	0.6
08	-	0.2	3.1	1.2	-	2.6	-	3.3	1.1	0.3
09	-	0.1	1.5	0.5	-	1.1	-	1.5	0.7	0.2
10	-	0.1	0.9	0.2	-	0.5	-	0.7	0.5	0.1
11	-	*	0.3	0.1	-	0.2	-	0.3	0.3	0.1
12	-	*	0.1	0.1	-	0.1	-	0.1	0.2	0.1
13	-	*	*	*	-	*	-	*	0.2	*
14	-	*	*	*	-	*	-	*	0.1	*
15	-	*	-	*	-	*	-	*	0.1	*
16	-	*	-	*	-	*	-	*	0.1	*
17	-	*	-	*	-	*	-	*	0.1	*
18 & above	-	*	-	*	-	*	-	*	0.3	0.1
Average	-	0.21	0.41	0.36	-	0.43	-	0.44	0.29	0.23
UNIFORMITY 2/										
72.4 & below	-	*	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	*	-	-	-	-	-	-
73.5-74.4	-	*	-	*	-	-	-	-	-	-
74.5-75.4	-	*	-	*	-	*	-	-	*	*
75.5-76.4	-	0.2	-	*	-	*	-	-	*	*
76.5-77.4	-	1.2	0.1	*	-	*	-	0.1	0.2	0.1
77.5-78.4	-	4.7	0.7	0.5	-	0.2	-	1.2	1.1	0.4
78.5-79.4	-	14.1	3.0	2.9	-	1.9	-	7.6	5.9	2.5
79.5-80.4	-	27.6	12.4	10.9	-	9.0	-	27.4	23.5	13.3
80.5-81.4	-	30.7	35.0	26.6	-	28.6	-	35.7	33.0	33.0
81.5-82.4	-	17.2	37.3	34.7	-	40.2	-	20.9	19.2	30.2
82.5-83.4	-	4.1	10.4	19.3	-	17.4	-	6.3	11.8	13.8
83.5-84.4	-	0.3	1.0	4.6	-	2.6	-	0.8	5.0	6.4
84.5-85.4	-	-	*	0.4	-	0.2	-	*	0.2	0.4
85.5-86.4	-	-	-	*	-	*	-	-	*	*
86.5-87.4	-	-	-	*	-	*	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	-	80.5	81.4	81.7	-	81.6	-	80.8	81.1	81.5
Tenderable 3/	-	69.7	64.3	79.5	-	79.3	-	50.9	81.9	83.3
SAMPLES CLASSED										
Week			17,196						55,017	
Season		1,501,989		2,990,428		2,817,133		538,924		1,207,461

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending February 2, 2012

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	13.1	16.5	MIKE	*	*
	2	22.1	24.4	24 & below	*	0.1
	3	0.5	1.0	25 - 26	0.5	1.0
	4	-	*	27 - 29	1.2	2.0
	5	-	-	30 - 32	2.3	2.6
	6	-	-	33 - 34	11.9	8.6
	7	-	-	35 - 36	75.6	74.3
Total		35.7	41.8	37 - 42	8.5	11.4
02	1	8.1	7.4	43 - 49	-	*
	2	37.8	33.4	50 - 52	-	-
	3	10.5	9.0	53 & above	-	-
	4	0.3	0.5	Average	39	39
	5	-	*	ALL RANGE MIKE		
	6	-	*	24 & below	*	*
	7	-	-	25	-	*
Total		56.7	50.3	26	*	*
03	1	0.1	0.1	27	*	0.2
	2	1.9	1.6	28	0.2	0.3
	3	3.5	3.0	29	0.3	0.5
	4	0.8	1.1	30	0.5	0.6
	5	*	0.1	31	0.3	0.7
	6	*	*	32	0.5	0.7
	7	-	*	33	0.9	1.0
Total		6.3	5.8	34	1.4	1.6
04	1	-	*	35	4.0	2.9
	2	0.1	0.1	36	8.0	5.6
	3	0.5	0.6	37	11.5	9.4
	4	0.3	0.5	38	15.9	13.4
	5	0.1	0.1	39	16.5	16.0
	6	*	*	40	14.0	15.1
	7	*	*	41	10.2	12.0
Total		0.9	1.3	42	7.3	8.5
05	1	-	-	43	4.5	5.2
	2	*	*	44	2.4	3.0
	3	0.2	0.2	45	1.0	1.8
	4	0.1	0.3	46	0.4	0.9
	5	*	0.1	47	0.1	0.4
	6	*	*	48	*	0.2
	7	-	*	49	*	*
Total		0.3	0.6	50	-	*
06	1	-	-	51	-	*
	2	-	*	52	-	-
	3	*	*	53	-	-
	4	*	*	54	-	-
	5	*	*	55	-	-
	6	*	*	56	-	-
	7	-	*	57	-	-
Total		*	0.1	58	-	-
07	1	-	-	59	-	-
	2	-	-	60 & above	-	-
	3	-	-	Average	39	39
	4	-	*	Strength		
	5	-	*	17 & below	-	-
	6	-	*	18	-	-
	7	-	*	19	-	-
Total		-	*	20	-	-
STAPLE	40 & shorter	-	*	21	-	-
	42	*	*	22	-	-
	44	0.9	1.6	23	-	-
	46	19.4	20.7	24	-	-
	48 & longer	79.7	77.7	25	-	-
	Average	48.0	47.9	26	-	-
				27	-	-
UNIFORMITY	72.4 & below	-	-	28	*	*
	72.5-73.4	-	-	29	-	*
	73.5-74.4	-	-	30	*	*
	74.5-75.4	-	-	31	*	*
	75.5-76.4	-	-	32	*	*
	76.5-77.4	-	-	33	0.1	0.1
	77.5-78.4	-	-	34	0.3	0.3
	78.5-79.4	-	-	35	0.5	0.8
	79.5-80.4	*	*	36	0.8	1.6
	80.5-81.4	*	*	37	2.0	2.6
	81.5-82.4	0.2	0.3	38	6.4	3.9
	82.5-83.4	0.9	1.4	39	10.1	6.2
	83.5-84.4	6.9	6.5	40	11.1	8.6
	84.5-85.4	36.9	28.7	41	12.0	10.4
	85.5-86.4	43.2	46.4	42	14.9	12.8
	86.5-87.4	10.8	15.2	43	14.3	14.8
	87.5-88.4	1.0	1.5	44	12.2	14.8
88.5-89.4	*	0.1	45 & above	15.2	23.0	
89.5 & above	-	-	Average	41.8	42.3	
Average		85.5	85.7	EXTRANEIOUS MATTER		
SAMPLES CLASSED	Week	38,655		Bark	0.2	0.1
	Season		757,110	Grass	-	0.1
				Spindle Twist	*	0.2
				Preparation	1.2	2.3

* Less than 0.05 percent.