



U. S. DEPARTMENT OF AGRICULTURE
 AGRICULTURAL MARKETING SERVICE
 COTTON PROGRAM, MARKET NEWS BRANCH
 3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
 Telephone 901-384-3016



QUALITY OF COTTON CLASSED

Volume 51 No. 16

20-Nov-09

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY CLASSING OFFICE
 For the week ending November 19, 2009

<i>Classing Office</i>	<i>Week</i>	<i>Season</i>
UPLAND		
Abilene	110,644	353,142
Birmingham	50,353	119,370
Corpus Christi	0	170,389
Dumas	112,209	287,549
Florence	122,249	596,502
Lamesa	100,272	450,947
Lubbock	344,099	1,061,522
Macon	179,179	593,991
Memphis	291,482	828,874
Phoenix #	0	0
Rayville	54,423	215,394
Visalia	69,274	311,166
United States	1,434,184	4,988,846
Percent tenderable	70.2	67.8
AMERICAN PIMA		
Phoenix #	0	0
Visalia	47,850	177,196
United States	47,850	177,196
United States all cotton	1,482,034	5,166,042

* Data Withheld to avoid disclosure of individual gin.

MP_CN100

Phoenix, AZ Classing Office closed as of October 1, 2009. Territory now covered by Visalia, CA Classing Office

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending November 19, 2009

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 8.6	Pct. 7.0	*	*	Pct. -	Pct. 16.8	-	-	Pct. 0.1	Pct. 0.1	
	3	10.3	9.0	0.5	0.2	-	14.1	-	*	0.1	0.2	
	4	1.6	1.2	0.1	0.1	-	2.0	-	-	-	*	
	5	0.2	0.1	*	*	-	0.1	-	-	-	-	
	6	*	*	*	*	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	20.7	17.2	0.6	0.3	-	33.0	-	*	0.2	0.3
	31	1-2	5.9	5.2	0.3	0.2	-	6.4	*	*	0.7	1.0
3		26.6	28.7	23.5	17.1	-	14.5	0.4	0.3	10.0	15.5	
4		14.4	13.6	7.4	5.6	-	6.3	0.3	0.1	2.7	5.9	
5		5.0	3.4	1.1	0.7	-	0.5	0.1	*	0.2	0.2	
6		1.0	0.5	0.1	*	-	*	*	*	*	*	
7		0.1	*	-	-	-	*	-	-	-	-	
Total		----	53.1	51.5	32.4	23.6	-	27.7	0.7	0.5	13.5	22.6
41		1-2	0.1	0.3	0.2	0.3	-	1.3	0.1	0.1	0.4	0.4
	3	2.5	4.5	26.1	28.7	-	7.0	8.2	5.2	28.7	26.5	
	4	4.2	5.5	21.6	20.9	-	5.4	19.6	14.0	35.1	33.3	
	5	4.2	4.0	3.9	2.9	-	1.0	9.3	5.8	7.9	6.4	
	6	1.6	1.2	0.3	0.2	-	0.1	0.7	0.4	0.9	0.4	
	7	0.5	0.3	*	*	-	*	*	*	0.1	*	
	Total	----	13.2	15.8	52.1	53.0	-	14.8	38.0	25.5	73.1	67.1
	51	1-2	0.4	0.3	*	0.1	-	0.1	0.1	0.1	*	*
3		1.5	1.5	2.4	4.8	-	1.5	7.3	5.9	0.8	0.8	
4		0.9	1.2	3.4	5.3	-	2.4	17.5	17.7	2.6	2.5	
5		0.1	0.4	0.6	0.9	-	1.4	7.4	5.3	2.3	1.5	
6		*	0.1	0.1	0.2	-	0.2	0.8	0.4	1.1	0.4	
7		*	0.1	*	*	-	*	*	*	0.3	0.1	
Total		----	3.0	3.5	6.6	11.2	-	5.6	33.0	29.4	7.2	5.3
61		1-2	0.3	0.2	-	*	-	*	*	*	-	-
	3	1.1	0.5	*	*	-	0.1	0.3	0.2	-	-	
	4	0.5	0.3	*	*	-	0.3	0.7	0.5	-	*	
	5	0.1	0.1	-	*	-	0.3	0.2	0.1	-	*	
	6	*	*	-	*	-	0.1	0.1	*	*	*	
	7	-	*	-	-	-	*	*	*	-	-	
	Phoenix #	----	1.9	1.0	*	0.1	-	0.8	1.2	0.9	*	*
	71	1-2	0.1	*	-	-	-	-	-	-	-	-
3		0.2	0.1	-	-	-	-	-	-	-	-	
4		*	*	-	-	-	-	-	-	-	-	
5		*	*	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	*	-	#VALUE!	-	-	
7		-	-	-	-	-	*	-	-	-	-	
Total		----	0.3	0.1	-	-	-	0.1	-	-	-	
12 & 22		1-2	*	0.9	-	-	-	0.5	-	-	*	*
	3	0.2	0.8	*	*	-	1.8	-	-	-	*	
	4	0.1	0.2	*	*	-	1.1	-	*	-	-	
	5	0.1	*	-	-	-	0.4	-	-	-	-	
	6	*	*	-	-	-	0.1	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	
	Total	----	0.3	1.9	*	*	-	3.8	-	*	*	
	32	1-2	*	*	*	*	-	0.4	-	-	*	*
3		0.2	0.4	0.4	0.3	-	2.1	0.1	*	0.4	0.5	
4		0.2	0.5	0.3	0.2	-	2.1	*	*	0.2	0.2	
5		0.1	0.2	0.1	0.1	-	0.5	*	*	*	*	
6		*	0.1	*	*	-	0.2	-	-	-	*	
7		-	-	-	-	-	0.1	-	-	-	-	
Total		----	0.6	1.2	0.7	0.6	-	5.4	0.1	0.1	0.6	0.7
42		1-2	-	-	-	-	-	0.2	-	-	-	-
	3	0.1	0.2	1.8	2.7	-	1.7	0.8	1.5	1.3	1.2	
	4	0.1	0.4	1.9	2.3	-	2.5	1.9	3.3	1.9	1.6	
	5	0.1	0.3	0.3	0.3	-	0.9	1.3	1.5	0.8	0.4	
	6	0.1	0.1	*	*	-	0.1	0.1	0.1	0.2	0.1	
	7	*	*	*	*	-	*	*	*	*	*	
	Total	----	0.4	1.0	4.1	5.4	-	5.4	4.2	6.4	4.3	3.3
	52	1-2	0.2	0.2	*	*	-	*	*	*	*	*
3		0.9	1.5	0.7	1.5	-	0.5	2.9	4.7	0.1	*	
4		0.8	1.1	1.3	2.4	-	1.0	8.8	16.8	0.3	0.2	
5		0.1	0.3	0.4	0.5	-	0.8	4.0	6.2	0.2	0.1	
6		*	0.1	0.1	0.1	-	0.2	0.5	0.4	0.1	*	
7		-	*	*	*	-	*	*	*	*	*	
Total		----	2.0	3.2	2.6	4.5	-	2.6	16.2	28.1	0.7	0.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending November 19, 2009

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	62	1-2	0.4	0.2	-	-	-	*	*	*	*	
		3	1.5	0.8	*	*	-	0.1	0.9	0.8	*	*
		4	0.8	0.4	0.1	0.1	-	0.1	2.3	2.9	-	*
		5	0.2	0.1	*	*	-	0.1	0.9	1.1	*	*
		6	*	*	*	*	-	*	0.2	0.1	*	*
		7	-	*	-	-	-	-	*	*	-	-
	Total	----	2.9	1.6	0.2	0.2	-	0.2	4.3	5.0	*	*
13 & 23		1-2	*	0.1	-	-	-	-	-	-	-	
		3	*	0.1	-	-	-	*	-	-	-	
		4	*	*	-	-	-	*	-	-	-	
		5	*	*	-	-	-	*	-	-	-	
		6	-	*	-	-	-	*	-	-	-	
		7	-	-	-	-	-	-	-	-	-	
	Total	----	*	0.2	-	-	-	0.1	-	-	-	
	33		1-2	-	*	*	*	*	-	-	*	*
		3	*	0.1	0.1	0.1	*	*	*	0.1	*	
		4	*	*	*	*	*	*	*	*	*	
		5	*	*	-	-	-	0.1	-	*	*	
		6	*	*	-	-	-	*	-	-	*	
		7	*	*	-	-	-	*	-	-	*	
Total		----	0.1	0.1	0.2	0.1	-	0.2	*	*	0.1	
43			1-2	-	*	-	-	*	-	-	-	*
		3	*	0.1	0.2	0.2	*	*	*	0.1	*	
		4	0.1	0.1	0.2	0.1	-	0.1	*	0.1	0.1	
		5	*	*	*	*	-	*	*	0.1	*	
		6	*	*	-	*	-	*	*	*	*	
		7	*	*	-	*	-	*	*	*	*	
	Total	----	0.2	0.2	0.4	0.3	-	0.2	0.1	0.3	0.3	
	53		1-2	*	*	-	-	-	*	*	-	-
		3	0.1	0.3	0.1	0.1	-	*	0.1	0.4	*	
		4	0.1	0.2	0.1	0.3	-	*	0.3	1.1	*	
		5	*	0.1	*	0.1	-	*	0.2	0.5	*	
		6	*	*	-	*	-	*	*	*	*	
		7	-	*	*	*	-	*	-	-	*	
Total		----	0.3	0.6	0.2	0.5	-	0.1	0.6	2.0	*	
Phoenix #			1-2	*	*	-	-	-	*	*	-	-
		3	0.2	0.1	*	*	-	*	0.2	0.2	-	
		4	0.2	0.1	*	*	-	*	0.6	0.9	-	
		5	0.1	*	*	*	-	*	0.4	0.5	-	
		6	*	*	*	*	-	*	0.1	0.1	-	
		7	*	*	-	*	-	*	*	#VALUE!	-	
	Total	----	0.5	0.3	*	0.1	-	*	1.4	1.8	-	
	24 - 54	1-7	0.1	0.1	*	*	-	*	*	0.1	*	
25 - 35	1-7	-	-	-	-	-	-	-	-	-		
81 - 85 1/	1-7	0.4	0.2	*	*	-	*	0.1	0.1	*		
All Colors	8 2/	0.2	0.1	*	*	-	*	*	*	*		
EXTRANEIOUS MATTER												
Bark - Level 1		19.1	21.3	1.0	1.6	-	1.8	0.1	0.2	0.3	0.1	
Bark - Level 2		-	*	-	-	-	-	-	-	-	-	
Grass - Level 1		*	0.2	*	*	-	2.4	0.1	0.1	0.2	0.4	
Grass - Level 2		-	*	-	*	-	*	-	-	-	-	
Prep - Level 1		*	*	0.1	*	-	*	8.3	8.5	0.1	0.1	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	-	-	-	-	*	-	*	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	
STAPLE												
28 & shorter		*	0.1	-	-	-	*	-	-	-	-	
29		0.1	0.3	-	-	-	0.2	-	-	-	-	
30		0.2	0.9	-	-	-	2.7	-	-	-	-	
31		1.1	2.2	*	*	-	8.8	-	-	*	*	
32		3.5	4.7	1.0	0.7	-	15.2	0.1	0.2	0.5	0.4	
33		7.9	9.1	7.9	7.4	-	17.5	2.4	3.0	4.2	4.4	
34		14.6	15.9	27.3	28.9	-	16.1	14.8	16.7	19.7	21.2	
35		21.5	21.5	38.0	36.3	-	15.5	36.9	39.3	39.8	41.3	
36		24.0	22.9	18.5	19.3	-	13.1	31.5	30.2	27.5	26.1	
37		19.8	17.4	6.1	6.5	-	9.6	13.5	10.2	7.8	6.3	
38 & longer		7.5	5.2	1.1	0.9	-	1.2	0.8	0.5	0.5	0.3	
Average staple		35.4	35.1	34.9	34.9	-	33.9	35.4	35.3	35.2	35.1	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending November 19, 2009

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	38.7	31.7	22.7	18.8	*	*	*	*	-	-
	4	34.9	36.9	33.3	31.7	0.1	0.1	0.2	0.2	-	-
	5	4.5	3.5	6.5	5.5	*	*	0.1	0.1	-	-
	6	0.3	0.2	0.7	0.4	-	-	*	*	-	-
	7	*	*	*	*	-	-	-	-	-	-
	7	*	*	*	*	-	-	-	-	-	-
	Total	-----	78.4	72.2	63.2	56.4	0.2	0.1	0.2	0.2	-
31	1-2	1.9	2.5	1.4	1.7	0.6	1.0	0.2	0.3	-	-
	3	9.5	13.9	11.4	16.6	26.0	21.4	11.3	10.8	-	-
	4	6.3	7.3	11.8	14.9	4.6	3.9	16.6	12.6	-	-
	5	1.7	1.3	4.7	4.1	0.1	0.1	2.4	1.2	-	-
	6	0.3	0.1	0.8	0.6	*	*	0.2	0.1	-	-
	7	0.1	*	0.2	0.1	-	-	*	*	-	-
	7	*	*	*	*	-	-	*	*	-	-
	Total	-----	19.7	25.2	30.5	37.9	31.3	26.4	30.7	24.9	-
41	1-2	*	*	*	*	0.4	0.5	0.3	0.4	-	-
	3	0.1	0.3	0.1	0.2	40.9	42.0	15.9	17.1	-	-
	4	0.4	0.6	0.5	1.0	22.5	25.2	33.0	32.9	-	-
	5	0.3	0.4	1.0	1.1	1.8	1.6	6.4	4.9	-	-
	6	0.1	0.1	0.7	0.5	*	*	0.7	0.3	-	-
	7	*	*	0.5	0.3	*	*	0.1	*	-	-
	7	*	*	*	*	*	*	*	*	-	-
	Total	-----	1.0	1.4	2.7	3.1	65.6	69.3	56.4	55.6	-
51	1-2	-	-	-	*	*	*	*	*	-	-
	3	-	*	*	*	0.3	0.4	2.4	2.5	-	-
	4	-	-	-	*	0.5	0.7	4.1	5.3	-	-
	5	-	*	*	*	0.1	0.2	0.6	0.6	-	-
	6	-	*	*	*	*	*	0.1	*	-	-
	7	-	*	*	*	-	*	*	*	-	-
	7	-	*	*	*	-	*	*	*	-	-
	Total	-----	-	*	*	*	0.8	1.3	7.1	8.4	-
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	*	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	-	-	-	-	-	*	*	0.1	-
Phoenix #	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.1	0.1	0.1	0.1	-	*	-	-	-	-
	3	0.3	0.5	0.3	0.4	*	*	*	*	-	-
	4	0.1	0.1	0.2	0.1	-	-	*	*	-	-
	5	*	*	0.1	*	-	-	-	-	-	-
	6	*	*	*	*	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-
	7	-	-	*	*	-	-	-	-	-	-
	Total	-----	0.6	0.7	0.7	0.7	*	*	*	*	-
32	1-2	-	*	*	*	*	*	*	*	-	-
	3	*	0.1	0.2	0.2	0.1	0.2	0.3	0.6	-	-
	4	0.1	0.1	0.5	0.3	*	*	0.8	1.2	-	-
	5	0.1	*	0.4	0.2	*	*	0.2	0.2	-	-
	6	*	*	0.1	0.1	-	-	*	*	-	-
	7	*	*	*	*	-	-	*	*	-	-
	7	*	*	*	*	-	-	*	*	-	-
	Total	-----	0.2	0.3	1.2	0.8	0.2	0.2	1.4	1.9	-
42	1-2	-	*	*	*	*	*	*	*	-	-
	3	-	*	*	*	0.5	0.7	0.5	1.2	-	-
	4	-	*	*	*	0.8	1.2	1.7	3.4	-	-
	5	*	*	0.1	0.1	0.2	0.2	0.4	0.6	-	-
	6	*	*	0.2	0.1	*	*	*	*	-	-
	7	*	*	0.1	0.1	-	-	*	*	-	-
	7	*	*	*	*	-	-	*	*	-	-
	Total	-----	*	0.1	0.5	0.3	1.4	2.0	2.7	5.2	-
52	1-2	-	-	-	-	*	*	*	*	-	-
	3	-	*	-	*	0.1	0.1	0.5	0.8	-	-
	4	-	*	-	*	0.1	0.2	0.6	1.9	-	-
	5	-	*	-	*	0.1	0.1	*	0.2	-	-
	6	-	*	*	*	*	*	*	*	-	-
	7	-	*	*	*	-	-	*	*	-	-
	7	-	*	*	*	-	-	*	*	-	-
	Total	-----	-	*	*	*	0.3	0.4	1.1	2.9	-

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending November 19, 2009

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	0.1	0.1	-	-	
	4	-	-	-	-	-	*	0.1	0.1	-	-	
	5	-	-	-	-	*	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	-	-	*	*	0.1	0.2	-	-
	13 & 23	1-2	*	*	*	*	-	-	-	-	-	-
3		*	0.1	0.1	0.1	*	*	-	*	-	-	
4		-	*	*	*	-	-	-	*	-	-	
5		*	*	*	*	-	-	-	-	-	-	
6		-	*	*	*	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		----	*	0.1	0.1	0.1	*	*	-	*	-	-
33		1-2	*	*	*	*	-	-	-	*	-	-
	3	*	*	-	0.1	*	*	*	*	-	-	
	4	*	*	0.1	0.1	*	*	*	0.1	-	-	
	5	*	*	0.1	0.1	-	-	*	*	-	-	
	6	*	*	*	*	-	-	-	-	-	-	
	7	-	-	*	*	-	-	-	-	-	-	
	Total	----	0.1	0.1	0.3	0.3	*	*	*	0.1	-	-
	43	1-2	-	-	-	-	-	*	*	*	-	-
3		*	*	*	*	*	*	*	*	-	-	
4		-	*	*	*	*	*	*	0.1	-	-	
5		*	*	0.1	0.1	*	*	*	*	-	-	
6		-	*	0.1	0.1	*	*	*	*	-	-	
7		-	*	0.2	0.1	-	-	-	-	-	-	
Total		----	*	*	0.4	0.2	0.1	0.1	*	0.1	-	-
53		1-2	-	-	-	*	*	-	*	*	-	-
	3	-	-	-	*	*	*	*	0.1	-	-	
	4	-	-	-	*	*	*	*	0.1	-	-	
	5	-	-	-	*	*	*	*	*	-	-	
	6	-	-	*	*	-	*	-	*	-	-	
	7	-	-	*	*	-	-	-	-	-	-	
	Total	----	-	-	*	*	*	0.1	*	0.1	-	-
	Phoenix #	1-2	-	-	-	-	-	-	-	*	-	-
3		-	-	-	-	-	-	*	*	-	-	
4		-	-	-	-	-	-	*	*	-	-	
5		-	-	-	-	-	-	*	*	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	*	-	-	
Total		----	-	-	-	-	-	-	*	*	-	-
24 - 54		1-7	*	*	0.3	0.1	*	*	*	*	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	-	-	
All Colors	8 2/	*	*	0.1	*	*	*	*	*	-	-	
EXTRANEOUS MATTER												
Bark - Level 1		13.4	20.8	26.7	21.8	0.5	0.7	*	*	-	-	
Bark - Level 2		-	-	-	-	-	*	-	-	-	-	
Grass - Level 1		*	0.1	*	*	*	0.1	*	*	-	-	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		*	*	*	*	0.2	0.2	*	*	-	-	
Prep - Level 2		-	-	*	*	-	*	-	-	-	-	
Other - Level 1		-	*	*	*	-	-	-	*	-	-	
Other - Level 2		-	-	*	*	-	-	-	-	-	-	
STAPLE												
28 & shorter		-	-	-	-	-	-	-	-	-	-	
29		-	-	-	*	-	-	-	-	-	-	
30		*	*	*	*	-	-	-	-	-	-	
31		*	0.1	0.1	0.1	*	*	-	*	-	-	
32		0.5	0.6	0.5	0.7	0.1	0.2	*	0.1	-	-	
33		3.6	4.6	2.8	3.3	3.0	4.3	1.2	1.4	-	-	
34		13.4	13.5	8.7	9.4	23.9	28.0	12.2	14.4	-	-	
35		23.9	22.9	18.5	19.0	46.0	44.6	39.1	40.6	-	-	
36		27.3	25.5	27.5	27.2	21.7	18.6	37.4	34.5	-	-	
37		24.3	24.4	32.3	30.9	4.4	3.4	10.0	9.0	-	-	
38 & longer		7.0	8.3	9.7	9.4	1.0	0.8	0.1	0.1	-	-	
Average staple		35.8	35.8	36.1	36.0	35.0	34.9	35.4	35.4	-	-	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Quality Designation	Leaf	RAYVILLE		VISALIA					
		Week	Season	Week	Season				
Color 11 & 21	1-2		Pct.	Pct.	Pct.	Pct.			
	3	-	*	0.8	45.6	47.1			
	4	-	*		9.0	11.5			
	5	-	*		0.1	0.3			
	6	-	*		*	*			
	7	-	*		-	-			
	Total	-----	*	1.0		54.7	58.9		
	31	1-2	0.1	0.2	12.4	12.3			
3		0.4	2.4	19.9	16.9				
4		0.2	1.3	1.4	1.9				
5		*	0.3	0.2	0.2				
6		*	*	*	*				
7		-	-	-	-				
Total		-----	0.7	4.2	33.9	31.3			
41		1-2	0.4	0.3	0.6	0.5			
	3	10.5	14.7	6.4	3.3				
	4	5.6	8.7	1.2	1.1				
	5	0.4	0.9	0.3	0.3				
	6	*	0.1	0.2	0.1				
	7	-	*	0.1	*				
	Total	-----	17.0	24.8	8.8	5.3			
	51	1-2	0.6	0.2	*	*			
3		23.8	13.5	*	*				
4		24.3	15.8	*	*				
5		2.2	2.4	*	*				
6		0.1	0.1	*	*				
7		-	*	*	*				
Total		-----	51.1	32.0	0.1	*			
61		1-2	*	*	-	-			
	3	0.7	0.2	-	-				
	4	0.7	0.3	-	-				
	5	0.1	0.1	-	-				
	6	*	*	-	-				
	7	-	-	-	-				
	Total	-----	1.5	0.6	-	-			
	Phoenix #	1-2	-	-	-	-			
3		-	-	-	-				
4		-	-	-	-				
5		-	-	-	-				
6		-	-	-	-				
7		-	-	-	-				
Total		-----	-	-	-	-			0.0
12 & 22		1-2	-	*	*	0.8			
	3	-	*	0.1	1.0				
	4	-	-	*	0.2				
	5	-	-	*	*				
	6	-	-	-	-				
	7	-	-	-	-				
	Total	-----	-	*	0.1	2.0			
	32	1-2	-	*	0.2	0.2			
3		*	0.1	0.8	0.7				
4		*	0.1	0.3	0.4				
5		-	*	*	0.1				
6		-	-	*	*				
7		-	-	-	-				
Total		-----	*	0.1	1.3	1.4			
42		1-2	*	*	0.1	0.1			
	3	0.7	2.4	0.7	0.4				
	4	0.6	2.0	0.1	0.1				
	5	0.1	0.4	*	0.1				
	6	*	*	*	*				
	7	-	*	-	-				
	Total	-----	1.3	4.9	1.0	0.7			
	52	1-2	0.2	0.1	-	*			
3		7.1	8.6	*	*				
4		11.5	12.5	-	*				
5		1.8	2.2	*	*				
6		0.1	0.2	*	*				
7		-	*	-	-				
Total		-----	20.6	23.6	*	*			

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Quality Designation	Leaf	RAYVILLE		VISALIA				
		Week	Season	Week	Season			
Color 62	1-2	Pct. *	Pct. *	Pct. -	Pct. -			
	3	1.9	1.0	-	-			
	4	2.1	1.3	-	-			
	5	0.6	0.4	*	*			
	6	0.1	*	*	*			
	7	-	-	-	-			
	Total	-----	4.7	2.7	*	*		
13 & 23	1-2	-	-	-	*			
	3	-	-	-	0.1			
	4	-	-	-	*			
	5	-	-	-	*			
	6	-	-	-	-			
	7	-	-	-	-			
	Total	-----	-	-	-	0.1		
33	1-2	-	-	*	*			
	3	-	*	*	*			
	4	-	*	*	*			
	5	-	*	-	*			
	6	-	-	-	*			
	7	-	-	-	-			
	Total	-----	-	*	*	0.1		
43	1-2	0.1	*	-	*			
	3	0.2	0.3	-	*			
	4	0.1	0.2	-	*			
	5	-	*	*	*			
	6	-	*	-	*			
	7	-	-	-	-			
	Total	-----	0.3	0.5	*	*		
53	1-2	0.1	0.1	-	-			
	3	1.2	1.8	-	-			
	4	0.9	2.2	-	-			
	5	0.1	0.3	-	-			
	6	*	*	-	-			
	7	-	-	-	-			
	Total	-----	2.3	4.4	-	-		
Phoenix #	1-2	-	-	-	-			
	3	0.1	0.3	-	-			
	4	0.2	0.5	-	*			
	5	0.1	0.1	*	*			
	6	0.1	*	-	-			
	7	-	-	-	-			
	Total	-----	0.4	0.9	*	*		
24 - 54	1-7	0.2	0.3	-	*			
25 - 35	1-7	-	-	-	-			
81 - 85 1/	1-7	*	*	*	*			
All Colors	8 2/	*	*	*	*			
EXTRANEIOUS MATTER								
Bark - Level 1		0.1	0.4	0.2	0.5			
Bark - Level 2		-	-	-	-			
Grass - Level 1		0.2	1.0	0.1	0.3			
Grass - Level 2		-	-	-	-			
Prep - Level 1		0.5	0.7	-	*			
Prep - Level 2		-	-	-	*			
Other - Level 1		-	*	-	-			
Other - Level 2		-	-	-	-			
STAPLE								
28 & shorter		-	-	-	-			
29		-	-	-	-			
30		-	-	-	-			
31		*	*	-	-			
32		0.4	0.2	*	*			
33		5.1	3.7	0.1	0.4			
34		24.8	23.5	2.0	4.0			
35		40.3	43.0	10.6	15.4			
36		23.5	23.4	22.8	23.0			
37		5.6	5.9	30.3	26.4			
38 & longer		0.4	0.3	34.2	30.7			
Average staple		35.0	35.0	37.1	36.9			

0.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending **November 19, 2009**

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	*	*	-	-	-	-	-	-	-	-
19	-	*	-	-	-	-	-	-	-	-
20	*	*	*	*	-	*	-	-	-	-
21	*	0.1	*	*	-	*	-	-	-	-
22	0.2	0.3	*	*	-	0.2	-	-	-	-
23	0.5	0.6	0.1	0.2	-	0.8	-	*	-	*
24	1.2	1.3	0.8	1.1	-	3.2	0.1	0.6	*	*
25	2.4	2.5	3.7	4.3	-	6.2	1.0	2.7	0.5	0.4
26	4.0	4.4	12.0	12.1	-	10.1	4.7	9.1	3.5	2.8
27	6.9	7.6	20.9	21.1	-	13.4	13.2	18.6	11.0	10.3
28	13.6	13.5	25.9	26.2	-	16.6	23.1	24.1	22.8	22.7
29	18.0	18.0	20.7	19.9	-	17.8	26.3	21.9	27.2	29.1
30	19.5	19.9	10.9	10.4	-	13.8	18.8	14.2	19.9	20.5
31	17.0	16.5	4.0	3.8	-	10.4	8.9	6.3	9.8	9.6
32	10.5	9.6	0.7	0.9	-	5.6	3.4	2.2	4.0	3.6
33	4.3	4.0	0.1	0.1	-	1.5	0.3	0.2	1.2	0.9
34	1.3	1.3	*	*	-	0.3	0.1	*	0.1	0.1
35	0.4	0.4	-	-	-	*	-	-	-	-
36 & above	0.1	0.1	-	-	-	-	-	-	-	-
Average	29.5	29.4	27.9	27.9	-	28.3	28.8	28.3	28.9	29.0
MIKE										
24 & below	*	*	-	-	-	-	-	-	-	-
25	*	0.1	-	-	-	-	-	-	-	-
26	0.1	0.1	-	-	-	-	-	-	-	-
27	0.1	0.1	-	-	-	-	-	-	-	-
28	0.2	0.1	-	-	-	*	-	-	-	-
29	0.4	0.2	*	*	-	*	*	*	*	*
30	0.7	0.3	*	*	-	*	*	*	*	*
31	0.9	0.5	0.1	*	-	0.1	0.1	*	*	*
32	1.0	0.6	0.3	0.2	-	0.2	0.1	*	*	*
33	1.4	1.0	0.4	0.3	-	0.3	0.2	0.1	*	*
34	2.0	1.6	0.7	0.4	-	0.3	0.5	0.2	*	*
35	2.9	2.1	1.0	0.6	-	0.4	0.6	0.3	0.1	0.1
36	3.6	2.7	1.2	0.9	-	0.7	1.0	0.6	0.1	0.1
Phoenix #	4.5	3.4	2.0	1.4	-	1.0	1.5	0.9	0.2	0.2
38	5.6	4.2	2.5	2.0	-	1.5	2.4	1.5	0.4	0.3
39	6.7	5.2	3.1	2.5	-	2.0	3.5	2.3	0.7	0.4
40	7.2	6.1	4.7	3.8	-	2.4	4.8	3.4	1.3	0.8
41	8.3	7.6	5.8	5.0	-	3.1	7.0	5.0	1.8	1.4
42	8.8	8.6	8.3	6.8	-	4.2	8.5	6.4	#VALUE!	2.3
43	9.2	9.0	10.4	8.6	-	5.1	10.4	8.0	4.5	3.9
44	8.3	9.3	11.8	10.3	-	5.7	10.5	9.4	6.5	6.1
45	7.0	9.0	12.3	12.2	-	6.7	10.8	10.4	9.0	8.9
46	5.9	7.5	11.6	13.4	-	7.5	9.9	10.9	11.4	11.6
47	4.4	5.9	9.2	12.1	-	8.6	8.5	10.9	12.8	13.3
48	3.5	4.7	6.7	8.9	-	10.0	6.8	9.4	12.5	13.4
49	2.7	3.7	4.2	6.0	-	9.7	5.3	7.4	11.8	12.1
50	1.9	2.8	2.1	2.6	-	8.7	3.7	5.6	9.1	9.8
51	1.3	1.8	1.0	1.3	-	7.6	1.9	3.7	6.5	6.9
52	0.7	1.1	0.4	0.5	-	5.7	1.3	2.2	4.3	4.4
53	0.3	0.5	0.2	0.2	-	4.2	0.4	1.0	2.4	2.3
54	0.1	0.2	*	*	-	2.7	0.1	0.3	1.2	1.1
55	0.1	0.1	-	-	-	0.9	*	0.1	0.4	0.4
56	*	*	-	-	-	0.2	*	*	0.2	0.1
57	*	*	-	-	-	0.1	*	*	*	*
58	*	*	-	-	-	*	-	-	*	*
59	*	*	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	42	43	44	45	-	47	44	45	47	47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending **November 19, 2009**

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	*	*	-	-	*	*	-	-
24	0.1	*	0.1	0.1	*	*	0.1	0.1	-	-
25	0.4	0.3	0.6	0.4	0.1	0.1	0.4	0.6	-	-
26	1.7	1.4	2.2	1.6	3.2	2.8	3.3	4.3	-	-
27	6.4	5.2	6.0	4.9	14.1	12.8	11.6	14.7	-	-
28	13.3	12.2	12.2	10.9	31.4	28.8	23.2	25.2	-	-
29	19.5	19.3	18.0	17.1	30.2	29.7	29.8	27.5	-	-
30	23.4	23.7	20.4	20.4	14.2	16.5	21.1	18.5	-	-
31	21.0	21.1	19.7	20.7	4.7	6.5	8.4	7.4	-	-
32	10.4	11.6	13.5	14.9	1.7	2.2	1.9	1.6	-	-
33	3.0	4.0	5.5	6.6	0.5	0.6	0.2	0.2	-	-
34	0.7	1.0	1.6	2.0	*	0.1	*	*	-	-
35	0.1	0.2	0.3	0.4	*	*	-	-	-	-
36 & above	*	*	*	*	*	*	-	-	-	-
Average	29.7	29.9	29.9	30.1	28.6	28.7	28.8	28.6	-	-
MIKE										
24 & below	*	*	1.4	0.6	-	-	*	*	-	-
25	0.1	*	1.3	0.6	-	-	*	*	-	-
26	0.3	0.1	1.8	0.9	-	-	*	*	-	-
27	0.6	0.2	2.3	1.2	-	-	*	*	-	-
28	0.8	0.3	2.8	1.5	-	-	*	*	-	-
29	1.0	0.4	3.3	1.9	*	*	*	*	-	-
30	1.3	0.5	3.8	2.3	-	-	0.1	*	-	-
31	1.3	0.7	4.2	2.8	*	*	0.2	0.1	-	-
32	1.6	1.0	4.7	3.3	*	*	0.4	0.2	-	-
33	2.0	1.3	5.0	3.7	*	*	0.7	0.3	-	-
34	2.4	1.8	5.4	4.3	0.1	*	1.0	0.6	-	-
35	3.2	2.5	5.9	4.9	0.1	0.1	1.9	1.3	-	-
36	4.0	3.4	6.0	5.4	0.2	0.1	2.8	2.0	-	-
Phoenix #	5.3	4.6	6.3	6.1	0.4	0.2	4.0	3.2	-	-
38	6.1	5.8	6.6	7.0	0.8	0.4	5.7	4.9	-	-
39	7.0	7.1	6.7	7.8	1.5	0.8	7.2	6.6	-	-
40	7.4	8.3	6.7	8.2	2.3	1.4	9.2	8.5	-	-
41	8.0	9.2	6.4	8.4	3.8	2.4	10.4	10.3	-	-
42	8.5	9.9	5.8	8.1	5.9	3.9	11.7	11.6	#VALUE!	-
43	8.9	9.9	4.8	6.7	8.7	6.2	11.3	11.6	-	-
44	8.5	9.4	3.3	5.1	11.8	9.2	9.9	10.6	-	-
45	7.4	7.9	2.2	3.6	14.0	12.2	8.2	8.9	-	-
46	5.8	6.2	1.4	2.3	14.2	13.9	6.4	7.1	-	-
47	3.9	4.3	0.9	1.5	12.5	14.2	4.0	5.1	-	-
48	2.3	2.5	0.5	0.9	9.6	12.3	2.3	3.2	-	-
49	1.3	1.4	0.3	0.5	6.6	9.8	1.4	2.0	-	-
50	0.6	0.8	0.2	0.3	3.8	6.0	0.7	1.1	-	-
51	0.2	0.3	0.1	0.1	2.1	3.6	0.4	0.4	-	-
52	0.1	0.1	*	0.1	1.1	2.0	0.2	0.2	-	-
53	*	*	*	*	0.4	0.8	*	*	-	-
54	-	-	*	*	0.1	0.3	*	*	-	-
55	-	*	*	*	*	0.1	-	-	-	-
56	-	-	-	-	*	*	-	-	-	-
57	-	-	-	-	*	*	-	-	-	-
58	-	-	-	-	-	*	-	-	-	-
59	-	-	-	-	-	*	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	41	41	36	38	45	46	42	42	-	-

1/ Fiber strength expressed in terms -

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.			
17 & below	-	-	-	-			
18	-	-	-	-			
19	-	-	-	-			
20	-	-	-	-			
21	-	-	-	-			
22	-	-	-	-			
23	-	-	-	*			
24	0.2	0.2	*	*			
25	2.4	2.6	*	0.1			
26	11.1	11.2	0.2	0.6			
27	24.9	23.2	0.9	1.9			
28	29.9	27.7	3.8	6.0			
29	19.7	18.8	10.5	13.5			
30	8.6	9.5	16.3	17.3			
31	2.5	4.7	15.9	14.3			
32	0.5	1.5	12.2	9.3			
33	0.1	0.4	8.4	7.0			
34	*	0.1	10.5	12.0			
35	-	-	12.1	11.9			
36 & above	-	-	9.2	6.2			
Average	27.9	28.0	32.0	31.6			
MIKE							
24 & below	-	-	-	-			
25	-	-	*	*			
26	-	-	-	*			
27	-	-	*	*			
28	-	-	*	*			
29	*	*	*	*			
30	*	*	0.1	*			
31	0.1	*	0.1	0.1			
32	*	*	0.2	0.1			
33	*	*	0.3	0.2			
34	0.1	0.1	0.5	0.3			
35	0.3	0.1	0.4	0.4			
36	0.5	0.2	0.7	0.7			
Phoenix #	0.8	0.3	1.3	1.3			
38	1.2	0.4	1.6	1.9			
39	2.0	0.7	2.4	2.9			
40	2.6	1.2	4.5	3.7			
41	3.6	1.8	5.2	4.6			
42	5.2	2.7	6.7	6.1			0
43	6.0	3.4	8.1	7.7			
44	7.5	4.5	9.5	8.9			
45	8.6	6.0	10.0	9.6			
46	9.5	7.7	9.4	9.4			
47	11.0	10.2	7.7	8.3			
48	12.0	11.9	7.7	7.4			
49	10.8	13.2	6.9	7.2			
50	8.5	12.9	6.1	7.1			
51	5.3	10.6	4.3	5.6			
52	2.6	6.9	3.0	3.7			
53	1.1	3.1	1.8	1.7			
54	0.4	1.2	0.9	0.6			
55	0.1	0.5	0.5	0.2			
56	*	0.1	0.1	*			
57	*	*	*	*			
58	*	*	-	-			
59	*	*	-	-			
60 & above	*	*	-	-			
Average	46	48	45	46			

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending **November 19, 2009**

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	-	-	-	-	-	-	-	-
25 - 26	0.1	0.1	-	-	-	-	-	-	-	-
27 - 29	0.8	0.5	*	*	-	*	*	*	*	*
30 - 32	2.6	1.4	0.4	0.2	-	0.4	0.2	0.1	*	*
33 - 34	3.4	2.5	1.1	0.6	-	0.6	0.7	0.3	*	*
35 - 36	6.6	4.8	2.2	1.5	-	1.1	1.6	0.9	0.2	0.1
37 - 42	41.2	35.1	26.4	21.5	-	14.3	27.8	19.4	7.3	5.4
43 - 49	41.0	49.1	66.1	71.4	-	53.4	62.2	66.4	68.5	69.3
50 - 52	3.9	5.7	3.6	4.4	-	22.0	6.9	11.4	19.8	21.1
53 & above	0.5	0.8	0.2	0.3	-	8.2	0.5	1.4	4.2	4.0
Average	42	43	44	45	-	47	44	45	47	47
HVI TRASH 1/										
00	-	*	-	-	-	*	-	-	-	-
01	4.1	4.7	0.2	0.2	-	13.5	*	*	0.3	0.4
02	18.8	17.7	5.4	5.7	-	29.7	1.1	1.1	6.1	6.3
03	22.7	22.4	25.1	21.8	-	21.9	5.9	5.8	17.2	17.2
04	18.9	18.8	24.8	25.7	-	13.9	12.9	12.8	21.5	22.4
05	13.3	13.2	19.6	20.5	-	8.5	17.0	17.8	19.4	19.9
06	8.5	8.8	11.8	11.5	-	5.2	16.8	18.1	14.3	14.2
07	5.3	5.6	6.1	7.2	-	3.0	15.3	15.7	9.2	8.8
08	3.2	3.5	3.2	3.6	-	1.7	12.3	11.8	5.4	5.1
09	2.0	2.2	1.8	1.8	-	1.0	8.6	7.8	3.0	2.7
10	1.2	1.3	0.9	1.0	-	0.6	5.1	4.7	1.7	1.5
11	0.7	0.8	0.3	0.4	-	0.4	2.7	2.3	0.9	0.8
12	0.4	0.5	0.3	0.3	-	0.3	1.4	1.2	0.5	0.4
13	0.3	0.3	0.1	0.1	-	0.2	0.5	0.4	0.2	0.1
14	0.2	0.1	0.1	0.1	-	0.1	0.3	0.2	0.1	0.1
15	0.1	0.1	*	0.1	-	0.1	0.1	0.1	0.1	*
16	0.1	0.1	*	*	-	*	*	*	*	*
17	*	*	*	*	-	*	*	*	*	*
18 & above	0.1	*	*	0.1	-	*	*	*	*	*
Average	0.42	0.42	0.46	0.47	-	0.33	0.65	0.64	0.51	0.50
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	*	*	-	-	-	-	-	-	-	-
Phoenix #	0.1	0.1	-	-	-	*	-	-	-	-
74.5-75.4	0.2	0.2	-	-	-	*	-	-	-	-
75.5-76.4	0.8	0.7	0.1	0.1	-	0.1	*	*	-	-
76.5-77.4	2.5	2.3	2.1	1.8	-	0.6	0.1	0.1	-	*
77.5-78.4	7.1	6.8	9.8	8.7	-	4.8	3.2	3.6	0.3	0.2
78.5-79.4	16.0	16.4	21.9	20.3	-	11.6	12.2	14.4	#VALUE!	2.4
79.5-80.4	26.2	26.9	30.5	28.9	-	21.5	27.5	30.5	12.9	11.5
80.5-81.4	27.0	26.8	23.9	24.4	-	29.8	34.4	32.9	28.3	28.5
81.5-82.4	15.4	15.1	9.8	12.7	-	23.2	19.3	16.0	35.7	36.7
82.5-83.4	4.1	4.2	1.8	3.0	-	7.4	3.2	2.4	17.0	17.8
83.5-84.4	0.5	0.5	0.1	0.1	-	0.8	0.1	*	3.0	2.9
84.5-85.4	*	*	-	*	-	*	-	-	0.1	0.1
85.5-86.4	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.2	80.3	80.0	80.1	-	80.7	80.6	80.5	81.6	81.6
Tenderable 3/	63.5	59.7	84.2	80.2	-	44.9	64.0	49.5	69.8	70.8
SAMPLES CLASSED										
Week	110,644		50,353				112,209		122,249	
Season		353,142		119,370		170,389		287,549		596,502

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	*	1.4	0.6	-	-	*	*	-	-
25 - 26	0.4	0.1	3.1	1.5	-	-	*	*	-	-
27 - 29	2.4	0.9	8.4	4.6	*	*	0.1	*	-	-
30 - 32	4.2	2.2	12.6	8.4	*	*	0.7	0.3	-	-
33 - 34	4.4	3.1	10.4	8.0	0.1	*	1.7	1.0	-	-
35 - 36	7.2	5.9	11.9	10.4	0.4	0.2	4.7	3.4	-	-
37 - 42	42.3	45.0	38.6	45.5	14.7	9.1	48.2	45.1	-	-
43 - 49	38.1	41.5	13.4	20.6	77.3	77.7	43.4	48.5	-	-
50 - 52	0.8	1.2	0.3	0.4	7.0	11.7	1.3	1.7	-	-
53 & above	*	*	*	*	0.5	1.3	*	*	-	-
Average	41	41	36	38	45	46	42	42	-	-
HVI TRASH 1/										
00	*	*	*	*	-	-	-	-	-	-
01	16.5	13.9	6.8	5.5	0.1	0.2	0.1	0.1	-	-
02	35.2	32.3	24.1	21.4	6.7	7.7	1.8	2.4	-	-
03	23.6	24.2	23.3	23.2	25.8	25.7	8.9	10.6	-	-
04	12.2	13.6	16.6	18.0	30.4	30.1	19.3	20.5	-	-
05	6.0	7.3	10.7	12.2	20.0	19.8	24.0	24.3	-	-
06	3.0	3.9	6.7	7.7	9.9	9.7	20.3	19.7	-	-
07	1.6	2.1	4.3	4.8	4.3	4.1	12.9	12.0	-	-
08	0.8	1.2	2.6	2.9	1.7	1.6	7.0	6.1	-	-
09	0.4	0.7	1.7	1.7	0.7	0.6	3.4	2.7	-	-
10	0.3	0.4	1.1	1.0	0.3	0.2	1.5	1.1	-	-
11	0.1	0.2	0.7	0.6	0.1	0.1	0.5	0.4	-	-
12	0.1	0.1	0.5	0.4	*	*	0.2	0.2	-	-
13	0.1	0.1	0.3	0.2	*	*	0.1	*	-	-
14	*	*	0.2	0.1	*	*	*	*	-	-
15	*	*	0.1	0.1	*	*	*	*	-	-
16	*	*	0.1	0.1	*	*	*	*	-	-
17	-	*	0.1	*	*	*	*	*	-	-
18 & above	*	*	0.2	0.1	-	*	*	*	-	-
Average	0.28	0.31	0.39	0.40	0.43	0.42	0.55	0.53	-	-
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-
Phoenix #	-	*	*	*	-	-	-	*	-	-
74.5-75.4	*	*	*	*	-	-	*	*	-	-
75.5-76.4	0.1	0.1	0.2	0.2	*	*	*	*	-	-
76.5-77.4	0.7	0.5	1.3	1.1	0.2	0.3	0.1	0.1	-	-
77.5-78.4	3.5	3.1	5.3	4.8	3.4	3.8	0.7	0.9	-	-
78.5-79.4	14.1	12.2	15.4	14.2	16.1	19.2	4.5	5.7	#VALUE!	-
79.5-80.4	31.4	28.8	28.0	27.1	35.0	36.1	17.9	20.5	-	-
80.5-81.4	33.8	34.0	30.1	31.1	29.6	26.6	40.0	39.5	-	-
81.5-82.4	14.0	17.6	15.8	17.1	12.0	10.8	30.7	27.4	-	-
82.5-83.4	2.2	3.4	3.5	3.9	3.3	2.8	5.7	5.4	-	-
83.5-84.4	0.1	0.2	0.3	0.3	0.5	0.3	0.3	0.3	-	-
84.5-85.4	-	-	*	*	*	*	*	*	-	-
85.5-86.4	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	80.4	80.5	80.4	80.5	80.4	80.3	81.1	81.0	-	-
Tenderable 3/	76.9	72.6	52.0	63.0	90.8	84.7	90.7	87.0	-	-
SAMPLES CLASSED										
Week	100,272		344,099		179,179		291,482			
Season		450,947		1,061,522		593,991		828,874		

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For the week ending November 19, 2009

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
MIKE	Pct.	Pct.	Pct.	Pct.			
24 & below	-	-	-	-			
25 - 26	-	-	*	*			
27 - 29	*	*	*	*			
30 - 32	0.1	*	0.4	0.3			
33 - 34	0.1	0.1	0.8	0.5			
35 - 36	0.8	0.3	1.1	1.1			
37 - 42	15.5	7.2	21.8	20.5			
43 - 49	65.3	57.0	59.3	58.6			
50 - 52	16.4	30.4	13.4	16.4			
53 & above	1.7	5.0	3.2	2.5			
Average	46	48	45	46			
HVI TRASH 1/							
00	-	-	*	*			
01	*	0.2	30.7	30.7			
02	2.3	3.9	39.2	40.1			
03	11.6	14.1	18.9	17.9			
04	22.5	22.5	7.3	6.9			
05	25.6	22.8	2.4	2.5			
06	18.9	16.8	0.8	1.0			
07	11.0	9.9	0.4	0.5			
08	4.9	5.3	0.2	0.2			
09	2.0	2.4	0.1	0.1			
10	0.7	1.2	0.1	0.1			
11	0.2	0.6	*	*			
12	0.1	0.3	*	*			
13	*	0.1	*	*			
14	*	0.1	-	*			
15	-	*	-	*			
16	-	*	-	*			
17	-	-	-	*			
18 & above	-	-	-	*			
Average	0.52	0.51	0.22	0.22			
UNIFORMITY 2/							
72.4 & below	-	-	-	-			
72.5-73.4	-	-	-	-			
Phoenix #	-	-	-	-			
74.5-75.4	0.1	*	-	-			
75.5-76.4	0.6	0.2	*	*			
76.5-77.4	3.0	1.2	*	*			
77.5-78.4	11.2	6.6	0.2	0.3			
78.5-79.4	23.8	19.6	1.9	2.2			
79.5-80.4	29.3	29.2	9.1	11.1			
80.5-81.4	22.1	24.8	28.2	29.7			
81.5-82.4	8.4	13.1	32.9	29.7			
82.5-83.4	1.5	4.3	19.2	17.0			
83.5-84.4	0.1	0.8	7.6	9.5			
84.5-85.4	*	0.1	0.9	0.5			
85.5-86.4	-	-	*	*			
86.5-87.4	-	-	-	*			
87.5-88.4	-	-	-	-			
88.5-89.4	-	-	-	-			
89.5 & above	-	-	-	-			
Average	79.8	80.3	81.8	81.7			
Tenderable 3/	58.8	41.8	80.3	78.0			
SAMPLES CLASSED							
Week	54,423		69,274				
Season		215,394		311,166			

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Color Grade	Leaf	PHOENIX		VISALIA	
		Week	Season	Week	Season
01	1	-	-	7.6	6.8
	2	-	-	16.0	21.0
	3	-	-	1.4	1.5
	4	-	-	*	*
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total	-----	-	-	25.0	29.4
02	1	-	-	6.2	5.4
	2	-	-	33.5	33.7
	3	-	-	13.0	15.0
	4	-	-	1.6	1.1
	5	-	-	0.1	*
	6	-	-	-	-
	7	-	-	-	-
Total	-----	-	-	54.4	55.2
03	1	-	-	0.1	0.1
	2	-	-	4.8	3.5
	3	-	-	7.8	6.7
	4	-	-	4.1	2.6
	5	-	-	0.5	0.4
	6	-	-	*	*
	7	-	-	-	-
Total	-----	-	-	17.3	13.3
04	1	-	-	*	*
	2	-	-	0.3	0.2
	3	-	-	1.2	0.8
	4	-	-	0.9	0.7
	5	-	-	0.3	0.3
	6	-	-	0.1	*
	7	-	-	-	-
Total	-----	-	-	2.9	2.0
05 Phoenix #	1	-	-	*	*
	2	-	-	*	*
	3	-	-	*	*
	4	-	-	0.1	0.1
	5	-	-	0.1	0.1
	6	-	-	0.1	*
	7	-	-	-	-
Total	-----	-	-	0.4	0.2
06	1	-	-	-	-
	2	-	-	-	-
	3	-	-	*	*
	4	-	-	*	*
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total	-----	-	-	*	*
07	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
Total	-----	-	-	-	-
STAPLE					
40 & shorter		-	-	-	-
42		-	-	-	-
44		-	-	3.1	3.0
46		-	-	28.4	33.2
48 & longer		-	-	68.5	63.8
Average		-	-	47.5	47.4
UNIFORMITY					
72.4 & below		-	-	-	-
72.5-73.4		-	-	-	-
73.5-74.4		-	-	-	-
74.5-75.4		-	-	-	-
75.5-76.4		-	-	-	-
76.5-77.4		-	-	-	-
77.5-78.4		-	-	-	-
78.5-79.4		-	-	-	-
79.5-80.4		-	-	-	-
80.5-81.4		-	-	*	*
81.5-82.4		-	-	0.3	0.1
82.5-83.4		-	-	1.8	1.5
83.5-84.4		-	-	7.8	8.7
84.5-85.4		-	-	30.6	32.0
85.5-86.4		-	-	41.6	39.8
86.5-87.4		-	-	15.3	15.0
87.5-88.4		-	-	2.4	2.7
88.5-89.4		-	-	0.2	0.1
89.5 & above		-	-	-	-
Average		-	-	85.6	85.6
SAMPLES CLASSED					
Week				47,850	
Season					177,196

* Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For the week ending November 19, 2009

Quality Designation	PHOENIX		VISALIA	
	Week	Season	Week	Season
MIKE				
24 & below	-	-	-	-
25 - 26	-	-	*	*
27 - 29	-	-	0.4	0.2
30 - 32	-	-	1.8	0.7
33 - 34	-	-	3.0	1.5
35 - 36	-	-	7.3	4.9
37 - 42	-	-	66.8	71.3
43 - 49	-	-	20.6	21.5
50 - 52	-	-	-	*
53 & above	-	-	-	-
Average	-	-	40	40
ALL RANGE MIKE				
24 & below	-	-	-	-
25	-	-	-	-
26	-	-	*	*
27	-	-	0.1	*
28	-	-	0.1	*
29	-	-	0.2	0.1
30	-	-	0.5	0.2
31	-	-	0.7	0.3
32	-	-	0.6	0.3
33	-	-	1.1	0.5
34	-	-	1.9	0.9
35	-	-	2.6	1.7
36	-	-	4.7	3.2
37	-	-	7.3	5.7
38	-	-	11.1	8.7
39	-	-	13.4	12.4
40	-	-	14.2	15.8
41	-	-	11.9	15.5
42	-	-	8.9	13.2
43	-	-	7.4	9.8
44	-	-	5.1	5.9
45	-	-	4.1	3.2
46	-	-	2.6	1.7
Phoenix #	-	-	1.3	0.7
48	-	-	0.2	0.1
49	-	-	*	*
50	-	-	-	*
51	-	-	-	-
52	-	-	-	-
53	-	-	-	-
54	-	-	-	-
55	-	-	-	-
56	-	-	-	-
57	-	-	-	-
58	-	-	-	-
59	-	-	-	-
60 & above	-	-	-	-
Average	-	-	40	40
Strength				
17 & below	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20	-	-	-	-
21	-	-	-	-
22	-	-	-	-
23	-	-	-	-
24	-	-	-	-
25	-	-	-	-
26	-	-	-	-
27	-	-	-	-
28	-	-	-	-
29	-	-	-	-
30	-	-	-	-
31	-	-	-	-
32	-	-	-	*
33	-	-	*	*
34	-	-	0.1	0.1
35	-	-	0.5	0.7
36	-	-	2.0	1.7
37	-	-	3.6	2.3
38	-	-	6.2	4.1
39	-	-	10.1	8.3
40	-	-	13.3	13.9
41	-	-	16.6	17.5
42	-	-	16.3	16.8
43	-	-	14.4	14.3
44	-	-	9.3	10.2
45 & above	-	-	7.5	10.3
Average	-	-	41.2	41.5
EXTRANEEOUS MATTER				
Bark	-	-	0.2	0.2
Grass	-	-	0.1	0.3
Spindle Twist	-	-	-	*
Preparation	-	-	0.4	0.4

* Less than 0.05 percent.