

## Quality of Cotton Classed by State

 mp\_cn811  
 Volume 13, No. 30

03-Feb-12

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,  
 For The Week Ending **FEBRUARY 2, 2012**

<b>State</b>	<b>Week</b>	<b>Season</b>
<b>UPLAND</b>		
Alabama	4,767	678,075
Arizona	33,630	582,694
Arkansas	-	1,198,839
California	17,319	538,217
Florida	-	134,311
Georgia	14,962	2,425,274
Kansas	3,171	64,962
Louisiana	-	513,553
Mississippi	-	1,145,051
Missouri	-	762,535
New Mexico	3,298	57,637
North Carolina	-	1,020,701
Oklahoma	2,707	63,971
South Carolina	9,827	467,523
Tennessee	-	809,940
Texas	1,197	3,411,287
Virginia *	-	137,694
<b>United States</b>	<b>90,878</b>	<b>14,012,264</b>
Percent tenderable	51.5	66.5
<b>AMERICAN PIMA</b>		
Arizona	1,765	15,682
California	35,712	698,527
New Mexico	-	6,516
Texas *	-	-
<b>United States</b>	<b>37,477</b>	<b>720,725</b>
<b>United States all cotton</b>	<b>128,355</b>	<b>14,732,989</b>

\* Data Withheld--less than 500 bales classed.

MP\_CN106

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1-2	4.3	6.7	-	1.3	11.5	34.8	14.9	31.8	-	9.0	1.1	2.3	
	3	4.7	3.0	-	2.7	4.0	10.0	2.3	9.9	-	3.6	0.7	1.7	
	4	1.0	0.2	-	0.3	0.2	0.6	-	0.3	-	0.2	*	0.1	
	5	*	*	-	*	*	*	-	*	-	*	-	*	
	6	-	-	-	-	-	*	-	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>10.0</b>	<b>9.9</b>	-	<b>4.3</b>	<b>15.8</b>	<b>45.4</b>	<b>17.2</b>	<b>42.1</b>	-	<b>12.8</b>	<b>1.8</b>	<b>4.1</b>
31	1-2	12.5	14.9	-	3.6	15.7	14.8	48.6	23.1	-	20.5	3.8	8.5	
	3	18.3	27.3	-	28.1	20.1	15.9	24.6	23.0	-	29.6	17.7	22.2	
	4	9.4	12.8	-	20.0	4.2	4.4	0.9	3.4	-	6.4	4.5	6.3	
	5	0.3	1.8	-	2.3	0.4	0.6	-	0.4	-	0.5	0.5	0.5	
	6	*	0.1	-	0.1	*	*	-	*	-	*	*	*	
	7	-	*	-	*	-	*	-	*	-	-	-	*	
	<b>Total</b>	-----	<b>40.5</b>	<b>56.9</b>	-	<b>54.0</b>	<b>40.4</b>	<b>35.7</b>	<b>74.1</b>	<b>50.0</b>	-	<b>57.0</b>	<b>26.5</b>	<b>37.5</b>
	41	1-2	2.6	2.8	-	0.4	4.0	2.4	2.2	1.2	-	2.8	4.6	4.8
3		8.1	10.7	-	9.9	15.2	4.5	4.4	2.7	-	12.4	28.8	23.5	
4		8.8	8.4	-	20.1	9.5	3.0	1.2	1.3	-	7.0	15.4	14.5	
5		3.4	3.0	-	7.9	4.3	1.2	*	0.4	-	1.2	5.3	3.4	
6		1.0	0.6	-	0.9	1.5	0.4	-	0.1	-	0.1	0.5	0.3	
7		0.3	0.1	-	0.1	0.3	0.1	-	*	-	*	*	*	
<b>Total</b>		-----	<b>24.2</b>	<b>25.5</b>	-	<b>39.3</b>	<b>34.9</b>	<b>11.7</b>	<b>7.8</b>	<b>5.6</b>	-	<b>23.6</b>	<b>54.6</b>	<b>46.5</b>
51		1-2	0.4	0.2	-	*	*	0.4	*	*	-	0.5	0.5	0.1
	3	2.8	1.0	-	0.2	0.6	0.4	*	*	-	0.9	1.8	1.2	
	4	0.5	0.5	-	0.2	0.9	0.2	*	*	-	0.3	1.9	1.6	
	5	1.4	0.2	-	0.1	1.0	0.2	*	*	-	0.1	0.8	0.7	
	6	1.2	0.1	-	*	0.8	0.2	-	*	-	*	0.3	0.2	
	7	0.5	*	-	*	0.6	0.1	-	*	-	*	*	*	
	<b>Total</b>	-----	<b>6.7</b>	<b>2.0</b>	-	<b>0.6</b>	<b>3.9</b>	<b>1.4</b>	<b>0.1</b>	<b>0.2</b>	-	<b>1.9</b>	<b>5.4</b>	<b>3.8</b>
	61	1-2	-	*	-	*	-	*	-	*	-	-	-	*
3		*	*	-	*	-	*	-	*	-	-	-	*	
4		-	*	-	*	*	*	-	*	-	-	-	*	
5		-	*	-	*	*	*	-	*	-	-	-	*	
6		-	*	-	*	*	*	-	*	-	-	-	*	
7		-	*	-	*	*	*	-	*	-	-	-	*	
<b>Total</b>		-----	*	*	-	*	<b>0.1</b>	*	*	*	-	*	*	
71		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	*	-	-	-	-	-	-	-	-	-	-	
	6	-	*	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	-	*	-	-	-	-	-	*	-	*	-	
	12 & 22	1-2	0.2	0.1	-	*	*	1.7	*	0.2	-	0.1	0.1	0.1
3		0.3	0.1	-	*	*	1.2	0.1	0.1	-	0.1	0.1	0.1	
4		0.1	*	-	*	*	0.3	-	*	-	*	*	*	
5		-	*	-	*	-	*	-	*	-	*	*	*	
6		-	-	-	-	-	*	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	<b>0.6</b>	<b>0.2</b>	-	*	<b>3.2</b>	<b>0.1</b>	<b>0.3</b>	-	<b>0.3</b>	<b>0.2</b>	<b>0.2</b>	
32		1-2	0.8	0.6	-	*	0.1	0.1	0.1	0.2	-	0.3	0.3	0.3
	3	1.6	1.4	-	0.2	0.3	0.3	0.3	0.5	-	1.0	2.2	1.0	
	4	0.9	0.4	-	0.2	0.3	0.4	*	0.2	-	0.4	1.0	0.4	
	5	0.4	0.1	-	0.1	0.1	0.2	*	*	-	0.1	0.2	0.1	
	6	0.2	*	-	*	*	0.1	-	*	-	-	*	*	
	7	-	*	-	*	-	*	-	*	-	-	-	*	
	<b>Total</b>	-----	<b>3.9</b>	<b>2.5</b>	-	<b>0.5</b>	<b>0.8</b>	<b>1.1</b>	<b>0.4</b>	<b>1.0</b>	-	<b>1.8</b>	<b>3.7</b>	<b>1.8</b>
	42	1-2	0.3	0.2	-	*	*	*	*	0.1	-	0.1	0.2	0.5
3		0.6	0.8	-	0.1	0.1	0.1	*	0.3	-	1.1	2.2	2.3	
4		1.2	0.6	-	0.3	0.3	0.2	0.1	0.2	-	0.7	2.7	1.5	
5		2.0	0.3	-	0.2	0.2	0.1	*	*	-	0.1	1.1	0.4	
6		2.4	0.1	-	*	0.2	0.1	-	*	-	*	0.4	0.1	
7		0.4	*	-	*	0.2	0.1	-	*	-	*	*	*	
<b>Total</b>		-----	<b>6.9</b>	<b>2.1</b>	-	<b>0.6</b>	<b>1.1</b>	<b>0.6</b>	<b>0.1</b>	<b>0.6</b>	-	<b>2.1</b>	<b>6.6</b>	<b>4.8</b>
52		1-2	0.2	*	-	*	-	*	-	*	-	*	0.1	*
	3	0.8	0.1	-	*	*	*	-	*	-	*	0.2	0.4	
	4	0.7	0.1	-	*	*	*	-	*	-	*	*	0.4	
	5	0.5	0.1	-	*	0.1	*	-	*	-	*	-	0.2	
	6	0.9	0.1	-	*	0.2	*	*	*	-	*	*	*	
	7	0.4	*	-	*	0.2	*	*	*	-	*	*	*	
	<b>Total</b>	-----	<b>3.4</b>	<b>0.3</b>	-	*	<b>0.6</b>	<b>0.2</b>	*	<b>0.1</b>	-	<b>0.1</b>	<b>0.3</b>	<b>1.0</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	*	*	-	-	-	-	-	-	-	-	-	*	
	3	-	*	-	-	-	-	-	*	-	-	-	*	
	4	-	*	-	*	-	*	-	*	-	-	-	*	
	5	-	*	-	-	*	*	-	*	-	-	-	*	
	6	-	*	-	-	*	*	-	*	-	-	-	*	
	7	-	-	-	-	*	*	-	*	-	-	-	*	
	<b>Total</b>	----	*	*	-	*	*	*	-	*	-	-	*	*
	13 & 23	1-2	-	*	-	-	-	0.1	-	*	-	-	-	*
3		*	*	-	*	-	0.1	-	*	-	*	-	*	
4		*	*	-	*	-	*	-	*	-	*	-	*	
5		-	-	-	*	-	-	-	-	-	*	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	*	*	-	*	-	<b>0.2</b>	-	*	-	*	-	*
33		1-2	*	*	-	*	*	*	*	*	-	*	*	*
	3	0.3	0.1	-	*	*	*	*	*	-	0.1	0.2	*	
	4	0.6	*	-	0.1	*	*	*	*	-	0.1	0.1	*	
	5	0.1	*	-	*	*	*	*	*	-	*	*	*	
	6	-	*	-	*	-	*	-	-	-	*	-	*	
	7	-	*	-	-	-	*	-	-	-	-	-	*	
	<b>Total</b>	----	<b>1.0</b>	<b>0.2</b>	-	<b>0.1</b>	*	<b>0.1</b>	<b>0.1</b>	*	-	<b>0.2</b>	<b>0.3</b>	<b>0.1</b>
	43	1-2	-	*	-	*	*	*	*	*	-	*	*	*
3		0.1	*	-	0.1	*	*	*	*	-	*	0.1	*	
4		0.4	0.1	-	0.2	0.1	*	-	*	-	*	0.2	0.1	
5		0.4	0.1	-	0.1	0.1	*	-	*	-	*	0.1	*	
6		0.5	*	-	*	0.1	*	-	*	-	0.1	*	*	
7		0.1	*	-	*	*	*	-	*	-	*	*	*	
<b>Total</b>		----	<b>1.6</b>	<b>0.2</b>	-	<b>0.3</b>	<b>0.3</b>	<b>0.1</b>	*	<b>0.1</b>	-	<b>0.2</b>	<b>0.5</b>	<b>0.1</b>
53		1-2	-	*	-	*	*	*	-	*	-	*	*	*
	3	-	*	-	*	*	*	-	*	-	*	*	*	
	4	0.1	*	-	*	*	*	-	*	-	*	*	*	
	5	-	*	-	*	*	*	-	*	-	*	*	*	
	6	*	*	-	*	*	*	-	*	-	*	*	*	
	7	-	*	-	*	*	*	-	*	-	*	*	*	
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	-	*	<b>0.1</b>	*	-	*	-	*	*	*
	63	1-2	-	*	-	*	-	*	-	*	-	*	-	*
3		-	*	-	*	-	*	-	*	-	*	-	*	
4		-	*	-	*	-	*	-	*	-	*	-	*	
5		-	*	-	*	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	*	-	*	
<b>Total</b>		----	-	*	-	*	-	*	-	*	-	*	-	*
24 - 54		1-7	0.8	*	-	0.1	*	*	0.1	*	-	*	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-		
81 - 85 1/	1-7	0.1	*	-	*	*	*	*	*	-	*	*		
All Colors	8 2/	*	*	-	*	2.0	0.3	*	0.1	-	*	*	*	
EXTRANEIOUS MATTER														
Bark - Level 1		8.5	4.0	-	0.6	7.1	1.9	1.8	0.5	-	2.7	9.7	3.0	
Bark - Level 2		-	*	-	-	0.2	*	-	*	-	*	-	*	
Grass - Level 1		*	0.1	-	0.1	-	0.1	0.2	0.3	-	0.1	*	0.1	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	*	
Prep - Level 1		7.6	0.3	-	0.1	-	*	-	*	-	0.6	0.7	1.0	
Prep - Level 2		-	*	-	-	-	-	-	-	-	-	-	*	
Other - Level 1		-	*	-	*	-	-	-	*	-	-	-	-	
Other - Level 2		-	*	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	*	
30		-	*	-	*	-	-	-	-	-	-	*	*	
31		0.1	*	-	*	*	*	-	*	-	*	0.7	0.1	
32		1.4	0.4	-	0.1	0.4	0.1	-	*	-	0.1	2.8	0.6	
33		8.3	2.9	-	0.9	1.8	1.0	-	0.2	-	1.2	7.3	3.0	
34		21.4	12.4	-	7.0	8.3	6.6	0.1	1.2	-	6.0	16.9	9.5	
35		33.8	27.7	-	23.3	23.4	22.8	3.9	4.6	-	19.8	24.5	21.2	
36		23.7	32.6	-	29.8	33.7	33.9	28.2	18.1	-	34.0	29.2	31.3	
37		10.6	21.2	-	30.6	25.5	27.7	27.7	27.5	-	30.6	12.5	28.0	
38 & longer		0.8	2.7	-	8.4	6.8	7.8	40.2	48.4	-	8.3	6.1	6.2	
<b>Average staple</b>		<b>35.0</b>	<b>35.6</b>	-	<b>36.1</b>	<b>35.9</b>	<b>36.1</b>	<b>37.4</b>	<b>37.7</b>	-	<b>36.1</b>	<b>35.3</b>	<b>35.9</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		0.5	15.9	-	2.5	-	2.0	-	1.4	-	0.1	51.3	77.0	
	3	0.3	15.0	-	3.6	-	2.5	-	1.3	-	0.1	6.7	6.0	
	4	-	1.7	-	0.5	-	0.3	-	0.1	-	*	0.1	0.1	
	5	-	*	-	*	-	*	-	*	-	*	-	-	
	6	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.8</b>	<b>32.7</b>	-	<b>6.6</b>	-	<b>4.8</b>	-	<b>2.8</b>	-	<b>0.2</b>	<b>58.2</b>	<b>83.2</b>
31	1-2	2.5	2.6	-	4.1	-	7.3	-	7.3	-	2.6	15.6	7.1	
	3	6.1	16.2	-	19.1	-	34.5	-	27.3	-	6.5	16.3	6.6	
	4	0.7	12.9	-	13.7	-	21.7	-	14.0	-	1.2	2.4	1.0	
	5	-	4.8	-	2.1	-	2.2	-	1.4	-	0.1	0.3	0.1	
	6	-	1.1	-	0.1	-	*	-	0.1	-	*	-	-	
	7	-	0.1	-	*	-	*	-	*	-	*	-	*	
	<b>Total</b>	-----	<b>9.2</b>	<b>37.6</b>	-	<b>39.0</b>	-	<b>65.7</b>	-	<b>50.1</b>	-	<b>10.4</b>	<b>34.5</b>	<b>14.8</b>
	41	1-2	1.8	0.3	-	0.7	-	1.0	-	0.8	-	3.5	0.8	0.1
3		7.6	1.8	-	9.0	-	9.2	-	9.8	-	27.2	1.3	0.2	
4		12.3	3.7	-	19.7	-	12.9	-	20.6	-	18.7	0.4	0.1	
5		3.7	3.4	-	11.1	-	3.9	-	10.1	-	4.0	0.2	0.1	
6		0.3	1.9	-	1.9	-	0.4	-	1.8	-	0.5	-	*	
7		-	0.5	-	0.2	-	*	-	0.2	-	0.1	-	-	
<b>Total</b>		-----	<b>25.6</b>	<b>11.6</b>	-	<b>42.6</b>	-	<b>27.4</b>	-	<b>43.2</b>	-	<b>54.0</b>	<b>2.7</b>	<b>0.5</b>
51		1-2	-	-	-	*	-	*	-	*	-	0.5	-	*
	3	0.4	0.1	-	0.2	-	0.1	-	*	-	4.2	-	-	
	4	0.3	0.3	-	0.9	-	0.1	-	0.2	-	4.3	*	*	
	5	0.3	0.2	-	0.8	-	*	-	0.2	-	1.8	-	-	
	6	0.3	0.1	-	0.3	-	*	-	0.2	-	0.5	-	-	
	7	0.1	*	-	0.1	-	*	-	0.1	-	0.2	-	-	
	<b>Total</b>	-----	<b>1.4</b>	<b>0.8</b>	-	<b>2.3</b>	-	<b>0.2</b>	-	<b>0.7</b>	-	<b>11.3</b>	<b>*</b>	<b>*</b>
	61	1-2	-	-	-	-	-	-	-	-	-	*	-	-
3		-	-	-	-	-	-	-	-	-	0.1	-	-	
4		-	-	-	*	-	-	-	*	-	0.1	-	-	
5		-	-	-	*	-	-	-	*	-	*	-	-	
6		-	-	-	*	-	*	-	*	-	*	-	-	
7		-	-	-	*	-	*	-	*	-	*	-	-	
<b>Total</b>		-----	-	-	-	*	-	*	-	*	-	<b>0.3</b>	-	-
71		1-2	-	-	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	
	4	-	-	-	-	-	-	-	-	-	*	-	-	
	5	-	-	-	-	-	-	-	-	-	*	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	*	-	-	
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	*	-	-	
	12 & 22	1-2	0.9	1.1	-	0.6	-	*	-	*	-	*	0.8	0.4
3		0.8	1.4	-	0.5	-	*	-	*	-	*	0.8	0.3	
4		-	0.1	-	*	-	*	-	*	-	*	-	*	
5		-	*	-	*	-	*	-	*	-	-	-	*	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	<b>1.7</b>	<b>2.6</b>	-	<b>1.1</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	<b>1.6</b>	<b>0.7</b>
32		1-2	2.4	0.4	-	0.6	-	0.1	-	0.1	-	0.4	0.5	0.2
	3	8.9	3.1	-	1.4	-	0.2	-	0.4	-	1.0	1.0	0.2	
	4	2.1	1.6	-	0.5	-	0.1	-	0.4	-	0.2	0.1	*	
	5	-	0.3	-	*	-	*	-	0.1	-	*	-	*	
	6	-	*	-	*	-	*	-	*	-	*	-	*	
	7	-	*	-	-	-	*	-	*	-	-	-	*	
	<b>Total</b>	-----	<b>13.4</b>	<b>5.3</b>	-	<b>2.6</b>	-	<b>0.5</b>	-	<b>1.0</b>	-	<b>1.6</b>	<b>1.6</b>	<b>0.4</b>
	42	1-2	0.6	0.1	-	0.4	-	*	-	*	-	0.9	-	*
3		7.3	0.9	-	2.3	-	0.1	-	0.3	-	5.7	*	*	
4		6.2	1.2	-	1.4	-	0.2	-	0.8	-	3.8	0.1	*	
5		1.1	0.8	-	0.3	-	0.1	-	0.6	-	0.9	-	-	
6		0.9	0.4	-	0.1	-	*	-	0.1	-	0.1	-	-	
7		0.8	0.1	-	*	-	*	-	*	-	*	-	-	
<b>Total</b>		-----	<b>17.0</b>	<b>3.5</b>	-	<b>4.5</b>	-	<b>0.4</b>	-	<b>1.8</b>	-	<b>11.5</b>	<b>0.1</b>	<b>*</b>
52		1-2	0.3	*	-	*	-	-	-	*	-	0.5	-	-
	3	2.0	0.1	-	0.2	-	*	-	*	-	3.5	-	*	
	4	2.3	0.2	-	0.4	-	*	-	*	-	2.8	-	-	
	5	0.4	0.1	-	0.1	-	*	-	*	-	0.8	-	-	
	6	0.3	0.1	-	*	-	*	-	*	-	0.2	-	-	
	7	0.4	*	-	*	-	*	-	*	-	0.1	-	-	
	<b>Total</b>	-----	<b>5.6</b>	<b>0.5</b>	-	<b>0.8</b>	-	<b>*</b>	-	<b>0.1</b>	-	<b>7.9</b>	-	<b>*</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	
	3	-	-	-	-	-	-	-	*	-	0.6	-	-	
	4	-	-	-	*	-	-	-	*	-	0.7	-	-	
	5	-	-	-	-	-	-	-	*	-	0.2	-	-	
	6	-	-	-	*	-	-	-	*	-	*	-	-	
	7	-	-	-	*	-	-	-	*	-	*	-	-	
	<b>Total</b>	----	-	-	-	*	-	-	-	*	-	<b>1.6</b>	-	-
	13 & 23	1-2	*	0.1	-	*	-	*	-	*	-	-	0.2	0.1
3		0.2	0.2	-	*	-	*	-	*	-	-	0.5	0.1	
4		-	*	-	*	-	*	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>0.2</b>	<b>0.3</b>	-	<b>0.1</b>	-	*	-	*	-	-	<b>0.6</b>	<b>0.2</b>
33	1-2	0.3	0.1	-	*	-	*	-	*	-	*	0.4	0.1	
	3	4.3	0.9	-	0.1	-	0.1	-	*	-	*	0.4	0.1	
	4	1.4	0.5	-	0.1	-	0.1	-	*	-	*	-	*	
	5	0.2	0.1	-	*	-	*	-	*	-	*	-	-	
	6	-	*	-	-	-	*	-	*	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>6.2</b>	<b>1.6</b>	-	<b>0.2</b>	-	<b>0.2</b>	-	*	-	<b>0.1</b>	<b>0.7</b>	<b>0.2</b>
43	1-2	0.6	0.1	-	*	-	*	-	*	-	*	-	*	
	3	3.4	0.5	-	0.1	-	0.2	-	*	-	0.1	-	*	
	4	5.5	1.1	-	0.1	-	0.2	-	0.1	-	0.1	-	*	
	5	1.9	0.5	-	*	-	0.1	-	*	-	*	-	-	
	6	1.9	0.2	-	*	-	*	-	*	-	*	-	-	
	7	1.0	0.1	-	*	-	*	-	*	-	*	-	-	
	<b>Total</b>	----	<b>14.2</b>	<b>2.5</b>	-	<b>0.2</b>	-	<b>0.5</b>	-	<b>0.1</b>	-	<b>0.4</b>	-	*
53	1-2	0.1	*	-	*	-	-	-	*	-	*	-	-	
	3	0.2	*	-	*	-	*	-	*	-	0.1	-	*	
	4	0.1	*	-	0.1	-	*	-	*	-	0.2	-	*	
	5	0.1	*	-	0.1	-	*	-	*	-	0.1	-	-	
	6	0.4	0.1	-	*	-	*	-	*	-	*	-	-	
	7	0.3	*	-	-	-	-	-	*	-	*	-	-	
	<b>Total</b>	----	<b>1.2</b>	<b>0.2</b>	-	<b>0.1</b>	-	*	-	*	-	<b>0.4</b>	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	*	-	0.1	-	-	
	4	-	-	-	-	-	-	-	-	-	0.1	-	-	
	5	-	-	-	-	-	-	-	*	-	*	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	*	-	*	-	-	
	<b>Total</b>	----	-	-	-	-	-	-	-	*	-	<b>0.3</b>	-	-
24 - 54	1-7	2.6	0.8	-	*	-	0.2	-	*	-	*	-	*	
25 - 35	1-7	-	*	-	-	-	-	-	*	-	*	-	-	
81 - 85 1/	1-7	0.5	0.1	-	*	-	*	-	*	-	0.1	*	*	
All Colors	8 2/	0.5	0.1	-	*	-	*	-	0.1	-	0.1	*	*	
<b>EXTRANEIOUS MATTER</b>														
Bark - Level 1		52.7	43.3	-	0.9	-	0.7	-	1.3	-	0.4	1.2	0.1	
Bark - Level 2		-	-	-	-	-	-	-	*	-	-	-	-	
Grass - Level 1		*	0.1	-	0.1	-	*	-	0.2	-	0.5	-	*	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		*	*	-	*	-	*	-	0.5	-	6.0	-	-	
Prep - Level 2		-	-	-	-	-	-	-	*	-	-	-	-	
Other - Level 1		-	-	-	-	-	*	-	*	-	*	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
<b>STAPLE</b>														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	*	-	-	-	-	-	-	-	*	-	-	
30		0.3	0.1	-	*	-	-	-	-	-	*	-	-	
31		2.2	0.8	-	0.4	-	*	-	*	-	0.5	-	-	
32		6.7	3.2	-	2.5	-	*	-	0.4	-	2.8	-	0.1	
33		31.3	12.5	-	9.7	-	0.4	-	3.0	-	9.8	0.3	1.1	
34		22.8	21.4	-	24.5	-	4.0	-	11.0	-	24.3	1.4	5.6	
35		19.1	25.2	-	32.8	-	16.9	-	23.9	-	33.2	7.8	12.5	
36		13.8	21.5	-	21.5	-	33.9	-	28.0	-	21.5	40.1	24.6	
37		3.7	12.2	-	7.9	-	35.7	-	27.4	-	7.2	36.9	42.3	
38 & longer		-	3.1	-	0.6	-	9.1	-	6.3	-	0.5	13.5	13.8	
<b>Average staple</b>		<b>34.1</b>	<b>35.0</b>	-	<b>34.9</b>	-	<b>36.3</b>	-	<b>35.8</b>	-	<b>34.8</b>	<b>36.6</b>	<b>36.4</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		*	13.8	0.7	0.5	-	1.8	30.2	59.3	-	-	
	3	-	3.8	0.3	0.5	-	1.8	2.5	12.9	-	*	
	4	-	0.3	-	*	-	0.2	-	0.9	-	-	
	5	-	*	-	*	-	*	-	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	*	<b>18.0</b>	<b>1.0</b>	<b>1.0</b>	-	<b>3.9</b>	<b>32.7</b>	<b>73.2</b>	-	*
31	1-2	0.8	8.5	20.1	8.0	-	7.4	8.0	4.3	-	0.2	
	3	1.0	15.5	19.1	13.7	-	31.2	5.9	5.8	-	0.6	
	4	0.1	7.0	2.2	2.3	-	17.3	3.1	1.7	-	0.2	
	5	-	0.8	*	0.2	-	2.1	1.3	0.3	-	*	
	6	-	*	-	*	-	0.1	0.1	*	-	*	
	7	-	*	-	*	-	*	-	*	-	-	
	<b>Total</b>	----	<b>1.9</b>	<b>31.8</b>	<b>41.4</b>	<b>24.2</b>	-	<b>58.0</b>	<b>18.5</b>	<b>12.2</b>	-	<b>1.0</b>
	41	1-2	4.8	1.5	9.2	6.5	-	1.2	1.0	0.6	-	2.3
3		18.7	5.9	27.3	35.5	-	12.0	11.7	1.3	-	31.0	
4		14.6	7.1	11.9	17.4	-	13.8	21.6	0.6	-	17.8	
5		2.6	3.3	0.6	2.2	-	4.0	8.2	0.2	-	1.7	
6		0.3	1.0	-	0.1	-	0.5	0.5	0.1	-	0.1	
7		-	0.2	-	*	-	*	-	*	-	*	
<b>Total</b>		----	<b>40.9</b>	<b>19.1</b>	<b>49.1</b>	<b>61.7</b>	-	<b>31.5</b>	<b>42.9</b>	<b>2.9</b>	-	<b>52.9</b>
51		1-2	-	*	-	*	-	*	-	*	-	0.2
	3	0.6	0.1	0.5	0.6	-	*	0.4	0.1	-	10.1	
	4	3.1	0.4	0.9	1.0	-	0.1	1.3	*	-	11.2	
	5	2.7	0.4	0.5	0.4	-	0.1	1.4	*	-	1.6	
	6	0.9	0.4	0.1	0.1	-	*	0.5	*	-	0.1	
	7	0.1	0.2	*	*	-	*	-	*	-	*	
	<b>Total</b>	----	<b>7.4</b>	<b>1.6</b>	<b>2.0</b>	<b>2.2</b>	-	<b>0.2</b>	<b>3.7</b>	<b>0.2</b>	-	<b>23.3</b>
	61	1-2	-	-	-	-	-	-	-	*	-	-
3		-	-	-	*	-	-	-	*	-	*	
4		-	-	-	*	-	*	-	*	-	*	
5		-	-	*	*	-	*	-	*	-	*	
6		-	-	*	*	-	*	-	-	-	*	
7		-	-	*	*	-	*	-	-	-	*	
<b>Total</b>		----	-	-	*	*	-	*	-	*	-	*
71		1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	-	-	-	-	-	-	-	*	-	-
	12 & 22	1-2	0.3	2.0	0.1	0.1	-	*	-	6.7	-	-
3		-	0.8	0.1	*	-	*	-	2.2	-	-	
4		-	0.1	-	*	-	*	-	0.2	-	-	
5		-	-	-	*	-	*	-	*	-	-	
6		-	-	-	-	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>0.3</b>	<b>2.9</b>	<b>0.1</b>	<b>0.1</b>	-	<b>0.1</b>	-	<b>9.1</b>	-	-
32		1-2	2.1	2.4	0.4	0.5	-	0.6	-	0.3	-	*
	3	1.8	4.2	1.1	1.3	-	1.2	0.9	0.4	-	0.1	
	4	0.1	1.2	0.5	0.3	-	0.7	0.3	0.2	-	*	
	5	-	0.1	-	*	-	0.1	-	*	-	*	
	6	-	*	-	*	-	*	-	*	-	-	
	7	-	*	-	-	-	-	-	*	-	-	
	<b>Total</b>	----	<b>4.1</b>	<b>8.0</b>	<b>2.0</b>	<b>2.2</b>	-	<b>2.6</b>	<b>1.2</b>	<b>0.9</b>	-	<b>0.1</b>
	42	1-2	2.0	0.8	0.2	0.6	-	0.3	-	0.1	-	0.5
3		6.6	2.2	1.3	4.1	-	1.4	-	0.1	-	7.1	
4		3.3	2.7	1.4	2.5	-	1.3	-	0.1	-	3.4	
5		1.4	1.1	0.3	0.4	-	0.3	0.2	*	-	0.3	
6		0.2	0.3	*	*	-	*	-	*	-	*	
7		-	0.1	-	*	-	*	-	*	-	*	
<b>Total</b>		----	<b>13.5</b>	<b>7.2</b>	<b>3.2</b>	<b>7.6</b>	-	<b>3.4</b>	<b>0.2</b>	<b>0.3</b>	-	<b>11.3</b>
52		1-2	-	*	-	*	-	*	-	*	-	0.1
	3	*	0.1	*	0.2	-	*	-	*	-	4.5	
	4	0.2	0.2	0.1	0.3	-	*	0.2	*	-	5.3	
	5	0.4	0.3	0.1	0.1	-	*	-	*	-	0.7	
	6	0.1	0.2	0.1	*	-	*	0.2	*	-	0.1	
	7	0.1	0.1	*	*	-	*	-	*	-	*	
	<b>Total</b>	----	<b>0.8</b>	<b>0.9</b>	<b>0.3</b>	<b>0.6</b>	-	*	<b>0.3</b>	*	-	<b>10.8</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	*
	3	-	-	-	*	-	*	-	*	-	*
	4	-	-	-	*	-	*	-	*	-	*
	5	-	-	-	*	-	*	-	*	-	*
	6	-	-	*	*	-	*	0.2	*	-	*
	7	-	-	*	*	-	*	-	*	-	*
	<b>Total</b>	-----	-	-	*	*	-	*	<b>0.2</b>	*	-
13 & 23	1-2	0.3	0.3	-	-	-	*	-	0.5	-	-
	3	0.1	0.1	-	-	-	*	-	0.3	-	-
	4	-	*	-	-	-	*	-	0.1	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	<b>0.4</b>	<b>0.4</b>	-	-	-	*	-	<b>0.8</b>	-
33	1-2	0.6	0.8	0.1	*	-	*	-	*	-	-
	3	1.8	1.4	0.1	0.1	-	*	-	0.1	-	-
	4	0.3	0.6	0.1	*	-	*	-	*	-	-
	5	-	0.2	*	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	*
	<b>Total</b>	-----	<b>2.7</b>	<b>3.0</b>	<b>0.3</b>	<b>0.1</b>	-	<b>0.1</b>	-	<b>0.2</b>	-
43	1-2	0.2	0.2	*	*	-	*	-	*	-	*
	3	5.2	1.2	0.2	0.1	-	*	-	*	-	0.1
	4	6.8	1.7	0.1	0.1	-	0.1	0.2	*	-	*
	5	5.5	0.9	0.1	*	-	*	-	*	-	*
	6	0.6	0.2	*	*	-	*	-	*	-	*
	7	-	0.1	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	<b>18.3</b>	<b>4.2</b>	<b>0.4</b>	<b>0.2</b>	-	<b>0.2</b>	<b>0.2</b>	<b>0.1</b>	-
53	1-2	-	*	-	*	-	*	-	*	-	*
	3	0.4	0.1	*	*	-	*	-	*	-	0.1
	4	0.7	0.2	-	*	-	*	0.3	*	-	0.1
	5	0.7	0.1	-	*	-	*	-	*	-	*
	6	0.4	0.1	-	*	-	*	-	*	-	*
	7	-	0.1	-	*	-	*	-	*	-	*
	<b>Total</b>	-----	<b>2.3</b>	<b>0.6</b>	*	*	-	*	<b>0.3</b>	*	-
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	*	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	-
24 - 54	1-7	6.2	1.8	*	*	-	*	-	0.1	-	*
25 - 35	1-7	-	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	1.1	0.3	*	*	-	*	*	*	-	*
All Colors	8 2/	0.1	0.2	*	*	-	*	*	*	-	*
<b>EXTRANEOUS MATTER</b>											
Bark - Level 1		53.1	44.2	2.0	0.4	-	0.4	28.1	10.4	-	0.3
Bark - Level 2		-	-	-	-	-	-	-	*	-	-
Grass - Level 1		-	0.1	0.1	0.3	-	*	-	1.5	-	0.3
Grass - Level 2		-	-	-	-	-	*	-	*	-	-
Prep - Level 1		-	*	0.4	1.8	-	*	-	*	-	3.1
Prep - Level 2		-	-	-	-	-	*	-	*	-	-
Other - Level 1		-	-	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	*	-	-
29		-	*	-	-	-	-	-	0.2	-	-
30		0.1	0.1	-	*	-	*	0.1	0.9	-	*
31		2.9	0.9	*	0.1	-	*	-	3.3	-	0.1
32		11.6	4.0	0.7	1.0	-	0.3	0.2	8.9	-	1.8
33		15.8	8.5	3.1	4.7	-	5.3	4.5	16.1	-	9.3
34		18.4	16.5	14.0	13.2	-	18.6	23.0	20.0	-	27.2
35		23.8	24.0	33.1	27.3	-	30.7	31.0	21.3	-	37.3
36		21.2	24.9	33.3	32.1	-	27.4	28.4	16.3	-	20.0
37		6.0	16.8	14.7	19.9	-	15.6	12.8	10.4	-	4.1
38 & longer		0.1	4.2	1.0	1.7	-	2.2	0.1	2.6	-	0.2
<b>Average staple</b>		<b>34.4</b>	<b>35.2</b>	<b>35.4</b>	<b>35.5</b>	-	<b>35.4</b>	<b>35.2</b>	<b>34.5</b>	-	<b>34.8</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-	-	-
22	*	*	-	*	-	-	-	-	-	-	-	*
23	0.1	*	-	*	*	*	-	-	-	-	*	*
24	0.8	0.1	-	*	0.1	*	-	*	-	*	0.3	0.1
25	2.7	0.5	-	*	0.3	0.1	*	*	-	0.2	1.9	0.5
26	8.1	2.4	-	0.1	1.1	0.7	0.1	0.1	-	1.8	8.4	2.6
27	18.6	8.1	-	0.6	3.4	3.3	0.2	0.7	-	6.0	26.2	8.7
28	26.4	17.0	-	2.6	7.9	9.8	0.7	2.3	-	14.1	30.2	18.8
29	22.2	23.4	-	8.0	14.5	18.4	6.8	3.8	-	21.0	13.3	23.8
30	13.5	22.0	-	18.1	23.4	22.8	22.1	7.5	-	21.6	6.2	19.1
31	5.5	14.7	-	24.2	22.1	20.4	22.0	9.7	-	16.8	4.8	12.0
32	1.6	7.5	-	20.0	15.4	13.8	8.2	10.4	-	10.0	5.4	7.2
33	0.2	3.0	-	13.9	8.3	6.9	7.6	17.3	-	5.0	2.3	4.2
34	*	0.9	-	8.1	2.6	2.6	19.3	22.8	-	2.3	0.7	2.1
35	*	0.3	-	3.3	0.8	0.8	10.8	15.8	-	0.8	0.2	0.8
36 & above	*	0.1	-	1.1	0.2	0.3	2.3	9.7	-	0.4	0.1	0.2
<b>Average</b>	<b>28.2</b>	<b>29.4</b>	-	<b>31.4</b>	<b>30.4</b>	<b>30.3</b>	<b>31.9</b>	<b>33.0</b>	-	<b>29.9</b>	<b>28.2</b>	<b>29.5</b>
MIKE												
24 & below	-	*	-	*	0.1	*	-	*	-	*	-	*
25	-	*	-	*	0.2	*	-	*	-	-	*	*
26	0.1	*	-	*	0.2	0.1	-	0.1	-	-	*	*
27	0.2	*	-	*	0.2	0.1	0.1	0.1	-	*	0.1	*
28	0.2	0.1	-	*	0.2	0.1	-	0.1	-	*	0.1	*
29	0.1	0.1	-	*	0.2	0.1	0.2	0.2	-	*	0.2	0.1
30	0.6	0.2	-	0.1	0.3	0.1	0.2	0.3	-	*	0.3	0.1
31	0.7	0.2	-	0.2	0.4	0.2	0.4	0.5	-	0.1	0.4	0.2
32	0.8	0.3	-	0.2	0.9	0.3	0.6	0.8	-	0.1	0.4	0.2
33	0.6	0.4	-	0.3	1.0	0.3	0.4	1.5	-	0.2	0.6	0.3
34	0.7	0.6	-	0.4	0.8	0.5	0.8	2.4	-	0.3	0.9	0.3
35	0.5	1.0	-	0.6	0.8	0.5	0.6	3.1	-	0.4	1.5	0.4
36	0.4	1.4	-	0.7	1.0	0.7	1.8	4.0	-	0.5	2.0	0.6
37	0.7	2.0	-	1.1	1.2	1.0	2.4	5.1	-	0.6	1.3	0.8
38	1.0	2.6	-	1.4	1.7	1.3	3.4	6.4	-	0.9	2.6	1.1
39	1.4	3.3	-	2.1	2.3	1.6	5.2	6.8	-	0.9	3.2	1.5
40	2.6	4.3	-	2.8	3.0	2.2	6.9	8.0	-	1.2	3.5	2.2
41	5.3	5.4	-	3.7	3.2	2.8	7.5	8.8	-	1.9	3.5	3.3
42	8.1	6.6	-	4.9	4.7	3.8	10.4	9.0	-	2.9	4.2	4.8
43	11.1	8.2	-	6.1	6.1	5.1	10.4	9.5	-	3.9	6.4	6.7
44	10.8	9.5	-	7.5	7.6	6.8	13.2	9.2	-	5.7	6.5	9.3
45	10.7	10.4	-	8.5	10.0	8.7	11.5	7.8	-	8.4	9.3	12.0
46	8.7	10.8	-	9.4	11.1	10.4	10.1	6.3	-	12.8	10.0	13.8
47	7.8	10.4	-	9.7	11.0	11.3	6.2	4.3	-	15.6	12.3	13.5
48	10.3	9.1	-	9.3	10.9	11.5	3.5	2.8	-	14.8	10.0	11.1
49	9.4	6.5	-	8.4	9.5	11.0	2.8	1.6	-	10.9	7.0	7.7
50	4.9	3.7	-	7.2	6.0	8.9	1.3	0.8	-	7.7	5.5	4.8
51	1.6	1.7	-	6.0	3.1	5.9	0.1	0.3	-	4.9	3.2	2.6
52	0.7	0.7	-	4.3	1.7	3.0	-	0.2	-	3.0	2.2	1.4
53	0.1	0.3	-	2.8	0.6	1.2	*	*	-	1.4	1.5	0.6
54	*	0.1	-	1.5	0.1	0.3	*	*	-	0.5	0.8	0.3
55	-	*	-	0.5	*	0.1	*	*	-	0.2	0.5	0.1
56	-	*	-	0.1	*	*	*	*	-	*	0.1	*
57	-	*	-	*	*	*	-	*	-	*	*	*
58	-	*	-	*	-	-	-	-	-	*	-	*
59	-	*	-	*	-	-	-	-	-	-	-	*
60 & above	-	*	-	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>45</b>	<b>44</b>	-	<b>46</b>	<b>45</b>	<b>46</b>	<b>43</b>	<b>41</b>	-	<b>47</b>	<b>45</b>	<b>46</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	*	-	-	-	-	-	-	-	*	-	-
22	*	*	-	*	-	-	-	*	-	*	-	-
23	0.2	0.1	-	*	-	*	-	-	-	*	-	*
24	1.5	1.1	-	0.2	-	*	-	*	-	0.2	0.1	*
25	5.4	3.8	-	1.1	-	*	-	*	-	0.6	0.6	0.2
26	9.2	8.5	-	4.9	-	0.1	-	0.3	-	4.4	1.6	1.0
27	15.7	11.7	-	13.3	-	0.5	-	1.5	-	11.6	21.9	7.5
28	27.7	16.6	-	21.9	-	1.8	-	5.3	-	21.9	33.5	21.2
29	20.1	18.5	-	21.3	-	5.8	-	13.2	-	25.9	16.6	27.2
30	6.9	15.9	-	15.4	-	14.5	-	21.8	-	19.2	16.2	24.2
31	5.1	12.9	-	10.6	-	24.7	-	22.8	-	9.9	6.1	14.4
32	3.4	7.1	-	6.7	-	23.7	-	16.1	-	4.6	1.9	3.3
33	2.6	2.6	-	3.1	-	15.7	-	10.2	-	1.4	1.0	0.7
34	1.3	0.9	-	1.1	-	8.8	-	5.7	-	0.2	0.5	0.2
35	0.6	0.3	-	0.3	-	3.4	-	2.3	-	0.1	-	*
36 & above	0.2	0.1	-	0.1	-	1.1	-	0.6	-	*	-	*
<b>Average</b>	<b>28.3</b>	<b>28.9</b>	-	<b>29.0</b>	-	<b>31.6</b>	-	<b>30.9</b>	-	<b>28.9</b>	<b>28.5</b>	<b>29.2</b>
MIKE												
24 & below	-	0.2	-	-	-	*	-	*	-	*	*	*
25	-	0.6	-	-	-	*	-	*	-	*	-	0.1
26	-	1.0	-	*	-	*	-	*	-	*	0.1	0.1
27	0.3	1.8	-	*	-	*	-	*	-	*	0.4	0.1
28	1.1	1.5	-	*	-	*	-	*	-	*	-	0.4
29	1.0	2.5	-	*	-	0.1	-	*	-	*	1.2	0.3
30	1.3	3.3	-	*	-	0.1	-	*	-	*	2.8	0.6
31	3.2	2.9	-	*	-	0.1	-	*	-	*	0.5	1.1
32	4.4	3.7	-	*	-	0.2	-	0.1	-	0.1	2.2	1.0
33	6.6	4.5	-	*	-	0.3	-	0.1	-	0.1	4.5	1.7
34	7.3	6.0	-	0.1	-	0.7	-	0.1	-	0.1	4.3	1.8
35	7.2	6.3	-	0.1	-	1.2	-	0.2	-	0.2	3.4	2.7
36	12.7	7.3	-	0.1	-	2.0	-	0.3	-	0.2	7.5	4.2
37	10.4	6.5	-	0.2	-	3.1	-	0.5	-	0.3	7.4	4.0
38	6.9	7.0	-	0.3	-	4.3	-	0.7	-	0.5	6.7	4.7
39	7.4	7.1	-	0.4	-	5.1	-	1.0	-	0.6	8.2	5.7
40	7.4	6.3	-	0.6	-	6.0	-	1.5	-	0.8	4.8	6.5
41	5.9	5.0	-	0.9	-	7.1	-	2.2	-	1.2	10.2	8.0
42	5.1	5.5	-	1.4	-	8.2	-	3.2	-	1.7	12.8	8.6
43	3.8	5.0	-	2.3	-	9.0	-	4.7	-	2.7	11.4	9.1
44	3.9	4.4	-	3.6	-	9.2	-	6.4	-	4.0	7.6	9.4
45	1.6	3.7	-	5.2	-	8.9	-	8.5	-	5.6	1.2	8.1
46	0.7	3.0	-	7.3	-	8.2	-	10.5	-	7.3	2.4	6.8
47	-	2.0	-	9.3	-	7.2	-	11.7	-	9.3	0.6	5.6
48	0.4	1.1	-	11.7	-	5.9	-	12.3	-	11.2	-	4.7
49	0.7	1.0	-	13.3	-	4.6	-	11.1	-	12.4	-	2.0
50	0.8	0.4	-	13.6	-	3.4	-	9.1	-	12.3	-	1.5
51	-	0.4	-	12.2	-	2.2	-	6.7	-	11.0	-	0.6
52	-	*	-	8.9	-	1.4	-	4.6	-	8.5	-	0.3
53	-	-	-	5.2	-	0.7	-	2.6	-	5.4	-	0.2
54	-	-	-	2.4	-	0.4	-	1.3	-	2.8	-	0.1
55	-	-	-	0.9	-	0.2	-	0.5	-	1.2	-	*
56	-	-	-	0.2	-	0.1	-	0.1	-	0.3	-	*
57	-	-	-	*	-	*	-	*	-	0.1	-	-
58	-	-	-	*	-	*	-	*	-	*	-	-
59	-	-	-	-	-	-	-	*	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>37</b>	<b>38</b>	-	<b>49</b>	-	<b>44</b>	-	<b>47</b>	-	<b>48</b>	<b>39</b>	<b>42</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	*	-	-
18	-	-	-	-	-	-	-	*	-	-
19	-	-	-	-	-	-	-	*	-	-
20	-	-	-	-	-	*	-	0.1	-	-
21	*	*	-	-	-	*	-	0.2	-	-
22	0.1	*	-	*	-	*	0.1	0.3	-	-
23	0.5	0.1	-	*	-	*	-	0.6	-	*
24	1.4	0.3	0.3	0.1	-	*	1.3	1.3	-	*
25	1.3	0.7	1.6	0.3	-	*	0.2	2.8	-	0.3
26	4.5	1.8	7.9	3.2	-	0.1	8.4	5.8	-	4.8
27	8.6	4.2	19.4	10.5	-	0.7	10.6	10.7	-	15.8
28	11.2	7.7	27.9	22.0	-	3.9	25.9	15.6	-	27.9
29	15.1	12.1	22.1	26.2	-	13.9	22.9	17.9	-	27.8
30	19.0	16.7	11.9	19.2	-	27.1	17.1	16.9	-	15.1
31	16.6	19.2	6.2	10.7	-	27.8	12.7	13.3	-	5.9
32	10.7	16.4	2.3	5.5	-	16.6	0.8	8.3	-	1.9
33	5.7	10.9	0.5	2.0	-	6.8	-	4.1	-	0.4
34	3.0	5.8	*	0.3	-	2.2	0.1	1.6	-	0.1
35	1.3	2.6	-	0.1	-	0.6	-	0.4	-	*
36 & above	1.0	1.4	-	*	-	0.2	-	0.1	-	-
<b>Average</b>	<b>29.7</b>	<b>30.7</b>	<b>28.3</b>	<b>29.1</b>	-	<b>30.7</b>	<b>28.6</b>	<b>29.1</b>	-	<b>28.5</b>
MIKE										
24 & below	1.6	0.1	-	*	-	*	-	0.1	-	*
25	0.5	0.1	-	*	-	*	1.2	0.1	-	-
26	0.6	0.2	*	*	-	*	-	0.1	-	*
27	0.8	0.3	*	*	-	*	-	0.2	-	*
28	1.1	0.3	0.1	*	-	*	1.2	0.2	-	*
29	1.2	0.4	0.1	*	-	*	0.9	0.3	-	*
30	1.1	0.6	0.1	*	-	*	-	0.3	-	*
31	0.8	1.0	0.1	*	-	0.1	1.4	0.5	-	*
32	1.2	1.2	0.1	*	-	0.1	3.1	0.7	-	*
33	2.1	1.4	0.1	0.1	-	0.2	0.2	0.9	-	*
34	2.1	2.0	0.4	0.1	-	0.3	3.8	1.1	-	*
35	3.2	2.3	0.4	0.2	-	0.6	5.8	1.5	-	*
36	4.2	2.8	0.5	0.2	-	0.9	4.8	1.9	-	*
37	5.5	3.3	0.9	0.3	-	1.4	11.1	2.5	-	*
38	5.5	3.7	1.5	0.4	-	1.9	5.1	3.2	-	0.2
39	5.5	4.2	1.4	0.6	-	2.5	2.3	4.0	-	0.3
40	6.1	5.4	1.6	0.9	-	3.2	4.8	4.9	-	0.5
41	6.8	6.1	2.9	1.3	-	4.1	7.1	5.8	-	0.7
42	10.2	7.2	3.5	2.0	-	4.9	1.9	6.8	-	1.2
43	7.2	8.0	5.8	3.1	-	6.0	5.3	8.0	-	1.7
44	8.7	8.3	6.6	4.6	-	6.9	4.3	8.8	-	3.3
45	11.2	8.7	7.9	6.7	-	7.9	0.4	9.0	-	5.5
46	7.2	8.4	9.0	9.8	-	8.8	8.3	8.9	-	8.5
47	4.3	7.5	12.3	12.5	-	9.2	12.1	8.2	-	11.7
48	1.1	5.9	13.3	14.3	-	9.3	5.1	7.2	-	13.7
49	0.1	4.5	12.4	14.0	-	8.8	3.8	5.8	-	14.2
50	-	3.3	9.9	11.3	-	7.8	3.3	4.2	-	13.3
51	-	2.0	4.9	7.9	-	6.4	1.5	2.7	-	10.8
52	-	0.8	3.0	5.1	-	4.4	-	1.4	-	7.2
53	-	0.2	0.9	2.8	-	2.4	1.1	0.6	-	4.1
54	-	*	0.3	1.1	-	1.3	-	0.2	-	2.2
55	-	*	0.1	0.3	-	0.4	-	0.1	-	0.7
56	-	-	*	0.1	-	0.1	-	*	-	0.1
57	-	-	-	*	-	*	-	*	-	*
58	-	-	-	*	-	*	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	*	-	-	-	-
<b>Average</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>48</b>	-	<b>46</b>	<b>41</b>	<b>44</b>	-	<b>49</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	*	0.1	*	-	*	-	*	-	*
25 - 26	0.1	*	-	*	0.4	0.1	-	0.1	-	-	*	*
27 - 29	0.5	0.2	-	0.1	0.7	0.3	0.3	0.3	-	*	0.3	0.2
30 - 32	2.1	0.7	-	0.5	1.6	0.6	1.2	1.6	-	0.2	1.1	0.5
33 - 34	1.2	1.0	-	0.7	1.8	0.8	1.2	3.8	-	0.6	1.5	0.6
35 - 36	0.9	2.4	-	1.3	1.8	1.3	2.4	7.1	-	0.8	3.4	1.0
37 - 42	19.0	24.2	-	16.1	16.0	12.7	35.8	44.0	-	8.4	18.2	13.7
43 - 49	68.7	64.8	-	58.9	66.2	64.8	57.6	41.6	-	72.3	61.4	74.2
50 - 52	7.2	6.1	-	17.5	10.7	17.8	1.4	1.3	-	15.6	10.9	8.7
53 & above	0.2	0.5	-	4.9	0.6	1.6	*	0.1	-	2.1	3.0	1.0
<b>Average</b>	<b>45</b>	<b>44</b>	<b>-</b>	<b>46</b>	<b>45</b>	<b>46</b>	<b>43</b>	<b>41</b>	<b>-</b>	<b>47</b>	<b>45</b>	<b>46</b>
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	6.0	5.8	-	0.6	12.2	27.6	25.3	24.5	-	9.0	0.8	2.4
02	20.4	24.9	-	7.7	29.7	37.9	52.7	45.3	-	28.5	15.9	20.8
03	24.4	26.0	-	20.5	24.4	18.1	17.3	20.5	-	26.9	29.4	30.2
04	18.9	19.2	-	26.0	12.9	8.0	3.7	6.3	-	18.1	23.6	22.7
05	10.3	11.8	-	21.0	7.0	3.8	0.7	1.9	-	9.5	14.1	12.7
06	5.0	6.2	-	12.9	4.6	1.9	0.1	0.7	-	4.4	7.9	6.4
07	4.8	3.0	-	6.5	2.9	1.0	*	0.3	-	2.0	4.6	2.9
08	3.9	1.5	-	2.9	1.8	0.6	*	0.1	-	0.8	2.3	1.3
09	2.5	0.7	-	1.2	1.1	0.4	-	0.1	-	0.4	1.0	0.5
10	2.3	0.4	-	0.4	0.8	0.2	*	*	-	0.2	0.3	0.2
11	0.9	0.2	-	0.2	0.6	0.2	*	*	-	0.1	0.1	0.1
12	0.4	0.1	-	0.1	0.4	0.1	*	*	-	0.1	*	*
13	0.1	0.1	-	*	0.3	0.1	-	*	-	*	*	*
14	*	*	-	*	0.2	0.1	-	*	-	*	-	*
15	-	*	-	*	0.2	*	*	*	-	*	-	*
16	-	*	-	*	0.2	*	-	*	-	*	-	*
17	-	*	-	*	0.1	*	-	*	-	-	-	*
18 & above	-	*	-	*	0.6	0.1	-	*	-	*	-	*
<b>Average</b>	<b>0.40</b>	<b>0.36</b>	<b>-</b>	<b>0.45</b>	<b>0.35</b>	<b>0.25</b>	<b>0.20</b>	<b>0.22</b>	<b>-</b>	<b>0.32</b>	<b>0.40</b>	<b>0.37</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	*
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	*
74.5-75.4	-	-	-	-	*	*	-	-	-	-	-	*
75.5-76.4	-	*	-	*	0.1	*	-	*	-	*	-	*
76.5-77.4	0.1	0.1	-	*	0.3	0.1	*	0.1	-	*	*	*
77.5-78.4	2.3	0.8	-	0.1	1.4	0.5	0.6	0.3	-	0.1	0.4	0.4
78.5-79.4	13.2	4.6	-	1.1	6.1	3.0	6.1	2.1	-	1.0	2.2	2.7
79.5-80.4	27.1	16.3	-	6.8	20.9	15.2	28.8	11.2	-	6.1	10.9	10.5
80.5-81.4	33.8	32.6	-	28.9	36.6	36.5	20.6	26.3	-	20.5	34.8	26.3
81.5-82.4	18.9	30.8	-	44.2	26.8	32.6	5.6	27.3	-	34.7	39.4	35.2
82.5-83.4	4.2	12.3	-	16.5	7.4	10.9	22.8	18.9	-	25.4	11.0	19.8
83.5-84.4	0.4	2.3	-	2.2	0.6	1.3	14.9	12.9	-	10.2	1.1	4.6
84.5-85.4	0.1	0.2	-	0.1	*	*	0.6	0.8	-	1.9	*	0.4
85.5-86.4	-	*	-	*	*	*	0.1	0.1	-	*	-	*
86.5-87.4	-	-	-	*	-	-	-	*	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.6</b>	<b>81.3</b>	<b>-</b>	<b>81.7</b>	<b>81.0</b>	<b>81.3</b>	<b>81.5</b>	<b>81.9</b>	<b>-</b>	<b>82.1</b>	<b>81.4</b>	<b>81.7</b>
Tenderable 3/	67.8	84.7	-	73.7	75.6	75.2	94.4	91.0	-	76.2	67.2	79.5
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>4,767</b>				<b>33,630</b>		<b>17,319</b>				<b>14,962</b>	
<b>SEASON</b>		<b>678,075</b>		<b>1,198,839</b>		<b>582,694</b>		<b>538,217</b>		<b>134,311</b>		<b>2,425,274</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	0.2	-	-	-	*	-	*	-	*	-	*
25 - 26	-	1.7	-	*	-	*	-	*	-	*	0.1	0.2
27 - 29	2.5	5.8	-	*	-	0.1	-	*	-	*	1.5	0.8
30 - 32	8.9	9.9	-	*	-	0.5	-	0.1	-	0.1	5.5	2.8
33 - 34	13.8	10.5	-	0.1	-	1.0	-	0.2	-	0.2	8.9	3.5
35 - 36	19.9	13.5	-	0.2	-	3.2	-	0.6	-	0.4	10.9	6.8
37 - 42	43.1	37.4	-	3.7	-	33.8	-	8.9	-	5.1	50.1	37.5
43 - 49	11.0	20.3	-	52.7	-	53.0	-	65.2	-	52.6	23.1	45.7
50 - 52	0.8	0.8	-	34.7	-	6.9	-	20.3	-	31.8	-	2.4
53 & above	-	-	-	8.6	-	1.3	-	4.6	-	9.8	-	0.3
<b>Average</b>	<b>37</b>	<b>38</b>	<b>-</b>	<b>49</b>	<b>-</b>	<b>44</b>	<b>-</b>	<b>47</b>	<b>-</b>	<b>48</b>	<b>39</b>	<b>42</b>
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	0.1
01	0.8	5.2	-	1.6	-	1.6	-	1.7	-	0.7	30.4	54.7
02	12.4	19.5	-	11.9	-	11.6	-	11.3	-	13.0	42.1	33.7
03	22.2	22.0	-	21.0	-	22.2	-	20.8	-	28.2	18.2	7.9
04	20.0	18.3	-	22.5	-	25.1	-	22.5	-	26.1	6.1	2.4
05	15.9	12.4	-	18.2	-	18.8	-	18.1	-	16.2	2.1	0.8
06	11.1	8.1	-	11.8	-	11.0	-	12.0	-	8.4	0.8	0.3
07	5.6	5.5	-	6.7	-	5.5	-	6.8	-	3.9	0.2	0.1
08	2.8	3.6	-	3.4	-	2.5	-	3.5	-	1.8	-	*
09	2.8	2.3	-	1.6	-	1.0	-	1.7	-	0.8	-	*
10	1.5	1.3	-	0.7	-	0.4	-	0.8	-	0.4	-	*
11	1.0	0.8	-	0.3	-	0.2	-	0.4	-	0.2	-	*
12	0.8	0.4	-	0.1	-	0.1	-	0.2	-	0.1	-	-
13	0.9	0.3	-	*	-	*	-	0.1	-	*	-	-
14	0.9	0.2	-	*	-	*	-	*	-	*	-	-
15	0.4	0.1	-	*	-	*	-	*	-	*	-	-
16	0.4	*	-	*	-	*	-	*	-	*	-	-
17	0.3	*	-	*	-	*	-	*	-	*	-	-
18 & above	0.3	*	-	*	-	*	-	*	-	*	-	*
<b>Average</b>	<b>0.49</b>	<b>0.42</b>	<b>-</b>	<b>0.44</b>	<b>-</b>	<b>0.43</b>	<b>-</b>	<b>0.45</b>	<b>-</b>	<b>0.40</b>	<b>0.21</b>	<b>0.16</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	0.1	*	-	-	-	*	-	-	-	-	-	-
75.5-76.4	0.3	0.2	-	-	-	-	-	*	-	-	*	*
76.5-77.4	2.7	2.2	-	0.1	-	*	-	*	-	0.1	*	*
77.5-78.4	9.8	7.8	-	1.2	-	0.2	-	0.2	-	1.1	1.1	0.3
78.5-79.4	26.5	18.7	-	7.6	-	1.6	-	1.7	-	6.2	1.2	1.6
79.5-80.4	34.8	31.7	-	27.5	-	7.1	-	8.5	-	20.3	20.6	13.0
80.5-81.4	20.0	27.3	-	35.8	-	23.3	-	26.1	-	35.2	60.5	48.4
81.5-82.4	5.6	10.8	-	20.7	-	41.1	-	38.8	-	27.8	16.0	34.2
82.5-83.4	0.2	1.1	-	6.3	-	23.1	-	20.9	-	8.4	0.6	2.4
83.5-84.4	-	*	-	0.8	-	3.5	-	3.4	-	0.9	-	*
84.5-85.4	-	*	-	*	-	0.2	-	0.2	-	*	-	*
85.5-86.4	-	-	-	-	-	*	-	*	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	*	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	*	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>79.7</b>	<b>80.1</b>	<b>-</b>	<b>80.8</b>	<b>-</b>	<b>81.8</b>	<b>-</b>	<b>81.7</b>	<b>-</b>	<b>81.1</b>	<b>80.8</b>	<b>81.2</b>
Tenderable 3/	16.0	32.8	-	49.8	-	87.5	-	69.7	-	45.2	82.4	89.5
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	<b>3,171</b>										<b>3,298</b>	
<b>SEASON</b>		<b>64,962</b>		<b>513,553</b>		<b>762,535</b>		<b>1,145,051</b>		<b>1,020,701</b>		<b>57,637</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending FEBRUARY 2, 2012**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	1.6	0.1	-	*	-	*	-	0.1	-	*
25 - 26	1.1	0.3	*	*	-	*	1.2	0.2	-	*
27 - 29	3.1	1.0	0.2	0.1	-	0.1	2.1	0.6	-	*
30 - 32	3.0	2.8	0.2	0.1	-	0.2	4.5	1.5	-	*
33 - 34	4.2	3.4	0.5	0.2	-	0.5	3.9	2.0	-	*
35 - 36	7.4	5.1	0.9	0.4	-	1.5	10.6	3.4	-	0.1
37 - 42	39.6	29.8	11.8	5.6	-	17.9	32.4	27.2	-	2.9
43 - 49	39.9	51.3	67.3	65.0	-	56.8	39.3	55.8	-	58.6
50 - 52	-	6.1	17.8	24.3	-	18.6	4.8	8.3	-	31.3
53 & above	-	0.2	1.4	4.4	-	4.3	1.1	0.9	-	7.1
<b>Average</b>	<b>40</b>	<b>43</b>	<b>46</b>	<b>48</b>	<b>-</b>	<b>46</b>	<b>41</b>	<b>44</b>	<b>-</b>	<b>49</b>
HVI TRASH 1/										
00	-	*	-	-	-	-	-	0.1	-	-
01	1.6	11.2	5.4	1.9	-	2.0	21.1	37.9	-	0.1
02	13.2	21.2	29.2	20.2	-	13.9	21.2	37.9	-	6.3
03	18.2	18.6	29.8	31.8	-	25.1	10.6	14.6	-	25.9
04	21.2	15.2	20.0	23.8	-	24.0	15.0	5.4	-	32.6
05	18.1	11.8	10.0	12.9	-	16.8	13.6	2.2	-	20.6
06	11.1	8.0	3.7	5.7	-	9.7	9.3	1.0	-	9.2
07	7.6	5.1	1.2	2.3	-	4.8	4.7	0.5	-	3.4
08	4.7	3.1	0.4	0.9	-	2.2	2.2	0.2	-	1.2
09	2.5	1.9	0.2	0.3	-	0.9	1.5	0.1	-	0.4
10	1.1	1.2	0.1	0.1	-	0.4	0.6	0.1	-	0.2
11	0.4	0.8	*	0.1	-	0.2	0.1	*	-	0.1
12	0.1	0.6	0.1	*	-	0.1	0.1	*	-	*
13	*	0.4	*	*	-	*	-	*	-	*
14	-	0.3	-	*	-	*	-	*	-	*
15	0.1	0.2	*	*	-	*	-	*	-	*
16	0.1	0.1	-	*	-	*	-	*	-	-
17	0.1	0.1	-	*	-	*	-	*	-	-
18 & above	0.1	0.2	-	-	-	-	-	*	-	-
<b>Average</b>	<b>0.46</b>	<b>0.40</b>	<b>0.32</b>	<b>0.36</b>	<b>-</b>	<b>0.41</b>	<b>0.35</b>	<b>0.20</b>	<b>-</b>	<b>0.42</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	*	-	-	-	-	-	*	-	-
74.5-75.4	0.1	*	-	-	-	-	-	0.1	-	-
75.5-76.4	0.7	0.1	-	-	-	*	-	0.4	-	-
76.5-77.4	2.7	0.8	*	*	-	*	2.8	1.5	-	0.1
77.5-78.4	6.7	3.4	0.5	0.2	-	0.2	2.2	4.8	-	1.0
78.5-79.4	19.6	11.2	2.3	2.3	-	1.8	15.3	13.5	-	6.6
79.5-80.4	30.1	21.7	11.3	10.9	-	10.1	29.7	26.9	-	22.3
80.5-81.4	24.0	30.3	32.8	29.1	-	31.0	44.6	30.6	-	39.7
81.5-82.4	13.8	22.1	34.4	36.5	-	37.7	5.4	17.6	-	24.9
82.5-83.4	2.1	8.3	16.2	18.0	-	16.3	-	4.4	-	4.9
83.5-84.4	*	1.8	2.4	2.9	-	2.7	-	0.4	-	0.4
84.5-85.4	-	0.3	*	*	-	0.2	-	*	-	*
85.5-86.4	-	*	-	*	-	*	-	*	-	-
86.5-87.4	-	-	-	-	-	*	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.1</b>	<b>80.8</b>	<b>81.5</b>	<b>81.6</b>	<b>-</b>	<b>81.6</b>	<b>80.2</b>	<b>80.5</b>	<b>-</b>	<b>80.9</b>
Tenderable 3/	19.4	37.0	74.2	63.7	-	73.0	53.8	63.6	-	50.9
<b>SAMPLES CLASSED</b>										
<b>WEEK</b>	<b>2,707</b>		<b>9,827</b>				<b>1,197</b>			
<b>SEASON</b>		<b>63,971</b>		<b>467,523</b>		<b>809,940</b>		<b>3,411,287</b>		<b>137,694</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,  
For The Week Ending FEBRUARY 2, 2012

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	10.8	41.9	13.3	14.6	-	37.1	-	-
	2	49.1	44.5	20.8	23.6	-	32.8	-	-
	3	4.8	1.6	0.3	1.0	-	1.2	-	-
	4	-	-	-	*	-	*	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>64.6</b>	<b>88.0</b>	<b>34.4</b>	<b>39.1</b>	-	<b>71.2</b>	-	-
02	1	1.4	1.9	8.4	7.2	-	12.6	-	-
	2	13.1	6.3	39.0	35.0	-	12.6	-	-
	3	8.7	1.6	10.8	9.7	-	3.0	-	-
	4	0.5	0.1	0.3	0.5	-	0.1	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>23.7</b>	<b>9.9</b>	<b>58.5</b>	<b>52.4</b>	-	<b>28.2</b>	-	-
03	1	-	0.1	0.1	0.1	-	*	-	-
	2	2.5	0.4	1.7	1.6	-	0.3	-	-
	3	8.3	0.9	3.2	3.2	-	0.2	-	-
	4	0.5	0.1	0.8	1.2	-	*	-	-
	5	-	*	*	0.1	-	-	-	-
	6	-	*	*	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		<b>11.3</b>	<b>1.5</b>	<b>5.8</b>	<b>6.2</b>	-	<b>0.6</b>	-	-
04	1	-	-	-	*	-	-	-	-
	2	0.1	*	0.1	0.1	-	-	-	-
	3	0.1	*	0.5	0.6	-	*	-	-
	4	-	-	0.3	0.5	-	-	-	-
	5	-	*	0.1	0.1	-	-	-	-
	6	-	0.2	*	*	-	-	-	-
	7	0.1	0.1	-	*	-	-	-	-
Total -----		<b>0.2</b>	<b>0.4</b>	<b>1.0</b>	<b>1.4</b>	-	<b>*</b>	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	*	0.2	0.2	-	-	-	-
	4	-	0.1	0.1	0.3	-	-	-	-
	5	-	*	*	0.1	-	-	-	-
	6	-	*	*	*	-	-	-	-
	7	-	0.1	-	*	-	-	-	-
Total -----		-	<b>0.2</b>	<b>0.4</b>	<b>0.7</b>	-	-	-	-
06	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	*	*	*	-	-	-	-
	5	0.1	*	*	*	-	-	-	-
	6	-	*	*	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		<b>0.1</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		-	<b>*</b>	-	<b>*</b>	-	-	-	-
STAPLE									
40 & shorter		-	-	-	*	-	-	-	-
42		-	0.1	*	*	-	-	-	-
44		0.8	11.8	0.9	1.5	-	0.4	-	-
46		26.4	33.6	18.8	20.1	-	13.2	-	-
48 & longer		72.8	54.6	80.3	78.4	-	86.4	-	-
<b>Average</b>		<b>47.7</b>	<b>47.0</b>	<b>48.0</b>	<b>47.9</b>	-	<b>48.4</b>	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	*	*	-	-	-	-
81		-	*	*	*	-	*	-	-
82		-	*	0.2	0.3	-	*	-	-
83		0.6	0.6	0.9	1.4	-	0.4	-	-
84		6.4	5.9	6.6	6.8	-	0.4	-	-
85		20.7	20.8	37.8	30.2	-	3.4	-	-
86		40.4	48.6	43.3	46.1	-	47.0	-	-
87		25.6	21.5	10.4	13.6	-	46.7	-	-
88		5.8	2.4	0.8	1.5	-	2.0	-	-
89		0.5	0.2	*	0.1	-	*	-	-
90 & above		-	-	-	-	-	-	-	-
<b>Average</b>		<b>86.0</b>	<b>85.9</b>	<b>85.5</b>	<b>85.6</b>	-	<b>86.4</b>	-	-
SAMPLES CLASSED									
WEEK		<b>1,765</b>		<b>35,712</b>					
SEASON			<b>15,682</b>		<b>698,527</b>		<b>6,516</b>		

\* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,  
For The Week Ending FEBRUARY 2, 2012

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	*	*	-	-	-	-
25 - 26	-	-	-	0.1	-	0.2	-	-
27 - 29	1.8	0.2	0.4	1.1	-	0.4	-	-
30 - 32	2.7	0.5	0.9	2.1	-	0.2	-	-
33 - 34	0.2	0.4	2.1	2.7	-	1.0	-	-
35 - 36	2.1	3.2	12.2	8.9	-	10.9	-	-
37 - 42	65.9	83.1	77.0	75.7	-	56.3	-	-
43 - 49	27.3	12.5	7.4	9.5	-	30.9	-	-
50 - 52	-	*	-	*	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>39</b>	-	<b>40</b>	-	-
ALL RANGE MIKE								
24 & below	-	-	*	*	-	-	-	-
25	-	-	-	*	-	-	-	-
26	-	-	*	*	-	0.2	-	-
27	0.1	*	*	0.2	-	0.2	-	-
28	0.5	0.1	0.2	0.4	-	0.1	-	-
29	1.3	0.2	0.2	0.5	-	0.1	-	-
30	2.0	0.2	0.2	0.6	-	0.1	-	-
31	0.7	0.1	0.3	0.7	-	0.1	-	-
32	0.1	0.2	0.4	0.8	-	*	-	-
33	0.1	0.2	0.8	1.0	-	0.4	-	-
34	0.1	0.3	1.3	1.7	-	0.7	-	-
35	0.9	0.9	3.9	3.0	-	2.0	-	-
36	1.2	2.3	8.3	5.8	-	8.9	-	-
37	4.5	4.6	11.9	9.8	-	7.8	-	-
38	9.7	7.9	16.7	14.0	-	11.9	-	-
39	13.0	14.9	16.8	16.5	-	10.7	-	-
40	14.3	21.0	14.2	15.3	-	10.1	-	-
41	13.0	21.0	10.3	11.9	-	8.3	-	-
42	11.4	13.8	7.1	8.1	-	7.4	-	-
43	9.2	7.7	4.3	4.8	-	8.1	-	-
44	5.2	2.8	2.2	2.4	-	8.8	-	-
45	5.7	1.1	0.8	1.2	-	6.0	-	-
46	4.7	0.6	0.2	0.6	-	4.9	-	-
47	2.0	0.2	-	0.3	-	2.5	-	-
48	0.4	*	-	0.1	-	0.6	-	-
49	0.1	*	*	*	-	*	-	-
50	-	*	-	*	-	-	-	-
51	-	*	-	*	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>39</b>	<b>39</b>	-	<b>40</b>	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	*	*	-	*	-	-
29	-	-	-	*	-	*	-	-
30	-	-	*	*	-	-	-	-
31	-	-	*	*	-	*	-	-
32	-	*	*	*	-	0.2	-	-
33	-	0.2	0.1	0.1	-	0.2	-	-
34	0.2	0.7	0.3	0.3	-	0.1	-	-
35	0.6	1.8	0.4	0.8	-	0.2	-	-
36	1.7	4.1	0.6	1.6	-	0.2	-	-
37	4.5	6.2	1.3	2.5	-	0.9	-	-
38	9.6	6.5	5.4	3.8	-	2.9	-	-
39	13.7	6.6	9.7	6.0	-	7.2	-	-
40	13.9	6.6	11.0	8.0	-	15.4	-	-
41	16.7	8.7	12.0	9.8	-	18.3	-	-
42	14.1	11.5	15.4	12.5	-	19.0	-	-
43	13.9	16.8	14.7	15.1	-	14.7	-	-
44	6.5	15.0	12.8	15.3	-	10.6	-	-
45 & above	4.5	15.3	16.2	24.1	-	10.0	-	-
<b>Average</b>	<b>40.7</b>	<b>41.5</b>	<b>42.0</b>	<b>42.4</b>	-	<b>41.7</b>	-	-
XTRANEIOUS MATTER								
Bark	0.5	0.7	*	0.1	-	0.6	-	-
Grass	-	-	-	0.1	-	0.2	-	-
Spindle Twist Preparation	-	0.1	*	0.2	-	-	-	-
	-	0.1	1.1	2.4	-	0.2	-	-

\* Less than 0.05 percent.

## Extraneous Matter By State

Volume 1, No. 15

03-Feb-12

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by state, season-to-date  
Through Thursday, February 02, 2012**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil, Spindle Twist and Other		Total		Season to Date Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.3%	*	4.0%	*	0.1%	-	*	-	*	*	4.5%	*	678,075
Arizona	*	-	1.9%	*	0.1%	-	*	-	*	-	2.1%	*	582,694
Arkansas	0.1%	-	0.6%	-	0.1%	-	0.1%	*	*	-	0.8%	*	1,198,839
California	*	-	0.5%	-	0.3%	-	0.1%	-	*	-	0.9%	-	538,217
Florida	0.6%	-	2.7%	*	0.1%	-	0.1%	-	-	-	3.5%	*	134,311
Georgia	1.0%	*	3.0%	*	0.1%	*	0.2%	-	*	-	4.3%	*	2,425,274
Kansas	*	-	43.3%	-	0.1%	-	3.9%	-	-	-	47.2%	-	64,962
Louisiana	*	-	0.9%	-	0.1%	-	0.3%	-	*	-	1.4%	-	513,553
Mississippi	0.5%	*	1.3%	*	0.2%	*	0.5%	-	*	-	2.5%	*	1,145,051
Missouri	*	-	0.7%	-	*	-	0.1%	-	*	-	0.9%	-	762,535
New Mexico	-	-	0.1%	-	*	-	*	-	-	-	0.2%	-	57,637
North Carolina	6.0%	-	0.4%	-	0.5%	-	0.1%	-	*	-	7.0%	-	1,020,701
Oklahoma	*	-	44.2%	-	0.1%	-	2.7%	*	*	-	47.0%	*	63,971
South Carolina	1.8%	-	0.4%	-	0.3%	-	0.1%	-	*	-	2.6%	-	467,523
Tennessee	*	*	0.4%	-	*	*	*	-	*	-	0.5%	*	809,940
Texas	*	*	10.4%	*	1.5%	*	3.2%	*	*	-	15.0%	*	3,411,287
Virginia	3.1%	-	0.3%	-	0.3%	-	*	-	-	-	3.8%	-	137,694
United States	0.8%	*	4.1%	*	0.5%	*	0.9%	*	-	-	6.2%	*	14,012,264

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by state  
For the entire 2010 Crop**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil, Spindle Twist and Other		Total		Season to Date Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	*	1.1%	*	0.1%	*	*	*	-	-	1.3%	*	463,499
Arizona	*	-	4.2%	*	0.1%	*	0.1%	-	*	-	4.3%	*	560,601
Arkansas	*	-	*	-	*	-	*	-	*	-	0.1%	-	1,100,235
California	*	-	1.1%	*	0.1%	-	*	-	*	-	1.3%	*	396,033
Florida	*	-	0.7%	-	0.1%	-	*	-	-	-	0.8%	-	118,803
Georgia	0.1%	*	0.6%	*	0.1%	*	*	-	*	-	0.8%	*	2,223,239
Kansas	*	*	21.0%	-	*	-	0.2%	*	-	-	21.2%	*	81,540
Louisiana	*	-	0.1%	-	0.3%	-	*	-	*	-	0.4%	-	438,962
Mississippi	*	-	0.1%	-	0.2%	-	0.1%	-	*	-	0.4%	-	814,293
Missouri	*	-	*	-	*	-	*	-	*	-	*	-	712,641
New Mexico	-	-	0.5%	-	*	-	*	-	-	-	0.5%	-	43,384
North Carolina	*	-	0.1%	-	0.1%	-	-	-	*	-	0.2%	-	936,978
Oklahoma	*	*	8.0%	*	0.1%	*	*	-	-	-	8.1%	*	400,953
South Carolina	*	-	0.4%	-	0.3%	-	-	-	-	-	0.7%	-	357,557
Tennessee	*	-	*	-	*	-	*	-	-	-	0.1%	-	667,430
Texas	*	*	7.8%	*	0.2%	*	0.2%	*	*	-	8.3%	*	7,713,979
Virginia	*	-	*	-	0.1%	-	-	-	-	-	0.2%	-	108,075
United States	*	*	4.1%	*	0.2%	*	0.1%	*	*	-	4.4%	*	17,138,202

\* Less than 0.05 percent.