



U. S. DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON PROGRAM, MARKET NEWS BRANCH  
 3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133  
 Telephone 901-384-3016



## QUALITY OF COTTON CLASSED

Volume 11, No. 13

20-Nov-09

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY STATE,  
 WEEK AND SEASON ENDED November 19, 2009

State	Week	Season
<b>UPLAND</b>		
Alabama	43,752	108,504
Arizona	32,752	154,796
Arkansas	157,311	428,915
California	28,812	135,049
Florida	10,501	25,545
Georgia	175,279	579,312
Kansas	949	949
Louisiana	52,696	211,036
Mississippi	77,877	212,115
Missouri	90,308	246,458
New Mexico	4,814	14,273
North Carolina	85,021	420,974
Oklahoma	23,842	74,369
South Carolina	24,929	116,515
Tennessee	79,922	233,293
Texas	533,120	1,967,730
Virginia	12,299	59,013
<b>United States</b>	<b>1,434,184</b>	<b>4,988,846</b>
Percent tenderable	70.2	67.8
<b>AMERICAN PIMA</b>		
Arizona *	0	1,719
California	43,962	164,691
New Mexico *	0	0
Texas *	0	0
<b>United States</b>	<b>43,962</b>	<b>166,410</b>
<b>United States all cotton</b>	<b>1,478,146</b>	<b>5,155,256</b>

\* Data Withheld--less than 500 bales classed.

MP\_CN106

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	*	*	-	*	68.7	64.0	22.9	29.0	-	-	*	*
	4	0.3	0.2	*	*	10.9	12.8	6.1	9.9	1.0	0.5	0.1	0.1
	5	0.1	0.1	*	*	0.1	0.4	*	0.1	*	*	*	*
	6	*	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>	-----	<b>0.4</b>	<b>0.3</b>	<b>*</b>	<b>0.1</b>	<b>79.8</b>	<b>77.1</b>	<b>29.1</b>	<b>39.0</b>	<b>1.0</b>	<b>0.5</b>	<b>0.2</b>
31	1-2	0.3	0.2	*	*	9.5	7.7	14.5	17.3	0.3	0.2	0.6	1.1
	3	20.7	15.6	5.0	4.7	8.2	7.6	30.9	26.7	32.9	21.0	26.1	21.6
	4	8.1	5.9	10.1	7.6	0.9	1.0	1.8	2.6	3.2	2.0	4.6	3.9
	5	1.2	0.7	0.9	0.5	0.1	0.2	0.1	0.1	*	*	0.1	0.1
	6	0.1	*	*	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	*	*	*	*
	<b>Total</b>	-----	<b>30.4</b>	<b>22.5</b>	<b>16.0</b>	<b>12.9</b>	<b>18.7</b>	<b>16.6</b>	<b>47.3</b>	<b>46.6</b>	<b>36.4</b>	<b>23.2</b>	<b>31.5</b>
41	1-2	0.2	0.3	*	0.1	0.1	0.1	1.3	0.9	0.1	0.1	0.4	0.6
	3	24.1	27.4	11.8	11.3	0.3	0.2	14.5	7.0	44.9	44.0	40.6	41.9
	4	23.6	21.7	34.0	30.1	0.2	0.3	2.4	2.1	12.6	23.2	22.6	25.1
	5	4.5	3.2	6.6	4.7	0.2	0.2	0.4	0.5	0.4	0.6	1.8	1.6
	6	0.3	0.2	0.3	0.2	0.1	0.1	0.3	0.1	-	*	*	*
	7	*	*	*	*	*	*	0.2	*	-	-	*	*
	<b>Total</b>	-----	<b>52.8</b>	<b>52.8</b>	<b>52.8</b>	<b>46.3</b>	<b>0.8</b>	<b>0.8</b>	<b>19.0</b>	<b>10.8</b>	<b>58.0</b>	<b>67.9</b>	<b>65.4</b>
51	1-2	*	0.1	*	*	-	-	*	*	*	*	*	*
	3	2.7	5.0	5.2	4.6	-	-	0.1	*	0.7	1.9	0.2	0.4
	4	3.7	5.6	10.6	11.3	*	*	*	*	1.1	3.1	0.4	0.7
	5	0.7	1.0	3.0	2.2	0.1	*	*	*	0.1	0.2	0.1	0.2
	6	0.1	0.2	0.2	0.1	0.1	*	*	*	*	*	*	*
	7	*	*	*	*	*	*	*	*	-	-	-	*
	<b>Total</b>	-----	<b>7.3</b>	<b>11.8</b>	<b>19.1</b>	<b>18.2</b>	<b>0.2</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>1.9</b>	<b>5.2</b>	<b>0.8</b>
61	1-2	-	*	*	*	-	-	-	-	-	-	-	*
	3	*	0.1	*	*	-	-	-	-	-	-	-	*
	4	*	*	*	0.1	-	-	-	-	-	*	-	*
	5	-	*	*	*	-	-	-	-	-	-	-	*
	6	-	*	*	*	-	-	-	-	-	-	-	*
	7	-	*	*	*	-	-	-	-	-	-	-	*
	<b>Total</b>	-----	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>*</b>	<b>-</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	-	-	-	-	*	1.3	*	0.3	-	-	-	*
	3	*	*	-	*	*	1.8	*	0.3	-	*	*	*
	4	*	*	*	*	-	0.4	-	*	-	-	-	*
	5	-	-	-	-	*	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>3.5</b>	<b>0.1</b>	<b>0.6</b>	<b>-</b>	<b>*</b>	<b>*</b>
32	1-2	*	*	*	*	*	*	0.4	0.5	-	*	*	*
	3	0.4	0.3	0.3	0.4	0.1	0.3	1.4	1.1	0.1	0.3	0.1	0.2
	4	0.3	0.2	0.9	1.3	0.2	0.6	0.2	0.1	*	*	*	*
	5	0.1	0.1	0.2	0.1	*	0.2	-	-	-	-	*	*
	6	*	*	*	*	-	*	-	-	-	-	*	*
	7	*	*	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.8</b>	<b>0.6</b>	<b>1.3</b>	<b>1.8</b>	<b>0.3</b>	<b>1.2</b>	<b>2.0</b>	<b>1.7</b>	<b>0.1</b>	<b>0.4</b>	<b>0.2</b>
42	1-2	*	*	*	*	-	-	0.1	0.1	-	*	*	*
	3	1.8	2.7	0.8	1.6	*	*	1.7	0.9	1.5	1.2	0.5	0.7
	4	2.2	2.5	2.7	5.1	*	0.1	0.3	0.1	0.4	0.9	0.8	1.2
	5	0.3	0.4	0.8	0.9	*	0.2	-	*	-	0.1	0.2	0.2
	6	*	*	*	*	*	*	*	*	-	*	*	*
	7	*	*	*	*	*	*	*	*	-	*	*	*
	<b>Total</b>	-----	<b>4.3</b>	<b>5.7</b>	<b>4.4</b>	<b>7.8</b>	<b>0.1</b>	<b>0.4</b>	<b>2.2</b>	<b>1.2</b>	<b>1.9</b>	<b>2.2</b>	<b>1.5</b>
52	1-2	*	*	*	*	-	-	-	-	-	-	*	*
	3	0.7	1.6	1.4	2.6	-	-	*	*	0.2	0.2	0.1	0.1
	4	1.5	2.6	2.8	6.7	-	*	-	-	0.1	0.2	0.1	0.2
	5	0.5	0.5	1.2	2.0	*	*	-	-	-	0.1	0.1	0.1
	6	0.1	0.1	0.1	0.1	*	*	-	-	-	*	*	*
	7	*	*	*	*	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>2.9</b>	<b>4.9</b>	<b>5.6</b>	<b>11.3</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	*	*	-	-	-	-	-	-	-	-	
	3	*	*	0.2	0.2	-	-	-	-	-	-	-	-	
	4	0.1	0.1	0.2	0.2	-	-	-	-	*	*	-	*	
	5	*	*	0.1	0.2	-	-	*	*	-	-	*	*	
	6	*	*	*	*	-	-	*	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.2</b>	<b>0.2</b>	<b>0.6</b>	<b>0.6</b>	-	-	*	*	*	*	*	*
	13 & 23	1-2	-	-	-	*	-	*	-	*	-	-	-	-
3		-	-	-	*	-	0.1	-	*	-	-	*	*	
4		-	-	-	*	-	0.1	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	-	-	-	*	-	<b>0.2</b>	-	*	-	-	*	*
33		1-2	*	*	-	-	-	*	*	*	-	-	-	*
	3	0.1	0.1	*	*	-	*	*	*	*	*	*	*	
	4	*	*	*	0.1	-	0.1	*	*	*	*	*	*	
	5	-	-	*	*	-	0.1	-	-	-	-	-	-	
	6	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.2</b>	<b>0.1</b>	*	<b>0.1</b>	-	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	*
	43	1-2	-	-	*	*	-	-	-	*	-	-	-	*
3		0.1	0.2	*	0.1	-	*	-	*	0.2	0.1	*	*	
4		0.2	0.1	*	0.1	-	*	-	*	*	*	*	*	
5		*	*	*	*	-	*	*	*	-	-	*	*	
6		-	-	*	*	-	*	-	*	-	-	*	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>0.3</b>	<b>0.3</b>	<b>0.1</b>	<b>0.2</b>	-	*	*	*	<b>0.3</b>	<b>0.1</b>	<b>0.1</b>	<b>0.1</b>
53		1-2	-	-	*	*	-	-	-	-	*	*	-	*
	3	0.1	0.1	*	0.2	-	-	-	-	*	*	*	*	
	4	0.1	0.3	*	0.2	-	-	-	-	*	*	*	*	
	5	*	0.1	*	0.1	-	-	-	-	-	-	*	*	
	6	-	*	*	*	-	-	-	-	-	-	-	*	
	7	*	*	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.3</b>	<b>0.6</b>	<b>0.1</b>	<b>0.5</b>	-	-	-	-	*	*	*	<b>0.1</b>
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		*	*	*	*	-	-	-	-	-	-	-	-	
4		*	*	*	*	-	-	-	*	-	-	-	-	
5		*	*	*	*	-	-	-	*	-	-	-	-	
6		-	*	*	*	-	-	-	-	-	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	<b>0.1</b>	<b>0.1</b>	*	<b>0.1</b>	-	-	*	*	-	-	-	*
24 - 54		1-7	*	*	*	0.1	-	*	-	-	-	-	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	*	*	
<b>EXTRANEIOUS MATTER</b>														
Bark - Level 1		1.2	1.7	*	0.1	0.4	0.8	*	0.1	0.7	1.0	0.5	0.7	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	*	
Grass - Level 1		*	0.1	*	*	0.1	0.4	0.2	0.3	0.1	0.1	*	0.1	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		0.1	0.1	2.0	1.8	-	*	-	*	-	0.1	0.2	0.2	
Prep - Level 2		-	-	-	-	-	-	-	*	-	-	-	*	
Other - Level 1		-	-	-	-	-	-	-	-	-	-	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
<b>STAPLE</b>														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		*	*	-	-	-	-	-	-	-	-	*	*	
32		1.2	0.7	*	0.1	*	*	-	-	0.1	0.1	0.1	0.2	
33		8.3	7.6	1.0	1.3	0.2	0.7	0.1	0.1	4.2	3.9	3.0	4.4	
34		26.3	28.3	9.4	13.5	2.8	6.6	1.5	1.2	31.6	32.8	23.8	27.9	
35		37.4	35.8	35.9	37.9	16.6	25.8	4.4	4.9	44.7	45.9	45.9	44.5	
36		19.1	19.9	39.8	35.5	35.8	34.5	8.8	9.8	15.6	14.5	21.8	18.7	
37		6.4	6.7	13.6	11.5	33.2	26.0	22.4	23.2	3.8	2.8	4.4	3.5	
38 & longer		1.3	1.0	0.3	0.2	11.3	6.3	62.8	60.9	*	0.1	1.0	0.8	
<b>Average staple</b>		<b>34.9</b>	<b>34.9</b>	<b>35.6</b>	<b>35.4</b>	<b>36.4</b>	<b>36.0</b>	<b>37.9</b>	<b>38.0</b>	<b>34.8</b>	<b>34.8</b>	<b>35.0</b>	<b>34.9</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	-	-	-	0.2	*	*	-	-	0.2	0.1	40.2	47.1
	4	-	-	*	0.8	0.2	0.3	-	*	0.1	0.2	8.0	11.9
	5	0.3	0.3	-	*	0.1	0.1	-	-	-	*	0.5	0.7
	6	1.1	1.1	-	*	*	*	-	-	-	-	*	*
	7	0.2	0.2	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.6</b>	<b>1.6</b>	<b>*</b>	<b>1.0</b>	<b>0.3</b>	<b>0.4</b>	<b>-</b>	<b>*</b>	<b>0.3</b>	<b>0.3</b>	<b>48.7</b>
31	1-2	0.1	0.1	0.1	0.2	0.6	0.5	*	*	1.0	1.1	20.6	12.5
	3	7.3	7.3	0.4	2.4	16.2	16.5	0.6	0.3	11.8	17.1	21.6	18.0
	4	13.1	13.1	0.1	1.3	18.0	14.9	0.6	0.3	2.9	5.9	2.6	5.8
	5	17.8	17.8	*	0.3	1.6	0.9	0.1	0.1	0.1	0.2	1.2	0.8
	6	13.4	13.4	-	*	0.1	*	*	*	*	*	0.1	0.1
	7	2.6	2.6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>54.3</b>	<b>54.3</b>	<b>0.5</b>	<b>4.3</b>	<b>36.4</b>	<b>32.8</b>	<b>1.3</b>	<b>0.7</b>	<b>15.8</b>	<b>24.3</b>	<b>46.2</b>
41	1-2	-	-	0.4	0.3	0.5	0.5	0.2	0.1	0.4	0.3	0.6	0.2
	3	-	-	10.1	14.8	20.3	22.0	9.0	5.2	26.3	23.6	2.3	1.0
	4	1.6	1.6	4.8	8.6	32.1	34.1	17.3	14.0	33.0	33.7	1.2	0.8
	5	5.2	5.2	0.3	0.9	5.0	4.5	9.0	5.2	8.2	7.0	0.5	0.3
	6	3.4	3.4	*	0.1	0.4	0.2	0.9	0.4	1.1	0.5	0.1	*
	7	3.3	3.3	-	*	0.1	*	*	*	0.1	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>13.4</b>	<b>13.4</b>	<b>15.6</b>	<b>24.6</b>	<b>58.3</b>	<b>61.2</b>	<b>36.3</b>	<b>24.9</b>	<b>69.0</b>	<b>65.1</b>	<b>4.8</b>
51	1-2	-	-	0.7	0.2	*	*	0.1	0.2	*	*	-	-
	3	-	-	24.5	13.8	0.5	0.4	7.3	6.0	0.4	0.3	-	-
	4	-	-	24.9	16.0	0.7	0.7	17.8	19.6	2.4	2.1	-	-
	5	-	-	2.2	2.3	0.1	0.1	6.4	4.7	2.9	1.8	-	-
	6	-	-	0.1	0.1	*	*	0.8	0.4	1.5	0.6	-	-
	7	-	-	-	*	-	-	*	*	0.4	0.2	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>52.3</b>	<b>32.4</b>	<b>1.3</b>	<b>1.1</b>	<b>32.5</b>	<b>30.9</b>	<b>7.7</b>	<b>5.0</b>	<b>-</b>
61	1-2	-	-	*	*	*	*	*	*	-	-	-	-
	3	-	-	0.7	0.2	-	-	0.5	0.3	-	-	-	-
	4	-	-	0.7	0.3	-	-	0.9	0.8	-	*	-	-
	5	-	-	0.1	0.1	-	-	0.2	0.1	-	*	-	-
	6	-	-	*	*	-	-	0.1	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>1.5</b>	<b>0.6</b>	<b>-</b>	<b>-</b>	<b>1.7</b>	<b>1.2</b>	<b>*</b>	<b>*</b>	<b>-</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	-	-	-	*	-	-	-	-	*	*	-	*
	3	-	-	-	*	*	*	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	0.3	0.3	-	-	-	-	-	-	-	-	-	-
	7	0.1	0.1	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.4</b>	<b>0.4</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
32	1-2	-	-	-	*	-	-	-	-	*	*	-	*
	3	-	-	*	0.1	0.3	0.5	*	*	0.5	0.6	-	0.2
	4	-	-	-	0.1	0.7	0.9	0.1	*	0.2	0.2	*	0.1
	5	0.6	0.6	-	*	0.2	0.1	*	*	*	*	0.3	0.2
	6	1.4	1.4	-	-	*	*	-	-	*	*	*	*
	7	1.2	1.2	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>3.2</b>	<b>3.2</b>	<b>*</b>	<b>0.1</b>	<b>1.3</b>	<b>1.6</b>	<b>0.1</b>	<b>*</b>	<b>0.7</b>	<b>0.8</b>	<b>0.3</b>
42	1-2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	0.6	2.4	0.4	0.5	0.5	0.8	1.5	1.3	-	0.2
	4	0.8	0.8	0.5	2.0	1.4	1.8	1.6	3.1	2.2	1.9	-	0.1
	5	4.3	4.3	*	0.4	0.4	0.4	1.2	1.4	1.1	0.6	*	*
	6	1.6	1.6	-	*	0.1	0.1	0.1	0.1	0.2	0.1	*	*
	7	-	-	-	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>6.7</b>	<b>6.7</b>	<b>1.1</b>	<b>4.8</b>	<b>2.3</b>	<b>2.8</b>	<b>3.5</b>	<b>5.3</b>	<b>5.1</b>	<b>3.9</b>	<b>*</b>
52	1-2	-	-	0.2	0.1	-	-	*	*	*	*	-	-
	3	-	-	7.2	8.6	*	*	2.8	3.7	0.1	*	-	-
	4	-	-	11.6	12.3	*	*	9.2	16.1	0.3	0.2	-	-
	5	-	-	1.8	2.1	-	*	3.5	5.2	0.3	0.1	-	-
	6	-	-	0.1	0.2	*	*	0.5	0.4	0.2	0.1	-	-
	7	-	-	-	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>20.9</b>	<b>23.4</b>	<b>*</b>	<b>0.1</b>	<b>16.0</b>	<b>25.3</b>	<b>0.8</b>	<b>0.4</b>	<b>-</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	*	*	-	-	*	*	-	-	-	-	
	3	-	-	2.0	1.0	-	-	1.1	1.0	-	-	-	-	
	4	-	-	2.1	1.3	-	*	3.0	3.9	-	*	-	-	
	5	-	-	0.6	0.4	-	-	1.2	1.3	*	*	-	-	
	6	-	-	*	*	-	-	0.2	0.1	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	-	-	
	<b>Total</b>	----	-	-	<b>4.8</b>	<b>2.7</b>	-	*	<b>5.5</b>	<b>6.3</b>	*	*	-	-
	13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	*
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		----	-	-	-	-	-	-	-	-	-	-	-	*
33		1-2	-	-	-	-	-	-	-	-	*	*	-	-
	3	0.4	0.4	-	*	*	*	*	*	0.1	*	-	-	
	4	0.1	0.1	-	*	*	*	*	*	*	*	-	-	
	5	-	-	-	*	*	*	*	*	*	*	-	-	
	6	-	-	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.5</b>	<b>0.5</b>	-	*	*	*	*	*	<b>0.2</b>	<b>0.1</b>	-	-
	43	1-2	-	-	0.1	*	-	-	-	*	-	-	-	-
3		3.6	3.6	0.2	0.3	-	*	*	0.1	0.1	*	-	*	
4		8.1	8.1	0.1	0.2	*	*	0.1	0.2	0.2	0.1	-	*	
5		1.9	1.9	-	*	-	*	*	0.1	0.1	*	-	-	
6		-	-	-	*	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	-	-	*	*	-	-	
<b>Total</b>		----	<b>13.6</b>	<b>13.6</b>	<b>0.3</b>	<b>0.5</b>	*	*	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.1</b>	-	*
53		1-2	-	-	0.1	0.1	-	-	*	*	-	-	-	-
	3	-	-	1.3	1.8	-	-	0.1	0.3	*	*	-	-	
	4	-	-	0.9	2.2	-	*	0.4	1.4	*	*	-	-	
	5	-	-	0.1	0.3	-	-	0.2	0.6	*	*	-	-	
	6	-	-	*	*	-	-	*	*	*	*	-	-	
	7	-	-	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	-	-	<b>2.4</b>	<b>4.4</b>	-	*	<b>0.8</b>	<b>2.3</b>	*	*	-	-
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	0.1	0.3	-	-	0.3	0.3	-	-	-	-	
4		-	-	0.2	0.4	-	-	0.9	1.2	-	-	-	-	
5		-	-	0.1	0.1	-	-	0.6	0.7	-	-	-	-	
6		-	-	0.1	*	-	-	0.1	0.1	-	-	-	-	
7		-	-	-	-	-	-	*	*	-	-	-	-	
<b>Total</b>		----	-	-	<b>0.4</b>	<b>0.8</b>	-	-	<b>2.0</b>	<b>2.3</b>	-	-	-	-
24 - 54		1-7	4.6	4.6	0.2	0.3	-	*	*	0.1	*	*	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	*	*	*	*	*	*	0.2	0.3	*	*	*	*	
All Colors	8 2/	1.7	1.7	*	*	*	*	*	*	*	*	*	*	
<b>EXTRANEIOUS MATTER</b>														
Bark - Level 1		41.6	41.6	0.1	0.4	*	*	0.1	0.2	0.2	0.1	0.4	0.2	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	-	0.2	1.0	*	*	0.1	0.1	0.2	0.4	*	0.4	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		-	-	0.6	0.7	0.1	*	8.0	8.1	0.1	0.1	-	-	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	-	-	*	-	-	-	*	-	-	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
<b>STAPLE</b>														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		-	-	*	*	-	-	*	*	*	*	-	-	
32		-	-	0.4	0.2	-	*	0.2	0.3	0.5	0.4	-	*	
33		0.1	0.1	5.1	3.6	0.2	0.3	2.7	3.1	4.5	4.8	*	0.4	
34		2.2	2.2	24.8	23.4	6.4	7.4	17.3	16.5	21.5	22.8	0.8	4.3	
35		19.1	19.1	40.4	43.2	38.2	38.5	35.4	38.7	41.3	42.6	8.6	8.5	
36		48.8	48.8	23.4	23.5	44.4	42.7	29.6	30.3	24.8	23.6	26.8	29.9	
37		25.5	25.5	5.5	5.8	10.5	10.9	14.1	10.6	7.0	5.6	47.0	45.0	
38 & longer		4.3	4.3	0.4	0.2	0.1	0.1	0.8	0.5	0.4	0.3	16.8	11.8	
<b>Average staple</b>		<b>36.1</b>	<b>36.1</b>	<b>35.0</b>	<b>35.0</b>	<b>35.6</b>	<b>35.6</b>	<b>35.4</b>	<b>35.3</b>	<b>35.1</b>	<b>35.0</b>	<b>36.7</b>	<b>36.5</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 1.8	Pct. 1.1	-	0.3	*	*	Pct. 23.7	Pct. 20.1	-	*	
	3	3.7	2.0	*	0.3	0.3	0.2	30.1	28.4	0.1	0.1	
	4	1.0	0.3	-	*	0.2	0.1	5.4	4.1	-	*	
	5	0.2	0.1	-	-	-	*	0.5	0.3	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	<b>6.6</b>	<b>3.5</b>	*	<b>0.6</b>	<b>0.5</b>	<b>0.3</b>	<b>59.7</b>	<b>52.9</b>	<b>0.1</b>	<b>0.1</b>
	31	1-2	11.6	10.2	0.2	0.9	0.2	0.3	2.1	2.6	*	0.3
3		43.6	51.3	7.2	9.4	13.3	12.5	12.9	16.7	3.1	16.6	
4		14.9	11.6	1.7	3.4	20.1	14.8	11.1	12.2	3.3	10.8	
5		4.8	2.1	0.1	0.3	5.2	2.4	4.2	3.1	0.3	0.4	
6		0.9	0.3	-	-	0.5	0.2	0.7	0.4	-	*	
7		0.1	*	-	-	*	*	0.1	0.1	-	-	
<b>Total</b>		----	<b>75.9</b>	<b>75.6</b>	<b>9.1</b>	<b>13.9</b>	<b>39.3</b>	<b>30.2</b>	<b>31.2</b>	<b>35.1</b>	<b>6.7</b>	<b>28.1</b>
41		1-2	0.2	0.7	0.8	1.0	0.6	0.8	*	0.1	*	*
	3	2.7	8.6	42.2	41.1	15.2	18.7	0.5	1.3	17.9	19.0	
	4	4.3	5.2	32.8	27.7	28.5	30.4	1.1	1.9	55.1	41.3	
	5	5.0	3.2	4.0	3.0	9.1	6.4	1.3	1.4	13.5	8.9	
	6	2.3	1.2	0.1	0.1	1.6	0.7	0.7	0.5	1.0	0.5	
	7	0.8	0.3	*	*	0.2	0.1	0.4	0.2	0.1	*	
	<b>Total</b>	----	<b>15.4</b>	<b>19.2</b>	<b>79.8</b>	<b>72.8</b>	<b>55.1</b>	<b>57.0</b>	<b>3.9</b>	<b>5.4</b>	<b>87.6</b>	<b>69.7</b>
	51	1-2	-	*	0.1	0.1	*	0.1	0.1	0.1	-	-
3		*	*	2.4	3.1	1.0	2.0	0.3	0.4	*	*	
4		*	*	4.2	5.0	0.8	1.4	0.2	0.4	0.9	0.3	
5		*	*	1.0	0.9	0.2	0.2	*	0.2	1.2	0.3	
6		*	*	0.1	*	*	*	*	*	0.2	*	
7		*	*	*	*	*	*	*	*	*	*	
<b>Total</b>		----	<b>0.1</b>	<b>0.1</b>	<b>7.8</b>	<b>9.0</b>	<b>2.0</b>	<b>3.7</b>	<b>0.6</b>	<b>1.1</b>	<b>2.4</b>	<b>0.7</b>
61		1-2	-	-	-	-	-	-	0.1	*	-	-
	3	-	-	-	-	*	*	0.2	0.1	-	-	
	4	-	-	-	-	*	*	0.1	0.1	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	-	-	-	-	*	*	<b>0.4</b>	<b>0.3</b>	-	-
	71	1-2	-	-	-	-	-	-	*	*	-	-
3		-	-	-	-	-	-	*	*	-	-	
4		-	-	-	-	-	-	*	*	-	-	
5		-	-	-	-	-	-	*	*	-	-	
6		-	-	-	-	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	*	-	-	
<b>Total</b>		----	-	-	-	-	-	-	<b>0.1</b>	*	-	-
12 & 22		1-2	-	*	-	*	-	-	0.1	0.3	-	-
	3	0.2	0.1	-	*	*	*	0.3	0.6	-	-	
	4	0.2	0.1	-	-	*	*	0.1	0.2	-	-	
	5	0.1	*	-	-	-	-	*	0.1	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	<b>0.4</b>	<b>0.2</b>	-	*	*	<b>0.1</b>	<b>1.2</b>	-	-	
	32	1-2	*	*	*	*	-	*	*	0.1	-	*
3		0.4	0.3	0.2	0.3	0.2	0.7	0.2	0.4	*	0.1	
4		0.3	0.3	0.1	0.2	0.6	1.0	0.4	0.4	0.1	0.1	
5		0.1	0.1	*	*	0.2	0.2	0.3	0.2	*	*	
6		*	*	-	-	*	*	0.1	0.1	-	-	
7		*	*	-	-	*	*	*	*	-	-	
<b>Total</b>		----	<b>0.8</b>	<b>0.8</b>	<b>0.4</b>	<b>0.5</b>	<b>1.1</b>	<b>1.9</b>	<b>0.9</b>	<b>1.2</b>	<b>0.2</b>	<b>0.2</b>
42		1-2	-	*	*	*	*	0.1	*	*	-	-
	3	0.1	0.1	1.1	1.1	0.4	1.8	*	0.2	0.3	0.3	
	4	0.1	0.1	0.8	1.1	0.6	2.1	0.1	0.3	1.8	0.6	
	5	0.1	0.1	0.1	0.2	0.3	0.5	0.1	0.2	0.5	0.2	
	6	*	*	*	*	0.1	0.1	0.1	0.1	0.3	0.1	
	7	-	-	-	-	*	*	0.1	0.1	*	*	
	<b>Total</b>	----	<b>0.3</b>	<b>0.4</b>	<b>2.1</b>	<b>2.5</b>	<b>1.4</b>	<b>4.6</b>	<b>0.4</b>	<b>0.8</b>	<b>2.9</b>	<b>1.2</b>
	52	1-2	-	-	*	*	*	*	*	*	-	-
3		*	*	0.1	0.1	0.2	0.8	0.2	0.3	-	*	
4		-	*	0.3	0.4	0.1	0.7	0.2	0.3	*	*	
5		-	-	0.2	0.1	*	0.1	*	0.1	*	*	
6		*	*	*	*	*	*	*	*	*	*	
7		-	-	-	-	-	-	*	*	-	-	
<b>Total</b>		----	*	*	<b>0.6</b>	<b>0.6</b>	<b>0.4</b>	<b>1.6</b>	<b>0.4</b>	<b>0.8</b>	<b>0.1</b>	*

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-	
	1-2	-	-	-	-	-	-	0.1	*	-	-	
	3	-	-	-	-	*	*	0.3	0.2	*	*	
	4	-	-	-	-	*	0.1	0.2	0.1	-	-	
	5	-	-	-	-	-	*	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	-	-	-	-	0.1	0.1	0.6	0.3	*	*
13 & 23	1-2	-	-	-	-	-	-	*	*	-	-	
	3	*	*	-	-	-	*	*	0.1	-	-	
	4	*	*	-	-	-	-	*	*	-	-	
	5	*	*	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	*	*	-	-	-	*	0.1	0.1	-	-
	33	1-2	-	-	-	*	-	*	*	*	-	-
3		0.1	0.1	*	*	*	0.1	*	0.1	-	-	
4		0.1	*	*	*	0.1	0.1	0.1	0.1	-	-	
5		*	*	-	-	*	*	0.1	*	-	-	
6		*	*	-	-	-	-	*	*	-	-	
7		*	*	-	-	-	-	*	*	-	-	
<b>Total</b>		----	0.3	0.1	*	0.1	0.1	0.2	0.2	0.2	-	-
43		1-2	-	*	-	*	-	*	-	*	-	-
	3	*	*	*	*	*	0.1	*	*	-	-	
	4	-	*	0.1	*	*	0.1	*	*	0.1	*	
	5	*	*	*	*	*	*	0.1	*	*	*	
	6	*	*	-	-	*	*	0.1	*	-	-	
	7	*	*	-	-	-	-	0.1	*	-	-	
	<b>Total</b>	----	0.1	0.1	0.1	0.1	*	0.2	0.3	0.2	0.1	*
	53	1-2	-	*	-	*	-	*	*	*	-	-
3		-	*	*	*	*	*	*	0.1	-	-	
4		-	-	*	*	*	0.1	*	*	-	-	
5		-	*	*	*	*	*	*	*	-	-	
6		-	-	-	-	-	-	*	*	-	-	
7		-	-	-	-	-	-	*	*	-	-	
<b>Total</b>		----	-	*	*	*	*	0.1	0.1	0.1	-	*
63		1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	*	*	*	-	-	
	5	-	-	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	----	-	-	-	-	-	*	0.1	0.1	-	-
	24 - 54	1-7	-	-	-	*	-	*	0.2	0.1	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-		
81 - 85 1/	1-7	*	*	*	*	*	*	0.1	*	*	*	
<b>All Colors</b>	8 2/	0.1	*	*	*	*	*	0.1	*	*	*	
<b>EXTRANEIOUS MATTER</b>												
Bark - Level 1		12.8	13.0	0.1	0.1	*	0.1	23.1	20.0	0.7	0.2	
Bark - Level 2		-	-	-	-	-	-	-	*	-	-	
Grass - Level 1		-	*	0.1	0.3	*	*	*	0.3	0.4	0.8	
Grass - Level 2		-	-	-	-	-	-	-	*	-	-	
Prep - Level 1		-	-	*	*	*	*	*	*	-	-	
Prep - Level 2		-	-	-	-	-	-	*	*	-	-	
Other - Level 1		-	-	-	-	-	*	*	*	-	-	
Other - Level 2		-	-	-	-	-	-	-	*	-	-	
<b>STAPLE</b>												
28 & shorter		-	-	-	-	-	-	*	*	-	-	
29		*	*	-	-	-	-	*	0.1	-	-	
30		*	*	-	-	-	-	*	0.4	-	-	
31		0.1	0.2	*	*	-	-	0.3	1.2	-	-	
32		0.7	0.8	0.5	0.5	0.1	0.1	1.1	2.6	*	*	
33		2.4	2.5	4.9	5.3	2.9	3.4	4.0	5.9	0.6	0.5	
34		8.9	11.0	19.3	21.6	23.3	24.4	10.8	12.0	8.3	8.6	
35		19.4	22.1	35.7	37.4	46.9	47.6	20.0	19.9	37.8	40.2	
36		28.2	31.1	28.5	25.7	23.7	22.1	26.6	24.6	44.2	44.4	
37		26.8	23.1	10.1	8.8	3.1	2.5	28.5	25.6	9.0	6.3	
38 & longer		13.5	9.1	0.9	0.7	*	*	8.7	7.8	*	*	
<b>Average staple</b>		<b>36.1</b>	<b>35.9</b>	<b>35.2</b>	<b>35.1</b>	<b>35.0</b>	<b>35.0</b>	<b>35.9</b>	<b>35.6</b>	<b>35.5</b>	<b>35.5</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	*	*	-	-	-	-	-	-	-	-	-	-
21	*	*	-	-	-	-	-	-	*	*	-	-
22	*	*	-	-	-	-	-	-	*	*	-	-
23	0.1	0.2	*	*	-	*	-	-	*	*	-	-
24	0.8	1.2	*	0.2	-	*	-	-	0.3	0.2	*	*
25	3.9	4.4	0.4	1.0	0.1	0.2	*	*	1.7	1.4	0.1	0.1
26	12.5	12.3	2.9	5.1	0.3	1.0	-	*	7.9	8.1	3.1	2.7
27	20.9	21.0	10.6	16.0	1.0	3.1	0.1	0.2	20.6	21.6	14.0	12.6
28	25.4	25.9	21.4	24.2	4.6	8.4	0.4	2.1	30.7	31.6	31.3	28.6
29	20.4	19.7	29.1	26.0	12.7	18.1	6.4	7.3	24.1	23.4	30.3	29.9
30	10.9	10.4	23.3	18.4	21.4	26.0	9.9	6.8	11.0	10.2	14.3	16.6
31	4.1	3.9	9.7	7.3	25.5	21.6	4.0	5.1	3.1	2.9	4.8	6.6
32	0.8	0.9	2.2	1.6	17.8	12.6	3.2	4.4	0.4	0.6	1.7	2.3
33	0.1	0.1	0.2	0.2	10.7	6.0	6.9	8.6	*	0.1	0.5	0.6
34	*	*	*	*	4.4	2.3	19.8	24.8	-	-	*	0.1
35	-	-	-	-	1.3	0.7	27.6	26.6	-	-	*	*
36 & above	-	-	-	-	0.3	0.2	21.6	14.0	-	-	*	*
<b>Average</b>	<b>27.9</b>	<b>27.9</b>	<b>28.9</b>	<b>28.6</b>	<b>30.9</b>	<b>30.2</b>	<b>33.8</b>	<b>33.4</b>	<b>28.1</b>	<b>28.1</b>	<b>28.6</b>	<b>28.7</b>
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	*	*	-	-	-	-
26	-	-	-	-	-	*	-	*	-	-	-	-
27	-	-	*	*	-	*	*	*	-	-	-	-
28	-	-	*	*	-	*	*	*	-	-	-	-
29	*	*	*	*	-	*	*	*	-	-	*	*
30	*	*	0.1	*	*	*	0.1	*	-	-	-	-
31	0.1	*	0.1	0.1	0.2	0.1	0.1	*	-	-	*	*
32	0.3	0.2	0.2	0.1	0.1	0.1	0.3	0.2	*	*	*	*
33	0.5	0.3	0.3	0.2	0.1	0.1	0.6	0.3	-	-	*	*
34	0.8	0.4	0.6	0.5	0.1	0.1	0.8	0.5	-	-	0.1	*
35	1.1	0.7	1.1	0.9	0.2	0.2	0.6	0.6	*	*	0.1	0.1
36	1.4	1.0	1.8	1.5	0.2	0.2	0.8	1.3	*	*	0.2	0.1
37	2.2	1.5	2.9	2.4	0.3	0.4	2.0	2.2	0.3	0.1	0.4	0.2
38	2.8	2.2	4.6	3.9	0.4	0.7	2.6	3.2	0.3	0.1	0.8	0.4
39	3.4	2.6	6.2	5.3	0.8	1.0	3.9	4.9	1.1	0.6	1.5	0.8
40	4.9	4.0	8.5	7.2	1.4	1.4	7.8	6.2	2.9	1.5	2.4	1.4
41	5.7	5.1	10.1	8.8	2.0	1.9	8.7	7.5	5.5	3.6	3.8	2.4
42	8.5	7.1	11.3	10.4	2.8	3.1	10.4	9.0	6.5	5.2	5.9	3.9
43	10.7	8.8	11.4	11.0	4.5	5.3	11.8	10.0	7.8	7.7	8.7	6.1
44	11.6	10.2	10.1	10.6	6.2	6.2	12.8	11.3	11.6	11.4	11.8	9.1
45	11.8	11.8	9.2	9.6	6.5	6.8	12.1	11.9	14.3	14.2	14.0	12.1
46	11.2	13.0	7.9	8.0	8.0	7.8	10.4	10.9	14.8	16.0	14.2	13.8
47	8.5	11.6	5.2	6.5	8.9	8.5	6.3	8.3	15.8	16.2	12.4	14.2
48	6.2	8.6	3.4	4.9	11.6	9.6	3.9	5.3	11.0	12.4	9.5	12.3
49	4.1	6.0	2.4	3.9	12.3	11.6	2.2	3.0	5.1	7.3	6.6	9.8
50	2.3	2.6	1.5	2.5	11.6	12.6	1.1	1.6	2.1	2.7	3.8	6.0
51	1.2	1.4	0.8	1.2	8.6	10.6	0.5	0.8	0.5	0.8	2.1	3.7
52	0.5	0.6	0.3	0.5	6.4	6.9	*	0.7	0.1	0.2	1.1	2.1
53	0.2	0.2	*	0.1	3.8	3.2	*	0.2	*	0.1	0.4	0.9
54	*	*	*	*	1.9	1.2	-	0.1	-	*	0.1	0.3
55	-	-	-	*	1.0	0.3	-	*	-	-	*	0.1
56	-	-	-	-	0.1	0.1	-	*	-	-	*	*
57	-	-	-	-	*	*	-	-	-	-	*	*
58	-	-	-	-	-	-	-	-	-	-	-	*
59	-	-	-	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>44</b>	<b>45</b>	<b>43</b>	<b>43</b>	<b>48</b>	<b>48</b>	<b>43</b>	<b>44</b>	<b>45</b>	<b>46</b>	<b>45</b>	<b>46</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	0.1	0.1	-	-	-	-	*	*	-	*	-	-
24	0.5	0.5	0.2	0.2	*	*	0.2	0.7	*	*	*	*
25	0.1	0.1	2.4	2.6	0.1	0.1	1.2	2.8	0.7	0.5	-	0.1
26	3.3	3.3	11.0	11.1	1.2	1.4	5.5	9.3	4.0	3.3	0.4	1.5
27	7.7	7.7	24.9	23.1	6.2	7.6	14.5	18.9	11.9	11.3	4.7	6.8
28	31.7	31.7	29.9	27.8	20.6	22.1	23.8	24.0	23.9	23.8	13.7	15.0
29	18.9	18.9	19.7	18.9	35.3	32.1	23.8	21.1	27.7	29.2	23.8	23.7
30	8.6	8.6	8.6	9.5	25.2	24.4	16.4	13.3	18.2	19.1	21.1	19.1
31	17.3	17.3	2.5	4.7	9.2	9.8	9.7	7.0	8.6	8.7	16.4	17.0
32	10.3	10.3	0.5	1.6	1.9	2.2	4.3	2.6	3.7	3.2	10.4	10.4
33	1.5	1.5	0.1	0.4	0.2	0.3	0.4	0.2	1.1	0.8	5.5	4.4
34	-	-	*	0.1	*	*	0.1	*	0.1	0.1	2.9	1.5
35	-	-	-	-	-	-	-	-	-	-	0.7	0.3
36 & above	-	-	-	-	-	-	-	-	-	-	0.4	0.1
<b>Average</b>	<b>29.1</b>	<b>29.1</b>	<b>27.9</b>	<b>28.0</b>	<b>29.1</b>	<b>29.0</b>	<b>28.7</b>	<b>28.3</b>	<b>28.8</b>	<b>28.9</b>	<b>30.0</b>	<b>29.7</b>
MIKE												
24 & below	2.6	2.6	-	-	-	-	-	-	-	-	-	-
25	4.2	4.2	-	-	-	-	-	-	-	-	-	-
26	6.6	6.6	-	-	-	-	-	-	-	-	-	-
27	2.7	2.7	-	-	-	-	-	-	-	-	-	-
28	7.4	7.4	-	-	-	-	-	-	-	-	-	0.1
29	6.3	6.3	*	*	*	*	*	*	*	*	-	0.2
30	8.3	8.3	*	*	0.1	*	0.1	*	*	*	*	0.3
31	12.3	12.3	0.1	*	0.1	*	0.2	0.1	*	*	*	0.1
32	1.5	1.5	*	*	0.3	0.1	0.3	0.2	*	*	*	0.4
33	-	-	*	*	0.4	0.2	0.6	0.3	*	*	0.4	0.4
34	0.2	0.2	0.1	0.1	0.6	0.3	0.7	0.4	*	*	1.4	0.8
35	2.6	2.6	0.3	0.1	1.3	0.8	0.9	0.5	0.1	0.1	1.2	0.8
36	5.3	5.3	0.6	0.2	2.0	1.3	1.1	0.7	0.1	0.1	3.2	1.4
37	5.3	5.3	0.8	0.3	3.2	2.3	1.6	1.0	0.3	0.2	4.0	2.2
38	6.0	6.0	1.2	0.4	4.8	4.0	2.5	1.5	0.4	0.3	3.4	2.7
39	4.2	4.2	1.9	0.7	6.4	6.0	3.1	2.1	0.7	0.5	3.8	4.3
40	4.6	4.6	2.5	1.2	8.6	7.9	4.4	3.0	1.4	0.9	4.1	6.2
41	11.4	11.4	3.4	1.7	10.2	10.7	6.0	4.3	1.7	1.4	6.2	8.1
42	2.1	2.1	5.0	2.6	12.3	12.8	7.5	5.5	2.6	2.4	9.3	11.3
43	1.1	1.1	5.8	3.3	13.0	13.4	9.2	6.9	3.9	3.7	11.2	12.3
44	1.4	1.4	7.3	4.4	12.2	12.4	10.0	8.6	5.3	5.6	12.9	12.5
45	-	-	8.6	5.9	9.7	10.0	10.5	10.2	7.7	8.0	11.7	11.9
46	-	-	9.6	7.7	6.7	7.9	9.7	11.1	10.0	10.6	9.0	9.9
47	-	-	11.1	10.2	4.5	5.3	8.8	11.5	11.8	12.5	7.8	7.3
48	2.5	2.5	12.1	11.9	2.2	2.8	7.4	10.0	12.5	12.9	5.4	3.5
49	1.3	1.3	10.9	13.4	1.0	1.2	5.9	7.8	12.5	12.4	2.8	1.9
50	-	-	8.7	13.1	0.4	0.5	4.5	5.9	10.3	10.4	1.7	0.9
51	-	-	5.4	10.8	0.1	0.1	2.5	4.0	8.0	7.7	0.3	0.2
52	-	-	2.7	7.0	*	*	1.7	2.6	5.4	5.2	0.1	*
53	-	-	1.1	3.1	*	*	0.6	1.3	3.0	2.8	-	-
54	-	-	0.4	1.2	*	*	0.1	0.4	1.6	1.4	-	-
55	-	-	0.1	0.5	-	-	*	0.1	0.5	0.5	-	-
56	-	-	*	0.2	-	-	*	*	0.2	0.2	-	-
57	-	-	*	*	-	-	*	*	0.1	*	-	-
58	-	-	*	*	-	-	-	-	*	*	-	-
59	-	-	*	*	-	-	-	-	-	-	-	-
60 & above	-	-	*	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>34</b>	<b>34</b>	<b>46</b>	<b>48</b>	<b>42</b>	<b>43</b>	<b>44</b>	<b>46</b>	<b>48</b>	<b>48</b>	<b>43</b>	<b>43</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	*	*	-	-
19	-	-	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	*	*	-	-
21	-	-	-	-	-	-	*	*	-	-
22	-	-	-	-	-	-	0.1	0.1	-	-
23	*	*	-	-	*	*	0.1	0.2	-	-
24	*	*	*	*	0.1	0.1	0.3	0.6	*	*
25	0.1	0.1	0.1	0.2	0.9	1.0	1.0	1.3	0.5	0.2
26	0.4	0.4	1.5	1.6	6.7	7.4	2.5	2.8	4.1	1.9
27	2.2	1.8	6.7	7.0	19.3	20.9	6.4	6.3	13.7	9.4
28	6.4	7.2	17.5	18.0	29.1	30.0	12.9	12.3	25.4	24.5
29	16.1	17.4	25.9	28.6	25.4	24.0	18.3	17.8	26.0	29.7
30	24.4	26.1	27.0	25.3	13.0	11.7	20.6	20.3	17.3	20.7
31	23.9	24.2	14.3	13.1	4.3	3.9	19.2	19.0	8.6	9.2
32	15.9	14.3	5.3	5.0	0.9	0.9	12.3	12.5	3.3	3.4
33	7.2	6.0	1.5	1.1	0.1	0.1	4.7	5.1	1.1	0.8
34	2.4	1.8	0.1	0.1	*	*	1.3	1.5	0.1	0.1
35	0.7	0.5	-	-	-	-	0.2	0.3	-	-
36 & above	0.1	0.1	-	-	-	-	*	*	-	-
<b>Average</b>	<b>30.5</b>	<b>30.4</b>	<b>29.4</b>	<b>29.3</b>	<b>28.3</b>	<b>28.2</b>	<b>29.8</b>	<b>29.8</b>	<b>28.8</b>	<b>29.0</b>
MIKE										
24 & below	-	-	-	-	*	*	0.9	0.3	-	-
25	*	*	-	-	*	*	0.8	0.3	-	-
26	*	*	-	-	*	*	1.2	0.5	-	-
27	*	*	-	-	*	*	1.6	0.7	-	-
28	0.2	0.1	-	-	*	*	2.0	0.9	-	-
29	0.5	0.2	-	*	0.1	*	2.4	1.1	-	-
30	0.4	0.2	-	*	0.2	0.1	2.8	1.4	-	-
31	0.7	0.3	-	*	0.3	0.1	3.1	1.7	-	-
32	1.0	0.5	-	*	0.5	0.2	3.5	2.1	-	-
33	1.7	0.9	-	*	1.2	0.5	3.8	2.5	-	-
34	2.3	1.5	*	*	1.9	1.0	4.3	3.0	-	-
35	3.6	2.3	*	*	3.5	2.2	4.8	3.6	*	*
36	3.9	2.6	*	*	4.6	3.3	5.2	4.2	-	*
37	5.1	3.1	0.1	*	6.1	4.7	5.8	4.9	0.1	0.1
38	6.5	4.0	0.3	0.1	7.3	6.5	6.3	5.8	0.3	0.1
39	7.4	4.8	0.7	0.3	8.6	8.4	6.7	6.8	0.6	0.3
40	7.1	5.2	1.5	0.7	9.8	9.9	6.9	7.4	0.8	0.5
41	8.2	6.6	2.1	1.3	10.8	11.3	7.0	8.0	2.0	1.1
42	9.3	8.1	3.9	2.4	11.6	11.7	6.8	8.2	2.8	1.9
43	9.9	10.2	6.1	4.5	9.9	10.7	6.3	7.6	5.6	4.3
44	9.4	11.6	9.5	7.7	7.6	9.1	5.0	6.7	8.8	7.0
45	8.4	12.5	12.5	11.1	5.7	7.3	4.0	5.6	11.3	10.5
46	5.9	9.7	14.5	13.6	4.6	5.6	3.1	4.3	14.9	14.5
47	3.6	7.1	14.9	14.1	2.9	3.7	2.1	3.4	15.4	17.3
48	2.2	4.9	12.0	13.9	1.7	2.0	1.4	2.6	13.5	15.5
49	1.3	2.3	9.8	11.3	0.8	1.0	0.9	2.0	10.7	11.7
50	0.9	0.8	6.1	9.2	0.2	0.5	0.6	1.5	6.8	7.4
51	0.4	0.3	2.8	4.9	0.1	0.2	0.3	1.1	3.5	4.4
52	0.2	0.1	1.6	2.5	*	*	0.2	0.7	1.6	2.3
53	0.1	*	0.9	1.5	-	*	0.1	0.5	0.8	0.8
54	*	*	0.3	0.5	-	*	*	0.3	0.5	0.3
55	-	*	0.1	0.1	-	-	*	0.1	*	*
56	-	*	*	*	-	-	*	*	-	*
57	-	-	*	*	-	-	*	*	-	-
58	-	-	*	*	-	-	*	*	-	-
59	-	-	-	-	-	-	*	*	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>41</b>	<b>42</b>	<b>38</b>	<b>40</b>	<b>47</b>	<b>47</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	*	*	*	-	-	-	-
27 - 29	*	*	*	*	-	*	*	*	-	-	*	*
30 - 32	0.5	0.2	0.3	0.2	0.4	0.2	0.5	0.3	*	*	*	*
33 - 34	1.3	0.7	0.9	0.7	0.2	0.2	1.4	0.9	-	-	0.1	*
35 - 36	2.5	1.7	2.9	2.4	0.4	0.4	1.4	1.9	0.1	*	0.4	0.2
37 - 42	27.5	22.4	43.6	38.0	7.8	8.5	35.5	33.0	16.6	11.1	14.8	9.1
43 - 49	64.0	70.0	49.6	54.4	58.0	55.7	59.5	60.7	80.5	85.1	77.2	77.6
50 - 52	3.9	4.6	2.6	4.1	26.5	30.1	1.7	3.0	2.8	3.7	7.0	11.8
53 & above	0.3	0.3	*	0.1	6.8	4.8	*	0.3	*	0.1	0.5	1.3
<b>Average</b>	<b>44</b>	<b>45</b>	<b>43</b>	<b>43</b>	<b>48</b>	<b>48</b>	<b>43</b>	<b>44</b>	<b>45</b>	<b>46</b>	<b>45</b>	<b>46</b>
HVI TRASH 1/												
00	-	-	-	-	*	*	*	*	-	-	-	-
01	0.2	0.2	*	*	48.5	45.9	13.5	14.9	0.1	0.1	0.1	0.3
02	5.0	5.5	0.4	0.8	38.8	38.8	39.3	41.5	6.4	4.7	6.8	7.8
03	22.5	20.4	5.2	6.5	8.4	9.5	30.0	27.1	34.9	24.7	25.9	25.9
04	24.0	25.1	16.5	17.8	2.3	2.7	12.1	11.2	31.1	30.5	30.3	30.1
05	20.5	20.9	23.5	24.3	0.9	1.2	3.4	3.6	17.2	21.9	19.9	19.7
06	13.0	12.1	21.2	21.1	0.5	0.8	0.9	1.1	6.6	10.7	9.8	9.6
07	6.9	7.7	14.9	14.0	0.3	0.5	0.3	0.4	2.4	4.7	4.3	4.1
08	3.7	3.9	9.0	7.9	0.2	0.3	0.2	0.1	0.8	1.7	1.7	1.6
09	2.1	2.0	5.0	4.1	0.1	0.2	0.1	0.1	0.3	0.6	0.7	0.6
10	1.0	1.1	2.5	2.0	*	0.1	0.1	*	0.1	0.2	0.3	0.2
11	0.4	0.4	1.0	0.9	*	0.1	*	*	*	0.1	0.1	0.1
12	0.3	0.3	0.5	0.4	*	*	*	*	*	*	*	*
13	0.2	0.2	0.2	0.1	-	*	*	*	-	*	*	*
14	0.1	0.1	0.1	*	-	*	-	-	-	-	*	*
15	0.1	0.1	*	*	-	*	-	*	-	-	*	*
16	*	0.1	*	*	-	*	-	-	-	-	*	*
17	*	*	-	*	-	*	-	-	-	-	*	*
18 & above	*	0.1	*	*	-	*	-	-	-	-	-	*
<b>Average</b>	<b>0.48</b>	<b>0.48</b>	<b>0.59</b>	<b>0.58</b>	<b>0.17</b>	<b>0.18</b>	<b>0.26</b>	<b>0.25</b>	<b>0.40</b>	<b>0.44</b>	<b>0.43</b>	<b>0.42</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	*	*	-	-	-	-	-	-	-	-
75.5-76.4	0.1	0.1	*	*	*	*	-	-	*	*	*	*
76.5-77.4	2.0	1.8	*	0.1	0.1	*	-	*	1.8	1.2	0.2	0.3
77.5-78.4	9.0	8.0	0.8	1.2	0.3	0.5	0.1	0.1	10.9	9.0	3.4	3.8
78.5-79.4	20.2	19.0	4.9	6.7	2.0	3.0	1.5	1.2	28.0	27.6	16.0	19.1
79.5-80.4	30.5	28.7	19.8	23.5	11.6	16.9	6.1	4.8	32.4	35.3	35.0	36.0
80.5-81.4	25.4	25.5	40.6	40.9	33.4	38.8	19.6	17.5	19.2	20.6	29.6	26.6
81.5-82.4	10.8	13.6	28.8	23.8	29.9	27.3	36.0	31.8	6.1	5.3	12.0	11.0
82.5-83.4	2.0	3.2	4.9	3.8	17.3	11.2	22.6	24.5	1.3	0.9	3.3	2.9
83.5-84.4	0.1	0.1	0.2	0.1	4.8	2.1	12.6	19.2	0.2	0.1	0.5	0.3
84.5-85.4	-	*	*	*	0.5	0.2	1.5	0.9	-	-	*	*
85.5-86.4	-	-	-	-	*	*	0.1	0.1	-	-	-	*
86.5-87.4	-	-	-	-	-	-	-	*	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.0</b>	<b>80.2</b>	<b>81.0</b>	<b>80.9</b>	<b>81.6</b>	<b>81.3</b>	<b>82.1</b>	<b>82.3</b>	<b>79.8</b>	<b>79.8</b>	<b>80.4</b>	<b>80.3</b>
Tenderable 3/	82.8	79.0	84.0	74.5	65.1	62.0	93.4	93.7	93.3	92.3	90.7	84.5
<b>SAMPLES CLASSIFIED</b>												
<b>WEEK</b>	<b>43,752</b>		<b>157,311</b>		<b>32,752</b>		<b>28,812</b>		<b>10,501</b>		<b>175,279</b>	
<b>SEASON</b>		<b>108,504</b>		<b>428,915</b>		<b>154,796</b>		<b>135,049</b>		<b>25,545</b>		<b>579,312</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	2.6	2.6	-	-	-	-	-	-	-	-	-	-
25 - 26	10.9	10.9	-	-	-	-	-	-	-	-	-	-
27 - 29	16.4	16.4	*	*	*	*	*	*	*	*	-	0.3
30 - 32	22.1	22.1	0.1	*	0.4	0.2	0.6	0.3	0.1	*	0.1	0.9
33 - 34	0.2	0.2	0.2	0.1	1.0	0.5	1.3	0.6	*	0.1	1.8	1.3
35 - 36	7.9	7.9	0.9	0.3	3.3	2.1	2.0	1.2	0.2	0.2	4.4	2.2
37 - 42	33.6	33.6	14.9	6.9	45.5	43.7	25.0	17.4	7.0	5.7	30.8	34.8
43 - 49	6.2	6.2	65.6	56.8	49.4	53.0	61.7	66.2	63.6	65.8	60.7	59.4
50 - 52	-	-	16.7	30.9	0.5	0.6	8.7	12.5	23.7	23.3	2.2	1.2
53 & above	-	-	1.7	5.0	*	*	0.7	1.8	5.4	5.0	-	-
<b>Average</b>	<b>34</b>	<b>34</b>	<b>46</b>	<b>48</b>	<b>42</b>	<b>43</b>	<b>44</b>	<b>46</b>	<b>48</b>	<b>48</b>	<b>43</b>	<b>43</b>
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	*
01	-	-	*	0.2	0.1	0.1	*	0.1	0.4	0.3	27.8	26.0
02	0.8	0.8	2.4	4.0	2.6	3.2	1.4	1.2	6.5	6.2	44.5	40.9
03	3.7	3.7	11.9	14.3	12.1	13.6	6.8	5.4	17.2	16.6	14.9	17.7
04	8.5	8.5	22.8	22.7	22.1	22.7	13.5	12.9	20.7	21.5	6.4	8.3
05	10.5	10.5	25.5	22.8	23.9	23.1	18.1	19.3	18.5	19.5	3.3	4.1
06	10.9	10.9	18.7	16.6	18.4	17.5	17.6	19.6	13.7	14.3	1.8	1.8
07	10.4	10.4	10.8	9.8	10.9	10.5	14.7	15.7	9.4	9.2	0.9	0.8
08	12.8	12.8	4.8	5.2	5.7	5.4	11.1	11.0	5.8	5.6	0.3	0.2
09	13.3	13.3	1.9	2.3	2.6	2.4	7.5	6.9	3.4	3.1	0.1	0.1
10	7.6	7.6	0.7	1.2	1.0	1.0	4.4	4.0	2.1	1.8	-	*
11	5.8	5.8	0.2	0.6	0.4	0.3	2.4	2.0	1.1	1.0	-	*
12	4.1	4.1	0.1	0.3	0.2	0.1	1.3	1.0	0.7	0.5	-	*
13	3.4	3.4	*	0.1	*	*	0.5	0.4	0.3	0.2	-	*
14	3.2	3.2	*	0.1	*	*	0.3	0.2	0.2	0.1	-	-
15	1.6	1.6	-	*	*	*	0.1	0.1	0.1	0.1	-	-
16	1.9	1.9	-	*	*	*	*	*	0.1	*	-	-
17	0.6	0.6	-	-	*	*	*	*	*	*	-	-
18 & above	0.9	0.9	-	-	*	*	*	*	*	*	-	-
<b>Average</b>	<b>0.82</b>	<b>0.82</b>	<b>0.51</b>	<b>0.51</b>	<b>0.52</b>	<b>0.51</b>	<b>0.63</b>	<b>0.63</b>	<b>0.51</b>	<b>0.51</b>	<b>0.22</b>	<b>0.23</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	*	-	-	-	-
74.5-75.4	0.1	0.1	0.1	*	-	*	*	*	-	-	-	-
75.5-76.4	-	-	0.6	0.2	*	*	0.1	0.1	-	-	-	-
76.5-77.4	-	-	3.0	1.2	*	*	0.3	0.4	-	-	*	*
77.5-78.4	3.2	3.2	11.4	6.6	0.4	0.5	4.4	4.7	0.3	0.2	0.2	0.4
78.5-79.4	8.3	8.3	24.1	19.7	3.2	3.9	15.5	16.7	2.6	2.3	4.3	4.2
79.5-80.4	17.6	17.6	29.2	29.2	14.9	17.3	28.2	30.4	13.2	11.4	15.1	12.5
80.5-81.4	53.2	53.2	21.7	24.7	40.6	39.8	31.9	30.3	29.0	29.7	37.1	36.8
81.5-82.4	15.9	15.9	8.3	13.1	34.7	32.0	16.1	14.6	35.1	36.8	30.1	33.0
82.5-83.4	1.7	1.7	1.4	4.4	5.8	6.1	3.3	2.7	16.7	16.8	11.7	12.0
83.5-84.4	-	-	0.1	0.8	0.3	0.3	0.1	0.1	3.1	2.8	1.4	1.1
84.5-85.4	-	-	*	0.1	*	*	*	*	0.1	0.1	*	*
85.5-86.4	-	-	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.7</b>	<b>80.7</b>	<b>79.8</b>	<b>80.3</b>	<b>81.2</b>	<b>81.1</b>	<b>80.4</b>	<b>80.3</b>	<b>81.5</b>	<b>81.6</b>	<b>81.3</b>	<b>81.3</b>
Tenderable 3/	24.4	24.4	58.3	41.7	94.4	94.6	61.3	50.1	63.4	67.0	94.9	95.1
<b>SAMPLES CLASSIFIED</b>												
<b>WEEK</b>	<b>949</b>		<b>52,696</b>		<b>90,308</b>		<b>77,877</b>		<b>85,021</b>		<b>4,814</b>	
<b>SEASON</b>		<b>949</b>		<b>211,036</b>		<b>246,458</b>		<b>212,115</b>		<b>420,974</b>		<b>14,273</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	*	*	0.9	0.3	-	-
25 - 26	*	*	-	-	*	*	2.1	0.8	-	-
27 - 29	0.7	0.3	-	*	0.1	*	6.0	2.7	-	-
30 - 32	2.2	1.0	-	*	0.9	0.4	9.3	5.3	-	-
33 - 34	4.0	2.4	*	*	3.1	1.5	8.1	5.5	-	-
35 - 36	7.5	4.9	*	*	8.1	5.5	10.0	7.7	*	*
37 - 42	43.6	31.8	8.6	4.9	54.2	52.5	39.6	41.3	6.6	4.0
43 - 49	40.5	58.3	79.4	76.2	33.3	39.3	22.9	32.1	80.2	80.8
50 - 52	1.5	1.3	10.6	16.7	0.3	0.7	1.1	3.4	11.8	14.1
53 & above	0.1	*	1.4	2.1	-	*	0.1	0.9	1.3	1.1
<b>Average</b>	<b>41</b>	<b>43</b>	<b>46</b>	<b>47</b>	<b>41</b>	<b>42</b>	<b>38</b>	<b>40</b>	<b>47</b>	<b>47</b>
HVI TRASH 1/										
00	-	-	-	-	-	-	*	*	-	-
01	1.7	1.9	0.2	0.6	0.1	0.2	8.3	8.1	*	*
02	18.5	20.6	7.4	8.7	2.8	3.9	25.4	24.1	0.9	2.3
03	26.2	30.9	21.5	22.0	10.2	13.5	23.2	22.9	8.0	12.4
04	19.8	21.0	25.8	25.2	18.2	20.4	16.1	16.6	18.6	23.4
05	12.2	11.0	20.4	19.4	21.1	22.0	10.3	10.9	23.6	23.7
06	7.3	5.8	13.2	12.3	18.5	17.6	6.3	6.9	20.4	17.1
07	4.6	3.3	6.8	6.5	12.9	11.2	3.9	4.2	13.0	10.5
08	3.1	2.0	3.0	3.1	8.0	6.1	2.3	2.5	7.7	5.7
09	2.2	1.3	1.1	1.3	4.4	2.9	1.5	1.5	4.2	2.8
10	1.7	0.9	0.4	0.6	2.2	1.3	0.9	0.9	1.8	1.3
11	1.0	0.5	0.2	0.3	0.9	0.5	0.6	0.5	0.8	0.5
12	0.6	0.3	*	0.1	0.4	0.2	0.4	0.3	0.6	0.2
13	0.5	0.2	*	*	0.1	0.1	0.2	0.2	0.1	*
14	0.2	0.1	*	*	0.1	*	0.1	0.1	0.1	*
15	0.2	0.1	*	*	*	*	0.1	0.1	*	*
16	0.1	0.1	*	*	*	*	0.1	*	-	-
17	0.1	*	-	*	*	*	0.1	*	-	-
18 & above	0.1	0.1	-	-	*	*	0.1	0.1	*	*
<b>Average</b>	<b>0.43</b>	<b>0.39</b>	<b>0.45</b>	<b>0.45</b>	<b>0.56</b>	<b>0.52</b>	<b>0.37</b>	<b>0.38</b>	<b>0.57</b>	<b>0.52</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	*	*	-	-
73.5-74.4	*	*	-	-	-	-	*	*	-	-
74.5-75.4	*	*	-	-	*	*	0.1	*	-	-
75.5-76.4	0.1	0.1	-	-	*	*	0.3	0.2	-	-
76.5-77.4	0.6	0.5	-	*	0.1	0.1	1.5	1.2	-	-
77.5-78.4	2.5	2.3	0.4	0.3	0.8	1.0	5.4	4.9	*	*
78.5-79.4	9.7	9.3	4.2	3.7	5.6	6.7	15.5	14.1	0.6	0.5
79.5-80.4	22.6	23.0	16.1	15.5	21.3	21.9	28.4	27.1	4.7	4.1
80.5-81.4	32.1	31.9	30.7	29.7	38.1	37.0	30.1	30.9	19.1	17.7
81.5-82.4	23.1	23.9	33.1	32.8	27.6	26.5	15.2	17.2	44.9	43.9
82.5-83.4	8.1	8.0	13.6	15.6	6.1	6.4	3.2	4.1	26.5	29.5
83.5-84.4	1.0	1.0	1.9	2.4	0.4	0.5	0.3	0.4	4.3	4.2
84.5-85.4	*	*	*	*	*	*	*	*	0.1	0.1
85.5-86.4	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.9</b>	<b>80.9</b>	<b>81.4</b>	<b>81.4</b>	<b>81.0</b>	<b>81.0</b>	<b>80.3</b>	<b>80.5</b>	<b>82.0</b>	<b>82.1</b>
Tenderable 3/	78.1	81.5	85.4	78.2	90.5	88.3	58.2	62.5	82.5	82.6
<b>SAMPLES CLASSED</b>										
<b>WEEK</b>	<b>23,842</b>		<b>24,929</b>		<b>79,922</b>		<b>533,120</b>		<b>12,299</b>	
<b>SEASON</b>		<b>74,369</b>		<b>116,515</b>		<b>233,293</b>		<b>1,967,730</b>		<b>59,013</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	11.2	8.2	7.2	-	-	-	-
	2	-	50.6	16.9	21.9	-	-	-	-
	3	-	0.9	1.4	1.6	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	<b>62.7</b>	<b>26.6</b>	<b>30.7</b>	-	-	-	-
02	1	-	3.0	6.4	5.6	-	-	-	-
	2	-	30.4	31.6	32.3	-	-	-	-
	3	-	3.1	12.3	14.9	-	-	-	-
	4	-	0.1	1.7	1.1	-	-	-	-
	5	-	-	0.1	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	<b>36.6</b>	<b>52.1</b>	<b>53.9</b>	-	-	-	-
03	1	-	-	0.1	0.1	-	-	-	-
	2	-	0.1	4.7	3.2	-	-	-	-
	3	-	0.3	8.0	6.6	-	-	-	-
	4	-	-	4.4	2.8	-	-	-	-
	5	-	-	0.6	0.4	-	-	-	-
	6	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	<b>0.5</b>	<b>17.8</b>	<b>13.1</b>	-	-	-	-
04	1	-	-	*	*	-	-	-	-
	2	-	-	0.3	0.2	-	-	-	-
	3	-	0.1	1.4	0.8	-	-	-	-
	4	-	0.1	1.0	0.7	-	-	-	-
	5	-	0.1	0.3	0.3	-	-	-	-
	6	-	-	0.1	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	<b>0.2</b>	<b>3.1</b>	<b>2.1</b>	-	-	-	-
05	1	-	-	*	*	-	-	-	-
	2	-	-	*	*	-	-	-	-
	3	-	-	0.1	*	-	-	-	-
	4	-	0.1	0.1	0.1	-	-	-	-
	5	-	-	0.2	0.1	-	-	-	-
	6	-	-	0.1	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	<b>0.1</b>	<b>0.4</b>	<b>0.2</b>	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	*	*	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
<b>Total -----</b>		-	-	-	-	-	-	-	-
<b>STAPLE</b>									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	*	*	-	-	-	-
44		-	25.3	3.2	2.8	-	-	-	-
46		-	38.9	28.1	32.2	-	-	-	-
48 & longer		-	35.8	68.7	65.0	-	-	-	-
<b>Average</b>		-	<b>46.2</b>	<b>47.5</b>	<b>47.5</b>	-	-	-	-
<b>UNIFORMITY</b>									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	-	-	-	-	-
81		-	-	*	*	-	-	-	-
82		-	0.4	0.3	0.2	-	-	-	-
83		-	4.4	2.0	1.6	-	-	-	-
84		-	13.8	8.4	9.2	-	-	-	-
85		-	36.6	32.5	33.5	-	-	-	-
86		-	39.7	41.1	38.8	-	-	-	-
87		-	4.8	13.4	13.8	-	-	-	-
88		-	0.2	2.2	2.8	-	-	-	-
89		-	-	0.2	0.1	-	-	-	-
90 & above		-	-	-	-	-	-	-	-
<b>Average</b>		-	<b>85.2</b>	<b>85.6</b>	<b>85.6</b>	-	-	-	-
<b>SAMPLES CLASSED</b>									
<b>WEEK</b>				<b>43,962</b>					
<b>SEASON</b>			<b>1,719</b>	<b>164,691</b>					

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,  
WEEK AND SEASON ENDED November 19, 2009**

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
<b>MIKE</b>								
24 & below	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-
27 - 29	-	-	0.5	0.2	-	-	-	-
30 - 32	-	-	2.0	0.8	-	-	-	-
33 - 34	-	-	3.3	1.6	-	-	-	-
35 - 36	-	6.3	7.8	5.1	-	-	-	-
37 - 42	-	54.4	69.7	74.0	-	-	-	-
43 - 49	-	39.3	16.7	18.3	-	-	-	-
50 - 52	-	-	-	*	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
<b>Average</b>	-	<b>41.0</b>	<b>40.0</b>	<b>40.0</b>	-	-	-	-
<b>ALL RANGE MIKE</b>								
24 & below	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	*	*	-	-	-	-
27	-	-	0.2	*	-	-	-	-
28	-	-	0.1	*	-	-	-	-
29	-	-	0.2	0.1	-	-	-	-
30	-	-	0.5	0.2	-	-	-	-
31	-	-	0.8	0.3	-	-	-	-
32	-	-	0.7	0.3	-	-	-	-
33	-	-	1.3	0.6	-	-	-	-
34	-	-	2.0	1.0	-	-	-	-
35	-	0.1	2.8	1.8	-	-	-	-
36	-	6.2	5.1	3.3	-	-	-	-
37	-	8.7	7.9	6.0	-	-	-	-
38	-	8.8	11.8	9.1	-	-	-	-
39	-	7.9	14.3	13.1	-	-	-	-
40	-	7.3	14.9	16.6	-	-	-	-
41	-	6.9	12.2	16.0	-	-	-	-
42	-	14.8	8.6	13.2	-	-	-	-
43	-	15.1	6.9	9.2	-	-	-	-
44	-	12.3	3.9	4.8	-	-	-	-
45	-	7.6	2.8	2.4	-	-	-	-
46	-	3.1	1.9	1.2	-	-	-	-
47	-	0.9	1.1	0.6	-	-	-	-
48	-	0.2	0.1	0.1	-	-	-	-
49	-	-	*	*	-	-	-	-
50	-	-	-	*	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
<b>Average</b>	-	<b>41.0</b>	<b>40.0</b>	<b>40.0</b>	-	-	-	-
<b>Strength</b>								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	*	-	-	-	-
33	-	0.2	*	*	-	-	-	-
34	-	0.2	0.1	0.1	-	-	-	-
35	-	1.9	0.6	0.7	-	-	-	-
36	-	4.1	2.1	1.7	-	-	-	-
37	-	9.2	3.8	2.4	-	-	-	-
38	-	12.0	6.4	4.2	-	-	-	-
39	-	12.5	10.0	8.4	-	-	-	-
40	-	10.1	12.6	13.3	-	-	-	-
41	-	24.8	15.5	16.4	-	-	-	-
42	-	17.0	16.0	16.4	-	-	-	-
43	-	7.3	15.0	14.7	-	-	-	-
44	-	0.3	9.8	10.8	-	-	-	-
45 & above	-	0.4	8.0	11.0	-	-	-	-
<b>Average</b>	-	<b>39.9</b>	<b>41.2</b>	<b>41.6</b>	-	-	-	-
<b>EXTRANEIOUS MATTER</b>								
Bark	-	0.1	0.1	0.1	-	-	-	-
Grass	-	-	0.1	0.3	-	-	-	-
Spindle Twist	-	-	-	*	-	-	-	-
Preparation	-	-	0.5	0.4	-	-	-	-

\* Less than 0.05 percent.