



Commodity Specification

TURKEY TACO FILLING

AUGUST 2001



Table of Contents

	Page
I. GENERAL	1
II. COMMODITY SPECIFICATIONS	1
A. Basic Requirements	1
1. Date Processed	1
2. Origin of Turkeys	1
3. Inspection	2
4. Product Temperature	2
5. USDA Sampling Option	2
6. Turkey Products From Other Plants	2
B. Requirements for Turkey Products	2
1. Sources of Meat and Skin	2
2. Maximum Temperature	3
3. Cooling Requirements	3
4. Cooling Medium	3
5. Requirements for Neck and Crop Skin	3
6. Requirements for Desinewing	3
7. Organoleptic Requirements and Defects	3
Table 1. Organoleptic Requirements and Defects for Meat and Skin	4
C. Formulation and Processing Requirements for Ground Turkey	5
1. Formulas	5
2. Skin	5
3. Fat Requirements	5
4. Processing and Size Reduction	6
5. Cooling Size-Reduced Turkey Products	7
6. Temperature of Size-Reduced Turkey Products	7
7. Organoleptic Requirements and Defects	7
Table 2. Organoleptic Requirements and Defects for Ground Turkey	8
8. Ground Turkey Rework	8
9. Freezing Ground Turkey	8
D. Lots and Sublots	9
1. Definition of a Lot	9
2. Definition of a Sublot	9
E. Fat Requirements for Ground Turkey	9

	Page
F. Sampling and Laboratory Analyses	9
1. Sampling	9
2. Samples for Laboratory Analyses	10
3. Laboratory Analyses	10
4. USDA Laboratories	11
5. Timely Receipt of Laboratory Results	11
6. Appeal of Laboratory Analyses	12
G. Contractor Analysis of Fat Content Program	12
H. Processing Ground Turkey Into Commodity	13
1. Prerequisites for Use of Ground Turkey	13
2. Processing Sequence	14
3. Formulation	14
4. Mixing	14
5. Packaging	15
6. Cooking	15
7. Packing	15
8. Organoleptic Requirements and Defects	16
Table 3. Organoleptic Requirements and Defects for Cooked Commodity	16
9. Reprocessing Cooked Commodity	16
10. Freezing	17
I. Metal Detection	17
1. Requirements	17
2. Operating Efficiency and Procedures	17
3. Contaminated Product	17
4. Other Detection Procedures	17
III. LABELING	18
A. Packaged Commodity	18
B. Shipping Containers - USDA Labeling	18
1. Labeling Provisions	18
2. Printing Requirement	18
3. Labeling Format	18
4. Recycle Symbol and Statement	18
5. Labeling and Marking Information	18
6. TOP PANEL - Labeling and Marking	18
7. ONE END Panel - Labeling and Marking	19
8. ONE SIDE Panel - Labeling and Marking	20
9. THE OTHER END Panel - Labeling and Marking	21
10. THE OTHER SIDE Panel - Labeling and Marking	21
11. Inventory Control Label	21
C. F.a.s. Vessel Deliveries	21
IV. FINAL EXAMINATION OF PACKAGED AND PACKED COMMODITY	21
A. Material and Net Weight Compliance	21
1. Verification of Materials and Defects	21
2. Net Weight	22

	Page
B. Prerequisites for Loading and Shipping Frozen Commodity	23
1. Visual Inspection	23
2. Internal Product Temperature	23
C. Inspection and Checkloading	23
1. Requirements	23
2. Procedures	23
V. UNITIZATION	24
A. Pallets	24
B. Pallet Exchange	24
VI. SHIPMENT AND DELIVERY	24
A. Contract Compliance Stamp	24
B. Grading Certificate	24
1. Railcar or Piggyback	25
2. Trucks	25
C. Loading and Sealing of Vehicles	25
1. Railcar	25
2. Truck or Piggyback	25
D. Delivery Notification	25
1. In-Plant Deliveries	25
2. Delivery In Storage	25
E. Split Deliveries	26
VII. DESTINATION EXAMINATION	26
A. Commodity Requirements	26
B. Temperature	26
EXHIBITS	27-30
EXHIBIT 1 - "Please Recycle" Symbol and Statement	27
EXHIBIT 2 - Label Information for USDA Labeled Shipping Containers of Turkey Taco Filling	28
EXHIBIT 3 - USDA Labeling Information	29
USDA SYMBOL	Back of Specification

I. GENERAL

Frozen cooked turkey taco filling (commodity) produced under this Specification will be packaged and packed in the following form as specified in the contract:

Turkey Taco Filling (231330) - Frozen cooked turkey taco filling, produced from ground turkey (ready-to-cook nonbasted, young turkeys or turkey products, and turkey skin), and spices/seasonings. The commodity must be packaged in 3- or 5-pound (1.36- or 2.27-kg) packages to a net weight of 30 pounds (13.61 kg) in each fiberboard shipping container. A purchase unit will consist of 1,300 shipping containers totaling 39,000 pounds (17,690 kg).

II. COMMODITY SPECIFICATION

A. Basic Requirements

1. Date Processed. The commodity must not be processed prior to the date of the contract.

2. Origin of Turkeys. The commodity must be produced and processed from ready-to-cook turkeys, turkey parts, boneless parts, meat, and skin (turkey products) which were produced, raised, and processed in the United States, its territories or possessions, the Commonwealth of Puerto Rico, or the Trust Territories of the Pacific Islands. If the contractor processes or handles turkey products originating from sources other than the United States, its territories or possessions, Puerto Rico, or the Trust Territories of the Pacific Islands, the contractor must have an acceptable identification and segregation plan for those turkey products to ensure they are not used in the commodities produced under this Specification. This plan must be made available to a representative of the Grading Branch, Poultry Programs, AMS, USDA (grader), and the Contracting Officer or agent thereof upon request. The contractor must ensure that both the contractor and subcontractor(s) maintain records such as invoices, or production and inventory records evidencing product origin, and make such records available for review by the USDA grader or other Government official(s) in accordance with Article 76 of USDA-1.

II.A.

3. Inspection. Processing operations must comply with Poultry Products Inspection Regulations (9 C.F.R. part 381) and be under the supervision of a representative of the USDA Food Safety and Inspection Service (FSIS) (inspector). Inspection for contract and specification compliance will be in accordance with the Regulations Governing the Voluntary Grading of Poultry Products and Rabbit Products (7 C.F.R. part 70) and the U.S. Classes, Standards, and Grades for Poultry (AMS 70.200 *et seq.*) under the supervision of a USDA grader. The USDA grader will be responsible for certification of compliance with the requirements of this Specification for chilled turkey products; size-reduced turkey products; ground turkey; processing, formulation, packaging, cooking of the commodity, and packing; turkey taco filling; freezing; labeling and marking; sampling; laboratory results; net weight; and checkloading.

4. Product Temperature. The temperature of raw turkey products, raw size-reduced turkey products (ground turkey), and cooked commodity, unless otherwise specified, must comply with 9 C.F.R. § 381.66 and FSIS guidelines throughout all operations including transportation between plants.

5. USDA Sampling Option. USDA may select additional product for further inspection or may draw samples for laboratory analyses.

6. Turkey Products From Other Plants. Turkey and turkey products may be transferred or obtained from other plants, provided they: (a) have been processed, handled, and identified in accordance with this Specification, and (b) comply with the nonbasted, organoleptic, and other applicable requirements of this Specification as evidenced by USDA certification.

a. Type, class, and specific name of the product, part, boneless part, or meat; date slaughtered or date placed in frozen storage; and the USDA-assigned plant number must be shown on each shipping container.

b. The chilled and/or frozen turkey and turkey products must be maintained at an internal product temperature not higher than 40 °F (4.4 °C) when shipped from the origin plant and when received at the destination plant.

B. Requirements for Turkey Products

1. Sources of Meat and Skin. The commodity must be produced from meat and skin from nonbasted carcasses and parts (no solution or ingredients added).

a. Chilled. The chilled turkey and bone-in, skin-on or skinless turkey parts must be deboned and used in the finished cooked commodity within 7 calendar days after the day the turkeys are slaughtered. Within this 7-day timeframe, deboned meat and skin from turkey and turkey parts must be used in the ground turkey within 36 hours after deboning, and the ground turkey must be fabricated into the cooked commodity within 72 hours after grinding.

II.B.2.

b. Frozen. Frozen meat (bone-in or boneless and skin-on or skinless turkey carcasses and parts) may be used when: (1) produced from freshly slaughtered turkeys, (2) packaged to protect against quality deterioration during storage and identified so the time in storage and the class, kind, and specific deboned turkey product can be determined, (3) held not more than 60 days in frozen storage, and (4) the product shows no evidence of thawing and refreezing or freezer deterioration. Time from the start of the thawing process to the finished cooked commodity must be no longer than 7 days.

c. Skin. Skin that is not attached to meat must be chilled (never frozen) and must be from freshly slaughtered turkeys, carcasses, and parts.

2. Maximum Temperature. The temperature of the carcasses, bone-in or boneless parts, and skin must not exceed 55 °F (12.8 °C) at any time during preparation or processing of these turkey products into ground turkey.

3. Cooling Requirements. Carcasses, bone-in or boneless parts, and skin which are not used in the ground turkey on a continuous basis, must be cooled by an FSIS approved method or cooling media and the internal product temperature continuously lowered to not higher than 40 °F (4.4 °C) and not lower than 26 °F (-3.3 °C).

4. Cooling Medium.

a. Cooling methods approved by FSIS (e.g., use of carbon dioxide (CO₂) or liquid nitrogen (N₂)) may be used to maintain the temperature of meat, skin, and parts.

b. Water, refrigerated water, slush ice and water, or ice used to cool or maintain the temperature of meat, skin, or parts must not be incorporated into the ground turkey. Liquid associated with normal product weepage is acceptable.

5. Requirements for Neck and Crop Skin. Neck skin cannot be used in ground turkey. The fatty blubber, spongy fat, and membranes must be removed from the skin covering the crop area before it can be used.

6. Requirements for Desinewing. The long bone (tibiotarsus) must be removed from the drumsticks before the drumsticks (with or without attached skin) are processed through a desinewer to remove the tendons.

7. Organoleptic Requirements and Defects.

a. Organoleptic requirements. Meat, skin, boneless parts, deboned drumsticks, and parts (bone-in) will be examined on a continuous basis for the organoleptic requirements listed in Table 1 below. Any product that does not comply with the organoleptic requirements will be rejected for use under this Specification.

II.B.7.

b. Defects.

(1) A sample of 10 pieces of meat, skin, boneless parts, deboned drumsticks, and parts (bone-in) will be examined for the defects listed in Table 1 before formulation or size reduction. The frequency of sampling and the number of defects allowed will be those outlined in Poultry Programs' Sample Plan Level 2 (SPL-2). If the sample has more defects than the maximum tolerance for the sample plan, the product the sample represents will be rejected.

(2) If simultaneous size-reduction and bone removal systems will be used, boneless parts and deboned drumsticks shall be examined for the applicable defects listed in Table 1 except for the presence of bone or bone-like material, hard tendinous material, or cartilage (gristle).

Table 1. Organoleptic Requirements and Defects for Meat and Skin

Organoleptic Requirements:	Criteria: Must be free from rancidity; free of fruity, sulfide-like, cardboardy, tallowy, oily, oxidized, metallic, chlorine, or other off or foreign odors; free of foreign materials (e.g., glass, paper, rubber, metal); must show no evidence of mishandling or deterioration; and must have a bright color with no evidence of dehydration or thawing and refreezing.
Defects - All Meat, Skin, and Parts: (With or Without Attached Skin)	<p>A flesh bruise on meat or on a part which exceeds an area equivalent to the area of a circle with a diameter of 0.75 inch (1.91 cm).</p> <p>Large blood clots on the meat or on a part which exceed an area equivalent to the area of a circle with a diameter of 0.25 inch (0.64 cm).</p> <p>A defect for skin is the presence of feathers, pinfeathers, diminutive feathers, hair, fatty blubber, spongy fat, and membranes.</p> <p>A defect for discolorations in the meat or skin is when the aggregate area of all discolorations, which are moderate in intensity exceeds an area equivalent to the area of a circle having a diameter of 1.50 inches (3.81 cm).</p>
Defects - Bone In Parts: (With or Without Attached Skin)	More than one-third of the meat missing on a bone-in part.
Defects - Boneless Drumstick Meat (With or Without Attached Skin)	Bone or bone-like material, except that the knuckle bone (patella) may be present.
Defects - Other Boneless Meat: (With or Without Attached Skin)	<p>Bone or bone-like material, hard tendon or tendinous material, or cartilage (gristle).</p> <p>A boneless thigh with more than one-half of the meat missing.</p>

C. Formulation and Processing Requirements for Ground Turkey

1. Formulas. Ground turkey must be formulated according to one of the following two formulas:

a. Meat and skin basis. Formula based on deboned meat (with or without attached skin) or boneless parts. The maximum amount that can be used in a formula is specified when applicable.

(1) White meat (with or without attached skin). The maximum amount of white meat (with or without attached skin) that can be used in a formula is 30 percent of the total weight of the formula. The white meat may be wing meat or scapula portion. Other white meat trimmed from the frames (white frame meat) may be used. White frame meat is limited to no more than 3 percent of the total weight of the formula.

(2) Dark meat (with or without attached skin). Boneless thighs or boneless and skinless thighs (not more than one-half of meat missing) or desinewed drumstick meat may be used. Dark meat trimmed from the frame (dark frame meat) may be used. Dark frame meat is limited to not more than 2 percent of the total weight of the formula.

b. Bone-in basis. Formula based on bone-in parts (with or without attached skin). The maximum amount of a specific part which can be used in a formula is specified when applicable. These parts are for preparation of ground turkey by mechanically removing the meat and skin directly from the parts and simultaneously reducing the size of the meat and skin (mechanical and simultaneous reduction process).

(1) Drumsticks. Drumsticks may be used.

(2) Thighs. Thighs may be used.

(3) Wings. Wings may be whole wings, the first portions, or attached first and second portions. Wing tips can only be used when they are part of a whole wing. The maximum amount of wings or wing portions which can be used in a formula is 40 percent of the total weight of the formula.

2. Skin. Skin that is attached to the chilled or frozen meat or parts may be formulated according to II.C.1. above in natural proportion. Chilled skin that is not attached to the meat must be added in natural proportion in accordance with 9 C.F.R. § 381.117(d). In addition to the skin attached or unattached to the meat or parts, additional skin may be added in amounts exceeding natural proportion (9 C.F.R. § 381.117(d)) provided the finished product is labeled in accordance with section III.

3. Fat Requirements. The ground turkey must be formulated so the fat content complies with II.E.

II.C.

4. Processing and Size Reduction.

a. Processing. The meat and skin must be processed and blended, as applicable, and reduced in size by equipment and procedures that produce a uniform blend of meat and skin with muscle fibers and strand-like texture, and having the functional properties of ground turkey.

b. Size reduction. Meat and skin for the ground turkey must be reduced in size by one of the following procedures:

(1) Ground through a plate with holes 0.125 inch (1/8 inch) (3.175 mm) in diameter;

(2) Desinewed or reduced through a desinewer plate or screen with holes 0.0591 inch to 0.0787 inch (1.5 mm to 2.0 mm) in diameter or as required to ensure equivalent removal of tendons present in the meat;

(3) Reduced through a head consisting of a series of screen plates with rectangular-like openings that measure: (a) 0.018 to 0.020 inch by 0.765 to 0.831 inch and (b) 0.018 to 0.020 inch by 0.255 to 0.302 inch. (Measurement of the rectangular-like openings in metric units: (a) 0.4572 to 0.5080 mm by 19.4310 to 21.1074 mm and (b) 0.4572 to 0.5080 mm by 6.4770 to 7.6708 mm.) The screen plates with the smaller openings will be positioned at the exit end of the auger and the number of these screen plates cannot be more than 12 percent of the total number of screen plates in the head; or

(4) Ground through a plate with holes 2 inches (5.08 cm) in diameter followed by size reduction through a stainless steel cylinder or screen with a series of round openings which divide the surface into thirds. Two-thirds (2/3) of the surface will have openings which measure 0.050 inch (1.27 mm). The exit end (the final 1/3) of the surface will be blank (no openings).

For mechanical removal and simultaneous reduction process, the contractor must give the USDA grader the model of the machine, the size of the cylinder screen or screen plates, the number of each size and the sequence of the screen plates which will be used to produce size-reduced meat and skin for use under this Specification. In addition, the contractor must have established control procedures to ensure the cylinder screen or screen plates are in the correct position, the screen plates are in the correct sequence, and that the cylinder screen or screen plates and the auger are aligned and maintained in an operating condition that will continuously produce a product which complies with the texture criteria and other requirements of this Specification. These control procedures must be reviewed and found acceptable by supervisory personnel of the Grading Branch, Poultry Programs, AMS, before size-reduced meat and skin can be used as ground turkey under this Specification.

II.C.4.

c. Size reduction equipment. Any bent, broken, or defective blade, cylinder, screen, or plate must be replaced before the size reduction equipment can be used for reducing meat and skin.

d. Reducing size of skin.

(1) Skin, which is removed from the meat, must be reduced in size to approximately the same particle size as the meat before it is added to a formula.

(2) Skin must be processed so its fibrous-like texture is not destroyed. The reduced skin must be blended uniformly with the meat.

e. Unacceptable size-reduced products. Meat and skin which cannot be used in the ground turkey: (1) comminuted meat; (2) meat or skin reduced to an emulsified or pasty consistency; (3) skin processed to a gummy or tacky consistency; (4) skin which does not comply with the requirements of paragraph II.C.4.d. above; or (5) meat or skin which developed a discoloration during size-reduction process.

5. Cooling Size-Reduced Turkey Products. Cooling methods and medium approved by FSIS (e.g., use of CO₂ or N₂) may be used before, during, or after size reduction. Ice or ice water must not be used to lower the temperature of the ground product.

6. Temperature of Size-Reduced Turkey Products. Temperature of ground turkey or any size-reduced component of the product (ground, desinewed, or mechanically reduced meat and skin) hereinafter referred to as “ground turkey/product” must not exceed 55 °F (12.8 °C).

7. Organoleptic Requirements and Defects.

a. Organoleptic requirements. The ground turkey will be examined on a continuous basis for the organoleptic requirements listed in Table 2. Any ground turkey that does not comply with the organoleptic requirements will be rejected for use under this Specification.

b. Defects. A 5-pound (2.27-kg) sample of ground turkey will be examined for the defects listed in Table 2 below prior to formulating into the commodity. The defect requirements will be examined in the fresh state.

(1) The examination for bone will be made separately from the examination for other defects.

(2) Regardless of the kind and number of defects (within Table 2) found, any sample containing bone and bone-like material will be cause for rejection of the product the sample represents.

II.C.7.

(3) The frequency of sampling and the number of defects allowed will be those outlined in Poultry Programs' SPL-2.

(4) If the sample contains bone or bone-like material, or has more defects than the maximum tolerance for the sample plan, the product the sample represents will be rejected.

Table 2. Organoleptic Requirements and Defects for Ground Turkey

Organoleptic Requirements:	<p>Must have: (1) muscle fibers and a strand-like texture and (2) a uniform light and bright color with no discoloration or dehydration.</p> <p>Must not have: (1) the texture of comminuted meat or skin, (2) a gritty texture, or (3) an emulsified or pasty consistency.</p> <p>Must be free of: (1) rancidity; (2) sour, stale, fruity, sulfide-like, cardboardy, tallowy, oily, oxidized, metallic, acidic, or other off or foreign odors; and (3) foreign materials (e.g., glass, paper, rubber, metal).</p>
Defects:	
Bone:	Must be free of: bone and bone-like material.
Other:	Must be free of: tendons, cartilage (gristle), and tendinous or ligamentous material which exceed 0.50 inch (1.27 cm) in any dimension.

8. Ground Turkey Rework.

a. Eligible product. Ground turkey may be reworked provided: (1) the temperature of the ground turkey has not exceeded 50 °F (10 °C) and has been maintained at that temperature or lower, (2) it complies with organoleptic requirements of II.C.7., and (3) it is incorporated into batches of ground turkey within 12 hours.

b. Time and temperature requirements. Additionally, ground turkey which has been chilled to not higher than 40 °F (4.4 °C) or lower than 26 °F (-3.3 °C), packaged, and maintained at a product temperature of not higher than 40 °F (4.4 °C) or lower than 26 °F (-3.3 °C) may be reworked within 72 hours from the end of the shift it was produced. When the chilled ground turkey is reworked, the temperature of the commodity must not exceed 40 °F (4.4 °C) during tempering.

9. Freezing Ground Turkey. If the ground turkey is frozen prior to being processed into the finished commodity, the ground turkey must be packaged and/or packed (to protect against quality deterioration) and continuously lowered to an internal temperature of 0 °F (-17.8 °C) or lower within 72 hours from the time of entering the freezer. If any sample of

II.C.9.

packaged ground turkey does not comply with the freezing requirements, the product or lot the sample represents will be rejected for use under this Specification.

D. Lots and Sublots

1. Definition of a Lot.

- a. A lot is the amount of ground turkey produced during a processing shift.
- b. The ground turkey will be: (1) sampled for laboratory analyses and analyzed for compliance with fat content requirements, and (2) accepted or rejected on a lot basis.

2. Definition of a Sublot.

- a. A lot may be separated into sublots for the purpose of sampling and analyzing for compliance with the fat content requirements. If this option is used, the ground turkey must be sublotted on the basis of consecutively produced: (1) shipping containers, or (2) pallets. The sublots of containers or pallets must be consecutively identified prior to formulation.
- b. Ground turkey sampled and analyzed on the basis of sublots will be accepted or rejected on a sublot basis.

E. Fat Requirements for Ground Turkey

A lot or sublot (as defined in II.D.1. and II.D.2.) of ground turkey must contain no more than an average of 13.0 percent fat.

F. Sampling and Laboratory Analyses

1. Sampling.

a. A lot. The number of containers of ground turkey (fresh state) to be drawn from each lot will be as follows:

<u>Number of Containers in Lot</u>	<u>Number of Containers</u>
250 or less	8
251 - 500	12
501 - 1,000	16
1,001 - 2,000	24
Over 2,000	36

II.F.1.

b. A subplot. A minimum of four (4) containers will be drawn from each subplot. The total number of containers drawn from each subplot must be a multiple of four. The total number of containers drawn from all sublots in a lot must equal or exceed those specified for the appropriate size lot described in paragraph a.

2. Samples for Laboratory Analyses.

a. The USDA grader will randomly draw samples for fat content analysis from each lot or subplot and prepare samples as follows: The USDA grader will draw an 8-ounce (226.8 g) sample of ground turkey at random from each sample container and separate into three ((approximately equal) 2.5-ounce (70.88 g)) sample portions.

b. Each portion will be placed in a moisture-proof sample bag.

c. The three portions of each sample will be used as follows:

--one for fat analysis at a USDA laboratory.

--one for the contractor.

--one for a reserve sample.

d. Samples will be kept in a freezer under the USDA grader's control until all samples are drawn and prepared for the lot or subplot.

(1) The reserve samples will be retained in a freezer under the control of the USDA grader. Reserve samples will be used for laboratory analyses when: (a) the original samples are lost; (b) the original samples arrive at the USDA laboratory in a condition that does not permit accurate analyses; or (c) requested by the Grading Branch, Poultry Programs, Washington, D.C.

(2) The samples for the contractor will be given to the contractor after the lot or subplot has been produced and all the samples for the lot or subplot have been drawn and prepared.

e. Samples which are not used by USDA will be returned to the contractor and may be reworked in accordance with II.C.8.

3. Laboratory Analyses.

a. The USDA laboratory will equally combine the samples submitted for a lot or subplot in numerical sequence into four composite samples.

II.F.3.

b. The USDA laboratory will grind and mix each composite sample twice into a homogeneous mixture.

c. Each composite will be analyzed in duplicate for fat. The USDA laboratory will report the result for each duplicate to the nearest 100th of a percent and the average for each composite to the nearest 10th of a percent on the USDA certificate. In addition, the USDA laboratory will average the results of the composites and report the average for the lot or subplot to the nearest 10th of a percent on the USDA certificate, except when the average result for any one composite sample exceeds 13.0 percent.

d. Chemical analyses will be in accordance with the following methods found in the "Official Methods of Analysis," of the AOAC International, Seventeenth Edition, 2000, Chapter 39: "Meat and Meat Products," Subchapter 1, Sections 39.1.05, 39.1.06, and 39.1.07.

<u>Finished Product</u>	<u>Test Method</u>
Fat	Petroleum ether method or Rapid microwave-solvent extraction method

4. USDA Laboratories. The samples for laboratory analyses may be submitted to any one of the USDA laboratories listed below, except when AMS determines that conditions or workload of a specific laboratory does not permit the prompt handling of samples. All costs incurred for shipping the samples and the laboratory analyses will be paid by the contractor.

USDA, AMS, Science and Technology Programs
Eastern Laboratory
645 Cox Road
Gastonia, North Carolina 28054
Telephone (704) 867-1882

Laboratory Services Division
Minnesota State Department of Agriculture
90 West Plato Boulevard
St. Paul, Minnesota 55107
Telephone (651) 296-3273

Laboratory Services Division
Oregon Department of Agriculture
200 Hawthorn Street, South East, Suite A140
Salem, Oregon 97310-0110
Telephone (503) 986-4565

5. Timely Receipt of Laboratory Results. The contractor must present the ground turkey to USDA so the product may be sampled, the samples sent to the USDA laboratory, and the laboratory analyses performed in time for the laboratory results to be available for the contractor to meet the shipment or delivery requirements of the contract. If laboratory results are received by the contractor later than 7 calendar days, excluding Sundays and Federal Holidays, from the receipt of the samples by the USDA laboratory, the number of days' delay will be added to the shipment or delivery period before liquidated damages for late shipment or delivery will be assessed.

II.F.

6. Appeal of Laboratory Analyses. An appeal of original laboratory analyses for a lot or subplot may be authorized by the Grading Branch, Poultry Programs, Washington, D.C. The appeal must be filed and made in accordance with the provisions for an appeal in 7 C.F.R. part 70. Only one appeal per lot or subplot is permitted.

a. For the appeal, a lot or subplot will be sampled and samples prepared by one of the following procedures:

(1) When the reserve samples are available, the USDA grader will randomly draw from the lot or subplot the same number of samples as drawn during original sampling and prepare the samples as outlined in paragraphs II.F.1. and II.F.2. These samples, plus the reserve samples previously prepared during the original sampling of the lot, or subplot, will be submitted for fat analyses.

(2) When the reserve samples are not available, the USDA grader will randomly draw twice the number of samples required in paragraph II.F.1. from the lot or subplot. Samples will be prepared as outlined in paragraph II.F.2. and submitted for fat analysis.

b. The samples for the appeal will be submitted to the USDA laboratory where the original fat analyses were performed.

c. The USDA laboratory will combine the samples into twice the number of composites described in paragraph II.F.3.c. and analyze each of the composite samples for fat content. The results will be reported as outlined in paragraph II.F.3.c.

d. The laboratory results of the samples for the appeal will supersede those of the original analyses and will be final.

G. Contractor Analysis of Fat Content Program

As an alternative method of sampling and laboratory analyses detailed in section II.F., the contractor may elect to participate in the Contractor Analysis of Fat Content (CAFC) program dated August 2001. AMS has developed this program to permit the use of contractor results to determine compliance with fat content requirements. Any questions about this program should be referred to the Contracting Officer at the following address:

Contracting Officer, Commodity Procurement Branch
Poultry Programs, AMS, U.S. Department of Agriculture
Rm. 3941-South Bldg., STOP 0260
1400 Independence Avenue, SW
Washington, D.C. 20250
Telephone: (202) 720-7693
Fax: (202) 720-5871

II.G.

The Contracting Officer will provide the procedures for participation in the CAFC program. The contractor must comply with the: (a) requirements in this Specification (excluding section II.F.), and (b) alternate sampling procedures, lab analyses, and other provisions of the CAFC Program.

H. Processing Ground Turkey into Commodity

1. Prerequisites for Use of Ground Turkey.

a. Temperature. Ground turkey that does not comply with the temperature requirements of this section will be rejected for use under this Specification.

(1) The internal product temperature of ground turkey must be not higher than 40 °F (4.4 °C) and not lower than 26 °F (-3.3 °C) before it is processed into the commodity and will be determined just before it is formulated and mixed with spices and flavorings.

(2) Frozen ground turkey may be used when: (a) packaged to protect against quality deterioration during storage and identified so the time in storage can be determined; (b) held not more than 60 days in frozen storage if produced from freshly slaughtered turkeys, carcasses, and parts; (c) held not more than 30 days in frozen storage if produced from frozen turkeys, carcasses, and parts; (d) the product shows no evidence of thawing and refreezing or freezer deterioration; and (e) the product temperature is not higher than 40 °F (4.4 °C) and not lower than 26 °F (-3.3 °C) during tempering or prior to processing into the commodity. After thawing, the ground turkey must be used in the production of commodity within 36 hours.

b. Ground turkey from other plants. Ground turkey may be transferred or obtained from other plants to produce the commodity, provided it is: (1) processed, handled, and identified in accordance with this Specification and meets the temperature requirements outlined in II.H.1.a. above, and (2) processed from turkey products which comply with the nonbasted, organoleptic, and other applicable requirements of this Specification for turkey products as evidenced by USDA certification.

(1) Type, class, specific name of the product, date slaughtered or placed in frozen storage, and the USDA-assigned plant number must be shown on each shipping container of ground turkey.

(2) The chilled and/or frozen ground turkey must be maintained at an internal product temperature not higher than 40 °F (4.4 °C) when shipped from the origin plant and when received at the destination plant.

II.H.1.

(3) Compliance of the ground turkey with fat content requirements (II.E.) must be in accordance with this Specification and may be made prior to transfer of ground turkey (in accordance with II.D. thru II.F. of this Specification) by the Supplier.

2. Processing Sequence. Unless otherwise specified, ground turkey processing, turkey taco formulation, mixing, packaging, cooking, chilling, and freezing of the commodity must be a continuous process that complies with the time and temperature requirements of this Specification.

3. Formulation. The commodity must be prepared from the following:

	<u>Percentage</u>
Ground Turkey (minimum)	77.50
Water (maximum)	13.00
Spices/Flavorings Formulation (maximum)	6.00
Wheat/Soy Flour	33.33
Salt (max.)	33.33
Other Spices/Flavorings (max.)	33.34
Soy Protein (maximum percent of total formula)	<u>3.50</u>
	100.00

a. Spices/seasonings must be the types used in conjunction with mild turkey taco seasoning. The contractor must furnish the USDA grader a statement by the manufacturer certifying the spice/seasoning formulation for compliance with this Specification prior to production.

b. Soy protein used in the spices/seasonings and/or the formula must not exceed 3.5 percent of the total formula. Kind and amount of restricted phosphates must be in accordance with 9 C.F.R. § 424.21.

c. Processing aids (e.g., anti-caking agents, anti-dusting agents, or other manufacturing aids) are allowed if used and labeled in accordance with FSIS requirements. If processing agents are used, the ingredients and amount of ingredients listed in the formulation (II.H.3.) must remain the same.

4. Mixing. A uniform blend of ground turkey, water, and spices/seasonings must be achieved by mechanically mixing all ingredients prior to packaging or cooking.

II.H.

5. Packaging. All packaging materials must be new and clean, and must not impart objectionable odors or flavors to the commodity.

a. Packaging materials.

(1) The commodity must be packaged in a plastic-film bags or casings. The bags or casings must be safe (not adulterated or injurious to health) for use in contact with food products. The safety of food-contact packaging materials will be determined by FSIS according to the criteria and procedures in 9 C.F.R. § 381.144.

(2) The plastic-film bags or casings must be boil- and steam-able and have the capacity of packaging formulated product, cooking the commodity without re-packaging or -packing the finished commodity, and freezing the commodity as required within this Specification. The bags/casings must be made of water-proof film with oxygen barrier properties, and have: (a) low-temperature flexibility (not brittle) and durability to resist stress-cracking caused by the temperatures of cooking, freezing, frozen storage, and reheating, and (b) the impact strength, tensile strength, and tear resistance to protect the commodity from contamination, dehydration, freezer burn, or quality deterioration during the conditions of use. Any seams in the bag/casing must provide the protective qualities equivalent to the body of the bag.

b. Packaging. Approximately 3 or 5 pounds (1.36 or 2.27 kg) of commodity must be packaged into a plastic-film bag or casing and sealed. The bag or casing must be of a width and length to accommodate proper space for filling, cooking, and reheating. The bag or casing must be sealed to protect the commodity from contamination, dehydration, and freezer burn. Metal wire ties and paper-coated wire ties must not be used for sealing bags/casings.

The **bag/casing and seal must** be of a design and structure to **remain intact (sealed) and prevent leaking** when the commodity is reheated (by recipient) in a boiling water bath.

6. Cooking. The commodity must reach an internal temperature of at least 160 °F (71.1 °C) during cooking. The time and temperature of cooking must provide cooked commodity that complies with II.H.8.

7. Packing. All packing materials must be new and clean, and must not impart objectionable odors or flavors to the commodity.

a. Shipping containers. Shipping containers must: (1) be a fiberboard container; (2) be of such size to pack the commodity without slack filling or bulging; (3) protect the commodity against loss and damage; (4) withstand the variations in humidity and temperature during the conditions of use; and (5) have the combined facings weight, the bursting strength, and the compression strength (edge crush value) to withstand the stresses of handling, shipping, stacking, and storage.

II.H.7.

(1) Container bottom. Flaps on the bottom of a shipping container must be securely fastened so the bottom remains securely fastened when the top of the container is opened.

(2) Final closure. Final closure of the fiberboard shipping containers must be secure and made with commercially acceptable filament-reinforced tape, plastic film packaging tape, non-metallic strapping, adhesive, or other similar types of materials that can be used for cold temperature storage conditions and that provide for safe handling of the commodity. Steel or wire straps must not be used for the final closure. Staples must not be used for the final closing of shipping containers. Adhesive or staples cannot be used to fasten the top portion of telescope-style containers to the bottom portion. However, staples may be used to manufacture and to assemble the shipping containers, provided the staples are fastened into the container and tightly clenched to eliminate sharp edges prior to packing the commodity into the shipping containers.

b. Packing. Ten 3-pound (1.36 kg) or six 5-pound (2.27 kg) packages of commodity must be packed in each fiberboard shipping container to 30 pounds (13.61 kg) net weight.

8. Organoleptic Requirements and Defects. After packaging, a package of commodity will be sampled and examined for organoleptic requirements and defects shown in Table 3. If any sample does not comply with the organoleptic requirements and defects, the product the sample represents will be rejected for use under this Specification. The frequency of sampling and the number of defects allowed will be in accordance with those outlined in Poultry Programs' SPL-2.

Table 3. Organoleptic Requirements and Defects for Cooked Commodity

Organoleptic Requirements: Examined after packaging.	Criteria: The commodity must be free of: (a) rancidity; (b) metallic, overcooked, burnt, scorched, bitter, oxidized, stale, fruity, beany, oily, soapy, or other flavors or odors foreign to properly prepared and cooked turkey taco filling; and (c) foreign materials (e.g., glass, paper, rubber, metal).
Product Defects: Examined after packaging.	Must maintain: the appearance and mouth-feel of properly prepared cooked turkey taco filling (i.e., similar to cooked ground turkey).

9. Reprocessing Cooked Commodity. Cooked and packaged commodity which does not meet the weight requirements may be reprocessed provided the: (a) temperature of the cooked commodity has been lowered to not higher than 40 °F (4.4 °C) and has been maintained at that temperature or lower; and (b) commodity is incorporated into raw formulated commodity (at a maximum of 5 percent of the formulated batch), packaged, cooked, and placed in a freezer within the 72 hours from the end of the shift it was produced.

II.H.

10. Freezing. Immediately after cooking, the internal product temperature of the cooked packaged commodity must be lowered continuously and placed in a freezer within 4 hours of cooking. The internal temperature of the packaged and packed commodity must be continuously lowered to 0 °F (-17.8 °C) or lower within 72 hours from the time of entering the freezer. If any sample of the commodity does not comply with the freezing requirements, the product or lot the samples represent will not be accepted for use under this Specification.

I. Metal Detection

1. Requirements

a. The commodity must be examined by a metal detection device: (1) accepted by FSIS; and (2) capable of detecting metallic contaminants including, but not limited to, stainless steel shavings, metal clips, metal fragments from cutting equipment, and pieces of wire.

b. The commodity must be presented correctly within the detection field pattern of the device. Procedures used must be appropriate for the dimensions, location, and pattern of the detection field, the “orientation effect” on the sensitivity of the device, the environmental conditions, and the commodity.

2. Operating Efficiency and Procedures. The operating efficiency of the metal detection device will be determined hourly by a USDA grader by placing a detection test strip with a sphere of 440 stainless steel in the center of the detection field pattern. Poultry Programs will provide the detection test strips with the stainless steel sphere of the specified diameter.

a. The commodity must be examined after it is packaged or packed in shipping containers.

b. The USDA grader will use a detection test strip with a 3.00 mm (0.1181 inch) sphere for commodity examined in a package or a shipping container.

3. Contaminated Product. These guidelines do not relieve the contractor of the responsibility to provide a safe product. Commodity suspected of being contaminated with metal, or found to be contaminated with metal, will be handled in accordance with FSIS procedures.

4. Other Detection Procedures. Other procedures for examination of the commodity may be approved by the Deputy Administrator of Poultry Programs, in writing.

III. LABELING

A. Packaged Commodity

No labeling is required on the packaging materials.

B. Shipping Containers - USDA Labeling

1. Labeling Provisions. Labeling and marking of the shipping containers must be in accordance with this Specification. Labeling is subject to the provisions of 9 C.F.R. § 381.132(c). **The name, address, and phone number of the manufacturer must appear on each shipping container.**

2. Printing Requirement. Printed, stamped, and stenciled labeling and marking information on shipping containers and packaging materials must be water-fast, nonsmearing, of a contrasting color, clear, and readable.

3. Labeling Format. Any deviation from labeling requirements in this Specification must be approved by the Contracting Officer, in writing, prior to the start of production.

4. Recycle Symbol and Statement. The contractor shall place somewhere on the surface of each recyclable shipping container the recycle symbol shown in EXHIBIT 1. The statement "PLEASE RECYCLE" is to be placed under the symbol. The recycle symbol and statement must be legibly printed in permanent ink.

5. Labeling and Marking Information.

a. Requirements. Labeling and marking information must be preprinted, stamped, or stenciled, on shipping containers. This information, in essentially the same layout, is provided in EXHIBITS 2 and 3, "Label Information For USDA Labeled Shipping Containers of Turkey Taco Filling" and "USDA Labeling Information."

b. "END" and "SIDE" designations. For the purpose of labeling and marking, the "end" and "side" panels may relate to the shortest and longest dimensions of the shipping container at the discretion of the contractor/processor. However, the panels must alternate between "end" panel and "side" panel designation with the two side panels and two end panels being located on opposite panels of the shipping container.

6. TOP PANEL - Labeling and Marking. The following information must appear on the top panel of each shipping container:

a. Storing instructions. The following storing instructions must be printed on the top panel of the shipping container:

PERISHABLE--KEEP FROZEN
KEEP AT ZERO DEGREE F (-17.8 °C) OR BELOW

III.B.6.

b. USDA symbol and manufacturer identification. The following must be printed on the “top panel” or the “one end” designated panel of each shipping container:

(1) The USDA symbol, copy on back of Specification, is to be a minimum of 2.25 inches (5.72 cm) in height.

(2) The manufacturer’s name, address, and phone number.

7. ONE END Panel - Labeling and Marking. The following information must appear on one end of each shipping container:

a. Type, name, ingredients statement, and legend.

(1) For commodity produced in natural proportion, the following is required and the words “TURKEY TACO FILLING” must be printed in letters at least 1 inch (2.54 cm) high:

FROZEN COOKED TURKEY TACO FILLING

Ingredients:

Distributed by USDA in cooperation with State and local
or tribal governments for domestic food assistance programs.
Not To Be Sold Or Exchanged.

(2) Commodity with additional skin added in amounts exceeding that of natural proportion, the following is required and the words “TURKEY TACO FILLING” must be printed in letters at least 1 inch (2.54 cm) high:

FROZEN COOKED TURKEY TACO FILLING WITH SKIN ADDED

Ingredients:

Distributed by USDA in cooperation with State and local
or tribal governments for domestic food assistance programs.
Not To Be Sold Or Exchanged.

b. Contract number and pack date. The following information may be preprinted, stamped, or stenciled on the shipping container, or on a separate pressure-sensitive label:

(1) Last five digits of the contract number as it appears in the acceptance wire.

(2) Date packed (month, day, and year).

III.B.7.

c. Inspection mark and plant number. The USDA inspection mark and USDA-assigned plant number must be printed on the “one end” designation panel of each shipping container.

d. Net weight. The net weight statement must be completed and printed on the “one end” designated panel of the shipping container:

__ Bags Net Combined Weight
30 LBS. (13.61 KG)

e. Storing instructions. The following storing instructions must be printed on the “one end” designated panel of each shipping container:

KEEP FROZEN

f. Universal product bar code.

(1) A Universal Product Code (UPC), symbol and code, called Interleaved 2 of 5 (I 2/5), must appear on each shipping container. The complete code, including the check digit, must be printed in machine-readable and human-readable form. The start and stop indicators will be included in the bar codes. Printing, readability, and scanability of the bar code must be in accordance with UPC guidelines published by Uniform Code Council, Inc., 7887 Washington Village Drive, Suite 300, Dayton, Ohio 45459.

(2) The contractor will use the code furnished by USDA. USDA has acquired a unique manufacturer’s identification number for the commodity purchase programs and will use a unique item code number for the commodity purchased under this Specification. The contractors need not join Uniform Code Council, Inc.

(3) The 14-digit UPC code for shipping containers of commodity is:
1 07 15001 01565 2

(4) The UPC code must be placed in the lower right-hand corner of the “one end” designated panel of each shipping container.

g. USDA symbol and manufacturer identification. The following must be printed on the “top panel” or the “one end” designated panel of each shipping container:

(1) The USDA symbol (see II.B.6.b.(1)).

(2) The manufacturer’s name, address, and phone number.

8. ONE SIDE Panel - Labeling and Marking. No labeling information is required on the side panel immediately to the right of the “one end” panel designated in III.B.7.

III.B.

9. THE OTHER END Panel - Labeling and Marking. No labeling information is required on the end opposite the panel designated “one end.”

10. THE OTHER SIDE Panel - Labeling and Marking. No labeling information is required on the side opposite the panel designated “one side.”

11. Inventory Control Label. The processor may use a pressure-sensitive label to place any additional information (including bar codes) for processor inventory control purposes. This label may be applied somewhere on the surface of the shipping container. The label must not cover or conflict with the labeling requirements of this Specification.

C. F.a.s. Vessel Deliveries

F.a.s. vessel deliveries that are not source loaded in a seavan are required to show the final destination’s overseas address as provided in the Notice to Deliver. The address must be clearly printed on at least two sides of each pallet.

IV. FINAL EXAMINATION OF PACKAGED AND PACKED COMMODITY

A. Material and Net Weight Compliance

1. Verification of Materials and Defects.

a. Verification of packaging and packing materials. Contractor must verify compliance with packaging, packing, and marking material requirements by furnishing the USDA grader the following certification on company stationery signed by a person authorized to do so by the contractor:

“(I) (We) certify that the packaging, packing, and marking materials used for any commodity presented for acceptance under the terms of the Commodity Specification for Turkey Taco Filling, dated August 2001, comply or will comply with the terms of this Commodity Specification.

Name _____

Title _____”

One certification is adequate for all production under this Specification.

b. Packaging defects. Packages in a delivery unit will be examined for defects that affect protection, expose product, or permit dehydration or freezer burn, or quality deterioration during storage, such as tears, holes, or improperly sealed or closed packages. The exterior of filled casings, bags, or pouches must be clean and free of product.

IV.A.1.

c. Packing defects. Shipping containers in a delivery unit will be examined for condition, labeling, and marking defects according to the United States Standards for Condition of Food Containers.

d. Tolerance for defects. If samples of packaged commodity or the shipping containers in a delivery unit have more defects than the maximum tolerance for the applicable Poultry Programs' sampling plan, the delivery unit will be rejected.

2. Net Weight.

a. A purchase unit or delivery unit must total 39,000 pounds (17,690 kg) net.

b. Each delivery unit, except as provided in IV.A.2.g., will be examined for compliance with the net weight requirements at time of checkloading.

c. The tare weight of all packing materials will be determined by weighing a representative sample of all packaging components such as plastic-film bags and fiberboard containers.

d. Fifteen (15) shipping containers of commodity will be randomly selected from a delivery unit to determine net weight and must comply with the following:

(1) The total net weight of the 15 shipping containers must be equal to or greater than 450 pounds (204.12 kg).

(2) If the total net weight is less than 450 pounds (204.12 kg), but greater than or equal to 445.50 pounds (202.08 kg), the delivery unit will be accepted at a discount as stated in IV.A.2.e.

(3) If the total net weight is less than 445.50 pounds (202.08 kg), the delivery unit will be rejected (see IV.A.2.f.).

e. A delivery unit with the average net weight per container listed below will be accepted at the corresponding discount:

(Average Test Net Weight Per Container)

30.0 pounds (13.61 kg)	:	29.7 pounds (13.47 kg)	:	1.0%
29.7 pounds (13.47 kg)	:	--	:	Unacceptable

Payments will be made on the actual quantity delivered. All price adjustments will be based on a delivery unit.

IV.A.2.

f. Rejected delivery units may be reworked and reoffered one time only. However, if an individual shipping container in the sample of the reworked delivery unit has a net weight of less than 29.70 pounds (13.47 kg) the delivery unit will be rejected.

g. As an alternative to test weighing at time of checkloading, the contractor may request on-line verification of net weights. Upon receiving the request, a Federal-State supervisor, Grading Branch, Poultry Programs will determine that the facilities and procedures are in accordance with applicable Poultry Programs' instructions for this Specification.

B. Prerequisites for Loading and Shipping Frozen Commodity

1. Visual Inspection. Frozen commodity showing any evidence of defrosting, refreezing, or freezer deterioration will be rejected for use under this Specification.

2. Internal Product Temperature.

a. Requirements. The internal product temperature of frozen commodity must be 2 °F (-16.7 °C) or lower at time of loading. Delivery units with internal product temperatures exceeding 2 °F (-16.7 °C) and up to 5 °F (-15 °C) will be tentatively rejected. Tentatively rejected delivery units may be returned to the freezer and the temperature reduced to 2 °F (-16.7 °C) or lower and reoffered one time only. Delivery units exceeding 5 °F (-15 °C) or delivery units that have been tentatively rejected and exceed 2 °F (-16.7 °C) when reoffered will be rejected for use under this Specification.

b. Optional temperature verification. As an option to verifying internal product temperature at time of loading, the contractor may request an alternate method utilizing product temperature sensing devices. If this option is selected, a Federal-State supervisor will determine that the facilities, equipment, procedures, and the contractors' current level of freezing compliance are in accordance with the established guidelines outlined in applicable Poultry Programs' instructions for this Specification.

C. Inspection and Checkloading

1. Requirements. Inspection for contract compliance will be made by a USDA representative, in accordance with 7 C.F.R. part 70, 9 C.F.R. part 381, and this Specification, at site of processing, both during and after processing and packaging. A USDA representative may select samples for laboratory analyses or inspect the commodity at any point in transit and after delivery to point of destination. Inspection records must be complete and made available to USDA, as requested, to assure contract compliance.

2. Procedures. The inspection and checkloading required by Articles 54 and 55 of USDA-1 must be performed by a USDA grader. Procedures to be followed and a schedule of fees for these services may be obtained by contacting the nearest Grading Branch field office or the Chief of the Grading Branch, Poultry Programs, AMS, USDA, Room 3938-S, STOP

0258,

IV.C.2.

1400 Independence Avenue, SW, Washington, D.C. 20250, telephone (202) 720-3271. The quality, quantity, weight, packaging, packing, and checkloading of the commodity must be evidenced by certificates issued by the USDA grader. The contractor must not ship the commodity unless informed by the USDA grader that the designated lot or subplot to be shipped meets contract specifications.

V. UNITIZATION

Each delivery unit of commodity must be unitized (palletized and stretchwrapped) and comply with the following:

A. Pallets

Pallets must be good quality, wood, 48 inches x 40 inches, nonreversible, flush stringer, and partial fourway entry. Each pallet of shipping containers must be stretchwrapped with plastic film in a manner that will secure each container and layer of containers on the pallet. Palletized product must be loaded in a way that will prevent shifting and damage to the containers of product.

B. Pallet Exchange

Contractors may arrange for pallet exchange with consignees; however, USDA is in no way responsible for such arrangements.

VI. SHIPMENT AND DELIVERY

Shipment and delivery must be made in accordance with the Specification, the applicable Announcement and Invitation, and Articles 56, 57, and 64 of USDA-1, as amended by the Announcement. In addition, the contractor must adhere to the following provisions:

A. Contract Compliance Stamp

Each shipping container must be identified with a USDA Contract Compliance stamp with the applicable certificate number. A USDA grader, or other authorized personnel under the supervision of the USDA grader, will stamp one end of each shipping container prior to shipment. If there is inadequate space available on either end of the shipping container, the stamp may be applied to a side of the container.

B. Grading Certificate

A copy of the original USDA Poultry Products Grading Certificate issued at time of checkloading must accompany each shipment.

1. Railcar or Piggyback. If shipment is by rail or piggyback, the certificate must be placed in the railcar or trailer for easy access to the USDA grader, warehouseman, or consignee, as applicable.

2. Trucks. If shipment is by truck, the driver must, upon delivery, give the certificate to the USDA grader, warehouseman, or consignee, as applicable.

C. Loading and Sealing of Vehicles

Loading must be in accordance with good commercial practices and the sealing must be done at origin under the supervision of a USDA grader.

1. Railcar. Each railcar must be sealed. The contractors are responsible for arranging railcar deliveries of more than one delivery unit so that each delivery unit contained in the same railcar can be completely separated and sealed.

2. Truck or Piggyback. Truck or piggyback shipments must be sealed at origin. A delivery unit shipped by truck or piggyback which includes split deliveries to two destinations will not require separation by sealing each drop.

D. Delivery Notification

Notwithstanding the provisions of Article 56(c) of USDA-1, as amended by the applicable Announcement, the contractor must follow the instructions in the Notice to Deliver issued by the Kansas City Commodity Office (KCCO) concerning delivery notification. Such notification and information of impending delivery are vital in proper execution of delivery. The contractor must notify the State distributing agency and the consignee of shipment per instructions in the Notice to Deliver. For rail or piggyback shipments, notification shall be made on the day of shipment. For truck shipments, notification of the estimated arrival time should be made as far in advance of delivery as possible. In addition, for truck or piggyback shipments, the contractor must request and keep scheduled appointment(s). Unloading appointments for truck or piggyback shipments must be requested from the consignee contact party(ies) at least 24 hours in advance of delivery.

1. In-Plant Deliveries. When in-plant delivery is made, the contractor must notify the appropriate USDA resident grader and furnish applicable information.

2. Delivery In Storage. Delivery may be made in store provided the destination in the Notice to Deliver and the place the contractor has the commodity in storage are the same. Inspection and certification by a USDA grader are also required for transfers in store.

VI.

E. Split Deliveries

The contractor is responsible to deliver the quantity stated on each Notice to Deliver to each destination. Contractors must provide to the USDA grader, at time of shipment, the number of boxes and pounds for each destination.

At the option of the contractor, a purchase unit with two Notices to Deliver (split deliveries) for two different destinations may be delivered on two separate trucks provided each truck ships the total quantity stated on the Notice to Deliver. Any additional costs will accrue to the contractor's account.

VII. DESTINATION EXAMINATION

The cost of a destination examination, before or after delivery, by a USDA grader on accepted product will be for the account of USDA. Costs for destination examinations of rejected delivery units will be for the account of the contractor. The USDA origin grader will make arrangements for destination examination prior to delivery.

A. Commodity Requirements

Before acceptance by consignee, the commodity may be examined by a USDA grader on a spot-check basis for temperature, condition, identity, and when applicable, count. The commodity may be examined for conformance to contract provisions at any time required by the Contracting Officer.


B. Temperature

The commodity must arrive at destination at an average internal product temperature not to exceed 10 °F (-12.2 °C) with no individual temperature exceeding 15 °F (-9.4 °C). Commodity not meeting these requirements will be rejected for use under this Specification.

Howard M. Magwire
Deputy Administrator, Poultry Programs

Attachment

EXHIBIT 1
“Please Recycle” Symbol and Statement



**PLEASE
RECYCLE**

EXHIBIT 2
Labeling Information for USDA Labeled Shipping Containers of
Turkey Taco Filling

Marking Information: Shipping containers may be marked substantially as shown below. Detailed USDA labeling information is provided in Exhibit 3. Markings must be preprinted, stamped, or stenciled on containers, water-fast, nonsmearing, of a contrasting color, clear, and readable. The USDA symbol is to be a minimum of 2.25 inches (5.72 cm) in height and may be printed on the “TOP PANEL” or “ONE END” designated panel. The manufacturer’s name, address, and phone number may be printed on the “TOP PANEL” or “ONE END” designated panel.




EXHIBIT 3
USDA Labeling Information

Marking Information: USDA labeling information must be printed on the “ONE END” panel of each shipping container as provided in Exhibit 2. Markings must be preprinted, stamped, or stenciled on containers, water-fast, nonsmearing, of a contrasting color, clear, and readable. The words “TURKEY TACO FILLING” must be printed in letters 1-inch (2.54 cm) high. The UPC 14-digit I 2/5 code (1 07 15001 01565 2), bar and code, must be shown in the lower right-hand corner of the “ONE END” designated panel. The USDA symbol must be a minimum of 2.25 inches (5.72 cm) in height and may be printed on the “TOP PANEL” or “ONE END” designated panel. The manufacturer’s name, address, and phone number may be printed on the “TOP PANEL” or “ONE END” designated panel.



FROZEN COOKED
TURKEY TACO FILLING



Ingredients:

**Distributed by USDA in cooperation with State and local
or tribal governments for domestic food assistance programs.
Not To Be Sold Or Exchanged.**

**Manufacturer’s
Name, Address, and Phone**

KEEP FROZEN

__ Bags Net Combined Weight

30 LBS. (13.61 KG)

CONTRACT NO. _____

**DATE PACKED Month, Day, and
Year**

UPC Bar and Code

USDA SYMBOL

