



United States
Department of
Agriculture

Marketing and
Regulatory
Programs

Agricultural
Marketing
Service

TOB-FL-45

April 2001


Washington, DC

Tobacco Market Review

Flue-Cured, 2000 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Contents

Page

Review of the 2000 Marketing Season	4
---	---

Summary of Standard Flue-Cured Tobacco Grades	5
---	---

Table

1. Allotted sales opportunities compared to producers' sales, 2000 crop	6
2. Initial and final designation of the 2000 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1995-2000 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1995-2000 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 2000 crop	18
11. Season auction bid averages and support rates by grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 2000 crop	29
17. Average weight per lot, 1995-2000 crops	29
18. Tobacco received by the Stabilization Corporation, 1997-2000 crops	29
19. Percentage distribution by groups and types, 1996-2000 crops	30
20. Percentage distribution by qualities and types, 1996-2000 crops	30
21. Percentage distribution by colors and types, 1996-2000 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1996-2000 crops	31
23. Percentage distribution by grades and types, 2000 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 2000 and 1999 crops	33
25. Group averages by maturity, 2000 crop	33
26. Percentage distribution by grades for all types, 1998-2000 crops	34-35
27. Average price by grade groups and types, 2000 and 1999 crops	35

REVIEW OF THE 2000 MARKETING SEASON

A good demand was shown for the small crop of flue-cured tobacco sold at auction during the 2000 marketing season. A great majority of grade bid averages were up from the previous year, and the volume of tobacco placed under loan decreased dramatically. Weather during the growing season was relatively ideal in most areas, leading to one of the better quality crops in recent years. The Type 14 area underwent drought conditions early, but their upper stalk tobacco developed on par with other belts. Both total volume and value were down from 1999, due to an 18 percent decrease in the effective quota. Sets of buyers and graders declined again, dropping from 37 to 31. Approximately 66 percent of the volume sold was marketed in bales as opposed to sheets. Nonauction sales, aided by contracting, increased substantially this season. Early auctions contained an estimated 45.3 million pounds carried over from 1999 production, mostly in the Old Belt. Auctions began August 1 and ended November 2, but most markets were closed by October 19.

SALES AND AVERAGES

Producers' sales, at auction, totaled 513,859,907 pounds, down 20.3 percent from 1999. The average price of \$178.79 was up \$5.72 from the 1999 average of \$173.07 per hundred pounds. Producers' value of \$918.7 million was down 17.7 percent from the 1999 level of \$1,116.3 million. Gross sales totaled 574.7 million pounds. These figures are based on auction sales only, including carry-over, and do not reflect assessments. Nonauction sales accounted for another 50.3 million pounds, and averaged \$187.31 per hundred, based on data from the USDA Farm Service Agency. Combining auction and nonauction sales showed producers sold 564.1 million pounds, averaging \$179.54 per hundred pounds.

GRADE BID AVERAGES

Over 77 percent of all grade bid averages improved, compared to the 1999 crop, with 13 percent lower and 10 percent steady. Losses were centered on green lugs and lower quality primings, and ranged from \$1 to \$6 per hundred. Ripe "B" and "H" grades were steady to \$6 higher, ranging from \$183 to \$189 this season. Unripe and immature "B" grades gained \$6 to \$12, and averaged between \$149 and \$184. Most cutters advanced \$1 to \$3, with averages from \$151 to \$182. Better quality lugs and primings gained \$2 to \$6 this season, selling between \$152 and \$169. Other grades in these groups ranged from \$116 to \$141 for the season. Gains of \$2 to \$5 were recorded in the nondescript group, with grade bid averages from \$95 to \$127 per hundred.

COMPOSITION OF OFFERINGS

More "ripe" tobacco was delivered to auction floors this season, as offerings grading mature to mellow increased 9 percentage points to 81 percent, the highest level since the 1974 crop. Unripe and immature sales dropped a similar amount to 18 percent. From a quality standpoint, tobacco classed as "good" gained 7 points to 23 percent, "fair" remained at 66 percent, and "low" slipped 6 points to only 9 percent of all sales. The group or stalk position picture changed relatively little, with a few more cutters and lugs on floors and less primings. Group percentages were: leaf 61; smoking leaf 3; cutters 11; lugs 17; primings 6; and nondescript 1 percent. Major colors this season were orange at 39 percent, ripe variegated color 32 percent, and unripe variegated 17 percent of all auctions. The ten heaviest volume grades and their percentages were: B4K (19.2); B4F (12.5); B3K (5.8); X4F (5.6); B4KM (5.3); C4F (4.5); X3F (4.3); B5K (3.4); B3KM (3.2); and B3F (2.7).

LOAN RATES

Loan rates by grade for 2000 were based on an average support level of \$1.640 per pound, compared with \$1.632 for the 1999 season. The Flue-Cured Stabilization Corporation deducted one cent per pound from the support price to offset overhead costs. The support level for 2001 was set at \$1.660 per pound by the Secretary of Agriculture in December 2000.

STABILIZATION RECEIPTS

Loan receipts were down sharply from 1999 levels. The Flue-Cured Stabilization Corporation received 26.5 million pounds or 5.2 percent of producer or net sales. This compares to 137.0 million pounds or 21.3 percent from the 1999 crop. Percentages of loan receipts by grade group follow:

GROUP	2000 CROP	1999 CROP
Leaf (B)	64.9	70.5
Smoking Leaf (H)	3.2	2.1
Cutters (C)	7.1	5.6
Lugs (X)	16.2	16.2
Primings (P)	7.9	4.6
Mixed (M)	**	0.1
Nondescript (N)	0.7	0.9

** Less than one-tenth of one percent.

MARKETING REGULATIONS

The marketing of flue-cured tobacco is regulated by the grower designation plan which began in 1974. In 2000, the "no-net-cost" assessment was 2.5 cents per pound for both growers and buyers. The "marketing assessment" expired with the 1998 crop. For the 1999 crop, producers and buyers were assessed a total of 1.0 cent per pound each for the "no-net-cost" assessment". Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) they used had been approved by the Environmental Protection Agency (EPA), and that they had not planted a discount variety. The USDA-FSA checked for compliance by random sampling. Thirty-four grades continued to be restricted for use. The special "M" prefix was again used on lots that contained 25 percent or more of an adjacent stalk position. When this "M" prefix was applied to lots from the "B" or "H" groups, the advance support price was lowered 3 cents per pound from the otherwise applicable rate for the same grade. The 2000 user fee for grading services of the USDA-AMS Tobacco Programs rose from 83 cents to \$1.00 per hundred pounds, with the number of sets reduced from 37 to 31.

PRELIMINARY 2001 INFORMATION

The 2001 basic marketing quota was released by the Secretary of Agriculture in December 2000. The quota was announced at 548.9 million pounds, up from the 2000 figure of 543.0 million. The 2001 effective quota is expected to be 543.0 million pounds, or about 3.0 percent below 2000. The national acreage allotment of 262,253 acres compares to 260,057 acres for 2000. The yield goal remained at 2,088 pounds per acre. The "no-net-cost" assessment for 2001 was set at 5.0 cents per pound, shared equally by growers and buyers.

**SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/
Key to Standard Grade marks for Flue-cured Tobacco**

Groups	Qualities	Color symbols		Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lugs side
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange	PO - Oxidized primings
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red	XO - Oxidized lugs or cutters
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish	BO - Oxidized leaf or smoking leaf
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed	GL - Thin-bodied nondescript
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green	GF - Medium-bodied nondescript
N - Nondescript		V - Greenish	GR - Green red	LP - Lemon (primings side)
S - Scrap		LL - Whitish-lemon	GK - Green variegated	FP - Orange (primings side)
			GG - Gray green	KK - Excessively scorched
		<u>Special factor</u>	<u>Special symbol</u>	
		W - Wet	S - Slick	
		U - Unsound		
		Sand or Dirt		
		M - Mixed		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side. Special factor "M" is applied to all grades containing 25 percent of an adjacent group.

Individual flue-cured grades

63 Grades of leaf:	Leaf - Continued:	Leaf - Continued:	Cutters - Continued:	Lugs - Continued:	Mixed - Continued
BIL	B5V	B5G	C2F	X4KR	M4KM
B2L	B3S 2/	B6G 2/	C3F	X3V	M5KM
B3L	B4S 2/	B5GR 2/	C4F	X4V	M4GK
B4L	B5S 2/	B4GK	C5F	X3S 2/	M5GK
B5L	B3KL	B5GK	C5FP 2/	X4S 2/	13 Grades of Nondescript:
B6L 2/	B4KL	B6GK 2/	C4KR	X4KL	
B1F	B5KL	B5GG 2/	C4V	X4KF	
B2F	B6KL 2/	10 Grades of Smoking leaf:		C4S 2/	
B3F	B3KF	H3F	C4KL	X3KM	
B4F	B4KF	H4F	C4KF	X4KM	
B5F	B5KF	H5F	C4KM	X4GK	
B6F 2/	B6KF 3/	H6F 2/	C4KK 2/	X4G	
B1FR	B3KD 2/	H4FR	C4G	X5G	
B2FR	B4KD 2/	H5FR	C4GK	10 Grades of primings:	
B3FR	B5KD 2/	H6FR 2/	26 Grades of Lugs:		P2L
B4FR	B6KD 2/	H4K	X1L	P3L	N1PO 2/
B5FR	B4KV	H5K	X2L	P4L	N1XO
B6FR 2/	B5KV	H6K 3/	X3L	P5L	N1BO
B5R 2/	B6KV 3/	23 Grades of Cutters:		X4L	N2
B3K	B3KM	C1L	X5L	P2F	
B4K	B4KM	C2L	X3LL 2/	P3F	
B5K	B5KM	C3L	X4LL 2/	P4F	
B6K 3/	B6KM 2/	C4L	X1F	P5F	
B3KR	B3KK 2/	C5L	X2F	P4G	
B4KR	B4KK 2/	C4LL 2/	X3F	7 Grades of Mixed:	
B5KR	B5KK 2/	C5LL 2/	X4F	M4F	
B3V	B6KK 2/	C5LP 2/	X5F	M5F	
B4V	B4G	C1F	X3KR	M4KR	

1/ Tobacco not covered by the standard grades is designated "No-G," "No-G-F" or "No-G-Nested"

2/ Restricted for use since 1995 marketing season.

3/ Reinstated for use beginning with the 1999 marketing season.

Table 1.--Allotted sales opportunities compared to producers' sales, 2000 crop 1/

Week ending	Marketing Area A			Marketing Area B			Marketing Area C			Marketing Area D			Total Flue-cured 2/	
	Sets of buyers	Sales opp.	Prod. sales	Sets of buyers	Sales opp.	Prod. sales	Sets of buyers	Sales opp.	Prod. sales	Sets of buyers	Sales opp.	Prod. sales	Sets of buyers	Sales opp.
1,000 pounds														
Aug 04	5	7,143	4,172	6	10,860	11,048	12	12,635	11,591	8	31	3/	7,143	4,172
Aug 11	9,531	5,877	14,490	11,666	25,250	19,993	17,058	18,924	66,328	33,026	28,516			
Aug 18	9,530	5,162	14,686	8,457	26,014	18,809	17,842	16,351	68,092	48,036	55,745			
Aug 25	9,550	4,419	14,629	8,963	26,042	17,744	17,807	13,195	68,009	48,740				
Sep 01	9,531	8,838	11,504	11,425	20,354	19,352	13,833	9,799	53,150	47,776				
Sep 08	7,459	7,200	14,999	14,848	26,305	26,084	18,211	9,671	69,055	60,563				
Sep 15	9,540	9,960	14,787	14,413	26,327	26,531	18,081	12,186	68,778	62,674				
Sep 22	9,583	9,544	15,054	15,421	25,698	25,072	18,269	12,489	68,574	62,531				
Sep 29	9,553	9,549	14,991	13,327	26,292	19,574	18,251	11,298	69,123	52,287				
Oct 06	9,589	8,088	11,112	5,552	19,694	6,979	13,614	7,757	44,420	26,156				
Oct 13	5,868	1,323	1,995		3,194		6,616		13,128					
Oct 20							2,679		2,679					
Oct 27										811	811			
Nov 03														

1/ Based on grower designation. Sales scheduled by Tobacco Programs, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets closed.

Table 2.--Initial and final designation of the 2000 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing Area A			Marketing Area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	14,910,078	15,927,071	Ahoskie	2,547,657	-----
Blackshear	6,545,298	6,796,569	Clinton	9,168,547	8,974,726
Claxton	4,143,666	4,055,278	Farmville	12,018,520	12,579,944
Douglas	8,228,582	8,855,306	Fuquay-Varina	10,615,937	11,315,821
Moultrie	13,177,220	13,678,962	Goldsboro	15,797,271	16,701,325
Nashville	8,724,348	9,694,861	Greenville	16,567,957	16,804,337
Pelham	14,496	-----	Kinston	27,057,505	27,502,323
Statesboro	4,832,427	4,419,653	Roanoke River	17,447,898	21,525,596
Tif-Fit-Ocil	1,945,855	1,846,183	Rocky Mount	7,961,312	9,443,751
Val-Hira	3,209,656	3,391,564	San-Cart-Aber	4,033,492	3,899,174
Vidalia	4,927,516	4,600,237	Smithfield	32,310,454	35,732,607
Total Georgia	70,659,142	73,265,684	Wallace	3,584,838	3,784,810
Florida:			Wendell	7,827	-----
Lake City	3,474,156	3,573,249	Wilson	43,559,166	47,998,467
Live Oak	4,093,682	4,175,531	Total area C:	202,678,381	216,262,881
Madison	4,017,704	4,240,712			
Total Florida	11,585,542	11,989,492			
Total area A:	82,244,684	85,255,176			

Marketing Area B			Marketing Area D		
South Carolina:			North Carolina:		
Conway	1,479,357	1,640,243	Burl-Meb	1,259,703	-----
Darl-Tim	6,643,814	6,927,988	Henderson	11,685,852	11,990,636
Kings-Hemway	7,534,691	7,276,106	Louisburg	11,462,647	13,440,921
Lake City	17,225,923	19,272,872	Mount Airy	6,486,976	3,328,325
Loris	2,878,927	2,923,754	Oxford	6,841,549	7,086,108
Mullins	25,004,888	28,250,353	Reidsville	9,625,442	10,450,443
Total S.C.	60,767,600	66,291,316	Roxboro	10,556,474	11,208,265
North Carolina:			Stone-Mad	3,898,446	4,124,807
Clark-Chad	7,305,440	8,499,796	Winston-Salem	22,016,464	26,513,250
Frmont-Frblf	15,043,087	15,586,157	Total N.C.	83,833,553	88,142,755
Lumberton	11,091,946	11,434,908	Virginia:		
Tab-White	18,601,705	20,032,114	Clark-Chase	11,638,797	13,090,286
Total N.C.	52,042,178	55,552,975	Danville	24,201,960	25,963,035
Total area B:	112,809,778	121,844,291	Kenbridge	129,966	129,966
			Lawrenceville	3,013,003	3,297,073
			South Boston	6,577,416	7,847,777
			South Hill	7,062,458	7,604,315
			Total Virginia	52,623,600	57,932,452
			Total area D:	136,457,153	146,075,207
			Total flue-cured	534,189,996	569,437,555

1/ Growers are allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old Belt								
States and markets	2000				1999			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Clark-Chase	Aug. 14	Oct. 24	25	3	Aug. 11	Nov. 02	21	4
Danville	Aug. 14	Oct. 26	41	4	Aug. 10	Nov. 15	47	5
Kenbridge	Aug. 28	Aug. 28	1	1	Sep. 01	Oct. 28	2	1
Lawrenceville	Aug. 16	Oct. 16	7	3	Aug. 12	Oct. 25	10	3
South Boston	Aug. 15	Oct. 26	14	3	Aug. 10	Nov. 10	29	3
South Hill	Aug. 14	Oct. 23	16	3	Aug. 10	Nov. 01	20	3
Total Virginia			17					19
North Carolina:								
Burl-Meb	Not Operating in 2000				Aug. 19	Nov. 03	6	1
Henderson	Aug. 14	Oct. 24	27	3	Aug. 10	Nov. 04	38	5
Louisburg	Aug. 14	Oct. 18	26	2	Aug. 10	Nov. 02	36	2
Mt. Airy	Aug. 14	Oct. 30	16	1	Aug. 10	Nov. 15	23	2
Oxford	Aug. 15	Oct. 18	15	3	Aug. 11	Nov. 09	25	4
Reidsville	Aug. 14	Oct. 30	27	3	Aug. 10	Nov. 09	27	3
Roxboro	Aug. 15	Oct. 19	24	3	Aug. 10	Nov. 10	31	4
Stone-Mad	Aug. 15	Oct. 31	11	2	Aug. 11	Nov. 16	15	2
Winston-Salem	Aug. 14	Nov. 02	46	7	Aug. 10	Nov. 15	47	7
Total N.C.			24					30
Total type 11			41					53

Type 12 - Eastern North Carolina								
North Carolina:	2000				1999			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Ahoskie	Not Operating in 2000				Aug. 12	Nov. 03	8	1
Clinton	Aug. 09	Oct. 16	19	2	Aug. 04	Nov. 01	31	2
Farmville	Aug. 09	Oct. 16	25	3	Aug. 04	Oct. 28	42	2
Fuquay-Varina	Aug. 09	Oct. 12	27	3	Aug. 04	Nov. 03	32	3
Goldsboro	Aug. 09	Oct. 17	37	4	Aug. 04	Nov. 08	47	4
Greenville	Aug. 09	Oct. 17	38	5	Aug. 04	Oct. 28	40	5
Kinston	Aug. 09	Oct. 17	38	6	Aug. 04	Nov. 04	45	6
Roanoke River	Aug. 09	Oct. 18	36	6	Aug. 04	Nov. 03	43	6
Rocky Mount	Aug. 09	Oct. 17	19	2	Aug. 04	Oct. 28	25	2
San-Cart-Aber	Aug. 14	Oct. 11	9	1	Aug. 05	Nov. 02	13	2
Smithfield	Aug. 09	Oct. 19	39	5	Aug. 04	Nov. 08	47	5
Wallace	Aug. 14	Oct. 17	8	1	Aug. 05	Nov. 03	13	1
Wendell	Not Operating in 2000				Aug. 09	Nov. 02	6	2
Wilson	Aug. 09	Oct. 19	39	7	Aug. 04	Nov. 08	47	9
Total type 12			45					50

**Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market
--Continued**

Type 13 - South Carolina and Border North Carolina

States and markets	2000				1999			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
		Number	Number			Number	Number	
South Carolina:								
Conway	Aug. 22	Oct. 17	4	1	Aug. 04	Oct. 26	8	1
Darl-Tim	Aug. 09	Oct. 17	13	4	Aug. 03	Oct. 27	21	5
Kings-Hemway	Aug. 08	Oct. 16	13	4	Aug. 03	Oct. 27	26	5
Lake City	Aug. 08	Oct. 18	36	4	Aug. 03	Oct. 27	42	4
Loris	Aug. 15	Oct. 11	6	2	Aug. 03	Oct. 21	10	2
Mullins	Aug. 08	Oct. 17	38	5	Aug. 03	Oct. 28	42	5
Total S.C.			20					22
North Carolina:								
Clark-Chad	Aug. 09	Oct. 17	16	3	Aug. 04	Nov. 01	19	3
Frmont-Frblf	Aug. 08	Oct. 17	32	7	Aug. 03	Oct. 27	42	8
Lumberton	Aug. 08	Oct. 18	23	3	Aug. 03	Oct. 25	24	4
Tab-White	Aug. 08	Oct. 17	38	7	Aug. 03	Nov. 01	44	9
Total N.C.			20					24
Total type 13			40					46

Type 14 - Georgia and Florida

Georgia:								
Alma	Aug. 01	Oct. 19	38	2	Jul. 27	Oct. 20	27	2
Blackshear	Aug. 02	Oct. 18	18	2	Jul. 28	Oct. 19	14	2
Claxton	Aug. 07	Oct. 12	10	1	Jul. 29	Oct. 19	12	1
Douglas	Aug. 02	Oct. 16	20	3	Jul. 27	Oct. 19	23	3
Moultrie	Aug. 01	Oct. 16	37	4	Jul. 27	Oct. 21	34	4
Nashville	Aug. 01	Oct. 12	22	2	Jul. 28	Oct. 18	18	2
Pelham	Not Operating in 2000				Aug. 09	Sep. 29	3	1
Statesboro	Aug. 03	Oct. 17	12	1	Jul. 28	Oct. 20	13	1
Tif-Fit-Ocil	Aug. 16	Oct. 11	5	1	Aug. 03	Oct. 18	7	1
Val-Hira	Aug. 07	Oct. 12	9	1	Jul. 29	Oct. 14	11	2
Vidalia	Aug. 01	Oct. 18	13	1	Jul. 27	Oct. 18	17	2
Total Georgia			18					21
Florida:								
Lake City	Aug. 03	Oct. 05	10	1	Aug. 02	Oct. 19	9	1
Live Oak	Aug. 02	Oct. 11	11	2	Jul. 27	Oct. 06	10	2
Madison	Aug. 01	Oct. 10	11	1	Jul. 28	Oct. 18	11	1
Total Florida			4					4
Total type 14			22					25
Total 11-14			148					170

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
Thousand pounds						
2000 Crop						
Alabama	487	124	363	---	---	---
Florida	2,221	---	2,221	---	---	---
Georgia	2,291	2,291	---	---	---	---
South Carolina	8,445	---	468	---	7,977	---
North Carolina	15,098	---	---	2,315	---	12,783
Virginia	2,816	---	---	---	2,816	---
Total	31,358	2,415	3,052	2,315	10,793	12,783
1999 Crop						
Alabama	539	176	363	---	---	---
Florida	2,878	---	2,878	---	---	---
Georgia	2,469	2,469	---	---	---	---
South Carolina	8,781	---	423	---	8,358	---
North Carolina	19,919	---	---	2,331	---	17,588
Virginia	4,808	---	---	---	4,808	---
Total	39,394	2,645	3,664	2,331	13,166	17,588

1/ Based on reports of the Farm Service Agency, USDA.

Table 5.--Producers' sales, value, and average price by types, 1995-2000 crops 1/

Type 11 - Old Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1995	247,191,007	446,609,818	180.67	1995	321,210,002	579,458,109	180.40
1996	246,080,631	460,319,259	187.06	1996	332,328,689	609,046,658	183.27
1997	267,560,256	459,794,826	171.85	1997	409,827,853	707,577,461	172.65
1998	222,959,486	397,751,662	178.40	1998	315,169,130	558,229,666	177.12
1999	188,193,736	331,482,305	176.14	1999	246,962,117	429,354,008	173.85
2000	121,767,084	222,373,757	182.62	2000	194,843,656	349,301,014	179.27

Type 13 - South Carolina and Border North Carolina

Type 14 - Georgia and Florida

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1995	180,794,475	321,203,591	177.66	1995	102,652,702	180,275,217	175.62
1996	187,439,181	340,500,717	181.66	1996	131,045,377	237,506,796	181.24
1997	217,671,313	376,426,963	172.93	1997	112,999,926	193,620,294	171.35
1998	163,928,909	280,389,976	171.04	1998	108,579,745	185,140,780	170.51
1999	132,052,981	223,825,258	169.50	1999	77,767,821	131,625,482	169.25
2000	117,184,771	207,308,627	176.91	2000	80,064,396	139,733,835	174.53

Types 11-14 - Total flue-cured

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1995	851,848,186	1,527,546,735	179.32	1998	810,637,270	1,421,512,084	175.36
1996	896,893,878	1,647,373,430	183.68	1999	644,976,655	1,116,287,053	173.07
1997	1,008,059,348	1,737,419,544	172.35	2000	513,859,907	918,717,233	178.79

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 6.--Gross sales, value, and average price: resales, average price, and percentage of gross sales by types, 1995-2000 crops 1/

Crop year	Type 11 - Old Belt			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Pounds	Dollars	Percentage of gross sales Percent
1995	264,833,416	478,483,449	180.67	17,642,409	180.66	6.7
1996	264,507,025	494,349,010	186.89	18,426,394	184.68	7.0
1997	288,945,019	496,068,852	171.68	21,384,763	169.63	7.4
1998	244,610,418	436,572,803	178.48	21,650,932	179.30	8.9
1999	205,795,435	362,929,292	176.35	17,601,699	178.66	8.6
2000	134,960,871	246,356,970	182.54	13,193,787	181.78	9.8

Type 12 - Eastern North Carolina						
1995	347,810,879	627,670,236	180.46	26,600,877	181.24	7.7
1996	359,993,946	659,982,431	183.33	27,665,257	184.11	7.7
1997	442,542,630	764,890,434	172.84	32,714,777	175.19	7.4
1998	346,918,732	615,222,976	177.34	31,749,602	179.51	9.2
1999	271,833,216	474,211,171	174.45	24,871,099	180.36	9.2
2000	218,599,067	392,639,012	179.62	23,755,411	182.43	10.9

Type 13 - South Carolina and Border North Carolina						
1995	198,587,831	353,164,023	177.84	17,793,356	179.62	9.0
1996	204,799,497	372,564,181	181.92	17,360,316	184.69	8.5
1997	238,484,854	412,746,751	173.07	20,813,541	174.50	8.7
1998	180,541,444	309,339,014	171.34	16,612,535	174.26	9.2
1999	147,030,685	250,766,364	170.55	14,977,704	179.87	10.2
2000	132,191,886	234,400,969	177.32	15,007,115	180.53	11.4

Type 14 - Georgia and Florida						
1995	113,617,187	199,826,231	175.88	10,964,485	178.31	9.7
1996	144,064,371	261,347,963	181.41	13,018,994	183.13	9.0
1997	125,743,425	215,677,327	171.52	12,743,499	173.08	10.1
1998	121,552,823	207,308,283	170.55	12,973,078	170.87	10.7
1999	87,052,373	147,912,342	169.91	9,284,552	175.42	10.7
2000	88,936,215	155,494,694	174.84	8,871,819	177.65	10.0

Types 11-14 Total						
1995	924,849,313	1,659,143,939	179.40	73,001,127	180.27	7.9
1996	973,364,839	1,788,243,585	183.72	76,470,961	184.21	7.9
1997	1,095,715,928	1,889,383,364	172.43	87,656,580	173.36	8.0
1998	893,623,417	1,568,443,076	175.51	82,986,147	177.05	9.3
1999	711,711,709	1,235,819,169	173.64	66,735,054	179.11	9.4
2000	574,688,039	1,028,891,645	179.03	60,828,132	181.12	10.6

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Type 11 - Old Belt

Market and State	2000 Crop			1999 Crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average Dollars
Virginia:						
Clark-Chase	5,520,273	10,200,922	184.79	7,486,830	13,224,998	176.64
Danville	24,269,231	44,452,476	183.16	38,109,100	67,308,892	176.62
Kenbridge	56,936	109,596	192.49	181,659	322,131	177.33
Lawrenceville	2,499,041	4,647,575	185.97	4,296,131	7,576,840	176.36
South Boston	6,616,313	12,007,355	181.48	10,451,698	18,171,947	173.87
South Hill	5,122,023	9,510,680	185.68	8,842,759	15,683,186	177.36
Total Virginia	44,083,817	80,928,604	183.58	69,368,177	122,287,994	176.29
North Carolina:						
Burl-Meb	Not operating in 2000			2,944,972	5,244,795	178.09
Henderson	10,172,707	18,655,755	183.39	15,083,382	26,731,265	177.22
Louisburg	9,653,821	17,558,005	181.88	15,853,491	28,377,565	179.00
Mt. Airy	3,282,507	5,992,849	182.57	10,218,374	17,756,546	173.77
Oxford	6,313,589	11,451,000	181.37	10,583,584	18,743,355	177.10
Reidsville	10,098,731	18,517,271	183.36	13,571,612	23,891,908	176.04
Roxboro	10,523,651	19,155,461	182.02	13,583,466	24,182,944	178.03
Stone-Mad	4,005,457	7,242,982	180.83	5,115,061	8,784,965	171.75
Winston-Salem	23,632,804	42,871,830	181.41	31,871,617	55,480,968	174.08
Total N.C.	77,683,267	141,445,153	182.08	118,825,559	209,194,311	176.05
Total Type 11	121,767,084	222,373,757	182.62	188,193,736	331,482,305	176.14

Type 12 - Eastern North Carolina

North Carolina:					
Ahoskie	Not operating in 2000			2,398,151	4,129,044
Clinton	8,340,639	14,919,494	178.88	11,354,026	19,407,824
Farmville	11,663,028	20,755,498	177.96	14,602,780	25,534,855
Fuquay-Varina	10,838,105	19,430,451	179.28	15,867,925	27,292,103
Goldsboro	15,541,558	27,684,268	178.13	18,631,134	32,389,666
Greenville	15,901,009	28,416,590	178.71	18,737,923	32,238,240
Kinston	25,769,920	46,074,737	178.79	31,217,297	53,999,417
Roanoke River	19,069,142	34,265,193	179.69	20,689,988	36,127,808
Rocky Mount	7,180,562	12,797,781	178.23	9,251,939	16,166,133
San-Cart-Aber	3,651,033	6,572,239	180.01	6,512,691	11,318,088
Smithfield	33,523,448	60,174,514	179.50	39,194,804	67,670,054
Wallace	3,711,801	6,589,409	177.53	4,121,006	7,062,336
Wendell	Not operating in 2000			1,886,955	3,283,699
Wilson	39,653,411	71,620,840	180.62	52,495,498	92,734,741
Total Type 12	194,843,656	349,301,014	179.27	246,962,117	429,354,008

See footnotes at end of table.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/--Continued

Type 13 - South Carolina and Border North Carolina

Market and State	2000 Crop			1999 Crop		
	Sales	Value	Average	Sales	Value	Average
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	1,605,025	2,866,538	178.60	2,734,922	4,613,114	168.67
Darl-tim	6,554,681	11,376,913	173.57	9,115,690	15,193,999	166.68
Kings-Hemway	6,926,538	12,158,443	175.53	10,632,653	18,200,591	171.18
Lake City	18,947,985	33,307,132	175.78	20,005,773	33,521,478	167.56
Loris	2,837,401	5,020,252	176.93	3,174,989	5,163,088	162.62
Mullins	26,814,174	47,327,351	176.50	26,463,017	44,141,378	166.80
Total S. C.	63,685,804	112,056,629	175.95	72,127,044	120,833,648	167.53
North Carolina:						
Clark-Chad	8,156,074	14,652,762	179.65	7,551,428	13,188,229	174.65
Frmont-Frbflf	15,185,139	26,837,586	176.74	19,514,852	33,080,144	169.51
Lumberton	11,092,775	19,775,292	178.27	10,482,260	18,347,572	175.03
Tab-White	19,064,979	33,986,358	178.27	22,377,397	38,375,665	171.49
Total N. C.	53,498,967	95,251,998	178.04	59,925,937	102,991,610	171.86
Total Type 13	117,184,771	207,308,627	176.91	132,052,981	223,825,258	169.50

Type 14 - Georgia and Florida

Georgia:						
Alma	14,372,682	24,633,812	171.39	10,414,037	17,741,509	170.36
Blackshear	6,627,856	11,717,419	176.79	5,090,098	8,910,037	175.05
Claxton	3,991,167	7,101,993	177.94	3,788,729	6,320,464	166.82
Douglas	8,370,088	14,817,079	177.02	8,655,137	14,594,844	168.63
Moultrie	12,690,078	21,719,456	171.15	13,868,923	23,445,901	169.05
Nashville	9,240,296	16,352,349	176.97	7,285,698	12,550,986	172.27
Pelham	Not operating in 2000			931,683	1,470,573	157.84
Statesboro	4,264,120	7,470,601	175.20	3,107,484	5,177,443	166.61
Tif-Fit-Ocil	1,676,010	2,856,289	170.42	1,994,876	3,079,656	154.38
Val-Hira	3,223,805	5,629,315	174.62	3,709,681	5,977,392	161.13
Vidalia	4,148,339	7,436,365	179.26	4,955,150	8,291,839	167.34
Total Georgia	68,604,441	119,734,678	174.53	63,801,496	107,560,644	168.59
Florida:						
Lake City	3,484,778	5,998,612	172.14	4,145,138	6,938,891	167.40
Live Oak	3,848,678	6,749,507	175.37	4,998,973	8,717,658	174.39
Madison	4,126,499	7,251,038	175.72	4,822,214	8,408,289	174.37
Total Florida	11,459,955	19,999,157	174.51	13,966,325	24,064,838	172.31
Total Type 14	80,064,396	139,733,835	174.53	77,767,821	131,625,482	169.25
Total Types 11- 14	513,859,907	918,717,233	178.79	644,976,655	1,116,287,053	173.07

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old Belt

Market and State	2000 Crop			1999 Crop		
	Sales Pounds	Value Dollars	Average Dollars	Sales Pounds	Value Dollars	Average Dollars
Virginia:						
Clark-Chase	6,227,776	11,507,646	184.78	8,082,675	14,280,537	176.68
Danville	27,263,883	49,932,056	183.14	42,419,794	75,003,050	176.81
Kenbridge	59,194	113,913	192.44	181,659	322,131	177.33
Lawrenceville	2,532,935	4,711,022	185.99	4,511,615	7,965,983	176.57
South Boston	6,971,927	12,644,015	181.36	11,248,124	19,586,718	174.13
South Hill	5,188,182	9,631,182	185.64	9,418,032	16,733,059	177.67
Total Virginia	48,243,897	88,539,834	183.53	75,861,899	133,891,478	176.49
North Carolina:						
Burl-Meb	Not operating in 2000.			3,016,564	5,378,328	178.29
Henderson	11,292,447	20,695,697	183.27	16,366,521	29,054,773	177.53
Louisburg	11,102,543	20,174,107	181.71	17,855,938	32,012,006	179.28
Mt. Airy	3,466,136	6,329,514	182.61	11,017,228	19,187,613	174.16
Oxford	6,616,895	12,003,078	181.40	11,293,595	20,013,139	177.21
Reidsville	11,390,294	20,855,129	183.10	15,132,240	26,648,601	176.10
Roxboro	11,821,239	21,527,970	182.11	14,875,776	26,500,960	178.15
Stone-Mad	4,407,332	7,976,725	180.99	5,524,514	9,513,259	172.20
Winston-Salem	26,620,088	48,254,916	181.27	34,851,160	60,729,135	174.25
Total N. C.	86,716,974	157,817,136	181.99	129,933,536	229,037,814	176.27
Total Type 11	134,960,871	246,356,970	182.54	205,795,435	362,929,292	176.35

Type 12 - Eastern North Carolina

North Carolina:					
Ahoskie	Not operating in 2000.			2,636,528	4,565,584
Clinton	8,929,721	15,999,399	179.17	11,760,725	20,119,547
Farmville	12,659,990	22,574,256	178.31	15,304,193	26,799,433
Fuquay-Varina	11,505,593	20,644,411	179.43	16,731,762	28,745,250
Goldsboro	17,541,823	31,330,151	178.60	20,524,821	35,837,123
Greenville	17,309,819	30,946,954	178.78	19,931,007	34,342,005
Kinston	29,073,975	52,258,937	179.74	34,991,849	60,901,940
Roanoke River	21,419,132	38,480,840	179.66	22,722,394	39,747,145
Rocky Mount	8,091,025	14,479,588	178.96	9,641,864	16,876,108
San-Cart-Aber	3,921,887	7,073,915	180.37	6,968,268	12,155,849
Smithfield	38,686,840	69,522,835	179.71	45,151,943	78,355,970
Wallace	3,904,749	6,943,276	177.82	4,463,541	7,690,408
Wendell	Not operating in 2000.			1,953,332	3,401,863
Wilson	45,554,513	82,384,450	180.85	59,050,989	104,672,946
Total Type 12	218,599,067	392,639,012	179.62	271,833,216	474,211,171
					174.45

See footnotes at end of table.

**Table 8.--Gross sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina

Market and State	2000 Crop			1999 Crop		
	Sales Pounds	Value Dollars	Average Dollars	Sales Pounds	Value Dollars	Average Dollars
South Carolina:						
Conway	1,719,376	3,080,657	179.17	2,943,335	4,994,035	169.67
Darl-Tim	7,466,014	12,999,906	174.12	10,246,912	17,214,136	167.99
Kings-Hemway	7,588,192	13,348,977	175.92	11,127,190	19,084,626	171.51
Lake City	22,144,716	39,060,414	176.39	23,179,935	39,220,524	169.20
Loris	3,068,041	5,446,863	177.54	3,404,764	5,583,949	164.00
Mullins	29,965,535	52,964,862	176.75	29,273,317	49,167,378	167.96
Total S.C.	71,951,874	126,901,679	176.37	80,175,453	135,264,648	168.71
North Carolina:						
Clark-Chad	8,939,183	16,099,243	180.10	8,531,132	14,970,800	175.48
Frmont-Frblf	17,340,222	30,714,580	177.13	22,180,210	37,843,139	170.62
Lumberton	12,243,274	21,832,039	178.32	10,903,546	19,090,383	175.08
Tab-White	21,717,333	38,853,428	178.91	25,240,344	43,597,394	172.73
Total N.C.	60,240,012	107,499,290	178.45	66,855,232	115,501,716	172.76
Total Type 13	132,191,886	234,400,969	177.32	147,030,685	250,766,364	170.55

Type 14 - Georgia and Florida

Georgia:						
Alma	16,419,012	28,267,932	172.17	11,759,662	20,172,650	171.54
Blackshear	7,128,081	12,618,955	177.03	5,759,037	10,118,542	175.70
Claxton	4,453,229	7,940,422	178.31	3,973,416	6,641,801	167.16
Douglas	9,571,033	16,923,451	176.82	9,672,642	16,354,849	169.08
Moultrie	13,936,619	23,964,856	171.96	15,623,175	26,549,875	169.94
Nashville	9,997,124	17,678,428	176.84	8,088,245	13,923,582	172.15
Pelham	Not operating in 2000.			1,037,317	1,648,036	158.87
Statesboro	4,705,118	8,278,164	175.94	3,452,431	5,800,286	168.01
Tif-Fit-Ocil	1,809,223	3,097,179	171.19	2,220,283	3,491,688	157.26
Val-Hira	3,552,897	6,196,664	174.41	4,038,013	6,515,561	161.36
Vidalia	4,521,326	8,083,441	178.78	5,792,961	9,681,330	167.12
Total Georgia	76,093,662	133,049,492	174.85	71,417,182	120,898,200	169.28
Florida:						
Lake City	3,874,555	6,689,729	172.66	4,567,372	7,680,943	168.17
Live Oak	4,348,024	7,624,012	175.34	5,709,562	9,982,372	174.84
Madison	4,619,974	8,131,461	176.01	5,358,257	9,350,827	174.51
Total Florida	12,842,553	22,445,202	174.77	15,635,191	27,014,142	172.78
Total Type 14	88,936,215	155,494,694	174.84	87,052,373	147,912,342	169.91
Total Types 11- 14	574,688,039	1,028,891,645	179.03	711,711,709	1,235,819,169	173.64

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Market and State	Type 11 - Old Belt					
	2000 Crop			1999 Crop		
	Resales	Average	Percent of Gross	Resales	Average	Percent of Gross
Virginia:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Clark-Chase	707,503	184.70	11.36	595,845	177.15	7.37
Danville	2,994,652	182.98	10.98	4,310,694	178.49	10.16
Kenbridge	2,258	191.19	3.81	--	--	--
Lawrenceville	33,894	187.19	1.34	215,484	180.59	4.78
South Boston	355,614	179.03	5.10	796,426	177.64	7.08
South Hill	66,159	182.14	1.28	575,273	182.50	6.11
Total Virginia	4,160,080	182.96	8.62	6,493,722	178.69	8.56
North Carolina:						
Burl-Meb	Not operating in 2000			71,592	186.52	2.37
Henderson	1,119,740	182.18	9.92	1,283,139	181.08	7.84
Louisburg	1,448,722	180.58	13.05	2,002,447	181.50	11.21
Mt. Airy	183,629	183.34	5.30	798,854	179.14	7.25
Oxford	303,306	182.02	4.58	710,011	178.84	6.29
Reidsville	1,291,563	181.01	11.34	1,560,628	176.64	10.31
Roxboro	1,297,588	182.84	10.98	1,292,310	179.37	8.69
Stone-Mad	401,875	182.58	9.12	409,453	177.87	7.41
Winston-Salem	2,987,284	180.20	11.22	2,979,543	176.14	8.55
Total North Carolina	9,033,707	181.23	10.42	11,107,977	178.64	8.55
Total Type 11	13,193,787	181.78	9.78	17,601,699	178.66	8.55

Type 12 - Eastern North Carolina

North Carolina:	Type 12 - Eastern North Carolina					
	Resales	Average	Percent of Gross	Resales	Average	Percent of Gross
Ahoskie	Not operating in 2000			238,377	183.13	9.04
Clinton	589,082	183.32	6.60	406,699	175.00	3.46
Farmville	996,962	182.43	7.87	701,413	180.29	4.58
Fuquay-Varina	667,488	181.87	5.80	863,837	168.22	5.16
Goldsboro	2,000,265	182.27	11.40	1,893,687	182.05	9.23
Greenville	1,408,810	179.61	8.14	1,193,084	176.33	5.99
Kinston	3,304,055	187.17	11.36	3,774,552	182.87	10.79
Roanoke River	2,349,990	179.39	10.97	2,032,406	178.08	8.94
Rocky Mount	910,463	184.72	11.25	389,925	182.08	4.04
San-Cart-Aber	270,854	185.22	6.91	455,577	183.89	6.54
Smithfield	5,163,392	181.05	13.35	5,957,139	179.38	13.19
Wallace	192,948	183.40	4.94	342,535	183.36	7.67
Wendell	Not operating in 2000			66,377	178.02	3.40
Wilson	5,901,102	182.40	12.95	6,555,491	182.11	11.10
Total Type 12	23,755,411	182.43	10.87	24,871,099	180.36	9.15

See footnotes at end of table.

**Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/
--Continued**

Market and State	2000 Crop			1999 Crop		
	Resales	Average	Percent of Gross	Resales	Average	Percent of Gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	114,351	187.25	6.65	208,413	182.77	7.08
Darl-Tim	911,333	178.09	12.21	1,131,222	178.58	11.04
Kings-Hemway	661,654	179.93	8.72	494,537	178.76	4.44
Lake City	3,196,731	179.97	14.44	3,174,162	179.54	13.69
Loris	230,640	184.97	7.52	229,775	183.16	6.75
Mullins	3,151,361	178.89	10.52	2,810,300		9.60
Total South Carolina	8,266,070	179.59	11.49	8,048,409	179.30	10.04
North Carolina:						
Clark-Chad	783,109	184.71	8.76	979,704	181.95	11.48
Frmont-Frbf	2,155,083	179.90	12.43	2,665,358	178.70	12.02
Lumberton	1,150,499	178.77	9.40	421,286	176.32	3.86
Tab-White	2,652,354	183.50	12.21	2,862,947	182.39	11.34
Total North Carolina	6,741,045	181.68	11.19	6,929,295	180.54	10.36
Total Type 13	15,007,115	180.53	11.35	14,977,704	179.87	10.19

Type 14 - Georgia and Florida						
Georgia:						
Alma	2,046,330	177.59	12.46	1,345,625	180.67	11.44
Blackshear	500,225	180.23	7.02	668,939	180.66	11.62
Claxton	462,062	181.45	10.38	184,687	173.99	4.65
Douglas	1,200,945	175.39	12.55	1,017,505	172.97	10.52
Moultrie	1,246,541	180.13	8.94	1,754,252	176.94	11.23
Nashville	756,828	175.22	7.57	802,547	171.03	9.92
Pelham	Not operating in 2000			105,634	168.00	10.18
Statesboro	440,998	183.12	9.37	344,947	180.56	9.99
Tif-Fit-Ocil	133,213	180.83	7.36	225,407	182.79	10.15
Val-Hira	329,092	172.40	9.26	328,332	163.91	8.13
Vidalia	372,987	173.48	8.25	837,811	165.85	14.46
Total Georgia	7,489,221	177.79	9.84	7,615,686	175.13	10.66
Florida:						
Lake City	389,777	177.31	10.06	422,234	175.74	9.24
Live Oak	499,346	175.13	11.48	710,589	177.98	12.45
Madison	493,475	178.41	10.68	536,043	175.83	10.00
Total Florida	1,382,598	176.92	10.77	1,668,866	176.73	10.67
Total Type 14	8,871,819	177.65	9.98	9,284,552	175.42	10.67
Total Types 11- 14	60,828,132	181.12	10.58	66,735,054	179.11	9.38

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types, 2000 crop 1/

Type, market, and State	Sales in Mil. lb.	Rank by Separate types	Rank by all types	Type, market, and State	Sales in Mil. lb.	Rank by Separate types	Rank by all types
Type 11							
Danville, Va.	24.3	1	5	Mullins, S.C.	26.8	1	3
Winston-Salem, N.C.	23.6	2	6	Tab-White, N.C.	19.1	2	8
Roxboro, N.C.	10.5	3	18	Lake City, S.C.	18.9	3	9
Henderson, N.C.	10.2	4	19	FrMont-FrBlf, N.C.	15.2	4	12
Reidsville, N.C.	10.1	5	20	Lumberton, N.C.	11.1	5	16
Louisburg, N.C.	9.7	6	21	Clark-Chad, N.C.	8.2	6	25
South Boston, Va.	6.6	7	29	Kings-Hemway, S.C.	6.9	7	27
Oxford, N.C.	6.3	8	31	Darl-Tim, S.C.	6.6	8	30
Clark-Chase, Va.	5.5	9	32	Loris, S.C.	2.8	9	45
South Hill, Va.	5.1	10	33	Conway, S.C.	1.6	10	48
Stone-Mad, N.C.	4.0	11	37				
Mount Airy, N.C.	3.3	12	43				
Lawrenceville, Va.	2.5	13	46				
Kenbridge, Va.	0.1	14	49				
Type 12							
Type 13							
Wilson, N.C.	39.7	1	1	Alma, Ga.	14.4	1	13
Smithfield, N.C.	33.5	2	2	Moultrie, Ga.	12.7	2	14
Kinston, N.C.	25.8	3	4	Nashville, Ga.	9.2	3	22
Roanoke Rivr, N.C.	19.1	4	7	Douglas, Ga.	8.4	4	23
Greenville, N.C.	15.9	5	10	Blackshear, Ga.	6.6	5	28
Goldsboro, N.C.	15.5	6	11	Statesboro, Ga.	4.3	6	34
Farmville, N.C.	11.7	7	15	Vidala, Ga.	4.1	7	35
Fuquay-Varina, N.C.	10.8	8	17	Madison, Fl.	4.1	8	36
Clinton, N.C.	8.3	9	24	Claxton, Ga.	4.0	9	38
Rocky Mount, N.C.	7.2	10	26	Live Oak, Fl.	3.8	10	39
Wallace, N.C.	3.7	11	40	Lake City, Fl.	3.5	11	42
San-Cart-Aber, N.C.	3.7	12	41	Val-Hira, Ga.	3.2	12	44
				Tif-Fit-Ocil, Ga.	1.7	13	47

1/ In instances where producers' sales for two or more markets, when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season auction bid averages and support rates by grades, per 100 pounds 1/

Group and grade 2/	2000 crop Season averages					2000 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							
B1L	----	---	---	---	(192)	184	LEAF
B2L	190	192	---	---	191	184	B1L
B3L	189	188	187	187	188	184	B2L
B4L	188	187	186	187	187	184	B3L
B5L	186	184	181	184	183	171	B4L
B6L 4/	----	---	---	---	----	----	B5L
B1F	(193)	189	---	---	190	184	B6L 4/
B2F	192	190	---	188	190	184	B1F
B3F	191	188	188	188	189	184	B2F
B4F	190	188	187	188	188	184	B3F
B5F	185	184	184	186	185	171	B4F
B6F 4/	----	---	---	---	----	----	B5F
B1FR	----	---	---	---	----	184	B6F 4/
B2FR	----	---	---	---	----	184	B1FR
B3FR	----	189	---	---	188	184	B2FR
B4FR	189	188	188	187	188	184	B3FR
B5FR	----	---	---	---	(187)	171	B4FR
B6FR 4/	----	---	---	---	----	----	B5FR
B5R 4/	----	---	---	---	----	----	B6FR 4/
B3K	190	188	187	188	188	184	B5R 4/
B4K	189	187	186	187	187	178	B3K
B5K	186	185	182	186	185	171	B4K
B6K 5/	178	173	168	180	175	152	B5K
B3KR	189	187	185	186	187	178	B6K 5/
B4KR	188	186	185	187	186	178	B3KR
B5KR	(184)	184	180	186	184	171	B4KR
B3V	183	186	184	183	184	167	B5KR
B4V	180	183	179	182	181	167	B3V
B5V	(168)	170	167	(188)	171	152	B4V
B3S 4/	----	---	---	---	----	----	B5V
B4S 4/	----	---	---	---	----	----	B3S 4/
B5S 4/	----	---	---	---	----	----	B4S 4/
B3KL	184	186	(184)	(177)	185	163	B5S 4/
B4KL	180	181	174	177	180	163	B3KL
B5KL	----	182	----	(170)	179	152	B4KL
B6KL 4/	----	---	---	---	----	----	B5KL
B3KF	186	184	180	180	184	167	B6KL 4/
B4KF	185	183	178	180	183	163	B3KF
B5KF	180	177	169	174	175	152	B4KF
B6KF 5/	162	165	155	160	161	140	B5KF
B3KD 4/	----	---	---	---	----	----	B6KF 5/
B4KD 4/	----	---	---	---	----	----	B3KD 4/
B5KD 4/	----	---	---	---	----	----	B4KD 4/
B6KD 4/	----	---	---	---	----	----	B5KD 4/
B4KV	178	174	167	170	173	151	B6KD 4/
B5KV	172	170	164	174	171	151	B4KV
B6KV 5/	(166)	151	155	161	157	140	B5KV
B3KM	187	186	184	186	186	178	B6KV 5/
B4KM	184	184	180	184	184	167	B3KM
B5KM	178	180	173	184	179	163	B4KM
B6KM 4/	----	---	---	---	----	----	B5KM
B3KK 4/	----	---	---	---	----	----	B6KM 4/
B4KK 4/	----	---	---	---	----	----	B3KK 4/
B5KK 4/	----	---	---	---	----	----	B4KK 4/
B6KK 4/	----	---	---	---	----	----	B5KK 4/
B4G	175	171	154	168	166	139	B6KK 4/
B5G	----	(160)	146	(142)	147	139	B4G
B6G 4/	----	---	---	---	----	----	B5G
B5GR 4/	----	---	---	---	----	----	B6G 4/
B4GK	167	174	161	165	167	139	B5GR 4/
B5GK	164	172	154	155	161	139	B4GK
B6GK 4/	----	---	---	---	----	----	B5GK
B5GG 4/	----	---	---	---	----	----	B6GK 4/
							B5GG 4/

See footnotes at end of table.

Table 11.--Season auction bid averages and support rates by grades, per 100 pounds 1/

Group and grade 2/	2000 crop Season averages					2000 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
S.LEAF							S.LEAF
H3F	191	188	---	188	189	184	H3F
H4F	189	188	187	188	188	184	H4F
H5F	188	184	182	187	185	171	H5F
H6F 4/	---	---	---	---	---	---	H6F 4/
H4FR	(190)	188	---	---	188	184	H4FR
H5FR	---	(186)	---	---	187	171	H5FR
H6FR 4/	---	---	---	---	---	---	H6FR 4/
H4K	189	187	186	188	188	178	H4K
H5K	186	184	180	187	186	171	H5K
H6K 5/	(183)	173	186	184	183	152	H6K 5/
CUTTERS							CUTTERS
C1L	---	---	---	---	---	169	C1L
C2L	187	---	---	---	185	169	C2L
C3L	181	177	176	175	178	169	C3L
C4L	179	174	172	175	175	169	C4L
C5L	177	170	166	170	170	158	C5L
C5LP 4/	---	---	---	---	---	---	C5LP 4/
C1F	---	---	---	---	---	169	C1F
C2F	183	181	---	---	183	169	C2F
C3F	182	177	175	175	179	169	C3F
C4F	180	175	174	175	176	169	C4F
C5F	177	171	169	173	172	158	C5F
C5FP 4/	---	---	---	---	---	---	C5FP 4/
C4KR	175	172	167	(170)	172	152	C4KR
C4V	176	171	167	166	171	152	C4V
C4LL 4/	---	---	---	---	---	---	C4LL 4/
C5LL 4/	---	---	---	---	---	---	C5LL 4/
C4S 4/	---	---	---	---	---	---	C4S 4/
C4KL	176	175	161	---	174	152	C4KL
C4KF	177	170	163	159	170	152	C4KF
C4KM	177	172	166	168	171	152	C4KM
C4KK 4/	---	---	---	---	---	---	C4KK 4/
C4G	160	166	149	149	158	139	C4G
C4GK	166	164	151	145	158	139	C4GK
LUGS							LUGS
X1L	(171)	---	---	---	(171)	158	X1L
X2L	172	164	(165)	(163)	167	158	X2L
X3L	172	164	163	164	165	158	X3L
X4L	170	161	159	159	162	149	X4L
X5L	165	158	152	147	156	139	X5L
X1F	170	---	---	---	169	158	X1F
X2F	173	169	---	162	171	158	X2F
X3F	173	165	164	164	167	158	X3F
X4F	171	162	160	159	163	149	X4F
X5F	168	156	151	148	156	139	X5F
X3KR	174	164	160	(149)	164	139	X3KR
X4KR	173	160	148	156	160	139	X4KR
X3V	172	162	159	156	163	139	X3V
X4V	168	159	153	149	157	139	X4V
X3LL 4/	---	---	---	---	---	---	X3LL 4/
X4LL 4/	---	---	---	---	---	---	X4LL 4/
X3S 4/	---	---	---	---	---	---	X3S 4/
X4S 4/	---	---	---	---	---	---	X4S 4/
X4KL	166	166	---	(132)	164	124	X4KL
X4KF	167	153	148	138	151	124	X4KF
X4KV	165	149	140	133	147	124	X4KV
X3KM	171	161	160	157	161	139	X3KM
X4KM	168	157	154	149	155	139	X4KM
X4G	162	153	134	127	140	113	X4G
X5G	---	154	125	120	128	113	X5G
X4GK	149	150	130	123	135	113	X4GK

See footnotes at end of table.

Table 11.--Season auction bid averages and support rates by grades, per 100 pounds 1/

Group and grade 2/	2000 crop Season averages					2000 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	168	160	(162)	160	164	149	P2L
P2LS	---	---	---	---	---	134	P2LS
P3L	167	159	154	156	160	136	P3L
P3LS	---	---	---	---	---	122	P3LS
P4L	163	155	150	149	152	136	P4L
P4LS	---	---	---	---	---	122	P4LS
P5L	157	147	133	130	133	0	P5L
P5LS	---	---	---	---	---	0	P5LS
P2F	170	163	163	160	165	149	P2F
P2FS	---	---	---	---	---	134	P2FS
P3F	168	158	156	157	163	136	P3F
P3FS	---	---	---	---	---	122	P3FS
P4F	164	154	150	147	154	136	P4F
P4FS	---	---	---	125	128	122	P4FS
P5F	155	148	133	121	132	0	P5F
P5FS	---	---	---	---	---	0	P5FS
P4G	156	143	133	127	132	113	P4G
P4GS	---	---	---	(105)	(105)	102	P4GS
P5G	154	138	119	111	116	0	P5G
P5GS	---	---	---	---	---	0	P5GS
MIXED							MIXED
M4F	---	---	---	---	---	123	M4F
M5F	---	---	---	---	---	123	M5F
M4KR	---	---	---	---	---	123	M4KR
M4KM	---	170	---	---	172	123	M4KM
M5KM	(188)	---	---	---	171	123	M5KM
M4GK	(124)	---	---	---	(133)	113	M4GK
M5GK	---	---	---	113	114	113	M5GK
NONDES.							NONDES.
N1L	136	145	94	108	117	0	NIL
N1LS	---	---	---	---	---	0	N1LS
N1XL	151	141	106	103	117	0	N1XL
N1K	151	150	140	169	155	119	N1K
N1R	(138)	---	---	---	(140)	119	N1R
N1GL	141	137	96	89	101	0	N1GL
N1GLS	---	---	---	---	---	0	N1GLS
N1GF	131	---	(80)	90	106	0	N1GF
N1KV	(163)	---	93	(127)	115	0	N1KV
N1GR	---	---	---	---	---	0	N1GR
N1GG	---	---	---	---	---	0	N1GG
N1PO 4/	---	---	---	---	---	---	N1PO 4/
N1POS 4/	---	---	---	---	---	---	N1POS 4/
N1XO	160	149	118	109	127	0	N1XO
N1BO	174	166	156	174	170	119	N1BO
N2	116	109	84	92	95	0	N2
NO-G	109	99	82	84	87	0	NO-G
NO-G-F	147	155	118	108	114	0	NO-G-F
NO-G-F-S	---	---	---	---	---	0	NO-G-F-S
NO-G-N	---	---	---	---	---	0	NO-G-N
W-unsafe	---	(146)	---	---	157	0	W-unsafe
U- unsound	151	145	125	---	136	0	U- unsound
S- scrap	---	---	---	---	---	0	S- scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks, see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

4/ These grades suspended for use since the 1995 marketing season.

5/ These grades reinstated for use beginning with the 1999 marketing season.

Table 12.--Average prices by weeks for representative grades and season averages 1/

Type 11 - 2000 Crop

Group grade	Week ending					
	Aug. 18	Aug. 25	Sep. 1	Sep. 8	Sep. 15	Sep. 22
B3L	193	----	----	----	----	188
B4L	193	189	----	----	----	188
B2F	194	193	193	----	----	----
B3F	193	192	193	190	190	189
B4F	192	192	192	187	188	188
B5F	191	190	----	----	----	185
B3K	192	192	192	189	188	188
B4K	191	191	191	188	187	187
B5K	189	188	186	186	----	187
B6K	180	182	168	----	----	----
B3KR	192	190	192	----	187	188
B4KR	190	189	190	----	186	----
B4V	----	----	----	----	----	185
B4KL	----	----	----	----	----	182
B3KF	189	187	191	180	183	187
B4KF	186	186	188	183	184	185
B5KF	182	180	180	177	----	182
B6KF	167	155	169	----	----	----
B4KV	188	182	----	----	----	179
B5KV	181	----	----	----	----	164
B3KM	191	190	192	182	185	186
B4KM	189	186	189	182	184	185
B5KM	185	----	----	----	----	----
B4GK	181	170	----	155	----	172
B5GK	----	156	----	----	----	----
H4F	192	192	192	----	186	188
H4K	192	192	192	----	----	187
H5K	----	189	----	----	----	----
C3L	179	----	179	176	181	185
C4L	----	175	175	175	177	183
C2F	----	----	----	----	180	185
C3F	178	----	179	176	181	184
C4F	178	174	175	175	178	183
C5F	167	161	172	173	177	183
C4V	----	----	170	173	177	182
C4KL	----	----	----	----	174	180
C4KF	----	----	----	172	176	183
C4KM	169	167	172	174	177	183
X2L	----	167	172	173	----	----
X3L	165	164	169	174	175	182
X4L	162	164	167	172	174	179
X2F	----	----	172	175	178	----
X3F	166	164	169	173	175	180
X4F	159	161	166	171	173	179
X5F	----	----	158	165	169	172
X3V	----	----	163	172	174	----
X4V	----	----	164	168	170	178
X4KF	----	----	158	169	162	175
X4KV	----	----	151	----	152	170
X3KM	----	----	166	172	172	177
X4KM	----	----	164	165	169	177
P3L	159	162	166	171	172	----
P4L	156	161	164	168	166	----
P3F	165	162	167	170	172	177
P4F	153	155	163	166	169	175
P5F	----	149	155	158	165	----
P4G	----	148	159	153	----	----
N1XL	----	----	137	149	163	148
N1XO	----	----	159	148	164	166

See footnotes at end of table.

**Table 12.--Average prices by weeks for representative grades and season averages
--Continued**

Group grade	Type 11 - 2000 Crop					Season	
	Sep. 29	Oct. 6	Oct. 13	Oct. 20	Oct.2/ 27	2000	1999
B3L	190	187	---	---	---	189	188
B4L	188	186	186	187	---	188	186
B2F	193	190	---	---	---	192	190
B3F	190	189	189	189	---	191	188
B4F	189	188	188	187	185	190	188
B5F	187	181	185	184	---	185	184
B3K	188	188	187	186	185	190	187
B4K	188	187	187	186	181	189	185
B5K	187	186	182	185	179	186	181
B6K	187	---	---	175	---	178	175
B3KR	189	187	186	186	---	189	183
B4KR	188	185	187	186	183	188	182
B4V	188	181	---	175	---	180	179
B4KL	183	177	---	183	---	180	176
B3KF	188	181	181	179	---	186	179
B4KF	187	181	182	181	166	185	177
B5KF	186	181	180	174	155	180	170
B6KF	---	---	---	158	---	162	157
B4KV	183	170	169	182	---	178	170
B5KV	---	174	165	173	---	172	165
B3KM	188	185	184	184	183	187	183
B4KM	187	182	180	180	171	184	180
B5KM	185	179	---	172	---	178	176
B4GK	181	165	161	164	140	167	164
B5GK	---	168	164	161	---	164	159
H4F	188	188	188	188	185	189	188
H4K	188	187	188	187	184	189	187
H5K	187	183	181	187	---	186	187
C3L	186	175	---	179	---	181	175
C4L	183	173	170	179	---	179	174
C2F	---	---	188	---	---	183	177
C3F	186	179	---	176	---	182	177
C4F	185	176	173	178	---	180	175
C5F	183	173	163	172	---	177	171
C4V	175	---	---	---	---	176	167
C4KL	---	---	---	---	---	176	161
C4KF	183	---	---	---	---	177	162
C4KM	181	169	165	173	---	177	169
X2L	---	---	---	---	---	172	167
X3L	181	166	---	---	---	172	165
X4L	178	165	---	---	---	170	158
X2F	---	---	---	---	---	173	169
X3F	184	170	---	---	---	173	166
X4F	181	169	163	156	---	171	160
X5F	181	169	161	---	---	168	150
X3V	---	---	---	---	---	172	160
X4V	180	---	---	---	---	168	154
X4KF	---	167	---	---	---	167	143
X4KV	179	---	---	---	---	165	135
X3KM	---	---	---	---	---	171	163
X4KM	174	149	---	---	---	168	153
P3L	---	---	---	---	---	167	157
P4L	173	---	---	---	---	163	149
P3F	178	---	---	---	---	168	157
P4F	176	169	---	158	---	164	149
P5F	161	---	---	---	---	155	130
P4G	---	---	---	---	---	156	137
N1XL	158	---	---	161	---	151	122
N1XO	167	---	---	---	---	160	135

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Oct 27, due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages 1/

Group grade	Type 12 - 2000 Crop					
	Aug. 11	Aug. 18	Aug. 25	Sep. 01	Sep. 08	Sep. 15
B3L	----	----	----	185	187	188
B4L	----	----	----	184	185	187
B2F	----	----	----	----	----	192
B3F	189	193	----	187	188	188
B4F	189	192	184	185	187	188
B5F	----	178	----	178	179	187
B4FR	----	----	----	----	----	188
B3K	188	191	----	185	187	188
B4K	187	190	188	183	186	187
B5K	182	188	185	176	181	185
B6K	166	----	----	----	----	183
B3KR	187	191	----	181	184	187
B4KR	187	190	182	180	184	186
B5KR	176	----	----	----	----	186
B4V	----	----	172	174	184	185
B3KL	----	----	----	----	187	185
B4KL	----	----	----	171	178	185
B3KF	182	----	----	171	181	183
B4KF	182	186	175	174	178	183
B5KF	172	181	184	160	173	180
B6KF	163	172	----	----	143	----
B3KM	183	187	179	180	185	187
B4KM	182	189	172	176	182	186
B5KM	----	179	167	174	176	183
B4GK	----	170	164	161	171	177
H3F	----	----	----	----	----	189
H4F	190	192	----	186	187	188
H4K	188	191	----	----	186	188
H5K	180	----	----	----	184	187
C3L	----	171	170	176	177	180
C4L	----	170	170	174	176	178
C5L	----	161	166	172	174	177
C3F	----	----	171	176	177	179
C4F	171	170	171	175	176	179
C5F	----	162	167	172	174	176
C4KR	----	158	167	170	174	175
C4V	----	161	167	173	174	174
C4KF	----	----	160	169	170	174
C4KM	157	162	167	172	174	178
X3L	161	161	164	171	173	177
X4L	157	159	162	166	171	172
X5L	153	152	156	164	----	171
X2F	----	164	167	----	180	----
X3F	162	162	165	171	172	177
X4F	156	159	161	168	169	171
X5F	152	152	156	161	164	168
X3V	153	160	163	170	----	----
X4V	149	154	159	165	167	----
X4KF	----	143	154	158	156	171
X4KV	145	141	150	157	157	147
X3KM	155	158	162	168	172	177
X4KM	148	154	158	164	168	171
X4GK	----	140	152	158	161	----
P3L	158	158	164	----	----	----
P4L	154	153	157	163	----	----
P3F	156	159	159	----	----	----
P4F	149	154	157	161	----	----
P5F	140	147	154	----	----	----
N1XO	146	146	147	156	157	146

See footnotes at end of table.

**Table 13.--Average prices by weeks for representative grades and season averages
--Continued**

Type 12 - 2000 Crop

Group grade	Week ending					Season	
	Sep. 22	Sep. 29	Oct. 06	Oct. 13	Oct. 2/20	2000	1999
B3L	189	187	186	---	---	188	188
B4L	188	187	187	186	---	187	187
B2F	189	191	189	188	188	190	190
B3F	188	189	188	187	187	188	188
B4F	188	188	188	187	186	188	187
B5F	187	185	186	---	---	184	183
B4FR	188	188	188	---	---	188	188
B3K	188	188	188	187	185	188	187
B4K	188	188	187	186	183	187	184
B5K	186	186	186	183	176	185	179
B6K	174	180	179	167	158	173	166
B3KR	187	187	187	186	183	187	183
B4KR	187	187	187	185	184	186	183
B5KR	186	186	187	183	---	184	178
B4V	187	185	183	177	---	183	180
B3KL	187	---	---	---	---	186	179
B4KL	187	182	176	175	---	181	178
B3KF	187	187	186	180	---	184	177
B4KF	186	186	184	180	178	183	175
B5KF	179	183	181	176	170	177	167
B6KF	---	---	182	---	---	165	148
B3KM	188	187	187	184	182	186	183
B4KM	187	187	185	182	178	184	179
B5KM	186	184	183	175	---	180	174
B4GK	183	178	182	176	---	174	162
H3F	189	189	188	188	187	188	190
H4F	188	188	188	187	186	188	188
H4K	188	188	187	187	182	187	186
H5K	187	185	185	182	180	184	182
C3L	185	175	---	---	---	177	177
C4L	186	179	171	---	---	174	175
C5L	183	178	178	---	---	170	171
C3F	187	182	180	---	169	177	177
C4F	185	183	177	171	---	175	175
C5F	181	181	169	163	---	171	170
C4KR	184	182	---	---	---	172	172
C4V	184	171	---	---	---	171	170
C4KF	182	180	169	---	---	170	163
C4KM	183	180	175	157	---	172	169
X3L	183	---	---	---	---	164	166
X4L	180	---	---	---	---	161	161
X5L	---	166	---	---	---	158	149
X2F	---	---	---	---	---	169	169
X3F	182	---	161	---	---	165	166
X4F	178	172	162	153	---	162	158
X5F	165	---	149	---	---	156	147
X3V	---	---	---	---	---	162	162
X4V	---	---	---	---	---	159	156
X4KF	---	---	---	---	---	153	135
X4KV	---	---	---	---	---	149	136
X3KM	---	---	---	---	---	161	162
X4KM	174	170	161	---	---	157	153
X4GK	---	---	---	---	---	150	140
P3L	---	---	---	---	---	159	160
P4L	---	---	---	---	---	155	151
P3F	---	---	---	---	---	158	157
P4F	---	---	---	---	---	154	150
P5F	---	---	---	---	---	148	139
N1XO	---	---	---	---	---	149	127

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Oct. 20, due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages 1/

Group grade	Type 13 - 2000 Crop					
	Week ending					
	Aug. 11	Aug. 18	Aug. 25	Sep. 01	Sep. 08	Sep. 15
B4L	---	---	184	185	186	186
B5L	---	---	---	---	---	180
B3F	---	---	---	185	188	188
B4F	185	---	184	185	187	187
B5F	---	---	---	181	182	186
B3K	186	---	185	185	187	187
B4K	180	179	177	181	185	186
B5K	183	---	172	171	183	181
B6K	163	---	---	---	---	166
B3KR	---	---	---	180	184	186
B4KR	---	---	---	177	183	185
B5KR	---	---	---	---	---	---
B4V	---	---	---	---	---	181
B4KL	---	---	---	---	169	173
B3KF	---	---	---	174	181	179
B4KF	170	164	166	165	174	178
B5KF	---	152	153	154	165	164
B6KF	---	---	---	---	---	---
B4KV	---	---	---	---	---	170
B5KV	---	---	---	---	---	---
B3KM	---	---	178	179	183	185
B4KM	---	168	169	171	177	179
B5KM	---	---	163	164	169	173
B4GK	---	---	151	149	158	164
H4F	---	---	---	184	187	187
H5F	---	---	---	---	---	184
H4K	---	---	---	---	181	186
H5K	---	---	---	---	---	184
C3L	170	---	---	176	176	---
C4L	170	170	170	174	175	178
C5L	---	164	165	---	---	---
C3F	---	---	172	175	176	---
C4F	---	170	170	174	175	178
C5F	---	165	166	170	172	172
C4V	---	---	164	168	---	---
C4KF	---	161	163	163	168	162
C4KM	168	160	163	168	171	171
X3L	163	163	163	167	170	---
X4L	161	158	158	161	---	---
X3F	163	163	164	170	172	176
X4F	159	159	159	163	166	166
X5F	148	154	151	151	156	158
X3V	161	157	161	---	---	---
X4V	151	155	156	149	---	---
X4KF	146	149	144	145	152	148
X4KV	131	142	145	133	---	---
X3KM	158	161	159	167	---	---
X4KM	153	153	153	154	162	161
X4GK	121	125	140	136	---	---
P3L	155	151	---	---	---	---
P4L	151	148	145	---	---	---
P3F	157	153	---	---	---	---
P4F	150	150	149	161	---	---
P5F	129	133	139	131	---	---
P4G	130	133	144	---	---	---
N1XL	---	111	---	91	---	---
N1XO	121	121	111	123	---	---
N1BO	---	---	---	---	---	---
N2	80	---	---	---	---	92

See footnotes at end of table.

**Table 14.--Average prices by weeks for representative grades and season averages 1/
--Continued**

Type 13 - 2000 Crop

Group grade	Week ending					Season	
	Sep. 22	Sep. 29	Oct. 06	Oct. 13	Oct. 2/ 20	2000	1999
B4L	187	187	187	----	----	186	185
B5L	----	188	176	----	----	181	175
B3F	188	188	188	----	----	188	186
B4F	188	188	187	187	187	187	187
B5F	187	186	181	173	----	184	178
B3K	188	188	187	187	187	187	187
B4K	187	187	186	185	183	186	182
B5K	183	185	182	182	176	182	175
B6K	----	161	165	178	166	168	156
B3KR	186	188	186	----	----	185	181
B4KR	186	188	184	188	183	185	181
B5KR	----	----	184	181	----	180	175
B4V	----	185	171	----	----	179	172
B4KL	----	----	----	----	----	174	169
B3KF	182	187	181	182	172	180	172
B4KF	182	183	180	179	175	178	167
B5KF	173	178	172	174	161	169	157
B6KF	----	----	144	165	----	155	142
B4KV	----	176	161	172	154	167	154
B5KV	----	----	161	175	156	164	154
B3KM	186	187	184	184	179	184	180
B4KM	183	185	181	181	174	180	173
B5KM	179	179	176	175	166	173	167
B4GK	154	172	167	167	----	161	145
H4F	186	187	187	----	----	187	187
H5F	188	180	180	----	----	182	181
H4K	188	188	186	187	----	186	182
H5K	----	187	177	180	----	180	174
C3L	----	----	----	----	----	176	175
C4L	179	----	----	----	----	172	174
C5L	----	----	----	----	----	166	168
C3F	----	----	----	----	----	175	175
C4F	181	183	170	----	----	174	174
C5F	176	167	165	----	----	169	169
C4V	----	----	----	----	----	167	165
C4KF	----	----	----	----	----	163	157
C4KM	----	----	----	----	----	166	164
X3L	----	----	----	----	----	163	164
X4L	----	----	----	----	----	159	159
X3F	----	----	----	----	----	164	164
X4F	161	156	----	----	----	160	159
X5F	----	----	143	----	----	151	151
X3V	----	----	----	----	----	159	160
X4V	----	----	----	----	----	153	153
X4KF	----	----	----	----	----	148	133
X4KV	----	----	----	----	----	140	130
X3KM	----	----	----	----	----	160	157
X4KM	----	----	----	----	----	154	151
X4GK	----	----	----	----	----	130	128
P3L	----	----	----	----	----	154	154
P4L	----	----	----	----	----	150	148
P3F	----	----	----	----	----	156	155
P4F	----	----	----	----	----	150	149
P5F	----	----	----	----	----	133	128
P4G	----	----	----	----	----	133	131
N1XL	----	----	----	----	----	106	85
N1XO	----	----	----	----	----	118	98
N1BO	----	172	141	----	----	156	124
N2	----	90	----	81	----	84	69

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Oct. 20, due to limited sales.

Table 16.--Warehouse charges by states, 2000 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less	Percent 2-3/4	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and
Georgia	14	and 25 cents on all piles over 100 pounds	3-1/2 2/	10 cents for each additional 100 pounds.
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2 3/	
Virginia	11	25 cents per pile	2-1/2	Weighing 10 cents per 100 pounds.

1/ Maximum permitted under State law.

2/ Georgia is commission only - no auction fee or additional charges.

3/ South Carolina had the option to charge 3 percent commission with no auction fee or additional charges.

Table 17.--Average weight per lot, 1995-2000 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
1995	Pounds 202	Pounds 201	Pounds 197	Pounds 195	Pounds 200
1996	208	203	199	198	203
1997	211	209	200	203	207
1998	233	211	202	198	212
1999	410	308	384	311	348
2000	411	360	510	373	398

Table 18.--Tobacco received by the Stabilization Corporation, 1997 - 2000 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (Green weight)	Percentage of net sales	Receipts (Green weight)	Percentage of net sales	Receipts (Green weight)	Percentage of net sales
1997	1,000 lb. 63,401	Percent 23.70	1,000 lb. 81,507	Percent 19.89	1,000 lb. 40,462	Percent 18.59
1998	13,526	6.07	29,211	9.27	29,663	18.10
1999	31,645	16.82	45,010	18.23	49,259	37.30
2000	5,542	4.60	7,181	3.70	8,469	7.20

Crop	Type 14		Type 11-14 1/	
	Receipts (Green weight)	Percentage of net sales	Receipts (Green weight)	Percentage of net sales
1997	1,000 lb. 8,888	Percent 7.87	1,000 lb. 194,259	Percent 19.27
1998	9,182	8.46	81,583 2/	10.04
1999	11,114	14.29	137,028	21.25
2000	5,355	6.70	26,547	5.20

1/ Details may not add to totals due to rounding.

2/ Some initially received sold unprocessed and not included in these figures.

Table 19.--Percentage distribution by groups and types, 1996-2000 crops 1/

Crop Year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
(Type 11)									
1996	--	51.2	12.7	7.1	15.1	9.9	--	3.5	0.5
1997	--	59.3	4.1	8.7	17.1	9.2	--	1.5	0.1
1998	--	62.6	1.8	9.8	17.0	7.9	--	0.8	0.1
1999	--	62.5	3.1	10.1	15.3	8.2	--	0.7	0.1
2000	--	64.2	1.8	10.9	15.5	6.8	--	0.7	--
(Type 12)									
1996	--	59.0	5.4	10.2	19.0	2.7	--	3.2	0.5
1997	--	63.6	1.8	6.1	22.8	4.1	--	1.5	0.1
1998	--	65.5	3.3	8.0	20.0	2.2	--	0.9	0.1
1999	--	60.6	2.5	10.6	16.8	8.4	--	1.0	--
2000	--	61.0	3.8	13.2	18.9	2.4	--	0.6	0.1
(Type 13)									
1996	--	51.9	9.3	9.1	16.7	6.4	--	5.8	0.8
1997	--	63.4	8.3	7.0	14.5	3.4	--	3.1	0.3
1998	--	64.4	5.6	5.6	14.5	5.8	--	3.6	0.5
1999	--	65.7	0.9	7.1	17.6	6.4	--	1.9	0.5
2000	--	61.8	1.6	10.8	20.3	4.5	--	0.8	0.2
(Type 14)									
1996	--	52.1	9.8	7.2	13.5	9.5	--	7.2	0.7
1997	--	57.6	10.3	4.5	15.1	6.3	--	5.7	0.5
1998	--	51.4	10.2	3.8	14.7	14.2	--	5.4	0.3
1999	--	58.7	2.9	4.8	13.5	12.2	0.2	6.9	0.7
2000	--	53.7	6.2	5.3	13.9	16.7	--	3.5	0.5

1/ Dashes indicate a percentage of less than 0.1. Details may not add to 100 percent due to rounding.

Table 20.--Percentage distribution by qualities and types, 1996-2000 crops 1/

Crop Year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 2/ Poor	Nondescript	Mics.
(Type 11)								
1996	0.2	1.2	23.1	58.5	13.0	--	3.5	0.5
1997	0.2	0.8	28.3	59.6	9.5	--	1.5	0.1
1998	0.2	1.4	27.8	60.9	8.8	--	0.8	0.1
1999	--	0.7	23.3	66.3	8.6	0.3	0.7	0.1
2000	--	1.1	27.2	64.8	5.9	0.3	0.7	--
(Type 12)								
1996	0.3	1.9	30.2	52.4	11.5	--	3.2	0.5
1997	0.1	0.4	23.4	62.4	12.1	--	1.5	0.1
1998	0.4	1.7	31.6	55.6	9.7	--	0.9	0.1
1999	--	--	14.9	69.1	13.9	0.9	1.0	--
2000	--	0.4	22.4	67.9	8.3	0.3	0.6	0.1
(Type 13)								
1996	0.1	0.5	17.3	58.3	17.3	--	5.7	0.8
1997	--	0.2	27.8	56.5	12.1	--	3.1	0.3
1998	--	0.2	18.5	60.6	16.6	--	3.6	0.5
1999	--	--	10.5	63.0	22.8	1.4	1.9	0.5
2000	--	--	23.8	63.0	11.7	0.4	0.8	0.2
(Type 14)								
1996	--	1.0	10.2	55.5	25.4	--	7.2	0.7
1997	--	0.3	16.0	57.1	20.4	--	5.7	0.5
1998	--	0.1	9.0	60.3	24.9	--	5.4	0.3
1999	--	0.2	9.9	61.2	18.8	2.3	6.9	0.7
2000	--	0.3	13.7	68.9	12.3	0.8	3.5	0.5

1/ Dashes indicate a percentage of less than 0.1. Details may not add to 100 percent due to rounding.

2/ Restricted for use since 1995 crop, with the exception of grades B6K, B6KF, B6KV and H6K which were reinstated beginning with the 1999 crop.

Table 21.--Percentage distribution by colors and types, 1996-2000 crops 1/

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
(Type 11)											
1996	5.6	40.5	0.5	36.3	--	0.7	1.3	9.6	1.6	3.5	0.5
1997	5.0	39.1	0.8	35.1	--	2.4	2.1	11.7	2.2	1.5	0.1
1998	8.1	33.5	0.3	34.6	--	2.2	1.9	16.4	2.1	0.8	0.1
1999	7.4	38.2	0.2	36.3	--	0.8	0.7	14.9	0.8	0.7	0.1
2000	7.1	43.1	--	33.5	--	0.8	0.5	13.5	0.8	0.7	--
(Type 12)											
1996	10.2	35.5	0.4	31.4	--	1.3	1.1	15.3	1.1	3.2	0.5
1997	6.0	28.0	0.4	38.6	--	2.9	3.4	17.0	2.1	1.5	0.1
1998	7.9	33.6	0.3	40.4	--	1.8	1.7	12.3	1.0	0.9	0.1
1999	7.5	28.9	--	36.1	--	1.4	1.0	22.5	1.5	1.0	--
2000	7.8	39.0	0.2	31.7	--	1.3	0.4	18.4	0.6	0.6	0.1
(Type 13)											
1996	7.3	30.5	0.4	36.5	--	2.9	0.9	12.0	2.9	5.8	0.8
1997	5.6	31.3	0.4	41.8	--	2.6	0.7	12.0	2.2	3.1	0.3
1998	5.7	25.5	0.7	44.6	--	2.6	3.0	11.4	2.4	3.6	0.5
1999	3.1	23.3	--	40.1	--	2.0	4.1	23.0	2.0	1.9	0.5
2000	7.6	38.9	--	33.5	--	0.9	0.7	16.7	0.8	0.8	0.2
(Type 14)											
1996	6.9	27.6	0.8	27.8	--	2.0	3.0	19.8	4.2	7.2	0.7
1997	3.4	28.5	1.5	39.6	--	1.5	2.0	14.1	3.2	5.7	0.5
1998	6.5	27.0	0.3	35.5	--	2.5	2.8	15.3	4.4	5.4	0.3
1999	3.9	20.7	--	25.4	--	0.7	1.4	35.4	4.8	6.9	0.7
2000	91	34.2	--	30.1	--	1.2	0.5	17.7	3.2	3.5	0.5

1/ Dashes indicate a percentage of less than 0.1. Details may not add to 100 percent due to rounding.

2/ Includes unripe colors KL, KF, KV, KM.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1996-2000 crops 1/

(Group)										
Crop Year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.	
1996		--	54.0	9.1	8.6	16.5	6.7	--	4.5	0.6
1997		--	61.3	5.2	6.7	18.3	5.8	--	2.5	0.2
1998		--	62.3	4.4	7.4	17.3	6.3	--	2.1	0.2
1999		--	61.9	2.4	8.8	16.0	8.6	--	2.1	0.3
2000		--	60.9	3.2	11.0	17.6	6.1	--	1.1	0.2

(Quality)										
Crop Year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 2/ Poor	Nondescript	Mics.		
1996		0.2	1.2	22.1	56.0	15.4	--	4.5	0.6	
1997		--	0.5	24.4	59.6	12.8	--	2.5	0.2	
1998		0.2	1.1	24.6	58.7	13.1	--	2.1	0.2	
1999		--	0.3	15.6	65.7	15.0	1.0	2.1	0.3	
2000		--	0.5	22.6	66.3	9.0	0.4	1.1	0.2	

(Color)											
Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 3/	G-GK	Nondescript	Mics.
1996		7.7	34.7	0.5	33.4	--	1.6	1.4	13.5	2.1	4.5
1997		5.2	31.8	0.7	38.4	--	2.5	2.3	14.1	2.3	2.5
1998		7.3	31.0	0.4	38.8	--	2.2	2.2	13.7	2.1	2.1
1999		6.0	29.1	0.4	35.2	--	1.3	1.6	22.5	1.9	2.1
2000		7.8	39.3	0.1	32.3	--	1.1	0.5	16.7	1.1	1.1

1/ Dashes indicate a percentage of less than 0.1. Details may not add to 100 percent due to rounding.

2/ Restricted for use since 1995 crop, with the exception of grades B6K, B6KF, B6KV and H6K which were reinstated beginning with the 1999 crop.

3/ Includes unripe colors KL, KF, KV, KM.

Table 23.--Percentage distribution by grades and types, 2000 crop 1/

Group and Grade	2000 Crop				Group and Grade	2000 Crop			
	11	12	13	14		11	12	13	14
Leaf:									
B1L	.011	.001	--	--	H3F	.071	.371	.005	.109
B2L	.039	.016	--	.003	H4F	.775	1.659	.651	2.351
B3L	.253	.134	.053	.071	H5F	.041	.059	.238	.206
B4L	.701	.681	.660	.547	H6F 3/	--	--	--	--
B5L	.061	.048	.163	.117	H4FR	.010	.055	--	--
B6L 3/	--	--	--	--	H5FR	.001	.004	--	--
B1F	.013	.022	--	--	H6FR 3/	--	--	--	--
B2F	.231	.179	--	.017	H4K	.771	1.393	.541	2.192
B3F	4.012	3.257	.807	1.831	H5K	.145	.265	.130	1.185
B4F	13.999	12.377	12.547	10.630	H6K 4/	.007	.011	.047	.195
B5F	.304	.224	.944	.494	Total H	1.821	3.816	1.611	6.237
B6F 3/	--	--	--	--	Cutters:	--	--	--	--
B1FR	--	--	--	--	C1L	--	.001	--	--
B2FR	--	--	--	--	C2L	.029	.001	--	.003
B3FR	.001	.016	--	.001	C3L	.475	.309	.180	.254
B4FR	.027	.103	.015	.023	C4L	1.198	1.825	1.034	.936
B5FR	.002	.002	--	--	C5L	.090	.402	.224	.047
B6FR 3/	--	--	--	--	C5LP 3/	--	--	--	--
B5R 3/	--	--	--	--	C1F	--	--	--	--
B3K	7.224	4.641	9.035	2.136	C2F	.105	.009	--	.002
B4K	21.918	18.998	17.918	17.319	C3F	1.332	.683	.409	.324
B5K	2.379	3.200	3.739	5.103	C4F	4.857	5.345	4.620	1.688
B6K 4/	.173	.181	.260	.450	C5F	.948	1.586	2.227	.204
B3KR	.290	.580	.345	.296	C5FP 3/	--	--	--	--
B4KR	.481	1.893	1.321	1.093	C4KR	.045	.296	.055	.014
B5KR	.010	.131	.076	.129	C4V	.213	.383	.144	.236
B3V	.071	.072	.052	.075	C4LL 3/	--	--	--	--
B4V	.100	.165	.155	.214	C5LL 3/	--	--	--	--
B5V	.006	.017	.023	.008	C4S 3/	--	--	--	--
B3S 3/	--	--	--	--	C4KL	.128	.091	.014	.004
B4S 3/	--	--	--	--	C4KF	.189	.185	.308	.028
B5S 3/	--	--	--	--	C4KM	1.229	1.967	1.484	1.347
B3KL	.085	.124	.005	.017	C4KK 3/	--	--	--	--
B4KL	.131	.266	.108	.046	C4G	.022	.048	.024	.091
B5KL	.001	.030	--	.011	C4GK	.059	.091	.051	.129
B6KL 3/	--	--	--	--	Total C	10.920	13.221	10.776	5.307
B3KF	.628	.393	.273	.022	Lugs:	--	--	--	--
B4KF	3.589	2.287	2.075	.500	X1L	.013	--	--	--
B5KF	.796	.616	1.056	.405	X2L	.110	.066	.021	.014
B6KF 4/	.101	.093	.089	--	X3L	1.663	2.181	2.451	.799
B3KD 3/	--	--	--	--	X4L	.912	1.481	1.760	.964
B4KD 3/	--	--	--	--	X5L	.031	.101	.068	.089
B5KD 3/	--	--	--	--	X1F	.023	--	--	--
B6KD 3/	--	--	--	--	X2F	.354	.129	.010	.017
B4KV	.235	.098	.248	.107	X3F	5.339	4.634	4.566	1.299
B5KV	.102	.073	.155	.163	X4F	5.218	5.748	7.252	3.878
B6KV 4/	.014	.010	.043	.035	X5F	.419	.913	1.225	.855
B3KM	2.523	3.422	4.088	2.553	X3KR	.024	.096	.021	.012
B4KM	3.166	6.060	4.501	7.773	X4KR	.013	.061	.017	.022
B5KM	.130	.423	.671	.759	X3V	.202	.327	.151	.257
B6KM 3/	--	--	--	--	X4V	.228	.364	.337	.412
B3KK 3/	--	--	--	--	X3LL 3/	--	--	--	--
B4KK 3/	--	--	--	--	X4LL 3/	--	--	--	--
B5KK 3/	--	--	--	--	X3S 3/	--	--	--	--
B6KK 3/	--	--	--	--	X4S 3/	--	--	--	--
B4G	.012	.014	.034	.110	X4KL	.023	.035	.002	.007
B5G	--	.002	.017	.013	X4KF	.124	.185	.371	.190
B6G 3/	--	--	--	--	X4KV	.121	.225	.233	.182
B5GR 3/	--	--	--	--	X3KM	.245	.635	.502	1.112
B4GK	.298	.152	.284	.440	X4KM	.333	1.553	1.103	2.802
B5GK	.104	.029	.040	.135	X4G	.051	.074	.077	.333
B6GK 3/	--	--	--	--	X5G	.003	.016	.017	.100
B5GG 3/	--	--	--	--	X4GK	.075	.106	.117	.582
TOTAL B	64.243	61.039	61.804	53.735	TOTAL X	15.523	18.931	20.302	13.927

See footnotes at end of table.

Table 23.--Percentage distribution by grades and type, 2000 1/ --Continued

Group and Grade	2000 Crop				Group and Grade	2000 Crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript				
P2L	.105	.016	.014	.122	NIL	.064	.015	.009	.278
P2L sand	--	--	--	--	NIL sand	--	--	--	--
P3L	.781	.249	.362	1.245	N1XL	.111	.065	.174	.502
P3L sand	--	--	--	--	N1K	.055	.031	.037	.119
P4L	.638	.277	.586	3.463	NIR	.007	--	.001	.001
P4L sand	--	--	--	--	N1GL	.019	.024	.017	.213
P5L	.026	.005	.030	.382	N1GL sand	--	--	--	--
P5L sand	--	--	--	--	N1GF	.022	.002	.005	.041
P2F	.085	.014	.044	.072	N1KV	.020	.001	.029	.009
P2F sand	--	--	--	--	N1GR	--	--	--	--
P3F	1.957	.256	.497	1.314	N1GG	--	--	--	--
P3F sand	--	--	--	--	N1PO 3/	--	--	--	--
P4F	2.772	1.362	2.239	7.163	N1PO sand	--	--	--	--
P4F sand	.001	.002	--	.035	N1XO	.194	.296	.247	1.524
P5F	.244	.158	.617	1.712	NIBO	.096	.076	.094	.380
P5F sand	.001	--	--	.005	N2	.065	.036	.162	.462
P4G	.158	.032	.082	1.030	Total N	.653	.546	.775	3.527
P4G sand	.001	--	--	.010	No-grade 2/	.023	.039	.197	.488
P5G	.016	.004	.015	.185					
P5G sand	--	--	--	.005					
Total P	6.785	2.375	4.486	16.743					
Mixed:									
M4F	.003	.004	--	--	W - unsafe	.003	.008	.003	.002
M5F	.002	.001	--	--	U - unsound	.014	.012	.041	--
M4KR	--	--	--	--	S - scrap	--	--	--	--
M4KM	.004	.007	--	.010					
M5KM	.005	.002	.004	--					
M4GK	.003	--	--	.001					
M5GK	--	--	--	.021					
Total M	.017	.014	.004	.033	Grand Total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001. Details may not add to totals due to rounding.

2/ Includes grades No-G, No-G-F, No-G-F Sand, and No-G-Nested.

3/ These grades suspended for use since 1995 crop.

4/ These grades reinstated for use beginning with the 1999 crop.

Table 24.--Percentage breakdown of marketings by selected groupings, 1999 and 2000 crops 1/

	Type 11	Type 12	Type 13	Type 14	Types 11-14	
Crop Year	2000	1999	2000	1999	2000	1999
Premature to mellow	84.6	82.9	80.0	73.9	80.9	68.5
Unripe	13.9	15.6	18.8	23.5	17.3	27.1
Immature	0.8	0.8	0.6	1.5	0.8	2.0
Nondescript	0.7	0.7	0.6	1.0	0.8	1.9
No-grade 2/	0.0	0.1	0.1	0.1	0.2	0.5
Total:	100.0	100.0	100.0	100.0	100.0	100.0

1/ Details may not add to totals due to rounding.

2/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and scrap.

Table 25.--Group averages by maturity, 2000 crop.

GROUP	MATURE TO MELLOW	PREMATURE	UNRIPE	IMMATURE
				dollars per hundred pounds
Leaf (B)	187.51	----	182.80	165.53
Smoking Leaf (H)	187.41	----	----	----
Cutters (C)	175.07	----	171.28	158.11
Lugs (X)	163.87	----	155.32	135.93
Primings (P)	----	153.33	----	128.87
Total	181.13	153.33	177.64	146.57
Nondescript	122.75			
No-grade 1/	101.46			

1/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and scrap.

Table 26.--Percentage distribution by grades for all types, 1998-2000 crop 1/

Group and Grade	Crop of:			Group and Grade	Crop of:		
	2000	1999	1998		2000	1999	1998
Wrappers:				B5KM	.452	1.100	.350
A1L	---	---	---	B6KM 2/	---	---	---
A1F	---	---	---	TOTAL BKM	8.940	10.320	5.341
TOTAL A	---	---	---	B3KK 2/	---	---	---
Leaf:				B4KK 2/	---	---	---
B1L	.003	.001	.015	B5KK 2/	---	---	---
B2L	.016	.004	.053	B6KK 2/	---	---	---
B3L	.137	.096	.214	TOTAL BKK	---	---	---
B4L	.661	.277	.496	B4G	.032	.033	.086
B5L	.085	.032	.066	B5G	.006	.006	.019
B6L 2/	---	---	---	B6G 2/	---	---	---
TOTAL BL	.903	.410	.845	TOTAL BG	.038	.040	.105
B1F	.012	.004	.151	B5GR 2/	---	---	---
B2F	.131	.037	.508	B4GK	.259	.387	.491
B3F	2.725	1.130	2.636	B5GK	.066	.177	.239
B4F	12.550	6.960	6.812	B6GK 2/	---	---	---
B5F	.433	.301	.496	TOTAL BGK	.325	.564	.730
B6F 2/	---	---	---	B5GG 2/	---	---	---
TOTAL BF	15.850	8.432	10.604	TOTAL B	60.887	61.882	62.297
B1FR	---	---	.001	S. LEAF			
B2FR	---	---	.003	H3F	.182	.057	.497
B3FR	.007	.009	.098	H4F	1.337	.800	1.262
B4FR	.054	.047	.183	H5F	.114	.082	.170
B5FR	.001	.001	.006	H6F 2/	---	---	---
B6FR 2/	---	---	---	TOTAL HF	1.632	.939	1.929
TOTAL BFR	.062	.057	.290	H4FR	.024	.009	.040
B5R 2/	---	---	---	H5FR	.002	---	.007
B3K	5.806	4.928	9.345	H6FR 2/	---	---	---
B4K	19.245	20.332	19.235	TOTAL HFR	.026	.010	.047
B5K	3.395	5.848	4.660	H4K	1.184	.976	1.586
B6K 3/	.236	.500	---	H5K	.346	.390	.840
TOTAL BK	28.681	31.608	33.241	H6K 3/	.045	.083	---
B3KR	.417	.405	1.135	TOTAL HK	1.575	1.448	2.426
B4KR	1.306	1.401	1.638	CUTTERS:	3.234	2.397	4.401
B5KR	.089	.241	.177	C1L	---	.002	.009
TOTAL BKR	1.812	2.047	2.949	C2L	.008	.012	.069
B3V	.068	.038	.239	C3L	.315	.230	.385
B4V	.154	.138	.502	C4L	1.373	.749	.763
B5V	.014	.012	.024	C5L	.235	.244	.238
TOTAL BV	.236	.188	.766	TOTAL CL	1.932	1.237	1.463
B3S 2/	---	---	---	C5LP 2/	---	---	---
B4S 2/	---	---	---	C1F	---	.002	.008
B5S 2/	---	---	---	C2F	.030	.047	.102
TOTAL BS	---	---	---	C3F	.733	.574	.851
B3KL	.074	.020	.098	C4F	4.524	3.049	2.241
B4KL	.167	.057	.107	C5F	1.352	1.175	1.065
B5KL	.014	.034	.008	TOTAL CF	6.639	4.846	4.267
B6KL 2/	---	---	---	C5FP 2/	---	---	---
TOTAL BKL	.254	.111	.213	C4KR	.142	.066	.155
B3KF	.370	.379	.682	C4V	.270	.302	.313
B4KF	2.296	4.249	3.672	C4LL 2/	---	---	---
B5KF	.719	2.006	1.412	C5LL 2/	---	---	---
B6KF 3/	.103	.314	---	TOTAL CLL	---	---	---
TOTAL BKF	3.488	6.948	5.767	C4S 2/	---	---	---
B3KD 2/	---	---	---	C4KL	.071	.027	.036
B4KD 2/	---	---	---	C4KF	.188	.137	.183
B5KD 2/	---	---	---	C4KM	1.592	1.970	.800
B6KD 2/	---	---	---	C4KK 2/	---	---	---
TOTAL BKD	---	---	---	C4G	.043	.038	.052
B4KV	.164	.472	.892	C4GK	.081	.148	.109
B5KV	.110	.538	.554	TOTAL C	10.956	8.772	7.378
B6KV 3/	.022	.150	---	LUGS:			
TOTAL BKV	.296	1.159	1.446	X1L	.003	---	.012
B3KM	3.206	2.291	1.583	X2L	.060	.045	.123
B4KM	5.282	6.928	3.408	X3L	1.900	.846	1.606

See footnotes at end of table.

Table 26.--Percentage distribution by grades for all types, 1998 - 2000 crop 1--Continued

Group and Grade	Crop of:			Group and Grade	Crop of:		
	2000	1999	1998		2000	1999	1998
X4L	1.320	1.241	1.465	P4F	2.765	4.297	2.650
X5L	.075	.187	.220	P4F sand	.006	.017	.002
TOTAL XL	3.358	2.318	3.425	P5F	.508	.908	.802
X1F	.006	.001	.033	P5F sand	.001	.001	---
X2F	.143	.064	.185	TOTAL PF	4.212	6.040	4.167
X3F	4.292	2.462	3.280	P4G	.224	.444	.443
X4F	5.645	4.951	5.142	P4G sand	.002	.003	---
X5F	.846	1.389	1.423	P5G	.037	.075	.120
TOTAL XF	10.932	8.867	10.062	P5G sand	.001	---	---
X3KR	.050	.015	.038	TOTAL PG	.263	.523	.564
X4KR	.034	.027	.046	TOTAL P	6.065	8.571	6.297
TOTAL XKR	.085	.042	.084	MIXED:			
X3V	.250	.222	.360	M4F	.002	.003	---
X4V	.332	.544	.723	M5F	.001	.001	---
TOTAL XV	.581	.766	1.083	TOTAL MF	.003	.004	---
X3LL 2/	---	---	---	M4KR	---	---	---
X4LL 2/	---	---	---	M4KM	.006	.015	.003
TOTAL XLL	---	---	---	M5KM	.003	.020	---
X3S 2/	---	---	---	TOTAL MKM	.008	.036	.004
X4S 2/	---	---	---	M4GK	.001	.001	---
TOTAL XS	---	---	---	M5GK	.003	.004	---
X4KL	.021	.012	.016	TOTAL MGK	.004	.006	---
X4KF	.209	.236	.272	TOTAL M	.016	.046	.004
X4KV	.195	.436	.749	NONDESCRIPT:			
X3KM	.583	.534	.337	N1L	.065	.140	.126
X4KM	1.347	2.163	.758	N1L sand	---	---	---
TOTAL XKM	1.930	2.696	1.096	N1XL	.164	.182	.279
X4G	.108	.189	.233	N1K	.051	.158	.396
X5G	.026	.065	.084	N1R	.002	.004	.019
TOTAL XG	.134	.255	.317	N1GL	.050	.131	.155
X4GK	.172	.343	.216	N1GL sand	---	---	---
TOTAL X	17.616	15.970	17.319	N1GF	.013	.013	.035
PRIMINGS:				N1KV	.013	.058	.114
P2L	.053	.045	.027	N1GR	---	---	.003
P2L sand	---	---	---	N1GG	---	---	.014
P3L	.554	.592	.459	N1PO 2/	---	---	---
P3L sand	---	---	---	N1PO sand 2/	---	---	---
P4L	.910	1.228	.917	N1XO	.446	.849	.465
P4L sand	---	.002	.001	N1BO	.130	.263	.120
P5L	.072	.156	.146	N2	.133	.285	.362
P5L sand	---	---	---	TOTAL N	1.069	2.085	2.088
TOTAL PL	1.589	2.009	1.566	No-Grade 4/	.157	.275	.216
P2F	.046	.024	.022	GRAND TOTAL	100.000	100.000	100.000
P2F sand	---	---	---				
P3F	.885	.791	.691				
P3F sand	---	.002	---				

1/ Dashes indicate a percentage of less than 0.001. Details may not add to totals due to rounding.

2/ These grades suspended for use since the 1995 crop.

3/ These grades reinstated for use beginning with the 1999 crop.

4/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and Scrap.

Table 27.--Average price by grade groups and types, 2000 and 1999 crops

Type	2000						1999					
	Group						Group					
	B	H	C	X	P	N	B	H	C	X	P	N
11	188	189	179	171	165	148	183	187	174	160	149	119
12	186	187	174	162	155	146	182	186	172	156	149	124
13	184	185	170	159	148	109	175	181	167	153	144	91
14	186	188	171	152	143	111	180	187	169	156	149	122
11-14	186	187	174	162	152	123	181	186	171	156	148	116

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.
