


*Flue-Cured*



# TOBACCO MARKET REVIEW



1971 CROP

UNITED STATES DEPARTMENT OF AGRICULTURE  
CONSUMER AND MARKETING SERVICE  
TOBACCO DIVISION  
WASHINGTON, D.C. 20250

FEBRUARY 1972


TOB-FL-15

- 3 -  
C O N T E N T S

	Page
Map of auction markets and producing areas .....	4
Discussion .....	5-6
Opening and closing dates .....	7-8
Warehouses and buyers .....	7-8
Allotted sales opportunity .....	9
Warehouse charges .....	10
Marketing holidays .....	10
Average basket weight .....	10
Series on producers' sales by types .....	11-12
Chart: Sales and prices.....	13
Series on gross sales and resales by types .....	14-16
Summary of sales by types .....	17
Summary of sales by States .....	17
Summary of sales by months .....	18
Across-State-line-sales .....	18
Producers' sales by markets .....	19-20
Producers' sales by months and types .....	21
Gross sales by markets .....	22-23
Resales by markets .....	24-25
Parity price and applicable loan levels .....	26
Receipts under Government loan program .....	26
Season prices and schedule of loan rates by grades .....	27-34
Rank of flue-cured markets .....	35
Weekly and season prices by grades, Type 11(a) .....	36-37
Weekly and season prices by grades, Type 11(b).....	38-39
Weekly and season prices by grades, Type 12.....	40-41
Weekly and season prices by grades, Type 13.....	42-43
Weekly and season prices by grades, Type 14 .....	44
Composition of crop.....	45-48
Dates of designation of markets.....	49
Percentage distribution of grades by types, 11-14 .....	50-51
Percentage distribution, all flue-cured, annual and average .....	52-54
Dates of designation of markets .....	55

The statistics on sales and markets in this Review were compiled from reports and records of the State Department of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASC offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on the compilation of data recorded from warehouse sales tickets from representative markets in the flue-cured area.

# FLUE-CURED TOBACCO AUCTION MARKETS AND PRODUCING AREAS



REVIEW OF THE 1971 FLUE-CURED MARKETING SEASON

Average price set a new record.

All grade averages spiraled.

One of the best quality crops ever.

Sales volume down, but

Crop's value third highest.

The average price received for the 1971 flue-cured crop (Types 11-14 combined) was the highest ever recorded for a flue-cured crop. All grade averages were up substantially over 1970 levels and most reached all-time highs. Sales volume was down from a year ago and as a result the value of the crop dropped from last season's record high return but was still the third highest in history. The crop was one of the best ever produced and demand was strong. The poundage that went under loan was the lowest since 1960.

Sales and averages. The Consumer and Marketing Service of the United States Department of Agriculture reported a net average price of \$77.24 per hundred pounds received for the 1971 flue-cured crop (Types 11-14 combined)--\$4.89 higher than the all-time record of \$72.35 set in 1969. Producers' sales 1/ totaled 1074.3 million pounds--down about 104.0 million from last season's heavy volume. The crop was valued at \$829.8 million--down about \$19 million from last season's record return, but due to the high prices was still the third highest return in flue-cured history. Only 55.6 million pounds, or 5.2 percent of the net sales went under loan--the lowest poundage since 1960.

Government price support program.

Loan rates by grades for the 1971 flue-cured crop (Types 11-14 combined) reflected an average support level of 69.4 cents per pound---an increase of 4.2 percent over the 1970 level of 66.6 cents. Rates for individual grades of "untied" tobacco ranged from 42 cents to 95 cents per pound. "Tied" grades were supported at 3 cents per pound higher than corresponding grades of "untied" but volume was negligible. To qualify for price support, growers were required to certify that they had not used DDT or TDE pesticides on their crop. This measure was adopted by the U.S. Government for the first time last season.

Sales, average prices, and loan receipts, by separate types, 1971 and 1970 crops.

Type :	1971 crop						1970 crop					
	Producers' sales		: Loan receipts		:	:	Producers' sales		: Loan receipts		:	
Volume :	Average	Value	:(green	net	: Volume	Value	:(green	net	Volume	:(green	Percent	: weight)
												sales
	Mil.	Mil.	Dollars	1,000			Mil.	Mil.	Dollars	1,000		
	lbs.	dols.	cwt.	lbs.	Percent		lbs.	dols.	cwt.	lbs.	Percent	
11(a) :	211.0	163.4	77.43	9.1	4.3	:	221.3	155.4	70.24	29.7	13.4	
11(b) :	113.2	87.5	77.28	5.4	4.8	:	125.5	87.9	70.07	19.8	15.8	
12 :	316.4	248.4	78.53	19.2	6.1	:	358.2	260.9	72.83	43.3	12.1	
13 :	259.1	196.3	75.77	15.5	6.0	:	282.1	202.5	71.78	28.7	10.2	
14 :	174.6	134.2	76.85	6.4	3.7	:	191.0	142.0	74.33	22.7	11.9	
11-14 :	1,074.3	829.8	77.24	55.6	5.2	:	1,178.1	848.7	72.04	144.2	12.2	

1/ All known marketings by producers. This figure may vary slightly from estimates of the Crop Reporting Board, SRS as the Board includes tobacco produced during the current year regardless of when sold.

Composition of offerings. Total flue-cured marketings for 1971 contained more good and fair and less low and poor quality tobacco. The percentage of non-descript was down considerably from a year ago. Marketings contained larger proportions of orange and orange-red and less variegated and green when compared to the 1970 crop. Low to good leaf, fair lugs, and low and fair primings made up the bulk of the 1971 offerings. See table 25 on pages 45-48 for a more detailed analysis of the current crop and of the preceding years.

Grade averages. All grade averages were up substantially over the 1970 levels. Gains soared as high as \$14 per 100 pounds over comparable grades in 1970. About three-fourths of the grade averages were \$2 to \$7 higher than a year ago. See table 18 on pages 27-34 for details on individual grade comparisons.

Loan receipts. Deliveries of 55.7 million pounds of the 1971 crop went to the Cooperative. This represented about 5.2 percent of the total net sales and was the smallest poundage to go under loan since the 1960 crop was marketed. About 12.2 percent or 144.2 million pounds of the 1970 crop went to the Cooperative. See table 17 on page 26 for more information.

Support levels by Types. Based on the composition of marketings by grades the 1971 support level for all flue-cured (Types 11-14 combined, regardless of whether these marketings went under loan or not) was 70.5 cents per pound. This compared with 66.6 cents for the 1970 flue-cured crop. A breakdown by Types is shown below:

Type	1971 Cents per pound	1970 Cents per pound
11(a)	71.1	65.8
11(b)	71.2	66.2
12	71.0	66.7
13	69.9	65.8
14	69.1	68.6
11-14	70.5	66.6

Marketing regulations. In general the markets operated on a four hour day, four days per week (Monday-Thursday) when possible, but actual conditions required frequent adjustments to selling schedules as the different Belts began operations. No marketing holidays were necessary during the 1971 season. Sales were limited to 76,000 pounds per hour, per set of buyers, not to exceed 500 baskets per hour. The maximum basket weight was limited to 200 pounds as in the past five years. See tables 4 and 5 on page 10 for more details.

Acreage-poundage program. The 1971 crop was the seventh consecutive crop to be marketed under this program which began in 1965 for the flue-cured industry. A referendum held on July 16, 1970 approved quotas for the 1971, 1972 and 1973 crops. For the 1972 crop a national marketing quota of 1,071.6 million pounds and 577,994 acres was set. Acreage allotments and poundage quotas for most individual farms will be about the same as for the 1971 crop.

Opening and closing dates. Marketing of the 1971 flue-cured tobacco crop began on August 3, 1971 on the Georgia-Florida markets and ended with a clean-up sale at Danville, Va. in the Old Belt on November 30, 1971. See table 1 on pages 7-8 for individual market opening and closing dates.

Data by Types are shown below:

Type of markets	Number	Opening date	Closing date
11(a)	20	Sept. 20	Nov. 30
11 b)	10	Sept. 13	Nov. 16
12	17	Aug. 30	Nov. 16
13	19	Aug. 3	Oct. 14
14	28	Aug. 3	Sept. 9
11-14	94	Aug. 3	Nov. 30

Table 1. -Opening and closing dates of marketing season, warehouses, and buyers of tobacco sold at auction in the United States, by types, States, and markets, 1971 and 1970 crops.

TYPE 11(a)--OLD BELT FLUE-CURED

State and Markets	1971						1970					
	:Opening :Sales:		Closing	Ware-	:Opening	Closing	Sales	Ware-				
	Markets	date	days	houses	Buyers	date	days	houses	Buyers			
	Number		Number	Number	Sets		Number	Number	Sets			
Virginia:												
Brookneal		Sept. 20	Nov. 11	30	3	1	Sept. 1	Nov. 13	40	3	1	
Chase City		Sept. 20	Nov. 10	29	4	1	Sept. 21	Nov. 12	31	4	1	
Clarksville		Sept. 20	Nov. 9	28	3	1	Sept. 1	Nov. 10	38	3	1	
Danville		Sept. 20	Nov. 30	1/ 36	8	4	Sept. 1	Dec. 2	47	9	4	
Kenbridge		Sept. 20	Nov. 10	29	4	1	Sept. 1	Nov. 10	38	4	1	
Lawrenceville		Sept. 20	Nov. 9	28	3	1	Sept. 21	Nov. 10	30	3	1	
Martinsville		Sept. 20	Nov. 11	30	2	1	Sept. 21	Nov. 13	32	2	1	
Petersburg		Sept. 20	Nov. 4	26	4	1	Sept. 21	Nov. 5	28	4	1	
South Boston		Sept. 20	Nov. 23	1/ 33	9	2	Sept. 21	Nov. 30	37	9	2	
South Hill		Sept. 20	Nov. 10	29	4	1	Sept. 21	Nov. 13	32	4	1	
Total	10			44		14				45		14
North Carolina:												
Burlington		Sept. 20	Nov. 11	30	3	1	Sept. 1	Nov. 17	42	3	1	
Greensboro		Sept. 20	Nov. 10	29	2	1	Sept. 1	Nov. 10	38	2	1	
Madison		Sept. 20	Nov. 11	30	3	1	Sept. 1	Nov. 12	39	3	1	
Mebane		Sept. 20	Nov. 9	28	2	1	Sept. 21	Nov. 10	30	2	1	
Mt. Airy		Sept. 20	Nov. 16	32	3	1	Sept. 21	Nov. 13	32	4	1	
Reidsville		Sept. 20	Nov. 16	32	3	1	Sept. 21	Nov. 17	34	3	1	
Roxboro		Sept. 20	Nov. 16	32	7	1	Sept. 1	Nov. 12	39	6	1	
Stoneville		Sept. 20	Nov. 11	30	4	1	Sept. 21	Nov. 12	31	4	1	
Winston-Salem		Sept. 20	Nov. 18	34	9	4	Sept. 1	Nov. 24	46	9	4	
Yadkinville		Sept. 20	Nov. 4	26	3	1	Sept. 21	Oct. 29	24	3	1	
Total	10			39		13				39		13
Total Type 11(a)	20			83		27				84		27

TYPE 11(b) MIDDLE BELT FLUE-CURED

North Carolina:												
Aberdeen		Sept. 13	Nov. 3	29	3	1	Sept. 1	Oct. 29	32	3	1	
Carthage		Sept. 13	Nov. 3	29	3	1	Sept. 1	Oct. 29	32	3	1	
Durham		Sept. 13	Nov. 11	34	6	3	Sept. 1	Nov. 12	39	7	3	
Ellerbe		Sept. 13	Oct. 28	26	2	1	Sept. 1	Oct. 27	30	2	1	
Fuquay-Varina		Sept. 13	Nov. 11	34	5	2	Sept. 1	Nov. 10	38	4	2	
Henderson		Sept. 13	Nov. 9	32	12	2	Sept. 1	Nov. 10	38	11	2	
Louisburg		Sept. 13	Nov. 11	34	3	1	Sept. 1	Nov. 10	38	3	1	
Oxford		Sept. 13	Nov. 16	36	7	2	Sept. 1	Nov. 19	44	8	2	
Sanford		Sept. 13	Nov. 3	29	4	1	Sept. 1	Oct. 29	32	4	1	
Warrenton		Sept. 13	Nov. 9	32	5	1	Sept. 1	Nov. 10	38	5	1	
Total Type 11(b)	10			50		15				50		15

TYPE 12 --EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:												
Ahoskie		Aug. 30	Oct. 28	33	3	1	Aug. 18	Oct. 22	36	3	1	
Clinton		Aug. 30	Nov. 3	36	3	1	Aug. 18	Oct. 28	39	3	1	
Dunn		Aug. 30	Nov. 2	35	2	1	Aug. 18	Oct. 29	40	2	1	
Farmville		Aug. 30	Nov. 9	39	7	2	Aug. 18	Nov. 5	44	7	2	
Goldsboro		Aug. 30	Nov. 4	37	4	1	Aug. 18	Nov. 3	42	4	1	
Greenville		Aug. 30	Nov. 4	37	7	5	Aug. 18	Nov. 3	42	7	5	
Kinston		Aug. 30	Nov. 2	35	9	4	Aug. 18	Oct. 29	40	9	4	
Robersonville		Aug. 30	Nov. 4	37	5	1	Aug. 18	Oct. 27	38	5	1	
Rocky Mount		Aug. 30	Nov. 9	39	9	4	Aug. 18	Nov. 10	46	9	4	
Smithfield		Aug. 30	Nov. 4	37	6	2	Aug. 18	Nov. 5	44	6	2	
Tarboro		Aug. 30	Nov. 2	35	5	1	Aug. 18	Oct. 28	39	5	1	
Wallace		Aug. 30	Nov. 2	35	4	1	Aug. 18	Oct. 29	40	4	1	
Washington		Aug. 30	Oct. 28	33	3	1	Aug. 18	Oct. 26	37	3	1	
Wendell		Aug. 30	Nov. 2	35	5	1	Aug. 18	Oct. 29	40	5	1	
Williamston		Aug. 30	Nov. 4	37	3	1	Aug. 18	Oct. 27	38	3	1	
Wilson		Aug. 30	Nov. 16	43	14	5	Aug. 18	Nov. 18	50	15	5	
Windsor		Aug. 30	Oct. 26	31	4	1	Aug. 18	Oct. 22	36	4	1	
Total Type 12	17			93		33				94		33

1/ Regular sales ended on Nov. 18. Clean-up sales were held on Nov. 23 at South Boston and on Nov. 29 and 30 at Danville, Va.

Table 1. -- Opening and closing dates of marketing season, warehouses, and buyers of tobacco sold at auction in the United States, by types, States, and markets, 1971 and 1970.

TYPE 13--SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED

State and Markets	1971						1970						
	Opening : Markets: date			Closing : date			Sales: houses			Warehouses: Buyers			
	Number	Number	Number	Sets	Number	Number	Number	Number	Sets	Number	Number	Sets	
South Carolina:													
Conway		Aug. 3	Sept. 16	26	2	1	July 28	Sept. 17	31	2	1		
Darlington		Aug. 3	Sept. 16	26	4	1	July 28	Sept. 17	31	4	1		
Dillon		Aug. 3	Sept. 16	26	4	1	July 28	Sept. 17	31	4	1		
Hemingway		Aug. 3	Sept. 16	26	2	1	July 28	Sept. 17	31	2	1		
Kingstree		Aug. 3	Sept. 9	22	4	1	July 28	Sept. 17	31	4	1		
Lake City		Aug. 3	Sept. 30	34	8	4	July 28	Oct. 8	43	8	4		
Lamar		Aug. 3	Sept. 16	26	4	1	July 28	Sept. 17	31	4	1		
Loris		Aug. 3	Sept. 16	26	2	1	July 28	Sept. 17	31	2	1		
Mullins		Aug. 3	Sept. 30	34	10	4	July 28	Oct. 22	51	10	4		
Pamplico		Aug. 3	Sept. 9	22	4	1	July 28	Sept. 17	31	4	1		
Timmonsville		Aug. 3	Sept. 23	30	3	2	July 28	Oct. 1	39	4	2		
Total	11			47	18					48	18		
North Carolina:													
Chadbourn		Aug. 3	Sept. 16	26	2	1	July 28	Sept. 24	32	2	1		
Clarkton		Aug. 3	Sept. 9	22	4	1	July 28	Sept. 17	28	4	1		
Fair Bluff		Aug. 3	Sept. 9	22	5	1	July 28	Sept. 17	28	5	1		
Fairmont		Aug. 3	Sept. 30	34	11	4	July 28	Oct. 22	48	11	4		
Fayetteville		Aug. 3	Sept. 16	26	2	1	July 28	Aug. 27	20	2	1		
Lumberton		Aug. 3	Sept. 30	34	8	3	July 28	Oct. 22	48	8	3		
Tabor City		Aug. 3	Sept. 16	26	2	1	July 28	Sept. 24	32	2	1		
Whiteville		Aug. 3	Oct. 14	37	1/	8	3	July 28	Oct. 22	48	9	3	
Total	8			42	15					43	15		
Total Type 13	19			89	33					91	33		

TYPE 14--GEORGIA AND FLORIDA FLUE-CURED

Georgia:												
Adel		Aug. 3	Sept. 9	22	4	1	July 22	Aug. 14	17	4	1	
Alma		Aug. 3	Sept. 9	22	6	1	July 22	Aug. 14	17	6	1	
Baxley		Aug. 3	Aug. 26	15	5	1	July 22	Aug. 28	27	5	1	
Blackshear		Aug. 3	Aug. 26	15	6	2	July 22	Aug. 26	25	6	2	
Claxton		Aug. 3	Sept. 9	22	4	1	July 22	Aug. 14	17	4	1	
Douglas		Aug. 3	Sept. 9	22	4	2	July 22	Aug. 14	17	4	2	
Fitzgerald		Aug. 3	Sept. 9	22	4	1	July 22	Aug. 14	17	2	1	
Hahira		Aug. 3	Aug. 26	15	5	1	July 22	Aug. 14	17	5	1	
Hazlehurst		Aug. 3	Aug. 26	15	3	1	July 22	Aug. 14	17	3	1	
Metter		Aug. 3	Aug. 26	15	2	1	July 22	Aug. 28	27	2	1	
Moultrie		Aug. 3	Sept. 9	22	10	2	July 22	Aug. 14	17	10	2	
Nashville		Aug. 3	Aug. 26	15	4	2	July 22	Aug. 28	27	4	2	
Pearson		Aug. 3	Aug. 26	15	1	1	July 22	Aug. 14	17	1	1	
Pelham		Aug. 3	Aug. 26	15	1	1	July 22	Aug. 28	27	1	1	
Quitman		Aug. 3	Sept. 9	22	3	1	July 22	Aug. 14	17	3	1	
Statesboro		Aug. 3	Sept. 9	22	10	2	July 22	Aug. 14	17	9	2	
Swainsboro		Aug. 3	Aug. 26	15	3	1	July 22	Aug. 14	17	3	1	
Sylvester		Aug. 3	Aug. 26	15	2	1	July 22	Aug. 14	17	2	1	
Thomasville		Aug. 3	Aug. 26	15	2	1	July 22	Aug. 14	17	2	1	
Tifton		Aug. 3	Aug. 26	15	5	2	July 22	Aug. 28	27	5	2	
Valdosta		Aug. 3	Aug. 26	15	3	2	July 22	Aug. 26	25	4	2	
Vidalia		Aug. 3	Aug. 26	15	6	2	July 22	Aug. 28	27	6	2	
Waycross		Aug. 3	Aug. 26	15	4	1	July 22	Aug. 14	17	4	1	
Total	23			97	31					95	31	
Florida:												
High Springs		Aug. 3	Aug. 26	15	3	1	July 22	Aug. 14	17	2	1	
Jasper		Aug. 3	Aug. 26	15	4	1	July 22	Aug. 14	17	4	1	
Lake City		Aug. 3	Aug. 26	15	3	1	July 22	Aug. 14	17	3	1	
Live Oak		Aug. 3	Sept. 2	19	6	2	July 22	Aug. 21	22	6	2	
Madison		Aug. 3	Aug. 26	15	2	1	July 22	Aug. 14	17	2	1	
Total	5			18	6					17	6	
Total Type 14	28			115	37					112	37	
Total 11-14	94			430	145					431	145	

1/ Regular sales ended on Sept. 30. Clean-up sales held Oct. 12, 13 and 14.

Table 2.- Allotted sales opportunities compared to actual gross sales; 1971 crop. 1/

	Type 14	Type 13	South Carolina	North Carolina	Type 12	Type 11b	Type 11a	Type 11-14
Week ending:	Sets of : Sales Buyers : Opport.	Actual 2/ Opport. : Gr. Sales						
Aug. 6:	37	39,368	18	19,662	15	17,100	--	70
Aug. 13:	37	39,368	18	21,888	15	18,687	--	70
Aug. 20:	37	42,506	18	22,616	15	18,240	--	70
Aug. 27:	37	42,506	18	22,589	15	18,240	--	70
Sept. 3:	9	11,628	18	19,316	15	12,919	33	75
Sept. 10:	8	9,120	18	17,673	15	17,100	33	74
Sept. 17:	--	--	13	14,818	11	11,473	33	72
Sept. 24:	--	--	3	4,086	3	3,459	33	83,127
Oct. 1:	--	--	2	2,566	3	3,800	33	83,193
Oct. 8:	--	--	--	--	--	33	27	9
Oct. 15:	--	--	--	--	1	1,140	33	26,676
Oct. 22:	--	--	--	--	--	33	27	80,466
Oct. 29:	--	--	--	--	--	33-30	27	80,909
Nov. 5:	--	--	--	--	--	26-15	27	85,088
Nov. 12:	--	--	--	--	--	7-3	27	85,271
Nov. 19:	--	--	--	--	--	3-2	27	86,228
Nov. 26:	--	--	--	--	--	16,398	27	85,681
Dec. 3:	--	--	--	--	--	14-11	27	89,691
						18,126	27	83,703
						4,309	27	76,152
						11-8	27	57,975
						12,996	27	51,505
						25-18	27	15,886
						684	27	76,164
						13-6	27	37,246
						12,920	17-9	7,502
							1	15,280
							1	7,000
							1	1
							760	230

1/ This table is based on schedules issued by the Industry-wide Flue-cured Tobacco Marketing committee.

2/ Derived from Weekly Market News Reports. (Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 200 pounds)

Table 3.- Auction sales warehouse charges on flue-cured markets, 1971 crop

State	Type	Auction fee	Commission :		Additional charges
			on gross	sales	
			Percent	(Weighing and handling, 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds)	
Florida )	: 14	:(15 cents on all piles	: 2½	: per pile on all piles of 100	
Georgia )	: 14	: of 100 pounds or less	: 2½	: pounds or less, and 10 cents	
North Carolina ) 1/:	11-13	: and 25 cents on all	: 2½	: for each additional 100 pounds)	
South Carolina )	: 13	: piles over 100 pounds)	: 2½	:	
Virginia ) 1/:	11	: 25 cents per pile	: 2½	: Weighing - 10 cents per 100 lbs)	

1/ State law

Table 4.- Selling schedule; daily hours, sales days, marketing holidays, etc., flue-cured markets 1971 crop.

Week ending:	Type 14	Type 13	Type 12	Type 11b	Type 11a
	Daily :Sales :Daily	Daily :Sales :Daily	Daily :Sales :Daily	Daily :Sales :Daily	Daily :Sales
	Hours :Days	Hours :Days	Hours :Days	Hours :Days	Hours :Days
		S.C. N.C.			
Aug. 6	4.7 1/	3 4.8 5.0 3			
Aug. 13	3.5	4 4.0 4.1 4			
Aug. 20	3.8	4 4.1 4.0 4			
Aug. 27	3.8	4 4.1 4.0 4			
Sept. 3	4.2 1/	4 3.5 1/ 2.8 4 4.0 4			
Sept. 10	5.0	3 4.3 1/ 5.0 3 5.0 3			
Sept. 17		3.8 1/ 3.4 4 4.1 4		3.2 4	
Sept. 24		4.5 1/ 3.8 1/ 4 3.4 4 3.2 4		3.2 4	3.2 4
Oct. 1		4.2 4.2 1/ 4 3.2 4 3.2 4		3.2 4	3.2 4
Oct. 8		-- -- 3.7 4 3.7 4		3.7 4	3.7 1/ 4
Oct. 15		5.0 3* 5.0 3 5.0 3		5.0 3	5.0 3
Oct. 22			3.7 4 4.0 4	4 4.2 1/ 4	
Oct. 29			4.0 3 5.0 3	5.0 3	5.0 3
Nov. 5			3.2 4 4.5 4	5.0 4	
Nov. 12			3.2 4 4.5 4	5.0 4	
Nov. 19			3.2 2 4.5 2	5.0 4	
Nov. 26	Sales scheduled Monday through Thursday.				
Dec. 3	1/ Weekly average. Different schedules used during week.				
	* Clean-up sales.				

Table 5.- Average weight per lot of flue-cured tobacco; average 1950-54; 1955-59; annual 1960-1971 1/

Crop	Type 11(a)	Type 11(b)	Type 12	Type 13	Type 14	Type 11-14
	Old Belt	Middle Belt	Eastern N.C.	S.C. and Border N.C.	Georgia and Florida	All Flue-cured
	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
Average:						
1950-54	170	165	176	148	149	163
1955-59	180	168	177	166	155	171
Annual:						
1960	184	177	184	166	164	176
1961	180	186	192	182	172	183
1962	194	197	189	173	159	182
1963	182	189	199	174	163	184
1964	194	199	187	176	166	185
1965	199	200	199	189	176	193
1966 2/	156	163	171	154	157	161
1967 2/	173	177	176	179	162	173
1968 2/	158	153	155	168	160	159
1969 2/	156	155	153	162	162	157
1970 2/	156	157	161	166	168	162
1971 2/	167	167	167	171	169	168

1/ Annual data for the 1947 to 1959 crops was included in the 1963 and earlier Flue-cured Market Reviews.

2/ Beginning in 1966 the maximum allowable pounds was reduced from 300 pounds to 200 pounds per basket.

Table 6. - Producers' sales, value, and average price, by types, for flue-cured tobacco, crops of 1947 to 1971 1/- Cont'd.

TYPE 11(a) - OLD BELT

Crop 2/	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	262,114,215	100,297,428	38.26	1962	291,218,759	176,388,472	60.57
1948	235,560,964	116,918,671	49.63	1963	281,214,430	155,481,609	55.29
1949	219,836,387	101,208,424	46.04	1964	314,277,419	186,265,833	59.27
1950	289,601,482	155,704,742	53.77	1965	222,204,621	144,051,283	64.83
1951	286,384,042	145,637,252	50.85	1966	255,509,883	159,535,827	62.44
1952	300,358,464	146,336,769	48.72	1967	248,087,248	153,395,757	61.83
1953	235,979,951	98,490,104	41.74	1968	192,062,383	124,451,913	64.80
1954	262,803,348	137,476,301	52.31	1969	224,369,620	160,301,798	71.45
1955	285,984,253	155,255,759	54.29	1970	221,288,859	155,425,876	70.24
1956	307,048,136	154,202,438	50.22	1971	211,006,251	163,376,182	77.43
1957	214,624,403	112,757,295	52.54	1972			
1958	227,835,016	131,401,573	57.67	1973			
1959	226,919,679	121,814,341	53.68	1974			
1960	236,975,724	139,856,836	59.02	1975			
1961	246,655,509	156,205,999	63.33	1976			

TYPE 11(b) - MIDDLE BELT

1947	162,002,983	69,099,993	42.65	1962	171,898,450	104,581,808	60.84
1948	140,629,137	71,708,423	50.99	1963	165,337,354	95,051,596	57.49
1949	122,517,721	59,369,015	48.46	1964	177,578,510	104,985,097	59.12
1950	157,641,536	89,114,599	56.53	1965	108,026,541	68,444,459	63.36
1951	170,781,145	92,680,680	54.27	1966	143,394,974	92,214,964	64.31
1952	158,669,839	79,147,911	49.88	1967	145,328,001	91,276,366	62.81
1953	122,732,884	57,906,330	47.18	1968	106,603,657	68,416,363	64.18
1954	142,537,604	75,351,240	52.86	1969	111,647,113	79,847,256	71.52
1955	157,913,754	83,628,538	52.96	1970	125,465,425	87,914,387	70.07
1956	166,773,328	87,289,095	52.34	1971	113,235,768	87,505,872	77.28
1957	111,212,560	59,552,006	53.55	1972			
1958	124,296,176	71,921,534	57.86	1973			
1959	122,899,800	70,265,616	57.17	1974			
1960	154,414,952	95,128,922	61.61	1975			
1961	146,297,458	95,283,770	65.13	1976			

TYPE 12 - EASTERN NORTH CAROLINA

1947	449,762,491	195,561,239	43.48	1962	400,129,062	239,716,394	59.91
1948	354,486,865	177,339,407	50.03	1963	421,882,034	247,680,810	58.71
1949	363,414,192	179,071,906	49.27	1964	420,093,250	238,216,548	56.71
1950	405,056,236	230,456,176	56.89	1965	296,024,450	187,386,497	63.30
1951	486,806,521	270,653,037	55.60	1966	328,736,141	225,475,919	68.59
1952	442,271,010	225,464,389	50.98	1967	346,319,605	224,636,700	64.86
1953	432,383,188	249,649,514	57.74	1968	287,009,702	194,193,390	67.66
1954	471,361,756	260,571,851	55.28	1969	313,143,261	226,984,176	72.49
1955	497,662,500	263,420,886	52.93	1970	358,241,279	260,897,452	72.83
1956	477,816,430	247,654,045	51.83	1971	316,362,168	248,454,294	78.53
1957	317,359,121	173,876,613	54.79	1972			
1958	370,772,702	213,974,401	57.71	1973			
1959	328,378,308	192,736,686	58.69	1974			
1960	409,980,457	251,077,871	61.24	1975			
1961	386,055,705	252,729,976	65.46	1976			

See footnotes at end of table

Continued -

- 12 -  
Table 6.- Producers' sales, value, and average price, by types, for flue-cured tobacco, crops of 1947 to 1971 1/- Cont'd.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Crop 1/	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	274,534,800	116,521,051	42.44	1962	346,750,719	212,610,306	61.32
1948	230,831,008	117,969,574	51.11	1963	313,733,079	189,298,356	60.34
1949	255,965,670	126,579,824	49.45	1964	309,172,100	184,425,734	59.65
1950	270,552,334	151,456,903	55.98	1965	277,010,241	181,633,946	65.57
1951	321,780,728	168,580,047	52.39	1966	223,674,943	154,388,218	69.02
1952	292,942,824	153,555,782	52.42	1967	300,851,081	195,583,110	65.01
1953	304,068,064	174,556,446	57.41	1968	255,973,622	171,150,530	66.86
1954	270,015,885	139,813,783	51.78	1969	254,827,602	185,412,983	72.76
1955	343,169,268	186,473,557	54.34	1970	282,105,816	202,496,606	71.78
1956	302,568,285	162,480,165	53.70	1971	259,089,401	196,309,798	75.77
1957	222,405,664	132,792,659	59.71	1972	:		
1958	235,835,421	141,908,291	60.17	1973	:		
1959	250,599,270	157,220,900	62.74	1974	:		
1960	279,815,114	173,750,806	62.09	1975	:		
1961	293,312,117	193,527,949	65.98	1976	:		

TYPE 14 - GEORGIA AND FLORIDA

1947	156,190,825	59,451,602	38.06	1962	190,308,873	107,869,014	56.68
1948	120,690,013	57,304,584	47.48	1963	182,008,168	104,320,747	57.32
1949	143,370,402	58,041,791	40.48	1964	157,770,918	93,055,511	58.98
1950	127,849,980	61,764,353	48.31	1965	155,051,918	102,638,782	66.20
1951	175,860,580	81,697,333	46.46	1966	155,004,127	108,526,147	70.01
1952	163,393,546	80,716,055	49.40	1967	206,896,521	135,655,587	65.57
1953	173,450,375	89,375,710	51.53	1968	153,995,962	105,286,821	68.37
1954	164,692,671	77,055,636	46.79	1969	146,715,739	107,683,665	73.40
1955	193,792,045	91,001,278	46.96	1970	190,998,985	141,975,628	74.33
1956	167,408,587	81,174,726	48.49	1971	174,622,082	134,200,109	76.85
1957	107,099,563	60,292,402	56.30	1972	:		
1958	121,163,993	69,694,102	57.44	1973	:		
1959	148,056,375	86,378,417	58.34	1974	:		
1960	166,037,115	94,438,724	56.88	1975	:		
1961	176,610,768	104,595,980	59.22	1976	:		


TYPES 11-14 - TOTAL FLUE-CURED

1947	:1,304,605,314	540,931,313	41.46	1962	:1,400,305,863	841,165,994	60.07
1948	:1,082,197,987	541,240,659	50.01	1963	:1,364,175,065	791,833,118	58.04
1949	:1,105,104,372	524,270,960	47.44	1964	:1,378,892,197	806,948,723	58.52
1950	:1,250,701,568	688,496,773	55.05	1965	:1,058,317,771	684,154,967	64.65
1951	:1,441,613,016	759,248,349	52.67	1966	:1,106,320,068	740,141,075	66.90
1952	:1,357,635,683	685,220,906	50.47	1967	:1,247,482,456	800,547,520	64.17
1953	:1,268,614,462	669,978,104	52.81	1968	:995,645,366	663,499,017	66.64
1954	:1,311,411,264	690,268,811	52.64	1969	:1,050,703,335	760,229,878	72.35
1955	:1,478,521,820	779,780,018	52.74	1970	:1,178,100,364	848,709,949	72.04
1956	:1,421,614,766	732,800,469	51.55	1971	:1,074,315,670	829,846,255	77.24
1957	:972,701,311	539,270,975	55.44	1972	:		
1958	:1,079,903,308	628,899,901	58.24	1973	:		
1959	:1,076,853,432	628,415,960	58.36	1974	:		
1960	:1,247,223,362	754,253,159	60.47	1975	:		
1961	:1,248,931,557	802,343,674	64.24	1976	:		

1/ Auction sales

2/ Data for crop years prior to 1947 may be found in the 1965 and earlier issues of the Flue-cured Market Review.

## FLUE-CURED TOBACCO, TYPES 11-14



PRODUCERS' SALES AND GENERAL AVERAGE PRICE.

U.S. DEPARTMENT OF AGRICULTURE

NEG. C&MS 16-72(1) CONSUMER AND MARKETING SERVICE

Table 7.- Gross sales, value, and average price; and resales, average price, and percentage of gross sales by types, for flue-cured tobacco, crops of 1947 to 1971

TYPE 11(a) - OLD BELT							
Crop 1/	Gross			Resales			Percentage of gross sales
	Sales	: Value	: Average Price	Resales	: Average Price	: Dollars	
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent	
1947 :	277,981,556	105,939,037	38.11	15,867,341	35.55		5.7
1948 :	256,234,035	125,998,380	49.17	20,673,071	43.92		8.1
1949 :	243,387,418	110,751,814	45.50	23,551,031	40.52		9.7
1950 :	314,642,528	168,179,662	53.45	25,041,046	49.82		8.0
1951 :	312,174,466	157,505,045	50.45	25,790,424	46.02		8.3
1952 :	327,750,090	158,677,608	48.41	27,391,626	45.05		8.4
1953 :	253,816,075	106,569,259	41.99	17,836,124	45.30		7.0
1954 :	288,203,570	149,767,267	51.97	25,400,222	48.39		8.8
1955 :	310,720,407	167,147,505	53.79	24,736,154	48.07		8.0
1956 :	332,775,184	166,136,335	49.92	25,727,048	46.39		7.7
1957 :	235,097,153	122,932,284	52.29	20,472,750	49.70		8.7
1958 :	250,204,145	143,212,133	57.24	22,369,129	52.80		8.9
1959 :	250,431,554	133,250,571	53.21	23,511,875	48.64		9.4
1960 :	262,199,841	153,437,772	58.52	25,224,117	53.84		9.6
1961 :	271,589,328	170,793,663	62.89	24,933,819	58.51		9.2
1962 :	310,968,875	187,634,046	60.34	19,750,116	56.94		6.4
1963 :	296,123,684	163,470,934	55.20	14,909,254	53.59		5.0
1964 :	333,922,607	196,879,703	58.96	19,645,188	54.03		5.9
1965 :	241,835,932	156,458,357	64.70	19,631,311	63.20		8.1
1966 :	273,627,258	170,523,411	62.32	18,117,375	60.65		6.6
1967 :	259,754,261	160,671,132	61.86	11,667,013	62.36		4.5
1968 :	201,882,013	130,768,131	64.77	9,819,630	64.32		4.9
1969 :	234,872,110	167,517,622	71.32	10,502,490	68.71		4.5
1970 :	230,384,236	161,517,242	70.11	9,095,377	66.97		3.9
1971 :	217,407,613	168,209,071	77.37	6,401,362	75.50		2.9
1972 :							
1973 :							
1974 :							
1975 :							
TYPE 11(b) - MIDDLE BELT							
1947 :	175,533,350	74,064,264	42.19	13,530,367	36.69		7.7
1948 :	157,065,491	78,643,016	50.07	16,436,354	42.19		10.5
1949 :	136,979,227	65,333,242	47.70	14,461,506	41.24		10.6
1950 :	170,509,085	95,751,748	56.16	12,867,549	51.58		7.5
1951 :	186,419,891	100,277,262	53.79	15,638,746	48.58		8.4
1952 :	177,122,048	87,456,016	49.38	18,452,209	45.02		10.4
1953 :	138,038,186	64,820,822	46.96	15,305,302	45.18		11.1
1954 :	160,602,820	84,002,214	52.30	18,065,216	47.89		11.2
1955 :	170,439,811	89,225,940	52.35	12,526,057	44.69		7.3
1956 :	179,393,316	93,085,361	51.89	12,619,988	45.93		7.0
1957 :	124,454,594	66,062,909	53.08	13,242,034	49.17		10.6
1958 :	137,218,210	78,379,220	57.12	12,922,034	49.97		9.4
1959 :	136,216,950	76,945,514	56.49	13,317,150	50.16		9.8
1960 :	170,149,856	103,693,982	60.94	15,734,904	54.43		9.2
1961 :	162,289,460	104,629,723	64.47	15,992,002	58.44		9.9
1962 :	184,894,828	111,710,209	60.42	12,996,378	54.85		7.0
1963 :	177,729,278	101,355,716	57.03	12,391,924	50.87		7.0
1964 :	189,384,496	111,140,562	58.69	11,805,986	52.14		6.2
1965 :	116,961,401	73,739,905	63.05	8,934,860	59.27		7.6
1966 :	154,572,110	99,053,641	64.08	11,177,136	61.18		7.2
1967 :	152,004,784	95,316,543	62.71	6,676,783	60.51		4.4
1968 :	110,488,566	70,767,801	64.05	3,884,909	60.53		3.5
1969 :	116,400,280	83,071,050	71.37	4,753,167	67.82		4.1
1970 :	129,987,987	90,957,451	69.97	4,522,562	67.29		3.5
1971 :	116,873,385	90,219,451	77.19	3,637,617	74.60		3.1
1972 :							
1973 :							
1974 :							
1975 :							

Table 7.- Gross sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1971 - Cont'd.

TYPE 12 - EASTERN NORTH CAROLINA							
Crop <sub>1</sub> :	Gross			Resales			
	Sales Pounds	Value Dollars	Average Price Dollars	Resales Pounds	Average Price Dollars	Percentage of gross sales Percent	
1947 :	483,531,059	207,987,053	43.01	33,768,568	36.80	7.0	
1948 :	391,972,306	193,413,739	49.34	37,485,441	42.88	9.6	
1949 :	406,029,941	197,919,646	48.75	42,615,749	44.23	10.5	
1950 :	448,247,035	253,115,104	56.47	43,190,799	52.46	9.6	
1951 :	527,113,871	290,363,930	55.09	40,307,350	48.90	7.6	
1952 :	488,279,654	246,722,026	50.53	46,008,644	46.20	9.4	
1953 :	479,821,151	273,996,825	57.10	47,437,963	51.32	9.9	
1954 :	521,915,902	285,452,294	54.69	50,554,146	49.22	9.7	
1955 :	527,722,133	276,102,034	52.32	30,059,633	42.19	5.7	
1956 :	508,200,583	261,548,000	51.47	30,384,153	45.73	6.0	
1957 :	353,479,016	191,975,451	54.31	36,119,895	50.11	10.2	
1958 :	401,362,345	229,333,145	57.14	30,589,643	50.21	7.6	
1959 :	358,766,240	207,776,111	57.91	30,387,932	49.49	8.5	
1960 :	443,849,883	269,234,668	60.66	33,869,426	53.61	7.6	
1961 :	414,387,518	269,117,638	64.94	28,331,813	57.84	6.8	
1962 :	426,197,628	253,383,812	59.45	26,068,566	52.43	6.1	
1963 :	447,810,344	260,597,473	58.19	25,928,310	49.82	5.8	
1964 :	439,070,156	247,127,905	56.28	18,976,906	46.96	4.3	
1965 :	313,961,096	197,754,494	62.99	17,936,646	57.80	5.7	
1966 :	348,628,637	238,216,849	68.33	19,892,496	64.05	5.7	
1967 :	359,468,542	232,513,716	64.68	13,148,397	59.91	3.7	
1968 :	294,991,827	199,000,456	67.46	7,982,125	60.22	2.7	
1969 :	320,845,503	232,056,675	72.33	7,702,242	65.86	2.4	
1970 :	367,241,196	266,931,243	72.68	8,999,917	67.04	2.4	
1971 :	322,519,226	253,011,308	78.45	6,157,058	74.01	1.9	
1972 :							
1973 :							
1974 :							
1975 :							
TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA							
1947 :	298,581,265	125,221,646	41.94	24,046,465	36.18	8.1	
1948 :	257,549,793	130,025,892	50.49	26,718,785	45.12	10.4	
1949 :	282,813,797	138,220,799	48.87	26,848,127	43.36	9.5	
1950 :	302,378,796	167,578,534	55.42	31,826,462	50.65	10.5	
1951 :	356,948,641	185,264,975	51.90	35,167,913	47.44	9.9	
1952 :	332,754,972	172,646,106	51.88	39,812,148	47.95	12.0	
1953 :	347,993,765	197,372,663	56.72	43,925,701	51.94	12.6	
1954 :	308,559,532	158,165,273	51.26	38,543,647	47.61	12.5	
1955 :	371,194,111	199,189,952	53.66	28,024,843	45.38	7.5	
1956 :	332,599,112	176,773,381	53.15	30,030,827	47.60	9.0	
1957 :	254,431,208	150,322,928	59.08	32,025,544	54.74	12.6	
1958 :	263,055,456	156,715,806	59.58	27,220,035	54.40	10.3	
1959 :	278,502,915	172,716,804	62.02	27,903,645	55.53	10.0	
1960 :	310,723,428	190,734,738	61.38	30,908,314	54.95	9.9	
1961 :	324,548,716	212,215,581	65.39	31,236,599	59.83	9.6	
1962 :	380,565,542	232,006,009	60.96	33,814,823	57.36	8.9	
1963 :	343,634,666	205,886,036	59.91	29,901,587	55.47	8.7	
1964 :	338,191,697	200,024,970	59.15	29,019,597	53.75	8.6	
1965 :	307,093,820	200,416,487	65.26	30,083,579	62.43	9.8	
1966 :	244,515,798	168,269,710	68.82	20,840,255	66.60	8.5	
1967 :	321,858,935	209,247,378	65.01	21,007,854	65.04	6.5	
1968 :	267,797,623	178,792,044	66.76	11,823,961	64.63	4.4	
1969 :	266,398,182	193,417,154	72.60	11,570,580	69.18	4.3	
1970 :	295,199,641	211,647,639	71.70	13,093,825	69.89	4.4	
1971 :	268,269,338	203,142,898	75.72	9,179,937	74.44	3.4	
1972 :							
1973 :							
1974 :							
1975 :							

Table 7.- Gross sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1971 - Cont'd.

TYPE 14 - GEORGIA AND FLORIDA

Crop <sup>1</sup>	Gross			Resales			Percentage of gross sales
	Sales	Value	Average Price	Resales	Average Price	Percent	
	Pounds	Dollars	Pounds	Dollars			
1947 :	171,028,181	64,685,856	37.82	14,837,356	35.28	8.7	
1948 :	134,503,570	63,474,705	47.19	13,813,557	44.67	10.3	
1949 :	155,163,375	62,252,009	40.12	11,792,973	35.70	7.6	
1950 :	142,424,972	68,532,304	48.12	14,574,992	46.44	10.2	
1951 :	191,870,953	88,912,228	46.34	16,010,373	45.06	8.3	
1952 :	179,683,451	88,405,343	49.20	16,289,905	47.20	9.1	
1953 :	192,717,668	98,463,218	51.09	19,267,293	47.17	10.0	
1954 :	188,561,428	87,656,143	46.49	23,868,757	44.41	12.7	
1955 :	212,714,448	98,942,702	46.51	18,922,403	41.97	8.9	
1956 :	183,109,035	87,909,371	48.01	15,700,448	42.89	8.6	
1957 :	119,983,642	67,043,116	55.88	12,884,079	52.40	10.7	
1958 :	134,119,790	76,628,553	57.13	12,955,797	53.52	9.7	
1959 :	160,621,191	92,889,822	57.83	12,564,816	51.82	7.8	
1960 :	182,828,147	103,140,976	56.41	16,791,032	51.83	9.2	
1961 :	191,637,024	112,834,017	58.88	15,026,256	54.82	7.8	
1962 :	205,291,095	116,011,975	56.51	14,982,222	54.35	7.3	
1963 :	198,092,819	112,668,937	56.88	16,084,651	51.90	6.3	
1964 :	174,701,252	102,400,740	58.61	16,930,334	55.20	9.7	
1965 :	172,159,315	113,657,538	66.02	17,107,397	64.42	9.9	
1966 :	172,935,416	120,869,024	69.89	17,931,289	68.83	10.4	
1967 :	224,236,445	146,998,659	65.56	17,339,924	65.42	7.7	
1968 :	164,171,955	112,061,970	68.26	10,175,993	66.58	6.2	
1969 :	157,067,017	115,089,395	73.27	10,351,278	71.54	6.6	
1970 :	201,045,076	149,308,182	74.27	10,046,091	72.99	5.0	
1971 :	181,667,143	139,553,076	76.82	7,045,061	75.98	3.9	
1972 :							
1973 :							
1974 :							
1975 :							

TYPES 11-14 - TOTAL FLUE-CURED

1947 :	1,406,655,411	577,897,856	41.08	102,050,097	36.22	7.3
1948 :	1,197,325,195	591,555,732	49.41	115,127,208	43.70	9.6
1949 :	1,224,373,758	574,477,510	46.92	119,269,386	42.10	9.7
1950 :	1,378,202,416	753,157,352	54.65	127,500,848	50.71	9.3
1951 :	1,574,527,822	822,323,440	52.23	132,914,806	47.46	8.4
1952 :	1,505,590,215	753,907,099	50.07	147,954,532	46.42	9.8
1953 :	1,412,386,845	741,222,787	52.48	143,772,383	49.55	10.2
1954 :	1,467,843,252	765,043,191	52.12	156,431,988	47.80	10.7
1955 :	1,592,790,910	830,608,133	52.15	114,269,090	44.48	7.2
1956 :	1,536,077,230	785,452,448	51.13	114,462,464	46.00	7.5
1957 :	1,087,445,613	598,336,688	55.02	114,744,302	51.48	10.6
1958 :	1,185,959,946	684,268,857	57.70	106,056,638	52.21	8.9
1959 :	1,184,538,850	683,578,822	57.71	107,685,418	51.23	9.1
1960 :	1,369,751,155	820,242,136	59.88	122,527,793	53.86	8.9
1961 :	1,364,452,046	869,590,622	63.73	115,520,489	58.21	8.5
1962 :	1,507,917,968	900,746,051	59.73	107,612,105	55.37	7.1
1963 :	1,463,390,791	843,979,096	57.67	99,215,726	52.56	6.8
1964 :	1,475,270,208	857,573,880	58.13	96,378,011	52.53	6.5
1965 :	1,152,011,564	742,027,781	64.41	93,693,793	61.77	8.1
1966 :	1,194,279,219	796,932,635	66.73	87,959,151	64.57	7.4
1967 :	1,317,322,967	844,747,428	64.13	69,840,511	63.29	5.3
1968 :	1,039,331,984	691,390,402	66.52	43,686,618	63.84	4.2
1969 :	1,095,583,092	791,151,896	72.21	44,879,757	68.90	4.1
1970 :	1,223,858,136	880,361,757	71.93	45,757,772	69.12	3.7
1971 :	1,106,736,705	854,135,804	77.18	32,421,035	74.92	2.9
1972 :						
1973 :						
1974 :						
1975 :						

1/ Data for years prior to 1947 may be found in the 1965 and earlier issues of the Flue-cured Market Reviews.

Table 8.- Producers' sales, resales, gross sales, value, and average price, by types, for flue-cured tobacco, 1971 and 1970 crops.

Type and form of sales	1971 crop			1970 crop		
	Sales	Value	Average price	Sales	Value	Average price
11(a)						
Producers'	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Resales	211,006,251	163,376,182	77.43	221,288,859	155,425,876	70.24
Gross	6,401,362	4,832,889	75.50	9,095,377	6,091,366	66.97
	217,407,613	168,209,071	77.37	230,384,236	161,517,242	70.11
11(b)						
Producers'	113,235,768	87,505,872	77.28	125,465,425	87,914,387	70.07
Resales	3,637,617	2,713,579	74.60	4,522,562	3,043,064	67.29
Gross	116,873,385	90,219,451	77.19	129,987,987	90,957,451	69.97
11(a) and 11(b)						
Producers'	324,242,019	250,882,054	77.37	346,754,284	243,340,263	70.18
Resales	10,038,979	7,546,468	75.17	13,617,939	9,134,430	67.08
Gross	334,280,998	258,428,522	77.31	360,372,223	252,474,693	70.06
12						
Producers'	316,362,168	248,454,294	78.53	358,241,279	260,897,452	72.83
Resales	6,157,058	4,557,014	74.01	8,999,917	6,033,791	67.04
Gross	322,519,226	253,011,308	78.45	367,241,196	266,931,243	72.68
13						
Producers'	259,089,401	196,309,798	75.77	282,105,816	202,496,606	71.78
Resales	9,179,937	6,833,100	74.44	13,093,825	9,151,033	69.89
Gross	268,269,338	203,142,898	75.72	295,199,641	211,647,639	71.70
14						
Producers'	174,622,082	134,200,109	76.85	190,998,985	141,975,628	74.33
Resales	7,045,061	5,352,967	75.98	10,046,091	7,332,554	72.99
Gross	181,667,143	139,553,076	76.82	201,045,076	149,308,182	74.27
11-14						
Producers'	1,074,315,670	829,846,255	77.24	1,178,100,364	848,709,949	72.04
Resales	32,421,035	24,289,549	74.92	45,757,772	31,651,808	69.17
Gross	1,106,736,705	854,135,804	77.18	1,223,858,136	880,361,757	71.93

Table 9.- Producers' sales, resales, gross sales, value, and average price by States, for flue-cured tobacco, 1971 and 1970 crops.

	1971 crop			1970 crop		
	Sales	Value	Average price	Sales	Value	Average price
Florida:						
Producers'	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Resales	26,438,571	20,343,334	76.94	25,875,178	19,616,328	75.81
Gross	1,136,177	874,275	76.95	1,430,725	1,052,436	73.56
	27,574,748	21,217,609	76.94	27,305,903	20,668,764	75.69
Georgia:						
Producers'	148,183,511	113,856,775	76.83	165,123,807	122,359,300	74.10
Resales	5,908,884	4,478,692	75.80	8,615,366	6,280,118	72.89
Gross	154,092,395	118,335,467	76.80	173,739,173	128,639,418	74.04
North Carolina:						
Producers'	647,979,696	503,115,676	77.64	724,258,807	519,450,858	71.72
Resales	17,913,626	13,381,639	74.70	25,119,381	17,036,675	67.82
Gross	665,893,322	516,497,315	77.56	749,378,188	536,487,533	71.59
South Carolina:						
Producers'	140,288,541	106,259,037	75.74	144,850,228	104,117,348	71.88
Resales	5,017,452	3,751,203	74.76	7,218,055	5,072,415	70.27
Gross	145,305,993	110,010,240	75.71	152,068,283	109,189,763	71.80
Virginia:						
Producers'	111,425,351	86,271,433	77.43	117,992,344	83,166,115	70.48
Resales	2,444,896	1,803,740	73.78	3,374,245	2,210,164	65.50
Gross	113,870,247	88,075,173	77.35	121,366,589	85,376,279	70.35
Total all States:						
Producers'	1,074,315,670	829,846,255	77.24	1,178,100,364	848,709,949	72.04
Resales	32,421,035	24,289,549	74.92	45,757,772	31,651,808	69.17
Gross	1,106,736,705	854,135,804	77.18	1,223,858,136	880,361,757	71.93

Table 10.- Producers' sales, resales, gross sales, value, and average price, by months, for flue-cured tobacco, 1971 and 1970 crops.

	1971 crop			1970 crop		
	Sales Pounds	Value Dollars	Average price	Sales Pounds	Value Dollars	Average price
July:				120,111,618	87,778,569	73.08
Producers'	---	---	---	4,618,575	3,274,075	70.89
Resales	---	---	---			
Gross	---	---	---	124,730,193	91,052,644	73.00
August:						
Producers:	351,780,505	269,680,459	76.66	359,741,245	266,071,202	73.96
Resales	11,508,740	8,705,241	75.64	15,609,505	11,201,731	71.76
Gross	363,289,245	278,385,700	76.63	375,350,750	277,272,933	73.87
September:						
Producers'	360,672,510	279,616,236	77.53	332,070,163	241,705,378	72.79
Resales	8,951,290	6,696,097	74.81	9,999,148	7,030,741	70.31
Gross	369,623,800	286,312,333	77.46	342,069,311	248,736,119	72.72
October:						
Producers'	304,169,129	236,782,746	77.85	314,460,651	218,516,978	69.49
Resales	8,523,073	6,431,600	75.46	12,366,022	8,225,905	66.52
Gross	312,692,202	243,214,346	77.78	326,826,673	226,742,883	69.38
November:						
Producers'	57,693,526	43,766,814	75.86	51,389,513	34,455,345	67.05
Resales	3,437,932	2,456,611	71.46	3,155,644	1,915,832	60.71
Gross	61,131,458	46,223,425	75.61	54,545,157	36,371,177	66.68
December:						
Producers'	---	---	---	327,174	182,477	55.77
Resales	---	---	---	8,878	3,524	39.69
Gross	---	---	---	336,052	186,001	55.35
Total all months:						
Producers'	1,074,315,670	829,846,255	77.24	1,178,100,364	848,709,949	72.04
Resales	32,421,035	24,289,549	74.92	45,757,772	31,651,808	69.17
Gross	1,106,736,705	854,135,804	77.18	1,223,858,136	880,361,757	71.93

Table 11.- Across-State line movement of flue-cured tobacco, reflecting net sales in States other than in the State in which produced, crops of 1971 and 1970

State in which produced, and crop year	Sold in					
	out of State	Florida	Georgia	North Carolina	South Carolina	Virginia
		Pounds	Pounds	Pounds	Pounds	Pounds
1971 crop 1/						
Alabama	1,023,327	51,942	966,783	3,952	650	
Florida	2,066,313		2,066,313			
Georgia	728,700	656,107		70,903	1,690	
North Carolina	78,469,630	5,240,997	26,780,462		21,831,607	24,616,564
South Carolina	14,520,381	1,353,347	4,563,715	8,588,961		14,358
Virginia	7,954,986		112,480	7,120,885	721,621	
Total	104,763,337	7,302,393	34,489,753	15,784,701	22,555,568	24,630,922
1970 crop						
Alabama	840,016	103,514	735,074	516	912	
Florida	2,531,698		2,531,412		286	
Georgia	526,993	471,317		29,794	25,882	
North Carolina	83,045,074	2,328,920	25,109,090		26,691,182	28,915,882
South Carolina	21,934,473	1,156,739	5,481,638	15,220,618		75,478
Virginia	8,186,298		20,110	7,397,916	768,272	
Total	117,064,552	4,060,490	33,877,324	22,648,844	27,486,534	28,991,360

1/ Not final -- subject to revision

Table 12. - Producers' sales, value, and average price, by markets, for flue-cured tobacco, 1971 and 1970 crops.

TYPE 11(a) - OLD BELT							
	1971 crop				1970 crop		
	Sales	Value	Average price		Sales	Value	Average price
Virginia:							
Brookneal	7,705,739	5,972,079	77.50		9,239,422	6,510,469	70.46
Chase City	6,462,686	4,872,543	75.39		5,619,853	3,772,840	67.13
Clarksville	7,128,820	5,483,806	76.92		9,049,047	6,293,054	69.54
Danville	38,667,343	30,385,841	78.58		41,604,852	29,775,376	71.57
Kenbridge	6,902,844	5,205,432	75.41		8,381,352	5,732,012	68.39
Lawrenceville	6,627,397	5,088,151	76.77		6,444,168	4,585,598	71.16
Martinsville	7,964,026	6,181,915	77.62		7,544,853	5,243,553	69.50
Petersburg	5,866,871	4,461,269	76.04		5,802,550	4,083,437	70.37
South Boston	16,936,264	13,165,482	77.74		17,091,306	12,086,711	70.72
South Hill	7,163,361	5,454,915	76.15		7,214,941	5,083,065	70.45
Total	111,425,351	86,271,433	77.43		117,992,344	83,166,115	70.48
North Carolina:							
Burlington	7,377,824	5,643,906	76.50		9,095,673	6,271,450	68.95
Greensboro	7,042,356	5,389,265	76.53		8,498,474	5,831,308	68.62
Madison	7,388,360	5,775,361	78.17		9,656,297	6,975,427	72.24
Mebane	6,463,760	4,952,318	76.62		5,399,494	3,688,239	68.31
Mt. Airy	7,722,502	5,962,714	77.21		7,317,612	5,173,294	70.70
Reidsville	8,603,944	6,688,938	77.74		7,636,461	5,258,856	68.86
Roxboro	8,261,400	6,366,640	77.06		9,576,000	6,557,025	68.47
Stoneville	7,561,135	5,873,547	77.68		6,513,568	4,568,150	70.13
Winston-Salem	33,773,101	26,502,517	78.47		35,938,139	25,535,520	71.05
Yadkinville	5,386,518	3,949,543	73.32		3,664,797	2,400,492	65.50
Total	99,580,900	77,104,749	77.43		103,296,515	72,259,761	69.95
Total Type 11(a)	211,006,251	163,376,182	77.43		221,288,859	155,425,876	70.24

TYPE 11(b) - MIDDLE BELT

North Carolina:							
Aberdeen	6,937,468	5,269,753	75.96		7,779,463	5,259,195	67.60
Carthage	6,943,893	5,337,613	76.87		7,235,478	5,035,424	69.59
Durham	22,494,831	17,474,140	77.68		25,426,843	17,901,663	70.40
Ellerbe	5,191,003	3,857,541	74.31		5,937,551	3,966,049	66.80
Fuquay-Varina	16,441,304	12,957,157	78.81		17,874,964	12,853,740	71.91
Henderson	15,684,330	12,180,819	77.66		17,556,830	12,380,625	70.52
Louisburg	7,787,769	6,087,162	78.16		8,675,297	6,119,232	70.54
Oxford	17,261,908	13,212,195	76.54		18,967,114	13,188,005	69.53
Sanford	7,109,525	5,533,739	77.84		7,656,141	5,470,030	71.45
Warrenton	7,383,737	5,595,753	75.78		8,355,744	5,740,424	68.70
Total Type 11(b)	113,235,768	87,505,872	77.28		125,465,425	87,914,387	70.07

TYPE 12 - EASTERN NORTH CAROLINA

North Carolina:							
Ahoskie	8,974,925	6,973,454	77.70		9,073,441	6,599,629	72.74
Clinton	9,659,692	7,498,523	77.63		9,982,080	7,085,813	70.98
Dunn	9,353,930	7,277,908	77.80		10,619,820	7,567,721	71.26
Farmville	20,126,425	15,942,665	79.21		22,753,348	16,933,353	74.42
Goldsboro	10,025,732	7,926,569	79.06		11,002,399	8,018,061	72.88
Greenville	45,136,834	35,430,831	78.50		51,395,463	37,590,648	73.14
Kinston	36,420,729	28,678,497	78.74		41,877,694	30,518,544	72.88
Robersonville	8,371,982	6,473,662	77.32		8,975,314	6,425,764	71.59
Rocky Mount	39,450,820	30,823,060	78.13		44,559,638	32,055,790	71.94
Smithfield	19,259,452	15,063,872	78.22		21,963,957	15,533,862	70.72
Tarboro	8,777,329	6,821,179	77.71		9,688,381	7,029,723	72.56
Wallace	9,638,736	7,510,402	77.92		11,218,185	8,074,288	71.97
Washington	8,586,542	6,698,704	78.01		9,793,601	7,003,889	71.51
Wendell	9,205,672	7,103,834	77.17		10,090,709	7,220,731	71.56
Williamston	9,639,928	7,596,346	78.80		9,590,304	6,950,253	72.47
Wilson	55,464,923	44,171,656	79.64		66,878,943	49,916,492	74.64
Windsor	8,268,517	6,463,132	78.17		8,778,002	6,372,891	72.60
Total Type 12	316,362,168	248,454,294	78.53		358,241,279	260,897,452	72.83

Continued -

- 20 -  
 Table 12.- Producers' sales, value, and average price, by markets, for flue-cured tobacco, 1971 and 1970 crops. Cont'd.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Market and State	1971 crop			1970 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:						
Conway	7,634,187	5,804,325	76.03	7,382,225	5,427,622	73.52
Darlington	7,507,164	5,505,591	73.34	7,202,494	4,887,688	67.86
Dillon	7,616,106	5,679,221	74.57	7,335,870	5,133,865	69.98
Hemingway	7,552,137	5,861,013	77.61	7,395,982	5,509,468	74.49
Kingstree	7,007,122	5,415,171	77.28	7,855,562	5,744,437	73.13
Lake City	32,323,377	24,499,434	75.79	33,319,845	24,266,686	72.83
Lamar	7,501,286	5,463,263	72.83	6,089,278	4,136,592	67.93
Loris	7,526,502	5,716,926	75.96	7,753,035	5,753,680	74.21
Mullins	32,214,331	24,700,072	76.67	36,773,517	26,416,279	71.84
Pamplico	7,193,893	5,454,428	75.82	7,215,220	5,321,459	73.75
Timmonsville	16,212,436	12,159,593	75.00	16,527,200	11,519,572	69.70
Total	140,288,541	106,259,037	75.74	144,850,228	104,117,348	71.88
North Carolina:						
Chadbourn	7,426,681	5,631,891	75.83	9,619,999	6,998,615	72.75
Clarkton	6,902,395	5,189,751	75.19	8,198,655	5,856,226	71.43
Fair Bluff	7,066,580	5,356,992	75.81	7,559,554	5,379,169	71.16
Fairmont	31,791,827	24,176,453	76.05	37,938,612	27,006,020	71.18
Fayetteville	7,561,547	5,642,779	74.62	6,117,030	4,347,062	71.06
Lumberton	24,114,338	18,047,501	74.84	28,965,581	20,653,402	71.30
Tabor City	7,594,288	5,816,311	76.59	9,499,273	6,973,708	73.41
Whiteville	26,343,204	20,189,083	76.64	29,356,884	21,165,056	72.10
Total	118,800,860	90,050,761	75.80	137,255,588	98,379,258	71.68
<b>Total Type 13</b>	<b>259,089,401</b>	<b>196,309,798</b>	<b>75.77</b>	<b>282,105,816</b>	<b>202,496,606</b>	<b>71.78</b>

TYPE 14 - GEORGIA AND FLORIDA

Georgia:						
Adel	6,168,711	4,841,877	78.49	5,039,980	3,880,847	77.00
Alma	6,618,985	5,125,491	77.44	5,269,360	4,021,216	76.31
Baxley	4,409,065	3,446,987	78.18	8,213,952	6,004,274	73.10
Blackshear	8,777,654	6,925,574	78.90	12,030,802	8,949,641	74.39
Claxton	6,457,816	4,902,505	75.92	4,811,465	3,524,180	73.24
Douglas	11,255,597	8,954,655	79.56	11,910,686	8,910,501	74.81
Fitzgerald	6,455,036	4,880,558	75.61	3,906,127	2,872,036	73.53
Hahira	4,423,683	3,346,863	75.66	4,715,182	3,510,982	74.46
Hazlehurst	4,459,141	3,478,099	78.00	5,247,805	3,892,033	74.16
Metter	4,452,224	3,471,730	77.98	8,332,900	5,960,878	71.53
Moultrie	10,989,599	8,465,181	77.03	10,195,052	7,788,262	76.39
Nashville	8,590,659	6,842,538	79.65	12,383,955	9,420,545	76.07
Pearson	3,294,339	2,476,498	75.17	2,680,082	1,959,384	73.11
Pelham	3,963,377	2,959,171	74.66	7,043,725	5,237,535	74.36
Quitman	5,040,650	3,743,509	74.27	3,088,628	2,297,556	74.39
Statesboro	10,872,221	8,014,181	73.71	9,827,078	7,047,853	71.72
Swainsboro	4,192,002	3,072,220	73.29	3,903,520	2,724,098	69.79
Sylvester	3,729,981	2,713,800	72.76	1,412,753	1,031,680	73.03
Thomasville	4,058,452	2,985,409	73.56	3,518,770	2,620,406	74.47
Tifton	8,662,102	6,697,353	77.32	12,687,130	9,402,692	74.11
Valdosta	8,109,793	6,279,940	77.44	10,209,953	7,723,484	75.65
Vidalia	8,755,646	6,692,140	76.43	13,348,035	9,477,780	71.00
Waycross	4,446,778	3,540,496	79.62	5,346,867	4,101,437	76.71
Total	148,183,511	113,856,775	76.83	165,123,807	122,359,300	74.10
Florida:						
High Springs	4,215,892	3,222,519	76.44	3,996,704	3,020,757	75.58
Jasper	4,346,109	3,450,232	79.39	4,735,648	3,693,114	77.99
Lake City	4,402,151	3,418,542	77.66	3,651,139	2,756,620	75.50
Live Oak	9,520,937	7,291,504	76.58	10,621,387	7,989,497	75.22
Madison	3,953,482	2,960,537	74.88	2,870,300	2,156,340	75.12
Total	26,438,571	20,343,334	76.94	25,875,178	19,616,328	75.81
<b>Total Type 14</b>	<b>174,622,082</b>	<b>134,200,109</b>	<b>76.85</b>	<b>190,998,985</b>	<b>141,975,628</b>	<b>74.33</b>

Table 13.-Producers' sales, value, and average price, by months, for flue-cured tobacco.

Month, State and type	1971 crop				1970 crop			
	Sales	Value	Average		Sales	Value	Average	
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars	
<b>July:</b>								
Florida 14	---	---	---		11,865,814	8,854,895	74.63	
Georgia 14	---	---	---		69,880,237	1/ 51,770,156	74.08	
South Carolina 13	---	---	---		20,540,691	14,536,268	70.77	
North Carolina 13	---	---	---		17,824,876	12,617,250	70.78	
Total July	---	---	---		120,111,618	87,778,569	73.08	
<b>August:</b>								
Florida 14	25,430,901	19,624,328	77.17		14,009,364	10,761,433	76.82	
Georgia 14	136,299,811	1/ 105,368,086	77.31		93,992,677	1/ 69,797,722	74.26	
South Carolina 13	93,445,916	1/ 71,112,342	76.10		80,429,074	59,432,684	73.89	
North Carolina 13	76,315,418	57,939,678	75.92		73,900,818	54,217,736	73.36	
North Carolina 12	20,288,459	15,636,025	77.07		97,409,312	71,861,627	73.77	
Total August	351,780,505	269,680,459	76.66		359,741,245	266,071,202	73.96	
<b>September:</b>								
Florida 14	1,007,670	719,006	71.35		---	---	---	
Georgia 14	11,883,700	1/ 8,488,689	71.43		1,250,893	791,422	63.27	
South Carolina 13	46,842,625	1/ 35,146,695	75.03		38,057,753	26,498,028	69.63	
North Carolina 13	41,255,986	31,177,755	75.57		33,661,728	23,886,606	70.96	
North Carolina 12	163,323,999	128,913,708	78.93		130,825,378	97,414,067	74.46	
North Carolina 11b	43,651,126	33,970,438	77.82		59,453,848	43,187,429	72.64	
North Carolina 11a	25,324,272	19,720,727	77.87		34,231,130	24,702,407	72.16	
Virginia 11a	27,383,132	21,479,218	78.44		34,589,433	25,225,419	72.93	
Total September	360,672,510	279,616,236	77.53		332,070,163	241,705,378	72.79	
<b>October:</b>								
South Carolina 13	---	---	---		5,822,710	3,650,368	62.69	
North Carolina 13	1,229,456	933,328	75.91		11,868,166	7,657,666	64.52	
North Carolina 12	123,742,046	97,047,576	78.43		121,000,743	85,547,797	70.70	
North Carolina 11b	61,278,903	47,299,713	77.19		59,068,570	40,116,764	67.92	
North Carolina 11a	55,982,285	43,490,464	77.69		54,316,403	37,787,001	69.57	
Virginia 11a	61,936,439	48,011,665	77.52		62,384,059	43,757,382	70.14	
Total October	304,169,129	236,782,746	77.85		314,460,651	218,516,978	69.49	
<b>November:</b>								
North Carolina 12	9,007,664	6,856,985	76.12		9,005,846	6,073,961	67.44	
North Carolina 11b	8,305,739	6,235,721	75.08		6,943,007	4,610,194	66.40	
North Carolina 11a	18,274,343	13,893,558	76.03		14,748,982	9,770,353	66.24	
Virginia 11a	22,105,780	16,780,550	75.91		20,691,678	14,000,837	67.66	
Total November	57,693,526	43,766,814	75.86		51,389,513	34,455,345	67.05	
<b>December:</b>								
North Carolina 11a	---	---	---		---	---	---	
Virginia 11a	---	---	---		327,174	182,477	55.77	
Total December	---	---	---		327,174	182,477	55.77	
<b>January:</b>								
North Carolina 11a	---	---	---		---	---	---	
Virginia 11a	---	---	---		---	---	---	
Total January	---	---	---		---	---	---	
<b>Total all months:</b>								
Florida 14	26,438,571	20,343,334	76.94		25,875,178	19,616,328	75.81	
Georgia 14	148,183,511	113,856,775	76.83		165,123,807	122,359,300	74.10	
North Carolina 13	118,800,860	90,050,761	75.80		137,255,588	98,379,258	71.68	
South Carolina 13	140,288,541	106,259,037	75.74		144,850,228	104,117,348	71.88	
North Carolina 12	316,362,168	248,454,294	78.53		358,241,279	260,897,452	72.83	
North Carolina 11b	113,235,768	87,505,872	77.28		125,465,425	87,914,387	70.07	
North Carolina 11a	99,580,900	77,104,749	77.43		103,296,515	72,259,761	69.95	
Virginia 11a	111,425,351	86,271,433	77.43		117,992,344	83,166,115	70.48	
Total flue-cured	1,074,315,670	829,846,255	77.24		1,178,100,364	848,709,949	72.04	

1/ Estimated

Table 14.- Gross sales, value, and average price, by markets, for flue-cured tobacco, 1971 and 1970 crops.

TYPE 11(a) - OLD BELT

Market and State	1971 CROP			1970 CROP		
	Sales	: Value	: Average : price :	Sales	: Value	: Average : price :
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Brookneal	7,814,357	6,052,313	77.45	9,442,868	6,645,570	70.38
Chase City	6,564,605	4,963,598	75.31	5,767,479	3,858,360	66.90
Clarksville	7,228,787	5,556,138	76.86	9,208,213	6,394,873	69.45
Danville	39,596,863	31,072,339	78.47	42,880,961	30,618,165	71.40
Kenbridge	6,975,969	5,252,530	75.29	8,529,154	5,807,783	68.09
Lawrenceville	6,826,443	5,238,445	76.74	6,671,379	4,741,967	71.08
Martinsville	8,259,090	6,411,491	77.63	7,767,565	5,394,441	69.45
Petersburg	6,060,815	4,604,268	75.97	6,042,358	4,243,633	70.23
South Boston	17,341,362	13,462,403	77.63	17,793,610	12,556,292	70.57
South Hill	7,201,956	5,481,648	76.11	7,263,002	5,115,195	70.43
Total	113,870,247	88,075,173	77.35	121,366,589	85,376,279	70.35
North Carolina:						
Burlington	7,449,412	5,696,412	76.47	9,455,565	6,508,568	68.83
Greensboro	7,284,250	5,568,589	76.45	8,787,491	6,020,433	68.51
Madison	7,735,291	6,046,959	78.17	10,059,379	7,255,952	72.13
Mebane	6,631,022	5,073,908	76.52	5,500,356	3,753,126	68.23
Mt. Airy	7,986,328	6,156,188	77.08	7,759,916	5,466,298	70.44
Reidsville	8,758,248	6,805,951	77.71	7,879,107	5,416,933	68.75
Roxboro	8,402,516	6,464,200	76.93	9,810,764	6,704,681	68.34
Stoneville	7,713,131	5,989,527	77.65	6,715,732	4,704,818	70.06
Winston-Salem	35,852,496	28,127,837	78.45	39,040,978	27,684,607	70.91
Yadkinville	5,724,672	4,204,327	73.44	4,008,359	2,625,547	65.50
Total	103,537,366	80,133,898	77.40	109,017,647	76,140,963	69.84
Total Type 11(a)	217,407,613	168,209,071	77.37	230,384,236	161,517,242	70.11

TYPE 11(b) - MIDDLE BELT

North Carolina:						
Aberdeen	7,172,089	5,442,619	75.89	7,936,439	5,361,588	67.56
Carthage	7,065,871	5,429,432	76.84	7,464,406	5,190,214	69.53
Durham	23,827,614	18,477,066	77.54	27,185,116	19,104,580	70.28
Ellerbe	5,496,401	4,083,292	74.29	6,192,861	4,130,172	66.69
Fuquay-Varina	17,077,226	13,444,496	78.73	18,833,047	13,514,635	71.76
Henderson	15,877,223	12,324,080	77.62	17,816,173	12,550,960	70.45
Louisburg	8,031,624	6,272,220	78.09	8,906,240	6,272,661	70.43
Oxford	17,473,669	13,356,497	76.44	19,326,664	13,412,939	69.40
Sanford	7,169,995	5,580,023	77.82	7,796,319	5,566,245	71.40
Warrenton	7,681,673	5,809,726	75.63	8,530,722	5,853,457	68.62
Total Type 11(b)	116,873,385	90,219,451	77.19	129,987,987	90,957,451	69.97

TYPE 12 - EASTERN NORTH CAROLINA

North Carolina:						
Ahoskie	9,172,983	7,124,428	77.67	9,343,262	6,792,197	72.70
Clinton	9,724,046	7,544,748	77.59	10,123,298	7,180,771	70.93
Dunn	9,506,198	7,392,925	77.77	11,168,559	7,943,951	71.13
Farmville	20,512,122	16,235,465	79.15	23,238,830	17,266,938	74.30
Goldsboro	10,141,240	8,013,283	79.02	11,175,018	8,134,845	72.79
Greenville	46,204,675	36,221,252	78.39	52,862,507	38,604,442	73.03
Kinston	36,936,487	29,065,659	78.69	42,637,279	31,027,326	72.77
Robersonville	8,938,477	6,895,341	77.14	9,447,054	6,743,724	71.38
Rocky Mount	40,095,487	31,302,109	78.07	45,497,036	32,659,388	71.78
Smithfield	19,717,526	15,415,167	78.18	22,772,811	16,072,059	70.58
Tarboro	9,042,006	7,014,310	77.57	10,051,897	7,272,784	72.35
Wallace	9,699,766	7,556,045	77.90	11,290,217	8,119,939	71.92
Washington	8,697,109	6,780,002	77.96	9,941,374	7,101,596	71.43
Wendell	9,314,678	7,181,792	77.10	10,276,794	7,335,815	71.38
Williamston	9,799,312	7,714,016	78.72	9,712,280	7,033,658	72.42
Wilson	56,545,059	44,936,896	79.47	68,652,416	51,086,977	74.41
Windsor	8,472,055	6,617,870	78.11	9,050,564	6,554,833	72.42
Total Type 12	322,519,226	253,011,308	78.45	367,241,196	266,931,243	72.68

Table 14 .-Gross sales, value, and average price, by markets, for flue-cured tobacco, 1971 and 1970 crops.  
Cont'd..

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Market and State	1971 crop			1970 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:						
Conway	7,773,933	5,905,540	75.97	7,597,093	5,580,798	73.46
Darlington	7,828,912	5,735,852	73.26	7,521,485	5,093,425	67.72
Dillon	7,761,666	5,780,465	74.47	7,615,593	5,322,542	69.89
Hemingway	7,792,961	6,042,660	77.54	7,781,328	5,794,308	74.46
Kingstree	7,348,754	5,678,374	77.27	8,184,800	5,985,214	73.13
Lake City	33,389,403	25,290,789	75.74	34,985,767	25,442,097	72.72
Lamar	7,767,503	5,651,893	72.76	6,606,718	4,473,103	67.71
Loris	7,864,913	5,967,443	75.87	8,122,394	6,018,027	74.09
Mullins	33,437,615	25,639,301	76.68	38,695,230	27,787,470	71.81
Pamplico	7,257,089	5,502,254	75.82	7,364,865	5,427,265	73.69
Timmonsville	17,083,244	12,815,569	75.02	17,593,010	12,265,514	69.72
Total	145,305,993	110,010,240	75.71	152,068,283	109,189,763	71.80
North Carolina:						
Chadbourn	7,736,449	5,858,961	75.73	9,895,048	7,203,492	72.80
Clarkton	7,198,007	5,407,022	75.12	8,529,707	6,084,097	71.33
Fair Bluff	7,151,968	5,417,826	75.75	7,793,454	5,557,115	71.30
Fairmont	33,455,408	25,424,988	76.00	40,387,132	28,715,281	71.10
Fayetteville	7,756,849	5,785,061	74.58	6,334,802	4,490,520	70.89
Lumberton	24,818,008	18,562,284	74.79	30,148,197	21,451,280	71.15
Tabor City	7,752,164	5,930,841	76.50	9,751,191	7,147,836	73.30
Whiteville	27,094,492	20,745,675	76.57	30,291,827	21,808,255	71.99
Total	122,963,345	93,132,658	75.74	143,131,358	102,457,876	71.58
Total Type 13	268,269,338	203,142,898	75.72	295,199,641	211,647,639	71.70

TYPE 14 - GEORGIA AND FLORIDA

Georgia:						
Adel	6,464,575	5,070,702	78.44	5,393,046	4,140,975	76.78
Alma	6,775,653	5,244,106	77.40	5,433,290	4,143,023	76.25
Baxley	4,534,212	3,543,581	78.15	8,495,228	6,206,331	73.06
Blackshear	9,067,974	7,148,173	78.83	12,821,471	9,522,095	74.27
Claxton	6,697,496	5,079,700	75.84	4,986,933	3,647,489	73.14
Douglas	11,623,153	9,244,795	79.54	12,196,043	9,120,842	74.78
Fitzgerald	6,604,854	4,996,903	75.66	4,244,283	3,113,118	73.35
Hahira	4,565,339	3,451,081	75.59	4,905,140	3,645,346	74.32
Hazlehurst	4,580,913	3,571,666	77.97	5,397,645	3,999,960	74.10
Metter	4,533,600	3,534,844	77.97	8,499,774	6,076,294	71.49
Moultrie	11,635,672	8,955,813	76.97	10,846,294	8,274,332	76.29
Nashville	9,151,303	7,286,522	79.62	13,472,394	10,271,202	76.24
Pearson	3,381,290	2,540,483	75.13	2,762,849	2,017,421	73.02
Pelham	4,205,901	3,135,903	74.56	7,354,064	5,467,809	74.35
Quitman	5,257,014	3,900,054	74.19	3,303,762	2,443,793	73.97
Statesboro	11,272,591	8,305,280	73.68	10,196,770	7,295,370	71.54
Swainsboro	4,427,768	3,245,016	73.29	4,154,282	2,889,585	69.56
Sylvester	3,847,129	2,795,053	72.65	1,492,713	1,086,495	72.79
Thomasville	4,296,903	3,165,857	73.68	3,839,289	2,862,534	74.56
Tifton	9,126,002	7,050,749	77.26	13,592,956	10,067,808	74.07
Valdosta	8,331,496	6,446,264	77.37	10,876,035	8,215,557	75.54
Vidalia	9,076,206	6,930,516	76.36	13,915,551	9,868,729	70.92
Waycross	4,635,351	3,692,406	79.66	5,559,361	4,263,310	76.69
Total	154,092,395	118,335,467	76.80	173,739,173	128,639,418	74.04
Florida:						
High Springs	4,338,774	3,314,497	76.39	4,268,612	3,212,271	75.25
Jasper	4,460,260	3,538,052	79.32	4,889,004	3,808,632	77.90
Lake City	4,503,018	3,497,365	77.67	3,795,749	2,859,360	75.33
Live Oak	10,143,242	7,776,092	76.66	11,361,808	8,546,344	75.22
Madison	4,129,454	3,091,603	74.87	2,990,730	2,242,157	74.97
Total	27,574,748	21,217,609	76.94	27,305,903	20,668,764	75.69
Total Type 14	181,667,143	139,553,076	76.82	201,045,076	149,308,182	74.27

Table 15.- Resales, average price, and percentage of gross sales, by markets, for flue-cured tobacco  
1971 and 1970 crops.

TYPE 11(a) - OLD BELT

Market and State	1971 crop			1970 crop		
	Resales	Average price	Percentage of gross	Resales	Average price	Percentage of gross
Virginia:						
Brookneal	108,618	73.87	1.4	203,446	66.41	2.2
Chase City	101,919	69.72	1.5	147,626	57.93	2.6
Clarksville	99,967	72.36	1.4	159,166	63.97	1.7
Danville	929,520	73.85	2.3	1,276,109	66.04	3.0
Kenbridge	73,125	64.41	1.0	147,802	51.27	1.7
Lawrenceville	199,046	75.51	2.9	227,211	68.82	3.4
Martinsville	295,064	77.81	3.6	222,712	67.75	2.9
Petersburg	193,944	73.73	3.2	239,808	66.80	4.0
South Boston	405,098	73.30	2.3	702,304	66.86	3.9
South Hill	38,595	69.27	.5	48,061	66.85	.7
Total	2,444,896	73.78	2.1	3,374,245	65.50	2.8
North Carolina:						
Burlington	71,588	73.34	1.0	359,892	65.88	3.8
Greensboro	241,894	74.13	3.3	289,017	65.44	3.3
Madison	346,931	78.28	4.5	403,082	69.60	4.0
Mebane	167,262	72.69	2.5	100,862	64.33	1.8
Mt. Airy	263,826	73.33	3.3	442,304	66.24	5.7
Reidsville	154,304	75.83	1.8	242,646	65.15	3.1
Roxboro	141,116	69.13	1.7	234,764	62.90	2.4
Stoneville	151,996	76.30	2.0	202,164	67.60	3.0
Winston-Salem	2,079,395	78.16	5.8	3,102,839	69.26	7.9
Yadkinville	338,154	75.34	5.9	343,562	65.51	8.6
Total	3,956,466	76.56	3.8	5,721,132	67.84	5.2
Total Type 11(a)	6,401,362	75.50	2.9	9,095,377	66.97	3.9

TYPE 11(b) - MIDDLE BELT

North Carolina:						
Aberdeen	234,621	73.68	3.3	156,976	65.23	2.0
Carthage	121,978	75.28	1.7	228,928	67.62	3.1
Durham	1,332,783	75.25	5.6	1,758,273	68.41	6.5
Ellerbe	305,398	73.92	5.6	255,310	64.28	4.1
Fuquay-Varina	635,922	76.64	3.7	958,083	68.98	5.1
Henderson	192,893	74.27	1.2	259,343	65.68	1.5
Louisburg	243,855	75.89	3.0	230,943	66.44	2.6
Oxford	211,761	68.14	1.2	359,550	62.56	1.9
Sanford	60,470	76.54	.8	140,178	68.64	1.8
Warrenton	297,936	71.82	3.9	174,978	64.60	2.1
Total Type 11(b)	3,637,617	74.60	3.1	4,522,562	67.29	3.5

TYPE 12 - EASTERN NORTH CAROLINA

North Carolina:						
Ahoskie	198,058	76.23	2.2	269,821	71.37	2.9
Clinton	64,354	71.83	.7	141,218	67.24	1.4
Dunn	152,268	75.54	1.6	548,739	68.56	4.9
Farmville	385,697	75.91	1.9	485,482	68.71	2.1
Goldsboro	115,508	75.07	1.1	172,619	67.65	1.5
Greenville	1,067,841	74.02	2.3	1,467,044	69.10	2.8
Kinston	515,758	75.07	1.4	759,585	66.98	1.8
Robersonville	566,495	74.44	6.3	471,740	67.40	5.0
Rocky Mount	644,667	74.31	1.6	937,398	64.39	2.1
Smithfield	458,074	76.69	2.3	808,854	66.54	3.6
Tarboro	264,677	72.97	2.9	363,516	66.86	3.6
Wallace	61,030	74.79	.6	72,032	63.38	.6
Washington	110,567	73.53	1.3	147,773	66.12	1.5
Wendell	109,006	71.52	1.2	186,085	61.84	1.8
Williamston	159,384	73.83	1.6	121,976	68.38	1.3
Wilson	1,080,136	70.85	1.9	1,773,473	66.00	2.6
Windsor	203,538	76.02	2.4	272,562	66.75	3.0
Total Type 12	6,157,058	74.01	1.9	8,999,917	67.04	2.4

Continued.-

Table 15.- Resales, average price, and percentage of gross sales, by markets, for flue-cured tobacco, 1971 and 1970 crops. - Cont'd.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Market and State	1971 crop			1970 crop		
	Resales	Average	Percentage	Resales	Average	Percentage
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	139,746	72.43	1.8	214,868	71.29	2.8
Darlington	321,748	71.57	4.1	318,991	64.50	4.2
Dillon	145,560	69.55	1.9	279,723	67.45	3.7
Hemingway	240,824	75.43	3.1	385,346	73.92	5.0
Kingstree	341,632	77.04	4.6	329,238	73.13	4.0
Lake City	1,066,026	74.23	3.2	1,665,922	70.56	4.8
Lamar	266,217	70.86	3.4	517,440	65.03	7.8
Loris	338,411	74.03	4.3	369,359	71.57	4.5
Mullins	1,223,284	76.78	3.7	1,921,713	71.35	5.0
Pamplico	63,196	75.68	.9	149,645	70.70	2.0
Timmonsville	870,808	75.34	5.1	1,063,810	69.99	6.1
Total	5,017,452	74.76	3.5	7,218,055	70.27	4.7
North Carolina:						
Chadbourn	309,768	73.30	4.0	275,049	74.49	2.8
Clarkton	295,612	73.50	4.1	331,052	68.83	3.9
Fair Bluff	85,388	71.24	1.2	233,900	76.08	3.0
Fairmont	1,663,581	75.05	5.0	2,448,520	69.81	6.1
Fayetteville	195,302	72.85	2.5	217,772	65.88	3.4
Lumberton	703,670	73.16	2.8	1,182,616	67.47	3.9
Tabor City	157,876	72.54	2.0	251,918	69.12	2.6
Whiteville	751,288	74.08	2.8	934,943	68.80	3.1
Total	4,162,485	74.04	3.4	5,875,770	69.41	4.1
Total Type 13	9,179,937	74.44	3.4	13,093,825	69.89	4.4

TYPE 14 - GEORGIA AND FLORIDA

Georgia:						
Adel	295,864	77.34	4.6	353,066	73.68	6.5
Alma	156,668	75.71	2.3	163,930	74.30	3.0
Baxley	125,147	77.18	2.8	281,276	71.84	3.3
Blackshear	290,320	76.67	3.2	790,669	72.40	6.2
Claxton	239,680	73.93	3.6	175,468	70.27	3.5
Douglas	367,556	78.94	3.2	285,357	73.71	2.3
Fitzgerald	149,818	77.66	2.3	338,156	71.29	8.0
Mahira	141,656	73.57	3.1	189,958	70.73	3.9
Hazlehurst	121,772	76.84	2.7	149,840	72.03	2.8
Metter	81,376	77.56	1.8	166,874	69.16	2.0
Moultrie	646,073	75.94	5.6	651,242	74.64	6.0
Nashville	560,644	79.19	6.1	1,088,439	78.15	8.1
Pearson	86,951	73.59	2.6	82,767	70.12	3.0
Pelham	242,524	72.87	5.8	310,339	74.20	4.2
Quitman	216,364	72.35	4.1	215,134	67.97	6.5
Statesboro	400,370	72.46	3.6	369,692	66.95	3.6
Swainsboro	235,766	73.29	5.3	250,762	65.99	6.0
Sylvester	117,148	69.36	3.0	79,960	68.55	5.4
Thomasville	238,451	75.68	5.5	320,519	75.54	8.3
Tifton	463,900	76.18	5.1	905,826	73.43	6.7
Valdosta	221,703	75.02	2.7	666,082	73.88	6.1
Vidalia	320,560	74.36	3.5	567,516	68.89	4.1
Waycross	188,573	80.55	4.1	212,494	76.18	3.8
Total	5,908,884	75.80	3.8	8,615,366	72.89	5.0
Florida:						
High Springs	122,882	74.85	2.8	271,908	70.43	6.4
Jasper	114,151	76.93	2.6	153,356	75.33	3.1
Lake City	100,867	78.14	2.2	144,610	71.05	3.8
Live Oak	622,305	77.87	6.1	740,421	75.21	6.5
Madison	175,972	74.48	4.3	120,430	71.26	4.0
Total	1,136,177	76.95	4.1	1,430,725	73.56	5.2
Total Type 14	7,045,061	75.98	3.9	10,046,091	72.99	5.0
TYPES 11-14 - TOTAL FLUE-CURED						
Total Types 11-14	32,421,035	74.92	2.9	45,757,772	69.17	3.7

Table 16.- Parity price and applicable loan level per pound, for flue-cured tobacco, crops of 1955 to 1971

Crop 1/	Parity	Loan	Parity	Loan	Parity	Loan
	price	level	Crop	price	level	Crop
	July 1	2/		July 1	2/	
	<u>Cents</u>	<u>Cents</u>		<u>Cents</u>	<u>Cents</u>	
1955	53.3	48.3	1962	68.9	56.1	1969
1956	54.3	48.9	1963	72.8	56.6	1970
1957	56.5	50.8	1964	74.2	57.2	1971
1958	60.7	54.6	1965	77.8	57.7	1972
1959	61.7	55.5	1966	80.9	58.8	1973
1960	63.4	55.5	1967	84.4	59.9	1974
1961	64.5	55.5	1968	87.0	61.6	1975

1/ Data for the 1946-54 crops was included in the 1963 and earlier publications of the Review.

2/ Loan level for all flue-cured tobacco (Types 11-14 combined)

Table 17.- Flue-cured tobacco received under Government loan program, and percentage of net sales, crops of 1955 to 1971. 1/

Crop 2/	Type 11(a)		Type 11(b)		Type 12	
	Receipts	Percentage of (green weight) : net sales	Receipts	Percentage of (green weight) : net sales	Receipts	Percentage of (green weight) : net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1955	30,672	10.7	22,999	14.6	124,891	25.1
1956	64,827	21.1	50,636	30.4	128,057	26.8
1957	58,205	27.1	18,225	16.4	21,420	6.7
1958	41,206	18.1	15,693	12.6	49,960	13.5
1959	27,558	12.1	7,166	5.8	7,495	2.3
1960	16,195	6.8	5,315	3.4	19,044	4.6
1961	17,419	7.1	6,158	4.2	31,339	8.1
1962	93,788	32.3	35,067	20.4	65,943	16.5
1963	128,763	45.8	38,491	23.3	62,967	14.9
1964	71,303	22.7	38,988	22.0	125,602	29.9
1965	21,221	9.5	9,578	8.9	19,435	6.6
1966	49,202	19.3	15,142	10.5	7,365	2.2
1967	84,497	34.1	49,672	34.2	79,780	23.0
1968	36,030	18.8	26,949	25.3	24,333	8.5
1969	24,169	10.8	14,924	13.4	37,255	11.9
1970	29,711	13.4	19,775	15.8	43,276	12.1
1971	9,098	4.3	5,401	4.8	19,204	6.1
1972						
1973						
1974						
1975						
Crop 2/	Type 13		Type 14		Types 11-14	
	Receipts	Percent of (green weight) : net sales	Receipts	Percent of (green weight) : net sales	Receipts	Percent of (green weight) : net sales
	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000 lb.</u>	<u>Percent</u>
1955	89,125	26.0	31,178	16.1	298,865	20.2
1956	62,811	20.8	13,547	8.1	319,878	22.5
1957	8,880	4.0	1,077	1.0	107,807	11.1
1958	35,559	15.1	2,426	2.0	144,844	13.4
1959	11,319	4.5	1,758	1.2	55,296	5.1
1960	8,892	3.2	2,315	1.4	51,761	4.2
1961	8,239	2.8	7,162	4.1	70,317	5.6
1962	37,546	10.8	4,873	2.6	237,216	16.9
1963	41,433	13.2	5,511	3.0	277,165	20.3
1964	46,655	15.1	3,034	1.9	285,582	20.7
1965	18,858	6.8	2,401	1.5	71,493	6.8
1966	2,481	1.1	384	.3	74,574	6.8
1967	57,173	19.0	10,956	5.3	282,077	22.6
1968	29,466	11.5	12,001	7.8	128,779	12.9
1969	13,289	5.2	7,950	5.4	97,587	9.3
1970	28,761	10.2	22,703	11.9	144,226	12.2
1971	15,511	6.0	6,456	3.7	55,670	5.2
1972						
1973						
1974						
1975						

1/ Received by the Flue-cured Tobacco Cooperative Stabilization Corporation, Raleigh, N.C.

2/ Data for the 1946-54 crops was included in the 1963 and earlier publications of the Review.

Table 18 .- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops 1/- Cont'd.

Group and grade 2/	1971 crop										Group and grade 2/	
	Season averages											
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Untied	11-14 Tied	11-14 Untied	All	Tied		
Wrappers:	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Wrappers:	
A1F	--	--	--	--	--	--	--	--	98	95	A1F	
A2F	--	--	(107)	--	--	--	--	--	96	93	A2F	
Leaf:											Leaf:	
B1L	87	--	--	--	--	--	(89)	(89)	92	89	B1L	
B2L	87	--	85	85	--	--	86	86	87	84	B2L	
B3L	83	82	83	82	83	--	83	83	84	81	B3L	
B4L	81	81	81	80	82	--	81	81	82	79	B4L	
B5L	79	80	79	78	80	--	79	79	78	75	B5L	
B6L	--	--	(77)	76	78	--	77	77	74	71	B6L	
B1F	101	--	98	--	(89)	--	98	98	92	89	B1F	
B2F	87	(85)	87	85	84	--	86	86	87	84	B2F	
B3F	83	82	83	82	84	--	83	83	84	81	B3F	
B4F	81	81	82	81	83	--	82	82	82	79	B4F	
B5F	79	79	80	79	82	--	79	79	78	75	B5F	
B6F	77	77	77	76	79	--	77	77	74	71	B6F	
B1FR	--	--	--	--	--	--	(105)	(105)	91	88	B1FR	
B2FR	91	--	--	--	--	--	90	90	86	83	B2FR	
B3FR	85	83	84	82	84	--	85	85	83	80	B3FR	
B4FR	82	81	82	81	83	--	82	82	79	76	B4FR	
B5FR	80	79	80	79	82	--	80	80	75	72	B5FR	
B6FR	77	76	78	(78)	74	--	77	77	70	67	B6FR	
B3R	--	--	--	--	--	--	--	--	69	66	B3R	
B4R	77	(74)	--	--	--	--	76	76	64	61	B4R	
B5R	72	73	73	--	--	--	72	72	58	55	B5R	
B6R	70	71	70	--	--	--	70	70	53	50	B6R	
B3K	78	79	79	77	82	--	79	79	75	72	B3K	
B4K	77	78	79	77	81	--	78	78	72	69	B4K	
B5K	75	76	77	75	76	--	76	76	68	65	B5K	
B6K	73	73	75	72	72	--	73	73	62	59	B6K	
B3KR	78	79	79	77	82	--	79	79	75	72	B3KR	
B4KR	77	77	78	76	80	--	78	78	72	69	B4KR	
B5KR	76	76	77	74	75	--	76	76	69	66	B5KR	
B3LV	81	80	81	80	81	--	80	80	80	77	B3LV	
B4LV	78	79	79	78	79	--	79	79	76	73	B4LV	
B5LV	78	77	77	76	76	--	77	77	72	69	B5LV	
B3FV	79	79	80	79	82	--	80	80	80	77	B3FV	
B4FV	78	78	79	77	81	--	78	78	76	73	B4FV	
B5FV	77	77	78	75	78	--	77	77	72	69	B5FV	
B3LS	78	--	82	77	78	--	78	78	75	72	B3LS	
B4LS	--	(80)	78	76	77	--	77	77	72	69	B4LS	
B5LS	--	(75)	--	76	--	--	76	76	69	66	B5LS	
B6LS	--	--	--	--	--	--	--	--	62	59	B6LS	
B3FS	76	--	80	76	81	--	78	78	71	68	B3FS	
B4FS	--	76	76	72	80	--	76	76	69	66	B4FS	
B5FS	--	--	--	(73)	(76)	--	74	74	65	62	B5FS	
B6FS	--	--	--	--	--	--	--	--	59	56	B6FS	
B3KL	77	76	78	74	78	--	76	76	66	63	B3KL	
B4KL	75	75	76	73	77	--	75	75	64	61	B4KL	
B5KL	73	74	75	72	73	--	73	73	61	58	B5KL	
B6KL	--	--	(71)	69	69	--	70	70	55	52	B6KL	

See footnotes at end of table

Continued.-

Table I8.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops 1/- Cont'd.

Group and grade 2/	1971 crop										Group and grade 2/	
	Season averages					Loan rate 3/						
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied	All	11-14 Tied	Untied		
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.		
B3KF	76	76	78	72	80	--	75	75	65	62	B3KF	
B4KF	74	75	77	72	76	--	74	74	63	60	B4KF	
B5KF	73	73	74	70	72	--	72	72	60	57	B5KF	
B6KF	70	71	72	68	67	--	69	69	54	51	B6KF	
B3KM	77	77	78	75	80	--	77	77	69	66	B3KM	
B4KM	76	76	76	74	77	--	76	76	67	64	B4KM	
B5KM	74	74	74	72	73	--	73	73	64	61	B5KM	
B6KM	71	73	72	69	69	--	70	70	58	55	B6KM	
B4KV	75	75	77	75	78	--	76	76	66	63	B4KV	
B5KV	74	74	76	73	74	--	74	74	60	57	B5KV	
B6KV	71	70	73	69	70	--	70	70	55	52	B6KV	
B5RR	--	--	--	--	--	--	72	72	54	51	B5RR	
B4GL	--	--	76	73	74	--	74	74	69	66	B4GL	
B5GL	--	--	73	70	75	--	72	72	66	63	B5GL	
B6GL	--	--	--	--	--	--	70	70	60	57	B6GL	
B4GF	72	74	76	72	77	--	74	74	68	65	B4GF	
B5GF	71	73	73	70	71	--	71	71	63	60	B5GF	
B6GF	--	68	71	68	68	--	68	68	58	55	B6GF	
B4GR	--	--	--	--	--	--	(74)	(74)	61	58	B4GR	
B5GR	--	(72)	(76)	--	--	--	71	71	55	52	B5GR	
B6GR	--	--	--	--	--	--	(66)	(66)	49	46	B6GR	
B4GK	72	74	74	70	74	--	72	72	63	60	B4GK	
B5GK	69	71	71	67	70	--	69	69	58	55	B5GK	
B6GK	65	69	68	65	65	--	66	66	53	50	B6GK	
B5RG	--	--	--	--	--	--	(66)	(66)	51	48	B5RG	
B4GG	--	--	--	(70)	--	--	70	70	52	49	B4GG	
B5GG	--	--	69	62	62	--	65	65	50	47	B5GG	
Smoking Leaf:											Smoking Leaf:	
H1L	--	--	--	--	--	--	--	--	92	89	H1L	
H2L	--	--	--	--	--	--	--	--	89	86	H2L	
H3L	--	--	--	(85)	--	--	84	84	87	84	H3L	
H4L	82	83	82	83	83	--	83	83	85	82	H4L	
H5L	81	81	81	80	82	--	81	81	82	79	H5L	
H6L	--	--	--	--	--	--	79	79	78	75	H6L	
H1F	--	--	--	--	--	--	--	--	92	89	H1F	
H2F	--	--	--	--	--	--	(87)	(87)	89	86	H2F	
H3F	84	84	84	--	84	--	84	84	87	84	H3F	
H4F	83	83	83	83	84	--	83	83	85	82	H4F	
H5F	81	81	81	81	83	--	81	81	82	79	H5F	
H6F	79	79	79	79	80	--	79	79	78	75	H6F	
H3FR	--	--	--	--	--	--	--	--	82	79	H3FR	
H4FR	81	81	83	--	84	--	82	82	79	76	H4FR	
H5FR	78	80	81	79	82	--	79	79	77	74	H5FR	
H6FR	75	77	80	76	--	--	76	76	73	70	H6FR	
H4K	79	79	80	80	82	--	80	80	79	76	H4K	
H5K	78	78	79	78	80	--	78	78	75	72	H5K	
H6K	75	76	78	76	77	--	76	76	70	67	H6K	

See footnotes at end of table

Continued -

Table 18 .- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1972 crops. 1/ - Cont'd

Group and grade 3/	1971 crop												Group and grade 2/	
	Season averages													
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied	11-14 All	11-14 Tied	11-14 Untied	Dol.	Dol.		
Cutters:	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Cutters:	
C1L	--	--	--	--	--	--	(90)	(90)	93	90	C1L			
C2L	--	--	89	--	--	--	90	90	91	88	C2L			
C3L	86	--	86	--	--	--	86	86	89	86	C3L			
C4L	84	84	85	84	84	--	84	84	87	84	C4L			
C5L	83	83	83	83	83	--	83	83	85	82	C5L			
C1F	--	--	--	--	--	--	--	--	93	90	C1F			
C2F	--	--	(88)	--	--	--	(90)	(90)	91	88	C2F			
C3F	--	--	87	--	(86)	--	86	86	89	86	C3F			
C4F	84	84	84	84	84	--	84	84	87	84	C4F			
C5F	83	83	82	83	83	--	83	83	85	82	C5F			
C4K	81	81	81	81	81	--	81	81	83	80	C4K			
C4KR	81	81	81	81	82	--	81	81	83	80	C4KR			
C4LV	81	81	82	81	82	--	82	82	83	80	C4LV			
C4FV	81	81	81	81	82	--	81	81	83	80	C4FV			
C4LS	82	(80)	82	80	80	--	81	81	79	76	C4LS			
C5LS	--	--	--	(78)	--	--	(78)	(78)	76	73	C5LS			
C4KL	80	80	81	79	81	--	80	80	80	77	C4KL			
C4KF	79	--	--	79	--	--	79	79	80	77	C4KF			
C4KM	80	80	80	79	81	--	79	79	80	77	C4KM			
Lugs:											Lugs:			
X1L	--	--	--	--	--	--	--	--	89	86	X1L			
X2L	84	84	84	--	(84)	--	84	84	87	84	X2L			
X3L	83	83	83	83	83	--	83	83	85	82	X3L			
X4L	81	81	81	80	81	--	81	81	82	79	X4L			
X5L	79	79	79	78	78	--	79	79	77	74	X5L			
X1F	--	--	--	--	--	--	--	--	89	86	X1F			
X2F	84	(84)	(84)	--	--	--	84	84	87	84	X2F			
X3F	83	83	83	83	83	--	83	83	85	82	X3F			
X4F	81	80	80	80	82	--	81	81	82	79	X4F			
X5F	79	78	78	78	79	--	78	78	77	74	X5F			
X4KR	79	78	78	78	80	--	79	79	78	75	X4KR			
X3LV	81	80	81	80	80	--	80	80	80	77	X3LV			
X4LV	79	78	79	79	79	--	79	79	77	74	X4LV			
X3FV	80	80	80	80	81	--	80	80	80	77	X3FV			
X4FV	79	78	79	78	79	--	79	79	77	74	X4FV			
X3LS	--	(80)	81	81	79	--	80	80	78	75	X3LS			
X4LS	--	--	79	--	(78)	--	78	78	74	71	X4LS			
X3FS	--	--	--	--	80	--	80	80	76	73	X3FS			
X4FS	--	--	--	--	--	--	(78)	(78)	73	70	X4FS			
X4KL	78	77	78	77	76	--	77	77	75	72	X4KL			
X4KF	77	77	79	77	78	--	77	77	75	72	X4KF			
X4KV	76	76	78	76	77	--	77	77	70	67	X4KV			
X3KM	79	78	79	78	79	--	79	79	78	75	X3KM			
X4KM	78	77	78	77	78	--	77	77	73	70	X4KM			
X4GK	74	74	74	73	75	--	74	74	67	64	X4GK			
X4G	76	75	76	75	76	--	75	75	70	67	X4G			
X5G	--	73	75	73	74	--	73	73	64	61	X5G			

See footnotes at end of table

Continued -

Table 18.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops. 1/- Cont'd

Group and grade 2/	1971 crop										Group and grade 2/	
	Season averages											
	11(a) Untied	11(b) Untied	12 Untied	13 Untied	14 Untied	11-13 Tied	11-14 Untied	11-14 All	Tied	Untied		
Primings:	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Primings:	
P2L	82	82	82	82	82	--	82	82	84	81	P2L	
P3L	81	80	80	79	80	--	80	80	81	78	P3L	
P4L	79	79	78	77	78	--	78	78	78	75	P4L	
P5L	76	76	76	75	75	--	76	76	72	69	P5L	
P2F	83	(82)	(82)	(82)	(82)	--	82	82	84	81	P2F	
P3F	81	80	80	79	80	--	80	80	81	78	P3F	
P4F	79	78	78	77	78	--	78	78	78	75	P4F	
P5F	76	76	76	75	75	--	75	75	72	69	P5F	
P4G	75	75	75	73	74	--	74	74	67	64	P4G	
P5G	72	72	74	71	71	--	72	72	60	57	P5G	
Nondescript:											Nondescript:	
N1L	72	73	74	71	71	--	72	72	62	59	N1L	
N1XL	75	75	76	74	77	--	75	75	67	64	N1XL	
N1K	71	73	75	71	70	--	72	72	61	58	N1K	
N1F	--	--	72	67	70	--	69	69	57	54	N1F	
N1R	66	69	70	65	62	--	67	67	50	47	N1R	
N1GL	71	70	72	67	69	--	69	69	55	52	N1GL	
N1GF	65	68	69	64	67	--	67	67	53	50	N1GF	
N1GR	61	66	66	--	65	--	64	64	48	45	N1GR	
N1GG	--	--	(58)	58	57	--	58	58	45	42	N1GG	
N2	61	65	68	64	64	--	64	64	0	0	N2	
No-G	60	61	65	62	62	--	63	63	0	0	No-G	
"W"	67	68	69	74	67	--	70	70	0	0	"W"	
"U"	66	68	67	67	64	--	67	67	0	0	"U"	

Table 18.- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops. 1/ Cont'd.

Group and grade 2/	1970 crop												Loan rate 3/	Group and grade 2/		
	Season average						11-13 11-14 11-14									
	11(a)	11(b)	12	13	14	11-13	11-14	11-14	11-14	11-14	11-14	11-14				
	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-				
Tied tied Tied tied Tied tied Tied tied	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.		
Wrappers:														Wrappers:		
A1F	--	--	--	--	--	--	--	--	--	--	(120)	95	92	A1F		
A2F	--	--	--	--	--	--	--	--	--	--	(103)	93	90	A2F		
Leaf:														Leaf:		
B1L	(120) (118)	--	--	--	--	--	--	--	(120)	--	(112)	89	86	B1L		
B2L	--	85	--	(82)	--	84	--	82	82	--	83	84	84	B2L		
B3L	--	82	--	80	--	81	--	80	80	--	80	80	81	B3L		
B4L	--	79	--	78	--	78	--	78	79	--	79	79	79	B4L		
B5L	--	76	--	75	--	76	--	76	76	--	76	76	75	B5L		
B6L	--	--	--	73	--	(72)	--	74	73	--	73	73	71	B6L		
B1F	104 (102)	--	--	--	96	--	--	--	103	97	100	89	86	B1F		
B2F	92	86	--	82	93	84	--	82	82	92	84	86	84	B2F		
B3F	83	81	--	80	86	81	--	80	81	84	81	81	78	B3F		
B4F	80	79	--	78	--	79	--	79	81	80	79	79	79	B4F		
B5F	--	75	--	75	--	76	--	76	79	--	76	76	75	B5F		
B6F	--	71	--	71	--	72	--	72	75	--	73	73	71	B6F		
B1FR	98	--	--	--	--	--	--	--	98	--	97	88	85	B1FR		
B2FR	86	88	--	--	--	--	--	--	86	87	87	83	80	B2FR		
B3FR	83	83	--	78	--	80	--	80	82	83	82	82	80	B3FR		
B4FR	78	79	--	77	--	78	--	78	81	78	78	78	76	B4FR		
B5FR	--	76	--	75	--	75	--	76	80	--	76	76	72	B5FR		
B6FR	--	70	--	70	--	70	--	72	72	--	71	71	67	B6FR		
B3R	--	--	--	--	--	--	--	--	--	--	--	--	66	B3R		
B4R	--	68	--	--	--	--	--	(68)	--	--	68	67	61	B4R		
B5R	--	59	--	59	--	61	--	60	--	--	60	60	55	B5R		
B6R	--	54	--	55	--	60	--	61	--	--	58	58	50	B6R		
B3K	72	74	--	74	--	76	--	74	78	72	74	74	71	B3K		
B4K	70	71	--	72	--	74	--	72	76	70	72	72	69	B4K		
B5K	--	67	--	68	--	70	--	69	72	--	69	69	65	B5K		
B6K	--	62	--	63	--	65	--	63	68	--	64	64	59	B6K		
B3KR	--	73	--	74	--	75	--	75	77	--	75	75	72	B3KR		
B4KR	--	72	--	72	--	73	--	73	76	--	73	73	70	B4KR		
B5KR	--	68	--	69	--	70	--	69	74	--	70	70	66	B5KR		
B3LV	--	78	--	78	--	78	--	77	78	--	78	78	77	B3LV		
B4LV	--	75	--	76	--	75	--	75	75	--	75	75	73	B4LV		
B5LV	--	72	--	72	--	73	--	74	72	--	73	73	69	B5LV		
B3FV	(78)	78	--	76	--	77	--	77	78	(82)	78	78	77	B3FV		
B4FV	--	74	--	74	--	74	--	75	77	--	75	75	73	B4FV		
B5FV	--	70	--	71	--	72	--	72	74	--	72	72	69	B5FV		
B3LS	--	--	--	--	--	77	--	75	75	--	75	75	72	B3LS		
B4LS	--	74	--	--	--	76	--	74	72	--	74	74	70	B4LS		
B5LS	--	--	--	--	--	75	--	(70)	68	--	70	70	66	B5LS		
B6LS	--	--	--	--	--	--	--	--	--	--	--	--	56	B6LS		
B3FS	--	--	--	(75)	--	73	--	69	--	--	71	71	68	B3FS		
B4FS	--	--	--	(73)	--	71	--	70	(74)	--	71	71	66	B4FS		
B5FS	--	(64)	--	--	--	(69)	--	--	(68)	--	67	67	62	B5FS		
B6FS	--	--	--	--	--	--	--	--	--	--	--	--	56	B6FS		
B3KL	--	69	--	64	--	72	--	71	75	--	72	72	63	B3KL		
B4KL	--	67	--	68	--	70	--	68	68	--	69	69	61	B4KL		
B5KL	--	63	--	65	--	67	--	66	65	--	65	65	57	B5KL		
B6KL	--	57	--	57	--	64	--	60	58	--	59	59	51	B6KL		

See footnotes at end of table

Continued.-

Table 18 .- Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops. 1/ Cont'd-

Group and grade 2/	1970 crop														Group and grade 2/		
	Season average																
	11(a)		11(b)		12		13		14		11-13		11-14		11-14		
	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Tied	Tied	Tied	Tied	All	Tied	Tied
B3KF	--	67	--	69	--	71	--	69	72	--	70	70	62	59	:	B3KF	
B4KF	--	63	--	66	--	69	--	67	69	--	67	67	60	57	:	B4KF	
B5KF	--	59	--	62	--	66	--	64	66	--	64	64	56	53	:	B5KF	
B6KF	--	54	--	56	--	60	--	60	59	--	58	58	50	47	:	B6KF	
B3KM	--	69	--	71	--	71	--	72	74	--	72	72	66	63	:	B3KM	
B4KM	--	66	--	69	--	69	--	69	71	--	69	69	64	61	:	B4KM	
B5KM	--	62	--	65	--	65	--	65	68	--	65	65	60	57	:	B5KM	
B6KM	--	57	--	60	--	61	--	60	63	--	60	60	54	51	:	B6KM	
B4KV	--	65	--	65	--	69	--	70	70	--	67	67	62	59	:	B4KV	
B5KV	--	60	--	62	--	65	--	66	67	--	63	63	56	53	:	B5KV	
B6KV	--	54	--	56	--	61	--	62	63	--	58	58	51	48	:	B6KV	
B5RR	--	55	--	60	--	59	--	58	--	--	58	58	50	47	:	B5RR	
B4GL	--	--	--	(68)	--	71	--	72	71	--	71	71	66	63	:	B4GL	
B5GL	--	65	--	(67)	--	67	--	69	65	--	67	67	63	60	:	B5GL	
B6GL	--	--	--	--	--	--	--	(66)	60	--	62	62	57	54	:	B6GL	
B4GF	--	65	--	67	--	69	--	70	71	--	69	69	65	62	:	B4GF	
B5GF	--	62	--	63	--	65	--	66	68	--	66	66	60	57	:	B5GF	
B6GF	--	55	--	58	--	61	--	62	62	--	61	61	55	52	:	B6GF	
B4GR	--	--	--	--	--	--	--	(63)	--	--	62	61	58	55	:	B4GR	
B5GR	--	54	--	61	--	62	--	55	(61)	--	58	58	52	49	:	B5GR	
B6GR	--	(55)	--	54	--	(57)	--	54	(58)	--	55	55	46	43	:	B6GR	
B4GK	--	61	--	64	--	65	--	66	67	--	65	65	60	57	:	B4GK	
B5GK	--	57	--	60	--	62	--	63	63	--	61	61	55	52	:	B5GK	
B6GK	--	52	--	55	--	57	--	58	56	--	56	56	50	47	:	B6GK	
B5RG	--	51	--	58	--	(58)	--	55	--	--	55	55	47	44	:	B5RG	
B4GG	--	--	--	--	--	59	--	(62)	(59)	--	60	60	48	45	:	B4GG	
B5GG	--	(50)	--	52	--	53	--	55	55	--	54	54	46	43	:	B5GG	
 Smoking Leaf:																:Smoking Leaf:	
H1L	--	--	--	--	--	--	--	--	--	--	--	--	90	87	:	H1L	
H2L	--	--	--	--	--	--	--	--	--	--	--	--	87	84	:	H2L	
H3L	--	--	--	--	--	(83)	--	82	(83)	--	82	82	85	82	:	H3L	
H4L	--	81	--	81	--	81	--	81	81	--	81	81	83	80	:	H4L	
H5L	--	78	--	78	--	78	--	79	80	--	79	79	80	77	:	H5L	
H6L	--	--	--	(76)	--	--	--	(77)	--	--	76	76	76	73	:	H6L	
H1F	--	--	--	--	--	--	--	--	--	--	--	--	90	87	:	H1F	
H2F	--	--	--	--	--	--	--	--	--	--	--	--	87	84	:	H2F	
H3F	--	83	--	83	--	82	--	83	83	--	83	83	85	82	:	H3F	
H4F	--	81	--	80	--	81	--	81	82	--	81	81	83	80	:	H4F	
H5F	--	78	--	78	--	78	--	79	81	--	78	78	80	77	:	H5F	
H6F	--	75	--	75	--	75	--	77	80	--	76	76	76	73	:	H6F	
H3FR	--	--	--	--	--	--	--	--	--	--	--	--	79	76	:	H3FR	
H4FR	--	78	--	77	--	77	--	78	82	--	79	79	76	73	:	H4FR	
H5FR	--	76	--	77	--	77	--	76	82	--	77	77	74	71	:	H5FR	
H6FR	--	72	--	72	--	(68)	--	73	81	--	74	74	70	67	:	H6FR	
H4K	--	76	--	76	--	77	--	77	80	--	76	76	77	74	:	H4K	
H5K	--	73	--	73	--	74	--	75	78	--	74	74	73	70	:	H5K	
H6K	--	69	--	69	--	71	--	70	75	--	70	70	68	65	:	H6K	

See footnotes at end of table

Continued.-

Table 18.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops 1/ - Cont'd.

Group and grade 2/	1970 crop												Loan rate3/	Group and grade 2/		
	Season average															
	11(a)	11(b)	12	13	14	11-13	11-14	11-14	11-14	Un-	Un-	Un-				
	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Un-	Tied	Tied	All	Tied	Tied		
Cutters:	Tied	Tied	Tied	Tied	Tied	Tied	Tied	Tied	Tied	Dol.	Dol.	Dol.	Dol.	Dol.		
C1L	--	--	--	--	--	--	--	--	--	91	88			C1L		
C2L	--	--	--	--	--	--	--	--	(86)	93	89			C2L		
C3L	--	--	--	--	85	--	--	(84)	(88)	85	86			C3L		
C4L	--	83	--	82	--	83	--	82	--	82	82			C4L		
C5L	--	81	--	81	--	81	--	81	--	81	81			C5L		
C1F	--	--	--	--	--	--	--	--	--	91	88			C1F		
C2F	(94)	--	--	--	--	(88)	--	--	(95)	(87)	91	89			C2F	
C3F	--	--	--	--	85	--	--	--	(96)	85	87			C3F		
C4F	--	83	--	82	--	83	--	82	(87)	83	83			C4F		
C5F	--	81	--	81	--	81	--	81	--	81	81			C5F		
C4K	--	79	--	79	--	80	--	79	79	--	79			C4K		
C4KR	--	80	--	79	--	80	--	79	80	--	79			C4KR		
C4LV	--	80	--	79	--	80	--	79	79	--	79			C4LV		
C4FV	--	79	--	79	--	79	--	79	79	--	79			C4FV		
C4LS	--	--	--	(77)	--	78	--	(76)	78	--	78			C4LS		
C5LS	--	--	--	--	--	--	--	(73)	--	76	76			C5LS		
C4KL	--	78	--	(76)	--	78	--	76	77	--	77			C4KL		
C4KF	--	77	--	--	--	76	--	77	(75)	--	77			C4KF		
C4KM	--	77	--	77	--	77	--	77	77	--	77			C4KM		
Lugs:														Lugs:		
X1L	--	--	--	--	--	--	--	--	(84)	(84)	87	84		X1L		
X2L	--	82	--	82	--	83	--	(82)	82	--	82			X2L		
X3L	--	81	--	81	--	81	--	80	81	--	81			X3L		
X4L	--	78	--	78	--	78	--	78	78	--	78			X4L		
X5L	--	76	--	76	--	76	--	75	75	--	75			X5L		
X1F	--	--	--	--	--	--	--	--	--	(84)	87	84		X1F		
X2F	--	(82)	--	82	--	82	--	--	(82)	--	82	82		X2F		
X3F	--	81	--	80	--	81	--	81	--	81	81			X3F		
X4F	--	78	--	78	--	78	--	78	78	--	78			X4F		
X5F	--	75	--	74	--	75	--	75	75	--	75			X5F		
X4KR	--	75	--	74	--	75	--	76	75	--	75			X4KR		
X3LV	--	78	--	78	--	78	--	77	77	--	77			X3LV		
X4LV	--	75	--	75	--	76	--	75	75	--	75			X4LV		
X3FV	--	77	--	77	--	77	--	77	77	--	77			X3FV		
X4FV	--	75	--	74	--	75	--	75	75	--	75			X4FV		
X3LS	--	--	--	--	--	78	--	(76)	75	--	76			X3LS		
X4LS	--	--	--	--	--	74	--	--	73	--	73			X4LS		
X3FS	--	--	--	--	--	--	--	--	--	(75)	(75)	74	71			
X4FS	--	--	--	--	--	--	--	--	--	(72)	(72)	71	68			
X4KL	--	73	--	74	--	74	--	73	74	--	74			X4KL		
X4KF	--	72	--	72	--	74	--	73	73	--	73			X4KF		
X4KV	--	69	--	70	--	72	--	71	70	--	71			X4KV		
X3KM	--	76	--	75	--	75	--	75	75	--	75			X3KM		
X4KM	--	72	--	72	--	72	--	73	73	--	73			X4KM		
X4GK	--	66	--	65	--	67	--	68	69	--	67			X4GK		
X4G	--	67	--	68	--	70	--	70	71	--	70			X4G		
X5G	--	63	--	67	--	67	--	66	66	--	66			X5G		

See footnotes at end of table

Continued -

Table 18.- Season average prices per 100 pounds of tobacco, by types, in the flue-cured area, and schedule of loan rates, 1971 and 1970 crops 1/ - Cont'd.

Group and grade 2/	1970 crop												Group and grade 2/		
	Season averages														
	11(a) : Un- Tied : Tied		11(b) : Un- Tied : Tied		12 : Un- Tied : Tied		13 : Un- Tied : Tied		14 : Un- Tied : Tied		11-13 : Un- Tied : Tied				
	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.	Dol.			
Primings:													Primings:		
P2L	--	80	--	--	--	79	--	79	79	--	79	79	82	79	P2L
P3L	--	78	--	78	--	77	--	77	77	--	77	77	79	76	P3L
P4L	--	76	--	75	--	75	--	75	75	--	75	75	77	74	P4L
P5L	--	71	--	71	--	71	--	70	71	--	70	70	69	66	P5L
P2F	--	(80)	--	--	--	80	--	--	79	--	80	80	82	79	P2F
P3F	--	78	--	77	--	77	--	77	77	--	77	77	79	76	P3F
P4F	--	75	--	75	--	75	--	75	74	--	75	75	76	73	P4F
P5F	--	70	--	70	--	71	--	69	70	--	70	70	68	65	P5F
P4G	--	68	--	70	--	69	--	67	68	--	68	68	63	60	P4G
P5G	--	65	--	66	--	64	--	62	63	--	63	63	56	53	P5G
														:	
Nondescript:														Nondescript:	
N1L	--	64	--	64	--	65	--	63	64	--	64	64	58	55	N1L
N1XL	--	68	--	67	--	69	--	69	70	--	68	68	63	60	N1XL
N1K	--	61	--	61	--	64	--	62	66	--	62	62	58	55	N1K
N1F	--	56	--	61	--	62	--	62	57	--	60	60	52	49	N1F
N1R	--	53	--	54	--	57	--	56	56	--	55	55	45	42	N1R
N1GL	--	60	--	61	--	61	--	58	59	--	59	59	51	48	N1GL
N1GF	--	52	--	53	--	58	--	56	55	--	55	55	49	46	N1GF
N1GR	--	47	--	48	--	54	--	53	53	--	50	50	44	41	N1GR
N1GG	--	42	--	46	--	47	--	50	(47)	--	47	47	40	37	N1GG
N2	--	51	--	50	--	55	--	52	52	--	52	52	0	0	N2
No-G	--	46	--	47	--	54	--	50	50	--	50	50	0	0	No-G
"W"	--	56	--	58	--	65	--	62	61	--	61	61	0	0	"W"
"U"	--	53	--	55	--	56	--	57	58	--	56	56	0	0	"U"

1/ Averages based on auction bids. The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25. Averages are in parenthesis in instances when 10 or more but less than 20 lots were recorded.

2/ For key to standard grade marks see brief of classification on page 2

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C. Tobacco graded "W" - (unsafe), "U" - (unsound), N2, and No-G (no grade) was not accepted. Any eligible tobacco identified as "discount" variety was supported at one-half of the support rates for comparable grades of other varieties. Price support in 1971 was made available for all grades of "tied" and "untied" tobacco. Tied grades were supported at \$3 per 100 pounds over corresponding grades of "untied".

Producers were required to certify that they had not used restricted pesticides (DDT) and (TDE) on 1971 tobacco crop to be eligible for Government price support.

Table 19.- Rank of flue-cured markets, according to volume of producers' sales, by separate types, and by all types, 1971 crop. 1/

Type, market, and State		Rank by:			Type, market, and State		Rank by:		
	Sales	Separate: types	all types	Rank by: types		Sales	Separate: types	all types	Rank by: types
	: Mil. lb.					: Mil. lb.			
<u>Type 11(a)</u>									
Danville, Va.	38.7	1	4		<u>Type 13</u>				
Winston-Salem, N.C.	33.8	2	6		Lake City S.C.	32.3	1	7	
South Boston, Va.	16.9	3	16		Mullins, S.C.	32.2	2	8	
Reidsville, N.C.	8.6	4	35		Fairmont, N.C.	31.8	3	9	
Roxboro, N.C.	8.3	5	40		Whiteville, N.C.	26.3	4	10	
Martinsville, Va.	8.0	6	42		Lumberton, N.C.	24.1	5	11	
Mt. Airy, N.C.	7.7	7	44		Timmonserville, S.C.	16.2	6	18	
Brookneal, Va.	7.7	8	45		Conway, S.C.	7.6	7	46	
Stoneville, N.C.	7.6	9	50		Dillon, S.C.	7.6	8	47	
Madison, N.C.	7.4	10	56		Tabor City, N.C.	7.6	9	48	
Burlington, N.C.	7.4	11	58		Fayetteville, N.C.	7.6	10	49	
South Hill, Va.	7.2	12	60		Hemingway, S.C.	7.5	11	51	
Clarksville, Va.	7.1	13	61		Loris, S.C.	7.5	12	52	
Greensboro, N.C.	7.0	14	64		Darlington, S.C.	7.5	13	53	
Kenbridge, Va.	6.9	15	68		Lamar, S.C.	7.5	14	54	
Lawrenceville, Va.	6.6	16	70		Chadbourn, N.C.	7.4	15	55	
Mebane, N.C.	6.5	17	72		Pamplico, S.C.	7.2	16	59	
Chase City, Va.	6.5	18	73		Fair Bluff, N.C.	7.1	17	63	
Petersburg, Va.	5.9	19	77		Kingtree, S.C.	7.0	18	65	
Yadkinville, N.C.	5.4	20	78		Clarkton, N.C.	6.9	19	69	
<u>Type 11(b)</u>									
Durham, N.C.	22.5	1	12		<u>Type 14</u>				
Oxford, N.C.	17.3	2	15		Douglas, Ga.	11.3	1	20	
Fuquay-Varina, N.C.	16.4	3	17		Moultrie, Ga.	11.0	2	21	
Henderson, N.C.	15.7	4	19		Statesboro, Ga.	10.9	3	22	
Louisburg, N.C.	7.8	5	43		Live Oak, Fla.	9.5	4	27	
Warrenton, N.C.	7.4	6	57		Blackshear, Ga.	8.8	5	31	
Sanford, N.C.	7.1	7	62		Vidalia, Ga.	8.8	6	33	
Carthage, N.C.	6.9	8	66		Tifton, Ga.	8.7	7	34	
Aberdeen, N.C.	6.9	9	67		Nashville, Ga.	8.6	8	36	
Ellerbe, N.C.	5.2	10	79		Valdosta, Ga.	8.1	9	41	
					Alma, Ga.	6.6	10	71	
					Claxton, Ga.	6.5	11	74	
<u>Type 12</u>									
Wilson, N.C.	55.5	1	1		Fitzgerald, Ga.	6.5	12	75	
Greeneville, N.C.	45.1	2	2		Adel, Ga.	6.2	13	76	
Rocky Mount, N.C.	39.4	3	3		Quitman, Ga.	5.0	14	80	
Kinston, N.C.	36.4	4	5		Hazlehurst, Ga.	4.5	15	81	
Farmville, N.C.	20.1	5	13		Metter, Ga.	4.5	16	82	
Smithfield, N.C.	19.3	6	14		Waycross, Ga.	4.4	17	83	
Goldsboro, N.C.	10.0	7	23		Hahira, Ga.	4.4	18	84	
Clinton, N.C.	9.7	8	24		Baxley, Ga.	4.4	19	85	
Williamston, N.C.	9.6	9	25		Lake City, Fla.	4.4	20	86	
Wallace, N.C.	9.6	10	26		Jasper, Fla.	4.3	21	87	
Dunn, N.C.	9.4	11	28		High Springs, Fla.	4.2	22	88	
Wendell, N.C.	9.2	12	29		Swainsboro, Ga.	4.2	23	89	
Ahoskie, N.C.	9.0	13	30		Thomasville, Ga.	4.1	24	90	
Tarboro, N.C.	8.8	14	32		Pelham, Ga.	4.0	25	91	
Washington, N.C.	8.6	15	37		Madison, Fla.	4.0	26	92	
Robersonville, N.C.	8.4	16	38		Sylvester, Ga.	3.7	27	93	
Windsor, N.C.	8.3	17	39		Pearson, Ga.	3.3	28	94	

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 20.

**TYPE 11 (a) - OLD BELT FLUE - CURED**

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for Old Belt flue-cured markets, and season averages for the 1971 and 1970 crops.<sup>1</sup>

Cutters:									
CAL	84	85	84	85	84	84	84	84	84
CCL	83	83	83	83	83	83	82	82	83
C4F	84	84	84	84	84	84	85	84	84
C3F	83	83	83	83	83	83	82	83	83
C4K	--	--	--	--	--	--	--	--	--
C4KR	81	81	82	--	81	80	80	81	81
C4RM	80	81	81	--	80	79	78	80	80
Lugs:									
X3L	83	83	83	83	83	83	82	82	83
X4L	81	81	81	81	80	79	79	80	81
X5L	80	80	81	80	--	77	76	79	78
X3F	83	83	83	83	83	83	82	82	83
X4F	81	81	81	81	80	80	79	80	81
X5F	79	80	80	79	78	77	77	79	78
X4KR	80	80	80	79	79	77	77	79	75
X4FV	79	80	80	80	78	77	77	78	79
X4KL	79	78	79	77	--	76	76	79	--
X4KF	78	78	79	78	78	76	75	79	--
X4RM	78	79	80	--	77	76	75	78	--
X5G	--	--	--	--	--	--	--	--	--
Primings:									
PZL	82	82	--	--	81	79	78	--	--
PJL	81	81	81	80	81	79	78	79	81
P4L	79	79	79	79	78	77	76	77	78
PSL	77	77	77	77	76	75	75	76	76
P3F	82	81	81	--	80	--	79	--	81
P4F	79	79	79	79	78	77	76	77	79
PSF	77	77	77	77	75	75	74	76	77
P5G	73	--	--	--	--	--	--	--	72
Nondescript:									
NIL	73	74	74	73	72	71	70	71	68
N1XL	75	76	76	75	73	73	75	73	75
N1K	70	74	74	71	71	69	69	70	69
NIR	--	--	--	--	67	66	66	64	66
N1GL	--	--	--	--	--	--	--	--	71
N1GF	--	--	--	--	--	--	--	--	65
N1GR	--	--	--	--	--	61	--	--	61
N2	66	66	67	62	65	63	59	60	55

Cutters:									
C4L	84	85	84	85	84	84	84	84	84
C5L	83	83	83	83	83	83	82	82	83
C4F	84	84	84	84	84	84	85	84	84
C5F	83	83	83	83	83	83	82	83	83
C4K	--	--	--	--	--	--	--	--	--
C4KR	81	81	82	--	81	80	80	81	81
C4RM	80	81	81	--	80	79	78	80	80
Lugs:									
X3L	83	83	83	83	83	83	82	82	83
X4L	81	81	81	81	80	79	79	80	81
X5L	80	80	81	80	--	77	76	79	78
X3F	83	83	83	83	83	83	82	82	83
X4F	81	81	81	81	80	80	79	80	81
X5F	79	80	80	80	78	77	77	78	78
X4KR	80	80	80	80	78	77	77	78	75
X4FV	79	80	80	80	78	77	77	78	75
X4KL	79	78	79	77	--	76	76	79	73
X4KF	78	78	79	78	78	76	75	79	72
X4RM	78	79	80	--	77	76	75	78	72
X5G	--	--	--	--	--	--	--	--	63
Primings:									
PZL	82	82	--	--	81	79	78	--	--
PJL	81	81	81	80	81	79	78	79	81
P4L	79	79	79	79	78	77	76	77	76
PSL	77	77	77	77	76	75	75	76	71
P3F	82	81	81	--	80	--	79	--	81
P4F	79	79	79	79	78	77	76	77	75
PSF	77	77	77	77	75	75	74	76	70
P5G	73	--	--	--	--	--	--	--	65
Nondescript:									
NIL	73	74	74	73	72	71	70	71	68
N1XL	75	76	76	75	73	73	75	73	68
N1K	70	74	74	71	71	69	69	70	61
NIR	--	--	--	--	67	66	66	64	53
N1GL	--	--	--	--	--	--	--	--	66
N1GF	--	--	--	--	--	--	--	--	71
N1GR	--	--	--	--	--	61	--	--	65
N2	66	66	67	62	65	63	59	60	61

Primings:									
PZL	82	82	--	--	81	79	78	--	--
PJL	81	81	81	80	81	79	78	77	81
P4L	79	79	79	79	78	77	76	77	76
PSL	77	77	77	77	76	75	75	76	71
P3F	82	81	81	--	80	--	79	--	81
P4F	79	79	79	79	78	77	76	77	78
PSF	77	77	77	77	75	75	74	76	71
P5G	73	--	--	--	--	--	--	--	72
Nondescript:									
NIL	73	74	74	73	72	71	70	71	68
N1XL	75	76	76	75	73	73	75	73	68
N1K	70	74	74	71	71	69	69	70	61
NIR	--	--	--	--	67	66	66	64	53
N1GL	--	--	--	--	--	--	--	--	66
N1GF	--	--	--	--	--	--	--	--	71
N1GR	--	--	--	--	--	61	--	--	65
N2	66	66	67	62	65	63	59	60	61

- 37 -

1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.  
The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25.

2/ For key to standard grade marks see brief of classification on page 2.

Table 21.

**TYPE II (b) - MIDDLE BELT FLUKE - CURED**

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the Middle Belt Flue-cured markets and season averages for the 1971 and 1970 crops 1.

Cutters:										Cutters:									
C3L	83	83	83	83	83	83	83	82	82	C3L	82	82	82	83	83	81	81	81	81
C3P	83	83	83	83	83	83	83	82	82	C3P	82	82	82	83	83	81	81	81	81
C4K	--	--	--	--	--	--	--	--	--	C4K	--	--	--	--	--	79	79	79	79
C4KR	81	81	81	81	81	81	81	81	81	C4KR	80	81	81	81	81	79	79	79	79
C4KM	80	81	80	81	81	80	80	79	79	C4KM	79	78	81	80	80	77	77	77	77
<hr/>																			
Lugs:										Lugs:									
X3L	83	83	83	83	83	83	83	82	82	X3L	80	80	80	81	81	78	78	78	78
X4L	81	81	81	81	81	81	81	80	80	X4L	79	78	76	77	79	76	76	76	76
X5L	78	80	80	80	80	80	80	79	78	X5L	83	82	82	82	83	80	80	80	80
X3P	83	83	83	83	83	83	83	83	82	X3P	81	80	80	80	80	78	78	78	78
X4P	80	81	81	81	81	81	81	81	80	X4P	79	78	76	76	78	74	74	74	74
X5P	79	80	80	80	80	80	80	79	79	X5P	79	78	77	77	79	74	74	74	74
X4KR	79	80	79	79	80	79	80	79	79	X4KR	77	77	78	77	79	74	74	74	74
X4KM	78	79	79	79	79	79	79	77	77	X4KM	76	76	76	76	79	72	72	72	72
<hr/>																			
Primings:										Primings:									
P3L	80	81	80	80	80	81	80	80	78	P3L	77	77	78	78	79	75	75	75	75
P4L	78	80	79	80	80	79	80	79	78	P4L	76	75	75	76	76	71	71	71	71
P5L	76	77	76	76	76	78	78	--	--	P5L	79	--	--	--	--	77	77	77	77
P3F	80	80	80	80	80	80	80	--	--	P3F	79	--	--	--	--	77	77	77	77
P4F	78	79	79	79	79	79	79	78	78	P4F	76	76	76	77	78	75	75	75	75
P5F	76	77	77	77	77	77	77	76	76	P5F	75	75	75	76	76	70	70	70	70
<hr/>																			
Nondescript:										Nondescript:									
N1L	73	73	73	73	74	74	74	72	72	N1L	74	74	74	72	73	64	64	64	64
N1XL	75	77	76	77	76	76	75	75	74	N1XL	72	71	71	73	73	67	67	67	67
N1K	73	74	73	74	73	74	73	72	72	N1K	73	73	73	73	73	61	61	61	61
N1F	--	--	--	--	--	--	--	--	--	N1F	--	--	--	--	--	61	61	61	61
N1R	--	--	--	--	--	--	--	71	69	N1R	67	70	69	69	69	54	54	54	54
N1GL	--	--	--	--	--	--	--	--	--	N1GL	--	--	--	--	--	70	61	61	61
N1GP	--	--	--	--	--	--	--	--	--	N1GP	--	--	--	--	--	68	53	53	53
N1GR	--	--	--	--	--	--	--	68	68	N1GR	67	67	67	66	66	48	48	48	48
N2	68	69	69	68	68	68	68	67	67	N2	61	62	61	62	65	50	50	50	50

1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages. The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25.

2/ For key to standard grade marks see brief of classification on page 2.

Table 22.

## **TYPE 12 - EASTERN NORTH CAROLINA PFLUE - CURED**

Average prices per 100 pounds of tobacco, by weeks on representative grades, for the Eastern North Carolina flue-cured markets, and season averages for the 1971 and 1970 crops

Cutters:	C4L	85	85	85	85	85	84	85	84	85	85	85	85	83	83	C4L	
	C5L	83	83	83	83	83	83	83	82	82	82	82	82	81	81	C5L	
	C4P	--	84	--	85	85	84	84	84	84	84	84	84	83	83	C4P	
	C5P	--	83	83	83	83	83	82	82	82	82	82	82	81	81	C5P	
	C4K	80	--	--	--	81	81	80	80	80	80	80	80	81	80	C4K	
	C4KR	81	81	82	81	81	81	80	80	80	80	80	81	81	80	C4KR	
	C4KF	--	--	--	--	--	--	--	--	--	--	--	--	76	76	C4KF	
	C4KM	80	79	81	80	81	80	79	78	78	79	80	80	77	77	C4KM	
Lugs:	X3L	83	83	83	83	83	83	83	82	82	82	82	83	83	81	81	Lugs:
	X4L	81	81	81	81	81	81	81	80	80	80	80	80	81	78	78	X3L
	X5L	79	79	80	80	81	81	81	79	78	78	78	79	79	76	76	X4L
	X3F	83	83	83	83	83	83	82	82	82	82	82	82	83	81	81	X5L
	X4F	81	81	81	81	81	81	81	80	80	80	80	80	80	78	78	X3F
	X5F	78	79	79	80	80	80	80	79	78	78	78	79	77	75	75	X4F
	X4KR	78	79	79	80	81	80	79	78	78	77	76	78	78	75	75	X5F
	X4LV	79	80	80	81	80	81	80	79	79	79	79	77	77	76	76	X4KR
	X4FV	79	79	80	80	80	80	79	78	78	77	77	76	76	76	76	X4LV
	X4KL	75	79	--	--	--	--	--	--	--	--	--	--	--	79	75	X4FV
	X4KF	--	--	--	--	--	--	--	--	--	--	--	--	--	78	74	X4KL
	X4KV	78	78	--	--	--	--	--	--	--	--	--	--	--	79	74	X4KF
	X4KM	78	78	78	79	80	79	78	78	78	75	75	75	72	72	X4KV	
	X4G	77	--	77	--	--	--	--	--	--	--	--	--	--	78	72	X4KM
Primings:	P3L	79	80	81	80	81	80	80	80	80	80	80	80	80	77	77	Primings:
	P4L	78	77	78	79	79	79	79	78	78	78	78	78	78	75	75	P3L
	P5L	76	76	76	77	78	78	78	76	76	74	74	74	76	71	71	P4L
	P3F	80	80	80	--	80	--	--	--	--	--	--	--	--	80	77	P5L
	P4F	78	78	78	79	79	79	79	77	77	76	76	77	78	75	75	P3F
	P5F	76	76	77	77	78	78	78	76	76	74	74	74	73	71	71	P4F
	P4G	75	76	--	--	--	--	--	--	--	--	--	--	--	75	69	P5F
	P5G	74	--	75	--	--	--	--	--	--	--	--	--	--	74	64	P4G
Nondescript:	NIL	74	74	75	75	77	76	77	74	73	71	71	71	74	65	65	Nondescript:
	NIXL	76	76	77	78	78	78	77	75	75	74	74	74	76	69	69	NIL
	NIK	72	72	74	76	77	76	76	75	74	74	74	73	75	64	64	NIXL
	NIF	--	--	--	--	--	--	--	--	--	--	--	--	72	62	62	NIK,
	NIR	--	--	--	--	--	--	--	--	--	--	--	--	70	57	57	NIF,
	NIGL	72	72	--	--	--	--	--	--	--	--	--	--	72	61	61	NIR
	NIGF	69	--	--	--	--	--	--	--	--	--	--	--	69	58	58	NIGL
	NIGR	--	--	--	--	--	--	--	--	--	--	--	--	66	54	54	NIGF
	N2	69	70	68	66	69	7	70	68	67	64	61	61	68	55	55	N2

1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25.

2/ For key to standard grade marks see brief of classification on page 2.

Table 23-

TYPE 13

SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED  
Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the South Carolina and border  
North Carolina flue-cured markets, and season averages for the 1971 and 1970 crops. 1/

Group and grade 2/	Week ending												Group and grade 2/
	Aug. 5 : 1971	Aug. 12: 1971	Aug. 19: 1971	Aug. 26: 1971	Sept. 2: 1971	Sept. 9: 1971	Sept. 16: 1971	Sept. 23: 1971	Sept. 30: 1971	1971 average	1970 average		
Leaf:													
B3L	82	82	82	83	82	82	83	83	82	80	80		
B4L	80	80	80	81	80	80	81	80	81	80	78		
B5L	78	79	78	78	78	78	79	79	78	76	76		
B3F	82	82	82	82	82	83	82	82	82	80	80		
B4F	80	80	80	81	81	81	81	81	81	79	79		
B5F	77	79	78	78	79	79	78	79	78	79	76		
B4K	--	77	77	76	77	76	76	77	77	77	72		
B5K	--	77	76	75	75	74	74	76	75	75	69		
B6K	--	74	72	73	71	72	71	73	73	72	63		
B4KR	73	77	76	76	77	76	76	76	76	76	73		
B4LV	78	78	78	78	78	78	77	78	79	78	75		
B4FV	76	77	77	77	77	77	77	77	78	77	75		
B5FV	--	76	76	75	76	75	75	76	76	75	72		
B4KL	--	74	74	73	73	71	72	73	74	74	68		
B5KL	--	73	73	71	71	71	72	72	72	72	66		
B4KV	--	76	74	74	76	77	74	74	--	75	70		
B4KF	--	70	70	70	72	72	72	73	74	72	67		
B5KF	--	66	69	68	69	69	69	71	73	70	64		
B3RM	72	76	75	74	75	75	75	76	76	75	72		
B4RM	70	73	74	73	74	74	73	74	75	74	69		
B5RM	68	72	71	72	71	71	71	73	73	72	65		
B4GL	--	72	74	73	--	--	--	--	--	73	72		
B5GL	--	67	72	--	--	--	--	--	--	70	69		
B5GF	--	68	69	68	70	71	71	--	--	74	70		
B4GK	67	70	70	68	71	69	69	72	70	66			
B5GK	--	65	67	68	65	66	66	68	70	67	63		
Smoking leaf::													
H4L	--	--	84	--	--	--	--	--	--	83	81		
H5L	--	--	81	80	80	80	83	83	83	80	79		
H4F	--	--	83	83	83	83	83	83	83	81	81		
H5F	--	81	81	61	82	81	81	81	80	81	79		
H6F	--	--	--	--	--	--	78	--	--	79	77		
H4FR	--	--	--	--	--	--	--	--	--	--	78		
H5FR	--	--	--	--	--	--	--	--	79	79	76		
H6FR	--	79	80	81	79	80	80	79	79	80	77		
H4K	--	79	79	78	80	78	78	78	78	78	75		
H5K	--	79	79	79	80	80	80	78	78	78	75		
H6K	--	--	76	76	75	76	75	76	75	76	70		

Leaf: Leaf: Leaf:  
B3L B4L B5L B3F B4F B5F B4KR B4LV B4FV B5FV B4KL B5KL B4KV B4KF B5KF B3RM B4RM B5RM B4GL B5GL B5GF B4GK B5GK  
H4L H5L H4F H5F H6F H4FR H5FR H6FR H4K H5K H6K

: Smoking leaf: : Smoking leaf:  
H4L H5L H4F H5F H6F H4FR H5FR H6FR H4K H5K H6K

Cutters:																										
C4L	:	84	85	84	85	83	83	84	83	83	83	83	84	83	83	82	83	83	83	84	82	81	81	81	82	
C5L	:	83	83	84	84	84	83	83	83	83	83	83	83	83	83	83	83	83	83	84	82	81	81	81	82	
C4P	:	--	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	84	82	81	81	81	82	
C5P	:	83	83	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	
C4K	:	--	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	81	79	79	79	79	79	
C4KR	:	80	81	81	81	81	81	81	81	81	81	81	81	81	81	80	--	--	--	--	81	81	79	79	79	
C4KF	:	--	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	
C4RN	:	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	
Lugs:																										
X3L	:	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	80	80	80	80	80
X4L	:	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	78	78	78	78	78
X3P	:	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	81	81	81	81	81
X4P	:	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	80	78	78	78	78	78
X5P	:	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	75	75	75	75	75
X4KR	:	77	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	76	76	76	76	76
X4FV	:	78	79	79	78	79	79	79	78	79	78	77	77	78	78	78	78	78	78	78	78	75	75	75	75	75
X4KL	:	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	77	77	77	77	77
X4KP	:	77	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	78	77	77	77	77	77
X3RN	:	78	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	78	78	78	78	78
X4RN	:	77	78	78	77	78	77	78	77	78	77	76	76	76	76	76	76	76	76	76	76	75	75	75	75	75
X4CK	:	71	74	74	74	74	73	73	70	70	--	--	--	--	--	--	--	--	--	--	73	73	73	73	73	
X4G	:	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	70	70	70	70	70
X5G	:	73	75	75	73	73	71	--	--	--	--	--	--	--	--	--	--	--	--	--	73	66	66	66	66	
Primings:																										
P3L	:	80	80	79	79	80	--	--	--	--	--	--	--	--	--	--	--	--	--	--	79	77	77	77	77	
P4L	:	77	78	78	78	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	75	75	75	75	75
P5L	:	74	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	70	70	70	70	70
P3P	:	79	80	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	79	77	77	77	77	77
P4P	:	77	78	78	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	77	75	75	75	75	75
P5P	:	74	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	75	69	69	69	69	69
P4G	:	72	74	74	73	73	--	--	--	--	--	--	--	--	--	--	--	--	--	--	73	67	67	67	67	
P5G	:	70	73	72	72	74	71	--	--	--	--	--	--	--	--	--	--	--	--	--	71	62	62	62	62	
Nondescript:																										
NIL	:	70	72	72	71	71	70	70	70	70	70	70	70	70	70	70	70	70	70	70	71	63	63	63	63	63
NIXL	:	74	75	75	75	73	75	74	73	74	74	74	74	74	74	74	74	74	74	74	74	69	69	69	69	69
NIK	:	--	--	--	--	73	71	70	70	69	70	69	70	69	70	70	70	70	70	70	71	62	62	62	62	62
NIR	:	--	--	--	--	69	66	--	--	61	--	--	61	--	--	--	--	--	--	--	65	65	65	65	65	
NIGL	:	66	69	69	69	66	--	--	--	--	--	--	--	--	--	--	--	--	--	--	63	63	63	63	63	
NI GF	:	--	68	68	65	63	--	--	--	--	--	--	--	--	--	--	--	--	--	--	65	65	65	65	65	
NIGR	:	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
N2	:	61	65	68	62	65	64	62	65	64	62	63	64	62	63	64	62	63	64	62	63	52	52	52	52	52

- 43 -

1/ Averages based on auction bids for "untied" tobacco. "Tied" sales volume was insufficient to establish representative averages.

The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25.

2/ For key to standard grade marks see brief of classification on page 2.

Table 24.-

## TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED

Average prices per 100 pounds of tobacco, by weeks, on representative grades, for the Georgia-Florida flue-cured markets,  
and season averages for the 1971 and 1970 crops 1/

Group and grade 2/	Week ending --			Group crop and average grade 2/	Week ending --			Group crop and average grade 2/	Week ending --			Group crop and average grade 2/	Week ending --			Group crop and average grade 2/	
	Aug.	Aug.	Aug.		Sept.	Sept.	Sept.		Aug.	Aug.	Aug.		Sept.	Sept.	Sept.	Aug.	Aug.
5	12	19	2	9				5	12	19	2	6	9		5	12	9
<b>Leaf:</b>																	
B3L	82	83	84	83	--	83	80	80	83	83	83	83	83	83	83	83	81
B4L	81	82	83	82	--	82	79	79	81	81	82	81	79	--	81	78	
B5L	78	81	81	79	--	80	76	73	78	79	79	79	76	--	78	75	
B6L	--	--	--	--	--	80	76	73	84	81	82	82	81	--	83	81	
B3P	82	83	84	84	83	84	84	81	81	82	82	81	79	80	82	78	
B4P	81	83	84	83	82	83	83	81	81	80	80	80	79	77	79	75	
B5P	79	81	83	82	81	81	82	79	78	78	80	81	80	--	80	75	
B6P	--	--	83	78	77	78	79	75	77	79	78	--	74	--	76	74	
B4K	78	81	83	81	78	75	81	76	76	75	78	--	79	--	--	78	
B5K	76	78	81	77	75	70	76	72	72	75	78	79	--	--	--	77	
B6K	71	75	79	72	71	68	72	68	70	72	76	78	79	--	--	70	
B4KR	72	79	82	80	80	80	80	76	76	77	78	79	78	--	--	73	
B4LV	77	80	80	79	74	--	79	75	--	77	77	75	--	--	--	71	
B5LV	--	76	78	76	76	--	76	72	--	76	76	76	--	--	80	77	
B4PV	77	80	83	80	77	--	81	77	--	81	81	80	--	--	78	75	
B5PV	--	78	80	79	74	--	78	74	--	78	79	79	75	--	75	71	
B3KL	--	81	80	78	--	78	75	75	--	75	76	76	70	--	75	44	
B4KL	73	77	80	75	73	--	77	68	--	80	81	81	--	--	80	77	
B5KL	70	77	75	71	--	73	65	65	--	78	79	78	76	--	78	74	
B4KP	70	74	79	76	73	69	76	69	--	75	76	76	75	--	75	70	
B5KP	67	72	76	74	70	64	72	66	--	73	75	76	76	--	74	68	
B6KP	--	65	73	69	67	63	67	59	--	70	72	72	--	--	71	63	
B5KV	--	73	78	73	70	68	74	67	--	72	73	72	66	--	71	64	
B6KV	--	73	76	68	69	62	70	63	--	70	72	73	72	--	77	70	
B4CL	--	75	--	--	--	--	74	71	--	75	77	79	76	74	--	77	
B5CL	--	--	76	--	--	--	75	65	--	75	76	70	69	65	--	66	
B4GR	72	75	78	73	68	--	74	67	--	73	--	--	--	--	--	70	
B4RM	73	77	80	78	73	74	77	71	--	69	70	70	71	--	--	57	
B5RM	67	73	76	75	70	69	73	68	--	69	70	70	67	63	--	59	
<b>Smoking leaf:</b>																	
H4L	--	--	--	--	--	--	--	83	--	83	81	--	--	--	--	--	
H5L	--	--	--	83	--	--	--	82	80	82	81	--	83	81	--	71	
H4F	--	--	84	84	--	83	84	--	83	84	82	--	83	81	--	77	
H5F	--	--	81	83	83	80	80	83	81	80	83	81	81	79	--	66	
H5K	--	81	82	81	78	76	80	78	--	82	81	80	82	80	--	55	
Cutters:																	
C5L	83	83	83	83	83	83	83	83	--	83	81	81	81	81	--	64	
C5P	83	83	84	84	83	83	83	83	--	83	81	81	81	81	--	64	
C4K	--	--	--	--	--	--	--	--	--	--	81	81	81	81	--	66	
C4KR	81	81	83	83	83	83	83	83	--	--	82	80	80	80	--	55	
C4RM	79	81	82	81	78	76	80	78	--	--	81	77	77	77	--	52	

1/ Averages based on auction bids for "untied" tobacco, the only way tobacco is sold in this Belt. The schedule of bid intervals is as follows: 25 cents up to \$15; 50 cents from \$15 to \$25; and \$1 over \$25.

2/ For key to standard grade marks see brief of classification on page 2.

Table 25-Percentage of sales by group for flue-cured Types, 1960 to 1971 crops.

Crop Year	A	B	H	C	X	P	N	Miscell-
	Wrappers	Leaf	S. Leaf	Cutters	Lugs	Primings	Nondescript	Aneous
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Type 11(a)								
1960	1/	44.1	19.7	3.9	14.3	8.1	9.8	.1
1961	1/	41.6	22.1	6.1	13.0	9.2	7.8	.2
1962	1/	51.3	12.3	7.6	12.4	10.2	6.0	.2
1963	--	54.0	6.5	4.6	13.4	8.6	11.5	1.4
1964	1/	54.3	7.3	6.1	13.9	5.1	12.3	1.0
1965	1/	53.6	12.9	4.8	12.6	8.0	6.9	1.2
1966	1/	53.5	12.3	2.6	15.3	5.6	8.7	2.0
1967	1/	61.5	10.1	3.3	13.3	5.9	4.5	1.4
1968	1/	49.3	7.7	2.6	19.0	12.7	7.3	1.4
1969	1/	54.4	10.8	3.3	14.2	9.3	6.3	1.7
1970	1/	44.5	14.6	2.9	15.0	9.6	11.1	2.3
1971	1/	49.5	14.3	3.8	14.1	11.8	3.2	3.3
Type 11(b)								
1960	1/	36.9	20.6	5.8	17.1	9.5	10.0	.1
1961	1/	39.1	20.8	7.7	14.5	10.3	7.3	.3
1962	1/	38.4	19.7	7.5	14.0	12.6	7.5	.3
1963	1/	52.4	5.1	5.1	13.3	9.4	14.1	.6
1964	1/	52.9	6.2	4.0	16.7	6.0	12.9	1.3
1965	1/	47.3	14.1	3.8	15.4	9.7	8.2	1.5
1966	--	47.9	19.7	3.7	13.5	5.4	8.3	1.5
1967	1/	50.0	15.9	3.6	18.1	5.7	4.4	2.3
1968	1/	46.4	12.2	5.5	18.3	7.4	8.5	1.7
1969	1/	43.6	23.7	4.4	14.9	6.2	4.5	2.7
1970	--	47.7	17.2	2.3	16.9	5.9	7.8	2.2
1971	--	46.9	19.1	4.1	16.0	7.4	2.8	3.7
Type 12								
1960	1/	48.7	9.2	5.6	16.2	7.8	11.8	.7
1961	1/	48.3	8.8	9.6	15.0	8.9	8.3	1.0
1962	1/	41.2	10.4	8.3	16.1	9.5	13.8	.7
1963	1/	55.8	2.2	7.3	11.8	7.9	14.1	.9
1964	--	54.7	2.8	5.8	12.2	6.9	15.9	1.7
1965	1/	49.4	7.3	6.5	13.2	10.0	11.0	2.6
1966	1/	51.9	10.8	4.3	11.4	6.8	12.7	2.1
1967	1/	51.6	10.0	4.2	15.8	5.9	9.9	2.6
1968	1/	51.7	7.9	7.0	12.8	5.8	12.9	1.9
1969	--	50.0	9.8	5.7	14.6	6.9	9.7	3.3
1970	1/	59.2	6.3	4.6	14.0	7.6	6.5	1.8
1971	1/	59.0	7.2	6.2	12.9	8.0	4.0	2.7
Type 13								
1960	1/	45.2	10.3	7.0	15.6	9.8	11.9	.2
1961	1/	47.6	7.7	7.5	16.5	12.6	7.8	.3
1962	1/	40.5	9.2	7.9	17.5	13.1	11.6	.2
1963	1/	49.6	5.0	6.6	11.8	12.1	13.5	1.4
1964	--	45.7	6.4	5.3	12.3	12.5	14.9	2.9
1965	1/	45.5	7.8	7.9	16.2	13.0	7.6	2.0
1966	1/	48.8	11.2	3.9	12.5	12.6	9.3	1.7
1967	--	48.2	6.8	4.4	17.1	12.3	9.3	1.9
1968	--	45.3	7.5	5.2	15.8	14.2	10.4	1.6
1969	--	49.2	6.2	5.4	14.2	13.8	7.2	4.0
1970	--	57.7	3.4	3.2	11.5	14.7	6.1	3.4
1971	--	55.2	3.7	6.1	14.8	11.4	4.5	4.3
Type 14								
1960	--	50.1	3.8	4.3	16.8	13.0	11.8	.2
1961	--	60.0	3.9	4.6	13.6	11.2	6.5	.2
1962	--	47.8	8.9	3.7	16.5	11.1	11.7	.3
1963	--	51.6	4.3	3.1	12.5	9.9	17.4	1.2
1964	--	50.5	5.4	2.4	12.8	10.9	16.6	1.4
1965	--	54.7	6.6	2.7	14.6	11.5	8.7	1.2
1966	--	54.1	4.7	3.0	13.8	15.2	7.7	1.5
1967	--	52.6	4.2	3.0	14.9	11.9	10.8	2.6
1968	--	50.8	5.2	3.2	14.1	14.5	10.7	1.5
1969	--	51.5	3.6	3.8	15.4	15.7	8.4	1.6
1970	--	52.4	4.3	4.0	15.9	15.2	5.4	2.8
1971	--	55.8	3.2	2.2	12.9	14.6	6.2	5.1

1/ Volume insufficient to quote percentage.

- 46 -  
Table 25.-Percentages of sales by quality for flue-cured Types, 1960 to 1971 crops.

Crop Year	: 1 : Choice : Pct.	: 2 : Fine : Pct.	: 3 : Good : Pct.	: 4 : Fair : Pct.	: 5 : Low : Pct.	: 6 : Poor : Pct.	: N : Nondescript : Pct.	: Miscell- aneous : Pct.
Type 11(a)								
1960	: .1	1.3	12.3	30.7	35.3	10.4	9.8	.1
1961	: .2	2.0	14.0	31.9	33.9	10.0	7.8	.2
1962	: .1	1.6	13.7	35.5	34.2	8.7	6.0	.2
1963	: .1	.5	8.6	34.3	31.9	11.7	11.5	1.4
1964	: .1	.4	7.5	39.4	31.2	8.1	12.3	1.0
1965	: .1	.7	8.9	42.7	31.6	7.9	6.9	1.2
1966	: ---	.2	4.2	35.7	37.8	11.4	8.7	2.0
1967	: ---	.4	5.5	38.5	39.2	10.5	4.5	1.4
1968	: .1	.7	5.9	34.8	39.2	10.6	7.3	1.4
1969	: .2	.9	7.0	38.0	38.8	7.1	6.3	1.7
1970	: .1	.4	5.1	34.0	38.1	8.9	11.1	2.3
1971	: 1/	.4	8.7	42.0	37.0	5.4	3.2	3.3
Type 11(b)								
1960	: ---	.6	10.3	30.1	37.9	11.0	10.0	.1
1961	: .1	1.0	12.8	33.7	35.5	9.3	7.3	.3
1962	: ---	.4	8.1	35.3	40.3	8.1	7.5	.3
1963	: ---	.3	6.8	35.2	31.3	11.7	14.1	.6
1964	: ---	.1	4.7	37.7	34.7	8.6	12.9	1.3
1965	: ---	.1	5.3	42.7	34.6	7.6	8.2	1.5
1966	: ---	.2	3.7	35.4	38.9	12.0	8.3	1.5
1967	: ---	.2	4.7	38.3	40.6	9.5	4.4	2.3
1968	: ---	.1	3.6	32.8	40.9	12.4	8.5	1.7
1969	: ---	.2	5.2	40.8	40.4	6.2	4.5	2.7
1970	: 1/	1/	3.7	36.2	41.0	9.1	7.8	2.2
1971	: 1/	1/	5.8	42.7	39.4	5.6	2.8	3.7
Type 12								
1960	: .1	.7	9.0	29.1	34.8	13.8	11.8	.7
1961	: .2	1.8	15.6	31.9	32.5	8.7	8.3	1.0
1962	: .1	.6	7.2	30.2	36.5	10.9	13.8	.7
1963	: ---	.3	10.8	37.1	26.6	10.2	14.1	.9
1964	: ---	.2	7.8	33.0	30.6	10.8	15.9	1.7
1965	: ---	.2	7.6	37.1	31.4	10.1	11.0	2.6
1966	: ---	.4	6.1	34.0	33.6	11.1	12.7	2.1
1967	: ---	.3	4.7	35.9	37.6	9.0	9.9	2.6
1968	: .1	.6	6.7	31.9	34.9	11.0	12.9	1.9
1969	: ---	.4	5.5	34.9	39.0	7.2	9.7	3.3
1970	: 1/	.3	8.6	43.1	33.7	6.0	6.5	1.8
1971	: 1/	.2	8.5	48.4	33.0	3.2	4.0	2.7
Type 13								
1960	: .1	1.7	16.0	30.6	31.7	7.8	11.9	.2
1961	: .1	3.2	22.9	34.1	26.5	5.1	7.8	.3
1962	: ---	1.0	11.3	34.3	35.4	6.2	11.6	.2
1963	: ---	.4	13.1	38.4	26.7	6.5	13.5	1.4
1964	: ---	.4	7.2	33.5	32.5	8.6	14.9	2.9
1965	: ---	.2	9.4	42.1	31.7	7.0	7.6	2.0
1966	: ---	.4	8.3	39.2	33.4	7.7	9.3	1.7
1967	: ---	.1	5.9	39.9	34.4	8.5	9.3	1.9
1968	: ---	.3	5.3	36.5	37.0	8.9	10.4	1.6
1969	: ---	.2	6.8	39.5	37.3	5.0	7.2	4.0
1970	: ---	.1	6.3	40.1	37.7	6.3	6.1	3.4
1971	: ---	1/	10.2	47.6	30.5	2.9	4.5	4.3
Type 14								
1960	: ---	.3	9.0	33.0	34.5	11.2	11.8	.2
1961	: ---	.6	13.1	36.1	34.3	9.2	6.5	.2
1962	: ---	.2	6.1	30.1	40.3	11.3	11.7	.3
1963	: ---	.1	5.7	31.7	34.2	9.7	17.4	1.2
1964	: ---	---	3.8	28.7	35.7	13.8	16.6	1.4
1965	: ---	.1	5.5	40.4	35.9	8.2	8.7	1.2
1966	: ---	.3	10.2	39.5	31.9	8.9	7.7	1.5
1967	: ---	.1	6.1	35.7	36.0	8.7	10.8	2.6
1968	: ---	.2	7.7	38.1	34.2	7.6	10.7	1.5
1969	: ---	.3	9.2	37.1	34.6	8.8	8.4	1.6
1970	: ---	.2	11.4	42.5	32.9	4.8	5.4	2.8
1971	: ---	1/	13.0	45.0	26.5	4.2	6.2	5.1

Table 25.-Percentage of sales by color for flue-cured Types, 1960 to 1971 crops.

Crop Year	L	LL	F	FR	R	D	K	K(sf)	M	S	G	Non.	Misc.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Type 11(a)													
1960	: 11.2	1/	39.1	7.3	6.4	.1	22.9	--	.3	--	2.8	9.8	.1
1961	: 20.2	1/	39.0	5.0	5.7	.1	19.3	--	.1	--	2.6	7.8	.2
1962	: 32.3	--	33.2	3.3	2.1	1/	20.0	--	--	--	2.9	6.0	.2
1963	: 13.5	--	24.1	6.8	3.4	.1	33.4	--	--	.2	5.6	11.5	1.4
1964	: 12.7	--	22.4	4.9	2.5	.1	12.9	28.0	--	.2	3.0	12.3	1.0
1965	: 14.4	--	23.2	6.7	1.9	1/	23.2	19.2	--	.3	3.0	6.9	1.2
1966	: 7.7	--	17.9	4.0	1.8	1/	30.5	24.3	--	1/	3.1	8.7	2.0
1967	: 14.2	--	17.4	5.4	1.2	1/	32.3	21.8	--	.1	1.7	4.5	1.4
1968	: 17.9	--	26.9	3.0	.5	--	20.6	19.6	--	1/	2.8	7.3	1.4
1969	: 15.2	--	32.7	5.2	.2	--	28.6	8.6	--	1/	1.5	6.3	1.7
1970	: 6.0	--	32.3	2.9	1/	--	33.3	10.6	--	1/	1.5	11.1	2.3
1971	: 10.2	--	35.0	6.8	.8	--	32.4	7.7	--	1/	.6	3.2	3.3
Type 11(b)													
1960	: 15.7	1/	41.8	2.8	2.7	1/	23.6	--	.7	--	2.6	10.0	.1
1961	: 27.0	.2	39.8	3.0	4.2	.1	16.1	--	.2	--	1.8	7.3	.3
1962	: 29.7	--	35.0	1.9	1.6	1/	22.0	--	--	--	2.0	7.5	.3
1963	: 13.4	--	23.9	2.9	2.1	1/	38.7	--	--	.5	3.8	14.1	.6
1964	: 8.4	--	21.8	2.2	1.4	1/	18.2	30.8	--	.3	2.7	12.9	1.3
1965	: 14.8	--	17.3	3.8	.7	1/	28.0	23.1	--	.6	2.0	8.2	1.5
1966	: 9.5	--	21.0	5.5	2.2	.1	34.9	14.3	--	.1	2.6	8.3	1.5
1967	: 16.7	--	21.5	3.4	.6	1/	34.4	15.0	--	.1	1.6	4.4	2.3
1968	: 15.8	--	23.3	1.1	.3	--	33.7	13.3	--	1/	2.3	8.5	1.7
1969	: 13.3	--	36.1	5.3	.1	--	33.7	3.5	--	1/	.8	4.5	2.7
1970	: 4.1	--	30.0	1.8	.1	--	40.7	11.8	--	1/	1.5	7.8	2.2
1971	: 7.4	--	36.9	4.8	.4	--	33.3	9.9	--	.1	.7	2.8	3.7
Type 12													
1960	: 22.4	.4	38.4	.9	.4	--	21.2	--	.5	--	3.3	11.8	.7
1961	: 29.5	5.0	40.3	2.2	.8	--	10.0	--	.1	--	2.8	8.3	1.0
1962	: 28.2	--	36.5	1.1	.5	--	16.9	--	--	--	2.3	13.8	.7
1963	: 11.0	--	18.7	1.3	.8	--	47.3	--	--	2.4	3.5	14.1	.9
1964	: 9.6	--	15.7	.8	.3	--	10.9	41.0	--	.9	3.2	15.9	1.7
1965	: 10.7	--	18.7	.5	.2	--	19.5	32.8	--	1.5	2.5	11.0	2.6
1966	: 13.1	--	26.3	1.1	.8	--	26.7	14.9	--	.2	2.1	12.7	2.1
1967	: 14.0	--	23.3	.8	.1	--	31.3	15.9	--	.2	1.9	9.9	2.6
1968	: 17.1	--	29.4	.8	.2	--	27.4	8.6	--	1/	1.7	12.9	1.9
1969	: 20.5	--	34.1	1.6	.1	--	21.5	7.6	--	1/	1.6	9.7	3.3
1970	: 10.4	--	30.8	2.0	.1	--	29.0	17.6	--	.3	1.5	6.5	1.8
1971	: 10.9	--	36.9	3.1	.1	--	26.2	14.7	--	.1	1.3	4.0	2.7
Type 13													
1960	: 22.9	.1	41.6	1.0	.4	--	17.8	--	.5	--	3.6	11.9	.2
1961	: 36.2	.5	41.5	1.2	.6	--	8.6	--	.5	--	2.8	7.8	.3
1962	: 30.4	--	37.4	1.5	.6	--	15.0	--	--	--	3.3	11.6	.2
1963	: 19.9	--	29.7	2.5	.2	--	26.5	--	--	2.6	3.7	13.5	1.4
1964	: 21.7	--	26.3	2.6	.1	--	8.2	20.2	--	.7	2.4	14.9	2.9
1965	: 25.6	--	26.7	2.0	1/	--	12.0	20.8	--	1.2	2.1	7.6	2.0
1966	: 20.1	--	38.2	2.7	.2	--	19.0	6.4	--	.1	2.3	9.3	1.7
1967	: 20.8	--	27.4	1.0	.2	--	22.4	14.3	--	.1	2.6	9.3	1.9
1968	: 24.8	--	30.0	.7	.2	--	19.9	10.1	--	1/	2.3	10.4	1.6
1969	: 29.8	--	35.3	1.3	1/	--	14.1	6.1	--	1/	2.2	7.2	4.0
1970	: 16.3	--	31.9	1.4	1/	--	20.6	16.5	--	1/	3.8	6.1	3.4
1971	: 14.5	--	36.4	.5	1/	--	16.5	20.2	--	.3	2.8	4.5	4.3
Type 14													
1960	: 21.2	.1	46.7	.4	.1	--	13.4	--	1.1	--	5.0	11.8	.2
1961	: 32.9	.1	42.6	.3	.1	--	10.3	--	1.2	--	5.8	6.5	.2
1962	: 22.0	--	41.8	.4	.1	--	17.9	--	--	--	5.8	11.7	.3
1963	: 16.8	--	37.0	.6	1/	--	20.0	--	--	2.4	4.6	17.4	1.2
1964	: 13.5	--	32.6	.6	1/	--	9.5	20.0	--	.6	5.2	16.6	1.4
1965	: 15.5	--	36.1	.2	1/	--	9.7	23.3	--	.7	4.6	8.7	1.2
1966	: 26.6	--	38.9	.5	1/	--	10.0	11.7	--	.3	2.8	7.7	1.5
1967	: 17.2	--	26.0	.2	1/	--	15.8	22.8	--	.2	4.4	10.8	2.6
1968	: 23.4	--	34.4	.4	1/	--	18.1	8.5	--	.2	2.8	10.7	1.5
1969	: 28.6	--	36.8	.4	1/	--	14.9	6.4	--	.2	2.7	8.4	1.6
1970	: 26.2	--	38.5	.5	1/	--	12.1	11.1	--	.3	3.1	5.4	2.8
1971	: 13.9	--	35.2	.6	1/	--	17.3	17.6	--	.5	3.6	6.2	5.1

1/ Volume insufficient to quote percentage.

Table 25--Percentages of sales by group, quality and color for flue-cured Types 11-14, 1960 to 1971 crops  
GROUP

Crop Year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	N Nondescript	Miscell- aneous					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.					
1960	1/	44.5	13.1	6.0	15.9	9.2	11.0	.3					
1961	1/	46.4	13.4	7.4	14.4	10.2	7.7	.5					
1962	1/	43.5	12.0	7.4	15.3	11.2	10.2	.4					
1963	1/	53.1	4.5	5.7	12.5	9.4	13.7	1.1					
1964	1/	52.0	5.4	5.0	13.5	8.0	14.4	1.7					
1965	1/	49.9	9.8	5.5	14.3	10.3	8.5	1.7					
1966	1/	51.2	12.4	3.6	13.2	8.2	9.6	1.8					
1967	1/	52.7	9.4	3.8	15.8	8.3	7.9	2.1					
1968	1/	48.9	7.8	4.9	15.5	10.8	10.4	1.7					
1969	1/	50.3	9.7	4.7	14.6	10.3	7.6	2.8					
1970	1/	53.7	8.0	3.6	14.2	10.8	7.2	2.5					
1971	1/	54.4	8.3	4.8	13.9	10.6	4.2	3.8					
	QUALITY												
Crop Year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	N Nondescript	Miscell- aneous					
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.					
1960	.1	.9	11.2	30.3	35.3	10.9	11.0	.3					
1961	.1	1.9	15.9	33.0	32.4	8.5	7.7	.5					
1962	--	.8	9.5	33.2	37.0	8.9	10.2	.4					
1963	--	.4	9.6	36.0	29.3	9.9	13.7	1.1					
1964	--	.2	6.6	34.8	32.5	9.8	14.4	1.7					
1965	--	.3	7.7	41.0	32.6	8.2	8.5	1.7					
1966	--	.3	6.0	36.3	35.5	10.5	9.6	1.8					
1967	--	.2	5.4	37.7	37.5	9.2	7.9	2.1					
1968	--	.4	6.0	34.6	36.9	10.0	10.4	1.7					
1969	1/	.5	6.8	37.5	38.1	6.7	7.6	2.8					
1970	1/	.2	7.3	39.9	36.2	6.7	7.2	2.5					
1971	1/	.1	9.3	45.8	32.8	4.0	4.2	3.8					
	COLOR												
Crop Year	L Pct.	LL Pct.	F Pct.	FR Pct.	R Pct.	D Pct.	K Pct.	K(sf) Pct.	M Pct.	S Pct.	G Pct.	Non. Pct.	Misc. Pct.
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1960	18.5	.2	41.4	2.5	2.1	1/	20.2	--	.5	--	3.3	11.0	.3
1961	29.6	.3	40.5	2.6	2.5	1/	13.0	--	.4	--	2.9	7.7	.5
1962	29.1	--	36.3	1.7	1.0	1/	18.2	--	--	--	3.1	10.2	.4
1963	14.4	--	25.1	3.0	1.4	1/	35.4	--	--	1.7	4.2	13.7	1.1
1964	13.0	--	22.7	2.3	.9	1/	11.9	29.3	--	.6	3.2	14.4	1.7
1965	16.3	--	23.7	2.9	.6	1/	18.8	23.9	--	.9	2.7	8.5	1.7
1966	13.9	--	26.7	2.9	1.1	1/	26.1	15.2	--	.1	2.6	9.6	1.8
1967	16.6	--	23.2	2.1	.4	1/	27.4	17.8	--	.1	2.4	7.9	2.1
1968	18.9	--	27.2	1.2	.2	1/	26.6	11.5	--	1/	2.3	10.4	1.7
1969	22.0	--	34.7	2.5	.1	1/	21.6	6.9	--	1/	1.8	7.6	2.8
1970	12.9	--	32.6	1.7	.1	1/	26.2	14.4	--	.1	2.3	7.2	2.5
1971	11.7	--	36.1	3.0	.2	1/	24.4	14.6	--	.2	1.8	4.2	3.8

COLOR KEY

L - Lemon  
 LL - Light Lemon (discontinued after 1961)  
 F - Orange  
 FR - Orange Red  
 R - Red  
 D - Walnut  
 K - Variegated (Straight grades)  
 K(sf) - Variegated (KL,KF,KV and KM)  
 M - Mixed (discontinued after 1961)  
 S - Slick  
 G - Green  
 Nondescript  
 Misc. - No-G, W, U, & etc.

Note: Data in this table (prior to the 1968 crop) may not agree exactly with comparable percentages in table 27 on pages 52-54. Beginning with the 1968 crop percentages have been weighted by volume of sales in each Type and should agree with group totals in table 27. Where differences occur it will be due mainly to revisions in grade standards.

1/ Volume insufficient to quote percentage.

Table 26.-Dates of designation by the Secretary of Agriculture for official inspection and market news on flue-cured markets, and year service began 1/

Type, market, and State	Designated	Service began	Type, market, and State	Designated	Service began
		: Year			
<u>Type 11(a)</u>			<u>Type 13</u>		
Virginia:			South Carolina		
Brookneal	June 26, 1942	1946	Conway	June 26, 1942	1944
Chase City	"	"	Darlington	July 1, 1936	1939
Clarksville	"	"	Dillon	Aug. 16, 1941	1941
Danville	Aug. 16, 1941	1941	Hemingway	June 16, 1950	1950
Kenbridge	June 26, 1942	1942	Kingstree	June 26, 1942	1944
Lawrenceville	"	1946	Lake City	July 1, 1936	1939
Martinsville	"	1942	Lamar	May 28, 1951	1951
Petersburg	"	1946	Loris	Aug. 16, 1941	1941
Rocky Mount 2/	"	"	Mullins	June 26, 1942	1942
South Boston	"	1945	Pamplico	July 1, 1936	1939
South Hill	Aug. 23, 1938	1938	Timmonsville	Aug. 16, 1941	1941
North Carolina:			North Carolina:		
Burlington	June 26, 1942	1946	Chadbourn	June 26, 1942	1946
Greensboro	June 16, 1950	1950	Clarkton	"	"
Madison	June 26, 1942	1946	Fair Bluff	"	"
Mebane	"	1942	Fairmont	"	1945
Mt. Airy	"	1946	Fayetteville	June 17, 1947	1947
Reidsville	Aug. 26, 1941	1941	Lumberton	June 26, 1942	1946
Roxboro	June 26, 1942	1942	Tabor City	"	"
Stoneville	"	1946	Whiteville	"	"
Winston-Salem	"	1942			
Yadkinville	April 10, 1970	1970			
<u>Type 11(b)</u>			<u>Type 14</u>		
North Carolina:			Georgia:		
Aberdeen	June 26, 1942	1946	Adel	June 22, 1939	1939
Carthage	"	"	Alma	May 10, 1955	1955
Durham	"	1944	Baxley	June 26, 1942	1942
Ellerbe	Aug. 25, 1949	1949	Blackshear	"	1945
Fuquay-Varina	Aug. 16, 1941	1941	Claxton	July 30, 1948	1948
Henderson	June 26, 1942	1945	Douglas	June 22, 1939	1939
Louisburg	"	1946	Fitzgerald	July 22, 1946	1946
Oxford	Aug. 26, 1936	1936	Hahira	Aug. 16, 1941	1941
Sanford	June 26, 1942	1946	Hazlehurst	June 26, 1942	1942
Warrenton	"	"	Metter	Aug. 16, 1941	1941
			Moultrie	June 26, 1942	1944
<u>Type 12</u>			Nashville	June 22, 1939	1939
North Carolina:			Pearson	May 10, 1955	1955
Ahoskie	June 26, 1942	1942	Pelham	June 26, 1942	1942
Clinton	Aug. 9, 1946	1946	Quitman	Aug. 28, 1945	1945
Dunn	July 15, 1949	1949	Statesboro	Aug. 16, 1941	1941
Farmville	July 13, 1936	1936	Swainsboro	June 29, 1956	1956
Goldsboro	"	"	Sylvester	June 16, 1950	1950
Greenville	July 24, 1939	1939	Thomasville	June 29, 1956	1956
Kinston	June 26, 1942	1946	Tifton	June 26, 1942	1942
Robersonville	Aug. 16, 1941	1941	Valdosta	June 21, 1940	1940
Rocky Mount	June 26, 1942	1945	Vidalia	June 26, 1942	1942
Smithfield	"	1944	Waycross	"	"
Tarboro	Aug. 16, 1941	1941	Florida:		
Wallace	June 26, 1942	1946	High Springs	May 26, 1954	1954
Washington	"	1944	Jasper	May 27, 1948	1948
Wendell	Sept. 14, 1937	1937	Lake City	June 26, 1942	1945
Williamston	Aug. 16, 1941	1941	Live Oak	June 21, 1940	1940
Wilson	June 26, 1942	1942	Madison	June 29, 1956	1956
Windsor	June 16, 1950	1950			

1/ By authority of The Tobacco Inspection Act, approved August 23, 1935.

2/ Discontinued after the 1962 season.

Table 27.- Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1971 crop

Group and grade	1971 crop				1971 crop				Group and grade	1971 crop			
	11(a)	11(b)	12	13	14	11(a)	11(b)	12	13	11(a)	11(b)	12	
A1F	.003	---	---	---	---	---	---	---	---	.006	---	---	---
A2F	.001	---	---	---	---	---	---	---	---	.023	---	---	---
Total A	.004	---	---	---	---	---	---	---	---	.50	0.03	0.03	.001
B1L	---	---	---	---	.005	---	---	---	---	.001	---	---	---
B2L	.067	---	---	---	.032	.041	.006	---	---	.026	.005	.050	.003
B3L	.337	.134	.424	.846	.716	.130	.303	---	---	.379	.196	.466	.283
B4L	.867	.600	1.323	1.501	1.357	.387	.259	---	---	.301	.092	.373	.101
B5L	.293	.231	1.323	1.357	.009	.014	.021	---	---	1.327	1.478	2.130	.616
B6L	.012	.006	1.323	1.357	.012	---	.011	---	---	.029	.058	.141	.059
B1F	.019	---	1.323	1.357	.011	---	.063	---	---	.401	.332	.731	.279
B2F	.160	.011	1.323	1.357	.161	.031	1.445	3.873	---	.063	.188	.345	.084
B3F	1.080	.595	1.323	1.357	.892	6.282	6.363	9.031	1.445	.052	.037	.150	.028
B4F	4.908	4.792	5.712	5.581	5.854	3.841	3.841	3.841	3.841	.021	.011	.039	.042
B5F	4.930	4.792	5.712	5.581	5.854	3.841	3.841	3.841	3.841	.021	.011	.039	.042
B6F	.276	.393	.278	.573	.393	.393	.393	.393	.393	---	---	.002	.007
B3KR	.560	.219	.881	.302	.219	.881	.687	.687	.687	.085	.039	.054	.026
B4KR	1.633	1.387	2.913	1.425	1.387	2.329	2.329	2.329	2.329	.017	.007	.002	.006
B5KR	.608	.331	1.142	.512	1.142	.512	.807	.807	.807	C4RM	.224	.574	.581
B1FR	.008	---	---	---	---	---	---	---	---	XIL	.002	---	---
B2FR	.076	---	---	---	---	---	---	---	---	XIL	.091	.032	.023
B3FR	.591	.095	.130	.052	.130	.052	.043	.043	.043	XIL	.905	.446	.567
B4FR	2.530	1.745	1.441	.169	1.745	1.229	.172	.205	.205	XIL	1.313	1.347	1.648
B5FR	1.810	1.669	1.669	.111	1.669	1.669	.043	.032	.032	XIL	.120	.217	.296
B6FR	.072	.111	.043	---	.072	.111	---	---	---	XIL	---	.002	---
B3R	.003	---	---	---	.003	---	---	---	---	XIL	---	---	---
B4R	.057	.014	.003	---	.057	.014	.003	.003	.003	XIL	.037	.015	.007
B5R	.461	.207	.028	---	.461	.207	.028	.002	.002	XIL	.285	.826	.572
B6R	.289	.186	.052	---	.289	.186	.052	.002	.002	XIL	.250	.588	.413
B3K	.896	.547	.630	.412	.896	.547	.630	.412	.412	XIL	.645	4.015	2.484
B4K	8.197	8.634	7.164	5.246	8.197	8.634	7.164	5.246	5.246	XIL	.623	.590	.600
B5K	8.074	6.025	5.814	4.303	8.074	6.025	5.814	4.303	4.303	XIL	.121	.110	.127
B6K	1.780	1.205	1.366	1.097	1.780	1.205	1.366	1.097	1.097	XIL	.732	.104	.320
B3LV	.062	.079	.160	.408	.062	.079	.160	.408	.408	XIL	.326	.186	.231
B4LV	.173	.173	.512	.1061	.173	.173	.512	.1061	.1061	XIL	.563	.431	.761
B5LV	.072	.048	.164	.182	.072	.048	.164	.182	.182	XIL	.108	.014	.015
B3FV	.140	.157	.370	.517	.140	.157	.370	.517	.517	XIL	.545	.005	---
B4FV	.840	1.168	1.864	2.749	.840	1.168	1.864	2.749	2.749	XIL	.449	.004	---
B5FV	.612	.871	.787	1.217	.612	.871	.787	1.217	1.217	XIL	.623	---	---
B3LS	.020	.007	.017	.145	.020	.007	.017	.145	.145	XIL	.144	.232	.152
B4LS	.006	.014	.018	.086	.006	.014	.018	.086	.086	XIL	.123	.234	.140
B5LS	---	.009	.001	.022	---	.009	.001	.022	.022	XIL	.044	.047	.148
B6LS	---	---	---	---	---	---	---	---	---	XIL	.114	.385	.222
B3FS	.021	.010	.022	.035	.021	.010	.022	.035	.035	XIL	.033	.001	---
B4FS	.008	.049	.026	.061	.008	.049	.026	.061	.061	XIL	.024	.048	.086
B5FS	.001	.009	.010	.012	.001	.009	.010	.012	.012	XIL	.045	.039	.088
B6FS	---	---	---	---	---	---	---	---	---	XIL	.007	.040	.038
Total X	14.100	15.964	12.879	14.745	Total X	14.100	15.964	12.879	14.745	Total X	14.100	15.964	12.879

B3KL	.119	.057	.117	.489	.233	:	.076	.018	.027	.034	.048
B4KL	.455	.231	.524	.949	.577	:	.906	.368	.414	.501	.005
B5KL	.131	.071	.253	.274	.209	:	.24L	.121	.120	.111	1.005
B6KL	.015	.006	.010	.025	.019	:	.5L	.771	.392	.775	3.231
B3KF	.212	.189	.159	.519	.129	:	.22F	.018	.010	.007	1.945
B4KF	1.349	1.345	1.770	2.361	.988	:	.23F	.650	.341	.200	.013
B5KF	.942	.775	1.141	1.145	.880	:	.24F	.771	.2728	.2.059	.530
B6KF	.116	.115	.118	.201	.291	:	.25F	.335	.140	.666	3.302
B3RM	.475	.975	.287	.576	2.444	:	.P4G	.059	.059	.074	.425
B4RM	1.664	2.825	4.612	5.970	5.480	:	.P5G	.056	.034	.096	.425
B5RM	.569	.621	1.870	1.557	2.372	Total P	11.763	7.350	8.029	11.425	14.578
B6RM	.035	.022	.106	.126	.563						
B4KV	.143	.215	.395	.153	.346	NL	.997	.766	1.552	2.300	2.418
B5KV	.223	.251	.479	.225	.593	NXL	.379	.540	.521	.551	.516
B6KV	.070	.096	.072	.050	.295	NIK	.845	.690	.611	.345	.639
B5RR	.008	.001	.005	.002	--	NIF	.006	.002	.016	.060	.055
B4GL	.006	.004	.017	.111	.071	NIR	.226	.196	.041	.012	.084
B5GL	.004	.006	.022	.060	.050	NIGL	.029	.052	.117	.306	.357
B6GL	.003	--	.002	.005	.003	NGF	.026	.023	.064	.079	.132
B4GF	.027	.050	.129	.191	.098	NIGR	.035	.023	.020	.004	.042
B5GP	.056	.102	.103	.198	.246	NIGG	.003	.001	.008	.018	.023
B6GF	.009	.021	.021	.049	.048	N2	.652	.501	.005	.854	.898
B4GR	--	--	.006	.004	--	Total N	3.198	2.794	3.955	4.529	6.164
B5GR	.012	.010	.006	.002	.001	No-G	.891	1.048	1.105	2.737	2.400
B6GR	.003	.003	.003	.002	.001	W-Unsafe	.216	.254	.141	.522	.810
B4GK	.121	.159	.246	.514	.687	U-Unsound	2.222	2.424	1.533	1.079	1.913
B5GK	.148	.132	.258	.391	.665						
B6GK	.038	.031	.030	.071	.148	G. Total	100.000	100.000	100.000	100.000	100.000
B5RG	.003	.002	.003	--	--						
B4GG	--	--	.003	.002	.001						
B5GG	.008	.006	.023	.040	.009						
Total B	49.513	46.935	59.047	55.214	55.813						
H1L	--	--	--	--	--						
H2L	.005	--	--	--	--						
H3L	.005	.003	--	--	--						
H4L	.038	.087	.087	.064	.006						
H5L	.089	.154	.096	.045	.003						
H6L	.001	.004	--	.079	.003						
H1F	--	--	--	--	.005						
H2F	.008	--	.004	--	--						
H3F	.028	.016	.067	.007	.029						
H4F	.498	.492	.620	.047	.001						
H5F	2.093	2.706	1.185	.180	.073						
H6F	.282	.172	.014	.016	.027						
H4K	.188	.575	.031	.084	.005						
H5K	.892	3.368	1.234	.656	.069						
H6K	5.406	7.892	2.554	1.276	.532						
Total H	14.319	19.125	7.152	3.641	3.239						

Table 28.- Percentage distribution of grades for all flue-cured, annual, 1967-1971 crops, and average for period 1/

Group and grade	Crop of -			Group and grade			Crop of -			Group and grade			Crop of -			Group and grade			
	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Wrappers:																			
A1F	.001	.003	.007	.001	---	.002													
A2F	.001	.002	.003	.002	.001	.002													
Total AF	.002	.005	.010	.003	.001	.004													
Total A	.002	.005	.010	.003	.001	.004													
Leaf:																			
B1L	.012	.016	.012	.002	.001	.009													
B2L	.066	.107	.118	.040	.034	.073													
B3L	.581	.963	1.229	.650	.527	.790													
B4L	2.040	2.371	3.137	1.526	1.198	2.054													
B5L	.747	.941	1.334	.496	.323	.768													
B6L	.060	.074	.125	.024	.012	.059													
Total BL	3.506	4.412	5.955	2.738	2.095	3.753													
B1F	.007	.027	.033	.019	.011	.019													
B2F	.070	.124	.186	.093	.098	.114													
B3F	.764	1.374	1.912	1.358	1.813	1.444													
B4F	3.814	5.177	7.506	5.743	6.908	5.830													
B5F	3.230	4.450	6.551	5.113	5.341	4.937													
B6F	4.20	.568	.833	.556	.380	.551													
Total BF	8.305	11.720	17.021	12.882	14.551	12.895													
B3RR	.142	.192	.295	.549	.576	.351													
B4RR	.516	.603	.852	2.077	2.044	1.218													
B5RR	.346	.421	.481	.921	.744	.583													
Total BKR	1.004	1.216	1.628	3.547	3.364	2.152													
B1FR	.001	.004	.017	.004	.002	.006													
B2FR	.025	.017	.055	.022	.017	.027													
B3FR	.169	.100	.224	.117	.184	.159													
B4FR	.720	.367	.888	.711	1.199	.777													
B5FR	.714	.493	.844	.635	.966	.730													
B6FR	.115	.105	.106	.053	.046	.085													
Total BFR	1.744	1.086	2.134	1.542	2.414	1.784													
B3R	.003	.002	.001	---	---	.001													
B4R	.043	.026	.011	.004	.013	.019													
B5R	.166	.062	.047	.025	.121	.084													
B6R	.111*	.097	.038	.041	.093	.076													
Total BR	.323	.187	.097	.070	.227	.180													
B3K	.526	.252	.270	.493	.552	.419													
B4K	6.209	4.155	4.014	5.408	6.532	5.264													
B5K	9.629	7.971	6.501	7.011	5.694	7.361													
B6K	4.158	4.152	2.394	2.660	1.425	2.998													
Total BK	20.522	16.530	13.379	15.572	14.203	16.042													

B3LV		.126	.091	.130	.220	.219	.157	:: Cutters:	
B4LV	.764	.372	.590	.517	.550	.559	:: C1L	.006	.005
B5LV	.267	.214	.292	.158	.129	.212	:: C2L	.010	.001
Total BLV	1.157	.677	1.012	.895	.898	.928	:: C3L	.014	.004
B3FV	.082	.045	.098	.184	.367	.155	:: C4L	.159	.588
B4FV	.741	.615	.829	1.290	1.735	1.042	:: C5L	1.424	1.855
B5FV	.634	.846	.918	1.012	.838	.850	Total CL	1.599	2.529
Total BFV	1.457	1.506	1.845	2.486	2.940	2.047	:: C1F	1.220	1.481
B3LS	.010	.009	.007	.031	.069	.025	:: C2F	.002	.001
B4LS	.035	.007	.014	.036	.049	.028	:: C3F	.007	.028
B5LS	.009	.002	.011	.012	.007	.008	:: C4F	.072	.260
B6LS	---	---	---	.001	---	---	:: C5F	.852	1.104
Total BLS	.054	.018	.033	.079	.125	.061	Total GF	.931	1.327
B3FS	.003	.001	---	.009	.024	.007	:: C4K	.663*	.348
B4FS	.002	.002	.004	.019	.033	.012	:: C4KR	.236*	.310
B5FS	.003	---	.001	.007	.005	.003	:: C4LV	.123	.096
B6FS	---	---	---	---	---	---	:: C4FV	.031	.020
Total BFS	.008	.003	.005	.035	.062	.022	:: C4LS	.024	.012
B3KL	.155	.030	.037	.137	.219	.116	:: C5LS	.003	.002
B4KL	.841	.183	.219	.475	.591	.462	Total CLS	.027	.014
B5KL	.598	.284	.242	.256	.208	.318	:: C4KL	.283	.055
B6KL	.132	.081	.077	.035	.016	.068	:: C4KF	.146*	.034
Total BKL	1.726	.578	.575	.903	1.034	.964	:: C4KM	.355*	.114
B3KF	.194	.042	.076	.183	.255	.150	Total C	3.794	4.914
B4KF	1.467	.745	.660	1.630	1.657	1.232	Lugs:	4.680	3.609
B5KF	2.487	1.905	1.095	1.798	1.021	1.661	X1L	.001	.009
B6KF	1.139	1.382	1.443	.562	.166	.738	X2L	.012	.066
Tot BKF	5.287	4.074	2.274	4.173	3.099	3.781	X3L	.517	.908
B3RM	.568*	.201	.197	.826	1.596	.678	X4L	3.588	3.621
B4RM	2.063*	.911	.858	3.207	4.314	2.271	X5L	1.047*	1.171
B5RM	1.382*	.822	.596	1.586	1.489	1.175	Total XL	5.165	5.775
B6RM	.362*	.290	.098	.205	.163	.224	X1F	---	.001
Total BRM	4.375	2.224	1.749	5.824	7.562	4.348	X2F	.002	.024
B4FV	.264	.382	.211	.363	.260	.296	X3F	.235	.406
B5FV	.708	1.492	.661	.734	.363	.792	X4F	3.359	3.405
B6FV	.371	1.029	.372	.372	.105	.400	X5F	2.706*	2.993
Total BKV	1.343	2.903	1.244	1.469	.728	1.538	Total XF	6.302	6.829
B5RR	.065	.029	.014	.042	.003	.031	X4FR	.185	.205
B4GR	.075	.026	.060	.049	.045	.051	X3LV	.162	.077
B5GL	.088	.071	.094	.039	.030	.064	X4LV	.451	.321
B6GL	.028	.031	.029	.006	.002	.019	Total XLV	.613	.398
Total BGL	.191	.128	.183	.024	.077	.124	X3FV	.048	.035
Total Xfv	4.042	.020	.039	.031	.008	.008	X4FV	.407	.377
X3LS	---	---	---	---	---	---	Total Xfv	.455	.412
X4LS	---	---	---	---	---	---	X3LS	.034	.019
Total XLS	4.042	.020	.039	.031	.008	.008	X4LS	.048	.020



---

PUBLICATIONS OF THE TOBACCO DIVISION, CONSUMER AND MARKETING SERVICE

Tobacco Market News Reports

Issued daily, weekly, and seasonally, (during marketing seasons) in cooperation with the following State Departments of Agriculture in the applicable States.- Kentucky, Maryland, North Carolina, Tennessee, Virginia, West Virginia, Georgia, South Carolina and Florida.

Flue-cured, Types 11(a), 11(b), 12, 13, and 14. Fire-cured, Types 21, 22, and 23.  
Light air-cured, Types 31 and 32. Dark air-cured, Types 35, 36, and 37.

Tobacco Market Reviews

Issued seasonally. Class 1, Flue-cured in March. Class 2, Fire-cured in May.  
Class 3(b), Dark air-cured, in May. Class 3(a), Light air-cured, Part 1 (Burley)  
in June and Part 11 (Maryland) in August.

Tobacco Stocks Reports

Issued quarterly as of January 1, April 1, July 1, and October 1.

Annual Report on Tobacco Statistics

Issued annually in April

All publications are available upon request to the Consumer and Marketing Service,  
United States Department of Agriculture, Washington, D.C. 20250

U. S. DEPARTMENT OF AGRICULTURE  
Consumer and Marketing Service  
Washington, D. C. 20250

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE



---  
**Official Business**

**PENALTY FOR PRIVATE USE, \$300**