

Flue - Cured

**TOBACCO
MARKET
REVIEW**

1974 CROP

**UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION
WASHINGTON, D.C. 20250**



MARCH 1975

TOB-FL-18

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11. Old Belt and Middle Belt Flue-cured tobacco produced principally in the Piedmont sections of Virginia and North Carolina.

Type 12. Eastern North Carolina Flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13. South Carolina and Border North Carolina Flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14. Georgia and Florida Flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD GRADEMARKS

<u>Groups</u>	<u>Qualities</u>	<u>Color Symbols</u>		<u>Combination Symbols</u>
A - Wrappers	1 - Choice	L - Lemon	GL - Green lemon	LS - Lemon slick
B - Leaf	2 - Fine	F - Orange	GF - Green orange	FS - Orange slick
H - Smoking Leaf	3 - Good	FR - Orange red	GR - Green red	RR - Rank red
C - Cutters	4 - Fair	R - Red	GK - Green variegated	RG - Rank green
X - Lugs	5 - Low	K - Variegated	GG - Gray green	XL - Lug side
P - Primings	6 - Poor	KR - Variegated scorched	KL - Variegated lemon	
N - Nondescript		G - Green	KF - Variegated orange	
S - Scrap		LV - Lemon greenish	KV - Variegated greenish	
		FV - Orange greenish	KM - Variegated mixed	

SUMMARY OF STANDARD GRADES

<u>2 Grades of Wrappers</u>	<u>26 Grades of Leaf</u>					<u>19 Grades of Smoking Leaf</u>				<u>10 Grades of Cutters</u>		<u>10 Grades of Lugs</u>						
A1F	B1L	B1F	B1FR			H1L	H1F			C1L	C1F	X1L	X1F					
A2F	B2L	B2F	B2FR			H2L	H2F			C2L	C2F	X2L	X2F					
	B3L	B3F	B3FR	B3R	B3K	H3L	H3F	H3FR		C3L	C3F	X3L	X3F					
	B4L	B4F	B4FR	B4R	B4K	H4L	H4F	H4FR	H4K	C4L	C4F	X4L	X4F					
	B5L	B5F	B5FR	B5R	B5K	H5L	H5F	H5FR	H5K	C5L	C5F	X5L	X5F					
	B6L	B6F	B6FR	B6R	B6K	H6L	H6F	H6FR	H6K									
<u>8 Grades of Primings</u>	<u>12 Grades of Greenish</u>						<u>16 Grades of Variegated</u>											
P2L	P2F																	
P3L	P3F	B3LV	B3FV			X3LV	X3FV	B3KL	B3KF									
P4L	P4F	B4LV	B4FV	C4LV	C4FV	X4LV	X4FV	B4KL	B4KF	B4KV	C4KL	C4KF	X4KL	X4KF	X4KV			
P5L	P5F	B5LV	B5FV					B5KL	B5KF	B5KV								
								B6KL	B6KF	B6KV								
<u>14 Grades of Slick</u>				<u>19 Grades of Green</u>														
B3LS	B3FS		X3LS	X3FS														
B4LS	B4FS	C4LS	X4LS	X4FS		B4GL	B4GF	B4GR	B4GK	B4GG	X4G	X4GK	P4G					
B5LS	B5FS	C5LS				B5GL	B5GF	B5GR	B5GK	B5GG	X5G			P5G				
B6LS	B6FS					B6GL	B6GF	B6GR	B6GK									
<u>7 Grades of Variegated Mixed</u>	<u>5 Grades of Variegated Scorched</u>				<u>2 Grades of Rank</u>		<u>9 Grades of Nondescript</u>			<u>1 Grade of Scrap</u>								
B3KM	X3KM	B3KR								N1L	N1GL	S						
B4KM	C4KM	X4KM	B4KR	C4KR	X4KR					N1XL	N1GF							
B5KM		B5KR				B5RR	B5RG			N1K	N1GR							
B6KM										N1R	N1GG							
													N2					

Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G."


- 3 -
C O N T E N T S

	<u>PAGE</u>
Map of Auction Markets and Producing Areas	4
Discussion	5
Designations and Redesignations.	6-7
Allotted Sales Opportunities	8
Warehouse Charges.	9
Applicable Loan Levels	9
Average Basket Weight.	9
Opening and Closing Dates.	10-11
Number of Sales Floors	10-11
Producers' Sales by Types.	12-13
Rank of Auction Markets.	14
Gross Sales and Resales by Types	15-16-17
Producers' Sales by Markets.	18-19
Summary of Sales by Types.	20
Summary of Sales by States	20
Producers' Sales by Months and Types	21
Gross Sales by Markets	22-23
Resales by Markets	24-25
Across-State-Line Sales.	26
Receipts under Government Loan Program.	26
Season Prices and Schedule of Loan Rates by Grades	27-29
Weekly and Season Prices by grades, Type 11.	30-31
Weekly and Season Prices by Grades, Type 12.	32-33
Weekly and Season Prices by Grades, Type 13.	34-35
Weekly and Season Prices by Grades, Type 14.	36-37
Composition of Crop.	38-41
Percentage Distribution of Grades by Types	42-43
Percentage Distribution of Marketings by Maturity.	43
Percentage Distribution, All Flue-cured.	44-45
Dates of Designation of Markets.	46

The statistics on sales and markets in this Review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on compilation of data recorded from warehouse sales tickets from representative markets in the Flue-cured area.

FLUE-CURED TOBACCO AUCTION MARKETS AND MARKETING AREAS

1974 SEASON



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

REVIEW OF THE 1974 FLUE-CURED MARKETING SEASON

Average above \$1.00 per pound
\$1.3 billion value
Strong Demand
New Marketing Program

The 1974 crop of Flue-cured tobacco averaged above \$1.00 per pound for the first time in history delivering a record \$1.3 billion to growers. Except for some early season weakness on lugs and primings, prices were strong for the entire season. Demand was again strong as evidenced by the extremely small volume received by the Stabilization Corporation.

Sales and averages. USDA's Agricultural Marketing Service reported a net average price of \$105.06 per hundred pounds for the entire 1974 crop. This was a jump of \$16.85 above 1973. Producers' sales at auction this season totaled 1,240.1 million pounds and returned \$1,302.9 million to growers.

Grade averages. The spread between high and low continued to narrow with most grades averaging \$102 to \$108. Only 13 grades, mostly primings and nondescript, averaged under \$90 per hundred.

Composition of offerings. Another good quality crop was produced in 1974 as over 70 percent was graded in good and fair qualities. The percentage of smoking leaf increased as cutters and lugs declined. The three largest volume grades and their percentages were B4F (12.1), B3F (8.5), and B4K (4.6), a total of 25.2 percent. Rounding out the top ten were X4F, P5F, H4F, P4F, B5F, C4F, and P4L for a combined total of 44.1 percent of total volume.

Loan receipts. Only 23 million pounds or 1.9 percent of the 1974 crop were delivered to the Flue-cured Tobacco Cooperative Stabilization Corporation. This was the smallest amount ever received by the Corporation in a single season.

Government price support program. Loan rates by grades for the 1974 crop reflected an average support level of 83.3 cents per pound. Eligible growers were required to certify that they had not used DDT or TDE insecticides on their crops. Random samplings were conducted to check for compliance.

Marketing regulations. This was the first season under the Grower Designation Plan. The basic provisions of the plan were (1) growers could designate their quota to individual warehouses within a 100-mile radius of the county seat of the county in which the farm was located and receive price support. Sales outside a grower's radius were not eligible for price support; (2) designations could be changed during the season at specified intervals or at any time in certain cases; (3) a Flue-cured Tobacco Advisory Committee was established to advise the Secretary on marketing conditions and recommend adjustments during the season.

The plan was designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area. There were three significant results of the program during the 1974 season: (1) the number of inspection and buying teams was reduced; (2) the selling season in the southern areas was extended; and (3) there was a sharp reduction in the amount of tobacco transported for sale from the northern to southern areas.

A full discussion of the details of the plan is not practical here. Readers are referred to the official regulations published in the Federal Register as follows: 39 FR 17753, 39 FR 20066, 39 FR 30475, and 39 FR 32975.

Table 1.

DESIGNATIONS AND REDESIGNATIONS
FLUE-CURED AUCTION
1974 SEASON 1/

MARKET	MARKETING AREA "A"			MARKETING AREA "B"		
	INITIAL DESIGNATION PERIOD			FINAL REDESIGNATION		
	Designated	Undesignated	Total	Designated	Undesignated	Total
Georgia:						
Adel	7,983,952	86,717	8,070,669	7,852,843	21,033	7,873,876
Alma	7,703,608	419,450	8,123,058	7,747,931	396,282	8,144,213
Baxley	8,239,293	267,782	8,507,075	7,865,446	214,034	8,079,480
Blackshear	12,337,712	678,516	13,016,228	12,266,319	596,457	12,862,776
Claxton	5,892,741	269,352	6,162,093	6,005,295	222,170	6,227,465
Douglas	14,014,582	372,189	14,386,771	14,027,234	289,291	14,316,525
Fitzgerald	6,441,222	266,614	6,707,836	6,139,477	149,031	6,288,508
Hahira	5,743,309	199,226	5,942,535	5,738,098	163,234	5,901,332
Hazlehurst	6,184,045	310,452	6,494,497	6,309,860	204,616	6,514,476
Metter	6,601,330	356,024	6,957,354	6,890,937	289,307	7,180,244
Moultrie	13,549,080	508,457	14,057,537	13,372,101	414,616	13,786,717
Nashville	13,402,801	76,830	13,479,631	13,998,928	82,292	14,081,220
Pearson	3,637,634	96,574	3,734,208	3,734,531	82,878	3,817,409
Pelham	8,581,451	324,576	8,906,027	9,169,741	302,700	9,472,441
Quitman	3,474,829	202,113	3,676,942	3,379,647	165,110	3,544,757
Statesboro	8,680,796	1,086,674	9,767,470	9,281,449	862,220	10,143,669
Swainsboro	1,173,887	99,260	1,273,147	903,070	38,056	941,126
Sylvester	946,586	156,867	1,103,453	731,432	82,423	813,855
Thomasville	5,369,273	430,500	5,799,773	5,207,231	324,893	5,532,124
Tifton	10,923,649	272,641	11,196,290	10,651,105	185,049	10,836,154
Valdosta	9,966,245	353,068	10,319,313	9,983,442	304,555	10,287,997
Vidalia	8,834,765	548,923	9,383,688	9,409,986	377,056	9,787,042
Waycross	6,807,329	571,841	7,379,170	6,831,506	507,273	7,338,779
Total Georgia	176,490,119	7,954,646	184,444,765	177,497,609	6,274,576	183,772,185
Florida:						
High Springs	4,128,580	1,115,054	5,243,634	4,382,755	1,072,049	5,454,804
Jasper	4,559,768	372,967	4,932,735	4,688,844	382,887	5,071,731
Lake City	4,754,533	1,237,028	5,991,561	4,928,099	1,117,979	6,046,078
Live Oak	10,869,655	1,185,223	12,054,878	11,988,292	1,055,223	13,043,515
Madison	3,707,947	683,436	4,391,383	3,648,189	571,151	4,219,340
Total Florida	28,020,483	4,593,708	32,614,191	29,636,179	4,199,289	33,835,468
Total Area "A"	204,510,602	12,548,354	217,058,956	207,133,788	10,473,865	217,607,653
MARKETING AREA "B"						
South Carolina:						
Conway	10,405,938	123,774	10,529,712	10,051,248	18,062	10,069,310
Darlington	9,883,970	506,672	10,390,642	10,020,124	432,012	10,452,136
Dillon	8,563,704	116,347	8,680,051	7,837,596	69,720	7,907,316
Hemingway	9,600,150	298,308	9,898,458	9,826,040	96,325	9,922,365
Kingstree	11,332,181	697,106	12,029,287	11,657,253	258,310	11,915,563
Lake City	44,446,700	1,644,906	46,091,606	45,178,980	652,781	45,831,761
Lamar	3,144,243	231,924	3,376,167	3,005,688	121,234	3,126,922
Loris	10,714,037	144,184	10,858,221	10,665,548	39,568	10,705,116
Mullins	45,020,944	858,127	45,879,071	44,717,026	490,601	45,207,627
Pamplico	8,617,595	144,586	8,762,181	8,631,586	84,604	8,716,190
Timmonsville	21,567,391	1,274,378	22,841,769	21,125,945	643,421	21,769,366
Total S. C.	183,296,853	6,040,312	189,337,165	182,717,034	2,906,638	185,623,672
North Carolina:						
Chadbourn	7,587,089	260,170	7,847,259	7,338,174	194,505	7,532,679
Clarkton	6,790,889	258,371	7,049,260	7,403,060	197,680	7,600,740
Fair Bluff	8,437,960	142,974	8,580,934	7,717,074	37,470	7,754,544
Fairmont	31,438,517	703,954	32,142,471	30,195,138	355,490	30,550,628
Lumberton	29,189,094	761,004	29,950,098	28,678,952	421,777	29,100,729
Tabor City	12,897,892	305,459	13,203,351	13,553,989	212,974	13,766,963
Whiteville	30,426,210	1,036,433	31,462,643	29,731,826	753,771	30,485,597
Total N. C.	126,767,651	3,468,365	130,236,016	124,618,213	2,173,667	126,791,880
Total Area "B"	310,064,504	9,508,677	319,573,181	307,335,247	5,080,305	312,415,552

1/ Growers were allowed to designate 110 percent of their effective quota.

Table 1.

DESIGNATIONS AND REDESIGNATIONS
FLUE-CURED AUCTION
1974 SEASON 1/

MARKET	MARKETING AREA "C"					
	INITIAL DESIGNATION PERIOD			FINAL REDESIGNATION		
	Designated	Undesignated	Total	Designated	Undesignated	Total
North Carolina:						
Aberdeen	7,284,360	600,617	7,884,977	7,857,333	533,556	8,390,889
Ahoskie	11,179,512	335,416	11,514,928	11,079,299	241,739	11,321,038
Carthage	10,132,602	1,139,026	11,271,628	11,372,267	1,007,353	12,379,620
Clinton	13,422,447	193,203	13,615,650	13,403,383	112,184	13,515,567
Dunn	15,131,472	437,121	15,568,593	16,080,644	308,744	16,389,388
Ellerbe	4,140,988	407,757	4,548,745	4,804,098	405,795	5,209,893
Farmville	32,386,673	253,934	32,640,607	32,661,172	131,757	32,792,929
Fayetteville	8,117,365	768,480	8,885,845	7,363,071	646,622	8,009,693
Fuquay-Varina	25,358,435	1,103,400	26,461,835	27,178,105	769,048	27,947,153
Goldsboro	17,997,840	111,506	18,109,346	18,134,854	27,320	18,162,174
Greenville	57,869,273	791,407	58,660,680	57,396,357	499,648	57,896,005
Kinston	56,655,867	639,301	57,295,168	56,260,492	285,119	56,545,611
Robersonville	10,110,469	137,169	10,247,638	10,239,349	96,357	10,335,706
Rocky Mount	54,694,532	939,970	55,634,502	53,185,980	678,550	53,864,530
Sanford	14,335,537	847,232	15,182,769	14,672,838	611,631	15,284,469
Smithfield	28,099,529	436,938	28,536,467	27,172,185	225,943	27,398,128
Tarboro	10,806,606	90,725	10,897,331	11,106,934	66,707	11,173,641
Wallace	13,202,206	520,496	13,722,702	14,105,182	341,177	14,446,359
Washington	12,373,920	445,434	12,819,354	12,528,723	391,988	12,920,711
Wendell	14,150,991	684,972	14,835,963	13,971,033	435,577	14,406,610
Williamston	13,556,660	207,280	13,763,940	13,621,234	179,532	13,800,766
Wilson	81,025,585	961,996	81,987,581	83,982,416	696,831	84,679,247
Windsor	12,062,896	351,931	12,414,827	11,913,501	191,404	12,104,905
Total Area "C"	524,095,765	12,405,311	536,501,076	530,090,450	8,884,582	538,975,032

MARKET	MARKETING AREA "D"					
	INITIAL DESIGNATION PERIOD			FINAL REDESIGNATION		
	Designated	Undesignated	Total	Designated	Undesignated	Total
Virginia:						
Brookneal	11,213,253	473,438	11,686,691	12,066,258	336,990	12,403,248
Chase City	8,140,906	200,070	8,340,976	8,441,013	95,793	8,536,806
Clarksville	8,782,437	232,620	9,015,057	8,763,380	152,617	8,915,997
Danville	52,023,837	2,514,572	54,538,409	53,844,994	1,904,164	55,749,158
Kenbridge	8,896,701	432,563	9,329,264	8,929,670	309,438	9,239,108
Lawrenceville	9,005,721	292,022	9,297,743	9,609,660	130,032	9,739,692
Martinsville	9,554,026	748,400	10,302,426	9,898,694	605,659	10,504,353
Petersburg	7,806,377	329,751	8,136,128	7,823,020	213,836	8,036,856
South Boston	20,859,038	520,671	21,379,709	21,026,195	373,235	21,399,430
South Hill	10,097,848	274,005	10,371,853	10,178,124	138,148	10,316,272
Total Virginia	146,380,144	6,018,112	152,398,256	150,581,008	4,259,912	154,840,920
North Carolina						
Burlington	8,665,623	1,161,471	9,827,094	9,118,830	925,696	10,044,526
Durham	21,713,526	2,506,280	24,219,806	23,951,299	2,201,283	26,152,582
Greensboro	7,065,026	1,447,533	8,512,559	7,052,270	1,321,854	8,374,124
Henderson	18,335,944	632,995	18,968,939	19,074,364	337,784	19,412,148
Louisburg	10,991,694	219,760	11,211,454	11,304,963	149,563	11,454,526
Madison	9,352,747	954,380	10,307,127	9,299,820	724,612	10,024,432
Mebane	8,663,012	899,854	9,562,866	8,407,496	653,737	9,061,233
Mt. Airy	11,693,146	1,070,731	12,763,877	11,525,462	811,878	12,337,340
Oxford	21,854,743	699,805	22,554,548	22,602,313	482,425	23,084,738
Reidsville	13,624,991	1,256,892	14,881,883	14,026,186	935,330	14,961,516
Roxboro	14,151,060	477,975	14,629,035	14,446,848	224,876	14,671,724
Stoneville	12,827,743	1,365,838	14,193,581	13,390,381	1,107,052	14,497,433
Warrenton	7,898,327	513,089	8,411,416	8,155,428	199,000	8,354,428
Winston-Salem	48,786,516	8,079,699	56,866,215	50,023,708	7,235,410	57,259,118
Yadkinville	7,481,399	967,532	8,448,931	7,817,606	845,045	8,662,651
Total N. C.	223,105,497	22,253,834	245,359,331	230,196,974	18,155,545	248,352,519
Total Area "D"	369,485,641	28,271,946	397,757,587	380,777,982	22,415,457	403,193,439
Total Flue-cured	1,408,156,512	62,734,288	1,470,890,800	1,425,337,467	46,854,209	1,472,191,676

1/ Growers were allowed to designate 110 percent of their effective quota.

Table 2. Allotted Sales Opportunities compared to Producer Sales, 1974 crop. 1/

Week Ending:	MARKETING AREA A			MARKETING AREA B			MARKETING AREA C			MARKETING AREA D			TOTAL FLUE-CURED	
	Sets of Buyers	Sales Opport.	Prod. Sales	Sets of Buyers	Sales Opport.	Prod. Sales	Sets of Buyers	Sales Opport.	Prod. Sales	Sets of Buyers	Sales Opport.	Prod. Sales	Sets of Buyers	Sales Opport.
July 19	18	28,799	26,385	14	22,022	21,646	--	--	--	--	--	32	50,821	48,031
26	18	28,799	25,941	14	22,022	21,453	23	36,970	30,250	--	--	55	87,791	77,644
Aug. 2	18	28,799	28,144	14	22,022	22,205	23	36,970	33,225	--	--	55	87,791	83,574
9	18	16,325	16,280	14	20,884	20,971	23	35,037	33,244	17	19,032	72	91,278	85,428
16	18	16,325	16,454	14	20,884	20,705	23	35,037	33,550	17	16,093	72	88,338	84,010
23	18	13,925	13,869	14	20,114	20,121	23	31,252	31,164	17	23,017	72	88,308	82,440
30	18	12,779	12,804	14	18,419	18,390	23	31,271	31,288	17	22,974	72	85,443	84,739
Sep. 6	18	14,341	14,453	14	13,753	13,750	23	23,491	23,465	17	17,285	72	68,870	68,860
13	18	12,905	12,879	14	18,456	18,421	23	31,371	31,340	17	23,058	72	85,790	85,699
20	18	19,696 ^{2/}	19,696	14	18,377	18,300	23	31,161	31,189	17	22,912	72	92,146	92,060
27	5	1,794 ^{2/}	1,794	14	17,803	17,990	30	31,275	31,407	23	23,289	72	74,161	74,475
Oct. 4				14	20,561	20,305	30	37,043	37,080	23	27,527	67	85,131	85,158
11				14	20,617	19,691	30	36,802	36,692	23	27,656	67	85,075	83,384
18				14	15,538	12,360	30	27,534	27,216	23	20,621	67	63,693	59,851
25				10	5,404 ^{2/}	5,404	31	40,521	36,491	23	30,559	64	76,484	70,812
Nov. 1				32	17,793 ^{2/}	17,793	32	17,793 ^{2/}	17,793	25	27,879	57	45,672	39,464
8				4	2,375 ^{2/}	2,375	4	2,375 ^{2/}	2,375	25	21,287	29	23,662 ^{2/}	23,662
15							17	8,179 ^{2/}	8,179	17	8,179 ^{2/}	17	8,179 ^{2/}	8,179
22							8	1,751 ^{2/}	1,751	8	1,751 ^{2/}	8	1,751 ^{2/}	1,751

1/ Based on grower designations. Sales schedules issued by Tobacco Division, AMS, USDA, as recommended by the Flue-Cured Tobacco Advisory Committee.

2/ Closeout sales opportunity was not predetermined, but limited to 420,000 pounds per day per set of buyers.

3/ Derived from Weekly Market News Reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds.

Table 3. Auction sales warehouse charges on Flue-cured markets, 1974 crop.

State	Type	Auction Fee <u>1/</u>	Commission on Gross Sales <u>1/</u> Percent	Additional Charges <u>1/</u>
Florida	14	15 cents on all piles of 100 pounds or less and 25 cents on all piles over 100 pounds.	2½	Weighing and handling, 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds. Weighing, 10 cents per 100 pounds.
Georgia	14		2½	
North Carolina	11-13		2½	
South Carolina	13		2½	
Virginia	11	25 cents per pile.	2½	

1/ Maximum permitted under State laws.

Table 4. Applicable loan level per pound, for Flue-cured tobacco, 1954 to 1974 crops.

Crop	Loan Level						
	(Cents)		(Cents)		(Cents)		(Cents)
1954	47.9	1960	55.5	1966	58.8	1972	72.7
1955	48.3	1961	55.5	1967	59.9	1973	76.6
1956	48.9	1962	56.1	1968	61.6	1974	83.3
1957	50.8	1963	56.6	1969	63.8	1975	
1958	54.6	1964	57.2	1970	66.6	1976	
1959	55.5	1965	57.7	1971	69.4	1977	

Table 5. Average weight per lot of Flue-cured tobacco, 1965 to 1974.

CROP	Type 11(a)	Type 11(b)	Type 12	Type 13	Type 14	Types 11 - 14
	Old Belt Pounds	Middle Belt Pounds	Eastern N.C. Pounds	S. C. and Border N. C. Pounds	Georgia & Florida Pounds	All Flue-cured Pounds
Annual:						
1965	199	200	199	189	176	193
1966 <u>1/</u>	156	163	171	154	157	161
1967	173	177	176	179	162	173
1968	158	153	155	168	160	159
1969	156	155	153	162	162	157
1970	156	157	161	166	168	162
1971	167	167	167	171	169	168
1972	164	171	170	172	167	169
1973	165	170	169	172	165	168
CROP	T Y P E 11		Type 12	Type 13	Type 14	Types 11 - 14
1974 <u>2/</u>	183		184	186	192	186
1975						
1976						
1977						

1/ Beginning in 1966 the maximum allowable pounds were reduced from 300 pounds to 200 pounds per pile.

2/ Beginning in 1974 the maximum allowable pounds were increased from 200 pounds to 250 pounds per pile.

Table 6. Opening and closing dates of marketing season, sales floors of tobacco sold at auction in the United States, by types, states, and markets, 1974 and 1973 crops.

TYPE 13 -- SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED									
States and Markets	1974					1973			
	Markets	Opening : : Dates	Closing : : Dates	Sales : : Days	Sales : : Floors	Opening : : Dates	Closing : : Dates	Sales : : Days	Sales : : Floors
	Number			Number	Number			Number	Number
South Carolina:									
Conway		July 16	Oct. 21	27	2	July 24	Aug. 30	23	2
Darlington		July 15	Oct. 22	26	4	July 24	Aug. 30	23	4
Dillon		July 15	Oct. 21	20	4	July 24	Aug. 30	23	4
Hemingway		July 16	Oct. 21	26	2	July 24	Aug. 30	23	2
Kingstree		July 15	Oct. 22	30	5	July 24	Aug. 30	23	4
Lake City		July 15	Oct. 24	58	7	July 24	Oct. 17	41 1/2	7
Lamar		July 17	Oct. 22	9	2	July 24	Aug. 30	23	4
Loris		July 15	Oct. 22	29	2	July 24	Aug. 30	23	2
Mullins		July 15	Oct. 22	56	11	July 24	Nov. 1	53 1/2	11
Pamlico		July 16	Oct. 22	23	4	July 24	Aug. 30	23	4
Timmons ville		July 15	Oct. 22	56	3	July 24	Oct. 4	37 1/2	3
Total	11				46				47
North Carolina:									
Chadbourn		July 15	Oct. 23	20	2	July 24	Sep. 20	31	2
Clarkton		July 17	Oct. 22	19	2	July 24	Sep. 20	31	5
Fair Bluff		July 16	Oct. 16	19	5	July 24	Sep. 20	31	5
Fairmont		July 15	Oct. 22	56	12	July 24	Oct. 11	42	12
Fayetteville		July 23	Oct. 21	20	2	July 24	Aug. 30	23	2
Lumberton		July 15	Oct. 21	54	7	July 24	Nov. 1	53 1/2	8
Tabor City		July 15	Oct. 17	31	3	July 24	Sep. 20	31	2
Whiteville		July 15	Oct. 17	53	8	July 24	Oct. 16	41 1/2	8
Total	8				41				44
Total Type 13	19				87				91

TYPE 14 -- GEORGIA AND FLORIDA FLUE-CURED									
Georgia:									
Adel		July 15	Sep. 19	24	4	July 24	Aug. 23	19	4
Alma		July 15	Sep. 19	27	6	July 24	Aug. 23	19	6
Baxley		July 15	Sep. 24	29	5	July 24	Aug. 23	19	5
Blackshear		July 15	Sep. 18	38	6	July 24	Sep. 6	26	6
Claxton		July 16	Sep. 19	19	3	July 24	Aug. 23	19	3
Douglas		July 15	Sep. 24	41	4	July 24	Sep. 6	26	4
Fitzgerald		July 16	Sep. 19	23	3	July 24	Aug. 23	19	4
Hahira		July 15	Sep. 23	23	4	July 24	Aug. 23	19	4
Hazlehurst		July 16	Sep. 24	21	3	July 24	Aug. 23	19	3
Metter		July 15	Sep. 23	22	2	July 24	Aug. 23	19	2
Moultrie		July 15	Sep. 23	40	7	July 24	Sep. 6	26	6
Nashville		July 15	Sep. 24	41	4	July 24	Aug. 30	23	4
Pearson		July 16	Sep. 18	14	2	July 24	Aug. 23	19	2
Pelham		July 15	Sep. 17	34	1	July 24	Aug. 23	19	1
Quitman		July 17	Sep. 17	11	3	July 24	Aug. 23	19	3
Statesboro		July 15	Sep. 18	33	8	July 24	Aug. 30	23	13
Swainsboro		July 18	Sep. 3	4	2	July 24	Aug. 23	19	2
Sylvester		July 23	Sep. 11	4	1	July 24	Aug. 23	19	3
Thomasville		July 16	Sep. 17	17	3	July 24	Aug. 23	19	3
Tifton		July 15	Sep. 18	35	5	July 24	Aug. 30	23	5
Valdosta		July 15	Sep. 24	38	3	July 24	Aug. 30	23	3
Vidalia		July 15	Sep. 23	31	6	July 24	Aug. 30	23	6
Waycross		July 15	Sep. 16	23	4	July 24	Aug. 23	19	4
Total	23				89				96
Florida:									
High Springs		July 16	Sep. 9	15	3	July 24	Aug. 23	19	3
Jasper		July 15	Sep. 16	14	4	July 24	Aug. 23	19	4
Lake City		July 15	Sep. 12	18	3	July 24	Aug. 23	19	3
Live Oak		July 15	Sep. 16	36	6	July 24	Aug. 30	23	6
Madison		July 16	Sep. 18	14	2	July 24	Aug. 23	19	2
Total	5				18				18
Total Type 14	28				107				114
Total 11-14	94				421				438

Table 6. Opening and closing dates of marketing season, and sales floors of tobacco sold at auction in the United States, by types, states, and markets, 1974 and 1973 crops.

TYPE 11 -- OLD AND MIDDLE BELT FLUE-CURED									
	Markets	Opening Dates	Closing Dates	Sales Days	Sales Floors	Opening : Closing		Sales Days	Sales Floors
						Dates	Dates		
	Number			Number	Number			Number	Number
Virginia:									
Brookneal		Aug. 6	Nov. 18	39	4	Sep. 4	Nov. 20	43	3
Chase City		Aug. 6	Nov. 18	26	4	Sep. 17	Nov. 15	34	4
Clarksville		Aug. 6	Nov. 14	26	3	Sep. 4	Nov. 13	39	3
Danville		Aug. 5	Nov. 21	59	8	Sep. 4	Dec. 5	51	8
Kenbridge		Aug. 6	Nov. 14	26	4	Sep. 17	Nov. 19	35	4
Lawrenceville		Aug. 5	Nov. 18	28	3	Sep. 17	Nov. 15	34	3
Martinsville		Aug. 6	Nov. 13	28	2	Sep. 17	Nov. 20	36	2
Petersburg		Aug. 7	Nov. 14	24	4	Sep. 4	Nov. 13	39	4
South Boston		Aug. 5	Nov. 20	56	10	Sep. 4	Nov. 27	45	9
South Hill		Aug. 5	Nov. 18	36	4	Sep. 4	Nov. 14	40	4
Total	10				46				44
North Carolina:									
Aberdeen		July 23	Oct. 29	22	2	Sep. 4	Nov. 13	39	3
Burlington		Aug. 5	Nov. 7	24	3	Sep. 17	Nov. 15	34	3
Carthage		July 22	Oct. 30	31	3	Sep. 4	Nov. 7	36	3
Durham		Aug. 5	Nov. 11	54	4	Sep. 4	Nov. 15	41	6
Ellerbe		July 24	Oct. 30	14	3	Sep. 4	Nov. 8	37	4
Fuquay-Varina		July 22	Nov. 4	58	6	Sep. 4	Nov. 14	40	6
Greensboro		Aug. 6	Nov. 4	20	2	Sep. 17	Nov. 15	34	2
Henderson		Aug. 5	Nov. 13	49	7	Sep. 4	Nov. 15	41	10
Louisburg		Aug. 5	Nov. 11	35	3	Sep. 4	Nov. 14	40	4
Madison		Aug. 6	Nov. 6	26	4	Sep. 17	Nov. 20	36	4
Mebane		Aug. 6	Nov. 7	23	2	Sep. 4	Nov. 13	39	2
Mt. Airy		Aug. 5	Nov. 7	36	3	Sep. 4	Nov. 20	43	3
Oxford		Aug. 5	Nov. 19	57	6	Sep. 4	Nov. 20	43	7
Reidsville		Aug. 5	Nov. 11	38	3	Sep. 4	Nov. 20	43	3
Roxboro		Aug. 5	Nov. 12	41	5	Sep. 17	Nov. 20	36	5
Sanford		July 22	Nov. 5	43	3	Sep. 5	Nov. 8	37	4
Stoneville		Aug. 5	Nov. 12	34	4	Sep. 4	Nov. 20	43	4
Warrenton		Aug. 6	Nov. 11	22	5	Sep. 4	Nov. 12	38	8
Winston-Salem		Aug. 5	Nov. 13	53	7	Sep. 4	Nov. 29	48	8
Yadkinville		Aug. 7	Nov. 7	23	5	Sep. 17	Nov. 15	34	5
Total	20				80				94
Total Type 11	30				126				138
TYPE 12 -- EASTERN NORTH CAROLINA FLUE-CURED									
North Carolina:									
Ahoskie		July 23	Nov. 5	35	3	Aug. 28	Nov. 8	37	3
Clinton		July 23	Oct. 31	41	3	Aug. 28	Nov. 15	41	3
Dunn		July 22	Nov. 5	46	2	Aug. 28	Nov. 13	39	2
Farmville		July 22	Nov. 4	58	10	Aug. 7	Nov. 15	53	7
Goldsboro		July 22	Oct. 31	49	6	Aug. 7	Nov. 20	55	4
Greenville		July 22	Nov. 4	58	7	July 31	Nov. 15	57	7
Kinston		July 22	Oct. 31	57	8	Aug. 7	Nov. 15	53	8
Robersonville		July 23	Oct. 30	30	4	Aug. 28	Nov. 15	41	5
Rocky Mount		July 22	Nov. 7	61	8	Aug. 31	Nov. 20	59	8
Smithfield		July 22	Oct. 31	57	6	Aug. 7	Nov. 13	51	6
Tarboro		July 23	Nov. 4	36	6	Aug. 7	Nov. 14	52	5
Wallace		July 22	Oct. 29	40	4	Aug. 28	Nov. 15	41	4
Washington		July 22	Oct. 29	35	3	Aug. 28	Nov. 13	39	3
Wendell		July 22	Oct. 31	38	8	Aug. 28	Nov. 12	38	8
Williamston		July 22	Oct. 31	36	3	Aug. 7	Nov. 15	53	3
Wilson		July 22	Nov. 7	61	14	Aug. 7	Dec. 3	60	14
Windsor		July 22	Oct. 30	32	6	Aug. 28	Nov. 8	37	5
Total Type 12	17				101				95

Table 7. PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1947 to 1974. 1/

TYPE 11(a) - OLD BELT

Crop	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	262,114,215	100,297,428	38.26	1962	291,218,759	176,388,472	60.57
1948	235,560,964	116,918,671	49.63	1963	281,214,430	155,481,609	55.29
1949	219,836,387	101,208,424	46.04	1964	314,277,419	186,265,833	59.27
1950	289,601,482	155,704,742	53.77	1965	222,204,621	144,051,283	64.83
1951	286,384,042	145,637,252	50.85	1966	255,509,883	159,535,827	62.44
1952	300,358,464	146,336,769	48.72	1967	248,087,248	153,395,757	61.83
1953	235,979,951	98,490,104	41.74	1968	192,062,383	124,451,913	64.80
1954	262,803,348	137,476,301	52.31	1969	224,369,620	160,301,798	71.45
1955	285,984,253	155,255,759	54.29	1970	221,288,859	155,425,876	70.24
1956	307,048,136	154,202,438	50.22	1971	211,006,251	163,376,182	77.43
1957	214,624,403	112,757,295	52.54	1972	191,643,264	157,625,645	82.29
1958	227,835,016	131,401,573	57.67	1973	243,977,246	215,625,645	88.38
1959	226,919,679	121,814,341	53.68	1974 2/	243,268,178	258,836,960	106.40
1960	236,975,724	139,856,836	59.02	1975			
1961	246,655,509	156,205,999	63.33	1976			

TYPE 11(b) - MIDDLE BELT

1947	162,002,983	69,099,993	42.65	1962	171,898,450	104,581,808	60.84
1948	140,629,137	71,708,423	50.99	1963	165,337,354	95,051,596	57.49
1949	122,517,721	59,369,015	48.46	1964	177,578,510	104,985,097	59.12
1950	157,641,536	89,114,599	56.53	1965	108,026,541	68,444,459	63.36
1951	170,781,145	92,680,680	54.27	1966	143,394,974	92,214,964	64.31
1952	158,669,839	79,147,911	49.88	1967	145,328,001	91,276,366	62.81
1953	122,732,884	57,906,330	47.18	1968	106,603,657	68,416,363	64.18
1954	142,537,604	75,351,240	52.86	1969	111,647,113	79,847,256	71.52
1955	157,913,754	83,628,538	52.96	1970	125,465,425	87,914,387	70.07
1956	166,773,328	87,289,095	52.34	1971	113,235,768	87,505,872	77.28
1957	111,212,560	59,552,006	53.55	1972	104,963,197	89,176,792	84.96
1958	124,296,176	71,921,534	57.86	1973	120,816,592	106,528,148	88.17
1959	122,899,800	70,265,616	57.17	1974 2/	123,064,454	129,713,029	105.40
1960	154,414,952	95,128,922	61.61	1975			
1961	146,297,458	95,283,770	65.13	1976			

TYPE 12 - EASTERN NORTH CAROLINA

1947	449,762,491	195,561,239	43.48	1962	400,129,062	239,716,394	59.91
1948	354,486,865	177,339,407	50.03	1963	421,882,034	247,680,810	58.71
1949	363,414,192	179,071,906	49.27	1964	420,093,250	238,216,548	56.71
1950	405,056,236	230,456,176	56.89	1965	296,024,450	187,386,497	63.30
1951	486,806,521	270,653,037	55.60	1966	328,736,141	225,475,919	68.59
1952	442,271,010	225,464,389	50.98	1967	346,319,605	224,636,700	64.86
1953	432,383,188	249,649,514	57.74	1968	287,009,702	194,193,390	67.66
1954	471,361,756	260,571,851	55.28	1969	313,143,261	226,984,176	72.49
1955	497,662,500	263,420,886	52.93	1970	358,241,279	260,897,452	72.83
1956	477,816,430	247,654,045	51.83	1971	316,362,168	248,454,294	78.53
1957	317,359,121	173,876,613	54.79	1972	316,441,050	276,394,101	87.34
1958	370,772,702	213,974,401	57.71	1973	379,505,519	337,751,016	89.00
1959	328,378,308	192,736,686	58.69	1974	407,007,009	431,331,721	105.98
1960	409,980,457	251,077,871	61.24	1975			
1961	386,055,705	252,729,976	65.46	1976			

See footnotes at end of table.

Continued -

Table 7. PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1947 to 1973. 1/

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

Crop	Sales	Value	Average Price	Crop	Sales	Value	Average Price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1947	274,534,800	116,521,051	42.44	1962	346,750,719	212,610,306	61.32
1948	230,831,008	117,969,574	51.11	1963	313,733,079	189,298,356	60.34
1949	255,965,670	126,579,824	49.45	1964	309,172,100	184,425,734	59.65
1950	270,552,334	151,456,903	55.98	1965	277,010,241	181,633,946	65.57
1951	321,780,728	168,580,047	52.39	1966	223,674,943	154,388,218	69.02
1952	292,942,824	153,555,782	52.42	1967	300,851,081	195,583,110	65.01
1953	304,068,064	174,556,446	57.41	1968	255,973,622	171,150,530	66.86
1954	270,015,885	139,813,783	51.78	1969	254,827,602	185,412,983	72.76
1955	343,169,268	186,473,557	54.34	1970	282,105,816	202,496,606	71.78
1956	302,568,285	162,480,165	53.70	1971	259,089,401	196,309,798	75.77
1957	222,405,664	132,792,659	59.71	1972	242,317,459	206,781,771	85.34
1958	235,835,421	141,908,291	60.17	1973	263,221,379	228,552,101	86.83
1959	250,599,270	157,220,900	62.74	1974	277,759,577	288,606,699	103.91
1960	279,815,114	173,750,806	62.09	1975			
1961	293,312,117	193,527,949	65.98	1976			

TYPE 14 - GEORGIA AND FLORIDA

1947	156,190,825	59,451,602	38.06	1962	190,308,873	107,869,014	56.68
1948	120,690,013	57,304,584	47.48	1963	182,008,168	104,320,747	57.32
1949	143,370,402	58,041,791	40.48	1964	157,770,918	93,055,511	58.98
1950	127,849,980	61,764,353	48.31	1965	155,051,918	102,638,782	66.20
1951	175,860,580	81,697,333	46.46	1966	155,004,127	108,526,147	70.01
1952	163,393,546	80,716,055	49.40	1967	206,896,521	135,655,587	65.57
1953	173,450,375	89,375,710	51.53	1968	153,995,962	105,286,821	68.37
1954	164,692,671	77,055,636	46.79	1969	146,715,739	107,683,665	73.40
1955	193,792,045	91,001,278	46.96	1970	190,998,985	141,975,628	74.33
1956	167,408,587	81,174,726	48.49	1971	174,622,082	134,200,109	76.85
1957	107,099,563	60,292,402	56.30	1972	160,209,770	136,904,729	85.45
1958	121,163,993	69,694,102	57.44	1973	147,380,111	129,325,426	87.75
1959	148,056,375	86,378,417	58.34	1974	188,993,215	194,378,265	102.85
1960	166,037,115	94,438,724	56.88	1975			
1961	176,610,768	104,595,980	59.22	1976			

TYPES 11-14 - TOTAL FLUE-CURED

1947	1,304,605,314	540,931,313	41.46	1962	1,400,305,863	841,165,994	60.07
1948	1,082,197,987	541,240,659	50.01	1963	1,364,175,065	791,833,118	58.04
1949	1,105,104,372	524,270,960	47.44	1964	1,378,892,197	806,948,723	58.52
1950	1,250,701,568	688,496,773	55.05	1965	1,058,317,771	684,154,967	64.65
1951	1,441,613,016	759,248,349	52.67	1966	1,106,320,068	740,141,075	66.90
1952	1,357,635,683	685,220,906	50.47	1967	1,247,482,456	800,547,520	64.17
1953	1,268,614,462	669,978,104	52.81	1968	995,645,366	663,499,017	66.64
1954	1,311,411,264	690,268,811	52.64	1969	1,050,703,335	760,229,878	72.35
1955	1,478,521,820	779,780,018	52.74	1970	1,178,100,364	848,709,949	72.04
1956	1,421,614,766	732,800,469	51.55	1971	1,074,315,670	829,846,255	77.24
1957	972,701,311	539,270,975	55.44	1972	1,015,574,740	866,967,750	85.37
1958	1,079,903,308	628,899,901	58.24	1973	1,154,900,847	1,017,731,649	88.13
1959	1,076,853,432	628,415,960	58.36	1974	1,240,092,433	1,302,866,674	105.06
1960	1,247,223,362	754,253,159	60.47	1975			
1961	1,248,931,557	802,343,674	64.24	1976			

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.
 2/ Types 11a and 11b were combined for reporting purposes in 1974 but are kept separate in this table for comparison.

Table 8. Rank of Flue-cured markets, according to volume of producers' sales, by separate types, and by all types, 1974 marketing season. 1/

TYPE, MARKET, AND STATE	Sales Mil. Lbs.	Rank By:		TYPE, MARKET, AND STATE	Sales Mil. Lbs.	Rank By:	
		Separate Types	All Types			Separate Types	All Types
<u>TYPE 11</u>				<u>TYPE 13</u>			
Danville, Va.	44.9	1	5	Lake City, S.C.	41.2	1	6
Winston-Salem, N.C.	38.8	2	8	Mullins, S.C.	40.1	2	7
Fuquay-Varina, N.C.	23.5	3	14	Fairmont, N.C.	27.0	3	10
South Boston, Va.	19.3	4	15	Whiteville, N.C.	25.7	4	11
Durham, N.C.	18.2	5	17	Lumberton, N.C.	24.1	5	13
Oxford, N.C.	17.9	6	18	Timmonsville, S.C.	19.0	6	16
Henderson, N.C.	16.1	7	20	Tabor City, N.C.	11.7	7	30
Sanford, N.C.	12.0	8	28	Kingstree, S.C.	10.4	8	36
Roxboro, N.C.	11.8	9	29	Loris, S.C.	9.4	9	43
Reidsville, N.C.	11.1	10	32	Darlington, S.C.	9.0	10	49
Brookneal, Va.	10.7	11	34	Conway, S.C.	9.0	11	50
Stoneville, N.C.	10.6	12	35	Hemingway, S.C.	8.7	12	52
Louisburg, N.C.	9.6	13	42	Pamplico, S.C.	8.0	13	57
Mt. Airy, N.C.	9.3	14	46	Dillon, S.C.	7.0	14	66
Carthage, N.C.	9.3	15	47	Fair Bluff, N.C.	6.6	15	70
South Hill, Va.	8.7	16	53	Clarkton, N.C.	6.2	16	73
Lawrenceville, Va.	8.5	17	54	Chadbourn, N.C.	6.1	17	76
Martinsville, Va.	8.2	18	56	Fayetteville, N.C.	6.0	18	77
Clarksville, Va.	7.9	19	59	Lamar, S.C.	2.5	19	92
Kenbridge, Va.	7.6	20	60				
Chase City, Va.	7.5	21	61	<u>TYPE 14</u>			
Madison, N.C.	7.4	22	63	Nashville, Ga.	13.5	1	22
Burlington, N.C.	6.9	23	67	Douglas, Ga.	13.5	2	23
Warrenton, N.C.	6.8	24	68	Moultrie, Ga.	12.4	3	25
Petersburg, Va.	6.8	25	69	Blackshear, Ga.	10.9	4	33
Mebane, N.C.	6.5	26	71	Tifton, Ga.	9.8	5	40
Aberdeen, N.C.	6.1	27	75	Live Oak, Fla.	9.4	6	44
Yadkinville, N.C.	5.9	28	79	Valdosta, Ga.	9.3	7	45
Greensboro, Va.	5.0	29	83	Vidalia, Ga.	8.8	8	51
Ellerbe, N.C.	3.6	30	88	Statesboro, Ga.	8.5	9	55
				Pelham, Ga.	8.0	10	58
<u>TYPE 12</u>				Adel, Ga.	7.4	11	62
Wilson, N.C.	75.3	1	1	Alma, Ga.	7.3	12	64
Greenville, N.C.	50.8	2	2	Baxley, Ga.	7.1	13	65
Kinston, N.C.	50.5	3	3	Metter, Ga.	6.5	14	72
Rocky Mount, N.C.	48.2	4	4	Waycross, Ga.	6.1	15	74
Farmville, N.C.	29.5	5	9	Hazlehurst, Ga.	6.0	16	78
Smithfield, N.C.	24.5	6	12	Fitzgerald, Ga.	5.6	17	80
Goldsboro, N.C.	16.5	7	19	Hahira, Ga.	5.5	18	81
Dunn, N.C.	14.2	8	21	Claxton, Ga.	5.5	19	82
Wendell, N.C.	12.5	9	24	Thomasville, Ga.	4.5	20	84
Clinton, N.C.	12.1	10	26	Lake City, Fla.	4.1	21	85
Wallace, N.C.	12.0	11	27	Jasper, Fla.	4.1	22	86
Williamston, N.C.	11.7	12	31	High Springs, Fla.	3.7	23	87
Washington, N.C.	10.3	13	37	Pearson, Ga.	3.6	24	89
Tarboro, N.C.	10.1	14	38	Madison, Fla.	3.3	25	90
Windsor, N.C.	9.9	15	39	Quitman, Ga.	3.1	26	91
Ahoskie, N.C.	9.7	16	41	Swainsboro, Ga.	0.8	27	93
Robersonville, N.C.	9.2	17	48	Sylvester, Ga.	0.7	28	94

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 9. GROSS sales, value, and average price; and resales, average price, and percentage of gross sales by types, for flue-cured tobacco, crops of 1947 to 1974.

TYPE 11(a) - OLD BELT						
Crop 1/2:	Gross			Resales		
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1947 :	277,981,556	105,939,037	38.11	15,867,341	35.55	5.7
1948 :	256,234,035	125,998,380	49.17	20,673,071	43.92	8.1
1949 :	243,387,418	110,751,814	45.50	23,551,031	40.52	9.7
1950 :	314,642,528	168,179,662	53.45	25,041,046	49.82	8.0
1951 :	312,174,466	157,505,045	50.45	25,790,424	46.02	8.3
1952 :	327,750,090	158,677,608	48.41	27,391,626	45.05	8.4
1953 :	253,816,075	106,569,259	41.99	17,836,124	45.30	7.0
1954 :	288,203,570	149,767,267	51.97	25,400,222	48.39	8.8
1955 :	310,720,407	167,147,505	53.79	24,736,154	48.07	8.0
1956 :	332,775,184	166,136,335	49.92	25,727,048	46.39	7.7
1957 :	235,097,153	122,932,284	52.29	20,472,750	49.70	8.7
1958 :	250,204,145	143,212,133	57.24	22,369,129	52.80	8.9
1959 :	250,431,554	133,250,571	53.21	23,511,875	48.64	9.4
1960 :	262,199,841	153,437,772	58.52	25,224,117	53.84	9.6
1961 :	271,589,328	170,793,663	62.89	24,933,819	58.51	9.2
1962 :	310,968,875	187,634,046	60.34	19,750,116	56.94	6.4
1963 :	296,123,684	163,470,934	55.20	14,909,254	53.59	5.0
1964 :	333,922,607	196,879,703	58.96	19,645,188	54.03	5.9
1965 :	241,835,932	156,458,357	64.70	19,631,311	63.20	8.1
1966 :	273,627,258	170,523,411	62.32	18,117,375	60.65	6.6
1967 :	259,754,261	160,671,132	61.86	11,667,013	62.36	4.5
1968 :	201,882,013	130,768,131	64.77	9,819,630	64.32	4.9
1969 :	234,872,110	167,517,622	71.32	10,502,490	68.71	4.5
1970 :	230,384,236	161,517,242	70.11	9,095,377	66.97	3.9
1971 :	217,407,613	168,209,071	77.37	6,401,362	75.50	2.9
1972 :	200,576,537	165,009,595	82.27	8,933,273	81.71	4.5
1973 :	249,363,551	220,045,774	88.24	5,386,305	85.33	2.2
1974 2/ :	254,507,527	270,511,891	106.29	11,239,349	103.88	4.4
1975 :						

TYPE 11(b) - MIDDLE BELT						
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1947 :	175,533,350	74,064,264	42.19	13,530,367	36.69	7.7
1948 :	157,065,491	78,643,016	50.07	16,436,354	42.19	10.5
1949 :	136,979,227	65,333,242	47.70	14,461,506	41.24	10.6
1950 :	170,509,085	95,751,748	56.16	12,867,549	51.58	7.5
1951 :	186,419,891	100,277,262	53.79	15,638,746	48.58	8.4
1952 :	177,122,048	87,456,016	49.38	18,452,209	45.02	10.4
1953 :	138,038,186	64,820,822	46.96	15,305,302	45.18	11.1
1954 :	160,602,820	84,002,214	52.30	18,065,216	47.89	11.2
1955 :	170,439,811	89,225,940	52.35	12,526,057	44.69	7.3
1956 :	179,393,316	93,085,361	51.89	12,619,988	45.93	7.0
1957 :	124,454,594	66,062,909	53.08	13,242,034	49.17	10.6
1958 :	137,218,210	78,379,220	57.12	12,922,034	49.97	9.4
1959 :	136,216,950	76,945,514	56.49	13,317,150	50.16	9.8
1960 :	170,149,856	103,693,982	60.94	15,734,904	54.43	9.2
1961 :	162,289,460	104,629,723	64.47	15,992,002	58.44	9.9
1962 :	184,894,828	111,710,209	60.42	12,996,378	54.85	7.0
1963 :	177,729,278	101,355,716	57.03	12,391,924	50.87	7.0
1964 :	189,384,496	111,140,562	58.69	11,805,986	52.14	6.2
1965 :	116,961,401	73,739,905	63.05	8,934,860	59.27	7.6
1966 :	154,572,110	99,053,641	64.08	11,177,136	61.18	7.2
1967 :	152,004,784	95,316,543	62.71	6,676,783	60.51	4.4
1968 :	110,488,566	70,767,801	64.05	3,884,909	60.53	3.5
1969 :	116,400,280	83,071,050	71.37	4,753,167	67.82	4.1
1970 :	129,987,987	90,957,451	69.97	4,522,562	67.29	3.5
1971 :	116,873,385	90,219,451	77.19	3,637,617	74.60	3.1
1972 :	109,054,033	92,513,645	84.83	4,090,836	81.57	3.8
1973 :	123,513,684	108,850,900	88.13	2,697,092	86.12	3.0
1974 2/ :	128,792,851	135,628,337	105.31	5,728,397	103.26	4.4
1975 :						

See footnote at end of table.

Continued -

Table 9. GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1973.

Crop	Gross			Resales		
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1947	483,531,059	207,987,053	43.01	33,768,568	36.80	7.0
1948	391,972,306	193,413,739	49.34	37,485,441	42.88	9.6
1949	406,029,941	197,919,646	48.75	42,615,749	44.23	10.5
1950	448,247,035	253,115,104	56.47	43,190,799	52.46	9.6
1951	527,113,871	290,363,930	55.09	40,307,350	48.90	7.6
1952	488,279,654	246,722,026	50.53	46,008,644	46.20	9.4
1953	479,821,151	273,996,825	57.10	47,437,963	51.32	9.9
1954	521,915,902	285,452,294	54.69	50,554,146	49.22	9.7
1955	527,722,133	276,102,034	52.32	30,059,633	42.19	5.7
1956	508,200,583	261,548,000	51.47	30,384,153	45.73	6.0
1957	353,479,016	191,975,451	54.31	36,119,895	50.11	10.2
1958	401,362,345	229,333,145	57.14	30,589,643	50.21	7.6
1959	358,766,240	207,776,111	57.91	30,387,932	49.49	8.5
1960	443,849,883	269,234,668	60.66	33,869,426	53.61	7.6
1961	414,387,518	269,117,638	64.94	28,331,813	57.84	6.8
1962	426,197,628	253,383,812	59.45	26,068,566	52.43	6.1
1963	447,810,344	260,597,473	58.19	25,928,310	49.82	5.8
1964	439,070,156	247,127,905	56.28	18,976,906	46.96	4.3
1965	313,961,096	197,754,494	62.99	17,936,646	57.80	5.7
1966	348,628,637	238,216,849	68.33	19,892,496	64.05	5.7
1967	359,468,542	232,513,716	64.68	13,148,397	59.91	3.7
1968	294,991,827	199,000,456	67.46	7,982,125	60.22	2.7
1969	320,845,503	232,056,675	72.33	7,702,242	65.86	2.4
1970	367,241,196	266,931,243	72.68	8,999,917	67.04	2.4
1971	322,519,226	253,011,308	78.45	6,157,058	74.01	1.9
1972	323,202,625	281,927,439	87.23	6,761,575	81.84	2.1
1973	384,981,707	342,430,123	88.95	5,476,188	85.44	1.4
1974	419,898,578	444,697,425	105.91	12,891,569	103.68	3.1
1975						

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA						
Crop	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1947	298,581,265	125,221,646	41.94	24,046,465	36.18	8.1
1948	257,549,793	130,025,892	50.49	26,718,785	45.12	10.4
1949	282,813,797	138,220,799	48.87	26,848,127	43.36	9.5
1950	302,378,796	167,578,534	55.42	31,826,462	50.65	10.5
1951	356,948,641	185,264,975	51.90	35,167,913	47.44	9.9
1952	332,754,972	172,646,106	51.88	39,812,148	47.95	12.0
1953	347,993,765	197,372,663	56.72	43,925,701	51.94	12.6
1954	308,559,532	158,165,273	51.26	38,543,647	47.61	12.5
1955	371,194,111	199,189,952	53.66	28,024,843	45.38	7.5
1956	332,599,112	176,773,381	53.15	30,030,827	47.60	9.0
1957	254,431,208	150,322,928	59.08	32,025,544	54.74	12.6
1958	263,055,456	156,715,806	59.58	27,220,035	54.40	10.3
1959	278,502,915	172,716,804	62.02	27,903,645	55.53	10.0
1960	310,723,428	190,734,738	61.38	30,908,314	54.95	9.9
1961	324,548,716	212,215,581	65.39	31,236,599	59.83	9.6
1962	380,565,542	232,006,009	60.96	33,814,823	57.36	8.9
1963	343,634,666	205,886,036	59.91	29,901,587	55.47	8.7
1964	338,191,697	200,024,970	59.15	29,019,597	53.75	8.6
1965	307,093,820	200,416,487	65.26	30,083,579	62.43	9.8
1966	244,515,798	168,269,710	68.82	20,840,255	66.60	8.5
1967	321,858,935	209,247,378	65.01	21,007,854	65.04	6.5
1968	267,797,623	178,792,044	66.76	11,823,961	64.63	4.4
1969	266,398,182	193,417,154	72.60	11,570,580	69.18	4.3
1970	295,199,641	211,647,639	71.70	13,093,825	69.89	4.4
1971	268,269,338	203,142,898	75.72	9,179,937	74.44	3.4
1972	249,189,219	212,636,929	85.33	6,871,760	85.21	2.8
1973	270,106,986	234,450,946	86.80	6,885,607	85.67	2.5
1974	290,214,356	301,501,762	103.89	12,454,779	103.54	4.3
1975						

See footnote at end of table.

Continued -

Table 9. GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, by types, for flue-cured tobacco, crops of 1947 to 1974.

TYPE 14 - GEORGIA AND FLORIDA							
Crop ^{1/}	Gross			Resales			
	Sales	Value	Average Price	Resales	Average Price	Percentage of gross sales	
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent	
1947 :	171,028,181	64,685,856	37.82	14,837,356	35.28	8.7	
1948 :	134,503,570	63,474,705	47.19	13,813,557	44.67	10.3	
1949 :	155,163,375	62,252,009	40.12	11,792,973	35.70	7.6	
1950 :	142,424,972	68,532,304	48.12	14,574,992	46.44	10.2	
1951 :	191,870,953	88,912,228	46.34	16,010,373	45.06	8.3	
1952 :	179,683,451	88,405,343	49.20	16,289,905	47.20	9.1	
1953 :	192,717,668	98,463,218	51.09	19,267,293	47.17	10.0	
1954 :	188,561,428	87,656,143	46.49	23,868,757	44.41	12.7	
1955 :	212,714,448	98,942,702	46.51	18,922,403	41.97	8.9	
1956 :	183,109,035	87,909,371	48.01	15,700,448	42.89	8.6	
1957 :	119,983,642	67,043,116	55.88	12,884,079	52.40	10.7	
1958 :	134,119,790	76,628,553	57.13	12,955,797	53.52	9.7	
1959 :	160,621,191	92,889,822	57.83	12,564,816	51.82	7.8	
1960 :	182,828,147	103,140,976	56.41	16,791,032	51.83	9.2	
1961 :	191,637,024	112,834,017	58.88	15,026,256	54.82	7.8	
1962 :	205,291,095	116,011,975	56.51	14,982,222	54.35	7.3	
1963 :	198,092,819	112,668,937	56.88	16,084,651	51.90	6.3	
1964 :	174,701,252	102,400,740	58.61	16,930,334	55.20	9.7	
1965 :	172,159,315	113,657,538	66.02	17,107,397	64.42	9.9	
1966 :	172,935,416	120,869,024	69.89	17,931,289	68.83	10.4	
1967 :	224,236,445	146,998,659	65.56	17,339,924	65.42	7.7	
1968 :	164,171,955	112,061,970	68.26	10,175,993	66.58	6.2	
1969 :	157,067,017	115,089,395	73.27	10,351,278	71.54	6.6	
1970 :	201,045,076	149,308,182	74.27	10,046,091	72.99	5.0	
1971 :	181,667,143	139,553,076	76.82	7,045,061	75.98	3.9	
1972 :	165,681,843	141,569,824	85.45	5,472,073	85.25	3.3	
1973 :	153,258,700	134,419,282	87.71	5,878,589	86.78	3.8	
1974 :	197,751,953	203,205,014	102.76	8,758,738	100.78	4.4	
1975 :							
TYPES 11-14 - TOTAL FLUE-CURED							
1947 :	1,406,655,411	577,897,856	41.08	102,050,097	36.22	7.3	
1948 :	1,197,325,195	591,555,732	49.41	115,127,208	43.70	9.6	
1949 :	1,224,373,758	574,477,510	46.92	119,269,386	42.10	9.7	
1950 :	1,378,202,416	753,157,352	54.65	127,500,848	50.71	9.3	
1951 :	1,574,527,822	822,323,440	52.23	132,914,806	47.46	8.4	
1952 :	1,505,590,215	753,907,099	50.07	147,954,532	46.42	9.8	
1953 :	1,412,386,845	741,222,787	52.48	143,772,383	49.55	10.2	
1954 :	1,467,843,252	765,043,191	52.12	156,431,988	47.80	10.7	
1955 :	1,592,790,910	830,608,133	52.15	114,269,090	44.48	7.2	
1956 :	1,536,077,230	785,452,448	51.13	114,462,464	46.00	7.5	
1957 :	1,087,445,613	598,336,688	55.02	114,744,302	51.48	10.6	
1958 :	1,185,959,946	684,268,857	57.70	106,056,638	52.21	8.9	
1959 :	1,184,538,850	683,578,822	57.71	107,685,418	51.23	9.1	
1960 :	1,369,751,155	820,242,136	59.88	122,527,793	53.86	8.9	
1961 :	1,364,452,046	869,590,622	63.73	115,520,489	58.21	8.5	
1962 :	1,507,917,968	900,746,051	59.73	107,612,105	55.37	7.1	
1963 :	1,463,390,791	843,979,096	57.67	99,215,726	52.56	6.8	
1964 :	1,475,270,208	857,573,880	58.13	96,378,011	52.53	6.5	
1965 :	1,152,011,564	742,027,781	64.41	93,693,793	61.77	8.1	
1966 :	1,194,279,219	796,932,635	66.73	87,959,151	64.57	7.4	
1967 :	1,317,322,967	844,747,428	64.13	69,840,511	63.29	5.3	
1968 :	1,039,331,984	691,390,402	66.52	43,686,618	63.84	4.2	
1969 :	1,095,583,092	791,151,896	72.21	44,879,757	68.90	4.1	
1970 :	1,223,858,136	880,361,757	71.93	45,757,772	69.12	3.7	
1971 :	1,106,736,705	854,135,804	77.18	32,421,035	74.92	2.9	
1972 :	1,047,704,257	893,657,432	85.30	32,129,517	83.07	3.1	
1973 :	1,181,224,628	1,040,372,414	88.08	26,323,781	85.82	2.2	
1974 :	1,291,165,265	1,335,544,429	104.99	51,072,832	103.14	4.0	
1975 :							

1/ Data for years prior to 1947 may be found in the 1965 and earlier issues of the Market Review.

2/ Types 11a and 11b were bombed for reporting purposes in 1974 but are kept separate in this table for comparison.

Table 10. PRODUCERS' sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops. 1/

	TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED					
	1974 CROP			1973 CROP		
	SALES	VALUE	AVERAGE PRICE	SALES	VALUE	AVERAGE PRICE
Virginia:						
Brookneal	10,699,146	11,401,669	106.57	10,070,580	8,844,305	87.82
Chase City	7,540,763	8,041,343	106.64	6,912,455	6,125,445	88.61
Clarksville	7,859,360	8,468,713	107.75	9,000,778	7,970,564	88.55
Danville	44,905,527	48,146,084	107.22	41,237,145	36,707,790	89.02
Kenbridge	7,629,255	8,064,992	105.71	7,771,848	6,858,453	88.25
Lawrenceville	8,476,269	8,996,352	105.62	7,554,460	6,736,995	89.18
Martinsville	8,245,350	8,622,201	104.57	8,534,851	7,551,472	88.48
Petersburg	6,758,460	7,151,454	105.81	8,137,315	7,114,554	87.43
South Boston	19,250,561	20,755,213	107.82	19,391,055	17,335,350	89.40
South Hill	8,650,173	9,309,956	107.63	9,526,164	8,486,721	89.09
Total Virginia	130,014,864	138,957,977	106.88	128,136,651	113,731,649	88.76
North Carolina:						
Aberdeen	6,139,076	6,282,980	102.33	8,209,612	7,151,559	87.11
Burlington	6,949,459	7,317,754	105.30	7,299,885	6,412,247	87.84
Carthage	9,277,312	9,752,257	105.12	7,451,535	6,585,985	88.34
Durham	18,226,614	19,390,471	106.39	23,406,611	20,566,029	87.86
Ellerbe	3,596,833	3,645,468	101.35	6,562,161	5,668,859	86.39
Fuquay-Varina	23,507,269	24,863,440	105.77	16,808,104	14,865,499	88.44
Greensboro	4,964,472	5,127,103	103.28	6,689,334	5,809,255	86.84
Henderson	16,059,787	17,048,033	106.15	16,293,536	14,518,367	89.11
Louisburg	9,573,955	10,222,332	106.77	9,018,074	8,056,479	89.34
Madison	7,369,034	7,940,279	107.75	7,755,764	6,926,395	89.31
Mebane	6,534,792	6,891,233	105.43	8,513,379	7,410,504	87.05
Mt. Airy	9,313,534	9,839,842	105.49	10,169,563	8,869,873	87.22
Oxford	17,925,487	18,809,903	104.93	17,372,908	15,332,440	88.25
Reidsville	11,062,982	11,829,509	106.93	10,804,411	9,569,743	88.57
Roxboro 2/	11,766,001	12,271,817	104.30	8,173,354	7,286,838	89.15
Sanford	11,989,687	12,617,582	105.24	7,803,132	6,896,277	88.38
Stoneville 2/	10,573,593	11,229,928	106.21	10,438,937	9,190,318	88.04
Warrenton	6,768,434	7,080,563	104.61	7,890,919	6,886,654	87.27
Winston-Salem	38,788,788	41,271,069	106.40	38,801,069	34,267,885	88.32
Yadkinville	5,930,659	6,160,449	103.87	7,194,899	6,150,938	85.49
Total N. C. 2/	236,317,768	249,592,012	105.62	236,657,187	208,422,144	88.07
Total Type 11 2/	366,332,632	388,549,989	106.06	364,793,838	322,153,793	88.31

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED						
North Carolina:						
Ahoskie	9,726,270	10,139,497	104.25	10,277,172	9,058,460	88.14
Clinton	12,129,024	12,873,408	106.14	11,303,428	10,010,138	88.56
Dunn	14,201,663	15,008,683	105.68	10,533,503	9,371,100	88.96
Farmville	29,493,726	31,454,647	106.65	23,727,446	27,197,363	89.34
Goldsboro	16,518,118	17,633,374	106.75	12,557,546	11,242,506	89.53
Greenville	50,787,838	53,674,005	105.68	55,578,810	49,425,256	88.93
Kinston	50,488,792	53,473,520	105.91	46,056,419	41,010,454	89.04
Robersonville	9,155,853	9,761,481	106.61	9,850,577	8,724,673	88.57
Rocky Mount	48,243,998	50,617,449	104.92	47,086,507	41,696,646	88.55
Smithfield	24,465,667	25,986,241	106.22	22,012,956	19,538,692	88.76
Tarboro	10,103,910	10,608,544	104.99	11,144,884	9,831,177	88.21
Wallace	12,007,842	12,609,905	105.01	12,080,369	10,642,479	88.10
Washington	10,316,862	10,830,747	104.98	10,145,330	9,030,870	89.02
Wendell	12,479,368	13,125,721	105.18	10,217,540	9,089,954	88.96
Williamston	11,653,164	12,392,617	106.37	11,621,822	10,289,290	88.53
Wilson	75,339,049	80,766,132	107.20	65,182,808	58,540,028	89.81
Windsor	9,895,865	10,375,750	104.85	10,128,401	9,051,930	89.37
Total Type 12	407,007,009	431,331,721	105.98	379,505,519	337,751,016	89.00

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.
 2/ Revised for 1973.

Continued -

Table 10. PRODUCERS' sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops. 1/

	TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED			TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED		
	1974 CROP			1973 CROP		
	SALES	VALUE	AVERAGE PRICE	SALES	VALUE	AVERAGE PRICE
South Carolina:						
Conway	9,004,282	9,352,380	103.87	6,804,083	5,910,837	86.87
Darlington	9,036,085	9,260,074	102.48	6,886,165	5,885,300	85.47
Dillon	7,028,726	7,139,540	101.58	6,853,270	5,862,768	85.55
Hemingway	8,701,914	9,180,833	105.50	6,797,623	5,964,409	87.74
Kingstree	10,362,035	10,720,957	103.46	6,826,858	5,931,591	86.89
Lake City	41,180,831	43,044,651	104.53	35,536,901	30,974,815	87.17
Lamar	2,499,042	2,513,900	100.59	6,992,033	5,862,288	83.84
Loris	9,394,126	9,820,698	104.54	6,856,492	5,981,705	87.24
Mullins	40,142,600	41,784,469	104.09	36,985,425	32,133,049	86.88
Pamplico	8,019,873	8,402,631	104.77	6,965,290	6,049,365	86.85
Timmons ville	18,956,626	19,608,285	103.44	16,696,967	14,339,832	85.88
Total S.C.	164,326,140	170,828,418	103.96	144,201,107	124,896,959	86.61
North Carolina						
Chadbourn	6,077,120	6,311,598	103.86	7,101,290	6,221,749	87.61
Clarkton	6,189,064	6,437,119	104.01	7,044,483	6,067,914	86.14
Fair Bluff	6,590,743	6,808,563	103.30	7,135,509	6,276,006	87.95
Fairmont	27,045,113	28,209,534	104.31	32,200,397	28,051,647	87.12
Fayetteville	6,041,047	6,223,283	103.02	6,510,147	5,521,717	84.82
Lumberton	24,085,074	24,893,950	103.36	26,875,024	23,290,261	86.66
Tabor City	11,733,841	12,256,390	104.45	7,282,864	6,402,155	87.91
Whiteville	25,671,435	26,637,844	103.76	24,870,558	21,823,693	87.75
Total N. C.	113,433,437	117,778,281	103.83	119,020,272	103,655,142	87.09
Total Type 13	277,759,577	288,606,699	103.91	263,221,379	228,552,101	86.03

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	7,440,975	7,724,182	103.81	3,830,985	3,410,727	89.03
Alma	7,313,359	7,596,380	103.87	3,784,319	3,331,948	88.05
Baxley	7,145,933	7,382,830	103.32	3,822,005	3,388,567	88.66
Blackshear	10,802,639	11,101,442	102.77	8,254,171	7,282,764	88.23
Claxton	5,472,285	5,623,074	102.76	3,769,792	3,349,883	88.86
Douglas	13,456,732	14,090,914	104.71	8,694,995	7,700,411	88.56
Fitzgerald	5,604,444	5,796,883	103.44	3,779,970	3,342,106	88.42
Hahira	5,521,521	5,714,767	103.50	4,261,113	3,728,210	87.49
Hazlehurst	5,976,965	6,146,162	102.83	3,869,693	3,417,954	88.33
Metter	6,510,372	6,732,908	103.42	3,826,396	3,389,375	88.58
Moultrie	12,448,520	12,894,390	103.58	8,854,867	7,726,389	87.26
Nashville	13,489,822	14,021,366	103.94	7,438,657	6,555,018	88.12
Pearson	3,585,948	3,765,942	105.02	4,364,883	3,784,050	86.69
Pelham	8,000,316	8,192,348	102.40	3,968,950	3,483,777	87.78
Quitman	3,140,973	3,190,893	101.59	3,797,184	3,302,493	86.97
Statesboro	8,470,744	8,521,241	100.60	8,210,413	7,057,414	85.96
Swainsboro	792,544	804,589	101.52	3,922,855	3,365,315	85.79
Sylvester	744,746	778,539	104.54	3,704,221	3,160,414	85.32
Thomasville	4,452,916	4,512,532	101.34	3,748,719	3,268,703	87.20
Tifton	9,754,081	10,066,316	103.20	7,748,637	6,822,518	88.05
Valdosta	9,314,963	9,492,591	103.23	7,453,747	6,536,385	87.69
Vidalia	8,788,476	9,010,969	102.53	8,336,895	7,240,540	86.85
Waycross	6,149,154	6,389,769	103.91	4,477,560	3,962,560	88.50
Total Georgia	164,378,428	169,551,027	103.15	123,921,027	108,607,521	87.64
Florida:						
High Springs	3,713,529	3,706,950	99.82	3,918,640	3,451,554	88.08
Jasper	4,097,022	4,168,058	101.73	3,858,423	3,431,309	88.93
Lake City	4,142,954	4,181,568	100.93	3,862,271	3,381,842	87.56
Live Oak	9,381,214	9,460,566	100.84	7,953,541	7,052,658	88.67
Madison	3,280,068	3,310,096	100.92	3,866,209	3,400,542	87.96
Total Florida	24,614,787	24,827,238	100.86	23,459,084	20,717,905	88.32
Total Type 14	188,993,215	194,378,265	102.85	147,380,111	129,325,426	87.75
Total Types 11-14 2/	1,240,092,433	1,302,866,674	105.06	1,154,900,847	1,017,782,336	88.13

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Revised for 1973.

Table 11. Producers' sales, resales, gross sales, value, and average price, by TYPES, for Flue-cured tobacco, 1974 and 1973 crops.

Type and Form of Sales	1 9 7 4 C R O P			1 9 7 3 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
11						
Producers'	366,332,632	388,549,989	106.06	364,793,838	321,978,404	88.26
Resales	16,967,746	17,590,239	103.67	8,083,397	6,918,270	85.59
Gross	383,300,378	406,140,228	105.96	372,877,235	328,896,674	88.21
12						
Producers'	407,007,009	431,331,721	105.98	379,505,519	337,751,016	89.00
Resales	12,891,569	13,365,704	103.68	5,476,188	4,679,107	85.44
Gross	419,898,578	444,697,425	105.91	384,981,707	342,430,123	88.95
13						
Producers'	277,759,577	288,606,699	103.91	263,221,379	228,552,101	86.83
Resales	12,454,779	12,895,063	103.54	6,885,607	5,898,845	85.67
Gross	290,214,356	301,501,762	103.89	270,106,986	234,450,946	86.80
14						
Producers'	188,993,215	194,378,265	102.85	147,380,111	129,325,426	87.75
Resales	8,758,738	8,826,749	100.78	5,878,589	5,093,856	86.78
Gross	197,751,953	203,205,014	102.76	153,258,700	134,419,282	87.71
11-14						
Producers'	1,240,092,433	1,302,866,674	105.06	1,154,900,847	1,017,606,947	88.11
Resales	51,072,832	52,677,755	103.14	26,323,781	22,590,078	85.82
Gross	1,291,165,265	1,355,544,429	104.99	1,181,224,628	1,040,197,025	88.06

Table 12. Producers' sales, resales, gross sales, value, and average price by STATES, for Flue-cured tobacco, 1974 and 1973 crops.

State and Form of Sales	1 9 7 4 C R O P			1 9 7 3 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE (Dollars)
Florida:						
Producers'	24,614,787	24,827,238	100.86	23,459,084	24,430,474	88.32
Resales	1,185,757	1,199,160	101.13	654,725	568,621	86.85
Gross	25,800,544	26,026,399	100.88	24,113,809	21,286,526	88.28
Georgia:						
Producers'	164,378,428	169,551,027	103.15	123,921,027	108,607,521	87.64
Resales	7,572,981	7,627,589	100.72	5,223,864	4,525,235	86.63
Gross	171,951,409	177,178,616	103.04	129,144,891	113,132,756	87.60
North Carolina:						
Producers'	756,758,214	798,702,014	105.54	735,182,978	649,652,913	88.37
Resales	29,828,615	30,839,610	103.39	14,420,426	12,357,241	85.69
Gross	786,586,829	829,541,624	105.46	749,603,404	662,010,154	88.31
South Carolina						
Producers'	164,326,140	170,828,418	103.96	144,201,107	124,896,959	86.61
Resales	7,537,403	7,872,493	104.45	3,882,899	3,330,357	85.77
Gross	171,863,543	178,700,911	103.98	148,084,006	128,227,316	86.59
Virginia:						
Producers'	130,014,864	138,957,977	106.88	128,136,651	113,731,649	88.76
Resales	4,948,076	5,138,903	103.86	2,141,867	1,808,624	84.44
Gross	134,962,940	144,096,880	106.77	130,278,518	115,540,273	88.69
Total All States:						
Producers'	1,240,092,433	1,302,866,674	105.06	1,154,900,847	1,017,606,947	88.11
Resales	51,072,832	52,677,755	103.14	26,323,781	22,590,078	85.82
Gross	1,291,165,265	1,355,544,429	104.99	1,181,224,628	1,040,197,025	88.06

Table 13. PRODUCERS' sales, value, and average price, BY MONTHS, for Flue-cured tobacco, 1974 and 1973 crops.

MONTH, STATE, AND TYPE	1 9 7 4 C R O P			1 9 7 3 C R O P		
	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)	SALES (Pounds)	VALUE (Dollars)	AVERAGE PRICE (Dollars)
July:						
Florida 14	11,522,130	10,673,592	92.64	4,007,100	3,380,265	84.36
Georgia 14	69,310,502	65,310,557	94.23	20,739,878	17,629,039	85.00
South Carolina 13	39,015,277	33,947,851	87.01	15,907,193	13,301,040	83.62
North Carolina 13	25,511,628	22,351,981	87.61	18,849,662	15,831,449	83.99
North Carolina 12	50,163,181	42,632,775	84.99	---	---	---
North Carolina 11	4,815,496	4,141,987	86.01	---	---	---
Total July	200,338,214	179,058,743	89.38	59,503,833	50,141,793	84.27
August:						
Florida 14	8,926,203	9,698,203	108.65	19,451,984	17,337,640	89.13
Georgia 14	50,502,403	55,649,926	110.19	99,897,156	88,165,196	88.26
South Carolina 13	47,572,048	50,914,334	107.03	106,853,830	92,693,175	86.75
North Carolina 13	36,549,702	38,591,340	105.59	66,305,635	57,510,637	86.74
North Carolina 12	118,817,103	123,352,633	103.82	79,556,587	68,475,950	86.07
North Carolina 11	57,988,361	56,484,496	97.41	---	---	---
Virginia 11	25,583,857	24,691,531	96.51	---	---	---
Total August	345,939,677	359,382,463	103.89	372,065,192	324,182,598	87.13
September:						
Florida 14	4,166,454	4,455,443	106.94	---	---	---
Georgia 14	44,565,523	48,590,544	109.03	3,283,993	2,813,286	85.67
South Carolina 13	40,356,295	44,481,833	110.22	14,203,841	12,729,996	89.62
North Carolina 13	31,622,741	34,847,626	110.20	23,851,045	21,637,416	90.72
North Carolina 12	108,856,585	120,431,999	110.63	99,909,438	91,756,421	91.84
North Carolina 11	73,831,314	79,838,466	108.14	69,618,412	61,093,059	87.75
Virginia 11	35,426,731	38,183,756	107.78	35,814,086	31,081,894	86.79
Total September	338,825,643	370,829,667	109.45	246,680,815	221,112,072	89.63
October:						
South Carolina 13	37,382,520	41,484,400	110.97	6,835,856	5,852,438	85.61
North Carolina 13	19,749,366	21,987,334	111.33	9,705,888	8,418,838	86.74
North Carolina 12	126,959,055	142,620,446	112.34	149,059,964	134,048,713	89.93
North Carolina 11	89,008,178	98,464,171	110.62	127,240,023	112,947,399	88.77
Virginia 11	48,258,373	53,956,408	111.81	64,077,686	57,874,141	90.32
Total October	321,357,492	358,512,759	111.56	356,919,417	319,141,529	89.42
November:						
South Carolina 13	---	---	---	400,387	320,310	80.00
North Carolina 13	---	---	---	308,042	256,802	83.37
North Carolina 12	2,211,085	2,293,868	103.74	50,822,179	43,343,304	85.28
North Carolina 11	10,674,419	10,662,892	99.89	39,798,752	34,381,686	86.39
Virginia 11	20,745,903	22,126,282	106.65	28,084,804	24,650,133	87.77
Total November	33,631,407	35,083,042	104.32	119,414,164	102,952,235	86.21
December:						
North Carolina 12	---	---	---	157,351	126,628	80.47
Virginia 11	---	---	---	160,075	125,481	78.39
Total December	---	---	---	317,426	252,109	79.42
Total All Months:						
Florida 14	24,614,787	24,827,238	100.86	23,459,084	20,717,905	88.32
Georgia 14	164,378,428	169,551,027	103.15	123,921,027	108,607,521	87.64
South Carolina 13	164,326,140	170,828,418	103.96	144,201,107	124,896,959	86.61
North Carolina 13	113,433,437	117,778,281	103.83	119,020,272	103,655,142	87.09
North Carolina 12	407,007,009	431,331,721	105.98	379,505,519	337,751,016	89.00
North Carolina 11	236,317,768	249,592,012	105.62	236,657,187	208,422,144	88.07
Virginia 11	130,014,864	138,957,977	106.88	128,136,651	113,731,649	88.76
Total Flue-cured	1,240,092,433	1,302,866,674	105.06	1,154,900,847	1,017,782,336	88.13

Table 14. GROSS sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops.

TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED						
	1 9 7 4 C R O P			1 9 7 3 C R O P		
	SALES	VALUE	AVERAGE PRICE	SALES	VALUE	AVERAGE PRICE
Virginia:						
Brookneal	11,093,038	11,817,889	106.53	10,162,786	8,921,175	87.78
Chase City	7,850,178	8,352,526	106.40	7,013,829	6,208,038	88.51
Clarksville	8,038,248	8,658,151	107.71	9,073,648	8,029,669	88.49
Danville	46,802,096	50,110,657	107.07	42,047,475	37,392,078	88.93
Kenbridge	7,787,781	8,225,400	105.62	7,833,953	6,903,828	88.13
Lawrenceville	8,834,225	9,372,628	106.09	7,697,376	6,863,048	89.16
Martinsville	8,574,624	8,976,240	104.68	8,689,846	7,689,380	88.49
Petersburg	7,188,005	7,595,658	105.67	8,419,585	7,359,803	87.41
South Boston	19,924,449	21,452,789	107.67	19,720,170	17,603,867	89.27
South Hill	8,870,296	9,536,942	107.49	9,619,850	8,569,387	89.08
Total Virginia	134,962,940	144,096,880	106.77	130,278,518	115,540,273	88.69
North Carolina:						
Aberdeen	6,486,558	6,635,516	102.30	8,316,740	7,242,655	87.09
Burlington	7,244,356	7,613,442	105.09	7,348,835	6,453,004	87.81
Carthage	9,651,687	10,141,836	105.08	7,619,691	6,733,172	88.37
Durham	19,515,537	20,734,256	106.24	24,220,812	21,277,300	87.85
Ellerbe	4,000,548	4,049,583	101.23	6,765,105	5,835,527	86.26
Fuquay-Varina	24,683,680	26,089,073	105.69	17,379,372	15,365,310	88.41
Greensboro	5,129,282	5,295,510	103.24	6,814,048	5,913,520	86.78
Henderson	16,531,730	17,548,500	106.15	16,494,670	14,696,426	89.10
Louisburg	9,951,943	10,623,437	106.75	9,089,632	8,117,655	89.31
Madison	7,783,042	8,368,182	107.52	7,996,135	7,135,360	89.24
Mebane	6,678,862	7,045,598	105.49	8,551,767	7,442,750	87.03
Mt. Airy	9,857,816	10,388,703	105.39	10,476,817	9,124,418	87.09
Oxford	18,723,374	19,608,015	104.72	17,620,351	15,539,213	88.19
Reidsville	11,534,992	12,326,050	106.86	10,922,709	9,669,452	88.53
Roxboro 1/	12,133,377	12,643,560	104.20	8,271,532	7,368,281	89.08
Sanford	12,186,037	12,822,191	105.22	7,857,588	6,942,981	88.36
Stoneville 1/	11,163,340	11,845,863	106.11	10,644,093	9,353,655	87.88
Warronton	7,061,757	7,375,930	104.45	8,149,723	7,100,661	87.13
Winston-Salem	41,786,326	44,419,328	106.30	40,714,289	35,942,136	88.28
Yadkinville	6,233,194	6,468,775	103.78	7,344,808	6,278,314	85.48
Total N. C. 1/	248,337,438	262,043,348	105.52	242,598,717	213,531,790	88.02
Total Type 11 1/	383,300,378	406,140,228	105.96	372,877,235	329,072,063	88.25
TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED						
North Carolina:						
Ahoskie	10,028,319	10,457,778	104.28	10,425,678	9,187,902	88.13
Clinton	12,438,088	13,188,974	106.04	11,381,072	10,077,391	88.55
Dunn	14,496,744	15,320,151	105.68	10,647,241	9,469,686	88.94
Farmville	30,547,120	32,570,078	106.62	23,910,657	21,351,913	89.30
Goldsboro	16,979,922	18,124,946	106.74	12,686,365	11,352,257	89.48
Greenville	52,319,047	55,248,718	105.60	56,426,090	50,137,388	88.85
Kinston	52,165,158	55,172,010	105.76	46,677,472	41,557,431	89.03
Robersonville	9,623,103	10,242,565	106.44	10,126,224	8,955,450	88.44
Rocky Mount	49,360,034	51,748,125	104.84	47,688,682	42,193,658	88.48
Smithfield	25,127,682	26,695,088	106.24	22,487,336	19,954,059	88.73
Tarboro	10,695,212	11,200,209	104.72	11,357,046	10,014,585	88.18
Wallace	12,087,702	12,685,307	104.94	12,125,344	10,677,888	88.06
Washington	10,765,755	11,303,082	104.99	10,344,067	9,197,804	88.92
Wendell	12,803,584	13,446,481	105.02	10,393,980	9,237,550	88.87
Williamston	11,868,122	12,622,631	106.36	11,702,174	10,358,694	88.52
Wilson	78,256,897	83,836,690	107.13	66,295,202	59,503,542	89.76
Windsor	10,336,089	10,834,592	104.82	10,307,077	9,202,925	89.29
Total Type 12.	419,898,578	444,697,425	105.91	384,981,707	342,430,123	88.95

1/ Revised for 1973.

Table 14. GROSS sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops.

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED						
	1 9 7 4 C R O P			1 9 7 3 C R O P		
	SALES	VALUE	AVERAGE PRICE	SALES	VALUE	AVERAGE PRICE
South Carolina:						
Conway	9,506,132	9,885,534	103.99	6,950,987	6,034,632	86.82
Darlington	9,337,015	9,564,103	102.43	6,984,555	5,965,849	85.41
Dillon	7,180,672	7,289,642	101.52	6,976,812	5,964,998	85.50
Hemingway	9,006,664	9,513,362	105.63	7,003,225	6,151,067	87.69
Kingstree	10,938,275	11,318,464	103.48	7,000,190	6,081,836	86.88
Lake City	43,372,971	45,335,207	104.52	36,646,472	31,917,510	87.10
Lamar	2,606,282	2,622,866	100.64	7,076,523	5,932,342	83.83
Loris	9,906,308	10,340,404	104.38	7,002,443	6,107,582	87.22
Mullins	41,810,534	43,541,007	104.14	38,084,626	33,093,463	86.89
Pamplico	8,116,015	8,501,871	104.75	6,991,592	6,061,907	86.85
Timmons ville	20,082,675	20,788,451	103.51	17,366,581	14,916,130	85.89
Total S.C.	171,863,543	178,700,911	103.98	148,084,006	128,227,316	86.59
North Carolina:						
Chadbourn	6,460,221	6,694,296	103.62	7,241,952	6,342,143	87.57
Clarkton	6,605,922	6,857,789	103.81	7,237,013	6,232,095	86.11
Fair Bluff	6,894,936	7,115,728	103.20	7,259,872	6,385,227	87.95
Fairmont	28,458,346	29,693,471	104.34	33,302,964	28,993,991	87.06
Fayetteville	6,285,192	6,473,747	103.00	6,634,873	5,623,129	84.75
Lumberton	24,658,302	25,471,912	103.30	27,450,221	23,781,124	86.63
Tabor City	12,319,830	12,861,309	103.76	7,513,970	6,601,160	87.85
Whiteville	26,668,064	27,632,599	103.62	25,383,115	22,264,761	87.71
Total N. C.	118,350,813	122,800,851	103.76	122,022,980	106,223,630	87.05
Total Type 13	290,214,356	301,501,762	103.89	270,106,986	234,450,946	86.80

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	7,873,367	8,152,565	103.55	3,969,219	3,531,220	88.97
Alma	7,581,679	7,864,649	103.73	3,890,103	3,422,558	87.98
Baxley	7,487,175	7,715,422	103.05	3,985,422	3,532,264	88.63
Blackshear	11,344,720	11,626,901	102.49	8,835,309	7,795,044	88.23
Claxton	5,756,510	5,904,560	102.57	3,911,802	3,475,115	88.84
Douglas	14,190,184	14,867,246	104.77	8,941,054	7,917,181	88.55
Fitzgerald	5,740,512	5,934,387	103.38	3,891,190	3,438,573	88.37
Hahira	5,844,637	6,042,187	103.38	4,392,856	3,841,767	87.45
Hazlehurst	6,193,135	6,366,005	102.79	3,958,863	3,495,103	88.29
Metter	6,741,358	6,965,972	103.33	3,897,068	3,451,908	88.58
Moultrie	13,231,738	13,691,116	103.47	9,511,194	8,296,942	87.23
Nashville	14,053,801	14,599,938	103.89	7,952,822	7,010,897	88.16
Pearson	3,909,996	4,098,110	104.81	4,497,294	3,894,886	86.61
Pelham	8,179,562	8,371,817	102.35	4,129,854	3,625,301	87.78
Quitman	3,265,481	3,300,505	101.07	4,068,002	3,531,594	86.81
Statesboro	8,987,402	9,017,380	100.33	8,532,759	7,331,956	85.93
Swainsboro	891,300	910,602	102.17	4,012,717	3,435,719	85.62
Sylvester	785,518	821,833	104.62	3,841,853	3,269,447	85.10
Thomasville	4,603,502	4,662,752	101.29	3,873,979	3,379,788	87.24
Tifton	10,187,675	10,516,582	103.23	8,177,009	7,194,415	87.98
Valdosta	9,510,943	9,683,507	101.81	7,629,249	6,685,821	87.63
Vidalia	9,193,250	9,413,838	102.40	8,575,379	7,442,139	86.78
Waycross	6,397,964	6,650,742	103.95	4,669,894	4,133,117	88.51
Total Georgia	171,951,409	177,178,616	103.04	129,144,891	113,132,756	87.60
Florida:						
High Springs	3,840,705	3,837,037	99.90	4,025,362	3,541,835	87.99
Jasper	4,226,932	4,299,561	100.93	3,921,351	3,484,171	88.85
Lake City	4,345,683	4,385,181	100.91	3,956,627	3,464,076	87.55
Live Oak	10,001,588	10,097,769	100.96	8,292,862	7,351,458	88.65
Madison	3,385,636	3,406,851	100.63	3,917,607	3,444,986	87.94
Total Florida	25,800,544	26,026,399	100.88	24,113,809	21,286,526	88.28
Total Type 14	197,751,953	203,205,015	102.76	153,258,700	134,419,282	87.71
Total Types 11-14	1,291,165,265	1,355,544,430	104.99	1,181,224,628	1,040,372,414	88.08

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 15 REALES, average price, and percentage of gross sales, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops.

TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED						
	1 9 7 4 C R O P			1 9 7 3 C R O P		
	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES
Virginia:						
Brookneal	393,892	105.67	3.6	92,206	83.37	.9
Chase City	309,415	100.57	3.9	101,374	81.47	1.4
Clarksville	178,888	105.90	2.2	72,870	81.11	.8
Danville	1,896,569	103.59	4.1	810,330	84.45	1.9
Kenbridge	158,526	101.19	2.0	62,105	73.06	.8
Lawrenceville	357,956	105.12	4.0	142,916	88.20	1.9
Martinsville	329,274	107.52	3.8	154,995	88.98	1.8
Petersburg	429,545	103.41	6.0	282,270	86.88	3.4
South Boston	673,888	103.52	3.4	329,115	81.59	1.7
South Hill	220,123	102.21	2.5	93,686	88.24	1.0
Total Virginia	4,948,076	103.86	3.7	2,141,867	84.44	1.6
North Carolina:						
Aberdeen	347,482	101.45	5.4	107,128	85.03	1.3
Burlington	294,897	100.27	4.1	48,950	83.26	.6
Carthage	374,375	104.06	3.9	168,156	87.53	2.2
Durham	1,288,923	104.26	7.0	814,201	87.36	3.4
Ellerbe	403,715	100.10	10.1	202,944	82.13	3.0
Fuquay-Varina	1,176,411	104.18	4.8	571,268	87.49	3.3
Greensboro	164,810	102.18	3.2	124,714	83.60	1.8
Henderson	471,943	106.04	2.9	201,134	88.53	1.2
Louisburg	377,988	106.12	3.8	71,558	85.49	.8
Madison	414,008	103.36	5.3	240,371	86.93	3.0
Mebane	144,070	107.15	2.2	38,388	84.00	.4
Mt. Airy	544,282	106.72	5.5	307,254	82.85	2.9
Oxford	797,887	100.03	4.3	247,443	83.56	1.4
Reidsville	472,010	105.20	4.1	118,298	84.29	1.1
Roxsboro	367,376	101.19	3.0	98,178	79.62	1.2
Sanford	196,350	104.21	1.6	54,456	85.76	1.0
Stoneville	589,747	104.44	5.1	205,156	82.95	1.5
Warrenton	293,323	100.70	4.2	258,804	82.69	3.2
Winston-Salem	2,997,538	105.03	7.2	1,913,220	87.51	4.6
Yadkinville	302,535	101.91	5.1	149,909	84.97	2.0
Total N. C.	12,019,670	103.59	4.8	5,941,530	86.03	2.6
Total Type 11	16,967,746	103.67	4.4	8,083,397	85.61	2.2

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED						
North Carolina:						
Ahoskie	302,049	105.37	3.0	148,506	87.16	1.4
Clinton	309,064	102.10	2.5	77,644	86.62	.6
Dunn	295,081	105.55	2.0	113,738	86.68	1.1
Farmville	1,053,394	105.89	3.4	183,211	84.36	.7
Goldsboro	461,804	106.45	2.7	128,819	85.20	1.0
Greenville	1,513,209	102.84	2.9	847,280	84.05	1.5
Kinston	1,676,366	101.32	3.2	621,053	88.07	1.3
Robersonville	467,250	102.96	4.9	275,647	83.72	2.7
Rocky Mount	1,116,036	101.31	2.3	602,175	82.54	1.3
Smithfield	662,015	107.07	2.6	474,379	87.56	2.1
Tarboro	591,302	100.06	5.5	212,162	86.45	1.9
Wallace	79,860	94.42	.7	44,975	78.73	.4
Washington	448,893	105.22	4.2	198,737	84.00	1.9
Wendell	324,216	98.93	2.5	176,440	83.65	1.7
Williamston	214,958	107.00	1.8	80,352	86.37	.7
Wilson	2,917,848	105.23	3.7	1,112,394	86.62	1.7
Windsor	440,224	104.23	4.3	178,676	84.51	1.7
Total Type 12	12,891,569	103.68	3.1	5,476,188	85.44	1.4

Continued -

Table 15. REALES, average price, and percentage of gross sales, BY MARKETS, for Flue-cured tobacco, 1974 and 1973 crops.

	1 9 7 4 C R O P			1 9 7 3 C R O P		
	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES
TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED						
South Carolina:						
Conway	501,850	106.24	5.3	146,904	84.87	2.1
Darlington	300,930	101.03	3.2	98,390	81.87	1.4
Dillon	151,946	98.79	2.1	123,542	82.75	1.8
Hemingway	304,750	109.12	3.4	205,602	85.92	2.9
Kingstree	576,240	103.69	5.3	173,332	86.68	2.5
Lake City	2,192,140	104.49	5.1	1,109,571	84.87	3.0
Lamar	107,240	101.61	4.1	84,490	82.91	1.2
Loris	512,182	101.47	5.2	145,951	86.25	2.1
Mullins	1,667,934	105.31	4.0	1,099,201	87.37	2.9
Pamplico	96,142	103.22	1.2	26,302	85.70	.4
Timmons ville	1,126,049	104.81	5.6	669,614	86.06	3.9
Total	7,537,403	104.45	4.4	3,882,899	85.77	2.6
North Carolina:						
Chadbourn	383,101	99.89	5.9	140,662	85.59	1.9
Clarkton	416,858	100.91	6.3	192,530	85.28	2.7
Fair Bluff	304,193	100.98	4.4	124,363	87.82	1.7
Fairmont	1,413,233	105.00	5.0	1,102,567	85.47	3.3
Fayetteville	244,145	102.59	3.9	124,726	81.31	3.9
Lumberton	573,228	100.83	2.3	574,197	85.49	2.1
Tabor City	585,989	103.23	4.8	231,106	86.11	3.1
Whiteville	996,629	99.81	3.7	512,557	86.05	2.0
Total	4,917,376	102.14	4.2	3,002,708	85.54	2.5
Total Type 13	12,454,779	103.54	4.3	6,885,607	85.67	2.5

	TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED					
	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES	RESALES	AVERAGE PRICE	PERCENTAGE GROSS SALES
TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	432,392	99.07	5.5	138,234	87.17	3.5
Alma	268,320	99.98	3.5	105,784	85.66	2.7
Baxley	341,242	97.47	4.7	163,417	87.93	4.1
Blackshear	542,081	96.93	4.8	581,138	88.15	6.6
Claxton	284,225	99.04	4.9	142,010	88.19	3.6
Douglas	733,452	105.85	5.2	246,059	88.10	2.8
Fitzgerald	136,068	101.06	2.4	111,220	86.74	2.9
Hahira	323,116	101.33	5.5	131,743	86.20	3.0
Hazlehurst	216,170	101.70	3.5	89,170	86.52	2.2
Metter	230,986	100.90	3.4	70,672	88.48	1.8
Moultrie	783,218	101.72	5.9	656,327	86.93	6.9
Nashville	563,979	102.59	4.0	514,165	88.66	6.5
Pearson	324,048	102.51	8.3	132,411	83.71	2.9
Pelham	179,246	100.12	2.2	160,904	87.96	3.9
Quitman	124,508	88.04	3.8	270,818	84.60	6.7
Statesboro	516,658	96.03	5.8	322,346	85.17	3.8
Swainsboro	98,756	107.35	11.1	89,862	78.35	2.2
Sylvester	40,772	106.19	5.2	137,632	79.22	3.6
Thomasville	150,586	99.76	3.3	125,260	88.68	3.2
Tifton	433,594	103.85	4.3	428,372	86.82	5.6
Valdosta	195,980	97.42	2.1	175,502	85.15	2.3
Vidalia	404,774	99.53	4.4	238,484	84.53	2.8
Waycross	248,810	104.89	3.9	192,334	88.68	4.1
Total	7,572,981	100.72	4.4	5,223,864	86.63	4.0
Florida:						
High Springs	127,176	102.29	3.3	106,722	84.59	2.6
Jasper	129,910	101.23	3.1	66,928	84.00	1.6
Lake City	202,729	100.44	4.7	94,356	87.15	2.4
Live Oak	620,374	102.71	6.2	339,321	88.06	4.1
Madison	105,568	91.65	3.1	51,398	86.47	1.3
Total	1,185,757	101.13	4.6	654,725	86.85	2.7
Total Type 14	8,758,738	100.78	4.4	5,878,589	86.78	3.8
Total Types 11-14	51,072,832	103.14	4.0	26,323,781	85.82	2.2

Table 16 Across-state-line movement of Flue-cured tobacco, reflecting NET SALES in states other than in the state in which produced, 1974 and 1973 crops.

State in which produced, and crop year	Total Sold Out of State	S O L D I N:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
<u>1974 CROP</u>			1,000 pounds			
Alabama	1,076	41	1,035			
Florida	1,768		1,768			
Georgia	1,982	1,979		3		
South Carolina	14,462	242	2,451		11,699	70
North Carolina	30,855	91	165	7,297		23,302
Virginia	5,274			11	5,263	
TOTAL	55,417	2,353	5,419	7,311	16,962	23,372
<u>1973 CROP</u>						
Alabama	780	90	665		25	
Florida	1,433		1,430		3	
Georgia	530	460			70	
South Carolina	13,020	46	1,300		11,462	212
North Carolina	76,671	4,863	23,182	23,777		24,849
Virginia	8,444		95	860	7,489	
TOTAL	100,878	5,459	26,672	24,637	19,049	25,061

Table 17 Flue-cured tobacco received under Government loan program, and percentage of NET AUCTION SALES 1974 and 1973 crops. 1/

Crop	TYPE 11 (a)		TYPE 11 (b)		TYPE 12	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentages of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent	1,000 lbs.	Percent
1970	29,711	13.4	19,775	15.8	43,276	12.1
1971	9,098	4.3	5,401	4.8	19,204	6.1
1972	11,436	6.0	3,124	3.0	8,207	2.6
1973	7,369	3.0	4,274	3.5	17,102	4.5

Crop	TYPE 11		TYPE 12	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent
1974	5,058	1.4	8,032	2.0
1975				
1976				
1977				

Crop	TYPE 13		TYPE 14		TYPES 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent	1,000 lbs.	Percent
1970	28,761	10.2	22,703	11.9	144,226	12.2
1971	15,511	6.0	6,456	3.7	55,670	5.2
1972	1,094	.5	420	.3	24,281	2.4
1973	1,883	.7	151	.1	30,778	2.7
1974	7,533	2.7	2,364	1.3	22,988	1.9
1975						
1976						
1977						

Table 17. Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1974 crop. 1/

Group and Grade 2/	1 9 7 4 C R O P					Loan Rate 3/	Group and Grade 2/
	SEASON AVERAGES						
	Type 11	Type 12	Type 13	Type 14	11-14	11 - 14	
Wrappers:							Wrappers:
A1F	--	132	--	--	131	105	A1F
A2F	--	125	--	--	125	103	A2F
Leaf:							Leaf:
B1L	122	118	120	107	115	99	B1L
B2L	115	115	113	107	112	94	B2L
B3L	113	112	109	106	110	91	B3L
B4L	112	111	110	107	110	89	B4L
B5L	111	111	110	108	109	87	B5L
B6L	(110)	(110)	(104)	(100)	106	83	B6L
B1F	118	118	113	110	116	99	B1F
B2F	115	114	111	110	112	94	B2F
B3F	113	113	111	110	112	91	B3F
B4F	113	113	112	110	112	89	B4F
B5F	113	112	112	111	112	87	B5F
B6F	109	111	110	110	110	83	B6F
B1FR	--	(117)	--	--	117	98	B1FR
B2FR	119	114	113	112	115	93	B2FR
B3FR	115	114	113	112	114	90	B3FR
B4FR	114	113	113	112	113	87	B4FR
B5FR	113	113	113	111	113	85	B5FR
B6FR	113	112	111	105	111	81	B6FR
B3R	(113)	--	--	--	113	81	B3R
B4R	110	--	112	--	110	76	B4R
B5R	108	(107)	112	--	109	71	B5R
B6R	(90)	--	(99)	--	97	67	B6R
B3K	113	113	113	111	113	87	B3K
B4K	113	113	112	111	112	84	B4K
B5K	110	111	111	110	110	81	B5K
B6K	103	108	108	108	107	77	B6K
B3KR	113	112	111	110	111	86	B3KR
B4KR	112	112	112	111	112	83	B4KR
B5KR	111	111	111	110	111	80	B5KR
B3LV	111	110	108	105	108	89	B3LV
B4LV	109	109	107	105	107	85	B4LV
B5LV	108	108	(107)	102	105	82	B5LV
B3FV	112	112	110	108	110	89	B3FV
B4FV	111	111	111	108	111	85	B4FV
B5FV	109	111	110	108	109	82	B5FV
B3LS	104	111	112	(107)	111	85	B3LS
B4LS	110	113	110	110	110	82	B4LS
B5LS	--	--	--	--	--	79	B5LS
B6LS	--	--	--	--	--	73	B6LS
B3FS	112	110	112	(108)	112	84	B3FS
B4FS	111	113	110	(106)	110	81	B4FS
B5FS	--	--	(110)	--	(111)	78	B5FS
B6FS	--	--	--	--	--	72	B6FS
B3KL	110	112	111	109	111	80	B3KL
B4KL	110	110	110	109	110	78	B4KL
B5KL	105	110	108	108	108	75	B5KL
B6KL	(104)	--	--	--	102	70	B6KL
B3KF	112	113	112	111	112	79	B3KF
B4KF	111	112	111	111	111	77	B4KF
B5KF	106	111	109	109	109	74	B5KF
B6KF	96	107	103	(102)	103	69	B6KF
B4KV	107	110	109	109	109	80	B4KV
B5KV	103	108	106	108	105	75	B5KV
B6KV	94	104	102	103	99	71	B6KV
B3KM	111	111	109	108	110	83	B3KM
B4KM	111	111	110	108	110	81	B4KM
B5KM	108	109	109	108	108	78	B5KM
B6KM	100	105	105	107	105	73	B6KM

See footnotes at end of table.

Continued -

Table 17. Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1974 crop. 1/

Group and Grade 2/	1 9 7 4 C R O P					Loan Rate 3/ 11 - 14	Group and Grade 2/
	SEASON AVERAGES						
	Type 11	Type 12	Type 13	Type 14	11-14		
B5RR	98	--	--	--	99	68	B5RR
B4GL	103	105	101	100	102	82	B4GL
B5GL	(96)	104	94	93	96	79	B5GL
B6GL	--	--	--	--	--	74	B6GL
B4GF	103	108	107	106	106	81	B4GF
B5GF	101	104	104	104	103	77	B5GF
B6GF	89	(92)	97	103	96	73	B6GF
B4GR	(103)	--	(110)	--	106	75	B4GR
B5GR	89	--	--	--	95	69	B5GR
B6GR	(76)	--	--	(93)	86	64	B6GR
B4GK	104	107	104	102	104	77	B4GK
B5GK	97	104	102	103	100	72	B5GK
B6GK	90	98	102	101	95	68	B6GK
B5RG	(91)	--	--	--	(91)	65	B5RG
B4GG	(92)	(105)	94	(107)	99	68	B4GG
B5GG	(93)	95	101	--	97	64	B5GG
Smoking Leaf:							Smoking Leaf:
H1L	--	--	--	111	112	97	H1L
H2L	114	113	109	110	111	94	H2L
H3L	114	114	112	109	112	92	H3L
H4L	113	113	112	109	112	90	H4L
H5L	114	113	112	109	111	88	H5L
H6L	(113)	109	--	(111)	110	84	H6L
H1F	--	(120)	(112)	--	116	97	H1F
H2F	116	114	113	112	112	94	H2F
H3F	114	113	112	111	112	92	H3F
H4F	114	113	112	111	113	90	H4F
H5F	114	113	112	111	113	88	H5F
H6F	112	112	111	111	111	84	H6F
H3FR	115	114	113	112	113	91	H3FR
H4FR	114	113	112	112	113	88	H4FR
H5FR	114	113	112	111	113	85	H5FR
H6FR	111	--	112	111	112	82	H6FR
H4K	114	112	112	111	113	87	H4K
H5K	112	111	111	111	112	84	H5K
H6K	108	109	110	110	109	80	H6K
Cutters:							Cutters:
C1L	121	119	(118)	--	119	97	C1L
C2L	116	111	109	108	111	95	C2L
C3L	112	109	108	104	109	93	C3L
C4L	111	108	105	101	107	91	C4L
C5L	109	106	102	100	104	90	C5L
C1F	--	(117)	--	--	(119)	97	C1F
C2F	115	111	111	111	111	95	C2F
C3F	112	110	109	106	109	93	C3F
C4F	112	110	108	104	109	91	C4F
C5F	110	109	106	104	108	90	C5F
C4KR	110	108	104	103	107	90	C4KR
C4LV	108	105	99	101	103	90	C4LV
C4FV	109	108	103	101	106	90	C4FV
C4LS	104	106	98	108	103	88	C4LS
C5LS	--	--	--	--	--	85	C5LS
C4KL	109	105	111	108	108	88	C4KL
C4KF	109	109	107	--	108	88	C4KF
C4KM	108	106	102	104	105	88	C4KM
Lugs:							Lugs:
X1L	108	103	104	99	105	93	X1L
X2L	109	105	104	97	105	91	X2L
X3L	107	103	102	97	103	90	X3L

See Footnotes at end of table.

Continued -

Table 17. Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1974 crop. 1/

Group and Grade 2/	1 9 7 4 C R O P					Loan Rate 3/	Group and Grade 2/
	SEASON AVERAGES						
	Type 11	Type 12	Type 13	Type 14	11-14	11 - 14	
X4L	103	101	98	97	100	88	X4L
X5L	96	95	93	95	95	84	X5L
X1F	111	108	108	(102)	109	93	X1F
X2F	110	107	106	104	108	91	X2F
X3F	109	107	105	100	107	90	X3F
X4F	106	104	103	99	104	88	X4F
X5F	99	98	97	99	99	84	X5F
X4KR	106	101	98	97	102	87	X4KR
X3LV	102	100	98	95	99	87	X3LV
X4LV	98	97	94	92	95	84	X4LV
X3FV	104	102	100	98	102	87	X3FV
X4FV	100	100	98	95	99	84	X4FV
X3LS	(104)	99	102	--	101	87	X3LS
X4LS	--	--	(94)	--	92	83	X4LS
X3FS	--	--	--	--	--	85	X3FS
X4FS	--	--	--	--	--	82	X4FS
X4KL	100	98	102	99	100	83	X4KL
X4KF	102	103	104	--	102	83	X4KF
X4KV	96	100	95	100	97	81	X4KV
X3KM	103	103	101	97	102	87	X3KM
X4KM	102	100	96	95	99	83	X4KM
X4GK	94	92	90	90	92	79	K4GK
X4G	92	93	91	90	92	80	X4G
X5G	87	87	88	86	87	75	X5G
Primings:							Primings:
P2L	101	97	94	93	98	88	P2L
P3L	98	94	93	92	95	86	P3L
P4L	91	91	89	90	90	84	P4L
P5L	84	86	84	86	85	80	P5L
P2F	104	101	105	94	101	88	P2F
P3F	99	95	96	93	97	86	P3F
P4F	91	92	91	90	91	84	P4F
P5F	84	86	84	86	85	80	P5F
P4G	85	84	83	84	84	76	P4G
P5G	79	79	78	78	79	70	P5G
Nondescript:							Nondescript:
N1L	78	80	78	81	79	72	N1L
N1XL	90	90	93	96	91	76	N1XL
N1K	96	102	102	105	101	73	N1K
N1R	88	95	93	99	93	64	N1R
N1GL	76	74	74	75	75	66	N1GL
N1GF	85	87	95	92	90	66	N1GF
N1GR	81	89	(97)	--	85	61	N1GR
N1GG	84	--	(74)	--	82	56	N1GG
N2	60	67	70	75	66	0	N2
No-G	64	68	72	73	69	0	No-G
"W"	78	88	91	93	86	0	"W"
"U"	75	82	88	91	85	0	"U"

Continued -

- 1/ Averages based on auction sales. Averages in parentheses are when 10 or more but less than 20 lots were recorded.
- 2/ For key to standard grademarks see brief of classification on Page 2.
- 3/ Commodity Credit Corporation loans made available through the Flue-Cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

Table 18

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

Group and Grade	W E E K E N D I N G :										
	July 25	Aug. 1	Aug. 8	Aug. 15	Aug. 22	Aug. 29	Sep. 5	Sep. 12	Sep. 19	Sep. 26	
LEAF	B3L	---	98	103	108	112	112	112	112	112	112
	B4L	---	---	---	106	111	112	112	111	112	112
	B2F	---	100	---	110	112	112	112	112	113	113
	B3F	---	100	103	108	112	112	112	112	112	112
	B4F	---	---	104	107	111	112	112	112	112	112
	B5F	---	---	---	108	111	110	111	111	111	112
	B3FR	---	---	---	---	---	112	111	112	112	112
	B4FR	---	---	---	---	111	112	112	112	112	112
	B3K	---	---	---	---	111	112	112	111	112	112
	B4K	---	---	---	109	110	110	111	111	111	112
	B5K	---	---	---	---	111	108	107	108	109	111
	B6K	---	---	---	---	---	---	101	102	102	107
	B3KR	---	---	---	108	112	112	112	112	112	112
	B4KR	91	---	---	109	111	112	111	111	112	112
	B3FV	---	99	103	110	111	112	112	111	112	112
	B4FV	---	97	102	106	111	110	111	111	111	112
	B3KF	---	---	---	---	---	110	111	111	111	112
	B4KF	---	---	---	---	109	111	110	110	110	111
	B4KV	---	---	---	97	105	105	104	109	110	109
	B5KV	---	---	---	---	---	102	104	108	104	103
B3KM	---	99	103	108	111	112	112	111	112	112	
B4KM	---	98	99	105	110	111	111	110	110	111	
B5KM	---	---	---	---	107	109	111	108	110	109	
B4GF	---	91	---	---	105	103	107	106	106	104	
B4GK	---	---	92	99	108	107	106	104	107	107	
SMOKING LEAF	H3F	---	---	---	---	112	112	112	112	112	
	H4F	---	---	---	---	111	112	112	112	112	
	H5F	---	---	---	---	111	111	111	111	112	
	H4FR	---	---	---	---	---	112	112	112	112	
	H4K	---	---	---	---	111	111	111	111	112	
	H5K	---	---	---	---	104	107	108	110	110	
H6K	---	---	---	---	---	---	---	100	106	108	
CUTTERS	C3L	---	---	103	105	111	112	112	112	113	113
	C4L	---	96	100	104	111	112	111	112	112	112
	C5L	92	97	97	102	109	111	109	110	111	112
	C3F	---	---	104	109	111	112	112	112	112	112
	C4F	---	99	101	106	112	111	111	112	112	112
	C5F	92	96	99	104	110	110	109	110	111	112
	C4KR	92	---	100	107	110	110	110	111	112	112
	C4FV	---	94	102	106	110	110	109	110	111	111
C4KM	92	96	100	105	110	110	110	110	111	112	
LUGS	X2L	---	96	99	103	111	111	111	111	111	112
	X3L	92	95	97	103	110	110	109	109	111	112
	X4L	90	93	95	101	105	104	101	104	106	109
	X2F	---	---	101	105	111	111	112	111	112	112
	X3F	92	96	99	104	110	110	108	109	111	112
	X4F	90	94	96	101	105	104	104	105	108	109
	X5F	87	89	90	94	96	95	95	96	99	102
	X4KR	---	---	95	102	107	105	104	104	107	110
	X3FV	90	95	96	103	107	107	108	108	110	---
	X4FV	87	92	94	99	100	101	100	102	106	108
X3KM	90	95	98	103	107	108	106	108	111	110	
X4KM	---	92	95	99	100	102	103	103	108	110	
PRIMINGS	P3L	89	92	93	101	104	103	98	105	102	108
	P4L	87	89	89	94	94	92	91	92	95	98
	P5L	83	85	84	86	85	83	82	84	85	---
	P3F	89	93	94	100	104	100	100	101	104	107
	P4F	86	89	89	93	93	91	91	91	93	95
P5F	82	84	84	86	85	84	83	84	85	87	
NON-DESCRIPT	N1L	74	77	77	78	78	76	76	78	79	83
	N1XL	---	80	---	84	84	83	82	86	87	92
	N1GL	71	75	75	77	78	76	72	80	79	---
	N2	61	62	63	66	66	65	64	68	67	71

Table 18

TYPE 11

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

WEEK ENDING:								1974	1973	Group and Grade
Oct. 3	Oct. 10	Oct. 17	Oct. 24	Oct. 31	Nov. 7	Nov. 14	Nov. 21			
115	116	116	116	116	116	117	---	113	91	B3L
114	115	115	114	115	115	116	---	112	90	B4L
115	117	118	117	118	120	118	---	115	94	B2F
114	115	115	115	116	116	116	117	113	92	B3F
114	115	115	115	115	115	115	114	113	91	B4F
114	115	114	114	113	114	114	111	113	91	B5F
114	116	116	115	117	119	117	118	115	94	B3FR
115	115	115	115	115	115	114	---	114	94	B4FR
114	115	115	114	114	114	114	106	113	91	B3K
114	115	114	113	112	113	113	109	113	91	B4K
112	113	110	109	109	110	108	103	110	90	B5K
107	108	104	102	102	101	103	94	103	88	B6K
114	115	114	114	114	114	114	---	113	90	B3KR
114	115	114	113	112	113	113	113	112	90	B4KR
114	115	114	113	115	114	115	---	112	90	B3FV
113	114	113	111	111	112	111	---	111	90	B4FV
114	115	113	113	111	111	---	---	112	89	B3KF
113	114	112	110	108	109	109	---	111	89	B4KF
110	110	109	106	106	107	103	---	107	87	B4KV
105	108	105	101	102	104	100	---	103	87	B5KV
114	115	114	113	113	112	---	---	111	89	B3KM
113	114	113	110	110	112	108	---	111	89	B4KM
111	113	109	104	106	108	98	---	108	88	B5KM
109	111	102	101	98	105	---	---	103	86	B4GF
108	106	104	100	100	103	99	---	97	85	B4GK
114	115	115	115	115	116	116	116	114	91	H3F
114	115	115	115	115	115	115	115	114	91	H4F
114	115	115	114	114	115	114	112	114	91	H5F
114	115	115	115	114	115	115	113	114	94	H4FR
114	115	114	114	113	115	114	112	114	91	H4K
113	114	113	112	111	113	112	108	112	90	H5K
109	111	109	107	108	109	107	100	108	89	H6K
117	119	117	115	116	117	117	---	112	82	C3L
115	116	116	115	115	116	116	115	111	90	C4L
114	114	112	114	115	115	115	---	109	89	C5L
115	116	116	116	116	116	---	---	112	91	C3F
114	115	115	115	115	115	116	116	112	90	C4F
113	114	114	115	114	115	115	---	110	89	C5F
114	115	115	114	114	---	114	---	110	89	C4KR
114	115	113	---	---	---	---	---	109	89	C4FV
113	115	114	114	112	---	---	---	108	88	C4KM
114	116	---	---	---	---	---	---	109	90	X2L
112	114	114	115	115	115	---	---	107	89	X3L
106	111	109	109	107	113	113	---	103	87	X4L
114	114	115	---	115	---	---	---	110	90	X2F
113	114	114	114	114	114	115	113	109	89	X3F
109	111	110	111	111	112	111	108	106	87	X4F
104	105	104	103	104	106	102	97	99	84	X5F
111	113	109	---	108	113	---	---	106	87	X4KR
111	---	---	---	---	---	---	---	104	88	X3FV
106	111	109	99	103	109	---	---	100	86	X4FV
113	---	---	---	---	---	---	---	103	88	X3KM
107	107	110	106	105	109	---	---	102	86	X4KM
104	---	---	---	---	---	---	---	98	86	P3L
93	99	96	107	98	---	95	---	91	84	P4L
---	---	---	---	---	---	89	---	84	80	P5L
103	102	---	---	---	---	---	---	99	86	P3F
93	95	97	97	96	101	96	91	91	84	P4F
85	86	87	88	88	89	85	86	84	80	P5F
82	79	82	82	78	82	80	75	78	73	N1L
94	94	90	96	94	99	92	---	90	80	N1XL
---	---	---	---	---	---	---	---	76	72	N1GL
71	74	72	70	68	59	51	39	60	62	N2

LEAF

SMOKING LEAF

CUTTERS

JUGS

PRIMINGS

NON-DESCRIPT

Table 19

- 32 -
T Y P E 1 2

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

Group and Grade	W E E K E N D I N G :									
	July 25	Aug. 1	Aug. 8	Aug. 15	Aug. 22	Aug. 29	Sep. 5	Sep. 12	Sep. 19	
LEAF	B2L	---	101	105	110	112	112	113	117	113
	B3L	---	99	104	110	112	112	112	112	113
	B4L	---	98	104	110	111	112	112	111	112
	B2F	---	---	105	111	112	112	112	114	113
	B3F	---	98	104	110	112	112	112	112	112
	B4F	---	99	104	110	111	112	112	112	112
	B5F	---	97	102	109	111	112	112	112	112
	B3FR	---	---	---	---	112	112	112	112	112
	B4FR	---	---	---	109	112	112	112	112	112
	B5FR	---	---	---	---	112	112	112	112	112
	B3K	---	---	101	108	111	112	112	112	112
	B4K	---	---	105	108	111	112	111	111	112
	B5K	---	---	---	106	110	111	111	112	110
	B6K	---	---	---	107	112	107	109	108	109
	B3KR	91	99	104	110	111	112	112	112	112
	B4KR	84	96	102	110	111	111	112	112	112
	B3FV	---	97	104	109	111	112	111	112	112
	B4FV	---	98	103	109	111	112	111	112	112
	B3KF	---	---	---	110	112	112	112	112	112
	B4KF	---	---	---	110	111	112	112	112	112
B5KF	---	---	---	---	107	111	112	112	110	
B3KM	---	96	104	109	111	112	112	112	112	
B4KM	91	95	104	109	111	112	111	111	112	
B5KM	---	---	---	109	110	111	110	111	110	
B4GK	90	89	103	106	108	110	111	109	109	
SMOKING LEAF	H4L	---	---	---	110	111	112	112	111	112
	H3F	---	---	---	109	111	112	112	112	112
	H4F	---	---	---	110	111	112	112	111	112
	H5F	---	---	---	109	111	109	112	111	112
	H4FR	---	---	---	---	112	112	112	112	112
	H4K	---	---	104	109	110	112	111	112	111
	H5K	---	---	---	---	109	109	111	110	110
H6K	---	---	---	---	---	109	107	107	109	
CUTTERS	C3L	94	98	104	109	112	112	112	112	112
	C4L	93	98	103	109	111	112	112	112	112
	C5L	91	97	103	107	109	109	110	110	112
	C3F	---	99	104	109	111	112	112	112	112
	C4F	92	98	103	109	111	111	112	112	112
	C5F	92	98	103	108	109	110	110	110	111
	C4KR	92	97	102	109	111	111	111	112	112
	C4LV	92	97	103	109	110	112	112	112	112
	C4KM	92	98	103	109	110	110	110	112	111
LUGS	X2L	92	97	103	109	111	111	111	112	112
	X3L	91	97	103	108	109	109	107	109	111
	X4L	90	95	101	103	105	105	104	104	107
	X3F	92	97	103	108	109	110	109	109	110
	X4F	90	95	101	104	105	105	104	104	109
	X5F	87	92	97	97	99	100	100	97	101
	X4KR	89	95	100	105	103	105	104	107	106
	X4KM	87	94	100	100	100	107	108	104	110
PRIMINGS	P3L	88	95	100	101	101	101	100	96	107
	P4L	86	91	96	96	95	95	94	90	99
	P5L	84	86	91	90	87	89	84	85	90
	P3F	89	94	100	101	102	99	95	103	---
	P4F	86	91	96	95	94	95	93	89	96
	P5F	83	86	90	88	88	88	87	84	87
	P4G	81	85	90	91	89	88	---	---	---
P5G	76	79	83	84	82	84	86	---	---	
NON-DESCRIPT	N1L	76	80	84	84	82	83	78	79	82
	N1XL	81	84	88	89	91	92	94	90	89
	N1K	---	---	---	---	---	104	103	104	101
	N1GL	69	73	78	82	81	80	84	79	---
	N2	60	62	69	70	73	73	74	69	74

Table 19

- 33 -
T Y P E 1 2

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

W E E K E N D I N G:							1974	1973	Group and Grade
Sep.26	Oct. 3	Oct.10	Oct.17	Oct.24	Oct.31	Nov. 7			
118	120	121	117	117	117	---	115	92	B2L
113	117	117	116	115	115	---	112	91	B3L
112	115	115	115	114	114	---	111	90	B4L
114	117	117	118	119	118	---	114	95	B2F
112	115	116	116	116	116	115	113	93	B3F
112	114	115	115	115	115	116	113	92	B4F
112	115	114	114	113	113	112	112	92	B5F
112	115	116	115	117	117	116	114	94	B3FR
112	115	115	116	115	115	116	113	94	B4FR
112	115	114	115	113	114	111	113	94	B5FR
112	114	115	114	113	114	115	113	92	B3K
112	114	114	113	112	113	112	113	91	B4K
111	113	113	111	110	110	110	111	91	B5K
111	111	111	107	105	105	102	108	88	B6K
112	114	115	114	115	114	113	112	90	B3KR
112	114	115	114	113	113	110	112	91	B4KR
112	115	115	114	115	115	---	112	90	B3FV
112	114	114	114	113	113	110	111	90	B4FV
112	115	115	114	112	113	---	113	91	B3KF
112	114	114	113	111	111	111	112	91	B4KF
112	113	113	111	108	110	---	111	89	B5KF
112	114	115	114	113	114	---	111	89	B3KM
111	114	113	113	111	111	111	111	89	B4KM
111	112	111	111	108	105	101	109	88	B5KM
111	110	109	108	106	102	---	107	87	B4GK
112	114	115	115	114	114	---	113	90	H4L
112	114	115	115	116	116	117	113	92	H3F
112	114	115	115	114	115	116	113	91	H4F
112	114	115	113	113	114	114	113	91	H5F
112	114	115	114	114	114	115	113	95	H4FR
112	114	114	113	112	112	113	112	91	H4K
111	113	113	111	110	110	112	111	91	H5K
111	111	110	108	106	106	111	109	89	H6K
114	119	120	116	114	115	---	109	91	C3L
112	116	117	115	114	114	116	108	90	C4L
112	112	114	113	114	113	---	106	88	C5L
113	116	119	115	115	115	116	110	91	C3F
112	115	115	114	114	114	116	110	90	C4F
111	113	114	113	113	111	114	109	88	C5F
112	114	114	113	114	113	110	108	88	C4KR
112	---	115	115	114	---	---	105	89	C4LV
112	114	115	114	113	113	---	106	88	C4KM
112	114	118	115	---	115	---	105	89	X2L
112	114	115	114	113	111	101	103	88	X3L
106	110	112	108	109	109	109	101	87	X4L
111	112	114	112	113	112	110	107	88	X3F
110	109	110	109	110	106	108	104	87	X4F
105	106	107	100	99	100	98	98	84	X5F
108	109	114	108	110	110	105	101	86	X4KR
109	111	111	---	110	101	---	100	85	X4KM
108	92	101	111	108	107	90	94	86	P3L
94	95	92	94	97	96	96	91	85	P4L
84	91	87	87	86	84	90	86	83	P5L
---	---	---	---	---	---	95	95	86	P3F
93	95	99	98	95	96	93	92	85	P4F
88	88	88	85	88	83	80	86	82	P5F
---	---	---	---	---	---	---	84	83	P4G
---	---	---	---	---	---	---	79	81	P5G
80	80	80	81	82	76	78	80	79	N1L
101	98	102	83	---	88	89	90	81	N1XL
102	106	106	97	99	97	101	102	87	N1K
---	---	---	---	---	---	---	74	79	N1GL
74	80	81	72	69	66	71	67	69	N2

Table 20

T Y P E ³⁴ I 3

Average prices by weeks, on representatives grades, and season averages, 1974 and 1973 crops.

Group and Grade	W E E K E N D I N G :									
	July 18 :	July 25 :	Aug. 1 :	Aug. 8 :	Aug. 15 :	Aug. 22 :	Aug. 29 :	Sep. 5 :	Sep. 12 :	
LEAF	B2L	---	---	100	105	111	112	113	113	114
	B3L	---	95	99	105	111	112	112	112	112
	B4L	---	94	99	105	110	112	112	112	112
	B2F	---	---	103	105	111	112	112	112	112
	B3F	---	95	100	105	110	112	112	112	112
	B4F	92	94	99	105	110	112	112	112	112
	B5F	---	---	98	105	110	111	112	112	112
	B4FR	---	---	---	---	111	112	112	112	112
	B5FR	---	---	---	---	---	---	112	112	112
	B3K	---	---	---	---	---	112	112	112	112
	B4K	---	---	100	105	110	112	112	112	112
	B5K	---	---	---	104	108	111	111	111	111
	B6K	---	---	---	---	103	105	110	110	110
	B3KR	---	95	100	105	110	112	112	112	112
	B4KR	---	91	99	104	110	111	112	112	112
	B3LV	---	94	99	105	110	112	112	112	112
	B3FV	---	94	100	105	110	112	112	112	112
	B4FV	---	93	99	105	110	111	112	111	112
	B5FV	---	---	98	105	106	110	110	110	110
	SMOKING LEAF	B3KL	---	---	100	105	109	111	112	112
B3KF		---	---	---	105	110	111	112	111	112
B4KF		---	---	---	104	109	110	111	111	112
B5KF		---	---	---	104	110	108	110	111	111
B3KM		---	94	100	105	110	111	112	112	112
B4KM		---	92	99	105	109	111	111	111	112
B5KM		---	93	99	101	103	110	111	110	111
B4GK		---	91	95	102	106	106	110	110	111
H3F		---	---	---	105	110	110	112	112	112
H4F		---	---	100	105	110	112	112	112	112
CUTTERS	H5F	---	---	96	105	110	111	112	112	112
	H4K	---	---	---	---	110	110	112	112	112
	H5K	---	---	---	---	108	111	111	111	111
	C3L	---	95	98	105	110	112	112	113	112
	C4L	92	94	98	105	110	111	112	112	112
LUGS	C5L	92	94	98	105	109	108	110	109	111
	C3F	---	95	98	105	110	111	112	112	112
	C4F	92	94	99	105	110	111	112	112	112
	C5F	91	94	98	105	109	110	111	111	110
	C4KR	92	93	99	105	110	110	112	112	111
	C4LV	92	93	98	106	109	111	112	111	---
	C4FV	92	94	99	105	109	111	112	111	111
	C4KM	91	94	98	105	108	111	112	112	111
PRIMINGS	X3L	92	94	99	105	108	110	110	111	110
	X4L	90	92	97	103	105	108	106	107	102
	X3F	93	94	99	105	108	110	111	111	111
	X4F	90	92	97	104	106	107	108	106	107
	X5F	87	88	93	100	98	102	103	98	101
	X4KR	89	91	97	104	105	105	104	---	106
	X4FV	88	91	95	102	104	102	107	103	106
	X3KM	90	93	98	104	107	111	112	---	110
	X4KM	87	91	96	103	102	106	111	109	105
NON-DES-CRIFT	P3L	88	91	96	102	102	102	104	---	105
	P4L	86	88	92	98	97	97	95	91	97
	P5L	82	83	87	92	89	85	94	86	88
	P3F	89	91	97	101	102	101	101	93	104
	P4F	88	88	91	97	97	96	96	93	95
NON-DES-CRIFT	P5F	81	84	87	91	90	89	87	88	87
	P4G	80	84	85	92	91	87	---	---	---
	P5G	76	78	81	87	84	86	---	---	80
	N1L	74	77	81	84	84	83	86	84	85
NON-DES-CRIFT	N1K	---	---	---	91	90	105	105	105	105
	N1GL	69	73	77	85	84	---	---	---	---
	N2	61	66	70	75	75	76	84	88	82

Table 20

- 35 -
T Y P E 1 3

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

W E E K E N D I N G :						1974	1973	Group and Grade
Sep.19	Sep.26	Oct. 3	Oct.10	Oct.17	Oct.24			
116	116	119	119	118	117	113	91	B2L
112	113	114	116	115	116	109	90	B3L
112	112	114	114	115	114	110	88	B4L
113	114	116	116	115	115	111	92	B2F
112	112	114	115	115	115	111	91	B3F
112	112	114	115	114	114	112	91	B4F
112	112	114	114	113	112	112	91	B5F
112	112	114	115	115	114	113	93	B4FR
112	112	114	114	111	112	113	92	B5FR
112	112	114	114	114	115	113	91	B3K
112	112	114	114	112	114	112	91	B4K
111	110	111	112	109	110	111	90	B5K
107	109	110	108	104	106	108	87	B6K
112	112	113	115	115	114	111	90	B3KR
112	112	113	115	113	113	112	90	B4KR
111	112	114	115	112	---	108	88	B3LV
112	112	113	115	112	115	110	89	B3FV
112	112	113	114	112	112	111	89	B4FV
111	111	112	112	110	108	110	87	B5FV
112	112	112	114	112	---	111	---	B3KL
112	112	113	114	109	112	112	89	B3KF
111	111	112	112	109	111	111	88	B4KF
110	109	111	109	107	109	109	87	B5KF
112	112	113	114	110	112	109	88	B3KM
111	111	112	113	110	110	110	87	B4KM
110	110	110	111	107	108	109	86	B5KM
108	106	106	107	102	102	104	83	B4GK
112	112	114	115	115	115	112	92	H3F
112	112	114	115	114	115	113	91	H4F
112	112	113	115	112	114	112	91	H5F
112	111	113	114	113	114	112	92	H4K
111	111	112	113	110	110	111	91	H5K
112	113	117	117	114	115	108	91	C3L
112	112	115	115	115	115	105	90	C4L
110	111	114	114	113	114	102	88	C5L
112	112	115	115	115	---	109	91	C3F
112	112	114	115	114	114	108	90	C4F
111	111	113	114	113	114	106	88	C5F
112	112	113	114	114	---	104	88	C4KR
---	112	---	---	---	---	99	88	C4LV
112	---	113	---	---	---	103	88	C4FV
112	112	113	115	113	---	102	87	C4KM
111	112	113	114	115	---	102	88	X3L
106	110	111	114	110	---	98	87	X4L
111	111	113	114	114	---	105	88	X3F
109	108	109	111	109	109	103	87	X4F
103	103	104	102	97	93	97	86	X5F
104	111	---	106	---	---	98	87	X4KR
105	109	99	106	---	---	98	87	X4FV
---	---	114	114	---	---	101	87	X3KM
105	112	110	109	---	---	96	86	X4KM
---	---	---	---	---	---	93	86	P3L
93	96	103	96	96	104	89	85	P4L
83	---	80	82	85	---	84	83	P5L
96	---	---	---	---	---	96	86	P3F
92	93	100	97	92	92	91	85	P4F
90	85	87	88	85	84	84	83	P5F
---	---	---	---	---	---	83	83	P4G
---	---	---	---	---	---	78	81	P5G
86	82	76	80	75	73	78	79	N1L
104	103	101	103	96	99	102	84	N1K
---	---	---	---	---	---	74	78	N1GL
78	78	77	79	70	66	71	70	N2

Table 21

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

Group and Grade	W E E K						
	July 18	July 25	Aug. 1	Aug. 8	Aug. 15	Aug. 22	
LEAF	B2L	---	97	104	111	111	112
	B3L	94	97	105	111	111	112
	B4L	93	96	104	111	111	111
	B2F	---	97	104	111	111	112
	B3F	95	97	105	111	111	112
	B4F	92	97	105	111	111	112
	B5F	---	97	105	110	111	112
	B4FR	---	98	103	110	111	112
	B3K	---	---	107	110	111	112
	B4K	---	96	104	110	111	112
	B5K	---	94	101	107	110	111
	B6K	---	---	106	103	109	111
	B3KR	---	97	104	111	111	112
	B4KR	---	96	104	110	111	112
	B5KR	---	93	103	108	110	112
	B4LV	---	96	102	109	111	111
	B3FV	---	97	104	111	111	112
B4FV	---	96	103	109	111	112	
B3KM	92	96	104	110	111	112	
B4KM	90	96	103	109	111	112	
B5KM	---	93	102	107	110	111	
B4GK	84	94	100	107	111	111	
SMOKING LEAF	H4L	---	97	103	111	111	112
	H2F	---	---	108	111	111	112
	H3F	---	98	106	111	111	112
	H4F	93	97	105	111	111	112
	H5F	---	98	105	110	111	112
	H4FR	---	---	---	111	111	112
	H5FR	---	---	---	111	111	112
	H4K	---	97	106	110	111	112
	H5K	---	---	105	110	110	112
	H6K	---	---	103	109	110	111
CUTTERS	C3L	94	96	104	111	111	112
	C4L	92	96	102	111	111	112
	C5L	92	96	102	109	110	112
	C3F	93	96	103	111	111	112
	C4F	92	96	103	111	111	112
	C5F	92	96	102	110	110	112
	C4KR	92	96	103	110	111	112
	C4LV	92	96	101	109	---	112
	C4KM	92	96	102	109	111	112
LUGS	X3L	92	96	101	108	109	112
	X4L	91	95	98	106	105	109
	X3F	92	96	102	108	110	111
	X4F	91	95	98	108	107	108
	X5F	88	93	95	104	105	106
	X4KR	90	94	99	107	110	110
	X3FV	91	95	98	106	109	110
	X4FV	88	93	96	105	105	108
	X3KM	91	95	98	109	111	---
	X4KM	88	94	99	106	107	---
X4G	84	89	93	101	101	---	
PRIMINGS	P3L	90	93	97	99	99	102
	P4L	88	92	91	95	94	96
	P5L	85	88	85	86	88	85
	P3F	90	94	95	100	99	104
	P4F	88	91	93	98	100	97
	P5F	84	87	86	91	91	89
P4G	84	85	84	---	84	88	
NON-DESCRIPT	N1L	78	81	80	86	92	90
	N1XL	85	87	89	101	105	101
	N1K	---	---	92	106	108	109
	N2	64	69	73	80	77	82

Table 21

Average prices by weeks, on representative grades, and season averages, 1974 and 1973 crops.

E N D I N G:				1974	1973	Group and Grade
Aug. 29	Sep. 5	Sep. 12	Sep. 19			
112	112	112	112	107	91	B2L
112	112	112	114	106	91	B3L
112	112	112	112	107	90	B4L
112	112	112	112	110	91	B2F
112	112	112	112	110	91	B3F
112	112	112	112	110	91	B4F
112	112	112	111	110	90	B5F
112	112	112	112	112	91	B4FR
112	112	112	112	111	91	B3K
112	112	112	110	111	90	B4K
112	112	111	109	110	88	B5K
111	111	109	102	108	87	B6K
112	112	112	112	110	90	B3KR
112	112	112	111	111	90	B4KR
112	112	111	108	110	89	B5KR
---	112	112	112	105	89	B4LV
112	112	112	112	108	90	B3FV
112	112	112	112	108	90	B4FV
112	112	112	112	108	90	B3KM
112	112	112	109	108	89	B4KM
112	111	111	109	108	88	B5KM
110	112	109	---	102	87	B4GK
112	112	112	112	109	91	H4L
112	112	112	112	112	91	H2F
112	112	112	112	111	91	H3F
112	112	112	112	111	91	H4F
112	112	112	111	111	90	H5F
112	112	112	112	112	91	H4FR
112	112	112	109	111	90	H5FR
112	112	112	111	111	90	H4K
112	112	112	110	111	90	H5K
111	111	111	106	110	89	H6K
112	---	112	112	104	91	C3L
112	112	112	112	101	90	C4L
111	---	---	112	100	89	C5L
112	112	---	---	106	91	C3F
112	112	112	109	104	91	C4F
112	110	111	111	104	90	C5F
112	---	112	112	103	90	C4KR
112	112	112	---	101	89	C4LV
112	112	112	110	104	90	C4KM
112	---	---	---	97	89	X3L
106	106	109	---	97	88	X4L
111	111	110	---	100	89	X3F
110	110	107	107	99	89	X4F
107	108	100	105	99	88	X5F
103	112	111	109	97	88	X4KR
108	---	---	---	98	88	X3FV
108	---	---	---	95	88	X4FV
110	---	---	---	97	89	X3KM
---	---	---	---	95	88	X4KM
---	---	109	105	90	86	X4G
94	---	---	---	92	88	P3L
99	---	88	95	90	87	P4L
---	---	90	100	86	85	P5L
93	---	111	---	93	88	P3F
94	101	91	94	90	87	P4F
87	97	85	87	86	85	P5F
---	---	82	---	84	85	P4G
95	89	88	89	82	83	N1L
101	101	97	97	96	86	N1XL
108	108	104	98	105	86	N1K
87	87	79	66	75	77	N2

LEAF

SMOKING LEAF

CUTTERS

LUGS

PRIMINGS

NON-
DESCRIP

Table 22... Percentage distribution by GROUPS for flue-cured types, 1966 to 1973 crops.

Crop Year	A Wrappers (Percent)	B Leaf (Percent)	H S. Leaf (Percent)	C Cutters (Percent)	X Lugs (Percent)	P Primings (Percent)	N Nondescript (Percent)	Misc. (Percent)
T Y P E 1 1 (a)								
1966	1/	53.5	12.3	2.6	15.3	5.6	8.7	2.0
1967	1/	61.5	10.1	3.3	13.3	5.9	4.5	1.4
1968	1/	49.3	7.7	2.6	19.0	12.7	7.3	1.4
1969	1/	54.4	10.8	3.3	14.2	9.3	6.3	1.7
1970	1/	46.3	14.9	2.9	14.6	8.8	10.5	2.0
1971	1/	51.2	14.5	3.6	13.6	11.1	3.1	2.9
1972	1/	58.7	2.6	7.8	16.0	12.1	1.7	1.1
1973	1/	48.8	16.7	8.9	11.1	9.8	3.0	1.7
2/1974	1/	47.1	14.5	8.7	12.5	10.9	4.2	2.1
1975								
T Y P E 1 1 (b)								
1966	--	47.9	19.7	3.7	13.5	5.4	8.3	1.5
1967	1/	50.0	15.9	3.6	18.1	5.7	4.4	2.3
1968	1/	46.4	12.2	5.5	18.3	7.4	8.5	1.7
1969	1/	43.6	23.7	4.4	14.9	6.2	4.5	2.7
1970	--	48.9	17.0	2.3	16.5	6.0	7.3	2.0
1971	--	47.2	18.9	4.2	16.0	8.0	2.8	2.9
1972	--	58.5	4.3	10.1	14.4	9.7	1.7	1.3
1973	--	55.8	9.0	11.2	10.5	9.8	1.7	2.0
2/1974	--	--	--	--	--	--	--	--
1975								
T Y P E 1 2								
1966	1/	51.9	10.8	4.3	11.4	6.8	12.7	2.1
1967	1/	51.6	10.0	4.2	15.8	5.9	9.9	2.6
1968	1/	51.7	7.9	7.0	12.8	5.8	12.9	1.9
1969	--	50.0	9.8	5.7	14.6	6.9	9.7	3.3
1970	1/	58.7	6.1	4.5	14.2	8.1	6.6	1.8
1971	1/	59.1	7.1	6.2	13.0	8.2	3.9	2.5
1972	1/	59.0	5.3	9.7	11.2	10.5	2.3	2.0
1973	1/	54.6	6.8	14.9	10.2	8.5	3.3	1.7
1974	.1	52.6	8.7	10.1	10.0	11.6	4.5	2.5
1975								
T Y P E 1 3								
1966	1/	48.8	11.2	3.9	12.5	12.6	9.3	1.7
1967	--	48.2	6.8	4.4	17.1	12.3	9.3	1.9
1968	--	45.3	7.5	5.2	15.8	14.2	10.4	1.6
1969	--	49.2	6.2	5.4	14.2	13.8	7.2	4.0
1970	--	53.5	3.0	3.7	13.0	17.7	6.2	2.9
1971	--	51.5	3.1	6.5	15.6	14.0	5.0	4.3
1972	--	54.9	1.5	12.1	13.0	15.1	1.9	1.5
1973	--	45.7	4.2	15.7	12.7	16.2	2.7	2.8
1974	1/	55.1	4.5	11.2	9.6	12.2	3.7	3.5
1975								
T Y P E 1 4								
1966	--	54.1	4.7	3.0	13.8	15.2	7.7	1.5
1967	--	52.6	4.2	3.0	14.9	11.9	10.8	2.6
1968	--	50.8	5.2	3.2	14.1	14.5	10.7	1.5
1969	--	51.5	3.6	3.8	15.4	15.7	8.4	1.6
1970	--	48.4	3.9	4.2	17.3	18.2	5.6	2.4
1971	--	53.1	3.1	2.3	13.6	16.6	6.4	4.9
1972	1/	53.7	1.4	6.8	15.3	18.0	3.1	1.7
1973	--	38.4	8.9	8.6	17.8	17.6	5.0	3.7
1974	--	45.0	15.6	10.5	11.1	11.5	3.1	3.2
1975								

1/ Volume insufficient to quote percentage.

2/ Beginning with the 1974 crop, Types 11(a) and 11(b) were combined for reporting purposes.

Table 22. Percentage distribution by QUALITIES for flue-cured types, 1966 to 1973 crops.

Crop Year	1 Choice (Percent)	2 Fine (Percent)	3 Good (Percent)	4 Fair (Percent)	5 Low (Percent)	6 Poor (Percent)	Nondescript (Percent)	Misc. (Percent)
T Y P E 1 1 (a)								
1966	--	.2	4.2	35.7	37.8	11.4	8.7	2.0
1967	--	.4	5.5	38.5	39.2	10.5	4.5	1.4
1968	.1	.7	5.9	34.8	39.2	10.6	7.3	1.4
1969	.2	.9	7.0	38.0	38.8	7.1	6.3	1.7
1970	.1	.5	5.1	34.2	38.4	9.2	10.5	2.0
1971	<u>1/</u>	.5	8.7	41.9	37.3	5.6	3.1	2.9
1972	.1	1.2	19.6	51.0	23.2	2.1	1.7	1.1
1973	.2	1.6	20.3	49.3	22.8	1.1	3.0	1.7
<u>2/</u> 1974	.1	1.4	20.1	50.5	20.3	1.3	4.2	2.1
1975								
T Y P E 1 1 (b)								
1966	--	.2	3.7	35.4	38.9	12.0	8.3	1.5
1967	--	.2	4.7	38.3	40.6	9.5	4.4	2.3
1968	--	.1	3.6	32.8	40.9	12.4	8.5	1.7
1969	--	.2	5.2	40.8	40.4	6.2	4.5	2.7
1970	<u>1/</u>	.1	3.8	36.8	41.1	8.9	7.3	2.0
1971	<u>1/</u>	.2	5.9	43.3	39.3	5.6	2.8	2.9
1972	.1	.6	15.4	53.6	25.6	1.7	1.7	1.3
1973	.1	.6	18.5	53.5	22.4	1.2	1.7	2.0
<u>2/</u> 1974	--	--	--	--	--	--	--	--
1975								
T Y P E 1 2								
1966	--	.4	6.1	34.0	33.6	11.1	12.7	2.1
1967	--	.3	4.7	35.9	37.6	9.0	9.9	2.6
1968	.1	.6	6.7	31.9	34.9	11.0	12.9	1.9
1969	--	.4	5.5	34.9	39.0	7.2	9.7	3.3
1970	<u>1/</u>	.3	8.6	43.3	33.6	5.8	6.6	1.8
1971	<u>1/</u>	.3	8.5	48.5	33.1	3.2	3.9	2.5
1972	.2	1.3	24.1	50.8	18.4	.9	2.3	2.0
1973	.3	2.1	23.9	48.3	19.5	1.0	3.3	1.7
1974	.3	2.0	25.4	49.3	15.2	.8	4.5	2.5
1975								
T Y P E 1 3								
1966	--	.4	8.3	39.2	33.4	7.7	9.3	1.7
1967	--	.1	5.9	39.9	34.4	8.5	9.3	1.9
1968	--	.3	5.3	36.5	37.0	8.9	10.4	1.6
1969	--	.2	6.8	39.5	37.3	5.0	7.2	4.0
1970	--	.2	7.0	42.4	36.8	4.5	6.2	2.9
1971	--	.1	10.5	48.1	29.8	2.2	5.0	4.3
1972	<u>1/</u>	1.2	23.0	50.1	21.8	.5	1.9	1.5
1973	<u>1/</u>	.8	19.4	47.4	25.9	1.0	2.7	2.8
1974	<u>1/</u>	1.2	23.3	47.2	20.1	1.1	3.7	3.5
1975								
T Y P E 1 4								
1966	--	.3	10.2	39.5	31.9	8.9	7.7	1.5
1967	--	.1	6.1	35.7	36.0	8.7	10.8	2.6
1968	--	.2	7.7	38.1	34.2	7.6	10.7	1.5
1969	--	.3	9.2	37.1	34.6	8.8	8.4	1.6
1970	<u>1/</u>	.3	12.3	44.0	31.7	3.7	5.6	2.4
1971	<u>1/</u>	.2	13.4	45.6	25.9	3.6	6.4	4.9
1972	<u>1/</u>	.5	21.6	48.6	22.8	1.7	3.1	1.7
1973	<u>1/</u>	.8	17.9	44.7	25.0	2.9	5.0	3.7
1974	.2	3.2	24.2	45.3	18.5	2.3	3.1	3.2
1975								

1/ Volume insufficient to quote percentages.

2/ Beginning with the 1974 crop, Types 11(a) and 11 (b) were combined for reporting purposes.

Table 22. Percentage distribution by COLORS for flue-cured types, 1966 to 1973 crops.

Crop Year	L	F	FR	R	D	K	K(sf)	S	G	Nond.	Misc.
	(Percent)										
T Y P E 1 1 (a)											
1966	7.7	17.9	4.0	1.8	1/	30.5	24.3	1/	3.1	8.7	2.0
1967	14.2	17.4	5.4	1.2	1/	32.3	21.8	.1	1.7	4.5	1.4
1968	17.9	26.9	3.0	.5	--	20.6	19.6	1/	2.8	7.3	1.4
1969	15.2	32.7	5.2	.2	--	28.6	8.6	1/	1.5	6.3	1.7
1970	5.7	31.9	2.9	.2	--	34.4	10.9	.1	1.4	10.5	2.0
1971	9.6	34.6	7.4	.8	--	33.1	7.8	.1	.6	3.1	2.9
1972	17.6	42.3	2.2	.1	--	14.8	17.7	.6	1.9	1.7	1.1
1973	10.3	55.7	8.0	.1	--	16.0	4.6	1/	.6	3.0	1.7
2/1974	9.8	50.9	2.7	.1	--	20.9	7.3	.1	2.1	4.2	2.1
1975											
T Y P E 1 1 (b)											
1966	9.5	21.0	5.5	2.2	.1	34.9	14.3	.1	2.6	8.3	1.5
1967	16.7	21.5	3.4	.6	1/	34.4	15.0	.1	1.6	4.4	2.3
1968	15.8	23.3	1.1	.3	--	33.7	13.3	1/	2.3	8.5	1.7
1969	13.3	36.1	5.3	.1	--	33.7	3.5	1/	.8	4.5	2.7
1970	4.3	30.0	1.8	.2	--	41.1	12.1	.1	1.1	7.3	2.0
1971	7.7	37.4	4.7	.4	--	33.4	9.9	.1	.7	2.8	2.9
1972	10.8	42.0	1.8	.1	--	18.5	22.0	.3	1.5	1.7	1.3
1973	13.4	52.2	1.6	1/	--	16.4	11.5	.4	.8	1.7	2.0
2/1974	--	--	--	--	--	--	--	--	--	--	--
1975											
T Y P E 1 2											
1966	13.1	26.3	1.1	.8	--	26.7	14.9	.2	2.1	12.7	2.1
1967	14.0	23.3	.8	.1	--	31.3	15.9	.2	1.9	9.9	2.6
1968	17.1	29.4	.8	.2	--	27.4	8.6	1/	1.7	12.9	1.9
1969	20.5	34.1	1.6	.1	--	21.5	7.6	1/	1.6	9.7	3.3
1970	10.8	31.0	1.9	.1	--	28.5	17.5	.3	1.5	6.6	1.8
1971	11.2	37.0	3.0	.1	--	26.1	14.8	.2	1.2	3.9	2.5
1972	10.1	47.6	3.3	.1	--	18.2	15.4	.1	.9	2.3	2.0
1973	14.2	48.9	6.2	1/	--	13.8	10.7	.3	.9	3.3	1.7
1974	17.4	45.6	4.9	1/	--	14.9	8.4	.1	1.9	4.5	2.5
1975											
T Y P E 1 3											
1966	20.1	38.2	2.7	.2	--	19.0	6.4	.1	2.3	9.3	1.7
1967	20.8	27.4	1.0	.2	--	22.4	14.3	.1	2.6	9.3	1.9
1968	24.8	30.0	.7	.2	--	19.9	10.1	1/	2.3	10.4	1.6
1969	29.8	35.3	1.3	1/	--	14.1	6.1	1/	2.2	7.2	4.0
1970	19.3	34.5	1.3	.1	--	16.5	15.0	.1	4.1	6.2	2.9
1971	16.4	37.2	.4	1/	--	14.2	19.2	.4	2.9	5.0	4.3
1972	21.6	53.0	.8	1/	--	8.0	11.7	.2	1.3	1.9	1.5
1973	24.8	48.9	.8	1/	--	6.8	10.1	1.1	2.0	2.7	2.8
1974	14.5	53.2	1.8	1/	--	10.8	10.3	.4	1.8	3.7	3.5
1975											
T Y P E 1 4											
1966	26.6	38.9	.5	1/	--	10.0	11.7	.3	2.8	7.7	1.5
1967	17.2	26.0	.2	1/	--	15.8	22.8	.2	4.4	10.8	2.6
1968	23.4	34.4	.4	1/	--	18.1	8.5	.2	2.8	10.7	1.5
1969	28.6	36.8	.4	1/	--	14.9	6.4	.2	2.7	8.4	1.6
1970	28.9	38.4	.6	1/	--	10.4	10.2	.4	3.1	5.6	2.4
1971	15.2	35.9	.6	1/	--	15.8	17.1	.5	3.6	6.4	4.9
1972	19.1	47.0	.3	1/	--	9.8	16.3	.1	2.6	3.1	1.7
1973	25.8	40.0	.4	1/	--	12.3	10.2	.5	2.1	5.0	3.7
1974	18.8	45.9	3.3	1/	--	16.7	6.2	.1	2.7	3.1	3.2
1975											

1/ Volume insufficient to quote percentage.

2/ Beginning with the 1974 crop, Types 11(a) and 11(b) were combined for reporting purposes.

Table 22. Percentage distribution by GROUPS, QUALITIES, and COLORS for flue-cured Types 11-14, 1966 to 1973 crops.

G R O U P								
Crop Year	A Wrappers (Percent)	B Leaf (Percent)	H S. Leaf (Percent)	C Cutters (Percent)	X Lugs (Percent)	P Primings (Percent)	N Nondescript (Percent)	Misc. (Percent)
1966	1/	51.2	12.4	3.6	13.2	8.2	9.6	1.8
1967	1/	52.7	9.4	3.8	15.8	8.3	7.9	2.1
1968	1/	48.9	7.8	4.9	15.5	10.8	10.4	1.7
1969	1/	50.3	9.7	4.7	14.6	10.3	7.6	2.8
1970	1/	52.4	7.8	3.7	14.8	12.0	7.1	2.2
1971	1/	53.5	8.2	4.9	14.2	11.5	4.3	3.4
1972	1/	57.1	3.2	9.5	13.5	13.0	2.1	1.6
1973	1/	49.4	8.8	12.6	12.0	11.8	3.2	2.2
1974	1/	50.3	10.6	10.0	10.8	11.5	4.0	2.8
1975								

Q U A L I T Y								
Crop Year	1 Choice (Percent)	2 Fine (Percent)	3 Good (Percent)	4 Fair (Percent)	5 Low (Percent)	6 Poor (Percent)	Nondescript (Percent)	Misc. (Percent)
1966	--	.3	6.0	36.3	35.5	10.5	9.6	1.8
1967	--	.2	5.4	37.7	37.5	9.2	7.9	2.1
1968	--	.4	6.0	34.6	36.9	10.0	10.4	1.7
1969	1/	.5	6.8	37.5	38.1	6.7	7.6	2.8
1970	1/	.3	7.7	40.8	35.8	6.1	7.1	2.2
1971	1/	.3	9.6	46.1	32.6	3.7	4.3	3.4
1972	.1	1.1	21.7	50.6	21.6	1.2	2.1	1.6
1973	.2	1.3	20.7	48.4	22.7	1.3	3.2	2.2
1974	.2	1.8	23.1	48.6	18.3	1.2	4.0	2.8
1975								

C O L O R											
Crop Year	L (Percent)	F (Percent)	FR (Percent)	R (Percent)	D (Percent)	K (Percent)	K(sf) (Percent)	S (Percent)	G (Percent)	Nond. (Percent)	Misc. (Percent)
1966	13.9	26.7	2.9	1.1	1/	26.1	15.2	.1	2.6	9.6	1.8
1967	16.6	23.2	2.1	.4	1/	27.4	17.8	.1	2.4	7.9	2.1
1968	18.9	27.2	1.2	.2	--	26.6	11.5	1/	2.3	10.4	1.7
1969	22.0	34.7	2.5	.1	--	21.6	6.9	1/	1.8	7.6	2.8
1970	14.2	33.2	1.7	.1	--	25.1	13.9	.2	2.3	7.1	2.2
1971	12.4	36.4	3.0	.2	--	23.7	14.4	.3	1.9	4.3	3.4
1972	15.8	47.2	1.9	1/	--	13.8	15.8	.3	1.5	2.1	1.6
1973	17.2	49.6	4.1	1/	--	12.7	9.3	.5	1.2	3.2	2.2
1974	14.7	48.9	3.3	1/	--	16.0	8.2	.1	2.0	4.0	2.8
1975											

C O L O R K E Y

- L - Lemon
- F - Orange
- FR - Orange Red
- R - Red
- D - Walnut (discontinued after 1967)
- K - Variegated (K and KR)
- K(sf) - Variegated (KL, KF, KV, and KM)
- S - Slick
- G - Green
- Nond. - Nondescript
- Misc. - No grade, W, U, etc.

1/ Volume insufficient to quote percentage.

Table 23. Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1974 crop.

Group and Grade	1974 CROP				Group and Grade	1974 CROP			
	11	12	13	14		11	12	13	14
Wrappers:									
A1F	.001	.037	.001	---	B3KM	1.236	1.660	2.136	1.562
A2F	.002	.014	.003	---	B4KM	2.143	2.239	2.743	1.424
Total A	.003	.051	.004	---	B5KM	.259	.304	.499	.409
Leaf:					B6KM	.012	.042	.058	.078
B1L	.019	.083	.028	.093	B5RR	.020	.003	---	.001
B2L	.175	.301	.215	.566	B4GL	.010	.031	.038	.090
B3L	.963	1.851	1.740	3.344	B5GL	.004	.005	.010	.019
B4L	.520	.845	.764	1.028	B6GL	---	---	.001	.004
B5L	.046	.093	.075	.211	B4GF	.146	.129	.085	.319
B6L	.001	.005	.001	.006	B5GF	.102	.040	.044	.083
B1F	.023	.108	.031	.058	B6GF	.018	.004	.013	.026
B2F	.462	.862	.661	1.079	B4GR	.004	.003	.002	.001
B3F	6.722	9.617	9.885	7.577	B5GR	.007	.003	.002	.001
B4F	11.309	12.587	14.683	8.718	B6GR	.005	---	---	.009
B5F	2.332	1.972	4.414	1.930	B4GK	.387	.255	.233	.427
B6F	.060	.036	.174	.172	B5GK	.313	.121	.143	.137
B1FR	---	.006	.001	---	B6GK	.073	.023	.028	.029
B2FR	.029	.056	.009	.014	B5RG	.005	---	---	---
B3FR	.454	1.195	.210	.332	B4GG	.005	.005	.006	.007
B4FR	1.111	2.616	.990	1.188	B5GG	.005	.011	.008	.002
B5FR	.172	.359	.323	.295	Total B	47.053	52.552	55.140	44.981
B6FR	.006	.007	.026	.017	Smoking Leaf:				
B3R	.005	---	---	---	H1L	---	.001	---	.010
B4R	.007	.002	.006	.001	H2L	.008	.012	.006	.083
B5R	.016	.004	.008	.003	H3L	.142	.155	.068	.259
B6R	.005	.001	.003	.003	H4L	.180	.230	.085	.371
B3K	1.524	.569	.227	.598	H5L	.041	.034	.021	.094
B4K	6.958	4.421	2.918	2.994	H6L	.002	.006	---	.003
B5K	2.210	1.588	2.078	2.081	H1F	---	.003	.005	.001
B6K	.307	.275	.472	.670	H2F	.022	.048	.017	.580
B3KR	.745	1.376	.990	1.106	H3F	.766	.845	.403	1.456
B4KR	1.537	2.134	1.560	1.922	H4F	3.695	2.705	1.403	3.672
B5KR	.148	.224	.209	.558	H5F	2.102	.861	1.111	1.969
B3LV	.125	.179	.296	.279	H6F	.070	.022	.073	.158
B4LV	.066	.119	.143	.363	H3FR	.070	.086	.006	.064
B5LV	.006	.012	.003	.038	H4FR	.539	.450	.094	.878
B3FV	.474	.544	1.051	.630	H5FR	.259	.114	.110	.397
B4FV	1.120	.726	1.125	.965	H6FR	.015	.002	.015	.028
B5FV	.201	.095	.212	.185	H4K	3.050	1.582	.465	2.015
B3LS	.006	.020	.065	.008	H5K	2.898	1.244	.678	2.606
B4LS	.006	.006	.034	.012	H6K	.609	.291	.171	.925
B5LS	---	---	.001	---	Total H	14.468	8.691	4.731	15.569
B6LS	---	---	---	---	Cutters:				
B3FS	.025	.015	.136	.009	C1L	.007	.009	.007	.001
B4FS	.009	.012	.081	.009	C2L	.039	.039	.033	.106
B5FS	.001	---	.003	---	C3L	.350	.834	.435	.700
B6FS	---	---	.001	---	C4L	1.275	2.154	1.902	1.921
B3KL	.108	.110	.226	.098	C5L	.551	.712	.988	.811
B4KL	.132	.148	.167	.095	C1F	---	.003	.003	---
B5KL	.013	.019	.021	.020	C2F	.010	.012	.010	.251
B6KL	.003	.001	.002	---	C3F	.344	.392	.484	.671
B3KF	.371	.522	.550	.116	C4F	2.331	2.466	2.995	2.212
B4KF	.704	1.248	1.477	.325	C5F	2.418	1.522	2.074	1.657
B5KF	.163	.292	.471	.057	C4KR	.548	.824	.738	.829
B6KF	.023	.033	.060	.004	C4LV	.102	.260	.299	.333
B4KV	.411	.211	.110	.250	C4FV	.217	.197	.277	.198
B5KV	.385	.131	.128	.252	C4LS	.008	.015	.037	.031
B6KV	.081	.038	.027	.074					

Continued -

Table 23. Percentage distribution by grades for Flue-cured tobacco, Types 11-14, 1974 crop.

Group and Grade	1974 CROP				Group and Grade	1974 CROP			
	11	12	13	14		11	12	13	14
C5LS	---	---	---	.001	Primings				
C4KL	.044	.029	.018	.033	P2L	.073	.073	.044	.135
C4KF	.030	.007	.009	.003	P3L	.923	1.286	.717	1.180
C4KM	.474	.621	.847	.728	P4L	1.583	2.896	2.726	2.327
Total C	8.748	10.096	11.156	10.486	P5L	.579	1.588	1.469	.992
Lugs:					P2F	.022	.003	.004	.026
X1L	.046	.053	.017	.029	P3F	.728	.375	.235	.680
X2L	.238	.387	.111	.260	P4F	3.333	2.122	2.623	2.984
X3L	1.001	1.758	1.124	1.487	P5F	3.024	2.483	3.602	2.290
X4L	.520	.996	.783	1.104	P4G	.313	.351	.358	.508
X5L	.045	.098	.095	.107	P5G	.299	.401	.439	.335
X1F	.037	.021	.015	.010	Total P	10.877	11.578	12.217	11.457
X2F	.295	.196	.082	.151	Nondescript:				
X3F	2.386	1.433	1.690	1.374	N1L	1.644	2.000	1.940	1.248
X4F	4.156	2.130	2.625	2.786	N1XL	.374	.233	.128	.194
X5F	1.612	.798	.732	.817	N1K	.328	.271	.260	.472
X4KR	.330	.332	.298	.426	N1R	.017	.017	.006	.044
X3LV	.116	.191	.161	.258	N1GL	.247	.518	.394	.222
X4LV	.073	.131	.167	.257	N1GF	.048	.031	.034	.025
X3FV	.222	.105	.166	.239	N1GR	.018	.012	.003	---
X4FV	.419	.256	.376	.455	N1GG	.006	.002	.003	.001
X3LS	.003	.017	.015	.002	N2	1.508	1.394	.892	.913
X4LS	---	---	.004	.007	Total N	4.190	4.478	3.660	3.119
X3FS	.001	---	---	---	No Grade	1.229	1.614	2.067	1.522
X4FS	---	---	.002	---	W-Unsafe	.261	.081	.269	.238
X4KL	.026	.024	.019	.010	U-Unsound	.690	.817	1.138	1.558
X4KF	.040	.013	.011	.006	Grand				
X4KV	.120	.055	.050	.042	Total	100.000	100.000	100.000	100.000
X3KM	.201	.229	.241	.193					
X4KM	.296	.396	.439	.376					
X4GK	.113	.168	.183	.212					
X4G	.141	.186	.154	.373					
X5G	.044	.064	.058	.089					
Total X	12.481	10.037	9.618	11.070					

Table Breakdown of marketings by selected groupings for the 1974 crop.

GROUPINGS	TYPES				
	11	12	13	14	11-14
Straight Grades (Mature to Mellow)	84.286	82.473	80.584	84.871	83.238
Variegated (KL, KF, KV, KM)	7.275	8.704	10.309	6.154	8.029
Slick (S Grades)	.055	.068	.358	.078	.142
Green (Includes Rank)	2.014	1.765	1.615	2.460	1.835
Nondescript	4.190	4.478	3.660	3.119	4.002
No Grade <u>1/</u>	2.180	2.512	3.474	3.318	2.754
TOTAL	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound.

Table 24 Percentage distribution by grades for all flue-cured, annual 1970-74 crops, and average for the five-year period.

Group and Grade	C R O P O F:						Group and Grade	C R O P O F:					
	1970 1/	1971 1/	1972	1973	1974	Average 1970-74		1970 1/	1971 1/	1972	1973	1974	Average 1970-74
Wrappers:													
A1F	.001	---	.002	.001	.013	.003	B5RR	.035	.003	.004	.004	.007	.011
A2F	.002	.002	---	.005	.006	.003	B4GL	.054	.048	.048	.057	.035	.048
Total AF	.003	.002	.002	.006	.019	.006	B5GL	.042	.030	.018	.024	.008	.025
Total A	.003	.002	.002	.006	.019	.006	B6GL	.006	.003	.003	.006	.001	.004
							Total BGL	.102	.081	.069	.087	.044	.077
Leaf:							B4GF	.097	.109	.129	.122	.153	.122
B1L	.002	.002	.014	.026	.053	.019	B5GF	.212	.138	.124	.083	.066	.125
B2L	.043	.031	.125	.177	.284	.132	B6GF	.070	.028	.031	.025	.013	.033
B3L	.703	.549	1.193	1.590	1.791	1.165	Total BGF	.379	.275	.284	.230	.232	.280
B4L	1.625	1.236	1.465	1.272	.758	1.271	B4GR	.004	.003	.007	.006	.003	.005
B5L	.517	.329	.277	.251	.093	.293	B5GR	.014	.005	.009	.003	.004	.007
B6L	.024	.012	.007	.022	.003	.014	B6GR	.009	.002	.008	---	.003	.004
Total BL	2.914	2.159	3.081	3.338	2.892	2.894	Total BGR	.027	.010	.024	.009	.010	.016
B1F	.019	.009	.021	.095	.058	.040	B4GK	.282	.348	.328	.222	.315	.299
B2F	.094	.096	.357	.632	.731	.382	B5GK	.437	.313	.243	.134	.185	.263
B3F	1.410	1.841	5.575	6.985	8.506	4.863	B6GK	.147	.058	.074	.028	.040	.069
B4F	5.878	6.942	11.755	10.890	12.088	9.511	Total BGK	.866	.719	.645	.384	.540	.631
B5F	4.980	5.196	4.520	3.631	2.621	4.190	B5RG	.009	.001	.001	.001	.002	.003
B6F	.493	.342	.170	.188	.095	.258	B4GG	.008	.004	.012	.011	.006	.008
Total BF	12.874	14.426	22.398	22.421	24.099	19.244	B5GG	.039	.021	.028	.023	.007	.024
B1FR	.003	.002	.006	.008	.002	.004	Total BGG	.047	.025	.040	.034	.013	.032
B2FR	.022	.017	.026	.077	.031	.035	Total B	52.364	53.479	57.089	49.371	50.340	52.530
B3FR	.119	.197	.315	.846	.622	.420							
B4FR	.709	1.203	.998	1.998	1.586	1.299	Smoking Leaf						
B5FR	.624	.966	.384	.541	.286	.560	H1L	---	---	---	.001	.002	.001
B6FR	.049	.045	.012	.009	.012	.025	H2L	---	.001	.002	.022	.020	.009
Total BFR	1.526	2.430	1.741	3.479	2.539	2.343	H3L	.008	.005	.020	.212	.148	.079
B3R	---	.001	---	.003	.002	.001	H4L	.063	.027	.092	.311	.204	.144
B4R	.004	.014	.008	.009	.004	.008	H5L	.105	.084	.070	.075	.043	.075
B5R	.023	.123	.027	.015	.008	.039	H6L	.002	.003	.001	.002	.003	.002
B6R	.038	.091	.010	.003	.003	.029	Total HL	.178	.145	.185	.623	.420	.310
Total BR	.065	.229	.045	.030	.017	.077	H1F	---	---	---	.003	.002	.001
B3K	.490	.557	.783	.635	.780	.649	H2F	---	.002	.013	.076	.115	.041
B4K	5.260	6.451	4.462	3.536	4.618	4.865	H3F	.038	.032	.153	.939	.816	.396
B5K	6.519	5.476	2.247	1.685	1.958	3.577	H4F	.442	.434	.685	2.323	2.854	1.348
B6K	2.381	1.325	.383	.324	.389	.960	H5F	1.076	1.264	.556	1.352	1.455	1.141
Total BK	14.650	13.809	7.875	6.180	7.745	10.051	H6F	.138	.132	.024	.079	.068	.088
B3KR	.551	.558	1.113	.948	1.060	.846	Total HF	1.694	1.864	1.431	4.772	5.310	3.014
B4KR	2.045	1.951	1.825	1.290	1.795	1.781	H3FR	.001	.001	.007	.053	.060	.024
B5KR	.880	.696	.334	.212	.249	.474	H4FR	.051	.103	.055	.352	.462	.205
Total BKR	3.476	3.205	3.272	2.450	3.104	3.101	H5FR	.114	.406	.054	.211	.200	.197
B3LV	.236	.230	.242	.353	.205	.253	H6FR	.026	.082	.003	.012	.013	.027
B4LV	.552	.562	.405	.364	.146	.406	Total HFR	.192	.592	.119	.628	.735	.453
B5LV	.166	.127	.061	.065	.012	.086	H4K	1.122	1.312	.574	1.060	1.833	1.180
Total BLV	.954	.919	.708	.782	.363	.745	H5K	2.947	3.054	.663	1.292	1.816	1.954
B3FV	.193	.370	.703	.565	.650	.496	H6K	1.671	1.213	.182	.413	.455	.787
B4FV	1.322	1.722	1.846	.986	.962	1.369	Total HK	5.740	5.579	1.419	2.765	4.104	3.921
B5FV	.978	.807	.544	.311	.167	.562	Total H	7.804	8.180	3.154	8.788	10.569	7.699
Total BFV	2.493	2.899	3.093	1.862	1.786	2.427							
B3LS	.032	.071	.022	.104	.024	.051	Cutters:						
B4LS	.037	.049	.038	.067	.013	.041	C1L	---	.002	.003	.002	.007	.003
B5LS	.011	.008	.004	.015	---	.008	C2L	.004	.008	.009	.014	.048	.017
B6LS	---	---	---	---	---	---	C3L	.014	.021	.119	.292	.580	.205
Total BLS	.080	.128	.064	.186	.037	.100	C4L	.223	.325	1.125	1.680	1.801	1.031
B3FS	.009	.025	.048	.056	.044	.036	C5L	1.065	1.183	1.477	2.336	.741	1.360
B4FS	.019	.032	.084	.069	.026	.046	Total CL	1.306	1.539	2.733	4.324	3.177	2.616
B5FS	.007	.006	.009	.007	.001	.006	C1F	.001	---	.002	---	.002	.001
B6FS	---	---	.001	---	---	---	C2F	.003	.003	.002	.020	.048	.015
Total BFS	.035	.063	.142	.132	.071	.088	C3F	.020	.020	.122	.287	.441	.178
B3KL	.138	.218	.181	.139	.134	.162	C4F	.169	.217	1.465	2.063	2.506	1.284
B4KL	.477	.588	.466	.296	.139	.393	C5F	1.108	1.657	2.824	3.400	1.933	2.184
B5KL	.252	.206	.149	.100	.018	.145	Total CF	1.301	1.897	4.415	5.770	4.930	3.663
B6KL	.033	.015	.008	.018	.002	.015	C4KR	.437	.422	.829	.969	.724	.676
Total BKL	.900	1.027	.804	.553	.293	.715	C4LV	.151	.182	.231	.327	.233	.225
B3KF	.181	.258	.678	.421	.421	.392	C4FV	.058	.115	.196	.248	.221	.168
B4KF	1.594	1.645	2.697	1.548	.997	1.696	C4LS	.030	.033	.017	.071	.021	.034
B5KF	1.680	.987	1.088	.568	.258	.916	C5LS	.003	.002	.003	.004	---	.002
B6KF	.491	.151	.191	.059	.032	.185	Total CLS	.033	.035	.020	.075	.021	.036
Total BKF	3.946	3.041	4.654	2.596	1.708	3.189	C4KL	.089	.112	.075	.067	.031	.075
B4KV	.364	.261	.166	.133	.253	.236	C4KF	.027	.012	.032	.022	.013	.021
B5KV	.721	.352	.184	.143	.224	.325	C4KM	.336	.582	.958	.837	.645	.672
B6KV	.347	.100	.055	.036	.054	.118	Total C	3.738	4.896	9.489	12.639	9.995	8.151
Total BKV	1.432	.713	.405	.312	.531	.679							
B3KM	.821	1.567	2.595	1.669	1.626	1.656							
B4KM	3.100	4.203	4.205	2.158	2.199	3.173							
B5KM	1.456	1.405	.868	.425	.350	.901							
B6KM	.177	.142	.072	.049	.042	.096							
Total BKM	5.554	7.317	7.740	4.301	4.217	5.826							

Continued -

Table 24 Percentage distribution by grades for all flue-cured, annual 1970-74 crops, and average for the five-year period.

Group and Grade	C R O P O F:						Group and Grade	C R O P O F:					
	1970 1/	1971 1/	1972	1973	1974	Average 1970-74		1970 1/	1971 1/	1972	1973	1974	Average 1970-74
Lugs:							Primings:						
X1L	.002	---	.027	.015	.039	.017	P2L	.042	.043	.139	.067	.076	.073
X2L	.037	.031	.190	.152	.261	.134	P3L	.684	.677	1.520	1.012	1.034	.985
X3L	.614	.585	1.682	1.120	1.349	1.070	P4L	2.486	2.330	2.585	2.400	2.381	2.437
X4L	1.961	1.726	1.392	1.663	.823	1.513	P5L	1.696	1.186	.715	.837	1.171	1.121
X5L	.549	.326	.154	.249	.083	.272	Total PL	4.908	4.236	4.959	4.316	4.662	4.616
Total XL	3.163	2.668	3.445	3.199	2.555	3.006	P2F	.011	.011	.032	.011	.012	.015
X1F	.002	---	.024	.009	.022	.011	P3F	.237	.393	1.068	.524	.495	.543
X2F	.016	.014	.180	.104	.193	.101	P4F	2.371	2.965	3.888	3.563	2.726	3.103
X3F	.581	.690	2.356	1.495	1.765	1.377	P5F	3.879	3.491	2.783	3.154	2.866	3.235
X4F	3.632	4.284	3.620	3.832	2.943	3.663	Total PF	6.498	6.860	7.711	7.252	6.099	6.896
X5F	3.332	2.538	1.042	1.359	1.028	1.860	P4G	.265	.201	.184	.136	.365	.230
Total XF	7.563	7.526	7.222	6.799	5.951	7.012	P5G	.282	.229	.092	.135	.369	.222
X4KR	.673	.559	.435	.372	.338	.475	Total PG	.547	.430	.276	.271	.734	.452
X3LV	.181	.204	.294	.166	.172	.203	Total P	11.953	11.526	13.006	11.839	11.495	11.964
X4LV	.418	.353	.130	.156	.141	.240	Nondescript:						
Total XLV	.599	.557	.424	.322	.313	.443	N1L	2.421	1.832	1.085	1.611	1.766	1.744
X3FV	.114	.178	.107	.107	.174	.175	N1XL	1.105	.499	.193	.313	.245	.471
X4FV	.661	.757	.345	.299	.362	.485	N1K	1.264	.588	.166	.258	.316	.518
Total XFV	.775	.935	.646	.406	.536	.660	N1R	.234	.101	.022	.018	.019	.079
X3LS	.024	.033	.023	.040	.010	.026	N1GL	.275	.201	.066	.102	.365	.202
X4LS	.009	.009	.003	.010	.002	.007	N1GF	.191	.066	.055	.043	.036	.078
Total XLS	.033	.042	.026	.050	.012	.033	N1GR	.080	.022	.026	.007	.010	.029
X3FS	.002	.005	.002	.006	---	.003	N1GG	.016	.009	.010	.003	.003	.008
X4FS	.002	.001	---	.002	.001	.001	N2	1.565	.982	.524	.809	1.242	1.024
Total XFS	.004	.006	.002	.008	.001	.004	Total N	7.151	4.300	2.147	3.164	4.002	4.153
X4KL	.144	.188	.071	.052	.021	.095	No Grade 2/	2.229	3.445	1.593	2.213	2.754	2.447
X4KF	.246	.143	.050	.023	.020	.096							
X4KV	.354	.145	.056	.041	.071	.133							
X3KM	.253	.285	.542	.192	.218	.298							
X4KM	.588	.788	.424	.317	.373	.498							
Total XKM	.841	1.073	.966	.509	.591	.796							
X4GK	.120	.132	.069	.046	.162	.106							
X4G	.154	.137	.082	.114	.194	.136							
X5G	.089	.061	.026	.039	.061	.055							
Total XG	.243	.198	.108	.153	.255	.191							
Total X	14.758	14.172	13.520	11.980	10.826	13.050	GRAND TOTAL	100.000	100.000	100.000	100.000	100.000	100.000

1/ Revised.

2/ Includes tobacco defined as decayed, off-type, and nested; also includes unsafe keeping order and unsound.

Table 25. Dates of designation by the Secretary of Agriculture for official inspection and market news on flue-cured markets, and year service began. 1/

Type Market, and State	Designated	Year Service began	Type Market, and State	Designated	Year Service began
<u>Type 11(a)</u>			<u>Type 13</u>		
Virginia:			South Carolina:		
Brookneal	June 26, 1942	1946	Conway	June 26, 1942	1944
Chase City	"	"	Darlington	July 1, 1936	1939
Clarksville	"	"	Dillon	Aug. 16, 1941	1941
Danville	Aug. 16, 1941	1941	Hemingway	June 16, 1950	1950
Kenbridge	June 26, 1942	1942	Kingstree	June 26, 1942	1944
Lawrenceville	"	1946	Lake City	July 1, 1936	1939
Martinsville	"	1942	Lamar	May 28, 1951	1951
Petersburg	"	1946	Loris	Aug. 16, 1941	1941
Rocky Mount 2/	"	"	Mullins	June 26, 1942	1942
South Boston	"	1945	Pamplico	July 1, 1936	1939
South Hill	Aug. 23, 1938	1938	Timmonsville	Aug. 16, 1941	1941
North Carolina:			North Carolina:		
Burlington	June 26, 1942	1946	Chadbourn	June 26, 1942	1946
Greensboro	June 16, 1950	1950	Clarkton	"	"
Madison	June 26, 1942	1946	Fair Bluff	"	"
Mebane	"	1942	Fairmont	"	1945
Mt. Airy	"	1946	Fayetteville	June 17, 1947	1947
Reidsville	Aug. 26, 1941	1941	Lumberton	June 26, 1942	1946
Roxboro	June 26, 1942	1942	Tabor City	"	"
Stoneville	"	1946	Whiteville	"	"
Winston-Salem	"	1942			
Yadkinville	April 10, 1970	1970			
<u>Type 11(b)</u>			<u>Type 14</u>		
North Carolina:			Georgia:		
Aberdeen	June 26, 1942	1946	Adel	June 22, 1939	1939
Carthage	"	"	Alma	May 10, 1955	1955
Durham	"	1944	Baxley	June 26, 1942	1942
Ellerbe	Aug. 25, 1949	1949	Blackshear	"	1945
Fuquay-Varina	Aug. 16, 1941	1941	Claxton	July 30, 1948	1948
Henderson	June 26, 1942	1945	Douglas	June 22, 1939	1939
Louisburg	"	1946	Fitzgerald	July 22, 1946	1946
Oxford	Aug. 26, 1936	1936	Hahira	Aug. 16, 1941	1941
Sanford	June 26, 1942	1946	Hazlehurst	June 26, 1942	1942
Warrenton	"	"	Metter	Aug. 16, 1941	1941
			Moultrie	June 26, 1942	1944
			Nashville	June 22, 1939	1939
			Pearson	May 10, 1955	1955
			Pelham	June 26, 1942	1942
			Quitman	Aug. 28, 1945	1945
			Statesboro	Aug. 16, 1941	1941
			Swainsboro	June 29, 1956	1956
			Sylvester	June 16, 1950	1950
			Thomasville	June 29, 1956	1956
			Tifton	June 26, 1942	1942
			Valdosta	June 21, 1940	1940
			Vidalia	June 26, 1942	1942
			Waycross	"	"
			Florida:		
			High Springs	May 26, 1954	1954
			Jasper	May 27, 1948	1948
			Lake City	June 26, 1942	1945
			Live Oak	June 21, 1940	1940
			Madison	June 29, 1956	1956
<u>Type 12</u>					
North Carolina:					
Ahoskie	June 26, 1942	1942			
Clinton	Aug. 9, 1946	1946			
Dunn	July 15, 1949	1949			
Farmville	July 13, 1936	1936			
Goldsboro	"	"			
Greenville	July 24, 1939	1939			
Kinston	June 26, 1942	1946			
Robersonville	Aug. 16, 1941	1941			
Rocky Mount	June 26, 1942	1945			
Smithfield	"	1944			
Tarboro	Aug. 16, 1941	1941			
Wallace	June 26, 1942	1946			
Washington	"	1944			
Wendell	Sept. 14, 1937	1937			
Williamston	Aug. 16, 1941	1941			
Wilson	June 26, 1942	1942			
Windsor	June 16, 1950	1950			

1/ By authority of The Tobacco Inspection Act, approved August 23, 1935.

2/ Discontinued after the 1962 season.

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, D. C. 20250

- - -

Official Business

Penalty for Private Use \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101

