

TOBACCO MARKET REVIEW

FLUE-CURED

1976 CROP


TOB-FL-20

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

WASHINGTON, D.C. APRIL 1977

FLUE-CURED TOBACCO AUCTION MARKETS AND MARKETING AREAS

1976 SEASON



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

C O N T E N T S

| | <u>PAGE</u> |
|--|-------------|
| Review of Marketing Season | 4 |
| Allotted Sales Opportunities | 5 |
| Initial and Final Designations | 6-7 |
| Warehouse Charges | 8 |
| Applicable Loan Levels | 8 |
| Average Basket Weight | 8 |
| Rank of Auction Markets | 9 |
| Opening and Closing Dates | 10-11 |
| Producers' Sales by Types | 12-13 |
| Gross Sales and Resales by Types | 13-15 |
| Producers' Sales by Markets | 16-17 |
| Gross Sales by Markets | 18-19 |
| Resales by Markets | 20-21 |
| Summary of Sales by Types | 22 |
| Summary of Sales by States | 22 |
| Across-State-Line Sales | 23 |
| Receipts Under Government Loan Program | 23 |
| Brief of Flue-cured Tobacco Grades | 24 |
| Season Prices and Schedule of Loan Rates by Grades | 25-27 |
| Weekly and Season Prices by Grades, Type 11 | 28-29 |
| Weekly and Season Prices by Grades, Type 12 | 30-31 |
| Weekly and Season Prices by Grades, Type 13 | 32-33 |
| Weekly and Season Prices by Grades, Type 14 | 34 |
| Dates of Designation of Markets | 35 |
| Composition of Crop | 36-39 |
| Percentage Distribution of Grades by Types | 40-41 |
| Percentage Distribution of Marketings by Maturity | 41 |
| Percentage Distribution, All Flue-cured | 42-43 |

The statistics on sales and markets in this Review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on compilation of data recorded from warehouse sales tickets from representative markets in the Flue-cured area.

REVIEW OF THE 1976 FLUE-CURED MARKETING SEASON

Net Value of \$1,450.9 million
Grade averages higher
Volume decreases
Loan receipts increased

Sharply higher grade averages were recorded for flue-cured tobacco during the 1976 marketing season. This resulted in record high general averages. Volume, however, was down from the 1975 crop. Prices were relatively low early in the season as primings and lugs dominated sales. As upper stalk tobacco appeared in volume, prices advanced to around the \$125 per hundred level and peaked the last week in September. During the latter weeks of the season, the demand was noticeably weaker on unripe variegated leaf tobacco which was present in substantial volume.

Sales and Averages. The Federal-State Market News Service reported a net average price of \$110.51 per hundred for the 1976 crop -- up \$10.61 from 1975. Producers' sales at auction totaled 1,312.9 million pounds and returned \$1,450.9 million to growers.

Grade Averages. Most leaf, smoking leaf and cutter grades gained from \$10 to \$14 per hundred pounds over the 1975 crop. Primings and nondescript were up \$5 to \$10 per hundred. Top averages of \$130 to \$133 per hundred were paid for choice leaf and cutters.

Composition of offerings. Quality improved in all areas in 1976 except the Old and Middle Belt. Extreme dry weather during the growing season in parts of North Carolina and Virginia resulted in increased amounts of unripe variegated and green tobacco from the Type II area. Overall, gains of 3.4 percent occurred in the ratio of upper stalk tobacco, lugs dropped 2.3 percent, primings held the same and nondescript was up 0.4 percent. The three heaviest volume grades and their percentages were: B4F (9.7), B4K (6.3) and B3F (5.8), a total of 21.8 percent. Rounding out the top ten were B4KM, B5K, X4F, P4F, P5F, B5F and B4KF combining with the top three to account for 42.1 percent of all sales.

Stabilization Receipts. Poundage placed under loan during 1976 was down in all areas except the Old and Middle Belt. Again, the dry

weather in this area was the main problem. In the Type II area, 134.8 million pounds were delivered to the Flue-Cured Stabilization Corporation in 1976 compared to 83.2 million in 1975. Total receipts from all areas were 276.9 million compared to 259 million pounds of the 1975 crop. Leaf (B) grades accounted for 48 percent of receipts this year followed by primings (P) at 19 percent and lugs (X) and nondescript (N) both at 14 percent. However, the majority of leaf (B) tobacco received by the Cooperative came from the Old and Middle Belt, while the ratio of lower stalk tobacco was similar in all areas.

Loan Rates. Loan rates by grades for the 1976 crop reflected an average support level of 106.0 cents per pound compared to 93.2 cents for the 1975 crop. Eligible growers were required to certify that they had not used DDT or TDE insecticides on their crops. Random samplings were conducted by Agricultural Stabilization Conservation Service to check for compliance.

Marketing Regulations. This was the third season under the Grower Designation Plan. The basic provisions of the plan are (1) growers can designate their quota to individual warehouses within a 100-mile radius of the county seat of the county in which the farm is located and receive price support. Sales outside a grower's radius are not eligible for price support; (2) designations can be changed during the season at specified intervals or at any time in certain cases; (3) a Flue-cured Tobacco Advisory Committee advises the Secretary on marketing conditions and recommends adjustments during the season. The plan is designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area.

Grades Revised. Grade standards were revised for flue-cured tobacco effective May 14, 1976, to more accurately describe tobacco as it appears on the warehouse floors. The revision established grades for mixed tobacco (M), deleted and modified existing grades and combined some color factors. A total of 141 authorized grades existed on the 1976 crop along with special factors "U" (unsound) and "W" (doubtful keeping order).

Table 1 Allotted Sales Opportunities compared to Producer Sales, 1976 crop. 1/

| Week Ending: | MARKETING AREA A | | | MARKETING AREA B | | | MARKETING AREA C | | | MARKETING AREA D | | | MARKETING AREA E | | | TOTAL FLUE-CURED | | |
|---------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|----------------------|-------------|
| | Sets of Buyers | Sales Prod. | Sets of Buyers | Sales Prod. |
| July 9 | 18 | 14,083 | 13,646 | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | -- | 18 | 14,083 | 13,646 |
| July 15 | 18 | 28,161 | 24,173 | 21 | 23,982 | 16,128 | -- | -- | -- | -- | -- | -- | -- | -- | -- | 39 | 52,143 | 40,301 |
| July 22 | 18 | 28,191 | 23,104 | 21 | 31,978 | 20,550 | 21 | 24,660 | 24,092 | -- | -- | -- | -- | -- | -- | 60 | 84,829 | 67,746 |
| July 29 | 18 | 28,178 | 26,496 | 21 | 31,969 | 29,103 | 21 | 32,881 | 32,487 | 4 | 4,092 | 3,177 | -- | -- | -- | 64 | 97,120 | 91,263 |
| Aug. 5 | 10 | 13,099 | 13,253 | 12 | 19,441 | 19,386 | 25 | 37,149 | 37,149 | 4 | 5,456 | 4,694 | 15 | 14,915 | 12,328 | 66 | 90,060 | 86,810 |
| Aug. 12 | 10 | 11,838 | 11,955 | 12 | 17,492 | 17,564 | 25 | 36,382 | 36,380 | 4 | 5,456 | 5,059 | 15 | 19,860 | 15,513 | 66 | 91,028 | 86,451 |
| Aug. 19 | 10 | 11,652 | 11,870 | 12 | 17,335 | 17,331 | 25 | 35,668 | 35,768 | 4 | 5,624 | 5,525 | 15 | 19,943 | 17,794 | 66 | 90,222 | 88,288 |
| Aug. 26 | 10 | 10,788 | 10,794 | 12 | 16,131 | 16,221 | 25 | 33,031 | 33,065 | 4 | 5,624 | 5,566 | 15 | 19,912 | 17,693 | 66 | 85,486 | 83,339 |
| Sep. 2 | 10 | 13,962 | 13,766 | 12 | 16,037 | 16,056 | 25 | 33,049 | 33,066 | 4 | 5,624 | 5,556 | 15 | 19,948 | 18,904 | 66 | 88,620 | 87,348 |
| Sep. 9 | 10 | 10,500 | 6,001 | 12 | 12,100 | 12,109 | 25 | 24,796 | 24,820 | 4 | 4,221 | 4,248 | 15 | 14,946 | 15,033 | 66 | 66,563 | 62,211 |
| Sep. 16 | Closed Sep. 9, 1976 | 14 | 18,572 | 18,790 | 29 | 37,956 | 37,912 | 5 | 6,558 | 6,479 | 18 | 22,925 | 22,557 | 66 | 85,981 | 85,738 | 5 | |
| Sep. 23 | -- | -- | 14 | 18,561 | 18,583 | 29 | 37,993 | 38,349 | 5 | 6,515 | 6,531 | 18 | 22,942 | 22,810 | 66 | 86,011 | 86,273 | |
| Sep. 30 | -- | -- | 14 | 18,532 | 19,117 | 29 | 38,005 | 37,797 | 5 | 6,527 | 6,503 | 18 | 22,908 | 22,698 | 66 | 85,972 | 86,115 | |
| Oct. 7 | -- | -- | 14 | 22,264 | 20,603 | 29 | 37,963 | 37,800 | 5 | 6,527 | 6,552 | 18 | 22,976 | 22,873 | 66 | 89,730 | 87,828 | |
| Oct. 14 | -- | -- | 14 | 16,717 | 11,249 | 29 | 28,554 | 28,412 | 5 | 4,871 | 4,872 | 18 | 17,267 | 17,334 | 66 | 67,409 | 61,867 | |
| Oct. 21 | -- | -- | 3 | 3,528 ^{2/} | 3,528 | 29 | 37,996 | 36,993 | 5 | 6,463 | 6,346 | 18 | 23,008 | 22,791 | 55 | 70,995 | 69,658 | |
| Oct. 28 | -- | -- | Closed Oct. 21, 1976 | 29 | 28,892 | 26,511 | 5 | 4,827 | 4,809 | 18 | 17,315 | 16,749 | 52 | 51,034 | 48,069 | | | |
| Nov. 4 | -- | -- | -- | -- | 25 | 38,138 | 26,785 | 5 | 6,459 | 5,546 | 18 | 23,080 | 18,064 | 48 | 67,677 | 50,395 | | |
| Nov. 11 | -- | -- | -- | -- | 12 | 5,777 ^{2/} | 5,777 | 5 | 3,616 ^{2/} | 3,616 | 18 | 12,210 ^{2/} | 12,210 | 35 | 21,603 ^{2/} | 21,603 | | |
| Nov. 18 | -- | -- | -- | -- | Closed Nov. 11, 1976 | 3 | 1,103 ^{2/} | 1,103 | 13 | 4,829 ^{2/} | 4,829 | 16 | 5,932 ^{2/} | 5,932 | | | | |
| Nov. 24 | -- | -- | -- | -- | -- | -- | Closed Nov. 18, 1976 | 2 | 1,681 ^{2/} | 1,681 | 2 | 1,681 ^{2/} | 1,681 | | | | | |
| Closed Sep. 9, 1976 | Closed Oct. 21, 1976 | Closed Nov. 11, 1976 | Closed Nov. 18, 1976 | Closed Nov. 21, 1976 | |

1/ Based on grower designations. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-Cured Tobacco Advisory Committee.

2/ Closeout for Area. Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

3/ Derived from Weekly Market News Reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds.

Table 2

INITIAL AND FINAL DESIGNATION OF THE 1976 AND 1975 FLUE-CURED CROPS 1/

MARKETING AREA "A"

| MARKET | 1976 CROP | | 1975 CROP | |
|----------------|-------------|-------------|-------------|-------------|
| | INITIAL | FINAL | INITIAL | FINAL |
| Georgia: | | | | |
| Adel | 7,372,005 | 7,477,960 | 6,942,389 | 7,368,923 |
| Alma | 5,830,044 | 6,032,540 | 6,735,398 | 6,875,945 |
| Baxley | 6,461,823 | 6,560,801 | 7,783,110 | 7,930,508 |
| Blackshear | 9,450,818 | 9,743,828 | 11,240,157 | 11,443,211 |
| Claxton | 5,841,274 | 6,161,351 | 6,372,031 | 6,490,070 |
| Douglas | 12,664,123 | 13,652,251 | 14,622,338 | 14,863,625 |
| Fitzgerald | 5,642,809 | 5,741,862 | 5,979,709 | 6,202,205 |
| Hahira | 5,066,755 | 5,065,913 | 5,793,402 | 5,675,997 |
| Hazelhurst | 5,020,252 | 5,291,902 | 5,466,226 | 5,599,419 |
| Metter | 6,526,869 | 6,742,790 | 7,242,637 | 7,182,106 |
| Moultrie | 12,265,484 | 13,218,810 | 13,414,110 | 13,455,591 |
| Nashville | 11,312,725 | 11,383,266 | 14,730,756 | 14,534,613 |
| Pearson | 2,624,789 | 2,579,738 | 3,266,891 | 2,796,998 |
| Pelham | 8,627,832 | 9,157,446 | 9,611,674 | 10,374,526 |
| Quitman | 2,612,257 | 2,590,140 | 2,885,122 | 3,011,683 |
| Statesboro | 7,721,503 | 7,483,882 | 9,118,177 | 10,308,460 |
| Swainsboro | 78,707 | -- | 1,155,307 | 591,829 |
| Sylvester | 953,345 | 847,934 | 1,146,676 | 1,062,725 |
| Thomasville | 4,176,623 | 4,459,112 | 5,262,612 | 5,233,633 |
| Tifton | 10,127,570 | 10,356,881 | 8,524,175 | 8,718,074 |
| Valdosta | 7,140,079 | 7,170,029 | 8,649,329 | 8,986,878 |
| Vidalia | 9,974,971 | 10,510,440 | 10,882,484 | 11,299,311 |
| Waycross | 5,763,981 | 5,859,337 | 7,288,321 | 7,787,459 |
| Total Georgia | 153,256,638 | 158,088,213 | 174,113,031 | 177,793,789 |
| Florida: | | | | |
| High Springs | 4,197,647 | 4,229,218 | 5,032,489 | 5,151,141 |
| Jasper | 5,086,615 | 5,036,670 | 5,368,581 | 5,484,885 |
| Lake City | 6,299,145 | 6,605,611 | 5,619,044 | 5,824,635 |
| Live Oak | 13,112,737 | 13,036,719 | 14,030,126 | 14,870,026 |
| Madison | 3,289,122 | 3,244,935 | 3,824,262 | 3,604,679 |
| Total Florida | 31,985,266 | 32,153,153 | 33,874,502 | 34,935,366 |
| Total Area "A" | 185,241,904 | 190,241,366 | 207,987,533 | 212,729,155 |

MARKETING AREA "B"

| | | | | |
|------------------------|-------------|-------------|-------------|-------------|
| South Carolina: | | | | |
| Conway | 12,915,920 | 13,355,651 | 10,692,917 | 11,232,967 |
| Darlington | 9,151,053 | 9,331,197 | 10,707,350 | 10,881,422 |
| Dillon | 5,216,309 | 5,157,617 | 7,902,548 | 7,341,908 |
| Hemingway | 10,203,056 | 9,999,183 | 11,167,373 | 11,478,442 |
| Kingstree | 8,667,666 | 10,181,996 | 11,348,509 | 11,472,387 |
| Lake City | 35,779,790 | 39,009,334 | 43,306,889 | 45,001,280 |
| Lamar | 2,712,143 | 2,585,065 | 3,430,604 | 3,609,268 |
| Loris | 11,989,764 | 12,290,554 | 12,584,061 | 12,779,146 |
| Mullins | 36,164,957 | 37,967,600 | 48,015,418 | 48,879,230 |
| Pamplico | 8,487,772 | 8,921,362 | 9,112,858 | 8,972,062 |
| Timmonsville | 14,306,876 | 14,486,682 | 19,299,582 | 19,420,032 |
| Total S. C. | 155,595,306 | 163,286,241 | 187,568,109 | 191,068,144 |
| North Carolina: | | | | |
| Chadbourn | 10,550,341 | 10,944,525 | 9,921,922 | 9,738,886 |
| Clarkton | 6,290,514 | 7,232,211 | 8,751,301 | 9,258,274 |
| Fair Bluff | 7,301,551 | 7,379,508 | 9,422,489 | 9,025,350 |
| Fairmont | 30,522,998 | 31,122,317 | 38,111,699 | 38,401,223 |
| Fayetteville <u>2/</u> | -- | -- | 9,205,288 | 7,988,016 |
| Lumberton | 27,796,323 | 28,681,479 | 34,217,162 | 34,889,825 |
| Tabor City | 13,006,859 | 13,736,909 | 17,605,495 | 18,343,455 |
| Whiteville | 22,858,043 | 23,764,024 | 34,430,823 | 34,179,449 |
| Total N. C. | 118,326,629 | 122,860,973 | 161,666,179 | 161,824,478 |
| Total Area "B" | 273,921,935 | 286,147,214 | 349,234,288 | 352,892,622 |

See footnotes at end of table.

Continued -

Table 2 INITIAL AND FINAL DESIGNATION OF THE 1976 AND 1975 FLUE-CURED CROPS 1/

MARKETING AREA "C"

| MARKET | 1976 CROP | | 1975 CROP | |
|-----------------|-------------|-------------|-------------|-------------|
| | INITIAL | FINAL | INITIAL | FINAL |
| North Carolina: | | | | |
| Aberdeen | 7,980,160 | 8,637,692 | 8,356,189 | 8,755,126 |
| Ahoskie | 12,292,467 | 12,474,887 | 13,276,068 | 13,447,462 |
| Carthage | 14,371,982 | 14,989,585 | 15,665,633 | 16,448,730 |
| Clinton | 19,566,073 | 20,201,601 | 19,052,813 | 21,095,494 |
| Dunn | 17,857,008 | 18,978,700 | 18,130,897 | 19,415,342 |
| Ellerbe | 4,446,904 | 4,875,501 | 5,874,289 | 6,489,301 |
| Farmville | 34,822,603 | 35,224,179 | 41,445,729 | 43,094,539 |
| Fayetteville 2/ | 5,592,840 | 5,669,581 | -- | -- |
| Fuquay-Varina | 34,085,490 | 35,169,363 | 35,985,311 | 38,481,067 |
| Goldsboro | 29,259,018 | 30,909,877 | 27,734,912 | 30,335,541 |
| Greenville | 55,666,827 | 56,753,682 | 63,194,162 | 64,589,980 |
| Kinston | 55,683,148 | 57,836,712 | 66,499,246 | 66,602,860 |
| Robersonville | 11,422,675 | 11,388,242 | 12,902,346 | 13,554,166 |
| Rocky Mount | 50,113,284 | 49,524,903 | 58,525,630 | 57,738,042 |
| Sanford | 16,773,022 | 17,151,934 | 19,688,144 | 19,947,747 |
| Smithfield | 25,727,734 | 26,409,458 | 30,651,670 | 30,613,194 |
| Tarboro | 8,953,838 | 8,968,939 | 12,392,778 | 12,006,990 |
| Wallace | 16,591,623 | 16,941,905 | 18,703,894 | 19,617,278 |
| Washington | 14,958,799 | 14,985,695 | 16,282,380 | 16,583,377 |
| Wendell | 14,424,252 | 14,873,534 | 19,114,296 | 17,551,983 |
| Williamston | 14,286,037 | 14,187,291 | 17,247,171 | 17,602,661 |
| Wilson | 99,182,755 | 102,292,664 | 103,805,670 | 112,367,225 |
| Windsor | 11,840,136 | 12,361,597 | 13,679,156 | 14,293,950 |
| Total Area "C" | 575,898,675 | 590,807,522 | 638,208,384 | 660,632,055 |

MARKETING AREA "D"

| | | | | |
|-----------------|------------|-------------|-------------|-------------|
| North Carolina: | | | | |
| Durham | 24,263,807 | 26,779,314 | 25,772,083 | 29,328,429 |
| Henderson | 21,696,056 | 23,767,181 | 21,702,054 | 22,864,477 |
| Louisburg | 11,223,586 | 11,966,154 | 14,618,062 | 13,796,666 |
| Mebane 3/ | -- | -- | 9,207,317 | 9,911,138 |
| Oxford | 24,925,102 | 24,848,114 | 25,783,764 | 26,253,874 |
| Roxboro 3/ | -- | -- | 18,313,871 | 19,244,036 |
| Warrenton | 12,085,124 | 12,903,129 | 11,086,206 | 12,511,740 |
| Total Area "D" | 94,193,675 | 100,263,892 | 126,483,357 | 133,910,360 |

MARKETING AREA "E"

| | | | | |
|-----------------|-------------|-------------|-------------|-------------|
| North Carolina: | | | | |
| Burlington | 8,559,701 | 9,149,401 | 9,074,991 | 9,729,301 |
| Greensboro | 8,116,356 | 8,774,551 | 8,929,255 | 9,211,312 |
| Madison | 10,265,984 | 11,145,691 | 9,789,391 | 9,656,403 |
| Mebane 3/ | 9,867,154 | 10,124,780 | -- | -- |
| Mt. Airy | 15,625,952 | 16,362,986 | 18,006,702 | 18,421,674 |
| Reidsville | 21,277,834 | 22,739,434 | 20,908,907 | 22,142,383 |
| Roxboro 3/ | 21,892,420 | 23,192,715 | -- | -- |
| Stoneville | 16,636,815 | 16,891,787 | 16,150,934 | 17,079,746 |
| Winston-Salem | 55,429,077 | 58,489,921 | 56,173,634 | 59,037,800 |
| Yadkinville | 9,968,237 | 10,275,790 | 11,738,332 | 12,249,245 |
| Total N. C. | 177,639,530 | 187,147,056 | 150,772,146 | 157,527,864 |

| | | | | |
|------------------|---------------|---------------|---------------|---------------|
| Virginia: | | | | |
| Brookneal | 13,429,040 | 13,898,901 | 13,683,320 | 14,040,814 |
| Chase City | 9,553,208 | 9,975,317 | 9,479,687 | 9,876,704 |
| Clarksville | 7,961,858 | 8,030,713 | 9,231,643 | 9,194,584 |
| Danville | 57,774,037 | 60,950,487 | 59,292,626 | 62,357,391 |
| Kenbridge | 8,965,966 | 9,164,329 | 9,173,667 | 9,521,884 |
| Lawrenceville | 10,270,500 | 11,225,521 | 10,433,373 | 11,247,197 |
| Martinsville | 9,341,209 | 9,451,263 | 11,333,846 | 11,958,719 |
| Petersburg | 8,370,581 | 8,397,594 | 7,840,800 | 8,184,692 |
| South Boston | 25,103,789 | 27,273,152 | 24,141,667 | 25,304,648 |
| South Hill | 12,934,047 | 13,569,512 | 11,477,794 | 11,840,343 |
| Total Virginia | 163,704,235 | 171,936,789 | 166,088,423 | 173,526,976 |
| Total Area "E" | 341,343,765 | 359,083,845 | 316,860,569 | 331,054,840 |
| Total Flue-Cured | 1,470,599,954 | 1,526,543,839 | 1,638,774,131 | 1,691,219,032 |

1/ Growers allowed to designate 110 percent of their effective quota.

2/ Fayetteville was in Area "B" in 1975 and Area "C" in 1976.

3/ Mebane and Roxboro were in Area "D" in 1975 and Area "E" in 1976.

Table 3 Auction sales warehouse charges on Flue-cured markets, 1976 crop.

| State | Type | Auction Fee <u>1/</u> | Commission on Gross Sales <u>1/</u> | Additional Charges <u>1/</u> |
|----------------|-------|------------------------|-------------------------------------|--|
| Florida | 14 | 15 cents on all piles | <u>Percent</u> 2½ | - |
| Georgia | 14 | of 100 pounds or less | 2½ | Weighing and handling, 10 cents per pile on all piles of 100 pounds or less, |
| North Carolina | 11-13 | and 25 cents on all | 2½ | and 10 cents for each additional 100 pounds. |
| South Carolina | 13 | piles over 100 pounds. | 2½ | 10 cents for each additional 100 pounds. |
| Virginia | 11 | 25 cents per pile. | 2½ | Weighing, 10 cents per 100 pounds. |

1/ Maximum permitted under State laws.

Table 4 Applicable loan level per pound, for Flue-cured tobacco, 1954 to 1976 crops.

| Crop | Loan Level (Cents) |
|------|-----------------------|------|-----------------------|------|-----------------------|------|-----------------------|
| 1954 | 47.9 | 1960 | 55.5 | 1966 | 58.8 | 1972 | 72.7 |
| 1955 | 48.3 | 1961 | 55.5 | 1967 | 59.9 | 1973 | 76.6 |
| 1956 | 48.9 | 1962 | 56.1 | 1968 | 61.6 | 1974 | 83.3 |
| 1957 | 50.8 | 1963 | 56.6 | 1969 | 63.8 | 1975 | 93.2 |
| 1958 | 54.6 | 1964 | 57.2 | 1970 | 66.6 | 1976 | 106.0 |
| 1959 | 55.5 | 1965 | 57.7 | 1971 | 69.4 | 1977 | |

Table 5 Average weight per lot of Flue-cured tobacco, 1965 to 1976.

| CROP | Type 11(a) | Type 11(b) | Type 12 | Type 13 | Type 14 | Types 11 - 14 |
|----------------|------------|-------------|--------------|------------------------|-------------------|----------------|
| | Old Belt | Middle Belt | Eastern N.C. | S. C. and Border N. C. | Georgia & Florida | All Flue-cured |
| | | | | Pounds | | |
| Annual: | | | | | | |
| 1965 | 199 | 200 | 199 | 189 | 176 | 193 |
| 1966 <u>1/</u> | 156 | 163 | 171 | 154 | 157 | 161 |
| 1967 | 173 | 177 | 176 | 179 | 162 | 173 |
| 1968 | 158 | 153 | 155 | 168 | 160 | 159 |
| 1969 | 156 | 155 | 153 | 162 | 162 | 157 |
| 1970 | 156 | 157 | 161 | 166 | 168 | 162 |
| 1971 | 167 | 167 | 167 | 171 | 169 | 168 |
| 1972 | 164 | 171 | 170 | 172 | 167 | 169 |
| 1973 | 165 | 170 | 169 | 172 | 165 | 168 |
| CROP | T Y P E 11 | | Type 12 | Type 13 | Type 14 | Types 11 - 14 |
| 1974 <u>2/</u> | 183 | | 184 | 186 | 192 | 186 |
| 1975 | 174 | | 179 | 184 | 189 | 180 |
| 1976 | 178 | | 179 | 180 | 189 | 180 |
| 1977 | | | | | | |

1/ Beginning in 1966 the maximum allowable pounds were reduced from 300 pounds to 200 pounds per pile.

2/ Beginning in 1974 the maximum allowable pounds were increased from 200 pounds to 250 pounds per pile.

Table 6 Rank of Flue-cured markets, according to volume of producers' sales, by separate types, and by all types, 1976 marketing season. 1/

| TYPE, MARKET, AND STATE | Sales | Rank By: | | TYPE, MARKET, AND STATE | Sales | Rank By: | | | |
|----------------------------|-------|-------------------|--------------|-------------------------------|-------|-------------------|--------------|--|--|
| | | Separate Types | All Types | | | Separate Types | All Types | | |
| <u>Mil. Lbs.</u> | | | | <u>Mil. Lbs.</u> | | | | | |
| <u>TYPE 11</u> | | | | <u>TYPE 13</u> | | | | | |
| Danville, Va. | 49.8 | 1 | 4 | Lake City, SC. | 35.0 | 1 | 7 | | |
| Winston-Salem, NC. | 42.1 | 2 | 6 | Mullins, SC. | 34.9 | 2 | 8 | | |
| Fuquay-Varina, NC. | 30.3 | 3 | 10 | Fairmont, NC. | 28.4 | 3 | 12 | | |
| South Boston, Va. | 22.8 | 4 | 15 | Lumberton, NC. | 26.2 | 4 | 13 | | |
| Henderson, NC. | 21.5 | 5 | 16 | Whiteville, NC. | 20.8 | 5 | 18 | | |
| Durham, NC. | 21.3 | 6 | 17 | Timmonsville, SC. | 12.9 | 6 | 28 | | |
| Oxford, NC. | 20.6 | 7 | 19 | Tabor City, NC. | 11.9 | 7 | 33 | | |
| Roxboro, NC. | 19.1 | 8 | 20 | Conway, SC. | 11.7 | 8 | 34 | | |
| Reidsville, NC. | 17.5 | 9 | 22 | Loris, SC. | 10.8 | 9 | 43 | | |
| Sanford, NC. | 14.4 | 10 | 24 | Chadbourn, NC. | 9.4 | 10 | 47 | | |
| Mt. Airy, NC. | 12.6 | 11 | 30 | Kingtree, SC. | 8.9 | 11 | 50 | | |
| Stoneville, NC. | 12.3 | 12 | 31 | Hemingway, SC. | 8.7 | 12 | 51 | | |
| Carthage, NC. | 12.2 | 13 | 32 | Darlington, SC. | 8.3 | 13 | 54 | | |
| Warrenton, NC. | 11.6 | 14 | 35 | Pamplico, SC. | 7.9 | 14 | 60 | | |
| South Hill, Va. | 11.3 | 15 | 38 | Fair Bluff, NC. | 6.8 | 15 | 67 | | |
| Brookneal, Va. | 11.2 | 16 | 39 | Clarkton, NC. | 6.6 | 16 | 68 | | |
| Louisburg, NC. | 11.1 | 17 | 41 | Fayetteville, NC. | 4.8 | 17 | 77 | | |
| Lawrenceville, Va. | 10.0 | 18 | 46 | Dillon, SC. | 4.8 | 18 | 78 | | |
| Chase City, Va. | 8.3 | 19 | 53 | Lamar, SC. | 2.3 | 19 | 90 | | |
| Madison, NC. | 8.1 | 20 | 57 | | | | | | |
| Mebane, NC. | 8.0 | 21 | 59 | | | | | | |
| Burlington, NC. | 7.4 | 22 | 61 | | | | | | |
| Yadkinville, NC. | 7.4 | 23 | 62 | | | | | | |
| Martinsville, Va. | 7.2 | 24 | 63 | | | | | | |
| Kenbridge, Va. | 7.2 | 25 | 64 | | | | | | |
| Clarksville, Va. | 6.9 | 26 | 65 | | | | | | |
| Petersburg, Va. | 6.8 | 27 | 66 | | | | | | |
| Aberdeen, NC. | 6.5 | 28 | 69 | | | | | | |
| Greensboro, NC. | 5.7 | 29 | 72 | | | | | | |
| Ellerbe, NC. | 3.5 | 30 | 87 | | | | | | |
| <u>TYPE 12</u> | | | | <u>TYPE 14</u> | | | | | |
| Wilson, NC. | 94.9 | 1 | 1 | Moultrie, Ga. | 11.4 | 1 | 37 | | |
| Greenville, NC. | 52.1 | 2 | 2 | Live Oak, FL. | 11.2 | 2 | 40 | | |
| Kinston, NC. | 51.8 | 3 | 3 | Douglas, Ga. | 10.3 | 3 | 45 | | |
| Rocky Mount, NC. | 46.2 | 4 | 5 | Vidalia, Ga. | 9.1 | 4 | 48 | | |
| Farmville, NC. | 32.9 | 5 | 9 | Nashville, Ga. | 9.0 | 5 | 49 | | |
| Goldsboro, NC. | 29.2 | 6 | 11 | Tifton, Ga. | 8.2 | 6 | 55 | | |
| Smithfield, NC. | 23.7 | 7 | 14 | Blackshear, Ga. | 8.2 | 7 | 56 | | |
| Clinton, NC. | 18.7 | 8 | 21 | Pelham, Ga. | 8.1 | 8 | 58 | | |
| Dunn, NC. | 17.0 | 9 | 23 | Adel, Ga. | 5.9 | 9 | 70 | | |
| Wallace, NC. | 14.2 | 10 | 25 | Valdosta, Ga. | 5.8 | 10 | 71 | | |
| Wendell, NC. | 13.4 | 11 | 26 | Metter, Ga. | 5.7 | 11 | 73 | | |
| Williamston, NC. | 13.2 | 12 | 27 | Lake City, FL. | 5.6 | 12 | 74 | | |
| Washington, NC. | 12.8 | 13 | 29 | Baxley, Ga. | 5.5 | 13 | 75 | | |
| Ahoskie, NC. | 11.6 | 14 | 36 | Statesboro, Ga. | 5.4 | 14 | 76 | | |
| Windsor, NC. | 11.0 | 15 | 42 | Claxton, Ga. | 4.7 | 15 | 79 | | |
| Robersonville, NC. | 10.6 | 16 | 44 | Alma, Ga. | 4.6 | 16 | 80 | | |
| Tarboro, NC. | 8.6 | 17 | 52 | Jasper, FL. | 4.6 | 17 | 81 | | |
| | | | | Waycross, Ga. | 4.5 | 18 | 82 | | |
| | | | | Fitzgerald, Ga. | 4.5 | 19 | 83 | | |
| | | | | Hazelhurst, Ga. | 4.3 | 20 | 84 | | |
| | | | | Hahira, Ga. | 3.9 | 21 | 85 | | |
| | | | | High Springs, FL. | 3.6 | 22 | 86 | | |
| | | | | Thomasville, Ga. | 3.5 | 23 | 88 | | |
| | | | | Madison, FL. | 2.8 | 24 | 89 | | |
| | | | | Quitman, Ga. | 2.0 | 25 | 91 | | |
| | | | | Pearson, Ga. | 1.9 | 26 | 92 | | |
| | | | | Sylvester, Ga. | 0.8 | 27 | 93 | | |
| | | | | Swainsboro, Ga. not operating | 28 | | 94 | | |

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 7 Opening and closing dates of marketing season, sales floors of tobacco sold at auction in the United States, by types, states, and markets, 1976 and 1975 crops.

| States and Markets | TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED | | | | | | | | |
|--------------------|--|---------------|---------------|------------|--------------|---------------|---------------|------------|--------------|
| | Markets | 1976 | | | | 1975 | | | |
| | | Opening Dates | Closing Dates | Sales Days | Sales Floors | Opening Dates | Closing Dates | Sales Days | Sales Floors |
| | Number | | | Number | Number | | | Number | Number |
| Virginia: | | | | | | | | | |
| Brookneal | | Aug. 3 | Nov. 22 | 37 | 4 | Aug. 5 | Nov. 19 | 34 | 4 |
| Chase City | | Aug. 3 | Nov. 17 | 28 | 4 | Aug. 5 | Nov. 18 | 24 | 4 |
| Clarksville | | Aug. 4 | Nov. 17 | 22 | 3 | Aug. 5 | Nov. 19 | 23 | 3 |
| Danville | | Aug. 3 | Nov. 23 | 61 | 8 | Aug. 5 | Nov. 25 | 61 | 8 |
| Kenbridge | | Aug. 4 | Nov. 16 | 26 | 4 | Aug. 5 | Nov. 17 | 22 | 4 |
| Lawrenceville | | Aug. 4 | Nov. 17 | 31 | 3 | Aug. 5 | Nov. 17 | 28 | 3 |
| Martinsville | | Aug. 4 | Nov. 15 | 27 | 2 | Aug. 5 | Nov. 20 | 27 | 2 |
| Petersburg | | Aug. 5 | Nov. 16 | 24 | 4 | Aug. 5 | Nov. 10 | 17 | 3 |
| South Boston | | Aug. 3 | Nov. 24 | 60 | 9 | Aug. 5 | Nov. 24 | 56 | 10 |
| South Hill | | Aug. 3 | Nov. 18 | 35 | 4 | Aug. 5 | Nov. 17 | 30 | 4 |
| Total | 10 | | | 45 | | | | 45 | |
| North Carolina: | | | | | | | | | |
| Aberdeen | | Jul. 21 | Oct. 27 | 20 | 3 | Jul. 15 | Nov. 12 | 25 | 3 |
| Burlington | | Aug. 4 | Nov. 11 | 24 | 3 | Aug. 5 | Nov. 17 | 23 | 3 |
| Carthage | | Jul. 20 | Oct. 28 | 36 | 5 | Jul. 15 | Nov. 11 | 44 | 4 |
| Durham | | Jul. 27 | Nov. 4 | 56 | 5 | Jul. 29 | Nov. 13 | 60 | 5 |
| Ellerbe | | Jul. 26 | Oct. 26 | 11 | 3 | Jul. 15 | Nov. 6 | 16 | 4 |
| Fuquay-Varina | | Jul. 20 | Nov. 3 | 58 | 6 | Jul. 15 | Nov. 18 | 70 | 6 |
| Greensboro | | Aug. 5 | Nov. 4 | 19 | 2 | Aug. 5 | Nov. 5 | 19 | 2 |
| Henderson | | Jul. 27 | Nov. 17 | 62 | 7 | Jul. 29 | Nov. 18 | 58 | 10 |
| Louisburg | | Jul. 28 | Nov. 11 | 32 | 4 | Jul. 29 | Nov. 17 | 39 | 3 |
| Madison | | Aug. 4 | Nov. 11 | 29 | 3 | Aug. 5 | Nov. 17 | 21 | 4 |
| Mebane | | Aug. 4 | Nov. 10 | 31 | 2 | Jul. 29 | Nov. 10 | 21 | 2 |
| Mt. Airy | | Aug. 3 | Nov. 16 | 40 | 5 | Aug. 5 | Nov. 25 | 44 | 4 |
| Oxford | | Jul. 27 | Nov. 16 | 62 | 7 | Jul. 29 | Nov. 19 | 62 | 7 |
| Reidsville | | Aug. 3 | Nov. 9 | 52 | 3 | Aug. 5 | Nov. 13 | 45 | 4 |
| Roxboro | | Aug. 3 | Nov. 16 | 56 | 6 | Jul. 29 | Nov. 17 | 42 | 5 |
| Sanford | | Jul. 20 | Nov. 1 | 43 | 4 | Jul. 15 | Nov. 17 | 56 | 4 |
| Stoneville | | Aug. 3 | Nov. 11 | 46 | 2 | Aug. 5 | Nov. 18 | 36 | 2 |
| Warrenton | | Jul. 27 | Nov. 15 | 39 | 5 | Jul. 29 | Nov. 12 | 28 | 6 |
| Winston-Salem | | Aug. 3 | Nov. 23 | 57 | 7 | Aug. 5 | Nov. 24 | 59 | 5 |
| Yadkinville | | Aug. 4 | Nov. 4 | 25 | 5 | Aug. 5 | Nov. 17 | 28 | 6 |
| Total | 20 | | | 87 | | | | 89 | |
| Total Type 11 | 30 | | | 132 | | | | 134 | |

| TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED | | | | | | | | | |
|---|----|---------------|---------------|------------|--------------|---------------|---------------|------------|--------------|
| North Carolina: | | 1976 | | | | 1975 | | | |
| | | Opening Dates | Closing Dates | Sales Days | Sales Floors | Opening Dates | Closing Dates | Sales Days | Sales Floors |
| | | | | Number | Number | | | Number | Number |
| Ahoskie | | Jul. 21 | Nov. 9 | 36 | 2 | Jul. 16 | Nov. 17 | 37 | 2 |
| Clinton | | Jul. 20 | Nov. 4 | 55 | 5 | Jul. 15 | Nov. 13 | 54 | 4 |
| Dunn | | Jul. 20 | Nov. 3 | 53 | 4 | Jul. 15 | Nov. 13 | 51 | 2 |
| Farmville | | Jul. 20 | Nov. 9 | 62 | 8 | Jul. 15 | Nov. 20 | 72 | 7 |
| Goldsboro | | Jul. 20 | Nov. 10 | 63 | 9 | Jul. 15 | Nov. 19 | 71 | 7 |
| Greenville | | Jul. 20 | Nov. 9 | 62 | 10 | Jul. 15 | Nov. 17 | 69 | 8 |
| Kinston | | Jul. 20 | Nov. 4 | 60 | 9 | Jul. 15 | Nov. 18 | 70 | 9 |
| Robersonville | | Jul. 21 | Nov. 4 | 32 | 5 | Jul. 16 | Nov. 17 | 35 | 5 |
| Rocky Mount | | Jul. 20 | Nov. 9 | 62 | 8 | Jul. 15 | Nov. 19 | 71 | 8 |
| Smithfield | | Jul. 20 | Nov. 3 | 59 | 6 | Jul. 15 | Nov. 19 | 71 | 6 |
| Tarboro | | Jul. 22 | Nov. 8 | 28 | 5 | Jul. 16 | Nov. 19 | 35 | 6 |
| Wallace | | Jul. 21 | Oct. 28 | 43 | 5 | Jul. 15 | Nov. 13 | 52 | 4 |
| Washington | | Jul. 20 | Oct. 28 | 38 | 4 | Jul. 15 | Nov. 12 | 44 | 4 |
| Wendell | | Jul. 20 | Nov. 2 | 38 | 7 | Jul. 15 | Nov. 13 | 51 | 7 |
| Williamston | | Jul. 20 | Nov. 8 | 40 | 4 | Jul. 15 | Nov. 17 | 46 | 3 |
| Wilson | | Jul. 20 | Nov. 15 | 65 | 16 | Jul. 15 | Nov. 26 | 75 | 15 |
| Windsor | | Jul. 21 | Nov. 3 | 33 | 3 | Jul. 15 | Nov. 13 | 37 | 3 |
| Total Type 12 | 17 | | | 110 | | | | 100 | |

Table 7 Opening and closing dates of marketing season, sales floors of tobacco sold at auction in the United States, by types, states, and markets, 1976 and 1975 crops.

| TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED | | | | | | | | | | |
|---|---------|----------------------|------------------|---------------|-----------------|------------------|------------------|---------------|-----------------|---|
| States and Markets | 1976 | | | | | 1975 | | | | |
| | Markets | Opening Dates | Closing Dates | Sales Days | Sales Floors | Opening Dates | Closing Dates | Sales Days | Sales Floors | |
| | Number | | | Number | Number | | | Number | Number | |
| South Carolina: | | | | | | | | | | |
| Conway | | Jul. 13 | Oct. 12 | 35 | 4 | Jul. 9 | Nov. 4 | 31 | 2 | |
| Darlington | | Jul. 13 | Oct. 7 | 24 | 4 | Jul. 9 | Oct. 29 | 29 | 4 | |
| Dillon | | Jul. 14 | Oct. 14 | 16 | 3 | Jul. 10 | Nov. 3 | 22 | 3 | |
| Hemingway | | Jul. 13 | Oct. 13 | 28 | 3 | Jul. 9 | Oct. 30 | 31 | 3 | |
| Kingstree | | Jul. 13 | Oct. 12 | 25 | 5 | Jul. 9 | Oct. 29 | 31 | 5 | |
| Lake City | | Jul. 13 | Oct. 14 | 53 | 7 | Jul. 9 | Nov. 5 | 66 | 7 | |
| Lamar | | Jul. 15 | Oct. 6 | 8 | 2 | Jul. 14 | Oct. 30 | 10 | 2 | |
| Loris | | Jul. 13 | Oct. 13 | 34 | 3 | Jul. 9 | Nov. 5 | 36 | 2 | |
| Mullins | | Jul. 13 | Oct. 14 | 53 | 12 | Jul. 9 | Nov. 4 | 65 | 14 | |
| Pamplico | | Jul. 14 | Oct. 13 | 24 | 4 | Jul. 10 | Nov. 5 | 25 | 4 | |
| Timmonsville | | Jul. 13 | Oct. 6 | 37 | 3 | Jul. 9 | Nov. 4 | 51 | 3 | |
| Total | | 11 | | 50 | | | | 49 | | |
| North Carolina: | | | | | | | | | | |
| Chadbourn | | Jul. 13 | Oct. 20 | 30 | 3 | Jul. 9 | Nov. 4 | 27 | 2 | |
| Clarkton | | Jul. 14 | Oct. 19 | 20 | 3 | Jul. 10 | Nov. 5 | 26 | 3 | |
| Fair Bluff | | Jul. 13 | Oct. 12 | 20 | 3 | Jul. 9 | Nov. 3 | 26 | 4 | |
| Fairmont | | Jul. 13 | Oct. 21 | 57 | 10 | Jul. 9 | Nov. 5 | 66 | 13 | |
| Fayetteville | | Jul. 26 | Oct. 26 | 14 | 2 | Jul. 9 | Nov. 3 | 26 | 2 | |
| Lumberton | | Jul. 13 | Oct. 20 | 56 | 7 | Jul. 9 | Nov. 5 | 66 | 8 | |
| Tabor City | | Jul. 13 | Oct. 13 | 36 | 3 | Jul. 9 | Oct. 30 | 46 | 6 | |
| Whiteville | | Jul. 13 | Oct. 14 | 53 | 8 | Jul. 9 | Nov. 4 | 64 | 9 | |
| Total | | 8 | | 39 | | | | 47 | | |
| Total Type 13 | | 19 | | 89 | | | | 96 | | |
| TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED | | | | | | | | | | |
| Georgia: | | | | | | | | | | |
| Adel | | Jul. 8 | Sep. 1 | 18 | 4 | Jul. 9 | Sep. 29 | 21 | 4 | |
| Alma | | Jul. 8 | Aug. 31 | 13 | 4 | Jul. 9 | Oct. 2 | 21 | 4 | |
| Baxley | | Jul. 8 | Sep. 2 | 15 | 2 | Jul. 14 | Oct. 2 | 23 | 5 | |
| Blackshear | | Jul. 8 | Sep. 2 | 23 | 6 | Jul. 8 | Oct. 2 | 31 | 4 | |
| Claxton | | Jul. 9 | Sep. 1 | 14 | 3 | Jul. 10 | Oct. 2 | 19 | 3 | |
| Douglas | | Jul. 8 | Sep. 8 | 32 | 4 | Jul. 8 | Oct. 2 | 42 | 5 | |
| Fitzgerald | | Jul. 8 | Sep. 7 | 16 | 2 | Jul. 9 | Sep. 29 | 19 | 2 | |
| Hahira | | Jul. 8 | Aug. 30 | 12 | 4 | Jul. 9 | Oct. 1 | 17 | 4 | |
| Hazlehurst | | Jul. 9 | Sep. 8 | 12 | 2 | Jul. 10 | Oct. 2 | 14 | 4 | |
| Metter | | Jul. 8 | Sep. 9 | 18 | 2 | Jul. 9 | Oct. 2 | 20 | 2 | |
| Moultrie | | Jul. 8 | Sep. 9 | 32 | 5 | Jul. 8 | Oct. 2 | 35 | 5 | |
| Nashville | | Jul. 8 | Sep. 1 | 27 | 5 | Jul. 8 | Oct. 2 | 41 | 4 | |
| Pearson | | Jul. 9 | Aug. 18 | 6 | 1 | Jul. 10 | Oct. 2 | 9 | 1 | |
| Pelham | | Jul. 8 | Sep. 8 | 23 | 2 | Jul. 8 | Sep. 25 | 25 | 3 | |
| Quitman | | Jul. 9 | Sep. 2 | 7 | 3 | Jul. 10 | Sep. 24 | 10 | 3 | |
| Statesboro | | Jul. 8 | Sep. 9 | 20 | 6 | Jul. 8 | Oct. 2 | 26 | 6 | |
| Swainsboro | | No Sales 1976 Season | | | | | Jul. 21 | Sep. 10 | 3 | 1 |
| Sylvester | | Jul. 15 | Aug. 31 | 3 | 2 | Jul. 16 | Sep. 18 | 4 | 2 | |
| Thomsville | | Jul. 9 | Sep. 7 | 13 | 2 | Jul. 9 | Sep. 29 | 14 | 1 | |
| Tifton | | Jul. 8 | Sep. 2 | 24 | 5 | Jul. 8 | Sep. 29 | 26 | 5 | |
| Valdosta | | Jul. 8 | Aug. 31 | 17 | 2 | Jul. 8 | Oct. 1 | 24 | 3 | |
| Vidalia | | Jul. 8 | Sep. 9 | 26 | 4 | Jul. 8 | Oct. 2 | 31 | 3 | |
| Waycross | | Jul. 9 | Sep. 1 | 13 | 3 | Jul. 9 | Oct. 2 | 21 | 3 | |
| Total | | 23 | | 73 | | | | 77 | | |
| Florida: | | | | | | | | | | |
| High Springs | | Jul. 9 | Sep. 8 | 12 | 3 | Jul. 10 | Sep. 16 | 12 | 2 | |
| Jasper | | Jul. 8 | Sep. 9 | 14 | 3 | Jul. 9 | Sep. 25 | 15 | 4 | |
| Lake City | | Jul. 8 | Sep. 8 | 17 | 3 | Jul. 8 | Sep. 23 | 19 | 3 | |
| Live Oak | | Jul. 8 | Sep. 2 | 30 | 5 | Jul. 8 | Sep. 25 | 34 | 3 | |
| Madison | | Jul. 9 | Sep. 2 | 9 | 2 | Jul. 10 | Sep. 24 | 10 | 2 | |
| Total | | 5 | | 16 | | | | 14 | | |
| Total Type 14 | | 28 | | 89 | | | | 91 | | |
| Total 11-14 | | 94 | | 420 | | | | 421 | | |

Table 8 PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1960 to 1976. 1/

TYPE 11 - OLD AND MIDDLE BELT

| Crop2/: | Sales | Value | Average Price | Crop | Sales | Value | Average Price |
|---------|-------------|-------------|---------------|--------|-------------|-------------|---------------|
| | Pounds | Dollars | Dollars | | Pounds | Dollars | Dollars |
| 1960 : | 391,390,676 | 234,985,758 | 60.04 | 1973 : | 364,793,838 | 322,153,793 | 88.31 |
| 1961 : | 392,952,967 | 251,489,769 | 64.00 | 1974 : | 366,332,632 | 388,549,989 | 106.06 |
| 1962 : | 463,117,209 | 280,970,280 | 60.67 | 1975 : | 400,832,258 | 394,336,519 | 98.38 |
| 1963 : | 446,551,784 | 250,533,205 | 56.10 | 1976 : | 434,999,525 | 465,350,359 | 106.98 |
| 1964 : | 491,855,929 | 291,250,930 | 59.21 | 1977 : | | | |
| 1965 : | 330,231,162 | 212,495,742 | 64.35 | 1978 : | | | |
| 1966 : | 398,904,857 | 251,750,791 | 63.11 | 1979 : | | | |
| 1967 : | 393,415,249 | 244,672,123 | 62.19 | 1980 : | | | |
| 1968 : | 298,666,040 | 192,868,276 | 64.58 | 1981 : | | | |
| 1969 : | 336,016,733 | 240,149,054 | 71.47 | 1982 : | | | |
| 1970 : | 346,754,284 | 243,340,263 | 70.18 | 1983 : | | | |
| 1971 : | 324,242,019 | 250,882,054 | 77.37 | 1984 : | | | |
| 1972 : | 296,606,461 | 246,802,437 | 83.21 | 1985 : | | | |

TYPE 12 - EASTERN NORTH CAROLINA

| | | | | | | | |
|--------|-------------|-------------|-------|--------|-------------|-------------|--------|
| 1960 : | 409,980,457 | 251,077,871 | 61.24 | 1973 : | 379,505,519 | 337,751,016 | 89.00 |
| 1961 : | 386,055,705 | 252,729,976 | 65.46 | 1974 : | 407,007,009 | 431,331,721 | 105.98 |
| 1962 : | 400,129,062 | 239,716,394 | 59.91 | 1975 : | 506,560,874 | 512,413,345 | 101.16 |
| 1963 : | 421,882,034 | 247,680,810 | 58.71 | 1976 : | 461,764,674 | 521,621,734 | 112.96 |
| 1964 : | 420,093,250 | 238,216,548 | 56.71 | 1977 : | | | |
| 1965 : | 296,024,450 | 187,386,497 | 63.30 | 1978 : | | | |
| 1966 : | 328,736,141 | 225,475,919 | 68.59 | 1979 : | | | |
| 1967 : | 346,319,605 | 224,636,700 | 64.86 | 1980 : | | | |
| 1968 : | 287,009,702 | 194,193,390 | 67.66 | 1981 : | | | |
| 1969 : | 313,143,261 | 226,984,176 | 72.49 | 1982 : | | | |
| 1970 : | 358,241,279 | 260,897,452 | 72.83 | 1983 : | | | |
| 1971 : | 316,362,168 | 248,454,294 | 78.53 | 1984 : | | | |
| 1972 : | 316,441,050 | 276,394,101 | 87.34 | 1985 : | | | |

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

| | | | | | | | |
|--------|-------------|-------------|-------|--------|-------------|-------------|--------|
| 1960 : | 279,815,114 | 173,750,806 | 62.09 | 1973 : | 263,221,379 | 228,552,101 | 86.83 |
| 1961 : | 293,312,117 | 193,527,949 | 65.98 | 1974 : | 277,759,577 | 288,606,699 | 103.91 |
| 1962 : | 346,750,719 | 212,610,306 | 61.32 | 1975 : | 321,370,317 | 320,557,161 | 99.74 |
| 1963 : | 313,733,079 | 189,298,356 | 60.34 | 1976 : | 261,101,557 | 293,115,049 | 112.26 |
| 1964 : | 309,172,100 | 184,425,734 | 59.65 | 1977 : | | | |
| 1965 : | 277,010,241 | 181,633,946 | 65.57 | 1978 : | | | |
| 1966 : | 223,674,943 | 154,388,218 | 69.02 | 1979 : | | | |
| 1967 : | 300,851,081 | 195,583,110 | 65.01 | 1980 : | | | |
| 1968 : | 255,973,622 | 171,150,530 | 66.86 | 1981 : | | | |
| 1969 : | 254,827,602 | 185,412,983 | 72.76 | 1982 : | | | |
| 1970 : | 282,105,816 | 202,496,606 | 71.78 | 1983 : | | | |
| 1971 : | 259,089,401 | 196,309,798 | 75.77 | 1984 : | | | |
| 1972 : | 242,317,459 | 206,781,771 | 85.34 | 1985 : | | | |

TYPE 14 - GEORGIA AND FLORIDA

| | | | | | | | |
|--------|-------------|-------------|-------|--------|-------------|-------------|--------|
| 1960 : | 166,037,115 | 94,438,724 | 56.88 | 1973 : | 147,380,111 | 129,325,426 | 87.75 |
| 1961 : | 176,610,768 | 104,595,980 | 59.22 | 1974 : | 188,993,215 | 194,378,265 | 102.85 |
| 1962 : | 190,308,873 | 107,869,014 | 56.68 | 1975 : | 181,844,805 | 181,893,846 | 100.03 |
| 1963 : | 182,008,168 | 104,320,747 | 57.32 | 1976 : | 155,051,397 | 170,813,390 | 110.17 |
| 1964 : | 157,770,918 | 93,055,511 | 58.98 | 1977 : | | | |
| 1965 : | 155,051,918 | 102,638,782 | 66.20 | 1978 : | | | |
| 1966 : | 155,004,127 | 108,526,147 | 70.01 | 1979 : | | | |
| 1967 : | 206,896,521 | 135,655,587 | 65.57 | 1980 : | | | |
| 1968 : | 153,995,962 | 105,286,821 | 68.37 | 1981 : | | | |
| 1969 : | 146,715,739 | 107,683,665 | 73.40 | 1982 : | | | |
| 1970 : | 190,998,985 | 141,975,628 | 74.33 | 1983 : | | | |
| 1971 : | 174,622,082 | 134,200,109 | 76.85 | 1984 : | | | |
| 1972 : | 160,209,770 | 136,904,729 | 85.45 | 1985 : | | | |

See footnote at end of table.

Continued -

Table 8 PRODUCERS' sales, value, and average price, BY TYPES, for flue-cured tobacco, crops of 1960 to 1976. 1/

| TYPES 11-14 - TOTAL FLUE-CURED | | | | | | | | | |
|--------------------------------|---------------|-------------|---------------|------|---------------|---------------|---------------|--|--|
| Crop ₂ /: | Sales | Value | Average Price | Crop | Sales | Value | Average Price | | |
| : | : Pounds | : Dollars | : Dollars | : | : Pounds | : Dollars | : Dollars | | |
| 1960 : | 1,247,223,362 | 754,253,159 | 60.47 | 1973 | 1,154,900,847 | 1,017,731,649 | 88.13 | | |
| 1961 : | 1,248,931,557 | 802,343,674 | 64.24 | 1974 | 1,240,092,433 | 1,302,866,674 | 105.06 | | |
| 1962 : | 1,400,305,863 | 841,165,994 | 60.07 | 1975 | 1,410,608,254 | 1,409,200,871 | 99.90 | | |
| 1963 : | 1,364,175,065 | 791,833,118 | 58.04 | 1976 | 1,312,917,153 | 1,450,900,532 | 110.51 | | |
| 1964 : | 1,378,892,197 | 806,948,723 | 58.52 | 1977 | | | | | |
| 1965 : | 1,058,317,771 | 684,154,967 | 64.65 | 1978 | | | | | |
| 1966 : | 1,106,320,068 | 740,141,775 | 66.90 | 1979 | | | | | |
| 1967 : | 1,247,482,456 | 800,547,520 | 54.17 | 1980 | | | | | |
| 1968 : | 995,645,366 | 663,499,017 | 66.64 | 1981 | | | | | |
| 1969 : | 1,050,703,335 | 760,229,878 | 72.35 | 1982 | | | | | |
| 1970 : | 1,178,100,364 | 848,709,949 | 72.04 | 1983 | | | | | |
| 1971 : | 1,074,315,670 | 829,846,255 | 77.24 | 1984 | | | | | |
| 1972 : | 1,015,574,740 | 866,967,750 | 85.37 | 1985 | | | | | |

1/ Auction sales only. Does not include carry-over tobacco, non-auction sales, or direct deliveries.

2/ Data for years prior to 1960 may be found in the 1975 and earlier issues of the Market Review.

Table 9 GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, BY TYPES, for flue-cured tobacco, crops of 1960 to 1976.

| TYPE 11 - OLD AND MIDDLE BELT | | | | | | | | | |
|-------------------------------|-------------|-------------|---------------|------------|---------------|-----------|---------------------------|--|--|
| Crop ₁ /: | Gross | | | Resales | | | Percentage of Gross Sales | | |
| : | Sales | Value | Average Price | Resales | Average Price | Price | | | |
| : | : Pounds | : Dollars | : Dollars | : Pounds | : Dollars | : Dollars | | | |
| 1960 : | 432,349,697 | 257,131,754 | 59.47 | 40,959,021 | 54.07 | | 9.5 | | |
| 1961 : | 433,878,788 | 275,423,386 | 63.48 | 40,925,821 | 58.48 | | 9.4 | | |
| 1962 : | 495,863,703 | 299,344,255 | 60.37 | 32,746,494 | 56.11 | | 6.6 | | |
| 1963 : | 473,852,962 | 264,826,650 | 55.89 | 27,301,178 | 52.36 | | 5.8 | | |
| 1964 : | 523,307,103 | 308,020,265 | 58.86 | 31,451,174 | 53.32 | | 6.0 | | |
| 1965 : | 358,797,333 | 230,198,262 | 64.16 | 28,566,171 | 61.97 | | 8.0 | | |
| 1966 : | 428,199,368 | 269,577,052 | 62.96 | 29,294,511 | 60.85 | | 6.8 | | |
| 1967 : | 411,759,045 | 255,987,675 | 62.17 | 18,343,796 | 61.69 | | 4.5 | | |
| 1968 : | 312,370,579 | 201,535,932 | 64.52 | 13,704,539 | 63.25 | | 4.4 | | |
| 1969 : | 351,272,390 | 250,588,672 | 71.34 | 15,255,657 | 68.43 | | 4.3 | | |
| 1970 : | 360,372,223 | 252,474,693 | 70.06 | 13,617,939 | 67.08 | | 3.8 | | |
| 1971 : | 334,280,998 | 258,428,522 | 77.31 | 10,038,979 | 75.17 | | 3.0 | | |
| 1972 : | 309,630,570 | 257,523,240 | 83.17 | 13,024,109 | 81.67 | | 4.2 | | |
| 1973 : | 372,877,235 | 328,896,674 | 88.21 | 8,083,397 | 85.59 | | 2.2 | | |
| 1974 : | 383,300,378 | 406,140,228 | 105.96 | 16,967,746 | 103.67 | | 4.4 | | |
| 1975 : | 417,535,807 | 410,987,195 | 98.43 | 16,703,549 | 96.56 | | 4.0 | | |
| 1976 : | 452,830,681 | 485,203,903 | 107.15 | 17,831,156 | 111.34 | | 3.9 | | |
| 1977 : | | | | | | | | | |
| 1978 : | | | | | | | | | |
| 1979 : | | | | | | | | | |
| 1980 : | | | | | | | | | |
| 1981 : | | | | | | | | | |
| 1982 : | | | | | | | | | |
| 1983 : | | | | | | | | | |
| 1984 : | | | | | | | | | |
| 1985 : | | | | | | | | | |

See footnote at end of table.

Continued -

Table 9 GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, BY TYPES, for flue-cured tobacco, crops 1960 to 1976.

TYPE 12 - EASTERN NORTH CAROLINA

| Crop/ Year | Gross | | | Resales | | |
|---------------|-------------|-------------|------------------|------------|------------------|------------------------------|
| | Sales | Value | Average Price | Resales | Average Price | Percentage of Gross Sales |
| | Pounds | Dollars | Dollars | Pounds | Dollars | Percent |
| 1960 : | 443,849,883 | 269,234,668 | 60.66 | 33,869,426 | 53.61 | 7.6 |
| 1961 : | 414,387,518 | 269,117,638 | 64.94 | 28,331,813 | 57.84 | 6.8 |
| 1962 : | 426,197,628 | 253,383,812 | 59.45 | 26,068,566 | 52.43 | 6.1 |
| 1963 : | 447,810,344 | 260,597,473 | 58.19 | 25,928,310 | 49.82 | 5.8 |
| 1964 : | 439,070,156 | 247,127,905 | 56.28 | 18,976,906 | 46.96 | 4.3 |
| 1965 : | 313,961,096 | 197,754,494 | 62.99 | 17,936,646 | 57.80 | 5.7 |
| 1966 : | 348,628,637 | 238,216,849 | 68.33 | 19,892,496 | 64.05 | 5.7 |
| 1967 : | 359,468,542 | 232,513,716 | 64.68 | 13,148,397 | 59.91 | 3.7 |
| 1968 : | 294,991,827 | 199,000,456 | 67.46 | 7,982,125 | 60.22 | 2.7 |
| 1969 : | 320,845,503 | 232,056,675 | 72.33 | 7,702,242 | 65.86 | 2.4 |
| 1970 : | 367,241,196 | 266,931,243 | 72.68 | 8,999,917 | 67.04 | 2.4 |
| 1971 : | 322,519,226 | 253,011,308 | 78.45 | 6,157,058 | 74.01 | 1.9 |
| 1972 : | 323,202,625 | 281,927,439 | 87.23 | 6,761,575 | 81.84 | 2.1 |
| 1973 : | 384,981,707 | 342,430,123 | 88.95 | 5,476,188 | 85.44 | 1.4 |
| 1974 : | 419,898,578 | 444,697,425 | 105.91 | 12,891,569 | 103.68 | 3.1 |
| 1975 : | 523,294,455 | 529,244,007 | 101.14 | 16,733,581 | 100.58 | 3.2 |
| 1976 : | 480,139,814 | 542,638,536 | 113.02 | 18,375,140 | 114.38 | 3.8 |
| 1977 : | | | | | | |
| 1978 : | | | | | | |
| 1979 : | | | | | | |
| 1980 : | | | | | | |
| 1981 : | | | | | | |
| 1982 : | | | | | | |
| 1983 : | | | | | | |
| 1984 : | | | | | | |
| 1985 : | | | | | | |

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

| | | | | | | |
|--------|-------------|-------------|--------|------------|--------|-----|
| 1960 : | 310,723,428 | 190,734,738 | 61.38 | 30,908,314 | 54.95 | 9.9 |
| 1961 : | 324,548,716 | 212,215,581 | 65.39 | 31,236,599 | 59.83 | 9.6 |
| 1962 : | 380,565,542 | 232,006,009 | 60.96 | 33,814,823 | 57.36 | 8.9 |
| 1963 : | 343,634,666 | 205,886,036 | 59.91 | 29,901,587 | 55.47 | 8.7 |
| 1964 : | 338,191,697 | 200,024,970 | 59.15 | 29,019,597 | 53.75 | 8.6 |
| 1965 : | 307,093,820 | 200,416,487 | 65.26 | 30,083,579 | 62.43 | 9.8 |
| 1966 : | 244,515,798 | 168,269,710 | 68.82 | 20,840,255 | 66.60 | 8.5 |
| 1967 : | 321,858,935 | 209,247,378 | 65.01 | 21,007,854 | 65.04 | 6.5 |
| 1968 : | 267,797,623 | 178,792,044 | 66.76 | 11,823,961 | 64.63 | 4.4 |
| 1969 : | 266,398,182 | 193,417,154 | 72.60 | 11,570,580 | 69.18 | 4.3 |
| 1970 : | 295,199,641 | 211,647,639 | 71.70 | 13,093,825 | 69.89 | 4.4 |
| 1971 : | 268,269,338 | 203,142,898 | 75.72 | 9,179,937 | 74.44 | 3.4 |
| 1972 : | 249,189,219 | 212,636,929 | 85.33 | 6,871,760 | 85.21 | 2.8 |
| 1973 : | 270,106,986 | 234,450,946 | 86.80 | 6,885,607 | 85.67 | 2.5 |
| 1974 : | 290,214,356 | 301,501,762 | 103.89 | 12,454,779 | 103.54 | 4.3 |
| 1975 : | 337,295,149 | 336,862,452 | 99.87 | 15,924,832 | 102.39 | 4.7 |
| 1976 : | 274,533,411 | 308,368,439 | 112.32 | 13,431,854 | 113.56 | 4.9 |
| 1977 : | | | | | | |
| 1978 : | | | | | | |
| 1979 : | | | | | | |
| 1980 : | | | | | | |
| 1981 : | | | | | | |
| 1982 : | | | | | | |
| 1983 : | | | | | | |
| 1984 : | | | | | | |
| 1985 : | | | | | | |

See footnote at end of table.

Continued -

Table 9 GROSS sales, value, and average price; and resales, average price, and percentage of gross sales, BY TYPES, for flue-cured tobacco, crops of 1960 to 1976.

TYPE 14 - GEORGIA AND FLORIDA

| Crop/ : | Gross | | | Resales | | |
|------------|-------------|-------------|------------------|------------|------------------|------------------------------|
| | Sales | Value | Average Price | Resales | Average Price | Percentage of Gross Sales |
| | Pounds | Dollars | Dollars | Pounds | Dollars | Percent |
| 1960 : | 182,828,147 | 103,140,976 | 56.41 | 16,791,032 | 51.83 | 9.2 |
| 1961 : | 191,637,024 | 112,834,017 | 58.88 | 15,026,256 | 54.82 | 7.8 |
| 1962 : | 205,291,095 | 116,011,975 | 56.51 | 14,982,222 | 54.35 | 7.3 |
| 1963 : | 198,092,819 | 112,668,937 | 56.88 | 16,084,651 | 51.90 | 6.3 |
| 1964 : | 174,701,252 | 102,400,740 | 58.61 | 16,930,334 | 55.20 | 9.7 |
| 1965 : | 172,159,315 | 113,657,538 | 66.02 | 17,107,397 | 64.42 | 9.9 |
| 1966 : | 172,935,416 | 120,869,024 | 69.89 | 17,931,289 | 68.83 | 10.4 |
| 1967 : | 224,236,445 | 146,998,659 | 65.56 | 17,339,924 | 65.42 | 7.7 |
| 1968 : | 164,171,955 | 112,061,970 | 68.26 | 10,175,993 | 66.58 | 6.2 |
| 1969 : | 157,067,017 | 115,089,395 | 73.27 | 10,351,278 | 71.54 | 6.6 |
| 1970 : | 201,045,076 | 149,308,182 | 74.27 | 10,046,091 | 72.99 | 5.0 |
| 1971 : | 181,667,143 | 139,553,076 | 76.82 | 7,045,061 | 75.98 | 3.9 |
| 1972 : | 165,681,843 | 141,569,824 | 85.45 | 5,472,073 | 85.25 | 3.3 |
| 1973 : | 153,258,700 | 134,419,282 | 87.71 | 5,878,589 | 86.78 | 3.8 |
| 1974 : | 197,751,953 | 203,205,014 | 102.76 | 8,758,738 | 100.78 | 4.4 |
| 1975 : | 190,579,943 | 190,808,798 | 100.12 | 8,735,138 | 102.06 | 4.6 |
| 1976 : | 162,761,434 | 179,368,837 | 110.20 | 7,710,037 | 110.97 | 4.7 |
| 1977 : | | | | | | |
| 1978 : | | | | | | |
| 1979 : | | | | | | |
| 1980 : | | | | | | |
| 1981 : | | | | | | |
| 1982 : | | | | | | |
| 1983 : | | | | | | |
| 1984 : | | | | | | |
| 1985 : | | | | | | |

TYPES 11-14 - TOTAL FLUE-CURED

| | | | | | | |
|--------|---------------|---------------|--------|-------------|--------|-----|
| 1960 : | 1,369,751,155 | 820,242,136 | 59.88 | 122,527,793 | 53.86 | 8.9 |
| 1961 : | 1,364,452,046 | 869,590,622 | 63.73 | 115,520,489 | 58.21 | 8.5 |
| 1962 : | 1,507,917,968 | 900,746,051 | 59.73 | 107,612,105 | 55.37 | 7.1 |
| 1963 : | 1,463,390,791 | 843,979,096 | 57.67 | 99,215,726 | 52.56 | 6.8 |
| 1964 : | 1,475,270,208 | 857,573,880 | 58.13 | 96,378,011 | 52.53 | 6.5 |
| 1965 : | 1,152,011,564 | 742,027,781 | 64.41 | 93,693,793 | 61.77 | 8.1 |
| 1966 : | 1,194,279,219 | 796,932,635 | 66.73 | 87,959,151 | 64.57 | 7.4 |
| 1967 : | 1,317,322,967 | 844,747,428 | 64.13 | 69,840,511 | 63.29 | 5.3 |
| 1968 : | 1,039,331,984 | 691,390,402 | 66.52 | 43,686,618 | 63.84 | 4.2 |
| 1969 : | 1,095,583,092 | 791,151,896 | 72.21 | 44,879,757 | 68.90 | 4.1 |
| 1970 : | 1,223,858,136 | 880,361,757 | 71.93 | 45,757,772 | 69.12 | 3.7 |
| 1971 : | 1,106,736,705 | 854,135,804 | 77.18 | 32,421,035 | 74.92 | 2.9 |
| 1972 : | 1,047,704,257 | 893,657,432 | 85.30 | 32,129,517 | 83.07 | 3.1 |
| 1973 : | 1,181,224,628 | 1,040,372,414 | 88.08 | 26,323,781 | 85.82 | 2.2 |
| 1974 : | 1,291,165,265 | 1,335,544,429 | 104.99 | 51,072,832 | 103.14 | 4.0 |
| 1975 : | 1,468,705,354 | 1,467,902,452 | 99.95 | 58,097,100 | 101.04 | 4.0 |
| 1976 : | 1,370,265,340 | 1,515,579,715 | 110.60 | 57,348,187 | 112.78 | 4.2 |
| 1977 : | | | | | | |
| 1978 : | | | | | | |
| 1979 : | | | | | | |
| 1980 : | | | | | | |
| 1981 : | | | | | | |
| 1982 : | | | | | | |
| 1983 : | | | | | | |
| 1984 : | | | | | | |
| 1985 : | | | | | | |

1/ Data for years prior to 1960 may be found in the 1975 and earlier issues of the Market Review.

Table 10 PRODUCERS' sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1976 and 1975 crops. 1/

| MARKET AND STATE | TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED | | | TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED | | |
|------------------|--|-------------|---------------|---|-------------|---------------|
| | 1976 CROP | | | 1975 CROP | | |
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| Virginia: | | | | | | |
| Brookneal | 11,214,892 | 11,916,687 | 106.26 | 10,638,544 | 10,687,676 | 100.46 |
| Chase City | 8,320,276 | 8,702,940 | 104.60 | 7,496,503 | 7,506,028 | 100.13 |
| Clarksville | 6,944,581 | 7,453,048 | 107.32 | 6,841,739 | 6,912,722 | 101.04 |
| Danville | 49,766,975 | 52,895,687 | 106.29 | 46,193,978 | 46,684,366 | 101.06 |
| Kenbridge | 7,173,487 | 7,228,237 | 100.76 | 6,759,461 | 6,886,665 | 101.88 |
| Lawrenceville | 9,953,054 | 10,612,511 | 106.63 | 8,173,704 | 8,179,655 | 100.07 |
| Martinsville | 7,245,119 | 7,700,717 | 106.29 | 8,897,383 | 8,832,341 | 99.27 |
| Petersburg | 6,846,262 | 7,210,678 | 105.32 | 5,272,807 | 5,252,186 | 99.61 |
| South Boston | 22,848,451 | 24,283,173 | 106.28 | 19,148,174 | 19,720,742 | 102.99 |
| South Hill | 11,316,351 | 11,869,886 | 104.89 | 8,292,543 | 8,522,088 | 102.77 |
| Total Virginia | 141,629,448 | 149,873,564 | 105.82 | 127,714,836 | 129,184,469 | 101.15 |
| North Carolina: | | | | | | |
| Aberdeen | 6,474,250 | 6,874,164 | 106.18 | 6,745,851 | 6,514,047 | 96.56 |
| Burlington | 7,426,792 | 7,813,730 | 105.21 | 6,635,172 | 6,339,535 | 95.54 |
| Carthage | 12,238,084 | 13,415,721 | 109.62 | 13,181,912 | 13,292,294 | 100.84 |
| Durham | 21,325,374 | 22,466,550 | 105.35 | 19,767,563 | 18,744,563 | 94.82 |
| Ellerbe | 3,532,148 | 3,738,205 | 105.83 | 4,483,226 | 4,303,257 | 95.99 |
| Fuquay-Varina | 30,294,978 | 33,188,871 | 109.55 | 31,850,676 | 32,266,784 | 101.31 |
| Greensboro | 5,739,682 | 6,127,492 | 106.76 | 5,203,396 | 4,925,735 | 94.66 |
| Henderson | 21,479,745 | 23,387,688 | 108.88 | 16,672,705 | 15,985,581 | 95.88 |
| Louisburg | 11,130,197 | 12,213,539 | 109.73 | 11,076,110 | 10,147,289 | 91.61 |
| Madison | 8,110,659 | 8,813,981 | 108.67 | 6,701,057 | 6,471,264 | 96.57 |
| Mebane | 8,023,596 | 8,402,054 | 104.72 | 6,596,654 | 6,449,580 | 97.77 |
| Mt. Airy | 12,628,357 | 13,892,514 | 110.01 | 13,981,754 | 13,693,623 | 97.94 |
| Oxford | 20,590,325 | 21,660,489 | 105.20 | 16,961,064 | 16,167,352 | 95.32 |
| Reidsville | 17,489,433 | 18,333,237 | 104.82 | 14,966,186 | 14,365,878 | 95.99 |
| Roxboro | 19,082,887 | 20,072,866 | 105.19 | 13,085,850 | 12,889,979 | 98.50 |
| Sanford | 14,392,396 | 15,779,626 | 109.64 | 16,162,498 | 16,247,964 | 100.53 |
| Stoneville | 12,292,640 | 13,278,814 | 108.02 | 11,458,230 | 11,309,814 | 98.70 |
| Warrenton | 11,639,995 | 12,318,858 | 105.83 | 8,790,386 | 8,062,575 | 91.72 |
| Winston-Salem | 42,108,976 | 45,852,731 | 108.89 | 40,533,305 | 39,376,148 | 97.15 |
| Yadkinville | 7,369,563 | 7,845,665 | 106.46 | 8,263,827 | 7,598,788 | 91.95 |
| Total N. C. | 293,370,077 | 315,476,795 | 107.54 | 273,117,422 | 265,152,050 | 97.08 |
| Total Type 11 | 434,999,525 | 465,350,359 | 106.98 | 400,832,258 | 394,336,519 | 98.38 |

| MARKET AND STATE | TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED | | |
|------------------|---|-------------|---------------|
| | SALES | VALUE | AVERAGE PRICE |
| North Carolina: | | | |
| Ahoskie | 11,554,610 | 12,671,897 | 109.67 |
| Clinton | 18,712,433 | 21,363,129 | 114.17 |
| Dunn | 16,989,493 | 18,743,481 | 110.32 |
| Farmville | 32,918,043 | 38,172,366 | 115.96 |
| Goldsboro | 29,196,165 | 33,872,393 | 116.02 |
| Greenville | 52,077,295 | 59,908,469 | 115.04 |
| Kinston | 51,819,400 | 59,882,631 | 115.56 |
| Robersonville | 10,605,663 | 12,007,168 | 113.21 |
| Rocky Mount | 46,178,968 | 50,077,013 | 108.44 |
| Smithfield | 23,674,960 | 25,723,564 | 108.65 |
| Tarboro | 8,597,792 | 9,313,675 | 108.33 |
| Wallace | 14,194,168 | 16,164,505 | 113.88 |
| Washington | 12,775,237 | 14,468,713 | 113.26 |
| Wendell | 13,431,537 | 14,990,351 | 111.61 |
| Williamston | 13,167,466 | 15,100,343 | 114.68 |
| Wilson | 94,904,268 | 106,750,248 | 112.48 |
| Windsor | 10,967,176 | 12,411,788 | 113.17 |
| Total Type 12 | 461,764,674 | 521,621,734 | 112.96 |
| | | | |

See footnote at end of table.

Continued -

Table 10 PRODUCERS' sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1976 and 1975 crops. 1/

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED

| MARKET AND STATE | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|------------------------|--------------------|--------------------|---------------|--------------------|--------------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| South Carolina: | | | | | | |
| Conway | 11,719,280 | 13,136,331 | 112.09 | 10,600,068 | 10,663,977 | 100.60 |
| Darlington | 8,284,073 | 9,118,778 | 110.08 | 9,842,857 | 9,548,327 | 97.01 |
| Dillon | 4,759,069 | 5,334,854 | 112.10 | 6,617,598 | 6,416,441 | 96.96 |
| Hemingway | 8,692,721 | 9,775,873 | 112.46 | 10,514,347 | 10,552,659 | 100.36 |
| Kingstree | 8,938,398 | 9,897,535 | 110.73 | 10,631,404 | 10,437,832 | 98.18 |
| Lake City | 34,975,126 | 39,357,314 | 112.53 | 41,630,738 | 41,942,213 | 100.75 |
| Lamar | 2,258,192 | 2,483,961 | 110.00 | 3,260,773 | 3,122,219 | 95.75 |
| Loris | 10,817,151 | 12,107,942 | 111.93 | 12,007,023 | 12,026,886 | 100.17 |
| Mullins | 34,947,738 | 39,491,578 | 113.00 | 45,422,708 | 45,262,752 | 99.65 |
| Pamplico | 7,861,383 | 8,963,835 | 114.02 | 8,381,233 | 8,461,651 | 100.96 |
| Timmonsville | 12,901,693 | 14,227,717 | 110.28 | 17,565,603 | 17,219,877 | 98.03 |
| Total S. C. | 146,154,824 | 163,895,718 | 112.14 | 176,474,352 | 175,654,834 | 99.54 |
| North Carolina: | | | | | | |
| Chadbourn | 9,396,696 | 10,472,519 | 111.45 | 8,757,553 | 8,809,488 | 100.59 |
| Clarkton | 6,601,067 | 7,412,443 | 112.29 | 8,415,422 | 8,333,561 | 99.03 |
| Fair Bluff | 6,846,225 | 7,678,771 | 112.16 | 8,322,398 | 8,438,401 | 101.39 |
| Fairmont | 28,445,490 | 32,268,528 | 113.44 | 33,830,846 | 34,372,761 | 101.60 |
| Fayetteville | 4,801,366 | 5,198,709 | 108.28 | 6,711,614 | 6,262,539 | 93.31 |
| Lumberton | 26,165,051 | 29,329,005 | 112.09 | 31,251,353 | 31,069,319 | 99.42 |
| Tabor City | 11,908,871 | 13,256,202 | 111.31 | 16,689,703 | 16,548,981 | 99.16 |
| Whiteville | 20,781,967 | 23,603,154 | 113.58 | 30,917,076 | 31,067,277 | 100.49 |
| Total N. C. | 114,946,733 | 129,219,331 | 112.42 | 144,895,965 | 144,902,327 | 100.00 |
| Total Type 13 | 261,101,557 | 293,115,049 | 112.26 | 321,370,317 | 320,557,161 | 99.74 |

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED

| Georgia: | 1 9 7 6 | | | 1 9 7 5 | | |
|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| Georgia: | | | | | | |
| Adel | 5,924,362 | 6,609,573 | 111.57 | 6,193,001 | 6,489,350 | 104.79 |
| Alma | 4,641,762 | 5,127,958 | 110.47 | 6,266,882 | 6,408,493 | 102.26 |
| Baxley | 5,452,904 | 5,984,845 | 109.76 | 6,857,468 | 6,834,159 | 99.66 |
| Blackshear | 8,185,075 | 9,065,503 | 110.76 | 10,019,284 | 10,144,143 | 101.25 |
| Claxton | 4,675,316 | 5,072,028 | 108.49 | 5,625,407 | 5,355,567 | 95.20 |
| Douglas | 10,275,912 | 11,622,748 | 113.11 | 13,282,996 | 13,790,425 | 103.82 |
| Fitzgerald | 4,487,564 | 4,974,112 | 110.84 | 5,081,626 | 5,211,793 | 102.56 |
| Hahira | 3,883,511 | 4,299,363 | 110.71 | 4,910,969 | 4,922,232 | 100.23 |
| Hazlehurst | 4,288,334 | 4,804,854 | 112.04 | 5,110,948 | 5,205,117 | 101.84 |
| Metter | 5,675,522 | 6,266,922 | 110.42 | 6,528,206 | 6,329,304 | 96.95 |
| Moultrie | 11,434,330 | 12,700,354 | 111.07 | 11,749,439 | 12,082,479 | 102.83 |
| Nashville | 9,026,990 | 10,062,847 | 111.48 | 13,133,812 | 13,526,241 | 102.99 |
| Pearson | 1,860,551 | 2,053,104 | 110.35 | 2,571,721 | 2,545,692 | 98.99 |
| Pelham | 8,094,312 | 8,854,784 | 109.40 | 8,393,341 | 8,522,228 | 101.54 |
| Quitman | 2,039,092 | 2,211,356 | 108.45 | 2,606,828 | 2,582,584 | 99.07 |
| Statesboro | 5,395,133 | 5,671,113 | 105.12 | 8,814,313 | 8,092,227 | 91.81 |
| Swainsboro | Not Operating | 854,729 | 108.91 | 540,247 | 516,489 | 95.60 |
| Sylvester | | | | 968,403 | 990,744 | 102.31 |
| Thomasville | 3,493,738 | 3,629,511 | 103.89 | 4,231,032 | 4,026,881 | 95.17 |
| Tifton | 8,202,489 | 9,038,755 | 110.20 | 7,419,427 | 7,595,622 | 102.37 |
| Valdosta | 5,832,733 | 6,436,444 | 110.35 | 7,878,303 | 7,730,648 | 98.13 |
| Vidalia | 9,103,111 | 9,963,443 | 109.45 | 9,618,318 | 9,349,248 | 97.20 |
| Waycross | 4,546,094 | 5,083,161 | 111.81 | 6,909,155 | 7,091,951 | 102.65 |
| Total Georgia | 127,303,638 | 140,387,507 | 110.28 | 154,711,126 | 155,343,617 | 100.41 |
| Florida: | | | | | | |
| High Springs | 3,611,439 | 3,928,809 | 108.79 | 3,656,642 | 3,470,524 | 94.91 |
| Jasper | 4,602,336 | 5,092,706 | 110.65 | 4,702,609 | 4,608,929 | 98.01 |
| Lake City | 5,580,426 | 5,970,689 | 106.99 | 4,463,817 | 4,367,181 | 97.84 |
| Live Oak | 11,177,766 | 12,358,027 | 110.56 | 11,516,782 | 11,448,575 | 99.41 |
| Madison | 2,775,792 | 3,075,652 | 110.80 | 2,793,829 | 2,655,020 | 95.03 |
| Total Florida | 27,747,759 | 30,425,883 | 109.65 | 27,133,679 | 26,550,229 | 97.85 |
| Total Type 14 | 155,051,397 | 170,813,390 | 110.17 | 181,844,805 | 181,893,846 | 100.03 |
| Total Types 11-14 | 1,312,917,153 | 1,450,900,532 | 110.51 | 1,410,608,254 | 1,409,200,871 | 99.90 |

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 11 GROSS sales, value, and average price, BY MARKETS, for flue-cured tobacco, 1976 and 1975 crops.

1/

TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED

| MARKET AND STATE | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|------------------------|--------------------|--------------------|---------------|--------------------|--------------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| Virginia: | | | | | | |
| Brookneal | 11,607,714 | 12,354,703 | 106.44 | 11,069,249 | 11,129,669 | 100.55 |
| Chase City | 8,535,394 | 8,938,028 | 104.72 | 7,734,977 | 7,731,004 | 99.95 |
| Clarksville | 7,142,577 | 7,671,842 | 107.41 | 7,129,883 | 7,216,035 | 101.21 |
| Danville | 51,516,595 | 54,833,896 | 106.44 | 47,670,720 | 48,146,464 | 101.00 |
| Kenbridge | 7,213,842 | 7,259,222 | 100.63 | 6,826,979 | 6,948,455 | 101.78 |
| Lawrenceville | 10,214,230 | 10,896,629 | 106.68 | 8,487,882 | 8,498,886 | 100.13 |
| Martinsville | 7,447,161 | 7,940,777 | 106.63 | 9,245,455 | 9,208,054 | 99.60 |
| Petersburg | 7,042,661 | 7,434,157 | 105.56 | 5,552,261 | 5,535,668 | 99.70 |
| South Boston | 23,473,748 | 24,949,530 | 106.29 | 19,808,009 | 20,383,034 | 102.90 |
| South Hill | 11,558,451 | 12,142,844 | 105.06 | 8,554,121 | 8,793,494 | 102.80 |
| Total Virginia | 145,752,373 | 154,421,628 | 105.95 | 132,079,536 | 133,590,763 | 101.14 |
| North Carolina: | | | | | | |
| Aberdeen | 6,869,011 | 7,302,938 | 106.32 | 7,090,402 | 6,860,218 | 96.75 |
| Burlington | 7,699,710 | 8,118,304 | 105.44 | 6,898,700 | 6,594,750 | 95.59 |
| Carthage | 12,859,857 | 14,109,396 | 109.72 | 13,894,914 | 14,039,072 | 101.04 |
| Durham | 22,745,485 | 24,009,985 | 105.56 | 21,076,833 | 19,988,953 | 94.84 |
| Ellerbe | 3,763,650 | 3,990,388 | 106.02 | 4,845,471 | 4,663,620 | 96.25 |
| Fuquay-Varina | 31,605,529 | 34,682,087 | 109.73 | 33,196,120 | 33,676,296 | 101.45 |
| Greensboro | 5,964,060 | 6,375,094 | 106.89 | 5,373,866 | 5,089,516 | 94.71 |
| Henderson | 22,018,623 | 23,988,542 | 108.95 | 17,083,965 | 16,398,229 | 95.99 |
| Louisburg | 11,653,013 | 12,803,788 | 109.88 | 11,410,748 | 10,473,484 | 91.79 |
| Madison | 8,616,077 | 9,379,459 | 108.86 | 7,049,387 | 6,803,728 | 96.52 |
| Mebane | 8,096,822 | 8,478,552 | 104.71 | 6,656,058 | 6,505,040 | 97.73 |
| Mt. Airy | 13,506,852 | 14,879,233 | 110.16 | 14,791,545 | 14,473,583 | 97.85 |
| Oxford | 21,172,104 | 22,275,174 | 105.21 | 17,468,930 | 16,651,807 | 95.32 |
| Reidsville | 18,130,473 | 19,052,988 | 105.09 | 15,458,620 | 14,861,225 | 96.14 |
| Roxboro | 19,592,123 | 20,637,901 | 105.34 | 13,489,140 | 13,272,629 | 98.39 |
| Sanford | 14,978,772 | 16,422,688 | 109.64 | 16,463,464 | 16,550,595 | 100.53 |
| Stoneville | 12,853,884 | 13,923,897 | 108.32 | 11,963,835 | 11,839,007 | 98.96 |
| Warrenton | 11,991,824 | 12,698,714 | 105.89 | 8,962,895 | 8,217,096 | 91.68 |
| Winston-Salem | 45,225,950 | 49,390,183 | 109.21 | 43,489,727 | 42,306,519 | 97.28 |
| Yadkinville | 7,734,489 | 8,262,964 | 106.83 | 8,791,651 | 8,131,065 | 92.49 |
| Total N. C. | 307,078,308 | 330,782,275 | 107.72 | 285,456,271 | 277,396,432 | 97.18 |
| Total Type 11 | 452,830,681 | 485,203,903 | 107.15 | 417,535,807 | 410,987,195 | 98.43 |

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

| | | | | | | |
|----------------------|--------------------|--------------------|---------------|--------------------|--------------------|---------------|
| North Carolina: | | | | | | |
| Ahoskie | 11,975,207 | 13,148,615 | 109.80 | 11,003,433 | 10,930,468 | 99.34 |
| Clinton | 19,436,113 | 22,219,250 | 114.32 | 19,505,317 | 19,770,501 | 101.36 |
| Dunn | 17,598,359 | 19,418,433 | 110.34 | 17,688,528 | 17,805,813 | 100.66 |
| Farmville | 34,188,208 | 39,645,561 | 115.96 | 41,351,369 | 42,484,546 | 102.74 |
| Goldsboro | 30,722,785 | 35,659,941 | 116.07 | 29,710,242 | 30,585,238 | 102.95 |
| Greenville | 54,495,445 | 62,668,795 | 115.00 | 59,855,599 | 60,406,303 | 100.92 |
| Kinston | 53,790,934 | 62,098,943 | 115.44 | 63,340,688 | 63,541,115 | 100.32 |
| Robersonville | 11,272,124 | 12,754,458 | 113.15 | 12,649,557 | 12,864,782 | 101.70 |
| Rocky Mount | 47,177,938 | 51,158,754 | 108.44 | 49,241,442 | 48,574,338 | 98.65 |
| Smithfield | 24,603,904 | 26,811,898 | 108.97 | 28,945,189 | 29,249,138 | 101.05 |
| Tarboro | 8,919,972 | 9,673,804 | 108.45 | 11,042,614 | 10,876,178 | 98.49 |
| Wallace | 14,510,793 | 16,512,548 | 113.79 | 17,890,866 | 18,043,174 | 100.85 |
| Washington | 13,411,351 | 15,179,645 | 113.19 | 14,378,112 | 14,440,161 | 100.43 |
| Wendell | 13,751,788 | 15,354,192 | 111.65 | 14,906,773 | 14,173,548 | 95.08 |
| Williamston | 13,563,630 | 15,562,101 | 114.73 | 15,945,590 | 16,391,355 | 102.80 |
| Wilson | 99,089,615 | 111,604,273 | 112.63 | 102,872,372 | 106,071,692 | 103.11 |
| Windsor | 11,631,648 | 13,167,325 | 113.20 | 12,966,764 | 13,035,657 | 100.53 |
| Total Type 12 | 480,139,814 | 542,638,536 | 113.02 | 523,294,455 | 529,244,007 | 101.14 |

See footnote at end of table.

Continued -

Table 11 GROSS sales, value, and average price, BY MARKETS, for Flue-cured tobacco, 1976 and 1975 crops.

1/

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED

| MARKET AND STATE | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|------------------|-----------------|-------------|---------------|-----------------|-------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| South Carolina: | | | | | | |
| Conway | 12,329,006 | 13,842,607 | 112.28 | 11,073,668 | 11,158,422 | 100.77 |
| Darlington | 8,558,081 | 9,419,070 | 110.06 | 10,172,943 | 9,858,613 | 96.91 |
| Dillon | 4,951,537 | 5,548,549 | 112.06 | 6,858,606 | 6,642,704 | 96.85 |
| Hemingway | 9,194,687 | 10,356,534 | 112.64 | 11,030,017 | 11,092,089 | 100.56 |
| Kingstree | 9,482,243 | 10,515,453 | 110.90 | 11,210,792 | 11,016,379 | 98.27 |
| Lake City | 37,134,010 | 41,778,142 | 112.51 | 43,889,434 | 44,249,800 | 100.82 |
| Lamar | 2,425,510 | 2,672,787 | 110.19 | 3,447,155 | 3,300,112 | 95.73 |
| Loris | 11,399,129 | 12,782,919 | 112.14 | 12,676,977 | 12,717,920 | 100.32 |
| Mullins | 36,797,028 | 41,620,733 | 113.11 | 47,656,758 | 47,521,876 | 99.72 |
| Pamplico | 8,066,729 | 9,198,160 | 114.03 | 8,566,479 | 8,649,344 | 100.97 |
| Timmonsville | 13,830,947 | 15,289,869 | 110.55 | 18,651,211 | 18,308,701 | 98.16 |
| Total S. C. | 154,168,907 | 173,024,823 | 112.23 | 185,234,040 | 184,515,960 | 99.61 |
| North Carolina: | | | | | | |
| Chadbourn | 10,017,497 | 11,203,960 | 111.84 | 9,257,575 | 9,320,764 | 100.68 |
| Clarkton | 7,037,555 | 7,884,066 | 112.03 | 8,875,458 | 8,785,509 | 98.99 |
| Fair Bluff | 7,128,694 | 8,002,186 | 112.25 | 8,824,609 | 8,963,894 | 101.58 |
| Fairmont | 30,091,264 | 34,146,814 | 113.48 | 36,164,337 | 37,085,301 | 102.55 |
| Fayetteville | 4,998,448 | 5,414,117 | 108.32 | 6,980,476 | 6,515,274 | 93.34 |
| Lumberton | 26,872,797 | 30,116,445 | 112.07 | 32,226,128 | 31,995,974 | 99.29 |
| Tabor City | 12,606,251 | 14,060,322 | 111.53 | 17,565,157 | 17,390,709 | 99.01 |
| Whiteville | 21,611,998 | 24,515,706 | 113.44 | 32,167,369 | 32,289,067 | 100.38 |
| Total N. C. | 120,364,504 | 135,343,616 | 112.44 | 152,061,109 | 152,346,492 | 100.19 |
| Total Type 13 | 274,533,411 | 308,368,439 | 112.32 | 337,295,149 | 336,862,452 | 99.87 |

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED

| Georgia: | | | | | | |
|-------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| Adel | 6,294,216 | 7,012,669 | 111.41 | 6,605,501 | 6,914,262 | 104.67 |
| Alma | 4,792,548 | 5,284,393 | 110.26 | 6,463,644 | 6,602,315 | 102.15 |
| Baxley | 5,705,128 | 6,260,791 | 109.74 | 7,205,835 | 7,184,093 | 99.70 |
| Blackshear | 8,466,905 | 9,367,473 | 110.64 | 10,440,316 | 10,555,255 | 101.10 |
| Claxton | 5,045,736 | 5,484,434 | 108.69 | 5,919,543 | 5,636,994 | 95.23 |
| Douglas | 10,810,984 | 12,248,823 | 113.30 | 14,025,769 | 14,590,075 | 104.02 |
| Fitzgerald | 4,589,094 | 5,082,363 | 110.75 | 5,253,862 | 5,392,872 | 102.65 |
| Hahira | 4,056,109 | 4,495,587 | 110.83 | 5,067,421 | 5,078,448 | 100.22 |
| Hazlehurst | 4,481,824 | 5,024,905 | 112.12 | 5,346,262 | 5,446,396 | 101.87 |
| Metter | 5,904,670 | 6,514,979 | 110.34 | 6,661,606 | 6,450,578 | 96.83 |
| Moultrie | 12,123,900 | 13,465,335 | 111.06 | 12,534,164 | 12,884,346 | 102.79 |
| Nashville | 9,477,180 | 10,572,088 | 111.55 | 13,876,410 | 14,300,901 | 103.06 |
| Pearson | 2,079,617 | 2,303,811 | 110.78 | 2,708,967 | 2,682,165 | 99.01 |
| Pelham | 8,492,864 | 9,277,885 | 109.24 | 8,850,324 | 9,001,119 | 101.70 |
| Quitman | 2,119,812 | 2,298,829 | 108.44 | 2,670,870 | 2,643,792 | 98.99 |
| Statesboro | 5,698,100 | 5,977,471 | 104.90 | 9,179,069 | 8,433,033 | 91.87 |
| Swainsboro | Not Operating | | | 559,809 | 531,745 | 94.99 |
| Sylvester | | 816,723 | 887,546 | 108.67 | 1,026,823 | 1,051,454 |
| Thomasville | 3,714,870 | 3,882,137 | 104.50 | 4,509,844 | 4,311,741 | 95.61 |
| Tifton | 8,600,831 | 9,485,373 | 110.28 | 7,848,665 | 8,044,849 | 102.50 |
| Valdosta | 6,076,592 | 6,681,060 | 109.95 | 8,071,688 | 7,927,035 | 98.21 |
| Vidalia | 9,667,849 | 10,603,376 | 109.68 | 10,164,262 | 9,897,378 | 97.37 |
| Waycross | 4,783,192 | 5,357,559 | 112.01 | 7,296,049 | 7,514,081 | 102.99 |
| Total Georgia | 133,798,744 | 147,568,887 | 110.29 | 162,286,703 | 163,074,927 | 100.49 |
| Florida: | | | | | | |
| High Springs | 3,724,987 | 4,057,373 | 108.92 | 3,711,732 | 3,524,795 | 94.96 |
| Jasper | 4,833,418 | 5,357,995 | 110.85 | 4,933,798 | 4,836,665 | 98.03 |
| Lake City | 5,732,379 | 6,133,550 | 107.00 | 4,567,453 | 4,468,668 | 97.84 |
| Live Oak | 11,812,530 | 13,078,444 | 110.72 | 12,214,134 | 12,177,689 | 99.70 |
| Madison | 2,859,376 | 3,172,588 | 110.95 | 2,866,123 | 2,726,054 | 95.11 |
| Total Florida | 28,962,690 | 31,799,950 | 109.80 | 28,293,240 | 27,733,871 | 98.02 |
| Total Type 14 | 162,761,434 | 179,368,837 | 110.20 | 190,579,943 | 190,808,798 | 100.12 |
| Total Types 11-14 | 1,370,265,340 | 1,515,579,715 | 110.60 | 1,468,705,354 | 1,467,902,452 | 99.95 |

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 12 RESALES, average price, and percentage of gross sales, BY MARKETS, for flue-cured tobacco, 1976 and 1975 crops.

TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED

| MARKET AND STATE | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|------------------|---------------------|-------------------------------|----------------------------------|---------------------|-------------------------------|----------------------------------|
| | RESALES (Pounds) | AVERAGE PRICE (Dollars) | PERCENT OF GROSS (Percent) | RESALES (Pounds) | AVERAGE PRICE (Dollars) | PERCENT OF GROSS (Percent) |
| Virginia: | | | | | | |
| Brookneal | 392,822 | 111.50 | 3.4 | 430,705 | 102.62 | 3.9 |
| Chase City | 215,118 | 109.28 | 2.5 | 238,474 | 94.34 | 3.1 |
| Clarksville | 197,996 | 110.50 | 2.8 | 288,144 | 105.26 | 4.0 |
| Danville | 1,749,620 | 110.78 | 3.4 | 1,476,742 | 99.01 | 3.1 |
| Kenbridge | 40,355 | 76.78 | .6 | 67,518 | 91.52 | 1.0 |
| Lawrenceville | 261,176 | 108.78 | 2.6 | 314,178 | 101.61 | 3.7 |
| Martinsville | 202,042 | 118.82 | 2.7 | 348,072 | 107.94 | 3.8 |
| Petersburg | 196,399 | 113.79 | 2.8 | 279,454 | 101.44 | 5.0 |
| South Boston | 625,297 | 106.57 | 2.7 | 659,835 | 100.37 | 3.3 |
| South Hill | 242,100 | 112.75 | 2.1 | 261,578 | 103.76 | 3.1 |
| Total Virginia | 4,122,925 | 110.30 | 2.8 | 4,364,700 | 100.95 | 3.3 |
| North Carolina: | | | | | | |
| Aberdeen | 394,761 | 108.62 | 5.8 | 344,551 | 100.47 | 4.9 |
| Burlington | 272,918 | 111.60 | 3.5 | 263,528 | 96.85 | 3.8 |
| Carthage | 621,773 | 111.56 | 4.8 | 713,002 | 104.74 | 5.1 |
| Durham | 1,420,111 | 108.68 | 6.2 | 1,309,270 | 95.04 | 6.2 |
| Ellerbe | 231,502 | 108.93 | 6.2 | 362,245 | 99.48 | 7.5 |
| Fuquay-Varina | 1,310,551 | 113.94 | 4.2 | 1,343,444 | 104.76 | 4.1 |
| Greensboro | 224,378 | 110.35 | 3.8 | 170,470 | 96.08 | 3.2 |
| Henderson | 538,878 | 111.50 | 2.5 | 411,260 | 100.34 | 2.4 |
| Louisburg | 522,816 | 112.90 | 4.5 | 334,638 | 97.48 | 2.9 |
| Madison | 505,418 | 111.88 | 5.9 | 348,330 | 95.45 | 4.9 |
| Mebane | 73,226 | 104.47 | .9 | 59,404 | 93.36 | .9 |
| Mt. Airy | 878,495 | 112.32 | 6.5 | 809,791 | 96.32 | 5.5 |
| Oxford | 581,779 | 105.66 | 2.7 | 507,866 | 95.39 | 2.9 |
| Reidsville | 641,040 | 112.28 | 3.5 | 492,434 | 100.59 | 3.2 |
| Roxboro | 509,236 | 110.96 | 2.6 | 403,290 | 94.88 | 3.0 |
| Sanford | 586,376 | 109.67 | 3.9 | 300,966 | 100.55 | 1.8 |
| Stoneville | 561,244 | 114.94 | 4.4 | 505,605 | 104.67 | 4.2 |
| Warrenton | 351,829 | 107.97 | 2.9 | 172,509 | 89.57 | 1.9 |
| Winston-Salem | 3,116,974 | 113.49 | 6.9 | 2,956,422 | 99.12 | 6.8 |
| Yadkinville | 364,926 | 114.35 | 4.7 | 527,824 | 100.84 | 6.0 |
| Total N. C. | 13,708,231 | 111.65 | 4.5 | 12,338,849 | 99.23 | 4.3 |
| Total Type 11 | 17,831,156 | 111.34 | 3.9 | 16,703,549 | 99.68 | 4.0 |

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

| North Carolina: | | | | | | |
|-----------------|------------|--------|-----|------------|--------|-----|
| Ahoskie | 420,597 | 113.34 | 3.5 | 269,110 | 102.78 | 2.4 |
| Clinton | 723,680 | 118.30 | 3.7 | 542,979 | 101.35 | 2.8 |
| Dunn | 608,866 | 110.85 | 3.5 | 582,940 | 99.52 | 3.3 |
| Farmville | 1,270,165 | 115.98 | 3.7 | 1,444,584 | 103.48 | 3.5 |
| Goldsboro | 1,526,620 | 117.09 | 5.0 | 1,124,476 | 104.12 | 3.8 |
| Greenville | 2,418,150 | 114.15 | 4.4 | 2,181,805 | 98.83 | 3.6 |
| Kinston | 1,971,534 | 112.42 | 3.7 | 1,814,404 | 98.30 | 2.9 |
| Robersonville | 666,461 | 112.13 | 5.9 | 569,112 | 101.33 | 4.5 |
| Rocky Mount | 998,970 | 108.29 | 2.1 | 1,100,460 | 98.46 | 2.2 |
| Smithfield | 928,944 | 117.16 | 3.8 | 874,393 | 105.59 | 3.0 |
| Tarboro | 322,180 | 111.78 | 3.6 | 361,496 | 95.07 | 3.3 |
| Wallace | 316,625 | 109.92 | 2.2 | 253,432 | 99.82 | 1.4 |
| Washington | 636,114 | 111.76 | 4.7 | 545,614 | 94.29 | 3.8 |
| Wendell | 320,251 | 113.61 | 2.3 | 369,640 | 93.70 | 2.5 |
| Williamston | 396,164 | 116.56 | 2.9 | 363,914 | 102.79 | 2.3 |
| Wilson | 4,185,347 | 115.98 | 4.2 | 3,668,568 | 101.99 | 3.6 |
| Windsor | 664,472 | 113.70 | 5.7 | 666,654 | 99.21 | 5.1 |
| Total Type 12 | 18,375,140 | 114.38 | 3.8 | 16,733,581 | 100.58 | 3.2 |

Continued -

Table 12 RESALES, average price, and percentage of gross sales, BY MARKETS, for flue-cured tobacco, 1976 and 1975 crops.

| MARKET AND STATE | TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED | | | | | |
|------------------|---|-------------------------------|----------------------------------|---------------------|-------------------------------|----------------------------------|
| | 1976 CROP | 1975 CROP | | | | |
| | RESALES (Pounds) | AVERAGE PRICE (Dollars) | PERCENT OF GROSS (Percent) | RESALES (Pounds) | AVERAGE PRICE (Dollars) | PERCENT OF GROSS (Percent) |
| South Carolina: | | | | | | |
| Conway | 609,726 | 115.83 | 5.0 | 473,600 | 104.40 | 4.3 |
| Darlington | 274,008 | 109.59 | 3.2 | 330,086 | 94.00 | 3.2 |
| Dillon | 192,468 | 111.03 | 3.9 | 241,008 | 93.88 | 3.5 |
| Hemingway | 501,966 | 115.68 | 5.5 | 515,670 | 104.61 | 4.7 |
| Kingstree | 543,845 | 113.62 | 5.7 | 579,388 | 99.85 | 5.2 |
| Lake City | 2,158,884 | 112.13 | 5.8 | 2,258,696 | 102.16 | 5.1 |
| Lamar | 167,318 | 112.85 | 6.9 | 186,382 | 95.45 | 5.4 |
| Loris | 581,978 | 115.98 | 5.1 | 669,954 | 103.15 | 5.3 |
| Mullins | 1,849,290 | 115.13 | 5.0 | 2,234,050 | 101.12 | 4.7 |
| Pamplico | 205,346 | 114.11 | 2.6 | 185,246 | 101.32 | 2.2 |
| Timmonsville | 929,254 | 114.30 | 6.7 | 1,085,608 | 100.30 | 5.8 |
| Total S. C. | 8,014,083 | 113.91 | 5.2 | 8,759,688 | 101.16 | 4.7 |
| North Carolina: | | | | | | |
| Chadbourn | 620,801 | 117.82 | 6.2 | 500,022 | 102.25 | 5.4 |
| Clarkton | 436,488 | 108.05 | 6.2 | 460,036 | 98.24 | 5.2 |
| Fair Bluff | 282,469 | 114.50 | 4.0 | 502,211 | 104.63 | 5.7 |
| Fairmont | 1,645,774 | 114.13 | 5.5 | 2,333,491 | 116.24 | 6.5 |
| Fayetteville | 197,082 | 109.30 | 3.9 | 268,862 | 94.00 | 3.9 |
| Lumberton | 707,746 | 111.26 | 2.6 | 974,775 | 95.06 | 3.0 |
| Tabor City | 697,380 | 115.31 | 5.5 | 875,454 | 96.14 | 4.9 |
| Whiteville | 830,031 | 109.94 | 3.8 | 1,250,293 | 97.72 | 3.9 |
| Total N. C. | 5,417,771 | 113.04 | 4.5 | 7,165,144 | 103.89 | 4.7 |
| Total Type 13 | 13,431,854 | 113.56 | 4.9 | 15,924,832 | 102.39 | 4.7 |

| TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED | | | | | | |
|--|---------------|--------|--------|------------|--------|-----|
| Georgia: | | | | | | |
| Adel | 369,854 | 108.99 | 5.9 | 412,500 | 103.01 | 6.2 |
| Alma | 150,786 | 103.75 | 3.1 | 196,762 | 98.51 | 3.0 |
| Baxley | 252,224 | 109.41 | 4.4 | 348,367 | 100.45 | 4.8 |
| Blackshear | 281,830 | 107.15 | 3.3 | 421,032 | 97.64 | 4.0 |
| Claxton | 370,420 | 111.33 | 7.3 | 294,136 | 95.68 | 5.0 |
| Douglas | 535,072 | 117.01 | 4.9 | 742,773 | 107.66 | 5.3 |
| Fitzgerald | 101,530 | 106.62 | 2.2 | 172,236 | 105.13 | 3.3 |
| Hahira | 172,598 | 113.69 | 4.3 | 156,452 | 99.85 | 3.1 |
| Hazlehurst | 193,490 | 113.73 | 4.3 | 235,314 | 102.53 | 4.4 |
| Metter | 229,148 | 108.25 | 3.9 | 133,400 | 90.91 | 2.0 |
| Moultrie | 689,570 | 110.94 | 5.7 | 784,725 | 102.18 | 6.3 |
| Nashville | 450,190 | 113.12 | 4.8 | 742,598 | 104.32 | 5.4 |
| Pearson | 219,066 | 114.44 | 10.5 | 137,246 | 99.44 | 5.1 |
| Pelham | 398,552 | 106.16 | 4.7 | 456,983 | 104.79 | 5.2 |
| Quitman | 80,720 | 108.37 | 3.8 | 64,042 | 95.57 | 2.4 |
| Statesboro | 302,967 | 101.12 | 5.3 | 364,756 | 93.43 | 4.0 |
| Swainsboro | Not Operating | | | 19,562 | 77.99 | 3.5 |
| Sylvester | | 31,920 | 102.81 | 58,420 | 103.92 | 5.7 |
| Thomasville | 221,132 | 114.24 | 6.0 | 278,812 | 102.17 | 6.2 |
| Tifton | 398,342 | 112.12 | 4.6 | 429,238 | 104.66 | 5.5 |
| Valdosta | 243,859 | 100.31 | 4.0 | 193,385 | 101.55 | 2.4 |
| Vidalia | 564,738 | 113.32 | 5.8 | 545,944 | 100.40 | 5.4 |
| Waycross | 237,098 | 115.73 | 5.0 | 386,894 | 109.11 | 5.3 |
| Total GA. | 6,495,106 | 110.57 | 4.9 | 7,575,577 | 102.06 | 4.7 |
| Florida: | | | | | | |
| High Springs | 113,548 | 113.22 | 3.1 | 55,090 | 98.51 | 1.5 |
| Jasper | 231,082 | 114.80 | 4.8 | 231,189 | 98.51 | 4.7 |
| Lake City | 151,953 | 107.18 | 2.3 | 103,636 | 97.93 | 2.3 |
| Live Oak | 634,764 | 113.49 | 5.4 | 697,352 | 104.55 | 5.7 |
| Madison | 83,584 | 115.97 | 2.9 | 72,294 | 98.26 | 2.5 |
| Total FL. | 1,214,931 | 113.10 | 4.2 | 1,159,561 | 102.08 | 4.1 |
| Total Type 14 | 7,710,037 | 110.97 | 4.7 | 8,735,138 | 102.06 | 4.6 |
| Total Types 11-14 | 57,348,187 | 112.78 | 4.2 | 58,097,100 | 101.04 | 4.0 |

Table 13 Producers' sales, resales, gross sale, value, and average price, by TYPES, for Flue-cured tobacco, 1976 and 1975 crops.

| Type and Form of Sales | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|---|-----------------|---------------|---------------|-----------------|---------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| | (Pounds) | (Dollars) | (Dollars) | (Pounds) | (Dollars) | (Dollars) |
| 11 Producers' Resales Gross | 434,999,525 | 465,350,359 | 106.98 | 400,832,258 | 394,336,519 | 98.38 |
| | 17,831,156 | 19,853,544 | 111.34 | 16,703,549 | 16,650,676 | 99.68 |
| | 452,830,681 | 485,203,903 | 107.15 | 417,535,807 | 410,987,195 | 98.43 |
| 12 Producers' Resales Gross | 461,764,674 | 521,621,734 | 112.96 | 506,560,874 | 512,413,345 | 101.16 |
| | 18,375,140 | 21,016,802 | 114.38 | 16,733,581 | 16,830,662 | 100.58 |
| | 480,139,814 | 542,638,536 | 113.02 | 523,294,455 | 529,244,007 | 101.14 |
| 13 Producers' Resales Gross | 261,101,557 | 293,115,049 | 112.26 | 321,370,317 | 320,557,161 | 99.74 |
| | 13,431,854 | 15,253,390 | 113.56 | 15,924,832 | 16,305,291 | 102.39 |
| | 274,533,411 | 308,368,439 | 112.32 | 337,295,149 | 336,862,452 | 99.87 |
| 14 Producers' Resales Gross | 155,051,397 | 170,813,390 | 110.17 | 181,844,805 | 181,893,846 | 100.03 |
| | 7,710,037 | 8,555,447 | 110.97 | 8,735,138 | 8,914,952 | 102.06 |
| | 162,761,434 | 179,368,837 | 110.20 | 190,579,943 | 190,808,798 | 100.12 |
| 11-14 Producers' Resales Gross | 1,312,917,153 | 1,450,900,532 | 110.51 | 1,410,608,254 | 1,409,200,871 | 99.90 |
| | 57,348,187 | 64,679,183 | 112.78 | 58,097,100 | 58,701,581 | 101.04 |
| | 1,370,265,340 | 1,515,579,715 | 110.60 | 1,468,705,354 | 1,467,902,452 | 99.95 |

Table 14 Producers' sales, resales, gross sales, value, and average price by STATES, for Flue-cured tobacco, 1976 and 1975 crops.

| State and Form of Sales | 1 9 7 6 C R O P | | | 1 9 7 5 C R O P | | |
|---|-----------------|---------------|---------------|-----------------|---------------|---------------|
| | SALES | VALUE | AVERAGE PRICE | SALES | VALUE | AVERAGE PRICE |
| | (Pounds) | (Dollars) | (Dollars) | (Pounds) | (Dollars) | (Dollars) |
| Florida: Producers' Resales Gross | 27,747,759 | 30,425,883 | 109.65 | 27,133,679 | 26,550,229 | 97.85 |
| | 1,214,931 | 1,374,067 | 113.10 | 1,159,561 | 1,183,642 | 102.08 |
| | 28,962,690 | 31,799,950 | 109.80 | 28,293,240 | 27,733,871 | 98.02 |
| Georgia: Producers' Resales Gross | 127,303,638 | 140,387,507 | 110.28 | 154,711,126 | 155,343,617 | 100.41 |
| | 6,495,106 | 7,181,380 | 110.57 | 7,575,577 | 7,731,310 | 102.06 |
| | 133,798,744 | 147,568,887 | 110.29 | 162,286,703 | 163,074,927 | 100.49 |
| North Carolina: Producers' Resales Gross | 870,081,484 | 966,317,860 | 111.06 | 924,574,261 | 922,467,722 | 99.77 |
| | 37,501,142 | 42,446,567 | 113.19 | 36,237,574 | 36,519,209 | 100.78 |
| | 907,582,626 | 1,008,764,427 | 111.15 | 960,811,835 | 958,986,931 | 99.81 |
| South Carolina: Producers' Resales Gross | 146,154,824 | 163,895,718 | 112.14 | 176,474,352 | 175,654,834 | 99.54 |
| | 8,014,083 | 9,129,105 | 113.91 | 8,759,688 | 8,861,126 | 101.16 |
| | 154,168,907 | 173,024,823 | 112.23 | 185,234,040 | 184,515,960 | 99.61 |
| Virginia: Producers' Resales Gross | 141,629,448 | 149,873,564 | 105.82 | 127,714,836 | 129,184,469 | 101.15 |
| | 4,122,925 | 4,548,064 | 110.31 | 4,364,700 | 4,406,294 | 100.95 |
| | 145,752,373 | 154,421,628 | 105.95 | 132,079,536 | 133,590,763 | 101.14 |
| Total All States: Producers' Resales Gross | 1,312,917,153 | 1,450,900,532 | 110.51 | 1,410,608,254 | 1,409,200,871 | 99.90 |
| | 57,348,187 | 64,679,183 | 112.78 | 58,097,100 | 58,701,581 | 101.04 |
| | 1,370,265,340 | 1,515,579,715 | 110.60 | 1,468,705,354 | 1,467,902,452 | 99.95 |

Table 15 Across-state-line movement of flue-cured tobacco, reflecting NET SALES in states other than in the state in which produced, 1976 and 1975 crops.

| State in which produced, and crop year | Total Sold Out of State | S O L D I N : | | | | |
|--|-------------------------|---------------|---------|----------------|----------------|----------|
| | | Florida | Georgia | South Carolina | North Carolina | Virginia |
| <u>1976 CROP</u> | | | | | | |
| Alabama | 1,084 | | 1,084 | | | |
| Florida | 3,207 | | 3,167 | 40 | | |
| Georgia | 1,395 | 1,302 | | 93 | | |
| South Carolina | 13,620 | | 1,042 | | 12,575 | |
| North Carolina | 30,960 | | | 6,337 | | 3 |
| Virginia | 7,202 | | | | 7,202 | 24,623 |
| TOTAL | 57,468 | 1,302 | 5,293 | 6,470 | 19,777 | 24,626 |
| <u>1975 CROP</u> | | | | | | |
| Alabama | 1,134 | | 1,134 | | | |
| Florida | 2,656 | | 2,656 | | | |
| Georgia | 1,956 | 1,951 | | 5 | | |
| South Carolina | 18,602 | | 1,944 | | 16,657 | 1 |
| North Carolina | 28,744 | | | 6,933 | | 21,811 |
| Virginia | 5,988 | | | | 5,988 | |
| TOTAL | 59,080 | 1,951 | 5,734 | 6,938 | 22,645 | 21,812 |

Table 16 Flue-cured tobacco received under Government loan program, and percentage of NET AUCTION SALES 1970 - 1976 crops. 1/

| Crop | TYPE 11 (a) | | TYPE 11 (b) | | TYPE 12 | |
|------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | Receipts (green weight) | Percentage of net sales | Receipts (green weight) | Percentage of net sales | Receipts (green weight) | Percentage of net sales |
| | 1,000 lbs. | Percent | 1,000 lbs. | Percent | 1,000 lbs. | Percent |
| 1970 | 29,711 | 13.4 | 19,775 | 15.8 | 43,276 | 12.1 |
| 1971 | 9,098 | 4.3 | 5,401 | 4.8 | 19,204 | 6.1 |
| 1972 | 11,436 | 6.0 | 3,124 | 3.0 | 8,207 | 2.6 |
| 1973 | 7,369 | 3.0 | 4,274 | 3.5 | 17,102 | 4.5 |

| Crop | TYPE 11 | | TYPE 12 | |
|------|----------------------------|----------------------------|----------------------------|----------------------------|
| | Receipts (green weight) | Percentage of net sales | Receipts (green weight) | Percentage of net sales |
| | 1,000 lbs. | Percent | 1,000 lbs. | Percent |
| 1974 | 5,058 | 1.4 | 8,032 | 2.0 |
| 1975 | 83,242 | 20.8 | 90,284 | 17.8 |
| 1976 | 134,846 | 31.0 | 80,191 | 17.4 |

| Crop | TYPE 13 | | TYPE 14 | | TYPES 11-14 | |
|------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| | Receipts (green weight) | Percentage of net sales | Receipts (green weight) | Percentage of net sales | Receipts (green weight) | Percentage of net sales |
| | 1,000 lbs. | Percent | 1,000 lbs. | Percent | 1,000 lbs. | Percent |
| 1970 | 28,761 | 10.2 | 22,703 | 11.9 | 144,226 | 12.2 |
| 1971 | 15,511 | 6.0 | 6,456 | 3.7 | 55,670 | 5.2 |
| 1972 | 1,094 | .5 | 420 | .3 | 24,281 | 2.4 |
| 1973 | 1,883 | .7 | 151 | .1 | 30,778 | 2.7 |
| 1974 | 7,533 | 2.7 | 2,364 | 1.3 | 22,988 | 1.9 |
| 1975 | 56,581 | 17.6 | 28,922 | 15.9 | 259,029 | 18.4 |
| 1976 | 37,198 | 14.2 | 24,667 | 15.9 | 276,902 | 21.1 |

1/ Types 11a and 11b were combined for reporting purposes in 1974.

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11. Old Belt and Middle Belt Flue-cured tobacco produced principally in the Piedmont sections of Virginia and North Carolina.

Type 12. Eastern North Carolina Flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13. South Carolina and Border North Carolina Flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14. Georgia and Florida Flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD TRADEMARKS

| Groups | Qualities | Color Symbols | | | Combination Symbols |
|------------------|------------|---------------------------------|--------------------------|--|-------------------------------|
| A - Wrappers | 1 - Choice | L - Lemon | V - Greenish | | XL - Lug side |
| B - Leaf | 2 - Fine | F - Orange | GR - Green red | | PO - Oxidized Primings |
| H - Smoking Leaf | 3 - Good | FR - Orange red | GK - Green variegated | | XO - Oxidized Lugs or Cutters |
| C - Cutters | 4 - Fair | R - Red | GG - Gray green | | GL - Thin-bodied |
| X - Lugs | 5 - Low | K - Variegated | KL - Variegated lemon | | Nondescript |
| P - Primings | 6 - Poor | KR - Variegated Red or Scorched | KF - Variegated orange | | GF - Medium-bodied |
| M - Mixed Group | | | KV - Variegated greenish | | Nondescript |
| N - Nondescript | | G - Green | KM - Variegated mixed | | |
| S - Scrap | | | | | |

Special Symbol

S - Slick

SUMMARY OF STANDARD GRADES

| 2 Grades of Wrappers | 24 Grades of Leaf | 16 Grades of Smoking Leaf | 10 Grades of Cutters |
|---|--|---|---|
| A1L A1F | B1L B1F B1FR B2L B2F B2FR B3L B3F B3FR B4L B4F B4FR B4R B4K B5L B5F B5FR B5R B5K B6L B6F B6FR B6K | H1F H2F H3L H3F H4L H4F H4FR H4K H5L H5F H5FR H5K H6L H6F H6FR H6K | C1L C1F C2L C2F C3L C3F C4L C4F C5L C5F |
| 10 Grades of Lugs | 8 Grades of Primings | 6 Grades of Greenish | 15 Grades of Variegated |
| X1L X1F X2L X2F X3L X3F X4L X4F X5L X5F | P2L P2F P3L P3F P4L P4F P5L P5F | B3V X3V B4V C4V X4V B5V | B3KL B3KF B4KL B4KF B4KV C4KL X4KL X4KF K4KV B5KL B5KF B5KV B6KL B6KF B6KV |
| 7 Mixed Grades | | 14 Grades of Green | 7 Grades Variegated Mixed |
| M4F M4KR M4KM M4GK M5F M5KM M5GK | B4G B4GK B5G B5GR B5GK B5GG B6G B6GK | C4G X4G X4GK P4G X5G P5G | B3KM X3KM B4KM C4KM X4KM B5KM B6KM |
| 6 Grades of Variegated Red or Scorched | 3 Grades of Slick | 12 Grades of Nondescript | 1 Grade of Scrap |
| B3KR X3KR B4KR C4KR X4KR B5KR | B3S B4S B5S | N1L N1R N1GF N1PO N1XL N1KV N1GR N1XO N1K N1GL N1GG N2 | S |

Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G" or "No-G-F."

Table 17 Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1976 crop. 1/

| Group and Grade 2/ | 1 9 7 6 C R O P | | | | | Loan Rate 3/ 11 - 14 | Group and Grade 2/ | | |
|--------------------------|-----------------|---------|---------|---------|-------|-------------------------|--------------------------|--|--|
| | SEASON AVERAGES | | | | | | | | |
| | Type 11 | Type 12 | Type 13 | Type 14 | 11-14 | | | | |
| Wrappers: | | | | | | | Wrappers: | | |
| A1L | -- | (156) | -- | -- | (156) | 135 | A1L | | |
| A1F | -- | 145 | -- | -- | 143 | 135 | A1F | | |
| Leaf: | | | | | | | Leaf: | | |
| B1L | 146 | 133 | (126) | 125 | 133 | 125 | B1L | | |
| B2L | 132 | 128 | 126 | 122 | 128 | 121 | B2L | | |
| B3L | 125 | 125 | 123 | 120 | 123 | 118 | B3L | | |
| B4L | 121 | 123 | 120 | 119 | 120 | 115 | B4L | | |
| B5L | 116 | 119 | 119 | 116 | 117 | 111 | B5L | | |
| B6L | (109) | (113) | 114 | 111 | 112 | 107 | B6L | | |
| B1F | 133 | 131 | 130 | 126 | 130 | 125 | B1F | | |
| B2F | 130 | 128 | 125 | 122 | 127 | 121 | B2F | | |
| B3F | 124 | 126 | 124 | 120 | 124 | 118 | B3F | | |
| B4F | 122 | 124 | 123 | 120 | 122 | 115 | B4F | | |
| B5F | 118 | 120 | 122 | 119 | 120 | 111 | B5F | | |
| B6F | 113 | 116 | 117 | 116 | 115 | 107 | B6F | | |
| B1FR | -- | 132 | -- | -- | 132 | 123 | B1FR | | |
| B2FR | -- | 129 | -- | -- | 129 | 119 | B2FR | | |
| B3FR | 126 | 126 | 127 | 121 | 126 | 116 | B3FR | | |
| B4FR | 124 | 124 | 126 | 121 | 124 | 113 | B4FR | | |
| B5FR | 120 | 120 | 123 | 120 | 120 | 110 | B5FR | | |
| B6FR | 115 | 117 | -- | -- | 117 | 106 | B6FR | | |
| B4R | 109 | (111) | -- | 121 | 114 | 105 | B4R | | |
| B5R | 102 | 107 | -- | 117 | 105 | 99 | B5R | | |
| B3K | 119 | 120 | 122 | 121 | 120 | 114 | B3K | | |
| B4K | 116 | 118 | 121 | 120 | 118 | 111 | B4K | | |
| B5K | 111 | 113 | 117 | 118 | 113 | 108 | B5K | | |
| B6K | 105 | 107 | 111 | 113 | 108 | 104 | B6K | | |
| B3KR | 120 | 120 | 121 | 120 | 120 | 112 | B3KR | | |
| B4KR | 118 | 118 | 120 | 120 | 119 | 109 | B4KR | | |
| B5KR | 112 | 112 | 118 | 118 | 115 | 106 | B5KR | | |
| B3V | 119 | 122 | 120 | 119 | 120 | 113 | B3V | | |
| B4V | 115 | 118 | 118 | 118 | 117 | 109 | B4V | | |
| B5V | 111 | 114 | 116 | 116 | 114 | 105 | B5V | | |
| B3S | 118 | 120 | 118 | 118 | 118 | 110 | B3S | | |
| B4S | 116 | 115 | 116 | 116 | 116 | 107 | B4S | | |
| B5S | -- | -- | 110 | 110 | 110 | 103 | B5S | | |
| B3KL | 113 | 119 | 118 | 117 | 116 | 107 | B3KL | | |
| B4KL | 112 | 114 | 115 | 117 | 115 | 104 | B4KL | | |
| B5KL | 106 | 103 | 109 | 110 | 108 | 101 | B5KL | | |
| B6KL | 98 | -- | 103 | 103 | 102 | 97 | B6KL | | |
| B3KF | 113 | 117 | 119 | 119 | 115 | 107 | B3KF | | |
| B4KF | 108 | 113 | 117 | 118 | 110 | 104 | B4KF | | |
| B5KF | 104 | 106 | 112 | 114 | 105 | 101 | B5KF | | |
| B6KF | 98 | 102 | 105 | 108 | 100 | 97 | B6KF | | |
| B4KV | 110 | 112 | 115 | 117 | 111 | 105 | B4KV | | |
| B5KV | 105 | 107 | 111 | 113 | 106 | 101 | B5KV | | |
| B6KV | 99 | 101 | 107 | 106 | 101 | 97 | B6KV | | |
| B3KM | 118 | 119 | 118 | 119 | 118 | 110 | B3KM | | |
| B4KM | 115 | 115 | 117 | 118 | 116 | 107 | B4KM | | |
| B5KM | 110 | 110 | 114 | 116 | 112 | 104 | B5KM | | |
| B6KM | 103 | 102 | 109 | 112 | 106 | 99 | B6KM | | |
| B4G | 110 | 112 | 112 | 114 | 112 | 106 | B4G | | |
| B5G | 106 | 107 | 109 | 111 | 108 | 103 | B5G | | |
| B6G | 100 | 103 | 101 | 105 | 102 | 98 | B6G | | |
| B5GR | 96 | -- | -- | 107 | 100 | 95 | B5GR | | |
| B4GK | 108 | 110 | 110 | 112 | 109 | 103 | B4GK | | |
| B5GK | 102 | 104 | 106 | 109 | 104 | 99 | B5GK | | |
| B6GK | 96 | 97 | 100 | 104 | 97 | 94 | B6GK | | |
| B5GG | 93 | 101 | 102 | 104 | 99 | 90 | B5GG | | |

See footnotes at end of table.

Continued -

Table 17 Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1976 crop. 1/

| Group and Grade 2/ | 1 9 7 6 C R O P | | | | | Loan Rate 3/ | Group and Grade 2/ | | |
|--------------------------|-----------------|---------|---------|---------|-------|--------------|--------------------------|--|--|
| | SEASON AVERAGES | | | | | | | | |
| | Type 11 | Type 12 | Type 13 | Type 14 | 11-14 | | | | |
| Smoking Leaf: | | | | | | | Smoking Leaf: | | |
| H3L | 124 | 127 | 126 | 121 | 126 | 120 | H3L | | |
| H4L | 123 | 125 | 124 | 120 | 123 | 117 | H4L | | |
| H5L | (119) | 118 | 123 | 120 | 121 | 113 | H5L | | |
| H6L | -- | -- | -- | 118 | 119 | 109 | H6L | | |
| H1F | -- | -- | -- | -- | (135) | 127 | H1F | | |
| H2F | -- | 127 | 127 | 124 | 127 | 123 | H2F | | |
| H3F | 124 | 127 | 126 | 121 | 126 | 120 | H3F | | |
| H4F | 123 | 125 | 125 | 121 | 124 | 117 | H4F | | |
| H5F | 118 | 121 | 124 | 120 | 122 | 113 | H5F | | |
| H6F | 113 | (115) | 121 | 119 | 118 | 109 | H6F | | |
| H4FR | (125) | 126 | 126 | 121 | 125 | 115 | H4FR | | |
| H5FR | 124 | 123 | 124 | 121 | 123 | 112 | H5FR | | |
| H6FR | 118 | -- | -- | -- | 118 | 108 | H6FR | | |
| H4K | 119 | 120 | 123 | 121 | 121 | 113 | H4K | | |
| H5K | 114 | 116 | 120 | 120 | 118 | 110 | H5K | | |
| H6K | 109 | 111 | 115 | 117 | 113 | 106 | H6K | | |
| Cutters: | | | | | | | Cutters: | | |
| C1L | -- | 131 | -- | -- | 131 | 124 | C1L | | |
| C2L | 126 | 128 | (126) | -- | 127 | 121 | C2L | | |
| C3L | 124 | 124 | 123 | 119 | 124 | 118 | C3L | | |
| C4L | 121 | 121 | 120 | 117 | 121 | 115 | C4L | | |
| C5L | 119 | 119 | 117 | 114 | 118 | 112 | C5L | | |
| C1F | -- | 128 | -- | -- | 129 | 124 | C1F | | |
| C2F | 132 | 127 | (125) | 122 | 127 | 121 | C2F | | |
| C3F | 124 | 124 | 123 | 120 | 123 | 118 | C3F | | |
| C4F | 122 | 122 | 121 | 118 | 121 | 115 | C4F | | |
| C5F | 119 | 119 | 119 | 115 | 119 | 112 | C5F | | |
| C4KR | 119 | 119 | 118 | 117 | 118 | 110 | C4KR | | |
| C4V | 116 | 118 | 116 | 114 | 117 | 110 | C4V | | |
| C4KL | 115 | 115 | 113 | 110 | 114 | 108 | C4KL | | |
| C4KM | 117 | 117 | 115 | 113 | 116 | 109 | C4KM | | |
| C4G | 108 | 110 | 109 | 108 | 109 | 105 | C4G | | |
| Lugs: | | | | | | | Lugs: | | |
| X1L | 122 | 123 | 122 | -- | 123 | 120 | X1L | | |
| X2L | 122 | 120 | 119 | 117 | 120 | 116 | X2L | | |
| X3L | 118 | 118 | 115 | 114 | 117 | 112 | X3L | | |
| X4L | 113 | 114 | 111 | 110 | 112 | 107 | X4L | | |
| X5L | 105 | 107 | 107 | 104 | 106 | 101 | X5L | | |
| X1F | 121 | 124 | (122) | -- | 123 | 120 | X1F | | |
| X2F | 121 | 121 | 119 | 118 | 121 | 116 | X2F | | |
| X3F | 119 | 119 | 116 | 114 | 118 | 112 | X3F | | |
| X4F | 114 | 114 | 114 | 111 | 114 | 107 | X4F | | |
| X5F | 106 | 107 | 109 | 107 | 107 | 101 | X5F | | |
| X3KR | 116 | 115 | 113 | 112 | 114 | 109 | X3KR | | |
| X4KR | 110 | 112 | 112 | 109 | 111 | 105 | X4KR | | |
| X3V | 112 | 113 | 110 | 109 | 112 | 106 | X3V | | |
| X4V | 109 | 109 | 108 | 106 | 109 | 102 | X4V | | |
| X4KL | 107 | 112 | 108 | 103 | 107 | 101 | X4KL | | |
| X4KF | 107 | 106 | 106 | (107) | 107 | 101 | X4KF | | |
| X4KV | 105 | 104 | 107 | 108 | 105 | 100 | X4KV | | |
| X3KM | 114 | 113 | 110 | 109 | 112 | 106 | X3KM | | |
| X4KM | 109 | 108 | 108 | 106 | 108 | 101 | X4KM | | |
| X4GK | 102 | 102 | 101 | 101 | 102 | 98 | X4GK | | |
| X4G | 101 | 102 | 101 | 101 | 102 | 99 | X4G | | |
| X5G | 95 | 96 | 98 | 96 | 96 | 94 | X5G | | |

See footnotes at end of table.

Continued -

Table 17 Season average prices per 100 pounds of tobacco by types, in the flue-cured area, and schedule of loan rates, 1976 crop. 1/

| Group and Grade 2/ | 1 9 7 6 C R O P | | | | | Loan Rate 3/ 11 - 14 | Group and Grade 2/ |
|--------------------------|-----------------|---------|---------|-------|-----|-------------------------|--------------------------|
| | SEASON AVERAGES | | | | | | |
| Type 11 | Type 12 | Type 13 | Type 14 | 11-14 | | | |
| Primings: | | | | | | | Primings: |
| P2L | 112 | 109 | 108 | 105 | 108 | 102 | P2L |
| P3L | 104 | 104 | 101 | 100 | 103 | 98 | P3L |
| P4L | 98 | 99 | 98 | 97 | 98 | 95 | P4L |
| P5L | 92 | 93 | 92 | 93 | 92 | 90 | P5L |
| P2F | 109 | 110 | (114) | 107 | 109 | 102 | P2F |
| P3F | 105 | 105 | 103 | 101 | 104 | 98 | P3F |
| P4F | 99 | 100 | 99 | 99 | 99 | 95 | P4F |
| P5F | 92 | 93 | 92 | 93 | 92 | 90 | P5F |
| P4G | 88 | 89 | 88 | 89 | 89 | 86 | P4G |
| P5G | 82 | 83 | 82 | 84 | 82 | 80 | P5G |
| Mixed: | | | | | | | Mixed: |
| M4F | (114) | 113 | (105) | -- | 111 | 103 | M4F |
| M5F | (102) | 110 | (110) | (106) | 108 | 99 | M5F |
| M4KR | -- | -- | -- | -- | -- | 99 | M4KR |
| M4KM | -- | 109 | -- | (114) | 110 | 96 | M4KM |
| M5KM | -- | 101 | 112 | 98 | 103 | 93 | M5KM |
| M4GK | -- | 107 | -- | -- | 104 | 93 | M4GK |
| M5GK | -- | (101) | -- | -- | 97 | 90 | M5GK |
| Nondescript: | | | | | | | Nondescript: |
| N1L | 83 | 84 | 84 | 85 | 84 | 82 | N1L |
| N1XL | 90 | 93 | 96 | 98 | 92 | 87 | N1XL |
| N1K | 95 | 99 | 103 | 105 | 99 | 93 | N1K |
| N1R | 85 | 89 | 91 | (91) | 86 | 84 | N1R |
| N1GL | 77 | 78 | 78 | 80 | 78 | 76 | N1GL |
| N1GF | 86 | 89 | 91 | 93 | 90 | 85 | N1GF |
| N1KV | 86 | 93 | 98 | 98 | 90 | 84 | N1KV |
| N1GR | 81 | 86 | 84 | (92) | 82 | 80 | N1GR |
| N1GG | 77 | 84 | 80 | -- | 80 | 77 | N1GG |
| N1PO | 74 | 75 | 75 | 76 | 75 | 71 | N1PO |
| N1XO | 84 | 90 | 89 | 94 | 90 | 74 | N1XO |
| N2 | 44 | 51 | 49 | 57 | 47 | 0 | N2 |
| NO-G | 45 | 52 | 51 | 53 | 51 | 0 | NO-G |
| "W" | 67 | 76 | 88 | 80 | 78 | 0 | "W" |
| "U" | 61 | 67 | 85 | 75 | 75 | 0 | "U" |

Continued -

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

2/ For key to standard trademarks see brief of classification on page

3/ Commodity Credit Corporation loans made available through the Flue-Cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

Table 18

T Y P E 1 1

Average prices by weeks, on representative grades, and season averages, 1976 and 1975 crops.

| Group and Grade | WEEK ENDING | | | | | | | | | | | | | | | | | | |
|-----------------|-------------|-----|---------|-----|--------|-----|---------|-----|---------|-----|---------|-----|--------|---|--------|---|---------|---|---------|
| | July 22 | : | July 29 | : | Aug. 5 | : | Aug. 12 | : | Aug. 19 | : | Aug. 26 | : | Sep. 2 | : | Sep. 9 | : | Sep. 16 | : | Sep. 23 |
| LEAF | B3L | 118 | - | - | - | - | 120 | 120 | 121 | 122 | 125 | 126 | | | | | | | |
| | B4L | - | - | - | - | 115 | 119 | 120 | 120 | 121 | 122 | 122 | | | | | | | |
| | B3F | - | - | 119 | 109 | 120 | 120 | 121 | 123 | 124 | 126 | | | | | | | | |
| | B4F | - | - | 117 | 119 | 119 | 120 | 121 | 122 | 123 | 123 | | | | | | | | |
| | B5F | - | - | - | 114 | 117 | 117 | 119 | 119 | 120 | 121 | 120 | | | | | | | |
| | B3K | - | - | - | - | - | 118 | 119 | 119 | 119 | 121 | 120 | | | | | | | |
| | B4K | - | - | - | 114 | 117 | 118 | 119 | 119 | 118 | 119 | 118 | | | | | | | |
| | B5K | - | - | - | 112 | 113 | 114 | 116 | 116 | 114 | 116 | 115 | | | | | | | |
| | B6K | - | - | - | - | - | - | - | 110 | 110 | 110 | 109 | | | | | | | |
| | B4KR | - | - | - | 114 | 118 | 118 | 120 | 121 | 121 | 121 | 120 | | | | | | | |
| | B5KR | - | - | - | - | 116 | 117 | 119 | 115 | 115 | 115 | 117 | | | | | | | |
| | B3V | - | - | 114 | 118 | 119 | 118 | 120 | 120 | 120 | 120 | 120 | | | | | | | |
| | B4V | - | - | 112 | 112 | 116 | 117 | 118 | 117 | 117 | 118 | 117 | | | | | | | |
| | B5V | - | - | - | - | - | 110 | 116 | 116 | 112 | 116 | 114 | | | | | | | |
| | B3KF | - | - | - | - | 118 | 118 | 119 | - | 122 | 118 | | | | | | | | |
| | B4KF | - | - | - | - | 114 | 115 | 117 | 115 | 115 | 115 | 114 | | | | | | | |
| | B5KF | - | - | - | - | - | 108 | 110 | 112 | 113 | 113 | 114 | | | | | | | |
| | B4KV | - | - | - | 108 | 110 | 112 | 113 | 113 | 113 | 114 | 112 | | | | | | | |
| | B5KV | - | - | - | - | 105 | 108 | 108 | 109 | 107 | 110 | 110 | | | | | | | |
| | B6KV | - | - | - | - | - | - | - | 102 | 102 | 102 | 104 | | | | | | | |
| | B3KM | - | - | 115 | 117 | 119 | 119 | 120 | 120 | 121 | 121 | 121 | | | | | | | |
| | B4KM | - | 109 | 113 | 114 | 116 | 118 | 119 | 119 | 118 | 118 | 118 | | | | | | | |
| | B5KM | - | - | - | - | 112 | 113 | 117 | 117 | 115 | 115 | 114 | | | | | | | |
| | B4GK | - | 105 | 106 | 107 | 108 | 111 | 110 | 111 | 111 | 111 | 109 | | | | | | | |
| | B5GK | - | - | - | 103 | 103 | 106 | 107 | 107 | 105 | 105 | 105 | | | | | | | |
| | B6GK | - | - | - | - | 96 | 101 | 101 | 99 | 100 | 100 | 100 | | | | | | | |
| SMOKING LEAF | H3F | - | - | - | - | 121 | 121 | 122 | 126 | 125 | 125 | 127 | | | | | | | |
| | H4F | - | - | - | - | 120 | 120 | 121 | 123 | 124 | 124 | 124 | | | | | | | |
| | H5F | - | - | - | - | - | - | 119 | 122 | 123 | 120 | | | | | | | | |
| | H4K | - | - | - | - | - | - | - | 117 | 120 | 123 | 122 | | | | | | | |
| | H5K | - | - | - | - | - | - | - | 116 | 118 | 118 | 118 | | | | | | | |
| | H6K | - | - | - | - | - | - | - | - | - | 114 | 115 | | | | | | | |
| CUTTERS | C4L | - | - | 117 | 118 | 119 | 120 | 120 | 123 | 124 | 126 | | | | | | | | |
| | C5L | - | - | 114 | 116 | 118 | 119 | 119 | 121 | 122 | 123 | | | | | | | | |
| | C4F | - | 117 | 117 | 119 | 119 | 120 | 120 | 122 | 123 | 125 | | | | | | | | |
| | C5F | - | 114 | 115 | 117 | 118 | 119 | 119 | 120 | 122 | 123 | | | | | | | | |
| | C4KR | - | - | 115 | 118 | 117 | 119 | 120 | 121 | 123 | 122 | | | | | | | | |
| | C4V | - | - | 114 | 113 | 115 | 117 | 118 | 118 | 118 | 120 | 119 | | | | | | | |
| | C4KM | - | 111 | 113 | 116 | 116 | 118 | 118 | 120 | 121 | 121 | 121 | | | | | | | |
| LUGS | X3L | 112 | 112 | 114 | 115 | 118 | 119 | 119 | 121 | 121 | 124 | 124 | | | | | | | |
| | X4L | 107 | 108 | 110 | 110 | 113 | 115 | 115 | 115 | 115 | 118 | 119 | | | | | | | |
| | X5L | - | - | 104 | 104 | 104 | 107 | 107 | 105 | 109 | - | 108 | | | | | | | |
| | X3F | - | 113 | 115 | 117 | 119 | 119 | 119 | 120 | 121 | 123 | 124 | | | | | | | |
| | X4F | 107 | 108 | 110 | 113 | 113 | 115 | 115 | 115 | 116 | 116 | 116 | | | | | | | |
| | X5F | - | - | 103 | 104 | 104 | 106 | 106 | 106 | 107 | 109 | 109 | | | | | | | |
| | X3V | - | 108 | 109 | 110 | 111 | 114 | 114 | 114 | - | 118 | 118 | | | | | | | |
| | X4V | - | 104 | 105 | 104 | 104 | 109 | 110 | 110 | 111 | 113 | 112 | | | | | | | |
| | X4KF | - | - | - | 102 | 102 | 105 | 107 | 109 | 108 | 114 | 111 | | | | | | | |
| | X4KV | - | - | 101 | 102 | 102 | 104 | 104 | 106 | 107 | 108 | 108 | | | | | | | |
| | X3KM | 107 | 109 | 111 | 113 | 115 | 116 | 117 | 117 | 117 | 118 | - | | | | | | | |
| | X4KM | 101 | 103 | 105 | 108 | 109 | 113 | 112 | 112 | 112 | 114 | 115 | | | | | | | |
| PRIMINGS | X4GK | 98 | 99 | 99 | 101 | 101 | 104 | 105 | 106 | 106 | 106 | 105 | | | | | | | |
| | X4G | 99 | 100 | 100 | 100 | 101 | 102 | 103 | 104 | 106 | 106 | 102 | | | | | | | |
| | X5G | - | 94 | 95 | 95 | 95 | 95 | 96 | 98 | 97 | 96 | 96 | | | | | | | |
| | P3L | 99 | 102 | 105 | 105 | 109 | 110 | 113 | 110 | - | 117 | | | | | | | | |
| | P4L | 96 | 96 | 98 | 99 | 99 | 102 | 104 | 100 | - | 107 | | | | | | | | |
| | P5L | 91 | 91 | 92 | 92 | 92 | 93 | 93 | 94 | 93 | 101 | | | | | | | | |
| NON-DESCRIP | P4F | 96 | 97 | 99 | 99 | 100 | 101 | 101 | 101 | 101 | 101 | 102 | | | | | | | |
| | P5F | 91 | 92 | 91 | 92 | 92 | 92 | 92 | 93 | 93 | 94 | 96 | | | | | | | |
| | P5G | 81 | 82 | 82 | 82 | 82 | 82 | 86 | 83 | 86 | 86 | 86 | | | | | | | |
| | N1L | 83 | 83 | 83 | 83 | 83 | 83 | 84 | 84 | 86 | 88 | 86 | | | | | | | |
| NON-DESCRIP | N1XL | - | - | 89 | 89 | 89 | 89 | 93 | 94 | 98 | 94 | 94 | | | | | | | |
| | N1GL | 77 | 77 | 76 | 77 | 77 | 77 | 79 | 78 | 81 | 82 | 82 | | | | | | | |
| | N2 | 44 | 46 | 47 | 43 | 46 | 47 | 49 | 48 | 56 | 51 | 51 | | | | | | | |

Table 18

Average prices by weeks, on representative grades, and season averages, 1976 and 1975 crops.

| | | WEEK ENDING | | | | | | | | | | | | | | | | |
|-----------------|------|-------------|---|--------|---|---------|---|---------|---|---------|---|--------|---|---------|-----|---------|------|------|
| Group and Grade | | Sep. 30 | : | Oct. 7 | : | Oct. 14 | : | Oct. 21 | : | Oct. 28 | : | Nov. 4 | : | Nov. 11 | : | Nov. 24 | 1976 | 1975 |
| LEAF | B3L | 128 | | 128 | | 128 | | 130 | | 131 | | 128 | | 126 | - | 125 | 113 | |
| | B4L | 124 | | 119 | | 126 | | 123 | | 121 | | 121 | | 120 | 117 | 121 | 110 | |
| | B3F | 127 | | 127 | | 128 | | 128 | | 126 | | 125 | | 125 | - | 124 | 114 | |
| | B4F | 122 | | 123 | | 123 | | 121 | | 120 | | 119 | | 117 | 116 | 122 | 111 | |
| | B5F | 119 | | 118 | | 117 | | 114 | | 113 | | 113 | | 112 | 112 | 118 | 109 | |
| | B3K | 119 | | 119 | | 119 | | 117 | | 118 | | 116 | | 115 | 115 | 119 | 110 | |
| | B4K | 116 | | 115 | | 115 | | 113 | | 112 | | 112 | | 111 | 111 | 116 | 106 | |
| | B5K | 112 | | 110 | | 111 | | 109 | | 109 | | 109 | | 108 | 108 | 111 | 101 | |
| | B6K | 106 | | 105 | | 105 | | 105 | | 105 | | 105 | | 104 | 104 | 105 | 94 | |
| | B4KR | 117 | | 115 | | 114 | | 111 | | 111 | | 111 | | 109 | - | 118 | 108 | |
| | B5KR | 111 | | 114 | | 110 | | 107 | | 107 | | - | | 107 | - | 112 | 103 | |
| | B3V | 121 | | 119 | | 118 | | 117 | | - | | 116 | | 118 | - | 119 | - | |
| | B4V | 115 | | 113 | | 113 | | 112 | | 111 | | 110 | | 110 | - | 115 | - | |
| | B5V | 109 | | 109 | | 108 | | 108 | | 107 | | 106 | | 106 | - | 111 | - | |
| | B3KF | 113 | | 114 | | 112 | | 110 | | 109 | | 109 | | 114 | - | 113 | 107 | |
| | B4KF | 108 | | 107 | | 107 | | 105 | | 105 | | 105 | | 105 | 104 | 108 | 102 | |
| | B5KF | 105 | | 103 | | 103 | | 102 | | 102 | | 102 | | 101 | 101 | 104 | 96 | |
| | B4KV | 109 | | 107 | | 107 | | 106 | | 106 | | 106 | | 106 | 107 | 110 | 99 | |
| | B5KV | 105 | | 103 | | 104 | | 102 | | 102 | | 102 | | 102 | 101 | 105 | 93 | |
| | B6KV | 100 | | 98 | | 100 | | 98 | | 97 | | 97 | | 97 | 97 | 99 | 88 | |
| | B3KM | 117 | | 116 | | 117 | | 113 | | 113 | | 113 | | 113 | - | 118 | 107 | |
| | B4KM | 114 | | 111 | | 111 | | 110 | | 109 | | 109 | | 108 | 108 | 115 | 105 | |
| | B5KM | 110 | | 107 | | 107 | | 106 | | 105 | | 105 | | 104 | - | 110 | 100 | |
| | B4GK | 105 | | 104 | | 104 | | 103 | | 103 | | 103 | | 104 | - | 108 | 96 | |
| | B5GK | 101 | | 100 | | 100 | | 99 | | 99 | | 99 | | 99 | 99 | 102 | 90 | |
| | B6GK | 97 | | 94 | | 95 | | 95 | | 94 | | 94 | | 94 | 94 | 96 | 84 | |
| SMOKING LEAF | H3F | - | - | - | | 130 | | - | | - | | - | | - | 124 | 114 | | |
| | H4F | 126 | | 128 | | 127 | | 125 | | 122 | | 122 | | 118 | 118 | 123 | 112 | |
| | H5F | 120 | | 124 | | - | | 118 | | 117 | | 116 | | 114 | - | 118 | 109 | |
| | H4K | 120 | | 120 | | 122 | | 119 | | 115 | | 118 | | 114 | 113 | 119 | 108 | |
| | H5K | 116 | | 117 | | 116 | | 113 | | 112 | | 112 | | 111 | 111 | 114 | 103 | |
| | H6K | 111 | | 110 | | 113 | | 112 | | 108 | | 107 | | 107 | 105 | 109 | 98 | |
| CUTTERS | C4L | - | | 128 | | 129 | | 128 | | 127 | | 122 | | 123 | - | 121 | 111 | |
| | CSL | 123 | | 123 | | 126 | | 125 | | 119 | | 118 | | 114 | 115 | 119 | 106 | |
| | C4F | 126 | | 127 | | 127 | | 125 | | 121 | | 120 | | - | 122 | 111 | 111 | |
| | C5F | 123 | | 123 | | 123 | | 122 | | 116 | | 116 | | 115 | 114 | 119 | 107 | |
| | C4KR | 122 | | 125 | | - | | 118 | | 117 | | - | | - | 119 | 106 | | |
| | C4V | 122 | | 117 | | 122 | | 118 | | 117 | | 114 | | 111 | - | 116 | - | |
| | C4KM | 122 | | 119 | | 122 | | 116 | | 115 | | 111 | | - | - | 117 | 103 | |
| LUGS | X3L | 126 | | 126 | | 125 | | 124 | | 116 | | 118 | | - | - | 118 | 104 | |
| | X4L | 120 | | 118 | | 117 | | 113 | | 111 | | 109 | | 108 | - | 113 | 99 | |
| | X5L | 105 | | 106 | | - | | 106 | | - | | - | | 102 | - | 105 | 94 | |
| | X3F | 123 | | 124 | | 124 | | 122 | | 117 | | 118 | | 114 | - | 119 | 106 | |
| | X4F | 116 | | 118 | | 115 | | 114 | | 110 | | 110 | | 109 | 108 | 114 | 100 | |
| | X5F | 107 | | 108 | | 108 | | 105 | | 106 | | 103 | | 103 | 101 | 106 | 93 | |
| | X3V | 117 | | 118 | | 116 | | - | | 110 | | 114 | | 109 | - | 112 | - | |
| | X4V | 112 | | 108 | | 110 | | 109 | | 105 | | 105 | | 104 | - | 109 | - | |
| | X4KF | 106 | | 106 | | 111 | | 105 | | 104 | | 103 | | 99 | - | 107 | 93 | |
| | X4KV | 109 | | 106 | | 105 | | 105 | | 103 | | 103 | | 102 | - | 105 | 91 | |
| | X3KM | - | | 118 | | 117 | | 117 | | 108 | | - | | - | - | 114 | 100 | |
| PRIMINGS | X4KM | 111 | | 111 | | 108 | | 107 | | 106 | | 105 | | - | - | 109 | 95 | |
| | X4GK | 103 | | 103 | | 100 | | 102 | | 99 | | 98 | | 99 | - | 102 | 89 | |
| | X4G | 103 | | 104 | | 102 | | 102 | | - | | 100 | | 99 | - | 101 | 89 | |
| | X5G | - | | - | | - | | 95 | | - | | 94 | | 94 | - | 95 | 84 | |
| | P3L | - | | - | | - | | - | | - | | - | | - | 104 | 94 | | |
| NON-SCRIPT | P4L | 104 | | - | | 101 | | 101 | | 99 | | 98 | | 96 | - | 98 | 90 | |
| | P5L | 93 | | - | | - | | 99 | | 91 | | 94 | | 90 | - | 92 | 86 | |
| | P4F | 101 | | 104 | | 102 | | 99 | | 98 | | 98 | | 96 | - | 99 | 90 | |
| | P5F | 93 | | 95 | | 93 | | 94 | | 91 | | 91 | | 91 | 90 | 92 | 86 | |
| | P5G | - | | - | | - | | - | | 81 | | - | | - | 82 | 76 | | |
| | N1L | 85 | | 87 | | 86 | | 83 | | 81 | | 85 | | 81 | 82 | 83 | 77 | |
| NON-SCRIPT | N1XL | 93 | | 93 | | 92 | | 91 | | 89 | | 89 | | 88 | 88 | 90 | 83 | |
| | N1GL | 79 | | 79 | | 81 | | 76 | | 77 | | 77 | | 76 | - | 77 | 72 | |
| | N2 | 52 | | 45 | | 42 | | 40 | | 37 | | 35 | | 31 | 33 | 44 | 39 | |

Table 19

Average prices by week, on representative grades, and season averages, 1976 and 1975 crops.

| W E E K E N D I N G | | | | | | | | | | | | | |
|---------------------|-----------|-----------|----------|-----------|-----------|-----------|----------|----------|-----------|-----------|-----|--|--|
| Group and Grade | July : 22 | July : 29 | Aug. : 5 | Aug. : 12 | Aug. : 19 | Aug. : 26 | Sep. : 2 | Sep. : 9 | Sep. : 16 | Sep. : 23 | | | |
| LEAF | B2L | - | - | - | 122 | 122 | 124 | 126 | 128 | 130 | | | |
| | B3L | - | - | 119 | 120 | 121 | 129 | 125 | 128 | 129 | | | |
| | B4L | - | - | 118 | 119 | 120 | 122 | 124 | 125 | 125 | | | |
| | B1F | - | - | - | 125 | 126 | 127 | 128 | 129 | 134 | | | |
| | B2F | - | - | - | 122 | 122 | 124 | 126 | 128 | 131 | | | |
| | B3F | - | 121 | 120 | 120 | 121 | 124 | 125 | 127 | 129 | | | |
| | B4F | - | - | 118 | 120 | 121 | 123 | 124 | 126 | 126 | | | |
| | B5F | - | - | - | 118 | 119 | 120 | 121 | 122 | 124 | 123 | | |
| | B3FR | - | - | - | - | 122 | 124 | 125 | 128 | 129 | | | |
| | B4FR | - | - | - | - | 120 | 121 | 123 | 124 | 126 | 126 | | |
| | B3K | - | - | - | - | 120 | 120 | 122 | 123 | 124 | 123 | | |
| | B4K | - | - | - | 117 | 119 | 119 | 120 | 122 | 121 | 121 | | |
| | B5K | - | - | - | - | 116 | 117 | 117 | 117 | 119 | 116 | | |
| | B6K | - | - | - | - | - | 111 | 113 | 112 | 114 | 113 | | |
| | B3KR | - | - | - | 119 | 120 | 121 | 122 | 123 | 124 | 124 | | |
| | B4KR | - | - | - | 117 | 119 | 120 | 122 | 122 | 123 | 123 | | |
| | B3V | - | - | 116 | 118 | 119 | 121 | 122 | 122 | 123 | 124 | | |
| | B4V | - | - | 113 | 118 | 118 | 118 | 120 | 121 | 121 | 121 | | |
| | B3KF | - | - | - | - | 113 | 119 | 122 | 120 | 122 | 123 | | |
| | B4KF | - | - | - | 111 | 116 | 119 | 121 | 122 | 120 | 120 | | |
| | B5KF | - | - | - | - | - | - | 114 | 112 | 118 | 114 | | |
| | B4KV | - | - | - | 108 | 117 | 116 | 118 | 116 | 118 | 115 | | |
| | B5KV | - | - | - | - | 111 | 113 | 113 | 113 | 113 | 111 | | |
| | B3KM | - | 112 | 114 | 118 | 119 | 120 | 122 | 122 | 122 | 123 | | |
| | B4KM | - | 109 | 112 | 116 | 118 | 119 | 120 | 120 | 121 | 119 | | |
| | B5KM | - | - | - | 112 | 114 | 115 | 118 | 118 | 117 | 116 | | |
| | B4G | - | - | 108 | 112 | 113 | 114 | 118 | 115 | 116 | 114 | | |
| | B4GK | - | - | 109 | 111 | 112 | 115 | 115 | 116 | 114 | 114 | | |
| | B5GK | - | - | - | 107 | 106 | 113 | 110 | 111 | 112 | 107 | | |
| | B6GK | - | - | - | - | 100 | 107 | 105 | - | 104 | 97 | | |
| SMOKING LEAF | H3F | - | - | - | - | 121 | 122 | 124 | 125 | 127 | 129 | | |
| | H4F | - | - | - | - | 120 | 121 | 123 | 124 | 126 | 127 | | |
| | H5F | - | - | - | - | - | 120 | 122 | 123 | 124 | 121 | | |
| | H4K | - | - | - | - | 119 | 120 | 121 | 122 | 123 | 123 | | |
| | H5K | - | - | - | - | - | 116 | 119 | 119 | 120 | 118 | | |
| CUTTERS | C3L | - | 118 | 119 | 120 | 120 | 121 | 124 | 125 | 128 | 130 | | |
| | C4L | 115 | 116 | 117 | 120 | 120 | 121 | 123 | 125 | 126 | 128 | | |
| | C5L | - | 113 | 115 | 118 | 119 | 119 | 121 | 123 | 124 | 123 | | |
| | C3F | - | - | 120 | 120 | 120 | 121 | 124 | 125 | 127 | 129 | | |
| | C4F | 116 | 116 | 118 | 120 | 120 | 121 | 123 | 124 | 126 | 127 | | |
| | C5F | - | 113 | 116 | 118 | 119 | 120 | 121 | 120 | 123 | 123 | | |
| | C4KR | - | 112 | 116 | 119 | 119 | 120 | 122 | 122 | 124 | 123 | | |
| | C4V | - | 112 | 115 | 118 | 118 | 119 | 121 | 123 | 121 | 119 | | |
| LUGS | C4KM | - | 111 | 114 | 117 | 118 | 119 | 121 | 120 | 122 | 122 | | |
| | X3L | 112 | 113 | 115 | 118 | 119 | 119 | 122 | 124 | 125 | 126 | | |
| | X4L | 107 | 108 | 110 | 114 | 116 | 116 | 120 | 118 | 119 | 120 | | |
| | X2F | 119 | 116 | 118 | 120 | 120 | 121 | 124 | 125 | - | - | | |
| | X3F | 113 | 113 | 116 | 119 | 119 | 120 | 122 | 122 | 124 | 125 | | |
| | X4F | 108 | 109 | 111 | 115 | 115 | 117 | 117 | 118 | 120 | 119 | | |
| | X5F | 102 | 104 | 104 | 107 | 107 | 110 | 109 | 111 | 110 | 113 | | |
| | X4KR | 105 | 108 | 109 | 113 | 115 | 118 | 116 | - | - | 114 | | |
| PRIMINGS | X4V | 104 | 104 | 106 | 110 | 109 | 113 | 114 | 112 | 115 | 114 | | |
| | X4KM | 103 | 104 | 106 | 111 | 112 | 116 | 114 | 116 | 117 | 112 | | |
| | P3L | 100 | 101 | 106 | 114 | 114 | 117 | 121 | - | - | 121 | | |
| | P4L | 96 | 97 | 99 | 106 | 107 | 105 | 110 | 107 | 107 | 103 | | |
| | P4F | 96 | 97 | 99 | 105 | 106 | 106 | 105 | 104 | 105 | 110 | | |
| NON-DESCRIPT | P5F | 91 | 92 | 92 | 96 | 97 | 98 | 97 | 97 | 96 | 96 | | |
| | N1L | 83 | 84 | 84 | 85 | 86 | 87 | 87 | 87 | 87 | 95 | | |
| | N1XL | - | 89 | 90 | 91 | 94 | 97 | 97 | 94 | - | 99 | | |
| | N1GL | 78 | 78 | 78 | 80 | 81 | 83 | 84 | - | 83 | 95 | | |
| | N1PO | 74 | 74 | 75 | 78 | 79 | 84 | 79 | 80 | - | 81 | | |
| | N1XO | - | 83 | 88 | 94 | 98 | 96 | 98 | 103 | - | 95 | | |
| | N2 | 49 | 52 | 51 | 57 | 56 | 58 | 58 | 73 | 59 | 61 | | |

Table 19

T Y P E 1 2

Average prices by week, on representative grades, and season averages, 1976 and 1975 crops.

| WEEK ENDING | | | | | | | | | | | | | | | |
|-----------------|---------|-----|--------|-----|---------|-----|---------|-----|---------|-----|--------|-----|---------|------|------|
| Group and Grade | Sep. 30 | : | Oct. 7 | : | Oct. 14 | : | Oct. 21 | : | Oct. 28 | : | Nov. 4 | : | Nov. 11 | 1976 | 1975 |
| LEAF | B2L | - | 136 | 136 | 135 | 135 | 131 | - | 128 | - | 128 | - | 118 | | |
| | B3L | 129 | 130 | 130 | 132 | 131 | 128 | - | 125 | - | 125 | - | 112 | | |
| | B4L | 127 | 126 | 127 | 123 | 123 | 123 | - | 123 | - | 123 | - | 109 | | |
| | B1F | 134 | 136 | 137 | 136 | - | 133 | - | 133 | - | 131 | - | 119 | | |
| | B2F | 130 | 133 | 133 | 132 | 134 | 131 | 131 | 131 | 131 | 128 | 128 | 116 | | |
| | B3F | 129 | 128 | 129 | 127 | 127 | 127 | 127 | 127 | 126 | 126 | 126 | 113 | | |
| | B4F | 126 | 124 | 124 | 122 | 120 | 121 | 121 | 123 | 124 | 124 | 124 | 111 | | |
| | B5F | 122 | 120 | 116 | 116 | 114 | 115 | 115 | 116 | 120 | 120 | 120 | 109 | | |
| | B3FR | 128 | 126 | 126 | 124 | 121 | 120 | - | 126 | 126 | 124 | 124 | 114 | | |
| | B4FR | 126 | 124 | 123 | 122 | 117 | 115 | 117 | 117 | 117 | 124 | 124 | 113 | | |
| | B3K | 122 | 120 | 120 | 118 | 115 | 115 | 115 | - | 120 | 112 | 112 | 109 | | |
| | B4K | 120 | 117 | 116 | 113 | 112 | 112 | 112 | 112 | 112 | 118 | 118 | 106 | | |
| | B5K | 115 | 111 | 112 | 109 | 108 | 108 | 108 | 108 | 110 | 113 | 113 | 102 | | |
| | B6K | 110 | 106 | 107 | 104 | 104 | 104 | 104 | 105 | 105 | 107 | 107 | 96 | | |
| | B3KR | 124 | 121 | 121 | 116 | 115 | 115 | 115 | - | 120 | 120 | 120 | 110 | | |
| | B4KR | 121 | 118 | 117 | 112 | 110 | 111 | 111 | 112 | 112 | 118 | 118 | 108 | | |
| | B3V | 125 | 123 | 124 | 123 | 119 | - | - | - | 122 | - | - | - | | |
| | B4V | 117 | 116 | 116 | 113 | 111 | 115 | 115 | - | 118 | - | - | - | | |
| | B3KF | 120 | 112 | 116 | 112 | 115 | 108 | 108 | - | 117 | 106 | 106 | 109 | | |
| | B4KF | 116 | 111 | 111 | 108 | 107 | 105 | 105 | 106 | 113 | 113 | 113 | 106 | | |
| | B5KF | 110 | 104 | 104 | 104 | 102 | 102 | 102 | 102 | 106 | 106 | 106 | 101 | | |
| | B4KV | 112 | 109 | 109 | 106 | 106 | 106 | 106 | 106 | 112 | 112 | 112 | 101 | | |
| | B5KV | 109 | 104 | 104 | 102 | 102 | 102 | 102 | 102 | 102 | 107 | 107 | 96 | | |
| | B3KM | 121 | 117 | 120 | 114 | 112 | 112 | 112 | 112 | 114 | 119 | 119 | 107 | | |
| | B4KM | 116 | 114 | 114 | 110 | 109 | 109 | 109 | 110 | 110 | 115 | 115 | 105 | | |
| | B5KM | 111 | 109 | 107 | 106 | 105 | 105 | 105 | 106 | 106 | 110 | 110 | 101 | | |
| | B4G | 110 | 109 | 107 | 108 | - | 107 | 107 | - | 112 | - | - | - | | |
| | B4GK | 110 | 106 | 107 | 105 | 104 | 104 | 104 | 106 | 110 | 110 | 110 | 98 | | |
| | B5GK | 104 | 102 | 101 | 100 | 99 | 100 | 100 | 100 | 100 | 104 | 104 | 93 | | |
| | B6GK | 98 | 98 | 96 | 95 | 95 | 94 | 94 | 95 | 95 | 97 | 97 | 87 | | |
| SMOKING LEAF | H3F | 130 | 130 | 129 | 128 | 127 | 129 | 128 | 128 | 127 | 114 | 114 | | | |
| | H4F | 127 | 127 | 126 | 125 | 125 | 121 | - | 125 | 125 | 111 | 111 | | | |
| | H5F | 123 | 124 | 121 | 118 | 114 | 115 | 115 | - | 121 | 108 | 108 | | | |
| | H4K | 123 | 120 | 118 | 115 | 115 | 114 | 114 | - | 120 | 107 | 107 | | | |
| | H5K | 119 | 119 | 115 | 112 | 110 | 111 | 111 | - | 116 | 103 | 103 | | | |
| CUTTERS | C3L | 130 | 132 | 131 | 129 | 129 | 129 | - | 124 | 124 | 111 | 111 | | | |
| | C4L | 128 | 128 | 129 | 126 | 124 | 120 | - | 121 | 121 | 108 | 108 | | | |
| | C5L | - | - | 123 | - | 114 | 116 | - | 119 | 119 | 104 | 104 | | | |
| | C3F | 130 | 131 | 130 | 128 | 129 | 125 | - | 124 | 124 | 112 | 112 | | | |
| | C4F | 126 | 127 | 128 | 124 | 123 | 121 | 122 | 122 | 122 | 109 | 109 | | | |
| | C5F | 123 | 122 | 122 | 120 | 116 | 115 | 117 | 117 | 119 | 105 | 105 | | | |
| | C4KR | 122 | 122 | 124 | 116 | 113 | 114 | 115 | 115 | 119 | 119 | 119 | 106 | | |
| | C4V | 120 | 120 | 122 | 117 | 116 | 114 | 114 | - | 118 | - | - | - | | |
| | C4KM | 120 | 121 | 118 | 115 | 114 | 113 | 114 | 117 | 117 | 103 | 103 | | | |
| LUGS | X3L | 127 | 126 | 126 | 122 | 120 | 117 | - | 118 | 118 | 98 | 98 | | | |
| | X4L | - | 118 | 118 | 116 | 110 | 111 | 109 | 114 | 114 | 90 | 90 | | | |
| | X2F | 130 | - | - | - | 125 | - | - | 121 | 121 | 108 | 108 | | | |
| | X3F | 126 | 124 | 125 | 122 | 119 | 118 | 117 | 119 | 119 | 105 | 105 | | | |
| | X4F | 119 | 118 | 117 | 115 | 111 | 111 | 110 | 114 | 114 | 99 | 99 | | | |
| | X5F | 108 | 107 | 109 | 106 | 103 | 103 | 103 | 107 | 107 | 93 | 93 | | | |
| | X4KR | 118 | 118 | - | 109 | 107 | 110 | - | 112 | 112 | 99 | 99 | | | |
| | X4V | 109 | 107 | 106 | 108 | 110 | 105 | - | 109 | 109 | - | - | - | | |
| PRIMINGS | X4KM | 111 | 109 | 111 | 105 | 105 | 104 | 104 | 108 | 108 | 95 | 95 | | | |
| | P3L | 117 | - | - | - | 100 | - | - | 104 | 104 | | | | | |
| | P4L | 110 | 106 | - | - | 99 | 98 | 96 | 99 | 99 | 90 | 90 | | | |
| | P4F | 104 | 104 | - | 101 | 99 | 98 | 95 | 100 | 100 | 90 | 90 | | | |
| | P5F | 97 | 94 | 93 | 92 | 92 | 92 | 91 | 93 | 93 | 86 | 86 | | | |
| NON-DESCRIPT | N1L | 89 | 86 | 86 | 84 | 83 | 82 | 82 | 84 | 84 | 77 | 77 | | | |
| | N1XL | 107 | - | - | 87 | 92 | 87 | - | 93 | 93 | 84 | 84 | | | |
| | N1GL | 79 | 80 | 83 | 76 | 76 | 76 | - | 78 | 78 | 72 | 72 | | | |
| | N1PO | 80 | 74 | - | 72 | 71 | 71 | 72 | 75 | 75 | - | - | | | |
| | N1XO | 90 | 79 | 99 | - | 77 | 79 | - | 90 | 90 | - | - | | | |
| | N2 | 62 | 53 | 59 | 48 | 49 | 40 | 35 | 51 | 51 | 46 | 46 | | | |

Table 20

- 32 -
T Y P E 1 3 1/
1/

Average prices by week, on representative grades, and season averages, 1976 and 1975 crops.

| | | WEEK ENDING | | | | | | | | | | | | | | | | |
|-----------------|------|-------------|-----|---------|-----|---------|-----|--------|-----|---------|-----|---------|-----|---------|-----|--------|-----|---------|
| Group and Grade | | July 15 | : | July 22 | : | July 29 | : | Aug. 5 | : | Aug. 12 | : | Aug. 19 | : | Aug. 26 | : | Sep. 2 | : | Sep. 10 |
| LEAF | B2L | - | - | 121 | - | 123 | 122 | 122 | 122 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 | 124 |
| | B3L | - | 119 | 119 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B4L | - | 115 | 116 | 117 | 119 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B5L | - | - | 112 | 113 | 116 | 120 | 120 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B2F | - | - | - | - | 122 | 122 | 122 | 122 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 | 123 |
| | B3F | - | 118 | 119 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B4F | 116 | 115 | 116 | 118 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B5F | - | 111 | 112 | 115 | 117 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B3K | - | - | - | - | - | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B4K | - | - | 112 | 114 | 117 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B5K | - | 108 | 109 | 113 | 113 | 113 | 117 | 117 | 117 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| | B6K | - | - | - | - | 106 | 113 | 113 | 114 | 114 | 115 | 115 | 115 | 115 | 115 | 115 | 115 | 115 |
| | B3KR | - | - | 113 | 116 | 119 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | B4KR | - | - | 111 | 114 | 117 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B5KR | - | - | - | - | - | 117 | 117 | 119 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| | B3V | - | - | 114 | 116 | 117 | 119 | 119 | 120 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B4V | - | 109 | 110 | 112 | 115 | 118 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B5V | - | - | - | 109 | 113 | 115 | 117 | 117 | 118 | 118 | 118 | 118 | 118 | 118 | 118 | 118 | 118 |
| | B3KL | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | B4KL | - | - | - | - | 108 | 111 | 117 | 117 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| | B3KF | - | - | - | - | 111 | 113 | 119 | 119 | 118 | 118 | 118 | 118 | 118 | 118 | 118 | 118 | 118 |
| | B4KF | - | - | - | - | 109 | 113 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 | 117 |
| | B5KF | - | - | - | - | 103 | 109 | 114 | 114 | 115 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 |
| | B4KV | - | - | 106 | - | 112 | 113 | 116 | 116 | - | - | - | - | - | - | - | - | 118 |
| | B5KV | - | - | - | - | 107 | 114 | 114 | 114 | 114 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 |
| | B3KM | - | 111 | 111 | 115 | 117 | 119 | 120 | 120 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | B4KM | - | 108 | 109 | 112 | 115 | 118 | 118 | 118 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| | B5KM | - | - | 105 | 109 | 111 | 116 | 116 | 116 | 115 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| | B4G | - | - | 108 | 107 | 109 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| | B5G | - | - | - | 104 | 105 | 108 | 112 | 112 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| | B4GK | - | 104 | 104 | 105 | 108 | 112 | 112 | 112 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 | 114 |
| | B5GK | - | 99 | 100 | 102 | 105 | 110 | 110 | 110 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 | 107 |
| | B6GK | - | 94 | - | - | 98 | - | - | - | - | - | - | - | - | - | - | - | - |
| SMOKING LEAF | H3F | - | - | - | - | - | - | 121 | 121 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | H4F | - | - | - | - | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | H5F | - | - | - | - | 118 | 119 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | H4K | - | - | - | - | - | 119 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | H5K | - | - | - | - | - | 116 | 119 | 118 | 118 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| CUTTERS | C3L | - | - | 119 | - | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | C4L | 116 | 116 | 116 | 118 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | C5L | 113 | 112 | 113 | 115 | 118 | 118 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | C3F | - | - | 119 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | C4F | - | 116 | 116 | 118 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | C5F | 113 | 113 | 113 | 115 | 118 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | C4KR | 111 | 112 | 111 | 115 | 118 | 119 | 119 | 119 | 120 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| LUGS | C4V | 111 | 111 | 111 | 113 | 117 | 119 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | C4KM | 110 | 110 | 110 | 113 | 117 | 119 | 119 | 119 | 119 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | X3L | 112 | 113 | 113 | 115 | 118 | 120 | 120 | 120 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 | 121 |
| | X4L | 108 | 108 | 108 | 111 | 113 | 117 | 117 | 117 | 117 | 120 | 120 | 120 | 120 | 120 | 120 | 120 | 120 |
| | X3F | 112 | 113 | 113 | 116 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 122 | 122 | 122 | 122 | 122 | 122 |
| | X4F | 108 | 108 | 109 | 112 | 115 | 117 | 117 | 117 | 117 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| PRIMINGS | X5F | - | 102 | 102 | 106 | 108 | 111 | 112 | 112 | 112 | 116 | 116 | 116 | 116 | 116 | 116 | 116 | 116 |
| | X4KM | 102 | 102 | 104 | 107 | 110 | 115 | 115 | 115 | 115 | 119 | 119 | 119 | 119 | 119 | 119 | 119 | 119 |
| | P3L | 100 | 100 | 101 | 105 | 107 | 114 | 116 | 116 | - | - | - | - | - | - | - | - | - |
| | P4L | 96 | 96 | 97 | 100 | 104 | 105 | 110 | 110 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 |
| | P4F | 96 | 97 | 97 | 100 | 103 | 104 | 109 | 109 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 | 108 |
| NON-DESCRIPT | P5F | 91 | 91 | 92 | 93 | 93 | 97 | 100 | 100 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 | 103 |
| | N1L | 82 | 83 | 83 | 84 | 84 | 89 | 89 | 89 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 | 90 |
| | N1XL | - | 88 | 89 | 94 | 94 | 100 | 100 | 100 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 | 106 |
| | N1GL | 77 | 77 | 78 | 78 | 81 | 83 | 83 | 87 | - | - | - | - | - | - | - | - | - |
| | N1PO | 74 | 74 | 75 | 76 | 74 | 75 | 80 | 80 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 | 82 |
| | N1XO | - | 80 | 81 | 82 | 92 | 95 | 97 | 97 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 | 100 |
| | N2 | 44 | 45 | 50 | 51 | 50 | 54 | 54 | 63 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 | 62 |

1/ No averages shown after week of October 14 due to lack of information.

Table 20
Average prices by week, on representative grades, and season averages, 1976 and 1975 crops.

| | | WEEK ENDING | | | | | | | | | | | |
|-----------------|------|-------------|---|---------|---|---------|---|--------|---|---------|--|------|------|
| Group and Grade | | Sep. 16 | : | Sep. 23 | : | Sep. 30 | : | Oct. 7 | : | Oct. 14 | | 1976 | 1975 |
| LEAF | B2L | 129 | | 129 | | - | | 133 | | - | | 126 | 116 |
| | B3L | 126 | | 129 | | 129 | | 129 | | 131 | | 123 | 110 |
| | B4L | 125 | | 126 | | 127 | | 125 | | 128 | | 120 | 107 |
| | B5L | 124 | | 122 | | 124 | | - | | - | | 119 | 104 |
| | B2F | 127 | | 130 | | 132 | | 131 | | - | | 125 | 115 |
| | B3F | 126 | | 128 | | 128 | | 127 | | 129 | | 124 | 111 |
| | B4F | 125 | | 127 | | 127 | | 124 | | 126 | | 123 | 110 |
| | B5F | 123 | | 125 | | 124 | | 121 | | 122 | | 122 | 110 |
| | B3K | 124 | | 124 | | 125 | | 122 | | 122 | | 122 | 111 |
| | B4K | 122 | | 123 | | 123 | | 118 | | 119 | | 121 | 108 |
| | B5K | 119 | | 119 | | 118 | | 113 | | 113 | | 117 | 104 |
| | B6K | 114 | | 111 | | 110 | | 108 | | 109 | | 111 | 98 |
| | B3KR | 123 | | 124 | | 124 | | 119 | | - | | 121 | 108 |
| | B4KR | 122 | | 123 | | 123 | | 116 | | 119 | | 120 | 108 |
| | B5KR | 118 | | 122 | | 117 | | 114 | | - | | 118 | 106 |
| | B3V | 124 | | 125 | | 124 | | 120 | | 124 | | 120 | - |
| | B4V | 122 | | 122 | | 120 | | 117 | | 119 | | 118 | - |
| | B5V | 120 | | 120 | | 118 | | 111 | | 113 | | 116 | - |
| | B3KL | - | | 118 | | 118 | | - | | 117 | | 118 | 103 |
| | B4KL | 119 | | 119 | | 116 | | 112 | | - | | 115 | 99 |
| | B3KF | 120 | | 121 | | 120 | | 118 | | - | | 119 | 105 |
| | B4KF | 120 | | 119 | | 117 | | 111 | | 111 | | 117 | 104 |
| | B5KF | 115 | | 116 | | 116 | | 105 | | 108 | | 112 | 102 |
| | B4KV | 119 | | 119 | | 116 | | 113 | | 113 | | 115 | 101 |
| | B5KV | 116 | | 113 | | 110 | | 107 | | 109 | | 111 | 97 |
| | B3KM | 121 | | 121 | | 122 | | 119 | | 119 | | 118 | 104 |
| | B4KM | 121 | | 121 | | 120 | | 114 | | 116 | | 117 | 104 |
| | B5KM | 117 | | 117 | | 116 | | 112 | | 112 | | 114 | 102 |
| | B4G | 117 | | 116 | | 113 | | 109 | | 107 | | 112 | - |
| | B5G | 112 | | 113 | | 108 | | 104 | | 104 | | 109 | - |
| | B4GK | 116 | | 117 | | 113 | | 106 | | 108 | | 110 | 94 |
| | B5GK | 111 | | 114 | | 105 | | 101 | | 103 | | 106 | 92 |
| | B6GK | 105 | | 106 | | 103 | | 96 | | 98 | | 100 | 88 |
| SMOKING LEAF | H3F | 126 | | 129 | | 130 | | 129 | | 129 | | 126 | 114 |
| | H4F | 126 | | 128 | | 128 | | 127 | | 128 | | 125 | 112 |
| | H5F | 124 | | 126 | | 127 | | 125 | | 125 | | 124 | 110 |
| | H4K | 123 | | 124 | | 126 | | 121 | | 123 | | 123 | 110 |
| | H5K | 122 | | 122 | | 123 | | 118 | | 118 | | 120 | 107 |
| CUTTERS | C3L | 127 | | 129 | | 129 | | 130 | | 130 | | 123 | 106 |
| | C4L | 125 | | 128 | | 129 | | 128 | | 128 | | 120 | 106 |
| | C5L | 123 | | 125 | | 126 | | - | | 127 | | 117 | 103 |
| | C3F | 127 | | 128 | | 130 | | 130 | | - | | 123 | 108 |
| | C4F | 126 | | 127 | | 128 | | 126 | | 129 | | 121 | 108 |
| | C5F | 123 | | 125 | | 125 | | 123 | | 125 | | 119 | 105 |
| | C4KR | 123 | | 126 | | 124 | | 120 | | 123 | | 118 | 105 |
| | C4V | 124 | | 125 | | 125 | | - | | - | | 116 | - |
| LUGS | C4KM | 123 | | 123 | | 122 | | 115 | | 123 | | 115 | 102 |
| | X3L | - | | 128 | | - | | - | | 128 | | 115 | 102 |
| | X4L | 117 | | - | | 121 | | - | | - | | 111 | 98 |
| | X3F | 122 | | 124 | | 128 | | 122 | | - | | 116 | 104 |
| | X4F | 119 | | 120 | | 121 | | 117 | | 121 | | 114 | 101 |
| | X5F | 113 | | 115 | | 114 | | 108 | | 110 | | 109 | 96 |
| PRIMINGS | X4KM | 117 | | - | | 121 | | - | | 115 | | 108 | 96 |
| | P3L | - | | - | | - | | - | | - | | 101 | 94 |
| | P4L | - | | - | | 117 | | 108 | | - | | 98 | 90 |
| | P4F | 104 | | 103 | | 104 | | 101 | | 105 | | 99 | 90 |
| | P5F | 97 | | 95 | | 96 | | 94 | | 95 | | 92 | 86 |
| NON-DESCRIPT | N1L | 89 | | 86 | | 85 | | 85 | | 82 | | 84 | 79 |
| | N1XL | 100 | | - | | 104 | | 91 | | 91 | | 96 | 88 |
| | N1GL | - | | - | | - | | - | | 77 | | 78 | 73 |
| | N1PO | 82 | | - | | 87 | | 73 | | 70 | | 75 | - |
| | N1XO | - | | 99 | | 98 | | 83 | | 84 | | 89 | - |
| | N2 | 52 | | 62 | | 58 | | 48 | | 45 | | 49 | 52 |

1/ No averages shown after week of October 14 due to lack of information.

Table 21
- 34 -
T Y P E 1 4
Average prices by weeks, on representative grades, and season averages, 1976 and 1975 crops.

| WEEK ENDING | | | | | | | | | | | | | |
|-----------------|----------|-----------|-----------|-----------|----------|-----------|-----------|-----------|----------|----------|------|------|----|
| Group and Grade | July : 9 | July : 15 | July : 22 | July : 29 | Aug. : 5 | Aug. : 12 | Aug. : 19 | Aug. : 26 | Sep. : 2 | Sep. : 9 | 1976 | 1975 | |
| B3L | - | - | 119 | 120 | 120 | 120 | 120 | 120 | 122 | - | 120 | 109 | |
| B4L | - | 116 | 117 | 118 | 119 | 120 | 120 | 120 | 122 | 122 | 119 | 107 | |
| B5L | - | - | 113 | 116 | 116 | 118 | 119 | - | - | - | 116 | 105 | |
| B2F | - | - | 122 | 121 | 122 | 122 | 122 | 122 | 122 | - | 122 | 111 | |
| B3F | - | 119 | 119 | 120 | 120 | 120 | 120 | 120 | 122 | 122 | 120 | 112 | |
| B4F | - | 117 | 117 | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 120 | 111 | |
| B5F | - | 112 | 114 | 117 | 119 | 119 | 120 | 119 | 121 | 121 | 119 | 109 | |
| B6F | - | - | 110 | - | 113 | 117 | 118 | 117 | 118 | 119 | 116 | 104 | |
| B3FR | - | - | - | - | 120 | 120 | 120 | 120 | 122 | 122 | 121 | 114 | |
| B4FR | - | - | - | 119 | 120 | 120 | 120 | 120 | 122 | 122 | 121 | 114 | |
| B5FR | - | - | - | - | 120 | 120 | 120 | 120 | 121 | 122 | 120 | 112 | |
| B4K | - | - | 115 | 118 | 119 | 119 | 119 | 119 | 121 | 121 | 120 | 109 | |
| B5K | - | - | 110 | 115 | 117 | 118 | 117 | 117 | 119 | 115 | 118 | 104 | |
| B6K | - | - | - | 112 | 113 | 113 | 112 | 113 | 113 | 114 | 113 | 99 | |
| B3KR | - | - | 117 | 119 | 119 | 120 | 120 | 120 | 122 | 122 | 120 | 109 | |
| B4KR | - | - | 115 | 118 | 119 | 120 | 120 | 120 | 122 | 122 | 120 | 109 | |
| B5KR | - | - | 107 | 114 | 119 | 119 | 119 | 119 | 120 | 117 | 118 | 106 | |
| B3V | - | 114 | 117 | 118 | 120 | 120 | 120 | 120 | 122 | 122 | 119 | - | |
| B4V | - | - | 114 | 117 | 118 | 120 | 120 | 119 | 121 | 122 | 118 | - | |
| B5V | - | - | 108 | 113 | 118 | 117 | 118 | 117 | 120 | - | 116 | - | |
| B4S | - | - | 110 | 114 | 114 | 119 | 120 | 120 | 121 | - | 116 | - | |
| B4KL | - | - | 105 | 112 | 119 | 119 | 120 | 118 | 121 | 122 | 117 | 100 | |
| B5KL | - | 101 | 103 | 105 | 113 | - | 118 | - | 118 | - | 110 | 94 | |
| B3KF | - | - | - | 118 | 119 | 119 | 120 | - | 121 | - | 119 | 107 | |
| B4KF | - | - | 111 | 114 | 116 | 119 | 119 | 119 | 121 | 121 | 118 | 104 | |
| B5KF | - | - | 102 | 108 | 114 | 115 | 117 | 113 | 118 | - | 114 | 97 | |
| B6KF | - | - | - | 104 | 105 | 102 | 115 | 106 | 111 | 110 | 108 | 91 | |
| B4KV | - | - | - | 111 | 116 | 117 | 118 | 117 | 121 | - | 117 | 102 | |
| B5KV | - | - | 109 | 107 | 113 | 114 | 111 | 112 | 114 | 117 | 113 | 99 | |
| B3KM | - | 112 | 115 | 118 | 119 | 120 | 120 | 120 | 121 | 121 | 119 | 107 | |
| B4KM | - | 111 | 111 | 116 | 118 | 119 | 119 | 119 | 121 | 120 | 118 | 105 | |
| B5KM | - | 105 | 108 | 111 | 116 | 117 | 118 | 118 | 119 | 114 | 116 | 102 | |
| B6KM | - | - | - | 104 | 111 | 108 | 118 | 117 | 113 | - | 112 | 96 | |
| B4G | - | 108 | 110 | 114 | 115 | 117 | 117 | 115 | - | - | 114 | - | |
| B5G | - | - | 107 | 111 | 110 | 112 | 113 | 112 | 112 | - | 111 | - | |
| B4GK | - | 104 | 108 | 111 | 112 | 115 | 117 | 113 | 118 | 115 | 112 | 95 | |
| B5GK | - | 100 | 102 | 109 | 110 | 104 | 110 | 111 | 114 | 107 | 109 | 93 | |
| SMOKING LEAF | H3F | - | - | 120 | 120 | 120 | 121 | 121 | 122 | - | 121 | 113 | |
| | H4F | - | - | - | 120 | 120 | 120 | 120 | 122 | 122 | 121 | 113 | |
| | H5F | - | - | 119 | 117 | 120 | 120 | 120 | 122 | 122 | 120 | 111 | |
| | H4K | - | - | - | - | 120 | 120 | 120 | 122 | 121 | 121 | 111 | |
| | H5K | - | - | - | - | 120 | 119 | 118 | 121 | 120 | 120 | 108 | |
| CUTTERS | C3L | 119 | 119 | 118 | 119 | 120 | 120 | - | - | - | 119 | 104 | |
| | C4L | 115 | 115 | 116 | 117 | 119 | 120 | 120 | - | - | 117 | 103 | |
| | C5L | 113 | 113 | 113 | 115 | 117 | 117 | 119 | - | - | 114 | 101 | |
| | C3F | - | 119 | 119 | 120 | 120 | 120 | - | 120 | - | 120 | 109 | |
| | C4F | - | 116 | 116 | 118 | 120 | 120 | 120 | 122 | - | 118 | 106 | |
| | C5F | 113 | 113 | 113 | 117 | 118 | 119 | 119 | - | - | 115 | 102 | |
| LUGS | C4KM | 110 | 111 | 112 | 116 | 118 | 119 | - | - | - | 113 | 105 | |
| | X3L | 112 | 113 | 113 | 116 | 117 | 119 | 120 | - | - | 114 | 101 | |
| | X4L | 108 | 109 | 108 | 112 | 117 | 114 | 117 | - | - | 110 | 98 | |
| | X3F | 113 | 113 | 114 | 116 | 118 | 119 | - | - | - | 114 | 101 | |
| | X4F | 109 | 109 | 110 | 112 | 116 | 116 | 118 | 114 | 116 | 111 | 98 | |
| PRIMINGS | X5F | 102 | 104 | 104 | 110 | 110 | 109 | 116 | 109 | 108 | - | 107 | 94 |
| | P4L | 97 | 98 | 95 | 96 | 104 | 104 | - | 100 | - | - | 97 | 91 |
| | P5L | 92 | 93 | 91 | 96 | - | 96 | - | - | - | - | 93 | 86 |
| | P4F | 98 | 99 | 97 | 98 | 102 | 107 | 99 | 104 | - | - | 99 | 91 |
| | P5F | 92 | 93 | 92 | 96 | 102 | 100 | 96 | 95 | 91 | - | 93 | 86 |
| NON-DESCRIPT | N1L | 85 | 84 | 84 | 85 | 89 | 86 | 87 | 84 | 87 | - | 85 | 79 |
| | N1K | - | - | - | 105 | 106 | 105 | 103 | 106 | 101 | 105 | 92 | |
| | N1GF | - | - | 86 | 87 | - | 91 | 99 | 96 | 96 | 97 | 93 | 82 |
| | N1XO | 90 | 85 | 86 | 98 | 101 | 111 | 107 | 95 | 98 | - | 94 | - |
| | N2 | 51 | 49 | 52 | 54 | 70 | 71 | 63 | 62 | 61 | 55 | 57 | 53 |

Table 22 Dates of designation by the Secretary of Agriculture for official inspection and market news on flue-cured markets, and year service began. 1/

| Type Market, and State | Designated | Year Service began | Type Market, and State | Designated | Year Service began |
|---------------------------|----------------|--------------------------|---------------------------|---------------|--------------------------|
| <u>Type 11(a)</u> | | | | | |
| Virginia: | | | | | |
| Brockneal | June 26, 1942 | 1946 | Conway | June 26, 1942 | 1944 |
| Chase City | " | " | Darlington | July 1, 1936 | 1939 |
| Clarksville | " | " | Dillon | Aug. 16, 1941 | 1941 |
| Danville | Aug. 16, 1941 | 1941 | Hemingway | June 16, 1950 | 1950 |
| Kenbridge | June 26, 1942 | 1942 | Kingtree | June 26, 1942 | 1944 |
| Lawrenceville | " | 1946 | Lake City | July 1, 1936 | 1939 |
| Martinsville | " | 1942 | Lamar | May 28, 1951 | 1951 |
| Petersburg | " | 1946 | Loris | Aug. 16, 1941 | 1941 |
| Rocky Mount <u>2/</u> | " | " | Mullins | June 26, 1942 | 1942 |
| South Boston | " | 1945 | Pamplico | July 1, 1936 | 1939 |
| South Hill | Aug. 23, 1938 | 1938 | Timmonsville | Aug. 16, 1941 | 1941 |
| North Carolina: | | | | | |
| Burlington | June 26, 1942 | 1946 | Chadbourn | June 26, 1942 | 1946 |
| Greensboro | June 16, 1950 | 1950 | Clarkton | " | " |
| Madison | June 26, 1942 | 1946 | Fair Bluff | " | " |
| Mebane | " | 1942 | Fairmont | " | 1945 |
| Mt. Airy | " | 1946 | Fayetteville | June 17, 1947 | 1947 |
| Reidsville | Aug. 26, 1941 | 1941 | Lumberton | June 26, 1942 | 1946 |
| Roxboro | June 26, 1942 | 1942 | Tabor City | " | " |
| Stoneville | " | 1946 | Whiteville | " | " |
| Winston-Salem | " | 1942 | | | |
| Yadkinville | April 10, 1970 | 1970 | | | |
| <u>Type 11(b)</u> | | | | | |
| North Carolina: | | | | | |
| Aberdeen | June 26, 1942 | 1946 | Type 14 | | |
| Carthage | " | " | Georgia: | | |
| Durham | " | 1944 | Adel | June 22, 1939 | 1939 |
| Ellerbe | Aug. 25, 1949 | 1949 | Alma | May 10, 1955 | 1955 |
| Fuquay-Varina | Aug. 16, 1941 | 1941 | Baxley | June 26, 1942 | 1942 |
| Henderson | June 26, 1942 | 1945 | Blackshear | " | 1945 |
| Louisburg | " | 1946 | Claxton | July 30, 1948 | 1948 |
| Oxford | Aug. 26, 1936 | 1936 | Douglas | June 22, 1939 | 1939 |
| Sanford | June 26, 1942 | 1946 | Fitzgerald | July 22, 1946 | 1946 |
| Warrenton | " | " | Hahira | Aug. 16, 1941 | 1941 |
| <u>Type 12</u> | | | Hazlehurst | June 26, 1942 | 1942 |
| North Carolina: | | | Metter | Aug. 16, 1941 | 1941 |
| Ahoskie | June 26, 1942 | 1942 | Moultrie | June 26, 1942 | 1944 |
| Clinton | Aug. 9, 1946 | 1946 | Mashville | June 22, 1939 | 1939 |
| Dunn | July 15, 1949 | 1949 | Pearson | May 10, 1955 | 1955 |
| Farmville | July 13, 1936 | 1936 | Pelham | June 26, 1942 | 1942 |
| Goldsboro | " | " | Quitman | Aug. 28, 1945 | 1945 |
| Greenville | July 24, 1939 | 1939 | Statesboro | Aug. 16, 1941 | 1941 |
| Kinston | June 26, 1942 | 1946 | Swainsboro | June 29, 1956 | 1956 |
| Robersonville | Aug. 16, 1941 | 1941 | Sylvester | June 16, 1950 | 1950 |
| Rocky Mount | June 26, 1942 | 1945 | Thomasville | June 29, 1956 | 1956 |
| Smithfield | " | 1944 | Tifton | June 26, 1942 | 1942 |
| Tarboro | Aug. 16, 1941 | 1941 | Valdosta | June 21, 1940 | 1940 |
| Wallace | June 26, 1942 | 1946 | Vidalia | June 26, 1942 | 1942 |
| Washington | " | 1944 | Waycross | " | " |
| Wendell | Sept. 14, 1937 | 1937 | Florida: | | |
| Williamston | Aug. 16, 1941 | 1941 | High Springs | May 26, 1954 | 1954 |
| Wilson | June 26, 1942 | 1942 | Jasper | May 27, 1948 | 1948 |
| Windsor | June 16, 1950 | 1950 | Lake City | June 26, 1942 | 1945 |
| | | | Live Oak | June 21, 1940 | 1940 |
| | | | Madison | June 29, 1956 | 1956 |

1/ By authority of The Tobacco Inspection Act, approved August 23, 1935.

2/ Discontinued after the 1962 season.

Table 23 Percentage distribution by GROUPS for flue-cured types, 1974 to 1976 crops. 2/

| Crop Year | A Wrappers | B Leaf | H S. Leaf | C Cutters | X Lugs | P Primings | M Mixed | N Nondescript | Misc. |
|-------------|------------|--------|-----------|-----------|--------|------------|---------|---------------|-------|
| T Y P E 1 1 | | | | | | | | | |
| 1974 | 1/ | 47.1 | 14.5 | 8.7 | 12.5 | 10.9 | -- | 4.2 | 2.1 |
| 1975 | 1/ | 45.2 | 10.5 | 7.6 | 16.4 | 10.4 | -- | 7.4 | 2.5 |
| 1976 | -- | 59.1 | 1.8 | 6.9 | 14.0 | 9.9 | -- | 7.6 | .7 |
| 1977 | | | | | | | | | |
| 1978 | | | | | | | | | |
| 1979 | | | | | | | | | |
| 1980 | | | | | | | | | |
| 1981 | | | | | | | | | |
| 1982 | | | | | | | | | |
| 1983 | | | | | | | | | |
| 1984 | | | | | | | | | |
| T Y P E 1 2 | | | | | | | | | |
| 1974 | .1 | 52.6 | 8.7 | 10.1 | 10.0 | 11.6 | -- | 4.5 | 2.5 |
| 1975 | 1/ | 49.2 | 9.2 | 8.5 | 14.0 | 11.5 | -- | 5.6 | 2.0 |
| 1976 | -- | 56.5 | 3.3 | 10.5 | 12.1 | 11.0 | .1 | 5.5 | 1.0 |
| 1977 | | | | | | | | | |
| 1978 | | | | | | | | | |
| 1979 | | | | | | | | | |
| 1980 | | | | | | | | | |
| 1981 | | | | | | | | | |
| 1982 | | | | | | | | | |
| 1983 | | | | | | | | | |
| 1984 | | | | | | | | | |
| T Y P E 1 3 | | | | | | | | | |
| 1974 | 1/ | 55.1 | 4.5 | 11.2 | 9.6 | 12.2 | -- | 3.7 | 3.5 |
| 1975 | -- | 47.7 | 7.0 | 9.9 | 14.6 | 12.6 | -- | 4.2 | 4.0 |
| 1976 | -- | 55.1 | 4.9 | 10.9 | 10.1 | 11.7 | -- | 5.3 | 2.0 |
| 1977 | | | | | | | | | |
| 1978 | | | | | | | | | |
| 1979 | | | | | | | | | |
| 1980 | | | | | | | | | |
| 1981 | | | | | | | | | |
| 1982 | | | | | | | | | |
| 1983 | | | | | | | | | |
| 1984 | | | | | | | | | |
| T Y P E 1 4 | | | | | | | | | |
| 1974 | -- | 45.0 | 15.6 | 10.5 | 11.1 | 11.5 | -- | 3.1 | 3.2 |
| 1975 | -- | 52.5 | 8.2 | 7.7 | 10.4 | 11.5 | -- | 5.0 | 4.7 |
| 1976 | -- | 56.6 | 3.6 | 5.8 | 11.0 | 15.4 | -- | 4.6 | 3.0 |
| 1977 | | | | | | | | | |
| 1978 | | | | | | | | | |
| 1979 | | | | | | | | | |
| 1980 | | | | | | | | | |
| 1981 | | | | | | | | | |
| 1982 | | | | | | | | | |
| 1983 | | | | | | | | | |
| 1984 | | | | | | | | | |

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the Market Review.

Table 24 Percentage distribution by QUALITIES for flue-cured types, 1974 to 1976 2/

| Crop Year | 1 Choice | 2 Fine | 3 Good | 4 Fair | 5 Low | 6 Poor | Nondescript | Misc. |
|-------------|----------|--------|--------|--------|-------|--------|-------------|-------|
| T Y P E 1 1 | | | | | | | | |
| 1974 | .1 | 1.4 | 20.1 | 50.5 | 20.3 | 1.3 | 4.2 | 2.1 |
| 1975 | .1 | .7 | 11.3 | 46.5 | 28.0 | 3.5 | 7.4 | 2.5 |
| 1976 | -- | .4 | 10.2 | 50.4 | 26.7 | 4.0 | 7.6 | .7 |
| 1977 | | | | | | | | |
| 1978 | | | | | | | | |
| 1979 | | | | | | | | |
| 1980 | | | | | | | | |
| 1981 | | | | | | | | |
| 1982 | | | | | | | | |
| 1983 | | | | | | | | |
| 1984 | | | | | | | | |
| T Y P E 1 2 | | | | | | | | |
| 1974 | .3 | 2.0 | 25.4 | 49.3 | 15.2 | .8 | 4.5 | 2.5 |
| 1975 | .1 | .9 | 16.9 | 51.9 | 20.7 | 1.9 | 5.6 | 2.0 |
| 1976 | .6 | 2.3 | 24.5 | 49.0 | 15.7 | 1.4 | 5.5 | 1.0 |
| 1977 | | | | | | | | |
| 1978 | | | | | | | | |
| 1979 | | | | | | | | |
| 1980 | | | | | | | | |
| 1981 | | | | | | | | |
| 1982 | | | | | | | | |
| 1983 | | | | | | | | |
| 1984 | | | | | | | | |
| T Y P E 1 3 | | | | | | | | |
| 1974 | 1/ | 1.2 | 23.3 | 47.2 | 20.1 | 1.1 | 3.7 | 3.5 |
| 1975 | .1 | .5 | 11.8 | 50.4 | 26.8 | 2.2 | 4.2 | 4.0 |
| 1976 | .1 | 1.0 | 17.9 | 52.1 | 20.4 | 1.2 | 5.3 | 2.0 |
| 1977 | | | | | | | | |
| 1978 | | | | | | | | |
| 1979 | | | | | | | | |
| 1980 | | | | | | | | |
| 1981 | | | | | | | | |
| 1982 | | | | | | | | |
| 1983 | | | | | | | | |
| 1984 | | | | | | | | |
| T Y P E 1 4 | | | | | | | | |
| 1974 | .2 | 3.2 | 24.2 | 45.3 | 18.5 | 2.3 | 3.1 | 3.2 |
| 1975 | 1/ | .8 | 13.9 | 46.3 | 25.9 | 3.4 | 5.0 | 4.7 |
| 1976 | .1 | 1.1 | 21.4 | 48.6 | 19.3 | 1.9 | 4.6 | 3.0 |
| 1977 | | | | | | | | |
| 1978 | | | | | | | | |
| 1979 | | | | | | | | |
| 1980 | | | | | | | | |
| 1981 | | | | | | | | |
| 1982 | | | | | | | | |
| 1983 | | | | | | | | |
| 1984 | | | | | | | | |

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the Market Review.

Table 25 Percentage distribution by COLORS for flue-cured types, 1974 to 1976 crops. 2/

| Crop Year | L | F | . FR | R | K | K(sf) | V | S | G | Nond | Misc |
|-------------|------|------|------|-----------|------|-------|-----|-----------|-----|------|------|
| T Y P E 1 1 | | | | | | | | | | | |
| 1974 | 9.8 | 50.9 | 2.7 | .1 | 20.9 | 7.3 | -- | .1 | 2.1 | 4.2 | 2.1 |
| 1975 | 9.1 | 44.7 | 1.9 | .3 | 21.7 | 9.4 | -- | <u>1/</u> | 3.0 | 7.4 | 2.5 |
| 1976 | 8.5 | 26.8 | .7 | .1 | 18.3 | 25.1 | 4.5 | -- | 7.7 | 7.6 | .7 |
| 1977 | | | | | | | | | | | |
| 1978 | | | | | | | | | | | |
| 1979 | | | | | | | | | | | |
| 1980 | | | | | | | | | | | |
| 1981 | | | | | | | | | | | |
| 1982 | | | | | | | | | | | |
| 1983 | | | | | | | | | | | |
| 1984 | | | | | | | | | | | |
| T Y P E 1 2 | | | | | | | | | | | |
| 1974 | 17.4 | 45.6 | 4.9 | <u>1/</u> | 14.9 | 8.4 | -- | .1 | 1.9 | 4.5 | 2.5 |
| 1975 | 10.1 | 43.2 | 4.5 | <u>1/</u> | 22.6 | 8.9 | -- | <u>1/</u> | 3.1 | 5.6 | 2.0 |
| 1976 | 9.9 | 38.7 | 4.4 | -- | 17.6 | 14.4 | 3.3 | .1 | 5.1 | 5.5 | 1.0 |
| 1977 | | | | | | | | | | | |
| 1978 | | | | | | | | | | | |
| 1979 | | | | | | | | | | | |
| 1980 | | | | | | | | | | | |
| 1981 | | | | | | | | | | | |
| 1982 | | | | | | | | | | | |
| 1983 | | | | | | | | | | | |
| 1984 | | | | | | | | | | | |
| T Y P E 1 3 | | | | | | | | | | | |
| 1974 | 14.5 | 53.2 | 1.8 | <u>1/</u> | 10.8 | 10.3 | -- | .4 | 1.8 | 3.7 | 3.5 |
| 1975 | 11.6 | 43.5 | .3 | <u>1/</u> | 16.9 | 15.7 | -- | .1 | 3.7 | 4.2 | 4.0 |
| 1976 | 10.4 | 46.6 | .3 | -- | 14.4 | 12.1 | 4.2 | .3 | 4.4 | 5.3 | 2.0 |
| 1977 | | | | | | | | | | | |
| 1978 | | | | | | | | | | | |
| 1979 | | | | | | | | | | | |
| 1980 | | | | | | | | | | | |
| 1981 | | | | | | | | | | | |
| 1982 | | | | | | | | | | | |
| 1983 | | | | | | | | | | | |
| 1984 | | | | | | | | | | | |
| T Y P E 1 4 | | | | | | | | | | | |
| 1974 | 18.8 | 45.9 | 3.3 | <u>1/</u> | 16.7 | 6.2 | -- | .1 | 2.7 | 3.1 | 3.2 |
| 1975 | 15.9 | 41.3 | 1.2 | <u>1/</u> | 17.0 | 12.5 | -- | .1 | 2.3 | 5.0 | 4.7 |
| 1976 | 17.0 | 37.4 | 1.6 | .1 | 10.6 | 14.6 | 4.6 | 1.0 | 5.5 | 4.6 | 3.0 |
| 1977 | | | | | | | | | | | |
| 1978 | | | | | | | | | | | |
| 1979 | | | | | | | | | | | |
| 1980 | | | | | | | | | | | |
| 1981 | | | | | | | | | | | |
| 1982 | | | | | | | | | | | |
| 1983 | | | | | | | | | | | |
| 1984 | | | | | | | | | | | |

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the Market Review.

Table 26 Percentage distribution by GROUPS, QUALITIES, and COLORS for flue-cured Types 11-14, 1974 to 1984 crops. 2/

| G R O U P | | | | | | | | | | |
|-----------|------------|--------|-----------|-----------|--------|------------|---------|---------------|-------|--|
| Crop Year | A Wrappers | B Leaf | H S. Leaf | C Cutters | X Lugs | P Primings | M Mixed | N Nondescript | Misc. | |
| 1974 | 1/ | 50.3 | 10.6 | 10.0 | 10.8 | 11.5 | -- | 4.0 | 2.8 | |
| 1975 | 1/ | 48.2 | 8.9 | 8.5 | 14.4 | 11.4 | -- | 5.7 | 2.9 | |
| 1976 | -- | 57.1 | 3.0 | 8.9 | 12.1 | 11.4 | -- | 6.1 | 1.4 | |
| 1977 | | | | | | | | | | |
| 1978 | | | | | | | | | | |
| 1979 | | | | | | | | | | |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |

| Q U A L I T Y | | | | | | | | | | |
|---------------|----------|--------|--------|--------|-------|--------|-------------|-------|--|--|
| Crop Year | 1 Choice | 2 Fine | 3 Good | 4 Fair | 5 Low | 6 Poor | Nondescript | Misc. | | |
| 1974 | .2 | 1.8 | 23.1 | 48.6 | 18.3 | 1.2 | 4.0 | 2.8 | | |
| 1975 | .1 | .7 | 13.7 | 49.4 | 24.9 | 2.6 | 5.7 | 2.9 | | |
| 1976 | .3 | 1.2 | 18.1 | 50.0 | 20.6 | 2.3 | 6.1 | 1.4 | | |
| 1977 | | | | | | | | | | |
| 1978 | | | | | | | | | | |
| 1979 | | | | | | | | | | |
| 1980 | | | | | | | | | | |
| 1981 | | | | | | | | | | |
| 1982 | | | | | | | | | | |
| 1983 | | | | | | | | | | |
| 1984 | | | | | | | | | | |

| C O L O R | | | | | | | | | | | |
|-----------|------|------|-----|----|------|-------|-----|----|-----|------|-------|
| Crop Year | L | F | FR | R | K | K(sf) | V | S | G | Nond | Misc. |
| 1974 | 14.7 | 48.9 | 3.3 | 1/ | 16.0 | 8.2 | -- | .1 | 2.0 | 4.0 | 2.8 |
| 1975 | 10.9 | 43.5 | 2.4 | 1/ | 20.3 | 11.1 | -- | 1/ | 3.2 | 5.7 | 2.9 |
| 1976 | 10.4 | 36.2 | 2.0 | -- | 16.4 | 17.5 | 4.0 | .2 | 5.8 | 6.1 | 1.4 |
| 1977 | | | | | | | | | | | |
| 1978 | | | | | | | | | | | |
| 1979 | | | | | | | | | | | |
| 1980 | | | | | | | | | | | |
| 1981 | | | | | | | | | | | |
| 1982 | | | | | | | | | | | |
| 1983 | | | | | | | | | | | |
| 1984 | | | | | | | | | | | |

C O L O R K E Y

- L - Lemon
- F - Orange
- FR - Orange Red
- R - Red
- K - Variegated (K and KR)
- K(sf) - Variegated (KL,KF,KV, and KM)
- V - Greenish
- S - Slick
- G - Green
- Nond. - Nondescript
- Misc. - No grade, W, U, etc.

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the Market Review.

Table 27 Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1976 crop.

| Group and Grade | 1 9 7 6 C R O P | | | | Group and Grade | 1 9 7 6 C R O P | | | |
|-----------------------|-----------------|--------|--------|--------|-----------------------|-----------------|--------|--------|--------|
| | 11 | 12 | 13 | 14 | | 11 | 12 | 13 | 14 |
| Wrappers: | | | | | Smoking Leaf: | | | | |
| All | --- | .005 | --- | --- | H3L | .011 | .041 | .117 | .039 |
| A1F | --- | .008 | --- | .003 | H4L | .047 | .053 | .115 | .100 |
| Total A | --- | .013 | --- | .003 | H5L | .006 | .013 | .039 | .040 |
| Leaf: | | | | | H6L | --- | .001 | .003 | .013 |
| B1L | .009 | .086 | .011 | .020 | H1F | --- | .004 | .003 | --- |
| B2L | .106 | .247 | .200 | .106 | H2F | .002 | .061 | .032 | .017 |
| B3L | .603 | .876 | .841 | 1.292 | H3F | .084 | .558 | .602 | .330 |
| B4L | .607 | .463 | .879 | 1.857 | H4F | .435 | 1.010 | 1.544 | 1.088 |
| B5L | .093 | .055 | .163 | .404 | H5F | .226 | .233 | .772 | .445 |
| B6L | .004 | .005 | .014 | .049 | H6F | .010 | .006 | .026 | .029 |
| B1F | .014 | .338 | .017 | .077 | H4FR | .005 | .183 | .013 | .195 |
| B2F | .148 | 1.159 | .500 | .459 | H5FR | .022 | .064 | .012 | .070 |
| B3F | 2.312 | 8.309 | 6.734 | 6.717 | H6FR | .009 | .004 | --- | .002 |
| B4F | 7.165 | 8.816 | 14.119 | 12.280 | H4K | .333 | .507 | .796 | .401 |
| B5F | 2.118 | 1.222 | 4.387 | 3.888 | H5K | .405 | .354 | .676 | .633 |
| B6F | .072 | .034 | .097 | .270 | H6K | .204 | .096 | .146 | .204 |
| | | | | | Total H | 1.799 | 3.188 | 4.896 | 3.606 |
| B1FR | --- | .016 | --- | --- | | | | | |
| B2FR | .003 | .108 | --- | .003 | Cutters: | | | | |
| B3FR | .100 | 1.391 | .041 | .280 | C1L | --- | .032 | --- | --- |
| B4FR | .386 | 2.195 | .193 | .756 | C2L | .011 | .087 | .007 | --- |
| B5FR | .164 | .373 | .061 | .298 | C3L | .128 | .568 | .249 | .114 |
| B6FR | .008 | .013 | .001 | .003 | C4L | .799 | 1.156 | 1.173 | .848 |
| B4R | .013 | .004 | .001 | .035 | C5L | .814 | .321 | .758 | .765 |
| B5R | .083 | .013 | --- | .041 | C1F | .001 | .009 | --- | --- |
| B3K | .983 | .738 | .625 | .121 | C2F | .009 | .082 | .009 | .037 |
| B4K | 8.704 | 6.000 | 5.371 | 2.260 | C3F | .108 | .860 | .317 | .395 |
| B5K | 4.888 | 2.448 | 2.219 | 2.395 | C4F | 1.167 | 2.940 | 2.918 | 1.018 |
| B6K | 1.158 | .505 | .387 | .642 | C5F | 1.874 | 1.343 | 2.870 | .882 |
| B3KR | .235 | 2.132 | 1.043 | .746 | C4KR | .274 | 1.131 | .727 | .356 |
| B4KR | .736 | 2.639 | 1.690 | 1.791 | C4V | .547 | .612 | .520 | .407 |
| B5KR | .156 | .366 | .203 | .490 | C4KL | .170 | .025 | .089 | .039 |
| B3V | .330 | .644 | .714 | 1.168 | C4KM | .901 | 1.295 | 1.092 | .786 |
| B4V | 1.577 | 1.031 | 1.782 | 1.629 | C4G | .111 | .109 | .127 | .136 |
| B5V | .345 | .147 | .435 | .506 | Total C | 6.914 | 10.570 | 10.856 | 5.783 |
| B3S | .012 | .039 | .104 | .416 | | | | | |
| B4S | .020 | .011 | .115 | .518 | Lugs: | | | | |
| B5S | .002 | --- | .038 | .031 | X1L | .011 | .065 | .022 | .002 |
| B3KL | .110 | .060 | .108 | .108 | X2L | .082 | .188 | .114 | .092 |
| B4KL | .229 | .109 | .191 | .561 | X3L | .773 | 1.160 | .748 | 1.699 |
| B5KL | .067 | .011 | .057 | .240 | X4L | .937 | .686 | .709 | 1.376 |
| B6KL | .016 | .001 | .021 | .060 | X5L | .196 | .089 | .067 | .136 |
| B3KF | .802 | .270 | .227 | .252 | X1F | .008 | .085 | .007 | --- |
| B4KF | 4.994 | .733 | .867 | 1.042 | X2F | .036 | .253 | .072 | .033 |
| B5KF | 3.681 | .307 | .328 | .629 | X3F | .902 | 1.860 | 1.064 | 1.010 |
| B6KF | .978 | .093 | .086 | .175 | X4F | 3.541 | 2.512 | 2.946 | 1.916 |
| B4KV | 1.820 | .905 | .244 | .228 | X5F | 1.520 | .951 | 1.042 | .651 |
| B5KV | 1.795 | .753 | .346 | .330 | X3KR | .059 | .317 | .174 | .192 |
| B6KV | .638 | .246 | .089 | .119 | X4KR | .139 | .386 | .333 | .360 |
| B3KM | 1.113 | 2.413 | 2.142 | 2.403 | X3V | .504 | .327 | .307 | .441 |
| B4KM | 4.070 | 4.410 | 4.229 | 4.639 | X4V | 1.176 | .572 | .459 | .460 |
| B5KM | 1.097 | 1.009 | .682 | 1.245 | X4KL | .095 | .010 | .083 | .074 |
| B6KM | .090 | .122 | .092 | .172 | X4KF | .337 | .026 | .046 | .009 |
| B4G | .264 | .291 | .402 | .610 | X4KV | 1.136 | .304 | .087 | .025 |
| B5G | .191 | .120 | .218 | .356 | X3KM | .299 | .425 | .301 | .590 |
| B6G | .034 | .015 | .045 | .059 | X4KM | .698 | .812 | .646 | .840 |
| B5GR | .060 | .003 | .003 | .060 | X4GK | .573 | .421 | .421 | .572 |
| B4GK | 1.361 | 1.026 | .953 | 1.093 | X4G | .628 | .376 | .326 | .443 |
| B5GK | 1.742 | .903 | .535 | .589 | X5G | .314 | .205 | .085 | .076 |
| B6GK | .820 | .293 | .160 | .121 | Total X | 13.964 | 12.030 | 10.059 | 10.997 |
| B5GG | .018 | .015 | .041 | .015 | | | | | |
| Total B | 59.144 | 56.531 | 55.071 | 56.654 | | | | | |

Table 27 Percentage distribution by grades for flue-cured tobacco, Types 11-14, 1976 crop.

| Group and Grade | 1 9 7 6 C R O P | | | | Group and Grade | 1 9 7 6 C R O P | | | |
|-----------------------|-----------------|--------|--------|--------|-----------------------|-----------------|---------|---------|---------|
| | 11 | 12 | 13 | 14 | | 11 | 12 | 13 | 14 |
| Primings: | | | | | | | | | |
| P2L | .033 | .100 | .078 | .334 | Nondescript: | 2.261 | 1.721 | 1.334 | .856 |
| P3L | .487 | .930 | .994 | 2.430 | N1L | .350 | .246 | .220 | .118 |
| P4L | 1.642 | 1.781 | 2.200 | 3.890 | N1XL | .283 | .157 | .143 | .272 |
| P5L | 1.072 | .874 | .850 | 1.456 | N1K | .181 | .034 | .019 | .009 |
| P2F | .011 | .034 | .008 | .069 | N1R | 1.490 | .941 | .576 | .366 |
| P3F | .272 | .607 | .474 | .637 | N1GL | .198 | .055 | .108 | .303 |
| P4F | 2.018 | 2.806 | 3.067 | 3.124 | N1GF | .232 | .100 | .047 | .085 |
| P5F | 2.678 | 2.541 | 2.951 | 2.110 | N1KV | .366 | .059 | .026 | .009 |
| P4G | .735 | .652 | .544 | .862 | N1GR | .010 | .011 | .009 | .002 |
| P5G | .983 | .680 | .554 | .465 | N1GG | .273 | 1.103 | 1.140 | 1.339 |
| Total P | 9.931 | 11.005 | 11.720 | 15.377 | N1PO | .146 | .175 | .254 | .462 |
| | | | | | N1XO | 1.786 | .944 | 1.456 | .784 |
| | | | | | N2 | 7.576 | 5.546 | 5.332 | 4.605 |
| Mixed: | | | | | | | | | |
| M4F | .007 | .005 | .012 | .003 | Total N | | | | |
| M5F | .006 | .010 | .007 | .007 | No Grade | .356 | .800 | 1.184 | 2.164 |
| M4KR | --- | .002 | --- | --- | W - Unsafe | .072 | .018 | .147 | .068 |
| M4KM | .002 | .011 | .007 | .007 | U - Unsound | .226 | .221 | .691 | .693 |
| M5KM | .001 | .012 | .012 | .029 | | | | | |
| M4GK | --- | .007 | .003 | .003 | | | | | |
| M5GK | .002 | .003 | .003 | .001 | | | | | |
| Total M | .018 | .050 | .044 | .050 | Grand Total | 100.000 | 100.000 | 100.000 | 100.000 |

Table 28 Breakdown of marketings by selected groupings for the 1976 crop.

| GROUPINGS | TYPES | | | | |
|---------------------------------------|---------|---------|---------|---------|---------|
| | 11 | 12 | 13 | 14 | 11-14 |
| Straight Grades (Mature to Mellow) | 58.755 | 73.874 | 75.897 | 71.443 | 68.861 |
| Variegated (KL,KF,KV,KM) | 25.139 | 14.362 | 12.072 | 14.602 | 17.628 |
| Slick (S Grades) | .034 | .050 | .257 | .965 | .195 |
| Green (Includes Rank) | 7.842 | 5.129 | 4.420 | 5.460 | 5.922 |
| Nondescript | 7.576 | 5.546 | 5.332 | 4.605 | 6.061 |
| No Grade 1/ | .654 | 1.039 | 2.022 | 2.925 | 1.333 |
| TOTAL | 100.000 | 100.000 | 100.000 | 100.000 | 100.000 |

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound.

Table 29 Percentage distribution by grades for all flue-cured. 1/

| Group and Grade | C R O P O F: | | | Group and Grade | C R O P O F: | | |
|-----------------------|--------------|--------|--------|-----------------------|--------------|--------|--------|
| | 1974 | 1975 | 1976 | | 1974 | 1975 | 1976 |
| Wrappers: | | | | B4FS | .026 | .010 | --- |
| ALL | --- | --- | .002 | B5FS | .001 | .001 | --- |
| A1F | .013 | .001 | .003 | B6FS | --- | --- | --- |
| A2F | .006 | .001 | --- | Total BFS | .071 | .018 | --- |
| Total AF | .019 | .002 | .003 | B3KL | .134 | .074 | .092 |
| Total A | .019 | .002 | .005 | B4KL | .139 | .207 | .219 |
| Leaf: | | | | B5KL | .018 | .045 | .066 |
| B1L | .053 | .013 | .037 | B6KL | .002 | .004 | .017 |
| B2L | .284 | .071 | .174 | Total BKL | .293 | .330 | .394 |
| B3L | 1.791 | .757 | .828 | B3KF | .421 | .217 | .435 |
| B4L | .758 | .679 | .764 | B4KF | .997 | 1.166 | 2.205 |
| B5L | .093 | .089 | .131 | B5KF | .258 | .585 | 1.465 |
| B6L | .003 | .004 | .012 | B6KF | .032 | .150 | .394 |
| Total BL | 2.982 | 1.613 | 1.946 | Total BKF | 1.708 | 2.118 | 4.499 |
| B1F | .058 | .023 | .136 | B4KV | .253 | .556 | .995 |
| B2F | .731 | .205 | .610 | B5KV | .224 | .590 | .966 |
| B3F | 8.506 | 3.753 | 5.822 | B6KV | .054 | .229 | .329 |
| B4F | 12.088 | 9.678 | 9.744 | Total BKV | .531 | 1.375 | 2.290 |
| B5F | 2.621 | 3.390 | 2.469 | B3KM | 1.626 | .958 | 1.928 |
| B6F | .095 | .117 | .087 | B4KM | 2.199 | 3.114 | 4.289 |
| Total BF | 24.099 | 17.166 | 18.868 | B5KM | .350 | .879 | 1.001 |
| B1FR | .002 | .001 | .006 | B6KM | .042 | .119 | .111 |
| B2FR | .031 | .021 | .039 | Total BKM | 4.217 | 5.070 | 7.329 |
| B3FR | .622 | .454 | .562 | B5RR | .007 | .004 | --- |
| B4FR | 1.586 | 1.157 | 1.025 | B4C | --- | --- | .342 |
| B5FR | .286 | .300 | .233 | B5C | --- | --- | .191 |
| B6FR | .012 | .014 | .008 | B6G | --- | --- | .033 |
| Total BFR | 2.539 | 1.947 | 1.873 | Total BG | --- | --- | .566 |
| B3R | .002 | --- | --- | B4GL | .035 | .028 | --- |
| B4R | .004 | .005 | .010 | B5GL | .008 | .009 | --- |
| B5R | .008 | .036 | .037 | B6GL | .001 | .003 | --- |
| B6R | .003 | .037 | --- | Total BGL | .044 | .040 | --- |
| Total BR | .017 | .078 | .047 | B4GF | .153 | .133 | --- |
| B3K | .780 | .697 | .723 | B5GF | .066 | .119 | --- |
| B4K | 4.618 | 6.324 | 6.323 | B6GF | .013 | .029 | --- |
| B5K | 1.958 | 4.132 | 3.202 | Total BGF | .232 | .281 | --- |
| B6K | .389 | 1.077 | .713 | B4GR | .003 | .009 | --- |
| Total BK | 7.745 | 12.230 | 10.961 | B5GR | .004 | .013 | .029 |
| B3KR | 1.060 | .655 | 1.122 | B6GR | .003 | .012 | --- |
| B4KR | 1.795 | 1.844 | 1.719 | Total BGR | .010 | .034 | .029 |
| B5KR | .249 | .364 | .279 | B4GK | .315 | .398 | 1.130 |
| Total BKR | 3.104 | 2.863 | 3.120 | B5GK | .185 | .410 | 1.069 |
| B3V | --- | --- | .616 | B6GK | .040 | .140 | .420 |
| B4V | --- | --- | 1.432 | Total BGK | .540 | .948 | 2.619 |
| B5V | --- | --- | .313 | B5RG | .002 | .003 | --- |
| Total BV | --- | --- | 2.361 | B4GG | .006 | .005 | --- |
| B3LV | .205 | .099 | --- | B5GG | .007 | .017 | .021 |
| B4LV | .146 | .190 | --- | Total BGG | .013 | .022 | .021 |
| B5LV | .012 | .022 | --- | Total B | 50.340 | 48.168 | 57.118 |
| Total BLV | .363 | .311 | --- | Smoking Leaf: | | | |
| B3FV | .650 | .311 | --- | H1L | .002 | .002 | --- |
| B4FV | .969 | 1.075 | --- | H2L | .020 | .012 | --- |
| B5FV | .167 | .305 | --- | H3L | .148 | .091 | .046 |
| Total BFV | 1.786 | 1.691 | --- | H4L | .204 | .170 | .069 |
| B3S | --- | --- | .088 | H5L | .043 | .041 | .019 |
| B4S | --- | --- | .095 | H6L | .003 | .002 | .002 |
| B5S | --- | --- | .012 | Total HL | .420 | .318 | .136 |
| Total BS | --- | --- | .195 | H1F | .002 | .001 | .002 |
| B3LS | .024 | .017 | --- | H2F | .115 | .021 | .031 |
| B4LS | .013 | .009 | --- | H3F | .816 | .434 | .383 |
| B5LS | --- | --- | --- | H4F | 2.854 | 2.284 | .936 |
| B6LS | --- | --- | --- | H5F | 1.455 | 1.266 | .364 |
| Total BLS | .037 | .026 | --- | H6F | .068 | .058 | .014 |
| B3FS | .044 | .007 | --- | Total HF | 5.310 | 4.064 | 1.730 |

Table 29 Percentage distribution by grades for all flue-cured. 1/

| Group and Grade | C R O P O F: | | | Group and Grade | C R O P O F: | | |
|-----------------------|--------------|-------|-------|-----------------------|--------------|---------|---------|
| | 1974 | 1975 | 1976 | | 1974 | 1975 | 1976 |
| H3FR | .060 | .016 | --- | X3LS | .010 | .005 | --- |
| H4FR | .462 | .227 | .092 | X4LS | .002 | .002 | --- |
| H5FR | .200 | .158 | .040 | Total XLS | .012 | .007 | --- |
| H6FR | .013 | .024 | .004 | X3FS | --- | --- | --- |
| Total HFR | .735 | .425 | .136 | X4FS | .001 | --- | --- |
| H4K | 1.833 | 1.520 | .495 | Total XFS | .001 | --- | --- |
| H5K | 1.816 | 1.981 | .469 | X4KL | .021 | .036 | .060 |
| H6K | .455 | .608 | .155 | X4KF | .020 | .041 | .131 |
| Total HK | 4.104 | 4.109 | 1.119 | X4KV | .071 | .251 | .503 |
| Total H | 10.569 | 8.916 | 3.121 | X3KM | .218 | .278 | .378 |
| Cutters: | | | | X4KM | .373 | .680 | .744 |
| C1L | .007 | .003 | .011 | Total XKM | .591 | .958 | 1.122 |
| C2L | .048 | .021 | .035 | X4CK | .162 | .239 | .489 |
| C3L | .580 | .195 | .305 | X4G | .194 | .264 | .457 |
| C4L | 1.801 | 1.028 | 1.005 | X5G | .061 | .143 | .202 |
| C5L | .741 | .745 | .624 | Total XG | .255 | .407 | .659 |
| Total CL | 3.177 | 1.992 | 1.980 | Total X | 10.826 | 14.362 | 12.153 |
| C1F | .002 | .001 | .003 | Primings: | | | |
| C2F | .048 | .007 | .038 | P2L | .076 | .058 | .101 |
| C3F | .441 | .200 | .447 | P3L | 1.034 | .852 | .975 |
| C4F | 2.506 | 1.975 | 2.123 | P4L | 2.381 | 2.073 | 2.070 |
| C5F | 1.933 | 2.308 | 1.770 | P5L | 1.171 | .876 | 1.004 |
| Total CF | 4.930 | 4.491 | 4.381 | Total PL | 4.662 | 3.859 | 4.150 |
| C4KR | .724 | .679 | .675 | P2F | .012 | .012 | .025 |
| C4V | --- | --- | .548 | P3F | .495 | .416 | .473 |
| C4LV | .233 | .194 | --- | P4F | 2.726 | 2.847 | 2.636 |
| C4FV | .221 | .222 | --- | P5F | 2.866 | 3.161 | 2.617 |
| C4LS | .021 | .007 | --- | Total PF | 6.099 | 6.436 | 5.751 |
| C5LS | --- | --- | --- | P4G | .365 | .613 | .683 |
| Total CLS | .021 | .007 | --- | P5G | .369 | .538 | .735 |
| C4KL | .031 | .046 | .087 | Total PG | .734 | 1.151 | 1.418 |
| C4KF | .013 | .027 | --- | Total P | 11.495 | 11.446 | 11.319 |
| C4KM | .645 | .812 | 1.064 | Mixed: | | | |
| C4G | --- | --- | .116 | M4F | --- | --- | .007 |
| Total C | 9.995 | 8.470 | 8.851 | M5F | --- | --- | .008 |
| Lugs: | | | | Total MF | --- | --- | .015 |
| X1L | .039 | .026 | .031 | M4KR | --- | --- | .001 |
| X2L | .261 | .168 | .127 | M4KM | --- | --- | .007 |
| X3L | 1.349 | 1.085 | 1.014 | M5KM | --- | --- | .011 |
| X4L | .823 | .865 | .855 | Total MKM | --- | --- | .018 |
| X5L | .083 | .142 | .126 | M4GK | --- | --- | .003 |
| Total XL | 2.555 | 2.286 | 2.153 | M5GK | --- | --- | .002 |
| X1F | .022 | .014 | .034 | Total MGK | --- | --- | .005 |
| X2F | .193 | .147 | .119 | Total M | --- | --- | .039 |
| X3F | 1.765 | 1.748 | 1.283 | Nondescript: | | | |
| X4F | 2.943 | 4.404 | 2.868 | N1L | 1.766 | 2.155 | 1.719 |
| X5F | 1.028 | 2.209 | 1.122 | N1XL | .245 | .536 | .260 |
| Total XF | 5.951 | 8.522 | 5.426 | N1K | .316 | .603 | .209 |
| X3KR | --- | --- | .188 | N1R | .019 | .114 | .077 |
| X4KR | .338 | .411 | .291 | N1GL | .365 | .600 | .981 |
| Total XKR | .338 | .411 | .479 | N1GF | .036 | .128 | .142 |
| X3V | --- | --- | .395 | N1KV | --- | --- | .131 |
| X4V | --- | --- | .736 | N1GR | .010 | .092 | .148 |
| Total XV | --- | --- | 1.131 | N1GG | .003 | .008 | .009 |
| X3LV | .172 | .180 | --- | N1PO | --- | --- | .864 |
| X4LV | .141 | .169 | --- | N1XO | --- | --- | .215 |
| Total XLV | .313 | .349 | --- | N2 | 1.242 | 1.470 | 1.306 |
| X3FV | .174 | .234 | --- | Total N | 4.002 | 5.706 | 6.061 |
| X4FV | .362 | .621 | --- | No. Grade 2/ | 2.754 | 2.930 | 1.333 |
| Total XFV | .536 | .855 | --- | GRAND TOTAL | 100.000 | 100.000 | 100.000 |

1/ Table shows new grades added in 1976 as well as grades authorized in previous years.

2/ Includes tobacco defined as decayed, off-type, and nested; also includes unsafe keeping order and unsound.

UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
WASHINGTON, D. C. 20250

- - -

Official Business

Penalty for Private Use \$300

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF
AGRICULTURE
AGR 101

