

# **TOBACCO MARKET REVIEW**

---

## **FLUE-CURED**

---

**1978 CROP**


**TOB-FL-22**

**U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE**

**WASHINGTON, D.C. APRIL 1979**

# Flue-Cured Tobacco Auction Markets and Marketing Areas

1978 Season



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

CONTENTS

	<u>PAGE</u>
Review of marketing season . . . . .	4
Allotted sales opportunities . . . . .	5
Initial and final designations . . . . .	6-7
Warehouse charges . . . . .	8
Applicable loan levels . . . . .	8
Average basket weight . . . . .	8
Rank of auction markets . . . . .	9
Opening and closing dates . . . . .	10-11
Producers' sales by types . . . . .	12-13
Gross sales and resales by types . . . . .	13-15
Producers' sales by markets . . . . .	16-17
Gross sales by markets . . . . .	18-19
Resales by markets . . . . .	20-21
Summary of sales by types . . . . .	22
Summary of sales by States . . . . .	22
Across-state-line sales . . . . .	23
Receipts under Government loan program . . . . .	23
Brief of flue-cured tobacco grades . . . . .	24
Season prices and schedule of loan rates by grades . . . . .	25-27
Weekly and season prices by grades, type 11 . . . . .	28-29
Weekly and season prices by grades, type 12 . . . . .	30-31
Weekly and season prices by grades, type 13 . . . . .	32-33
Weekly and season prices by grades, type 14 . . . . .	34
Dates of designation of markets . . . . .	35
Composition of crop . . . . .	36-39
Percentage distribution of grades by types . . . . .	40-41
Percentage distribution of marketings by maturity . . . . .	41
Percentage distribution, all flue-cured . . . . .	42-43
Average prices by grade group and type . . . . .	43

The statistics on sales and markets in this review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, and Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades were based on compilation of data recorded from warehouse sales tickets from representative markets in the flue-cured area.

REVIEW OF THE 1978 FLUE-CURED MARKETING SEASON

Net value of \$1,623.4 million

Grade averages mixed

Volume decreases

Loan receipts decline

Quality better

Improved quality highlighted marketing of the 1978 crop of flue-cured tobacco. Weather during the growing season was near perfect in many areas compared to dry conditions the past two seasons. Unlike the past few years, the strongest demand occurred in the Georgia-Florida area and weakened as marketing moved north. Volume placed under loan was the lowest since the 1974 crop.

Sales and averages. Producers received an average price of \$135.07 per hundred for the 1978 crop - up \$17.39 from 1977. Net sales at auction totaled 1,201.8 million pounds and returned \$1,623.4 million to growers.

Grade averages. Averages were higher than in 1977 for the majority of cases while just over one-third of the grades were unchanged or lower. Gains were generally \$2 to \$8 per hundred except in the nondescript group which reflected \$8 to \$21 per hundred increases. The trend, however, was not consistent in all flue-cured areas. The Georgia-Florida belt was the strongest with many grades averaging from \$155 to \$160 per hundred. The Border belt gained in all groups except leaf. In the Eastern belt and the Old & Middle belt, the majority of grade averages were lower than in 1977, especially on significant volume grades of leaf, cutters and lugs. Nondescript was the only group showing consistent gains in all flue-cured areas.

Composition of offerings. Quality improved tremendously from the 1977 crop, but still fell short of the high hopes exhibited during the early growing season. The biggest single improvement was the sharp decline of nondescript tobacco (decrease of 16.7 percentage points) with increases in the leaf and cutter groups. This can be attributed to a combination of better weather during the growing season and the "four-leaf" program which prompted many growers to leave the bottom leaves in the field. Overall, upper stalk grades accounted for nearly seventy percent of the 1978 crop, lugs fourteen percent, primings 9 percent and nondescript six percent. Maturity was the factor that held back quality as forty-two percent of sales fell in immature or unripe grades. The three heaviest volume grades and their percentages were: B4KM (7.5); B4F (6.4) and B4KF (6.0). Rounding out the top ten grades were: B5KF (4.4); B4K (3.9); B5K (3.4); X4F (2.8); B5F (2.8); B5KM (2.8); and C4KM (2.4). These ten grades accounted for 42.4 percent of total sales.

Stabilization receipts. Poundage placed

under loan declined dramatically in all flue-cured belts in 1978. A total of 63.6 million pounds were delivered to the Flue-Cured Stabilization Corporation compared to 193.1 million pounds in 1977. Leaf (B) grades made up 49 percent of receipts this year; smoking leaf (H) 2 percent; cutters (C) 7 percent; lugs (X) 32 percent; primings (P) 8 percent; and nondescript (N) only 2 percent.

Loan rates. Loan rates by grades for the 1978 crop reflected an average support level of 121.0 cents per pound compared to 113.8 cents for the 1977 crop. Eligible growers were required to certify they had not used DDT or TDE insecticides on their crops. Random samplings were conducted by the Agricultural Stabilization and Conservation Service to check for compliance.

Marketing regulations. This was the fifth season under the grower designation plan. The basic provisions of the plan are: growers can designate their quota to individual warehouses within a 100-mile radius of the county seat of the county in which the farm is located and receive price support (sales outside a grower's radius are not eligible for price support); designations can be changed during the season at specified intervals or at any time in certain cases; a Flue-Cured Tobacco Advisory Committee advises the Secretary of Agriculture on marketing conditions and recommends adjustments during the season. The plan is designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area.

Carryover. Carryover tobacco from the 1978 crop was considerably higher than previous years. This overage will be applied against the 1979 effective quota of 1,072.4 billion pounds. Carryover poundage is shown in the following table. This tobacco is packed and held by the trade until July 1, 1979, when Stabilization carryover is offered for sale and warehouse options can be exercised.

State	Delivered to	Delivered to	Total
	warehouses	Stab. Coop.	
- - - Thousands of pounds - - -			
Florida	331	-0-	331
Georgia	4,046	43	4,089
South Carolina	2,825	875	3,700
North Carolina	10,041	9,370	19,411
Virginia	1,786	701	2,487
Total	19,029	10,989	30,018

Table 1--Allotted sales opportunities compared to producers' sales, 1978 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D 5/		Marketing area E 5/		Total flue-cured		
	Sets of buyers	Sales opport. sales	Sets of buyers	Sales opport. sales	Sets of buyers	Sales opport. sales	Sets of buyers	Sales opport. sales	Sets of buyers	Sales opport. sales	Sets of buyers	Sales opport. sales	
-- Thousands of pounds -- --													
July 21	18	20,410	12,654	-	-	-	-	-	-	-	18	20,410 12,654	
July 27	18	27,129	15,666	21	15,781	12,339	-	-	-	-	39	42,910 28,005	
Aug. 03	18	27,146	18,682	21	31,563	22,788	21	24,440	20,983	-	60	83,149 62,453	
Aug. 10	18	24,073	21,516	21	29,792	25,681	21	32,585	30,629	3	3,134	2,038 -	
Aug. 17	9	12,178	12,218	14	20,222	20,033	26	39,592	38,587	3	5,081	3,122 14	
Aug. 24	9	11,504	11,501	14	18,836	19,013	26	36,998	36,932	3	4,437	4,026 14	
Aug. 31	9	11,373	11,218	14	18,714	18,654	26	36,995	36,929	3	4,738	4,720 14	
Sep. 07	9	8,554	8,552	14	14,273	14,350	26	27,762	27,663	3	3,650	3,644 14	
Sep. 14	9	10,666	10,654	14	17,290	17,365	26	34,185	34,419	3	4,398	4,411 14	
Sep. 21	9	12,294	11,585	14	17,703	17,642	26	33,901	33,909	3	4,401	4,421 14	
Sep. 28	9	12,175	8,592	14	17,383	17,368	26	34,201	34,239	3	4,401	4,406 14	
Oct. 05	2	3,352	2,581	14	17,625	17,695	26	33,934	34,195	3	4,401	4,415 14	
Oct. 12		Closed	14	14,805	15,108	30	29,377	29,467	4	3,770	3,777 16		
Oct. 19	-		14	21,410	20,000	30	38,793	38,712	4	5,098	5,080 16		
Oct. 26	-		14	21,133	10,823	30	41,258	41,311	4	5,402	5,400 16		
Nov. 02	-		2	74 <sub>5</sub> <sup>4</sup> /	745	30	44,578	38,928	4	5,956	5,909 19		
Nov. 09	-		Closed	30	14,066 <sub>4</sub> <sup>4</sup> /	14,066	4	6,256	4,641	19	27,213	24,780 55	
Nov. 16	-		-	6	1,534 <sub>4</sub> <sup>4</sup> /	1,534	4	2,915 <sub>4</sub> <sup>4</sup> /	2,915	19	11,63 <sub>4</sub> <sup>4</sup> /	11,637 29	
Nov. 21	-		-	-	-	Closed	Closed	Closed	Closed	6	1,378 <sub>4</sub> <sup>4</sup> /	1,378 6	
Closed Oct. 5, 1978		Closed Oct. 31, 1978		Closed Nov. 4, 1978		Closed Nov. 16, 1978		Closed Nov. 21, 1978					

1/ Based on grower designations. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-Cured Tobacco Advisory Committee.

2/ Clean-up sales.

3/ Derived from weekly market news reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds; close-out for area. Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

4/ Areas D and E shared 1 set of buyers from week of August 17 through week ending October 5. This set is counted in both areas in this table.

5/ Areas D and E shared 1 set of buyers from week of August 17 through week ending October 5. This set is counted in both areas in this table.

Table 2 --Initial and final designation of the 1978 and 1977 flue-cured crops 1/

Market	MARKETING AREA "A"			
	1978 Crop		1977 Crop	
	Initial	Final	Initial	Final
<b>Georgia:</b>	<b>Pounds</b>	<b>Pounds</b>	<b>Pounds</b>	<b>Pounds</b>
Adel	4,754,007	5,238,964	6,843,664	6,674,769
Alma	5,290,726	5,556,417	5,734,255	5,733,252
Baxley	4,667,129	4,505,340	6,125,043	5,990,847
Blackshear	8,956,640	9,245,111	9,231,979	9,686,212
Claxton	6,298,869	7,245,386	5,641,907	6,269,924
Douglas	11,697,730	13,421,421	14,519,124	15,366,023
Fitzgerald	4,321,688	4,409,917	5,088,436	5,592,849
Hahira	3,785,202	3,874,309	4,603,870	4,707,310
Hazlehurst	4,554,802	4,797,889	4,544,224	4,865,633
Metter	4,145,870	4,347,468	5,923,934	6,000,586
Moultrie	12,307,556	13,649,484	12,295,112	13,611,651
Nashville	9,812,951	9,874,945	11,242,755	11,635,910
Pearson	616,715	117,773	1,436,204	1,300,649
Pelham	7,821,213	7,925,329	7,862,505	7,894,997
Quitman	1,640,031	-	2,369,791	2,135,881
Statesboro	5,050,778	6,452,891	7,215,991	8,036,833
Sylvester	1,500	-	579,631	229,604
Thomasville	1,840,024	1,760,477	2,818,867	2,703,096
Tifton	8,130,392	8,475,061	9,916,697	9,990,159
Valdosta	8,778,520	10,711,986	7,988,561	7,853,127
Vidalia	9,329,584	11,017,375	9,246,600	9,398,031
Waycross	4,182,000	4,333,138	4,890,445	5,186,604
<b>Total Georgia</b>	<b>127,983,927</b>	<b>136,960,681</b>	<b>146,119,595</b>	<b>150,863,947</b>
<b>Florida:</b>				
High Springs	3,661,536	3,826,694	3,550,767	3,517,110
Jasper	1,758,052	1,865,400	3,319,702	3,314,909
Lake City	4,299,633	4,675,025	4,943,548	5,133,825
Live Oak	9,494,506	9,770,072	10,060,632	10,219,381
Madison	2,565,424	2,616,586	2,755,493	2,818,917
<b>Total Florida</b>	<b>21,779,151</b>	<b>22,753,777</b>	<b>24,630,142</b>	<b>25,004,142</b>
<b>Total area "A"</b>	<b>149,763,078</b>	<b>159,714,458</b>	<b>170,749,737</b>	<b>175,868,089</b>

	MARKETING AREA "B"			
	1978 Crop		1977 Crop	
	Initial	Final	Initial	Final
<b>South Carolina:</b>				
Conway	11,995,576	13,242,706	12,259,657	12,649,511
Darlington	8,031,139	7,979,931	8,554,217	8,573,192
Dillon	4,165,721	3,653,708	4,246,114	4,080,663
Hemingway	8,470,911	8,605,690	9,368,240	9,630,260
Kingstree	8,258,166	9,096,106	8,374,439	9,085,224
Lake City	32,776,803	38,737,017	32,502,597	35,124,652
Lamar	2,185,649	2/	2,041,917	2,097,931
Loris	9,639,042	9,684,781	11,181,977	11,218,197
Mullins	35,080,595	36,849,091	33,175,162	34,136,059
Pamplico	7,507,060	7,222,227	7,406,095	7,318,443
Timmonsville	10,081,606	10,548,311	11,563,025	11,369,671
<b>Total S. C.</b>	<b>138,192,268</b>	<b>145,619,568</b>	<b>140,673,440</b>	<b>145,283,803</b>
<b>North Carolina:</b>				
Chadbourn	12,240,929	13,873,323	10,477,141	11,223,368
Clarkton	5,657,009	5,984,256	5,714,622	6,127,342
Fair Bluff	7,681,382	7,613,496	7,328,788	7,287,536
Fairmont	31,322,155	32,551,114	27,807,250	27,948,244
Lumberton	25,039,220	25,584,475	24,166,371	24,145,220
Tabor City	12,825,110	13,162,668	12,241,568	13,040,048
Whiteville	19,347,149	20,251,427	19,638,770	20,226,358
<b>Total N. C.</b>	<b>114,112,954</b>	<b>119,020,759</b>	<b>107,374,510</b>	<b>109,998,116</b>
<b>Total area "B"</b>	<b>252,305,222</b>	<b>264,640,327</b>	<b>248,047,950</b>	<b>255,281,919</b>

See footnotes at end of table.

Continued

Table 2 --Initial and final designation of the 1978 and 1977 flue-cured crops--continued 1/

MARKETING AREA "C"

Market	1978 Crop		1977 Crop	
	Initial Pounds	Final Pounds	Initial Pounds	Final Pounds
North Carolina:				
Aberdeen	6,687,405	7,442,944	7,771,258	8,622,867
Ahoskie	8,758,978	9,107,090	8,628,555	8,928,616
Carthage	10,890,872	11,160,967	12,362,737	12,063,782
Clinton	18,697,208	20,222,709	18,076,096	18,212,073
Dunn	17,874,319	17,669,232	15,178,238	17,448,688
Ellerbe	1,410,842	1,120,533	2,326,209	2,221,410
Farmville	34,390,865	35,179,205	29,719,159	30,520,132
Fayetteville	2,724,956	1,555,255	4,383,864	4,294,375
Fuquay-Varina	22,823,297	25,376,670	27,815,329	27,927,547
Goldsboro	32,741,447	33,527,500	28,748,577	30,095,937
Greenville	55,095,267	56,026,356	47,449,564	48,515,899
Kinston	53,698,552	55,000,477	52,675,929	53,959,202
Robersonville	8,643,563	8,630,783	8,299,293	7,862,966
Rocky Mount	32,514,091	33,718,976	35,352,317	33,659,970
Sanford	13,289,410	13,855,578	14,170,979	15,134,668
Smithfield	20,797,421	23,148,359	22,714,207	23,897,373
Tarboro	5,989,575	6,280,086	6,078,773	6,048,906
Wallace	12,979,470	13,111,436	13,722,513	14,416,478
Washington	11,624,864	11,680,295	11,562,149	11,772,601
Wendell	13,713,908	14,004,696	13,716,306	13,580,339
Williamston	13,038,846	13,555,354	12,029,597	12,492,462
Wilson	89,591,215	96,185,904	83,839,227	87,822,936
Windsor	12,070,915	12,409,815	10,495,668	11,184,574
Total area "C"	500,047,286	519,970,220	487,116,544	500,683,801

MARKETING AREA "D"

North Carolina:				
Durham	16,148,848	17,477,364	19,236,294	20,975,507
Henderson	14,832,988	15,892,905	16,039,666	16,960,565
Louisburg	9,199,407	9,285,881	8,717,106	8,488,644
Oxford	14,582,297	16,266,358	18,003,256	18,781,937
Warrenton	7,836,509	8,845,351	8,395,360	8,710,736
Total area "D"	62,600,049	67,767,859	70,391,682	73,917,389

MARKETING AREA "E"

North Carolina:				
Burlington	8,009,877	8,225,041	7,187,852	7,776,421
Greensboro	6,108,479	6,074,039	7,841,311	7,818,679
Madison	8,644,118	8,696,700	10,524,936	10,458,700
Mebane	6,038,435	6,211,134	7,127,486	7,130,521
Mt. Airy	13,954,085	14,707,011	14,475,475	15,551,908
Reidsville	16,551,176	17,898,533	19,255,721	19,650,662
Roxboro	15,580,991	16,763,799	16,916,085	17,679,443
Stoneville	12,614,858	13,114,295	13,521,400	13,611,997
Winston-Salem	50,844,057	54,998,904	51,382,047	55,915,294
Yadkinville	6,269,436	7,088,218	9,080,227	8,639,080
Total N. C.	144,615,512	153,777,674	157,312,540	164,232,705

Virginia:				
Brookneal	10,079,880	10,270,405	11,634,698	11,384,554
Chase City	6,316,315	6,606,983	7,403,777	7,607,447
Clarksville	6,282,850	6,609,475	6,266,803	6,586,340
Danville	42,747,408	46,815,405	46,671,742	49,540,645
Kenbridge	5,680,905	5,906,547	7,225,322	7,433,863
Lawrenceville	7,415,590	8,321,048	8,090,535	8,726,957
Martinsville	6,514,308	6,671,432	7,480,290	8,329,978
Petersburg	4,669,728	5,093,687	5,619,108	6,196,337
South Boston	20,055,004	22,371,332	21,265,255	22,551,640
South Hill	9,313,428	9,976,880	10,054,897	11,053,390
Total Virginia	119,075,416	128,643,194	131,712,427	139,411,151
Total area "E"	263,690,928	282,420,868	289,024,967	303,643,856
Total flue-cured	1,228,406,563	1,294,513,732	1,265,330,880	1,309,395,054

1/ Growers allowed to designate 110 percent of their effective quota.

2/ Effective August 21 Lamar auction sales transferred to Lake City.

Table 3--Auction sales warehouse charges on flue-cured markets, 1978 crop.

State	Type	Auction fee <u>1/</u>	Commission on gross sales <u>1/</u>	Additional charges
Florida	14	15 cents on all piles	<u>Percent</u>	
Georgia	14	of 100 pounds or less	2½	Weighing and handling 10
North Carolina	11-13	and 25 cents on all	2½	cents per pile on all piles
South Carolina	13	piles over 100 pounds	2½	of 100 pounds or less, and
Virginia	11	25 cents per pile	2½	10 cents for each additional
				100 pounds.
				Weighing, 10 cents per 100
				pounds.

1/ Maximum permitted under state law.

Table 4--Applicable loan level per pounds for flue-cured tobacco, 1960 to 1978 crops.

Crop	Loan level						
	<u>Cents</u>		<u>Cents</u>		<u>Cents</u>		<u>Cents</u>
1960	47.9	1966	58.8	1972	72.7	1978	121.0
1961	55.5	1967	59.9	1973	76.6	1979	
1962	56.1	1968	61.6	1974	83.3	1980	
1963	56.6	1969	63.8	1975	93.2	1981	
1964	57.2	1970	66.6	1976	106.0	1982	
1965	57.7	1971	69.4	1977	113.8	1983	

Table 5--Average weight per lot of flue-cured tobacco, 1974 to 1978 1/

Crop	Type 11	Type 12	Type 13	Type 14	Type 11 - 14
	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>	<u>Pounds</u>
1974 <u>2/</u>	183	184	186	192	186
1975	174	179	184	189	180
1976	178	179	180	189	180
1977	178	175	174	184	177
1978	180	182	183	188	182
1979					
1980					
1981					
1982					
1983					
1984					

1/ Data for years prior to 1974 may be found in the 1977 and earlier issues of the market review.

2/ Beginning in 1974 the maximum allowable pounds were increased from 200 pounds to 250 pounds per pile.

Table 6--Rank of flue-cured markets, according to volume of producers' sales, by separate types and by all types, 1978 marketing season. 1/

Type, market and State	Sales	Rank by:		Type, market and State	Sales	Rank by:			
		Separate types	All types			Separate types	All types		
<u>Mil. lbs.</u>				<u>Mil. lbs.</u>					
<u>TYPE 11</u>				<u>TYPE 13</u>					
Winston-Salem, NC	46.9	1	4	Lake City, SC	36.5	1	6		
Danville, VA.	42.1	2	5	Mullins, SC	35.1	2	7		
Fuquay-Varina, NC	23.7	3	12	Fairmont, NC	31.2	3	11		
South Boston, VA.	20.8	4	15	Lumberton, NC	23.4	4	13		
Reidsville, NC	15.8	5	19	Whiteville, NC	18.9	5	17		
Durham, NC	15.6	6	20	Chadbourn, NC	12.8	6	27		
Roxboro, NC	15.3	7	21	Conway, SC	12.6	7	29		
Henderson, NC	15.2	8	22	Tabor City, NC	12.3	8	32		
Oxford, NC	14.9	9	23	Timmonsville, SC	10.0	9	38		
Mt. Airy, NC	13.3	10	25	Loris, SC	9.1	10	43		
Sanford, NC	12.4	11	31	Kingstree, SC	8.6	11	47		
Stoneville, NC	11.4	12	35	Hemingway, SC	8.3	12	50		
Carthage, NC	10.1	13	37	Darlington, SC	7.6	13	56		
South Hill, VA.	9.3	14	42	Fair Bluff, NC	7.3	14	57		
Louisburg, NC	8.9	15	45	Pamlico, SC	6.8	15	61		
Brookneal, VA.	8.8	16	46	Clarkton, NC	5.3	16	71		
Warrenton, NC	8.5	17	48	Dillon, SC	3.4	17	83		
Madison, NC	7.8	18	54	Fayetteville, NC	1.5	18	88		
Lawrenceville, VA.	7.8	19	55	Lamar, SC	0.5	19	90		
Burlington, NC	7.2	20	59						
Aberdeen, NC	6.8	21	60						
Chase City, VA.	6.3	22	63						
Clarksville, VA.	6.2	23	64						
Yadkinville, NC	5.9	24	67						
Martinsville, VA.	5.8	25	68						
Mebane, NC	5.4	26	69						
Kenbridge, VA.	5.3	27	72						
Greensboro, NC	5.0	28	73						
Petersburg, VA.	4.6	29	75						
Ellerbe, NC	0.9	30	89						
<u>TYPE 12</u>				<u>TYPE 14</u>					
Wilson, NC	92.4	1	1	Moultrie, GA.	12.9	1	26		
Kinston, NC	52.6	2	2	Douglas, GA.	12.5	2	30		
Greenville, NC	52.6	3	3	Valdosta, GA.	9.6	3	39		
Farmville, NC	33.5	4	8	Vidalia, GA.	9.5	4	40		
Rocky Mount, NC	32.3	5	9	Nashville, GA.	9.4	5	41		
Goldsboro, NC	32.2	6	10	Blackshear, GA.	8.9	6	44		
Smithfield, NC	22.3	7	14	Live Oak, FL.	8.0	7	52		
Clinton, NC	19.2	8	16	Tifton, GA.	7.9	8	53		
Dunn, NC	16.7	9	18	Pelham, GA.	7.2	9	58		
Wendell, NC	13.5	10	24	Claxton, GA.	6.6	10	62		
Williamston, NC	12.7	11	28	Statesboro, GA.	6.0	11	66		
Wallace, NC	12.3	12	33	Alma, GA.	5.4	12	70		
Windsor, NC	11.6	13	34	Adel, GA.	4.8	13	74		
Washington, NC	10.9	14	36	Hazlehurst, GA.	4.4	14	76		
Ahoskie, NC	8.5	15	49	Baxley, GA.	4.3	15	77		
Robersonville, NC	8.1	16	51	Waycross, GA.	4.1	16	78		
Tarboro, NC	6.1	17	65	Fitzgerald, GA.	4.0	17	79		
				Lake City, FL.	3.9	18	80		
				Metter, GA.	3.8	19	81		
				Hahira, GA.	3.5	20	82		
				High Springs, FL.	3.0	21	84		
				Madison, FL.	2.3	22	85		
				Jasper, FL.	1.7	23	86		
				Thomasville, GA.	1.5	24	87		
				Pearson, GA.	0.1	25	91		

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 7--Opening and closing dates of marketing season; sales floors of tobacco sold at auction in the United States by types, States and markets, 1978 and 1977 crops

States and markets	TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED								
	Markets	1978				1977			
		Opening dates	Closing dates	Sales days	Sales floors	Opening dates	Closing dates	Sales days	Sales floors
Virginia:		<u>Number</u>		<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Brookneal		Aug. 15	Nov. 20	31	4	Aug. 9	Nov. 15	33	4
Chase City		Aug. 16	Nov. 21	21	4	Aug. 9	Nov. 16	24	4
Clarksville		Aug. 16	Nov. 20	20	3	Aug. 10	Nov. 16	19	3
Danville		Aug. 15	Nov. 21	55	9	Aug. 9	Dec. 9	58	9
Kenbridge		Aug. 17	Nov. 15	18	4	Aug. 10	Nov. 14	23	4
Lawrenceville		Aug. 15	Nov. 16	24	3	Aug. 10	Nov. 16	26	3
Martinsville		Aug. 16	Nov. 15	20	2	Aug. 10	Nov. 16	23	2
Petersburg		Aug. 17	Nov. 15	15	4	Aug. 11	Nov. 14	20	5
South Boston		Aug. 15	Nov. 21	54	10	Aug. 9	Nov. 22	55	10
South Hill		Aug. 15	Nov. 21	29	4	Aug. 9	Nov. 17	31	4
Total		10		47				48	
North Carolina:									
Aberdeen		Aug. 2	Nov. 7	20	3	July 26	Nov. 3	25	3
Burlington		Aug. 15	Nov. 14	23	3	Aug. 10	Nov. 14	21	3
Carthage		Aug. 1	Nov. 6	31	4	July 25	Oct. 31	36	4
Durham		Aug. 8	Nov. 14	48	5	Aug. 2	Nov. 14	57	5
Ellerbe		Aug. 10	Oct. 18	5	3	Aug. 2	Oct. 26	7	3
Fuquay-Varina		Aug. 1	Nov. 9	56	8	July 25	Nov. 8	58	8
Greensboro		Aug. 17	Nov. 9	17	2	Aug. 9	Nov. 10	21	2
Henderson		Aug. 8	Nov. 15	48	5	Aug. 2	Nov. 15	58	7
Louisburg		Aug. 8	Nov. 14	29	4	Aug. 2	Nov. 14	29	3
Madison		Aug. 15	Nov. 15	27	3	Aug. 10	Nov. 14	31	3
Mebane		Aug. 16	Nov. 13	18	2	Aug. 10	Nov. 9	19	2
Mt. Airy		Aug. 15	Nov. 16 1/	43	5	Aug. 10	Nov. 17	44	5
Oxford		Aug. 8	Nov. 15 1/	48	7	Aug. 2	Nov. 21	58	6
Reidsville		Aug. 15	Nov. 14	51	4	Aug. 9	Nov. 14	53	4
Roxboro		Aug. 15	Nov. 16	45	6	Aug. 9	Nov. 15	46	6
Sanford		Aug. 2	Nov. 8	41	4	July 25	Nov. 3	43	4
Stoneville		Aug. 15	Nov. 15	40	3	Aug. 9	Nov. 14	40	3
Warrenton		Aug. 9	Nov. 16	28	6	Aug. 3	Nov. 14	29	7
Winston-Salem		Aug. 15	Nov. 16 1/	53	8	Aug. 9	Nov. 28	56	8
Yadkinville		Aug. 16	Nov. 13	20	5	Aug. 9	Nov. 10	25	5
Total		20		90				91	
Total type 11		30		137				139	

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:	TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED								
Ahoskie		Aug. 2	Nov. 7	24	3	July 26	Oct. 31	26	2
Clinton		Aug. 1	Nov. 8	54	6	July 25	Oct. 27	51	6
Dunn		Aug. 1	Nov. 7	49	6	July 26	Nov. 1	43	5
Farmville		Aug. 1	Nov. 9	57	9	July 25	Oct. 25	51	8
Goldsboro		Aug. 1	Nov. 8	56	9	July 25	Oct. 26	52	9
Greenville		Aug. 1	Nov. 14	58	10	July 25	Oct. 20	50	10
Kinston		Aug. 1	Nov. 8	56	8	July 25	Oct. 26	52	8
Robersonville		Aug. 2	Nov. 7	28	4	July 26	Oct. 25	24	4
Rocky Mount		Aug. 1	Nov. 9	57	8	July 25	Nov. 9	59	8
Smithfield		Aug. 1	Nov. 9	57	6	July 25	Nov. 3	57	6
Tarboro		Aug. 3	Nov. 6	20	3	July 27	Oct. 26	17	5
Wallace		Aug. 1	Nov. 7	38	4	July 25	Oct. 31	40	4
Washington		Aug. 2	Nov. 8	34	4	July 26	Oct. 20	31	4
Wendell		Aug. 1	Nov. 8	42	6	July 25	Oct. 31	40	7
Williamston		Aug. 1	Nov. 8	42	4	July 25	Oct. 19	29	4
Wilson		Aug. 1	Nov. 14	59	19	July 25	Nov. 3	57	18
Windsor		Aug. 1	Nov. 7	32	5	July 25	Oct. 25	26	3
Total type 12		17		114				111	

1/ Mt. Airy clean-up sale held Dec. 1. Oxford clean-up sale held Nov. 22. Winston-Salem clean-up sale held Nov. 30.

Continued

Table 7--Opening and closing dates of marketing season; sales floors of tobacco sold at auction in the United States by types, States and markets, 1978 and 1977 crops--continued

States and markets	TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED								
	Markets	Opening dates	Closing dates	Sales days	Sales floors	Opening dates	Closing dates	Sales days	Sales floors
South Carolina:									
Conway		July 26	Oct. 23	39	4	July 19	Oct. 13	40	4
Darlington		July 26	Oct. 26	24	4	July 19	Oct. 25	30	4
Dillon		July 27	Oct. 25	15	3	July 20	Oct. 17	14	3
Hemingway		July 27	Oct. 23	27	2	July 19	Oct. 17	34	3
Kingstree		July 26	Oct. 25	28	4	July 19	Oct. 13	26	5
Lake City		July 26	Oct. 25	51	7	July 19	Oct. 18	51	7
Lamar		July 31	Aug. 21	3	2	July 21	Oct. 18	7	2
Loris		July 26	Oct. 19	28	3	July 19	Oct. 12	37	3
Mullins		July 26	Oct. 24	50	11	July 19	Oct. 17	50	9
Pamplico		July 26	Oct. 25	26	4	July 20	Oct. 19	25	4
Timmonsville		July 26	Oct. 24	31	3	July 19	Oct. 19	37	3
Total	11			47				47	
North Carolina:									
Chadbourn		July 26	Oct. 30	39	3	July 19	Oct. 19	34	3
Clarkton		July 27	Oct. 31	19	3	July 19	Oct. 20	19	3
Fair Bluff		July 26	Oct. 24	23	5	July 19	Oct. 13	22	5
Fairmont		July 26	Oct. 31	54	10	July 19	Oct. 17	50	10
Fayetteville		July 26	Oct. 2	5	1	July 28	Oct. 20	12	2
Lumberton		July 26	Oct. 30	53	9	July 19	Oct. 20	51	8
Tabor City		July 26	Oct. 23	37	3	July 19	Oct. 19	39	3
Whiteville		July 26	Oct. 26	51	9	July 19	Oct. 19	52	8
Total	8			43				42	
Total type 13	19			90				89	

	TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED								
	Markets	Opening dates	Closing dates	Sales days	Sales floors	Opening dates	Closing dates	Sales days	Sales floors
Georgia:									
Adel		July 19	Sep. 25	18	3	July 13	Sep. 27	21	4
Alma		July 19	Sep. 26	16	5	July 13	Sep. 29	18	5
Baxley		July 20	Oct. 4	16	5	July 13	Sep. 28	18	5
Blackshear		July 19	Sep. 25	27	5	July 13	Oct. 3	29	5
Claxton		July 19	Oct. 4	23	2	July 14	Oct. 5	20	3
Douglas		July 19	Oct. 3	36	4	July 13	Oct. 6	41	5
Fitzgerald		July 19	Oct. 2	15	2	July 13	Sep. 28	16	2
Hahira		July 20	Sep. 19	13	4	July 13	Sep. 27	17	4
Hazlehurst		July 19	Sep. 28	15	4	July 14	Sep. 28	15	3
Metter		July 20	Oct. 4	15	1	July 13	Oct. 5	20	2
Moultrie		July 19	Sep. 28	36	6	July 13	Sep. 29	38	5
Nashville		July 19	Sep. 28	33	4	July 13	Sep. 29	34	5
Pearson		July 27	Aug. 28	2	1	July 18	Sep. 28	5	1
Pelham		July 19	Sep. 28	27	2	July 13	Sep. 28	26	1
Quitman		No sales held in 1978				July 14	Sep. 21	8	2
Statesboro		July 19	Oct. 5	21	5	July 13	Oct. 5	25	6
Sylvester		No sales held in 1978				July 26	Sep. 15	2	1
Thomasville		July 21	Sep. 20	7	2	July 13	Sep. 22	10	1
Tifton		July 19	Sep. 27	29	3	July 13	Sep. 29	33	4
Valdosta		July 19	Sep. 25	30	4	July 13	Sep. 28	26	3
Vidalia		July 19	Oct. 5	33	6	July 13	Sep. 29	27	5
Waycross		July 20	Sep. 20	12	2	July 14	Oct. 3	17	2
Total	20			70				75	
Florida:									
High Springs		July 19	Sep. 14	12	3	July 14	Sep. 13	11	3
Jasper		July 24	Sep. 13	6	2	July 15	Sep. 8	9	3
Lake City		July 20	Sep. 19	14	3	July 13	Sep. 20	16	3
Live Oak		July 19	Sep. 18	25	6	July 13	Sep. 19	28	6
Madison		July 20	Sep. 19	9	2	July 14	Sep. 19	9	2
Total	5			16				17	
Total type 14	25			86				92	
Total 11-14	91			427				431	

Table 8--Producers' sales, value and average price by types for flue-cured tobacco, crops of 1960 to 1978 1/

TYPE 11 - OLD AND MIDDLE BELT

Crop 2/	Average price			Crop	Average price		
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1960	391,390,676	234,985,758	60.04	1973	364,793,838	322,153,793	88.31
1961	392,952,967	251,489,769	64.00	1974	366,332,632	388,549,989	106.06
1962	463,117,209	280,970,280	60.67	1975	400,832,258	394,336,519	98.38
1963	446,551,784	250,533,205	56.10	1976	434,999,525	465,350,359	106.98
1964	491,855,929	291,250,930	59.21	1977	366,808,557	417,330,219	113.77
1965	330,231,162	212,495,742	64.35	1978	367,998,997	485,041,730	131.81
1966	398,904,857	251,750,791	63.11	1979			
1967	393,415,249	244,672,123	62.19	1980			
1968	298,666,040	192,868,276	64.58	1981			
1969	336,016,733	240,149,054	71.47	1982			
1970	346,754,284	243,340,263	70.18	1983			
1971	324,242,019	250,882,054	77.37	1984			
1972	296,606,461	246,802,437	83.21	1985			

TYPE 12 - EASTERN NORTH CAROLINA

1960	409,980,457	251,077,871	61.24	1973	379,505,519	337,751,016	89.00
1961	386,055,705	252,729,976	65.46	1974	407,007,009	431,331,721	105.98
1962	400,129,062	239,716,394	59.91	1975	506,560,874	512,413,345	101.16
1963	421,882,034	247,680,810	58.71	1976	461,764,674	521,621,734	112.96
1964	420,093,250	238,216,548	56.71	1977	370,468,041	439,097,186	118.52
1965	296,024,450	187,386,497	63.30	1978	437,339,128	586,891,858	134.20
1966	328,736,141	225,475,919	68.59	1979			
1967	346,319,605	224,636,700	64.86	1980			
1968	287,009,702	194,193,390	67.66	1981			
1969	313,143,261	226,984,176	72.49	1982			
1970	358,241,279	260,897,452	72.83	1983			
1971	316,362,168	248,454,294	78.53	1984			
1972	316,441,050	276,394,101	87.34	1985			

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA

1960	279,815,114	173,750,806	62.09	1973	263,221,379	228,552,101	86.83
1961	293,312,117	193,527,949	65.98	1974	277,759,577	288,606,699	103.91
1962	346,750,719	212,610,306	61.32	1975	321,370,317	320,557,161	99.74
1963	313,733,079	189,298,356	60.34	1976	261,101,557	293,115,049	112.26
1964	309,172,100	184,425,734	59.65	1977	227,599,029	282,038,620	123.92
1965	277,010,241	181,633,946	65.57	1978	251,200,323	344,041,868	136.96
1966	223,674,943	154,388,218	69.02	1979			
1967	300,851,081	195,583,110	65.01	1980			
1968	255,973,622	171,150,530	66.86	1981			
1969	254,827,602	185,412,983	72.76	1982			
1970	282,105,816	202,496,606	71.78	1983			
1971	259,089,401	196,309,798	75.77	1984			
1972	242,317,459	206,781,771	85.34	1985			

TYPE 14 - GEORGIA AND FLORIDA

1960	166,037,115	94,438,724	56.88	1973	147,380,111	129,325,426	87.75
1961	176,610,768	104,595,980	59.22	1974	188,993,215	194,378,265	102.85
1962	190,308,873	107,869,014	56.68	1975	181,844,805	181,893,846	100.03
1963	182,008,168	104,320,747	57.32	1976	155,051,397	170,813,390	110.17
1964	157,770,918	93,055,511	58.98	1977	156,528,836	181,232,258	115.78
1965	155,051,918	102,638,782	66.20	1978	145,288,241	207,376,974	142.73
1966	155,004,127	108,526,147	70.01	1979			
1967	206,896,521	135,655,587	65.57	1980			
1968	153,995,962	105,286,821	68.37	1981			
1969	146,715,739	107,683,665	73.40	1982			
1970	190,998,985	141,975,628	74.33	1983			
1971	174,622,082	134,200,109	76.85	1984			
1972	160,209,770	136,904,729	85.45	1985			

See footnote at end of table.

Continued

Table 8--Producers' sales, value and average price by types for flue-cured tobacco, crops of 1960 to 1978--continued 1/

TYPES 11-14 - TOTAL FLUE-CURED

Crop 2/	Average price			Crop	Average price		
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1960	1,247,223,362	754,253,159	60.47	1973	1,154,900,847	1,017,731,649	88.13
1961	1,248,931,557	802,343,674	64.24	1974	1,240,092,433	1,302,866,674	105.06
1962	1,400,305,863	841,165,994	60.07	1975	1,410,608,254	1,409,200,871	99.90
1963	1,364,175,065	791,833,118	58.04	1976	1,312,917,153	1,450,900,532	110.51
1964	1,378,892,197	806,948,723	58.52	1977	1,121,404,463	1,319,698,283	117.68
1965	1,058,317,771	684,154,967	64.65	1978	1,201,826,689	1,623,352,430	135.07
1966	1,106,320,068	740,141,075	66.90	1979			
1967	1,247,482,456	800,547,520	54.17	1980			
1968	995,645,366	663,499,017	66.64	1981			
1969	1,050,703,335	760,229,878	72.35	1982			
1970	1,178,100,364	848,709,949	72.04	1983			
1971	1,074,315,670	829,846,255	77.24	1984			
1972	1,015,574,740	866,967,750	85.37	1985			

1/ Auction sales only. Does not include carry-over tobacco, nonauction sales or direct deliveries.

2/ Data for years prior to 1960 may be found in the 1975 and earlier issues of the market review.

Table 9--Gross sales, value and average price; resales, average price and percentage of gross sales by types for flue-cured tobacco, crops of 1960 to 1978.

TYPE 11 - OLD AND MIDDLE BELT

Crop 1/	Gross			Resales			Percentage of gross sales
	Sales	Value	Average price	Resales	Average price	Percent	
	Pounds	Dollars	Dollars	Pounds	Dollars	Percent	
1960	432,349,697	257,131,754	59.47	40,959,021	54.07	9.5	
1961	433,878,788	275,423,386	63.48	40,925,821	58.48	9.4	
1962	495,863,703	299,344,255	60.37	32,746,494	56.11	6.6	
1963	473,852,962	264,826,650	55.89	27,301,178	52.36	5.8	
1964	523,307,103	308,020,265	58.86	31,451,174	53.32	6.0	
1965	358,797,333	230,198,262	64.16	28,566,171	61.97	8.0	
1966	428,199,368	269,577,052	62.96	29,294,511	60.85	6.8	
1967	411,759,045	255,987,675	62.17	18,343,796	61.69	4.5	
1968	312,370,579	201,535,932	64.52	13,704,539	63.25	4.4	
1969	351,272,390	250,588,672	71.34	15,255,657	68.43	4.3	
1970	360,372,223	252,474,693	70.06	13,617,939	67.08	3.8	
1971	334,280,998	258,428,522	77.31	10,038,979	75.17	3.0	
1972	309,630,570	257,523,240	83.17	13,024,109	81.67	4.2	
1973	372,877,235	328,896,674	88.21	8,083,397	85.59	2.2	
1974	383,300,378	406,140,228	105.96	16,967,746	103.67	4.4	
1975	417,535,807	410,987,195	98.43	16,703,549	96.56	4.0	
1976	452,830,681	485,203,903	107.15	17,831,156	111.34	3.9	
1977	385,256,228	439,235,153	114.01	18,447,671	118.74	4.8	
1978	391,103,294	515,946,150	131.92	23,104,297	133.76	5.9	
1979							
1980							
1981							
1982							
1983							
1984							
1985							

See footnote at end of table.

Continued

Table 9--Gross sales, value and average price; resales, average price and percentage of gross sales by types for flue-cured tobacco, crops of 1960 to 1978--continued

TYPE 12 - EASTERN NORTH CAROLINA						
Crop 1/	Gross			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1960	443,849,883	269,234,668	60.66	33,869,426	53.61	7.6
1961	414,387,518	269,117,638	64.94	28,331,813	57.84	6.8
1962	426,197,628	253,383,812	59.45	26,068,566	52.43	6.1
1963	447,810,344	260,597,473	58.19	25,928,310	49.82	5.8
1964	439,070,156	247,127,905	56.28	18,976,906	46.96	4.3
1965	313,961,096	197,754,494	62.99	17,936,646	57.80	5.7
1966	348,628,637	238,216,849	68.33	19,892,496	64.05	5.7
1967	359,468,542	232,513,716	64.68	13,148,397	59.91	3.7
1968	294,991,827	199,000,456	67.46	7,982,125	60.22	2.7
1969	320,845,503	232,056,675	72.33	7,702,242	65.86	2.4
1970	367,241,196	266,931,243	72.68	8,999,917	67.04	2.4
1971	322,519,226	253,011,308	78.45	6,157,058	74.01	1.9
1972	323,202,625	281,927,439	87.23	6,761,575	81.84	2.1
1973	384,981,707	342,430,123	88.95	5,476,188	85.44	1.4
1974	419,898,578	444,697,425	105.91	12,891,569	103.68	3.1
1975	523,294,455	529,244,007	101.14	16,733,581	100.58	3.2
1976	480,139,814	542,638,536	113.02	18,375,140	114.38	3.8
1977	388,914,382	461,020,721	118.54	18,446,341	118.85	4.7
1978	465,606,347	624,550,827	134.14	28,267,219	133.22	6.1
1979						
1980						
1981						
1982						
1983						
1984						
1985						

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA						
1960	310,723,428	190,734,738	61.38	30,908,314	54.95	9.9
1961	324,548,716	212,215,581	65.39	31,236,599	59.83	9.6
1962	380,565,542	232,006,009	60.96	33,814,823	57.36	8.9
1963	343,634,666	205,886,036	59.91	29,901,587	55.47	8.7
1964	338,191,697	200,024,970	59.15	29,019,597	53.75	8.6
1965	307,093,820	200,416,487	65.26	30,083,579	62.43	9.8
1966	244,515,798	168,269,710	68.82	20,840,255	66.60	8.5
1967	321,858,935	209,247,378	65.01	21,007,854	65.04	6.5
1968	267,797,623	178,792,044	66.76	11,823,961	64.63	4.4
1969	266,398,182	193,417,154	72.60	11,570,580	69.18	4.3
1970	295,199,641	211,647,639	71.70	13,093,825	69.89	4.4
1971	268,269,338	203,142,898	75.72	9,179,937	74.44	3.4
1972	249,189,219	212,636,929	85.33	6,871,760	85.21	2.8
1973	270,106,986	234,450,946	86.80	6,885,607	85.67	2.5
1974	290,214,356	301,501,762	103.89	12,454,779	103.54	4.3
1975	337,295,149	336,862,452	99.87	15,924,832	102.39	4.7
1976	274,533,411	308,368,439	112.32	13,431,854	113.56	4.9
1977	242,521,480	301,064,572	124.14	14,922,451	127.50	6.2
1978	272,244,858	373,061,481	137.03	21,044,535	137.90	7.7
1979						
1980						
1981						
1982						
1983						
1984						
1985						

See footnote at end of table.

Continued

Table 9--Gross sales, value and average price; resales, average price and percentage of gross sales by types for flue-cured tobacco, crops of 1960 to 1978--continued

Crop 1/	TYPE 14 - GEORGIA AND FLORIDA			Resales		
	Gross		Average price	Resales	Average price	Percentage of gross sales
	Sales	Value	Dollars	Pounds	Dollars	Percent
1960	182,828,147	103,140,976	56.41	16,791,032	51.83	9.2
1961	191,637,024	112,834,017	58.88	15,026,256	54.82	7.8
1962	205,291,095	116,011,975	56.51	14,982,222	54.35	7.3
1963	198,092,819	112,668,937	56.88	16,084,651	51.90	6.3
1964	174,701,252	102,400,740	58.61	16,930,334	55.20	9.7
1965	172,159,315	113,657,538	66.02	17,107,397	64.42	9.9
1966	172,935,416	120,869,024	69.89	17,931,289	68.83	10.4
1967	224,236,445	146,998,659	65.56	17,339,924	65.42	7.7
1968	164,171,955	112,061,970	68.26	10,175,993	66.58	6.2
1969	157,067,017	115,089,395	73.27	10,351,278	71.54	6.6
1970	201,045,076	149,308,182	74.27	10,046,091	72.99	5.0
1971	181,667,143	139,553,076	76.82	7,045,061	75.98	3.9
1972	165,681,843	141,569,824	85.45	5,472,073	85.25	3.3
1973	153,258,700	134,419,282	87.71	5,878,589	86.78	3.8
1974	197,751,953	203,205,014	102.76	8,758,738	100.78	4.4
1975	190,579,943	190,808,798	100.12	8,735,138	102.06	4.6
1976	162,761,434	179,368,837	110.20	7,710,037	110.97	4.7
1977	169,195,099	196,094,691	115.90	12,666,263	117.34	7.5
1978	160,110,020	227,934,602	142.36	14,821,779	138.70	9.3
1979						
1980						
1981						
1982						
1983						
1984						
1985						

TYPES 11-14 - TOTAL FLUE-CURED						
1960	1,369,751,155	820,242,136	59.88	122,527,793	53.86	8.9
1961	1,364,452,046	869,590,622	63.73	115,520,489	58.21	8.5
1962	1,507,917,968	900,746,051	59.73	107,612,105	55.37	7.1
1963	1,463,390,791	843,979,096	57.67	99,215,726	52.56	6.8
1964	1,475,270,208	857,573,880	58.13	96,378,011	52.53	6.5
1965	1,152,011,564	742,027,781	64.41	93,693,793	61.77	8.1
1966	1,194,279,219	796,932,635	66.73	87,959,151	64.57	7.4
1967	1,317,322,967	844,747,428	64.13	69,840,511	63.29	5.3
1968	1,039,331,984	691,390,402	66.52	43,686,618	63.84	4.2
1969	1,095,583,092	791,151,896	72.21	44,879,757	68.90	4.1
1970	1,223,858,136	880,361,757	71.93	45,757,772	69.12	3.7
1971	1,106,736,705	854,135,804	77.18	32,421,035	74.92	2.9
1972	1,047,704,257	893,657,432	85.30	32,129,517	83.07	3.1
1973	1,181,224,628	1,040,372,414	88.08	26,323,781	85.82	2.2
1974	1,291,165,265	1,355,544,429	104.99	51,072,832	103.14	4.0
1975	1,468,705,354	1,467,902,452	99.95	58,097,100	101.04	4.0
1976	1,370,265,340	1,515,579,715	110.60	57,348,187	112.78	4.2
1977	1,185,887,189	1,397,415,137	117.84	64,482,726	120.52	5.4
1978	1,289,064,519	1,741,493,060	135.10	87,237,830	135.42	6.8
1979						
1980						
1981						
1982						
1983						
1984						
1985						

1/ Data for years prior to 1960 may be found in the 1975 and earlier issues of the market review.

Table 10--Producers' sales, value and average price by markets for flue-cured tobacco, 1978 and 1977 crops 1/

Market and state	TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED					
	1978 Crop			1977 Crop		
	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>
<b>Virginia:</b>						
Brookneal	8,849,147	11,697,319	132.19	9,389,478	10,819,859	115.23
Chase City	6,283,164	8,436,578	134.27	6,946,703	8,245,660	118.70
Clarksville	6,178,655	8,324,906	134.74	5,938,310	7,294,516	122.84
Danville	42,139,256	56,141,166	133.23	42,899,339	50,157,520	116.92
Kenbridge	5,270,715	6,918,206	131.26	6,423,863	7,591,751	118.18
Lawrenceville	7,759,545	10,391,405	133.92	7,970,568	9,473,626	118.86
Martinsville	5,832,865	7,650,653	131.16	7,116,216	8,559,576	120.28
Petersburg	4,574,921	6,034,428	131.90	5,444,380	6,540,076	120.13
South Boston	20,830,484	28,248,358	135.61	19,558,996	22,290,751	113.97
South Hill	9,288,088	12,555,834	135.18	10,212,912	12,557,018	122.95
Total Virginia	117,006,840	156,398,853	133.67	121,900,765	143,530,353	117.74
North Carolina:						
Aberdeen	6,788,783	8,585,672	126.47	6,896,441	7,307,729	105.96
Burlington	7,161,846	9,083,986	126.84	6,609,898	7,494,286	113.38
Carthage	10,109,276	13,330,707	131.87	10,384,616	12,006,588	115.62
Durham	15,632,235	20,073,092	128.41	16,621,388	17,762,399	106.86
Ellerbe	893,677	1,106,048	123.76	1,696,607	1,772,844	104.49
Fuquay-Varina	23,719,401	31,249,775	131.75	24,888,752	28,217,247	113.37
Greensboro	4,985,898	6,397,820	128.32	5,397,951	5,750,373	106.53
Henderson	15,219,661	20,048,111	131.73	15,273,367	17,785,774	116.45
Louisburg	8,864,817	11,443,805	129.09	7,387,957	8,202,113	111.02
Madison	7,802,929	10,390,201	133.16	7,493,040	8,114,341	108.29
Mebane	5,449,049	7,257,751	133.19	6,152,041	7,027,145	114.22
Mt. Airy	13,325,642	17,267,653	129.58	11,837,984	13,350,309	112.78
Oxford	14,857,769	19,402,858	130.59	15,554,324	16,891,035	108.59
Reidsville	15,827,833	20,955,172	132.39	15,890,052	17,882,608	112.54
Roxboro	15,335,190	20,247,960	132.04	15,221,053	16,792,987	110.33
Sanford	12,384,222	16,391,643	132.36	13,424,830	16,458,596	122.60
Stoneville	11,406,851	15,238,454	133.59	10,095,768	11,246,096	111.39
Warrenton	8,497,929	10,854,718	127.73	8,093,928	8,975,949	110.90
Winston-Salem	46,858,272	62,011,461	132.34	40,261,428	45,092,058	112.00
Yadkinville	5,870,877	7,305,990	124.44	5,726,367	5,669,390	99.01
Total N. C.	250,992,157	328,642,877	130.94	244,907,792	273,799,866	111.80
Total Type 11	367,998,997	485,041,730	131.81	366,808,557	417,330,219	113.77

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:						
Ahoskie	8,478,431	10,978,669	129.49	7,833,914	9,936,033	126.83
Clinton	19,186,230	25,266,744	131.69	16,002,233	19,104,045	119.38
Dunn	16,746,920	21,403,905	127.81	15,574,122	17,709,728	113.71
Farmville	33,532,429	46,156,854	137.65	24,989,232	28,990,890	116.01
Goldsboro	32,167,565	44,079,172	137.03	25,420,465	29,856,146	117.45
Greenville	52,617,482	69,650,690	132.37	39,187,881	45,646,478	116.48
Kinston	52,639,713	70,876,289	134.64	45,448,183	53,979,618	118.77
Robersonville	8,060,221	10,539,808	130.76	6,674,924	8,593,039	128.74
Rocky Mount	32,328,065	42,690,583	132.05	30,332,293	33,162,185	109.33
Smithfield	22,251,397	29,402,457	132.14	21,751,884	24,733,418	113.71
Tarboro	6,602,318	7,861,045	129.67	5,508,645	6,411,984	116.40
Wallace	12,283,979	15,874,762	129.23	13,112,303	16,794,451	128.08
Washington	10,891,085	14,327,295	131.55	9,769,785	12,094,751	123.80
Wendell	13,456,696	17,602,534	130.81	11,868,125	13,621,141	114.77
Williamston	12,655,379	16,780,924	132.60	10,561,937	13,890,359	131.51
Wilson	92,363,347	128,064,399	138.65	76,865,424	92,183,142	119.93
Windsor	11,617,871	15,335,728	132.00	9,566,691	12,389,778	129.51
Total type 12	437,339,128	586,891,858	134.20	370,468,041	439,097,186	118.52

See footnote at end of table.

Continued

Table 10--Producers' sales, value and average price by markets for flue-cured tobacco, 1978 and 1977 crops--continued 1/

Market and state	TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED			1977 Crop		
	1978 Crop		Average price	1977 Crop		Average price
	Sales Pounds	Value Dollars	Dollars	Sales Pounds	Value Dollars	Dollars
South Carolina:						
Conway	12,624,362	17,354,641	137.47	11,229,255	14,227,798	126.70
Darlington	7,600,206	10,176,963	133.90	7,942,879	9,328,801	117.45
Dillon	3,444,149	4,517,561	131.17	3,541,178	4,269,845	120.58
Hemingway	8,312,287	11,634,107	139.96	8,908,908	11,335,664	127.24
Kingstree	8,597,456	11,482,969	133.56	8,020,037	9,682,531	120.73
Lake City	36,494,950	51,141,946	140.13	31,847,072	39,718,785	124.72
Lamar 2/	507,665	627,963	123.70	1,856,802	2,199,633	118.46
Loris	9,070,708	12,455,897	137.32	10,103,664	12,798,609	126.67
Mullins	35,058,360	48,201,859	137.49	30,208,691	37,313,904	123.52
Pamplico	6,786,061	9,267,442	136.57	6,687,897	8,354,468	124.92
Timmonsville	9,969,362	13,676,288	137.18	10,286,693	11,752,101	114.25
Total S. C.	138,465,566	190,537,636	137.61	130,633,076	160,982,139	123.23
North Carolina:						
Chadbourn	12,820,899	17,548,750	136.88	9,862,604	12,905,796	130.86
Clarkton	5,322,903	7,023,694	131.95	5,339,285	6,753,932	126.50
Fair Bluff	7,271,747	10,065,895	138.42	6,506,225	8,206,325	126.13
Fairmont	31,152,385	42,754,308	137.24	22,512,160	27,848,773	123.71
Fayetteville	1,474,037	1,884,737	127.86	3,341,650	3,836,885	114.82
Lumberton	23,434,987	31,131,395	132.84	19,624,451	23,329,639	118.88
Tabor City	12,335,617	17,086,567	138.51	11,701,445	14,969,078	127.93
Whiteville	18,922,182	26,008,886	137.45	18,078,133	23,206,053	128.37
Total N. C.	112,734,757	153,504,232	136.16	96,965,953	121,056,481	124.84
Total type 13	251,200,323	344,041,868	136.96	227,599,029	282,038,620	123.92

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:						
Adel	4,750,147	6,924,237	145.77	6,068,137	6,790,835	111.91
Alma	5,399,934	8,003,757	148.22	5,049,130	5,819,877	115.26
Baxley	4,330,379	5,942,939	137.24	5,271,167	5,964,352	113.15
Blackshear	8,903,204	13,265,617	149.00	8,515,469	9,425,570	110.69
Claxton	6,567,972	8,639,216	131.54	5,525,686	6,525,968	118.10
Douglas	12,529,554	18,943,595	151.19	13,944,041	17,114,019	122.73
Fitzgerald	4,004,658	5,734,525	143.20	5,083,158	6,263,665	123.22
Hahira	3,514,313	5,044,028	143.53	4,219,959	4,806,930	113.91
Hazlehurst	4,393,683	6,187,974	140.84	4,112,969	4,978,165	121.04
Metter	3,760,365	4,784,625	127.24	5,041,612	5,640,875	111.89
Moultrie	12,880,596	18,902,675	146.75	12,689,639	14,352,272	113.10
Nashville	9,373,393	13,648,073	145.60	10,843,116	12,680,022	116.94
Pearson	69,729	90,060	129.16	1,208,949	1,408,278	116.49
Pelham	7,169,623	9,898,934	138.07	6,631,787	7,249,951	109.32
Quitman	No sales			1,939,858	2,214,796	114.17
Statesboro	6,018,047	7,479,315	124.28	6,791,240	7,348,746	108.21
Sylvester	No sales			226,862	226,455	99.82
Thomasville	1,539,980	2,134,198	138.59	2,304,444	2,500,215	108.50
Tifton	7,936,463	11,585,000	145.97	9,459,892	10,872,384	114.93
Valdosta	9,601,921	13,621,973	141.87	7,170,652	8,180,020	114.08
Vidalia	9,492,267	12,847,035	135.34	7,898,052	8,864,093	112.23
Waycross	4,126,052	6,204,307	150.37	4,467,015	5,265,059	117.87
Total Georgia	126,362,280	179,882,083	142.35	134,462,834	154,492,547	114.90
Florida:						
High Springs	2,953,913	4,083,198	138.23	2,910,716	3,414,155	117.30
Jasper	1,730,624	2,560,111	147.93	3,118,076	3,903,857	125.20
Lake City	3,938,108	5,702,090	144.79	4,214,200	5,038,232	119.55
Live Oak	8,029,200	11,901,441	148.23	9,470,429	11,610,619	122.60
Madison	2,274,116	3,248,051	142.83	2,352,581	2,772,848	117.86
Total Florida	18,925,961	27,494,891	145.28	22,066,002	26,739,711	121.18
Total type 14	145,288,241	207,376,974	142.73	156,528,836	181,232,258	115.78
Total types 11-14	1,201,826,689	1,623,352,430	135.07	1,121,404,463	1,319,698,283	117.68

1/ Auction sales only. Does not include carryover tobacco, nonauction sales or direct deliveries.

2/ Effective August 21, Lamar auction sales transferred to Lake City.

Table 11--Gross sales, value and average price by markets for flue-cured tobacco, 1978 and 1977 crops 1/

Market and state	TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED					
	1978 Crop			1977 Crop		
	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>
Virginia:						
Brookneal	9,479,176	12,537,593	132.36	9,929,967	11,427,677	115.08
Chase City	6,680,256	8,994,799	134.65	7,148,702	8,489,637	118.76
Clarksville	6,402,327	8,597,136	134.28	6,132,605	7,543,002	123.00
Danville	43,980,501	58,630,861	133.31	44,573,341	52,221,553	117.16
Kenbridge	5,323,089	6,978,870	131.11	6,497,422	7,675,758	118.14
Lawrenceville	7,912,447	10,587,599	133.81	8,162,430	9,703,229	118.88
Martinsville	6,177,309	8,149,426	131.93	7,417,765	8,978,211	121.04
Petersburg	4,796,316	6,339,171	132.17	5,735,731	6,929,987	120.82
South Boston	21,804,642	29,547,464	135.51	20,257,309	23,113,013	114.10
South Hill	9,560,279	12,930,814	135.26	10,505,512	12,920,994	122.99
Total Virginia	122,116,342	163,293,733	133.72	126,360,784	149,003,061	117.92
North Carolina:						
Aberdeen	7,463,479	9,424,933	126.28	7,453,693	7,864,785	105.52
Burlington	7,608,864	9,642,916	126.73	6,924,503	7,852,470	113.40
Carthage	10,725,471	14,179,320	132.20	10,981,353	12,726,924	115.90
Durham	16,943,562	21,790,558	128.61	17,740,799	19,053,164	107.40
Ellerbe	1,188,884	1,391,273	117.02	1,946,486	1,980,123	101.73
Fuquay-Varina	25,435,372	33,541,371	131.87	26,295,026	29,962,670	113.95
Greensboro	5,275,994	6,776,618	128.44	5,616,072	5,973,770	106.37
Henderson	15,746,939	20,768,019	131.89	15,686,973	18,278,235	116.52
Louisburg	9,359,429	12,111,546	129.40	7,787,479	8,678,446	111.44
Madison	8,566,626	11,402,845	133.11	8,067,500	8,766,714	108.67
Mebane	5,616,110	7,483,313	133.25	6,231,455	7,124,510	114.33
Mt. Airy	14,398,669	18,706,606	129.92	12,770,265	14,437,686	113.06
Oxford	15,671,772	20,469,907	130.62	16,095,514	17,440,769	108.36
Reidsville	16,846,908	22,398,801	132.95	16,594,073	18,758,783	113.05
Roxboro	16,186,589	21,411,439	132.28	15,770,900	17,465,184	110.74
Sanford	12,846,075	17,009,066	132.41	14,054,803	17,195,092	122.34
Stoneville	12,169,127	16,283,962	133.81	10,608,207	11,880,122	111.99
Warrenton	8,964,344	11,469,367	127.94	8,458,567	9,386,716	110.97
Winston-Salem	51,648,955	68,506,158	132.64	43,740,701	49,387,666	112.91
Yadkinville	6,323,783	7,884,399	124.68	6,071,075	6,018,263	99.13
Total NC	268,986,952	352,652,417	131.10	258,895,444	290,232,092	112.10
Total type 11	391,103,294	515,946,150	131.92	385,256,228	439,235,153	114.01

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:						
	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>
Ahoskie	8,956,624	11,606,291	129.58	8,193,422	10,419,639	127.17
Clinton	20,120,621	26,536,996	131.89	16,656,613	19,900,015	119.47
Dunn	17,988,486	22,955,398	127.61	16,375,990	18,630,724	113.77
Farmville	35,277,290	48,523,043	137.55	26,278,382	30,490,278	116.03
Goldsboro	34,958,484	47,908,477	137.04	26,838,678	31,584,019	117.68
Greenville	56,136,363	74,185,731	132.15	41,238,317	48,027,019	116.46
Kinston	55,687,202	74,801,352	134.32	47,390,748	56,158,958	118.50
Robersonville	8,805,987	11,493,085	130.51	7,144,693	9,138,430	127.91
Rocky Mount	33,548,082	44,316,428	132.10	31,506,811	34,450,982	109.34
Smithfield	23,597,904	31,201,377	132.22	22,680,514	25,839,894	113.93
Tarboro	6,415,293	8,303,587	129.43	5,764,678	6,704,054	116.30
Wallace	12,708,238	16,425,461	129.25	13,535,444	17,332,539	128.05
Washington	11,810,147	15,593,956	132.04	10,387,670	12,914,644	124.33
Wendell	14,283,119	18,650,986	130.58	12,250,054	14,060,432	114.78
Williamston	13,195,094	17,468,667	132.39	10,944,033	14,398,792	131.57
Wilson	99,632,054	138,063,956	138.57	81,572,206	97,823,104	119.92
Windsor	12,485,359	16,516,036	132.28	10,156,129	13,147,198	129.45
Total type 12	465,606,347	624,550,827	134.14	388,914,382	461,020,721	118.54

See footnote at end of table.

Continued

Table 11--Gross sales, value and average price by markets for flue-cured tobacco, 1978 and 1977 crops--  
continued 1/

Market and State	TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED			1977 Crop		
	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>	Sales <u>Pounds</u>	Value <u>Dollars</u>	Average price <u>Dollars</u>
South Carolina:						
Conway	13,728,459	18,911,411	137.75	12,017,330	15,260,599	126.99
Darlington	7,996,481	10,715,676	134.00	8,294,765	9,766,882	117.75
Dillon	3,645,611	4,771,396	130.88	3,751,337	4,520,488	120.50
Hemingway	9,006,513	12,625,006	140.18	9,475,643	12,095,395	127.65
Kingstree	9,562,752	12,749,264	133.32	8,644,449	10,477,635	121.21
Lake City	39,489,549	55,368,500	140.21	33,915,089	42,315,291	124.77
Lamar 2/	532,690	656,038	123.16	2,031,835	2,422,719	119.24
Loris	9,835,865	13,500,579	137.26	10,800,462	13,739,398	127.21
Mullins	38,337,487	52,799,209	137.72	32,243,330	39,916,607	123.80
Pamplico	7,226,897	9,884,204	136.77	6,991,414	8,752,254	125.19
Timmonsville	10,973,930	15,096,514	137.57	11,150,399	12,826,795	115.03
Total S. C.	150,336,234	207,077,797	137.74	139,316,053	172,094,063	123.53
North Carolina:						
Chadbourn	14,004,224	19,157,690	136.80	10,772,992	14,133,649	131.20
Clarkton	5,942,453	7,777,631	130.88	5,891,269	7,459,792	126.62
Fair Bluff	7,967,968	10,980,899	137.81	7,012,274	8,831,783	125.95
Fairmont	33,958,653	46,666,139	137.42	24,116,862	29,909,737	124.02
Fayetteville	1,534,578	1,959,454	127.69	3,519,487	4,047,121	114.99
Lumberton	24,932,092	33,179,534	133.08	20,495,274	24,365,745	118.88
Tabor City	13,422,072	18,577,319	138.41	12,393,857	15,858,353	127.95
Whiteville	20,146,584	27,685,018	137.42	19,003,412	24,364,329	128.21
Total N. C.	121,908,624	165,983,684	136.15	103,205,427	128,970,509	124.96
Total type 13	272,244,858	373,061,481	137.03	242,521,480	301,064,572	124.14

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED

Georgia:						
Adel	5,176,568	7,504,908	144.98	6,501,819	7,264,912	111.74
Alma	5,660,001	8,397,675	148.37	5,348,681	6,173,257	115.42
Baxley	4,757,050	6,551,721	137.73	5,619,554	6,378,206	113.50
Blackshear	9,558,571	14,194,833	148.50	9,162,499	10,065,531	109.86
Claxton	7,641,322	9,955,817	130.29	6,435,576	7,395,463	114.92
Douglas	14,081,521	21,336,593	151.52	15,205,051	18,713,751	123.08
Fitzgerald	4,253,669	6,093,064	143.24	5,374,418	6,632,707	123.41
Hahira	3,704,418	5,312,855	143.42	4,376,976	5,011,048	114.49
Hazlehurst	4,731,577	6,656,234	140.68	4,347,530	5,276,989	121.38
Metter	3,823,627	4,859,878	127.10	5,288,538	5,939,815	112.31
Moultrie	14,639,056	21,323,115	145.66	14,042,256	15,952,465	113.60
Nashville	10,239,879	14,917,442	145.68	11,711,106	13,704,092	117.02
Pearson	69,729	90,060	129.16	1,341,046	1,560,732	116.38
Pelham	7,874,427	10,928,895	138.79	7,203,839	7,933,085	110.12
Quitman		No sale		2,019,599	2,308,392	114.30
Statesboro	6,673,698	8,241,626	123.49	7,458,904	8,048,321	107.90
Sylvester		No sale		242,224	243,515	100.53
Thomasville	1,854,617	2,504,346	135.03	2,637,586	2,941,841	111.54
Tifton	8,683,846	12,643,614	145.60	10,143,771	11,680,777	115.15
Valdosta	10,701,109	15,111,604	141.22	7,610,063	8,681,909	114.08
Vidalia	10,635,106	14,402,750	135.43	8,709,702	9,789,140	112.39
Waycross	4,352,352	6,545,313	150.39	4,805,066	5,678,703	118.18
Total Georgia	139,112,143	197,572,343	142.02	145,585,804	167,374,651	114.97
Florida:						
High Springs	3,143,020	4,344,469	138.13	3,023,355	3,547,147	117.32
Jasper	1,804,250	2,672,548	148.13	3,266,977	4,096,952	125.40
Lake City	4,328,170	6,246,956	144.33	4,546,948	5,456,311	120.00
Live Oak	9,319,207	13,680,334	146.80	10,322,782	12,719,573	123.22
Madison	2,403,230	3,420,952	142.35	2,449,233	2,900,057	118.41
Total Florida	20,997,877	30,362,259	144.60	23,609,295	28,720,040	121.65
Total type 14	160,110,020	227,934,602	142.36	169,195,099	196,094,691	115.90
Total types 11-14	1,289,064,519	1,741,493,060	135.10	1,185,887,189	1,397,415,137	117.84

1/ Auction sales only. Does not include carryover tobacco, nonauction sales or direct deliveries.

2/ Effective August 21, Lamar auction sales transferred to Lake City.

Table 12--Resales, average price and percentage of gross sales by markets for flue-cured tobacco, 1978 and 1977 crops.

Market and State	TYPE 11 - OLD AND MIDDLE BELT FLUE-CURED					
	1978 Crop			1977 Crop		
	Resales Pounds	Average Price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Virginia:						
Brookneal	630,029	133.37	6.6	540,489	112.46	5.4
Chase City	397,092	140.58	5.9	201,999	120.78	2.8
Clarksville	223,672	121.71	3.5	194,295	127.89	3.2
Danville	1,841,245	135.22	4.2	1,674,002	123.30	3.8
Kenbridge	52,374	115.83	1.0	73,559	114.20	1.1
Lawrenceville	152,902	128.31	1.9	191,862	119.67	2.4
Martinsville	344,444	144.81	5.6	301,549	138.83	4.1
Petersburg	221,395	137.65	4.6	291,351	133.83	5.1
South Boston	974,158	133.36	4.5	698,313	117.75	3.4
South Hill	272,191	137.76	2.8	292,600	124.39	2.8
Total Virginia	5,109,502	134.94	4.2	4,460,019	122.71	3.5
North Carolina:						
Aberdeen	674,696	124.39	9.0	557,252	99.96	7.5
Burlington	447,018	125.04	5.9	314,605	113.85	4.5
Carthage	616,195	137.72	5.7	596,737	120.71	5.4
Durham	1,311,327	130.97	7.7	1,119,411	115.31	6.3
Ellerbe	295,207	96.62	24.8	249,879	82.95	12.8
Fuquay-Varina	1,715,971	133.55	6.7	1,406,274	124.12	5.3
Greensboro	290,096	130.58	5.5	218,121	102.42	3.9
Henderson	527,278	136.53	3.3	413,606	119.07	2.6
Louisburg	494,612	135.00	5.3	399,522	119.23	5.1
Madison	763,697	132.60	8.9	574,460	113.56	7.1
Mebane	167,061	135.02	3.0	79,414	122.60	1.3
Mt. Airy	1,073,027	134.10	7.5	932,281	116.64	7.3
Oxford	814,003	131.09	5.2	541,190	101.58	3.4
Reidsville	1,019,075	141.66	6.0	704,021	124.45	4.2
Roxboro	851,399	136.65	5.3	549,847	122.25	3.5
Sanford	461,853	133.68	3.6	629,973	116.91	4.5
Stoneville	762,276	137.16	6.3	512,439	123.73	4.8
Warrenton	466,415	131.78	5.2	364,639	112.65	4.3
Winston-Salem	4,790,683	135.57	9.3	3,479,273	123.46	8.0
Yadkinville	452,906	127.71	7.2	344,708	101.21	5.7
Total N.C.	17,994,795	133.42	6.7	13,987,652	117.48	5.4
Total type 11	23,104,297	133.76	5.9	18,447,671	118.74	4.8

TYPE 12 - EASTERN NORTH CAROLINA FLUE-CURED

North Carolina:						
Ahoskie	478,193	131.25	5.3	359,508	134.52	4.4
Clinton	934,391	135.94	4.6	654,380	121.64	3.9
Dunn	1,241,566	124.96	6.9	801,868	114.86	4.9
Farmville	1,744,861	135.61	4.9	1,289,150	116.31	4.9
Goldsboro	2,790,919	137.21	8.0	1,418,213	121.83	5.3
Greenville	3,518,881	128.88	6.3	2,050,436	116.10	5.0
Kinston	3,047,489	128.80	5.5	1,942,565	112.19	4.1
Robersonville	745,766	127.83	8.5	469,769	116.10	6.6
Rocky Mount	1,220,017	133.26	3.6	1,174,518	109.73	3.7
Smithfield	1,346,507	133.60	5.7	928,630	119.15	4.1
Tarboro	352,975	125.37	5.5	256,033	114.08	4.4
Wallace	424,259	129.80	3.3	423,141	127.16	3.1
Washington	919,062	137.82	7.8	617,885	132.69	5.9
Wendell	826,423	126.87	5.8	381,929	115.02	3.1
Williamston	539,715	127.43	4.1	382,096	133.06	3.5
Wilson	7,268,707	137.57	7.3	4,706,782	119.83	5.8
Windsor	867,488	136.06	6.9	589,438	128.50	5.8
Total type 12	28,267,219	133.22	6.1	18,446,341	118.85	4.7

Continued

Table 12--Resales, average price and percentage of gross sales by markets for flue-cured tobacco, 1978 and 1977 crops--continued

TYPE 13 - SOUTH CAROLINA AND BORDER NORTH CAROLINA FLUE-CURED						
Market and State	1978 Crop			1977 Crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	1,104,097	141.00	8.0	788,075	131.05	6.6
Darlington	396,275	135.94	5.0	351,886	124.50	4.2
Dillon	201,462	126.00	5.5	210,159	119.26	5.6
Hemingway	694,226	142.73	7.7	566,735	134.05	6.0
Kingstree	965,296	131.18	10.1	624,412	127.34	7.2
Lake City	2,994,599	141.14	7.6	2,068,017	125.56	6.1
Lamar <u>1/</u>	25,025	112.19	4.7	175,033	127.45	8.6
Loris	765,157	136.53	7.8	696,798	135.02	6.5
Mullins	3,279,127	140.20	8.6	2,034,639	127.92	6.3
Pamplico	440,836	139.91	6.1	303,517	131.06	4.3
Timmonsville	1,004,568	141.38	9.2	863,706	124.43	7.7
Total S. C.	11,870,668	139.34	7.9	8,682,977	127.97	6.2
North Carolina:						
Chadbourn	1,183,325	135.97	8.5	910,388	134.87	8.5
Clarkton	619,550	121.69	10.4	551,984	127.88	9.4
Fair Bluff	696,221	131.42	8.7	506,049	123.60	7.2
Fairmont	2,806,268	139.40	8.3	1,604,702	128.43	6.7
Fayetteville	60,541	123.42	3.9	177,837	118.22	5.1
Lumberton	1,497,105	136.81	6.0	870,823	118.98	4.2
Tabor City	1,086,455	137.21	8.1	692,412	128.43	5.6
Whiteville	1,224,402	136.89	6.1	925,279	125.18	4.9
Total N. C.	9,173,867	136.03	7.5	6,239,474	126.84	6.0
Total type 13	21,044,535	137.90	7.7	14,922,451	127.50	6.2

TYPE 14 - GEORGIA AND FLORIDA FLUE-CURED						
Georgia:	1978 Crop			1977 Crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Adel	426,421	136.17	8.2	433,682	109.31	6.7
Alma	260,067	151.47	4.6	299,551	117.97	5.6
Baxley	426,671	142.68	9.0	348,387	118.79	6.2
Blackshear	655,367	141.79	6.9	647,030	98.91	7.1
Claxton	1,073,350	122.66	14.0	909,890	95.56	14.1
Douglas	1,551,967	154.19	11.0	1,261,010	126.86	8.3
Fitzgerald	249,011	143.99	5.9	291,260	126.71	5.4
Hahira	190,105	141.41	5.1	157,017	130.00	3.6
Hazlehurst	337,894	138.58	7.1	234,561	127.40	5.4
Metter	63,262	118.95	1.7	246,926	121.06	4.7
Moultrie	1,758,460	137.65	12.0	1,352,617	118.30	9.6
Nashville	866,486	146.50	8.5	867,990	117.98	7.4
Pearson	--	--	--	132,097	115.41	9.8
Pelham	704,804	146.13	9.0	572,052	119.42	7.9
Quitman		No sales		79,741	117.38	3.9
Statesboro	655,651	116.27	9.8	667,664	104.78	9.0
Sylvester		No sales		15,362	111.05	6.3
Thomasville	314,637	117.64	17.0	333,142	132.56	12.6
Tifton	747,383	141.64	8.6	683,879	118.21	6.7
Valdosta	1,099,188	135.52	10.3	439,411	114.22	5.8
Vidalia	1,142,839	136.13	10.7	811,650	113.97	9.3
Waycross	226,300	150.69	5.2	338,051	122.36	7.0
Total Georgia	12,749,863	138.75	9.2	11,122,970	115.82	7.6
Florida:						
High Springs	189,107	136.57	6.0	112,639	118.07	3.7
Jasper	73,626	152.71	4.1	148,901	129.68	4.6
Lake City	390,062	139.69	9.0	332,748	125.64	7.3
Live Oak	1,290,007	137.90	13.8	852,353	130.11	8.3
Madison	129,114	133.91	5.4	96,652	131.62	3.9
Total Florida	2,071,916	138.39	9.9	1,543,293	128.32	6.5
Total type 14	14,821,779	138.70	9.3	12,666,263	117.34	7.5
Total types 11-14	87,237,830	135.42	6.8	64,482,726	120.52	5.4

1/ Effective August 21, Lamar auction sales transferred to Lake City.

Table 13--Producers' sales, resales, gross sales, value and average price by types for flue-cured tobacco, 1978 and 1977 crops

Type and form of sales	1978 Crop			1977 Crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
11 Producers' Resales Gross	367,998,997	485,041,730	131.81	366,808,557	417,330,219	113.77
	23,104,297	30,904,420	133.76	18,447,671	21,904,934	118.74
	391,103,294	515,946,150	131.92	385,256,228	439,235,153	114.01
12 Producers' Resales Gross	437,339,128	586,891,858	134.20	370,468,041	439,097,186	118.52
	28,267,219	37,658,969	133.22	18,446,341	21,923,535	118.85
	465,606,347	624,550,827	134.14	388,914,382	461,020,721	118.54
13 Producers' Resales Gross	251,200,323	344,041,868	136.96	227,599,029	282,038,620	123.92
	21,044,535	29,019,613	137.90	14,922,451	19,025,952	127.50
	272,244,858	373,061,481	137.03	242,521,480	301,064,572	124.14
14 Producers' Resales Gross	145,288,241	207,376,974	142.73	156,528,836	181,232,258	115.78
	14,821,779	20,557,628	138.70	12,666,263	14,862,433	117.34
	160,110,020	227,934,602	142.36	169,195,099	196,094,691	115.90
11-14 Producers' Resales Gross	1,201,826,689	1,623,352,430	135.07	1,121,404,463	1,319,698,283	117.68
	87,237,830	118,140,630	135.42	64,482,726	77,716,854	120.52
	1,289,064,519	1,741,493,060	135.10	1,185,887,189	1,397,415,137	117.84

Table 14--Producers' sales, resales, gross sales, value and average price by States for flue-cured tobacco, 1978 and 1977 crops

State and form of sales	1978 Crop			1977 Crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Florida: Producers' Resales Gross	18,925,961	27,494,891	145.28	22,066,002	26,739,711	121.18
	2,071,916	2,867,368	138.39	1,543,293	1,980,329	128.32
	20,997,877	30,362,259	144.60	23,609,295	28,720,040	121.65
Georgia: Producers' Resales Gross	126,362,280	179,882,083	142.35	134,462,834	154,492,547	114.90
	12,749,863	17,690,260	138.75	11,122,970	12,882,104	115.82
	139,112,143	197,572,343	142.02	145,585,804	167,374,651	114.97
North Carolina: Producers' Resales Gross	801,066,042	1,069,038,967	133.45	712,341,786	833,953,533	117.07
	55,435,881	74,147,961	133.75	38,673,467	46,269,789	119.64
	856,501,923	1,143,186,928	133.47	751,015,253	880,223,322	117.20
South Carolina: Producers' Resales Gross	138,465,566	190,537,636	137.61	130,633,076	160,982,139	123.23
	11,870,668	16,540,161	139.34	8,682,977	11,111,924	127.97
	150,336,234	207,077,797	137.74	139,316,053	172,094,063	123.53
Virginia: Producers' Resales Gross	117,006,840	156,398,853	133.67	121,900,765	143,530,353	117.74
	5,109,502	6,894,880	134.94	4,460,019	5,472,708	122.71
	122,116,342	163,293,733	133.72	126,360,784	149,003,061	117.92
Total all States: Producers' Resales Gross	1,201,826,689	1,623,352,430	135.07	1,121,404,463	1,319,698,283	117.68
	87,237,830	118,140,630	135.42	64,482,726	77,716,854	120.52
	1,289,064,519	1,741,493,060	135.10	1,185,887,189	1,397,415,137	117.84

Table 15--Across-state-line movement of flue-cured tobacco reflecting net sales in States other than in the State in which produced, 1978 and 1977 crops 1/

State in which produced and crop year	Total sold out of state	Sold in:			
		Florida	Georgia	South Carolina	North Carolina
----- 1,000 pounds -----					
1978 Crop					
Alabama	924		924		
Florida	3,512		3,512		
Georgia	1,132	1,132			
South Carolina	14,164		1,041	13,121	2
North Carolina	28,474			5,584	22,890
Virginia	6,661				6,661
Total	54,867	1,132	5,477	5,584	19,782
----- 1,000 pounds -----					
1977 Crop					
Alabama	1,010		1,010		
Florida	2,800		2,800		
Georgia	1,129	1,082		47	
South Carolina	12,672		1,185	11,485	2
North Carolina	24,743			4,869	19,874
Virginia	6,687				6,687
Total	49,041	1,082	4,995	4,916	18,172
----- 1,000 pounds -----					

1/ Based on report of Agricultural Stabilization and Conservation Service.

Table 16--Flue-cured tobacco received by the Stabilization Corporation and percentage of net auction sales, 1974-1978 crops 1/

Crop	Type 11		Type 12	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent
1974	5,058	1.4	8,032	2.0
1975	83,242	20.8	90,284	17.8
1976	134,846	31.0	80,191	17.4
1977	107,612	29.3	54,602	14.7
1978	25,722	7.0	24,742	5.7
1979				
1980				
1981				
1982				
1983				
1984				

Crop	Type 13		Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lbs.	Percent	1,000 lbs.	Percent	1,000 lbs.	Percent
1974	7,533	2.7	2,364	1.3	22,988	1.9
1975	56,581	17.6	28,922	15.9	259,029	18.4
1976	37,198	14.2	24,667	15.9	276,902	21.1
1977	20,356	8.9	10,515	6.7	193,085	17.2
1978	9,155	3.6	3,972	2.7	63,591	5.3
1979						
1980						
1981						
1982						
1983						
1984						

1/ Data for years prior to 1974 may be found in the 1976 and earlier issues of the market review.

BRIEF OF FLUE-CURED TOBACCO GRADES

Type 11--Old Belt and Middle Belt flue-cured tobacco produced principally in the piedmont sections of Virginia and North Carolina.

Type 12--Eastern North Carolina flue-cured tobacco produced principally in the coastal sections of North Carolina.

Type 13--South Carolina and Border North Carolina flue-cured tobacco produced principally in the coastal sections of South Carolina and the southeastern counties of North Carolina.

Type 14--Georgia and Florida flue-cured tobacco produced principally in southern Georgia and northern Florida.

KEY TO STANDARD TRADEMARKS

<u>Group</u>	<u>Qualities</u>	<u>Color symbols</u>		<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	V - Greenish	XL - Lug side
B - Leaf	2 - Fine	F - Orange	GR - Green red	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	GK - Green variegated	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	GG - Gray green	BO - Oxidized leaf
X - Lugs	5 - Low	K - Variegated	KL - Variegated lemon	GL - Thin-bodied nondescript
P - Primings	6 - Poor	KR - Variegated red or scorched	KF - Variegated orange	GF - Medium-bodied nondescript
M - Mixed group		G - Green	KV - Variegated greenish	
N - Nondescript			KM - Variegated mixed	
S - Scrap				

Special symbol

S - Slick

SUMMARY OF STANDARD GRADES

<u>2 grades of wrappers</u>	<u>24 grades of leaf</u>						<u>16 grades of smoking leaf</u>						<u>10 grades of cutters</u>					
ALL A1F	B1L	B1F	B1FR				H1F						C1L	C1F				
	B2L	B2F	B2FR				H2F						C2L	C2F				
	B3L	B3F	B3FR	B3K			H3L	H3F					C3L	C3F				
	B4L	B4F	B4FR	B4R	B4K		H4L	H4F	H4FR	H4K			C4L	C4F				
	B5L	B5F	B5FR	B5R	B5K		H5L	H5F	H5FR	H5K			C5L	C5F				
	B6L	B6F	B6FR	B6K			H6L	H6F	H6FR	H6K								
<u>10 grades of lugs</u>	<u>8 grades of primings</u>			<u>6 grades of greenish</u>			<u>15 grades of variegated</u>											
X1L X1F	P2L	P2F		B3V	X3V		B3KL	B3KF										
X2L X2F	P3L	P3F		B4V	C4V	X4V	B4KL	B4KF	B4KV	C4KL	X4KL	X4KF	X4KV					
X3L X3F	P4L	P4F		B5V			B5KL	B5KF	B5KV									
X4L X4F	P5L	P5F					B6KL	B6KF	B6KV									
<u>7 grades of mixed</u>	<u>15 grades of green</u>						<u>7 grades of variegated mixed</u>											
M4F M4KR M4KM M4GK	B4G	B4GK		C4G	X4G	X4GK	P4G											
M5F M5KM M5GK	B5G	B5GR	B5GK	B5GG	C4GK	X5G		P5G										
	B6G	B6GK																
<u>6 grades of variegated red or scorched</u>	<u>5 grades of slick</u>			<u>13 grades of nondescript</u>						<u>1 grade of scrap</u>								
B3KR X3KR	B3S	C4S		N1L	N1R	N1KV	N1PO											
B4KR C4KR X4KR	B4S	X3S		N1XL	N1GL	N1GR	N1XO											
B5KR	B5S			N1K	N1GF	N1GG	N1BO	N2										

Special factors "U" (unsound) and "W" (doubtful-keeping order) may be applied to all grades. Tobacco not covered by the standard grades is designated "No-G" or "No-G-F".

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming group beginning with the 1977 crop.

S

Table 17--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1978 crop 1/

Group and grade 2/	1978 Crop Season averages					1978 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
All	-	-	-	-	-	155	All
A1F	-	-	-	-	-	155	A1F
Leaf:							Leaf:
B1L	161	(159)	-	(162)	161	145	B1L
B2L	158	159	(157)	160	159	141	B2L
B3L	154	155	155	160	155	138	B3L
B4L	150	151	152	159	152	134	B4L
B5L	142	145	146	156	146	130	B5L
B6L	-	-	-	-	(137)	124	B6L
B1F	(171)	(159)	-	161	163	145	B1F
B2F	158	159	156	160	158	141	B2F
B3F	154	155	155	160	155	138	B3F
B4F	150	151	152	160	152	134	B4F
B5F	143	146	147	157	147	130	B5F
B6F	137	145	139	148	143	124	B6F
B1FR	-	-	-	-	-	143	B1FR
B2FR	(158)	-	-	-	159	139	B2FR
B3FR	156	157	-	-	156	136	B3FR
B4FR	153	153	146	155	153	133	B4FR
B5FR	145	148	148	150	147	129	B5FR
B6FR	-	(128)	-	-	131	123	B6FR
B4R	-	-	-	-	(133)	122	B4R
B5R	124	(131)	-	(122)	125	115	B5R
B3K	145	143	146	158	146	133	B3K
B4K	139	139	142	154	142	129	B4K
B5K	132	134	136	145	136	125	B5K
B6K	124	127	126	134	128	118	B6K
B3KR	147	145	148	158	149	132	B3KR
B4KR	140	139	144	155	143	128	B4KR
B5KR	132	133	136	146	137	123	B5KR
B3V	147	149	151	159	150	129	B3V
B4V	142	144	147	157	146	124	B4V
B5V	135	139	140	149	140	120	B5V
B3S	147	149	151	159	151	126	B3S
B4S	142	144	150	159	146	122	B4S
B5S	-	-	-	-	(149)	116	B5S
B3KL	141	145	146	160	145	126	B3KL
B4KL	137	139	141	154	139	122	B4KL
B5KL	127	132	131	145	131	117	B5KL
B6KL	118	123	119	135	122	111	B6KL
B3KF	139	144	144	155	143	126	B3KF
B4KF	134	138	139	146	137	122	B4KF
B5KF	126	132	130	134	130	116	B5KF
B6KF	119	125	120	125	123	111	B6KF
B4KV	130	132	134	149	135	117	B4KV
B5KV	125	128	127	138	129	112	B5KV
B6KV	118	122	121	127	123	106	B6KV
B3KM	144	144	148	158	146	129	B3KM
B4KM	139	140	143	154	142	126	B4KM
B5KM	130	132	136	144	135	121	B5KM
B6KM	124	125	125	131	127	113	B6KM
B4G	130	135	135	153	136	116	B4G
B5G	123	127	127	136	127	112	B5G
B6G	113	118	122	121	118	106	B6G
B5GR	111	(114)	-	(128)	117	100	B5GR
B4GK	128	130	132	141	132	113	B4GK
B5GK	120	124	125	129	124	109	B5GK
B6GK	114	120	119	121	118	104	B6GK
B5GG	114	118	120	(116)	117	100	B5GG

See footnotes at end of table.

Continued

Table 17--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1978 crop--continued 1/

Group and grade <u>2/</u>	1978 Crop Season averages					1978 Loan rate <u>3/</u> 11-14	Group and grade <u>2/</u>
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf:							Smoking leaf:
H3L	153	154	(150)	(160)	154	141	H3L
H4L	152	149	151	160	152	138	H4L
H5L	147	146	142	(160)	147	133	H5L
H6L	(135)	-	-	-	140	128	H6L
H1F	-	-	-	-	-	148	H1F
H2F	-	-	-	(161)	159	144	H2F
H3F	154	154	151	160	155	141	H3F
H4F	153	152	152	160	153	138	H4F
H5F	148	149	148	159	149	133	H5F
H6F	141	-	-	-	143	128	H6F
H4FR	154	158	(154)	143	153	135	H4FR
H5FR	145	149	144	-	146	130	H5FR
H6FR	(141)	-	-	-	(140)	125	H6FR
H4K	147	146	144	155	147	133	H4K
H5K	140	141	140	152	142	128	H5K
H6K	133	132	133	144	135	123	H6K
Cutters:							Cutters:
C1L	163	-	-	-	163	144	C1L
C2L	160	159	-	160	160	141	C2L
C3L	153	154	155	158	154	138	C3L
C4L	149	150	154	158	151	135	C4L
C5L	143	142	146	155	144	131	C5L
C1F	-	-	-	-	-	144	C1F
C2F	158	152	-	(160)	155	141	C2F
C3F	153	149	155	157	152	138	C3F
C4F	150	150	153	158	151	135	C4F
C5F	145	142	146	158	146	131	C5F
C4KR	144	143	150	157	146	130	C4KR
C4V	143	144	148	157	147	126	C4V
C4S	142	147	151	(159)	146	124	C4S
C4KL	140	142	143	155	141	125	C4KL
C4KM	143	143	145	156	144	126	C4KM
C4G	129	132	137	152	136	118	C4G
C4GK	130	133	136	151	136	117	C4GK
Lugs:							Lugs:
X1L	151	152	152	-	152	140	X1L
X2L	151	151	153	156	152	136	X2L
X3L	143	144	147	155	145	131	X3L
X4L	135	134	136	151	136	126	X4L
X5L	124	123	123	138	124	117	X5L
X1F	(154)	155	(152)	-	154	140	X1F
X2F	150	152	153	155	152	136	X2F
X3F	145	146	147	155	146	131	X3F
X4F	138	136	138	152	139	126	X4F
X5F	126	125	125	142	127	117	X5F
X3KR	138	143	143	153	142	128	X3KR
X4KR	134	135	134	150	136	123	X4KR
X3V	137	140	142	153	141	122	X3V
X4V	130	130	132	148	133	117	X4V
X3S	141	139	143	154	141	122	X3S
X4KL	128	131	130	144	131	117	X4KL
X4KF	130	128	125	143	131	117	X4KF
X4KV	123	122	123	139	127	111	X4KV
X3KM	138	140	142	153	141	123	X3KM
X4KM	131	131	131	146	133	118	X4KM
X4GK	121	121	123	136	125	108	X4GK
X4G	118	120	121	137	123	108	X4G
X5G	112	112	114	132	118	104	X5G

See footnotes at end of table.

Continued

Table 17--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1978 crop--continued 1/

Group and grade <u>2/</u>	1978 Crop Season averages					1978 Loan rate <u>3/</u> 11-14	Group and grade <u>2/</u>
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Primings:</b>							
P2L	128	135	143	(149)	132	112	P2L
P2L sand	118	-	-	-	122	101	P2L sand
P3L	120	124	128	142	124	106	P3L
P3L sand	112	114	117	131	114	95	P3L sand
P4L	109	114	118	132	114	98	P4L
P4L sand	101	106	104	126	104	88	P4L sand
P5L	100	105	106	122	105	92	P5L
P5L sand	93	99	98	117	95	83	P5L sand
P2F	142	130	(144)	(151)	138	112	P2F
P2F sand	-	-	-	-	-	101	P2F sand
P3F	124	125	125	144	125	106	P3F
P3F sand	112	115	123	(134)	114	95	P3F sand
P4F	110	113	115	129	114	98	P4F
P4F sand	101	104	107	123	104	88	P4F sand
P5F	101	104	105	119	105	92	P5F
P5F sand	93	99	94	110	96	83	P5F sand
P4G	104	104	108	119	107	88	P4G
P4G sand	99	98	97	108	100	79	P4G sand
P5G	95	98	99	109	100	82	P5G
P5G sand	90	92	96	107	92	74	P5G sand
<b>Mixed:</b>							
M4F	150	-	-	-	147	120	M4F
M5F	-	125	-	-	126	115	M5F
M4KR	(145)	-	-	-	(145)	114	M4KR
M4KM	-	130	(145)	-	132	113	M4KM
M5KM	(127)	116	122	-	119	108	M5KM
M4GK	-	(112)	-	-	132	107	M4GK
M5GK	-	114	-	-	118	101	M5GK
<b>Nondescript:</b>							
N1L	91	96	94	106	95	84	N1L
N1L sand	84	92	92	94	87	76	N1L sand
N1XL	103	106	101	128	107	89	N1XL
N1K	114	117	114	124	118	96	N1K
N1R	109	115	110	108	111	87	N1R
N1GL	91	95	92	105	95	78	N1GL
N1GL sand	83	88	91	89	85	70	N1GL sand
N1GF	104	108	106	115	108	88	N1GF
N1KV	109	117	111	118	114	87	N1KV
N1GR	99	111	108	107	106	83	N1GR
N1GG	102	108	103	-	106	80	N1GG
N1PO	89	94	92	106	94	73	N1PO
N1PO sand	84	91	87	101	88	66	N1PO sand
N1XO	99	107	101	129	109	77	N1XO
N1BO	112	121	117	128	121	79	N1BO
N2	75	83	79	84	80	0	N2
NOG	75	81	83	94	83	0	NOG
NOG-F sand	80	85	( 93)	104	85	0	NOG-F sand
"W"	92	93	105	106	96	0	"W"
"U"	92	94	104	100	98	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 24.

3/ Commodity Credit Corporation loans made available through the Flue-Cured Cooperative Stabilization Corporation, Raleigh, North Carolina.

Table 18--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending								
	Aug. 3	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21	Sep. 28
B3L	-	-	-	-	153	153	153	155	156
B4L	-	-	-	151	151	154	151	153	151
B3F	-	-	-	-	153	153	154	155	155
B4F	-	-	-	149	149	151	153	153	153
B5F	-	-	-	-	142	146	147	149	148
B4FR	-	-	-	-	-	-	-	151	154
B3K	-	-	-	-	-	-	-	152	151
B4K	-	-	-	-	144	148	145	146	146
B5K	-	-	-	-	128	143	138	141	139
B6K	-	-	-	-	-	-	125	129	126
B4KR	-	-	-	-	-	-	146	146	148
B4V	-	-	-	141	143	145	146	146	147
B5V	-	-	-	-	135	132	142	141	142
B3KL	-	-	-	-	141	144	143	147	143
B4KL	-	-	-	147	136	141	139	141	139
B5KL	-	-	-	-	123	131	130	130	129
B3KF	-	-	-	-	141	140	142	143	145
B4KF	-	-	123	138	135	138	137	140	139
B5KF	-	-	119	117	120	128	128	132	129
B6KF	-	-	-	-	116	-	120	120	120
B4KV	-	-	-	-	-	135	139	138	133
B5KV	-	-	-	-	127	135	130	133	133
B3KM	-	-	-	148	144	147	145	149	149
B4KM	-	-	-	141	141	143	143	146	144
B5KM	-	-	129	-	133	138	137	140	136
B4G	-	-	-	-	131	126	133	134	138
B4GK	-	-	125	131	128	130	132	133	132
B5GK	-	-	110	116	119	125	126	126	125
H4F	-	-	-	-	-	155	154	154	153
H5F	-	-	-	-	-	-	143	153	152
H4K	-	-	-	-	-	-	-	150	149
H5K	-	-	-	-	-	-	-	145	147
C4L	-	155	150	148	147	149	151	154	153
C5L	-	150	144	139	140	144	146	149	147
C3F	-	-	-	154	152	153	155	155	155
C4F	-	-	150	148	148	151	152	153	153
C5F	-	-	143	141	141	147	148	149	149
C4V	-	-	142	139	141	147	147	148	149
C4KM	-	-	141	141	141	147	147	147	147
X3L	151	150	142	140	141	146	146	149	148
X4L	147	132	131	132	133	138	139	138	140
X3F	154	148	143	142	145	150	149	150	149
X4F	140	135	134	136	136	142	141	141	141
X5F	-	122	118	122	124	128	128	127	130
X4V	129	130	124	127	129	133	136	135	128
X4KV	-	125	114	116	120	124	127	126	124
X3KM	147	140	135	137	136	142	143	148	146
X4KM	132	130	126	131	130	135	137	140	134
X4GK	-	122	121	120	119	125	124	123	123
X4G	123	118	116	116	119	122	119	123	120
P4L	120	111	106	106	110	118	115	118	112
P5L	107	103	98	99	98	104	99	-	102
P3F	131	125	118	119	127	134	131	127	116
P4F	122	113	104	108	111	121	114	118	109
P5F	107	103	99	100	99	106	101	106	102
P4G	113	105	99	99	100	112	-	-	-
N1L	96	96	92	90	90	90	92	92	97
N1XL	-	-	-	94	100	101	101	103	-
N1GL	91	93	87	87	88	90	94	92	98
N1PO	96	96	90	86	88	86	87	89	87
N1XO	-	-	100	97	93	97	101	96	107
N2	80	79	73	73	73	75	76	78	78

1/ No averages shown after week of November 16 due to limited sales.

Table 18--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending						Season		
	Oct. 5	Oct. 12	Oct. 19	Oct. 26	Nov. 2	Nov. 9	Nov. 16	1978	1977
B3L	156	157	157	158	150	145	147	154	157
B4L	154	152	152	146	141	139	139	150	154
B3F	155	155	155	154	151	145	152	154	159
B4F	153	153	151	146	143	141	141	150	155
B5F	149	148	143	138	137	134	136	143	146
B4FR	154	153	154	154	155	152	149	153	155
B3K	150	151	145	142	138	138	138	145	150
B4K	146	145	140	135	133	132	133	139	139
B5K	140	137	132	129	128	129	129	132	127
B6K	131	129	123	123	123	122	124	124	115
B4KR	148	143	142	136	132	132	135	140	146
B4V	148	146	141	133	131	130	132	142	146
B5V	141	138	135	128	127	127	127	135	135
B3KL	149	150	142	131	130	129	132	141	151
B4KL	145	142	136	128	126	125	124	137	138
B5KL	142	130	126	121	121	124	122	127	121
B3KF	147	145	138	135	133	129	130	139	145
B4KF	142	138	131	128	126	125	123	134	130
B5KF	135	131	124	121	121	124	122	126	117
B6KF	130	123	118	117	118	119	117	119	107
B4KV	143	134	130	125	124	124	124	130	134
B5KV	135	131	123	120	121	121	122	125	120
B3KM	149	149	142	135	134	133	138	144	147
B4KM	146	144	134	131	130	129	131	139	140
B5KM	138	134	127	125	124	125	125	130	126
B4G	142	136	128	123	120	123	-	130	132
B4GK	136	134	126	120	120	120	121	128	128
B5GK	132	123	118	117	117	117	115	120	114
H4F	155	154	153	152	147	146	147	153	160
H5F	152	151	149	145	140	141	140	148	153
H4K	150	151	149	143	141	138	143	147	147
H5K	147	143	142	137	136	135	135	140	140
C4L	154	154	153	148	144	143	144	149	150
C5L	150	150	147	142	137	136	137	143	144
C3F	150	158	157	151	150	-	-	153	156
C4F	154	154	151	144	143	141	143	150	151
C5F	150	150	147	139	137	137	138	145	149
C4V	150	151	143	142	136	134	-	143	142
C4KM	150	147	141	135	134	131	133	143	143
X3L	149	149	147	138	139	137	137	143	142
X4L	141	140	135	133	131	130	130	135	136
X3F	149	151	146	136	134	137	135	145	149
X4F	143	144	139	133	131	130	130	138	142
X5F	133	130	132	122	122	121	119	126	130
X4V	134	137	131	123	123	126	124	130	133
X4KV	128	133	121	119	124	118	117	123	124
X3KM	-	142	130	128	132	132	-	138	140
X4KM	137	135	124	123	126	124	123	131	134
X4GK	127	-	-	117	118	117	114	121	120
X4G	-	-	123	118	112	-	-	118	119
P4L	113	-	107	106	101	102	102	109	117
P5L	-	100	105	-	-	94	93	100	105
P3F	126	115	-	-	-	-	-	124	130
P4F	109	110	106	105	101	103	100	110	121
P5F	100	103	102	96	96	94	94	101	106
P4G	-	-	-	-	-	-	-	104	101
N1L	99	97	95	94	92	88	87	91	90
N1XL	109	113	114	105	107	102	100	103	104
N1GL	107	-	-	99	96	93	85	91	85
N1PO	88	-	91	87	78	82	79	89	84
N1XO	-	-	-	98	101	96	100	99	104
N2	79	81	83	80	78	74	70	75	51

1/ No averages shown after week of November 16 due to limited sales.

Table 19--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending								
	Aug. 3	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21	Sep. 28
B3L	-	-	-	153	153	154	154	156	159
B4L	-	-	152	151	150	148	151	154	156
B3F	-	-	-	154	153	154	154	157	158
B4F	-	-	153	152	151	149	152	154	154
B5F	-	-	143	149	147	145	150	152	150
B4K	-	-	-	-	144	141	145	148	146
B5K	-	-	-	-	138	137	143	146	143
B6K	-	-	-	-	131	126	132	139	137
B4KR	-	-	-	-	144	144	145	145	146
B3V	-	-	-	151	150	147	150	150	153
B4V	-	-	148	145	145	145	146	148	147
B5V	-	-	-	-	139	141	142	147	144
B3KL	-	-	-	147	148	146	145	151	152
B4KL	-	-	137	138	143	138	141	145	147
B3KF	-	-	-	-	147	143	145	149	149
B4KF	-	-	136	140	139	136	142	144	144
B5KF	-	-	122	129	130	129	136	139	137
B6KF	-	-	125	115	123	123	127	128	127
B4KV	-	-	-	139	138	134	138	137	141
B5KV	-	-	-	-	129	129	131	138	137
B3KM	-	-	149	148	148	146	147	151	151
B4KM	-	143	142	143	143	141	145	146	145
B5KM	-	-	136	136	135	134	139	143	140
B4GK	-	-	134	130	132	130	133	137	136
B5GK	-	-	123	121	124	124	126	130	131
B6GK	-	-	-	118	117	118	120	124	124
H4F	-	-	-	-	-	153	155	153	157
H5K	-	-	-	-	-	142	152	149	150
C4L	-	155	153	148	149	150	151	156	155
C5L	-	145	143	141	143	141	145	149	149
C4F	-	153	152	150	149	151	151	154	154
C5F	-	146	142	142	143	144	147	149	149
C4KR	-	149	142	142	148	-	149	149	153
C4V	154	151	145	141	144	140	145	151	-
C4KM	150	147	145	142	145	144	147	148	150
C4GK	-	129	132	131	137	132	137	142	148
X3L	149	147	145	141	140	142	145	-	148
X4L	139	135	133	132	134	135	137	138	142
X3F	152	150	146	142	143	147	145	148	151
X4F	143	138	134	135	136	138	140	145	141
X5F	129	123	122	122	125	125	130	140	136
X4V	133	136	127	126	130	132	131	135	-
X4KL	-	131	133	131	129	130	137	137	-
X3KM	149	144	140	138	140	142	146	147	-
X4KM	137	132	129	130	130	135	136	140	140
X4GK	130	124	118	118	120	120	127	133	133
X4G	126	123	118	114	119	118	120	133	-
P3L	131	126	117	115	110	114	-	-	-
P4L	120	114	109	107	110	110	108	-	-
P5L	110	106	101	100	102	-	-	99	-
P3F	133	127	117	109	112	111	-	-	-
P4F	121	114	107	105	108	107	118	114	120
P5F	109	106	101	99	102	101	106	114	105
P4G	110	104	100	98	98	-	-	-	-
P5G	100	97	95	94	97	-	-	-	-
N1L	97	97	95	94	95	94	103	99	99
N1XL	-	105	98	103	106	99	110	112	120
N1GL	93	94	91	91	99	93	103	125	-
N1PO	96	97	93	92	95	94	99	-	-
N1XO	110	104	104	105	109	107	112	114	129
N1BO	-	-	-	-	112	123	126	131	128
N2	78	82	82	84	85	83	93	94	96

1/ No averages shown after week of November 9 due to limited sales.

Table 19--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending						Season	
	Oct. 5	Oct. 12	Oct. 19	Oct. 26	Nov. 2	Nov. 9	1978	1977
B3L	160	161	161	153	146	-	155	150
B4L	155	156	160	142	138	-	151	147
B3F	157	159	158	152	145	147	155	154
B4F	152	152	151	145	142	141	151	151
B5F	150	149	143	138	134	132	146	151
B4K	142	142	135	134	131	131	139	146
B5K	141	137	130	128	127	126	134	137
B6K	135	130	125	122	123	122	127	125
B4KR	141	138	137	132	131	130	139	147
B3V	151	153	146	145	136	-	149	143
B4V	143	142	134	134	131	-	144	145
B5V	140	145	133	130	126	-	139	141
B3KL	150	150	137	138	134	128	145	151
B4KL	143	143	132	131	126	127	139	147
B3KF	146	143	137	135	133	133	144	151
B4KF	141	139	131	130	128	127	138	143
B5KF	136	132	127	124	124	123	132	126
B6KF	127	127	124	121	121	121	125	112
B4KV	135	130	125	125	124	125	132	139
B5KV	133	131	121	120	122	121	128	129
B3KM	150	147	140	137	134	131	144	149
B4KM	143	141	133	131	130	129	140	145
B5KM	138	134	127	126	126	125	132	137
B4GK	133	131	123	123	123	123	130	134
B5GK	129	127	120	120	119	-	124	123
B6GK	123	123	117	118	118	116	120	111
H4F	154	153	154	147	145	140	152	153
H5K	147	140	135	139	129	129	141	144
C4L	156	153	152	147	141	139	150	146
C5L	152	147	141	142	133	134	142	143
C4F	153	151	149	145	140	138	150	147
C5F	152	148	138	137	135	134	142	147
C4KR	149	141	137	138	137	135	143	145
C4V	147	153	140	141	131	129	144	142
C4KM	148	146	139	133	132	132	143	149
C4GK	-	142	126	125	127	122	133	134
X3L	149	-	137	137	134	133	144	143
X4L	144	145	137	132	129	129	134	138
X3F	146	144	141	137	135	133	146	142
X4F	140	138	137	130	132	128	136	139
X5F	135	133	123	122	122	117	125	132
X4V	-	-	128	-	123	-	130	131
X4KL	141	-	-	123	124	-	131	128
X3KM	140	145	136	133	131	128	140	144
X4KM	137	138	129	125	125	122	131	136
X4GK	131	-	118	120	122	116	121	123
X4G	-	-	-	-	-	-	120	119
P3L	-	-	-	-	-	-	124	127
P4L	103	-	105	-	101	99	114	118
P5L	-	-	96	94	97	92	105	106
P3F	-	-	-	-	-	-	125	131
P4F	118	-	115	102	103	100	113	119
P5F	105	-	99	100	99	96	104	107
P4G	-	-	-	-	-	-	104	103
P5G	-	-	-	-	-	89	98	94
NIL	98	103	91	95	95	90	96	93
N1XL	-	-	101	104	110	106	106	111
N1GL	-	-	87	100	101	94	95	90
N1PO	-	-	88	86	88	86	94	86
N1XO	-	-	-	98	105	100	107	109
N1BO	124	120	116	117	119	117	121	103
N2	97	85	88	93	88	76	83	65

1/ No averages shown after week of November 9 due to limited sales.

Table 20--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending							
	July 27	Aug. 3	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14
B3L	-	-	156	156	155	154	155	156
B4L	-	-	153	154	152	149	150	155
B5L	-	-	-	148	150	142	147	147
B3F	-	-	155	156	155	153	155	156
B4F	-	155	155	153	152	151	153	154
B5F	-	-	148	143	147	147	147	151
B4K	-	-	-	142	142	141	144	146
B5K	-	-	-	132	135	135	135	140
B6K	-	-	-	-	124	126	124	134
B4KR	-	137	-	144	143	144	144	152
B4V	-	-	150	149	148	145	146	151
B5V	-	-	141	136	142	139	142	143
B3KL	-	-	-	153	146	139	143	151
B4KL	-	-	146	142	140	137	138	141
B5KL	-	-	-	136	127	129	125	129
B4KF	-	149	139	143	139	139	140	143
B5KF	-	143	130	134	129	132	130	133
B6KF	-	-	-	-	118	-	120	126
B5KV	-	-	-	130	128	126	127	133
B3KM	-	-	151	150	150	148	148	149
B4KM	-	150	144	143	144	143	143	146
B5KM	-	-	137	133	137	137	137	141
B4G	-	143	130	142	132	131	133	141
B4GK	-	140	128	135	132	133	127	135
B5GK	-	132	126	125	126	126	122	127
H4F	-	-	-	-	156	154	155	151
H5F	-	-	-	-	-	149	-	150
H5K	-	-	-	-	-	140	138	142
C4L	152	155	154	154	154	150	154	155
C5L	143	150	146	147	145	142	144	149
C4F	152	155	153	154	153	151	153	153
C5F	145	148	146	146	145	144	149	146
C4V	148	152	149	147	146	142	-	150
C4KM	150	149	144	143	144	143	146	146
X3L	141	149	150	146	146	143	-	-
X4L	132	138	135	134	135	133	136	142
X5L	122	130	121	120	119	118	-	-
X3F	143	147	149	146	146	145	150	-
X4F	132	140	137	136	135	139	138	143
X5F	122	129	122	122	125	124	129	128
X3V	137	145	144	136	143	139	-	-
X4V	132	136	130	129	128	128	-	-
X4KV	115	128	121	120	120	118	-	-
X3KM	135	147	143	135	137	142	-	-
X4KM	128	138	129	127	129	129	126	140
X4GK	119	129	121	120	122	119	115	135
X4G	117	127	121	118	120	116	-	-
P3L	126	132	125	123	115	-	-	-
P4L	116	125	115	108	104	109	-	-
P5L	104	112	107	102	99	97	-	-
P4F	115	120	113	109	109	104	-	104
P5F	105	111	104	101	101	97	-	-
P4G	106	113	103	101	-	-	-	-
P5G	96	105	99	93	98	-	-	-
N1L	94	97	95	93	93	87	-	-
N1XL	98	102	103	98	98	105	-	-
N1K	-	-	-	-	-	-	104	104
N1GL	86	95	92	92	94	83	-	-
N1PO	92	96	90	90	86	87	-	-
N1XO	-	99	101	99	98	101	-	107
N1BO	-	-	-	-	117	108	116	116
N2	63	73	74	76	77	72	77	74

1/ No averages shown after week of October 26 due to limited sales.

Table 20--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1/

Group and grade	Week ending						Season	
	Sep. 21	Sep. 28	Oct. 5	Oct. 12	Oct. 19	Oct. 26	1978	1977
B3L	156	157	157	-	154	-	155	151
B4L	155	156	154	153	150	143	152	146
B5L	151	150	148	-	141	-	146	149
B3F	155	156	155	155	151	153	155	154
B4F	154	154	152	152	148	143	152	151
B5F	152	151	147	148	140	138	147	149
B4K	147	148	144	142	134	132	142	145
B5K	142	140	137	134	130	129	136	135
B6K	131	130	127	124	125	123	126	126
B4KR	147	151	144	141	138	-	144	145
B4V	150	150	146	145	139	131	147	143
B5V	142	145	143	138	131	129	140	140
B3KL	151	150	147	145	143	139	146	150
B4KL	146	145	141	138	134	129	141	147
B5KL	138	134	135	130	129	128	131	141
B4KF	144	142	140	136	131	128	139	139
B5KF	135	134	132	129	125	124	130	125
B6KF	121	122	120	118	120	119	120	113
B5KV	128	135	126	128	123	124	127	128
B3KM	150	150	145	147	141	139	148	146
B4KM	145	147	142	140	134	132	143	144
B5KM	141	143	137	134	130	127	136	135
B4G	138	141	132	-	-	-	135	133
B4GK	132	140	131	128	125	125	132	133
B5GK	127	132	124	123	120	121	125	124
H4F	155	155	154	-	148	143	152	149
H5F	155	153	151	148	143	136	148	151
H5K	148	146	-	140	137	132	140	147
C4L	153	156	155	-	148	142	154	146
C5L	148	147	149	-	141	134	146	142
C4F	154	154	154	153	147	142	153	146
C5F	148	150	150	149	140	139	146	147
C4V	-	-	-	-	134	133	148	139
C4KM	150	147	150	144	138	130	145	141
X3L	150	-	-	-	-	135	147	139
X4L	146	146	147	-	-	128	136	132
X5L	-	-	-	-	-	-	123	123
X3F	151	152	139	-	-	-	147	142
X4F	142	146	142	137	132	138	138	141
X5F	129	130	130	133	123	119	125	131
X3V	-	-	-	-	-	-	142	132
X4V	-	-	-	-	-	-	132	129
X4KV	-	137	-	-	130	-	123	125
X3KM	-	-	-	-	-	130	142	135
X4KM	139	143	134	140	126	123	131	132
X4GK	-	-	-	-	116	-	123	118
X4G	-	-	-	-	-	-	121	117
P3L	-	-	-	-	-	-	128	124
P4L	-	-	-	-	-	99	118	116
P5L	-	-	-	-	-	95	106	105
P4F	-	113	110	-	102	103	115	117
P5F	102	100	-	100	98	98	105	107
P4G	-	-	-	-	-	-	108	102
P5G	-	-	-	-	-	92	99	91
N1L	90	92	-	-	97	94	94	93
N1XL	-	-	-	-	-	-	101	110
N1K	117	114	111	109	119	119	114	110
N1GL	-	-	-	-	95	95	92	87
N1PO	-	107	-	-	-	86	92	85
N1XO	104	-	-	-	99	-	101	109
N1BO	116	117	119	118	116	117	117	106
N2	83	81	89	83	83	93	79	56

1/ No averages shown after week of October 26 due to limited sales.

Table 21--Average prices by weeks on representative grades and season averages, 1978 and 1977 crops 1

Group and grade	Week ending											Season		
	July 20	July 27	Aug. 3	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21	Sep. 28	Oct. 5	1978	1977
B3L	-	-	160	160	160	160	-	-	-	-	-	-	160	135
B4L	-	-	159	160	160	159	158	159	-	-	-	-	159	138
B3F	-	155	160	160	160	160	160	160	-	-	-	-	160	139
B4F	-	156	160	160	160	160	159	159	160	157	157	-	160	139
B5F	-	154	159	158	157	157	157	155	156	153	153	149	157	141
B4K	-	155	160	160	156	156	156	151	152	152	146	141	154	140
B5K	-	-	160	157	152	148	148	140	143	144	138	138	145	137
B6K	-	-	-	149	144	141	138	132	133	137	126	130	134	129
B4KR	-	-	159	159	158	156	154	154	155	-	143	-	155	140
B4V	-	155	160	158	158	158	153	151	157	155	150	-	157	138
B5V	-	-	158	151	154	149	151	141	152	147	140	-	149	138
B4KF	-	-	158	158	154	147	143	141	148	142	140	138	146	140
B5KF	-	-	157	146	145	138	133	128	136	135	129	131	134	133
B6KF	-	-	-	144	121	132	120	120	124	128	122	127	125	121
B4KV	-	-	158	156	152	148	146	143	140	139	138	-	149	136
B5KV	-	-	155	148	147	142	143	130	132	134	130	121	138	132
B6KV	-	-	-	136	139	126	136	121	125	131	123	119	127	126
B3KM	-	155	159	158	156	158	160	159	-	-	-	-	158	139
B4KM	-	154	159	156	156	153	154	152	152	140	147	141	154	138
B5KM	-	152	155	154	152	149	148	142	137	136	137	140	144	136
B6KM	-	-	147	138	131	143	129	126	128	127	130	130	131	129
B4G	-	-	157	153	157	155	147	-	-	-	-	-	153	132
B4GK	-	151	155	144	143	142	130	130	133	126	125	-	141	132
B5GK	-	135	146	140	132	130	124	125	123	122	120	123	129	126
B6GK	-	-	134	136	122	121	113	121	121	116	116	121	121	116
H4F	-	-	-	160	160	160	160	-	-	-	-	-	160	139
H5K	-	-	-	159	160	154	154	145	156	150	147	-	152	140
H6K	-	-	-	154	-	150	142	143	142	147	131	-	144	136
C4L	151	155	160	160	160	-	-	-	160	-	-	-	158	133
C4F	148	155	160	160	160	160	-	-	-	-	-	-	158	135
C5F	150	153	159	159	158	157	156	-	-	-	-	-	158	134
C4V	149	154	159	158	157	-	-	-	-	-	-	-	157	131
C4KM	148	154	158	158	154	159	-	-	-	-	-	-	156	133
C4GK	141	146	154	154	152	-	-	-	-	-	-	-	151	123
X4L	144	151	155	154	152	-	-	-	-	-	-	-	151	131
X4F	148	150	156	156	149	149	146	-	146	-	-	-	152	133
X5F	140	139	148	148	138	134	139	128	130	-	-	-	142	129
X4V	140	146	156	150	141	139	-	-	-	-	-	-	148	127
X4KM	141	144	153	146	144	139	142	-	-	144	-	-	146	126
X4GK	132	136	143	135	123	126	-	-	-	-	-	-	136	117
X4G	127	134	148	143	140	-	-	-	-	-	-	-	137	117
X5G	124	123	141	138	129	-	-	-	-	-	-	-	132	112
P4L	135	128	135	127	-	-	-	-	-	-	-	-	132	117
P5L	126	116	128	114	-	-	-	-	-	-	-	-	122	106
P4F	133	125	134	120	128	-	-	-	-	-	-	-	129	116
P5F	121	112	124	125	112	107	-	-	-	-	-	-	119	108
P4G	122	115	124	120	-	-	-	-	-	-	-	-	119	103
N1L	107	103	112	107	99	99	-	-	-	-	-	-	106	96
N1XL	132	116	139	135	123	132	121	-	-	115	-	-	128	120
N1K	-	-	-	137	143	129	129	119	122	125	116	121	124	120
N1GL	103	99	115	115	101	-	-	-	-	103	-	-	105	92
N1KV	-	-	108	124	134	126	126	115	114	122	114	111	118	115
N1PO	109	101	110	118	104	-	-	-	-	-	-	-	106	93
N1XO	121	116	137	144	127	115	123	-	-	-	-	-	129	120
N1BO	-	-	150	149	151	128	129	117	122	122	113	116	128	120
N2	71	74	85	94	98	93	88	80	92	96	94	93	84	67

1/ No averages shown after week of October 5 due to limited sales.

Table 22--Dates of designation by the Secretary of Agriculture for official inspection and market news on flue-cured markets and year service began 1/

Type market and State	Designated	Year service began	Type market and State	Designated	Year service began
<u>Type 11(a)</u>					
Virginia:			South Carolina:		
Brookneal	June 26, 1942	1946	Conway	June 26, 1942	1944
Chase City	"	"	Darlington	July 1, 1936	1939
Clarksville	"	"	Dillon	Aug. 16, 1941	1941
Danville	Aug. 16, 1941	1941	Hemingway	June 16, 1950	1950
Kenbridge	June 26, 1942	1942	Kingstree	June 26, 1942	1944
Lawrenceville	"	1946	Lake City	July 1, 1936	1939
Martinsville	"	1942	Lamar	May 28, 1951	1951
Petersburg	"	1946	Loris	Aug. 16, 1941	1941
South Boston	"	1945	Mullins	June 26, 1942	1942
South Hill	Aug. 23, 1938	1938	Pamplico	July 1, 1936	1939
			Timmonsville	Aug. 16, 1941	1941
North Carolina:			North Carolina:		
Burlington	June 26, 1942	1946	Chadbourn	June 26, 1942	1946
Greensboro	June 16, 1950	1950	Clarkton	"	"
Madison	June 26, 1942	1946	Fair Bluff	"	"
Mebane	"	1942	Fairmont	"	1945
Mt. Airy	"	1946	Fayetteville	June 17, 1947	1947
Reidsville	Aug. 26, 1941	1941	Lumberton	June 26, 1942	1946
Roxboro	June 26, 1942	1942	Tabor City	"	"
Stoneville	"	1946	Whiteville	"	"
Winston-Salem	"	1942			
Yadkinville	April 10, 1970	1970			
<u>Type 11(b)</u>					
North Carolina:			Georgia:		
Aberdeen	June 26, 1942	1946	Adel	June 22, 1939	1939
Carthage	"	"	Alma	May 10, 1955	1955
Durham	"	1944	Baxley	June 26, 1942	1942
Ellerbe	Aug. 25, 1949	1949	Blackshear	"	1945
Fuquay-Varina	Aug. 16, 1941	1941	Claxton	July 30, 1948	1948
Henderson	June 26, 1942	1945	Douglas	June 22, 1939	1939
Louisburg	"	1946	Fitzgerald	July 22, 1946	1946
Oxford	Aug. 26, 1936	1936	Hahira	Aug. 16, 1941	1941
Sanford	June 26, 1942	1946	Hazlehurst	June 26, 1942	1942
Warrenton	"	"	Metter	Aug. 16, 1941	1941
			Moultrie	June 26, 1942	1944
			Nashville	June 22, 1939	1939
			Pearson	May 10, 1955	1955
			Pelham	June 26, 1942	1942
			Quitman	Aug. 28, 1945	1945
			Statesboro	Aug. 16, 1941	1941
			Sylvester	June 16, 1950	1950
			Thomasville	June 29, 1956	1956
			Tifton	June 26, 1942	1942
			Valdosta	June 21, 1940	1940
			Vidalia	June 26, 1942	1942
			Waycross	"	"
<u>Type 12</u>					
North Carolina:			Florida:		
Ahoskie	June 26, 1942	1942	High Springs	May 26, 1954	1954
Clinton	Aug. 9, 1946	1946	Jasper	May 27, 1948	1948
Dunn	July 15, 1949	1949	Lake City	June 26, 1942	1945
Farmville	July 13, 1936	1936	Live Oak	June 21, 1940	1940
Goldsboro	"	"	Madison	June 29, 1956	1956
Greenville	July 24, 1939	1939			
Kinston	June 26, 1942	1946			
Robersonville	Aug. 16, 1941	1941			
Rocky Mount	June 26, 1942	1945			
Smithfield	"	1944			
Tarboro	Aug. 16, 1941	1941			
Wallace	June 26, 1942	1946			
Washington	"	1944			
Wendell	Sep. 14, 1937	1937			
Williamston	Aug. 16, 1941	1941			
Wilson	June 26, 1942	1942			
Windsor	June 16, 1950	1950			

1/ By authority of The Tobacco Inspection Act, approved August 23, 1935.

Table 23--Percentage distribution by groups for flue-cured types, 1974 to 1978 2/

Crop year	Type 11								
	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1974	1/	47.1	14.5	8.7	12.5	10.9	-	4.2	2.1
1975	1/	45.2	10.5	7.6	16.4	10.4	-	7.4	2.5
1976	-	59.1	1.8	6.9	14.0	9.9	-	7.6	.7
1977	-	54.0	1.2	3.7	12.4	6.3	.1	21.2	1.1
1978	-	56.3	2.8	11.5	14.1	8.6	-	5.6	1.1
1979									
1980									
1981									
1982									
1983									
1984									

	Type 12								
1974	.1	52.6	8.7	10.1	10.0	11.6	-	4.5	2.5
1975	1/	49.2	9.2	8.5	14.0	11.5	-	5.6	2.0
1976	-	56.5	3.3	10.5	12.1	11.0	.1	5.5	1.0
1977	-	47.7	1.1	3.8	12.6	6.0	-	27.7	1.1
1978	-	59.1	.8	10.3	14.3	8.7	.1	5.8	.9
1979									
1980									
1981									
1982									
1983									
1984									

	Type 13								
1974	1/	55.1	4.5	11.2	9.6	12.2	-	3.7	3.5
1975	-	47.7	7.0	9.9	14.6	12.6	-	4.2	4.0
1976	-	55.1	4.9	10.9	10.1	11.7	-	5.3	2.0
1977	-	50.1	1.2	5.5	16.2	6.8	.3	18.0	1.9
1978	-	61.1	.9	8.7	15.4	8.4	-	4.5	1.0
1979									
1980									
1981									
1982									
1983									
1984									

	Type 14								
1974	-	45.0	15.6	10.5	11.1	11.5	-	3.1	3.2
1975	-	52.5	8.2	7.7	10.4	11.5	-	5.0	4.7
1976	-	56.6	3.6	5.8	11.0	15.4	-	4.6	3.0
1977	-	48.8	1.4	3.6	10.6	6.6	-	21.1	7.9
1978	-	55.0	1.6	8.4	14.2	8.4	-	9.9	2.5
1979									
1980									
1981									
1982									
1983									
1984									

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the market review.

Table 24--Percentage distribution by qualities for flue-cured types, 1974 to 1978 2/

Crop year	Type 11							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1974	.1	1.4	20.1	50.5	20.3	1.3	4.2	2.1
1975	.1	.7	11.3	46.5	28.0	3.5	7.4	2.5
1976	-	.4	10.2	50.4	26.7	4.0	7.6	.7
1977	.1	.3	4.6	31.0	29.6	12.1	21.2	1.1
1978	.1	.8	12.9	52.6	24.4	2.5	5.6	1.1
1979								
1980								
1981								
1982								
1983								
1984								

	Type 12							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1974	.3	2.0	25.4	49.3	15.2	.8	4.5	2.5
1975	.1	.9	16.9	51.9	20.7	1.9	5.6	2.0
1976	.6	2.3	24.5	49.0	15.7	1.4	5.5	1.0
1977	.1	.4	5.8	27.2	25.1	12.6	27.7	1.1
1978	.1	.6	16.2	51.4	22.1	2.9	5.8	.9
1979								
1980								
1981								
1982								
1983								
1984								

	Type 13							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1974	1/	1.2	23.3	47.2	20.1	1.1	3.7	3.5
1975	.1	.5	11.8	50.4	26.8	2.2	4.2	4.0
1976	.1	1.0	17.9	52.1	20.4	1.2	5.3	2.0
1977	-	.2	4.4	40.0	30.4	5.1	18.0	1.9
1978	-	.3	10.9	51.1	29.4	2.8	4.5	1.0
1979								
1980								
1981								
1982								
1983								
1984								

	Type 14							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1974	.2	3.2	24.2	45.3	18.5	2.3	3.1	3.2
1975	1/	.8	13.9	46.3	25.9	3.4	5.0	4.7
1976	.1	1.1	21.4	48.6	19.3	1.9	4.6	3.0
1977	-	.1	4.0	30.6	28.2	8.1	21.1	7.9
1978	-	.2	8.5	43.7	27.9	7.3	9.9	2.5
1979								
1980								
1981								
1982								
1983								
1984								

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the market review.

Table 25-- Percentage distribution by colors for flue-cured types, 1974 to 1978 crops 2/

Crop year	Type 11										
	L	F	FR	R	K	K(sf)	V	S	G	Nond.	Misc.
1974	9.8	50.9	2.7	.1	20.9	7.3	-	.1	2.1	4.2	2.1
1975	9.1	44.7	1.9	.3	21.7	9.4	-	1/	3.0	7.4	2.5
1976	8.5	26.8	.7	.1	18.3	25.1	4.5	-	7.7	7.6	.7
1977	3.2	17.3	.3	.3	10.6	31.5	3.5	-	11.0	21.2	1.1
1978	12.2	29.3	.6	-	14.2	27.2	4.0	.3	5.5	5.6	1.1
1979											
1980											
1981											
1982											
1983											
1984											

	Type 12										
	L	F	FR	R	K	K(sf)	V	S	G	Nond.	Misc.
1974	17.4	45.6	4.9	1/	14.9	8.4	-	.1	1.9	4.5	2.5
1975	10.1	43.2	4.5	1/	22.6	8.9	-	1/	3.1	5.6	2.0
1976	9.9	38.7	4.4	-	17.6	14.4	3.3	.1	5.1	5.5	1.0
1977	4.4	14.6	.9	.1	11.8	27.0	2.4	-	10.0	27.7	1.1
1978	9.9	20.8	.6	-	7.1	42.7	3.4	.4	8.4	5.8	.9
1979											
1980											
1981											
1982											
1983											
1984											

	Type 13										
	L	F	FR	R	K	K(sf)	V	S	G	Nond.	Misc.
1974	14.5	53.2	1.8	1/	10.8	10.3	-	.4	1.8	3.7	3.5
1975	11.6	43.5	.3	1/	16.9	15.7	-	.1	3.7	4.2	4.0
1976	10.4	46.6	.3	-	14.4	12.1	4.2	.3	4.4	5.3	2.0
1977	6.5	19.4	.1	-	13.9	25.9	3.6	-	10.7	18.0	1.9
1978	10.1	27.7	.1	-	10.3	33.1	5.6	.2	7.4	4.5	1.0
1979											
1980											
1981											
1982											
1983											
1984											

	Type 14										
	L	F	FR	R	K	K(sf)	V	S	G	Nond.	Misc.
1974	18.8	45.9	3.3	1/	16.7	6.2	-	.1	2.7	3.1	3.2
1975	15.9	41.3	1.2	1/	17.0	12.5	-	.1	2.3	5.0	4.7
1976	17.0	37.4	1.6	.1	10.6	14.6	4.6	1.0	5.5	4.6	3.0
1977	3.3	14.0	.1	-	13.1	26.8	2.9	-	10.8	21.1	7.9
1978	6.8	20.2	.1	-	12.8	32.0	5.2	.1	10.4	9.9	2.5
1979											
1980											
1981											
1982											
1983											
1984											

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the market review.

Table 26--Percentage distribution by groups, qualities and colors for flue-cured types 11-14, 1974 to 1978 crops 2/

Crop year	GROUP									
	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.	
1974	1/	50.3	10.6	10.0	10.8	11.5	-	4.0	2.8	
1975	1/	48.2	8.9	8.5	14.4	11.4	-	5.7	2.9	
1976	-	57.1	3.0	8.9	12.1	11.4	-	6.1	1.4	
1977	-	50.4	1.2	4.1	13.0	6.3	.1	22.7	2.2	
1978	-	58.2	1.6	10.1	14.4	8.5	-	6.0	1.2	
1979										
1980										
1981										
1982										
1983										
1984										

Crop year	QUALITY							
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1974	.2	1.8	23.1	48.6	18.3	1.2	4.0	2.8
1975	.1	.7	13.7	49.4	24.9	2.6	5.7	2.9
1976	.3	1.2	18.1	50.0	20.6	2.3	6.1	1.4
1977	.1	.2	4.9	31.5	28.1	10.3	22.7	2.2
1978	-	.5	13.1	50.7	25.1	3.4	6.0	1.2
1979								
1980								
1981								
1982								
1983								
1984								

Crop year	COLOR										
	L	F	FR	R	K	K(sf)	V	S	G	Nond.	Misc.
1974	14.7	48.9	3.3	1/	16.0	8.2	-	.1	2.0	4.0	2.8
1975	10.9	43.5	2.4	1/	20.3	11.1	-	1/	3.2	5.7	2.9
1976	10.4	36.2	2.0	-	16.4	17.5	4.0	.2	5.8	6.1	1.4
1977	4.2	16.5	.5	.1	12.0	28.2	3.1	-	10.5	22.7	2.2
1978	10.2	24.8	.5	-	10.6	34.6	4.3	.3	7.5	6.0	1.2
1979											
1980											
1981											
1982											
1983											
1984											

COLOR KEY

L	- Lemon
F	- Orange
FR	- Orange red
R	- Red
K	- Variegated (K and KR)
K(sf)	- Variegated (KL,KF,KV, and KM)
V	- Greenish
S	- Slick
G	- Green
Nond.	- Nondescript
Misc.	- No grade, W, U, etc.

1/ Volume insufficient to quote percentage.

2/ Data for years prior to 1974 may be found in the 1975 and earlier issues of the market review.

Table 27--Percentage distribution by grades for flue-cured tobacco types 11-14, 1978 crop

Group and grade	1978 Crop				Group and grade	1978 Crop			
	11	12	13	14		11	12	13	14
Wrappers					Smoking leaf				
A1L	-	-	-	-	H3L	.025	.015	.006	.017
A1F	-	-	-	-	H4L	.075	.048	.028	.042
Total A	-	-	-	-	H5L	.031	.011	.017	.017
Leaf					H6L	.004	-	.001	-
B1L	.011	.007	-	.015	H1F	-	-	.003	-
B2L	.173	.087	.012	.019	H2F	.004	-	-	.010
B3L	.726	.583	.364	.230	H3F	.100	.060	.036	.104
B4L	.824	.543	1.025	.509	H4F	.603	.252	.222	.316
B5L	.156	.057	.335	.094	H5F	.507	.099	.245	.151
B6L	.001	.002	.002	.002	H6F	.010	.001	.003	.006
B1F	.008	.007	-	.021	H4FR	.041	.014	.005	.031
B2F	.186	.113	.018	.059	H5FR	.022	.016	.030	.002
B3F	2.606	2.547	1.303	1.184	H6FR	.004	-	-	-
B4F	8.285	4.705	7.567	4.361	H4K	.299	.098	.059	.174
B5F	2.759	1.172	5.709	2.387	H5K	.792	.128	.156	.476
B6F	.043	.021	.081	.194	H6K	.290	.037	.126	.271
B1FR	-	-	-	-	Total H	2.807	.779	.937	1.617
B2FR	.008	.002	-	-	Cutters				
B3FR	.083	.083	.003	.001	C1L	.001	-	-	-
B4FR	.365	.373	.031	.050	C2L	.027	.015	.001	.026
B5FR	.082	.169	.047	.041	C3L	.319	.189	.090	.088
B6FR	.003	.006	.003	.013	C4L	1.751	1.261	.903	.854
B4R	.003	-	-	.001	C5L	1.292	.617	1.058	.606
B5R	.037	.005	.001	.015	C1F	-	-	-	-
B3K	.513	.165	.057	.268	C2F	.011	.022	-	.019
B4K	6.476	2.344	3.415	3.281	C3F	.175	.138	.083	.073
B5K	3.699	2.203	4.620	4.467	C4F	2.023	1.492	1.048	1.265
B6K	.685	.545	.887	1.944	C5F	2.291	1.160	1.981	1.360
B3KR	.148	.194	.045	.308	C4KR	.293	.254	.124	.228
B4KR	.555	.756	.404	.888	C4V	.787	.667	.712	1.181
B5KR	.147	.176	.143	.355	C4S	.094	.158	.061	.016
B3V	.309	.449	.500	.424	C4KL	.364	.447	.148	.020
B4V	1.356	.902	1.980	1.241	C4KM	1.666	3.421	1.890	1.895
B5V	.363	.147	.619	.402	C4G	.117	.095	.127	.231
B3S	.053	.068	.078	.075	C4GK	.254	.348	.461	.559
B4S	.053	.059	.060	.048	Total C	11.465	10.284	8.687	8.421
B5S	.001	-	.002	.009	Lugs				
B3KL	.337	.958	.431	.070	X1L	.035	.031	.021	-
B4KL	1.021	1.318	1.169	.334	X2L	.124	.136	.093	.059
B5KL	.235	.289	.351	.131	X3L	1.199	1.352	1.373	.595
B6KL	.015	.025	.024	.020	X4L	1.178	1.162	1.345	.750
B3KF	.890	1.658	.598	.450	X5L	.249	.227	.213	.113
B4KF	5.611	7.516	5.447	3.725	X1F	.004	.009	.020	-
B5KF	3.247	5.254	4.306	4.718	X2F	.052	.098	.064	.028
B6KF	.610	1.069	.853	2.028	X3F	1.045	1.281	1.158	.615
B4KV	.490	.236	.315	.569	X4F	3.175	2.467	3.011	2.656
B5KV	.881	.455	.692	1.375	X5F	1.590	1.070	1.188	1.215
B6KV	.267	.192	.287	1.001	X3KR	.067	.082	.039	.048
B3KM	1.513	3.554	1.509	2.045	X4KR	.143	.110	.105	.119
B4KM	5.533	9.235	8.328	6.022	X3V	.426	.471	.727	.562
B5KM	1.615	3.158	3.217	3.598	X4V	.805	.756	1.022	1.341
B6KM	.125	.294	.238	.844	X3S	.165	.110	.047	.021
B4G	.196	.172	.339	.258	X4KL	.255	.245	.158	.106
B5G	.133	.138	.177	.186	X4KF	.253	.120	.092	.208
B6G	.020	.014	.023	.053	X4KV	.423	.182	.261	.652
B5GR	.010	.007	.010	.014	X3KM	.691	.950	.909	.584
B4GK	1.053	2.148	1.611	1.776	X4KM	1.163	2.025	1.831	1.657
B5GK	1.279	2.097	1.470	1.932	X4GK	.563	.801	.887	1.438
B6GK	.409	.729	.303	.950	X4G	.316	.381	.514	.736
B5GG	.052	.131	.056	.016	X5G	.185	.257	.306	.647
Total B	56.259	59.137	61.065	55.021	Total X	14.106	14.323	15.384	14.150

Continued

Table 27--Percentage distribution by grades for flue-cured tobacco types 11-14, 1978 crop--continued

Group and grade	1978 Crop				Group and grade	1978 Crop			
	11	12	13	14		11	12	13	14
<b>Primings</b>									
P2L	.176	.095	.066	.012	Nondescript				
P2L sand	.011	.003	.002	.002	N1L	.923	.838	.732	.931
P3L	1.025	.841	.980	.429	N1L sand	.142	.072	.044	.036
P3L sand	.084	.045	.056	.019	N1XL	.524	.219	.161	.318
P4L	1.618	1.580	1.533	1.282	N1K	.270	.167	.306	.816
P4L sand	.249	.122	.088	.043	N1R	.055	.067	.024	.143
P5L	.683	.753	.475	.731	N1GL	.495	.674	.484	1.026
P5L sand	.155	.065	.032	.030	N1GL sand	.097	.066	.027	.032
P2F	.022	.032	.020	.014	N1GF	.103	.097	.099	.301
P2F sand	-	.002	-	-	N1KV	.140	.097	.192	.730
P3F	.407	.379	.430	.195	N1GR	.106	.135	.040	.298
P3F sand	.037	.037	.022	.010	N1GG	.009	.024	.012	.005
P4F	1.588	1.786	1.971	2.003	N1PO	.544	.781	.480	.856
P4F sand	.214	.147	.101	.099	N1PO sand	.163	.135	.048	.062
P5F	1.284	1.530	1.425	1.842	N1XO	.205	.411	.283	.627
P5F sand	.219	.111	.059	.100	N1BO	.124	.240	.399	1.132
P4G	.375	.585	.619	.649	N2	1.700	1.770	1.136	2.547
P4G sand	.072	.048	.044	.052	Total N	5.600	5.793	4.467	9.860
P5G	.303	.516	.419	.829					
P5G sand	.096	.056	.035	.031					
Total P	8.618	8.733	8.377	8.372					
<b>Mixed</b>									
M4F	.007	.004	.001	-	No grade	.505	.614	.524	1.370
M5F	.003	.007	.001	.003	NOGF sand	.102	.051	.006	.080
M4KR	.003	-	-	-	W - unsafe	.109	.033	.049	.082
M4KM	.001	.019	.007	.001	U - unsound	.410	.189	.475	1.011
M5KM	.005	.023	.012	-	Grand total	100.000	100.000	100.000	100.000
M4GK	-	.004	.003	.006					
M5GK	-	.007	.005	.006					
Total M	.019	.064	.029	.016					

Table 28 Breakdown of marketings by selected grouping for the 1978 crop

Groupings	11	12	13	14	11-14
Straight grades (mature to mellow)	60.264	41.748	53.749	45.006	50.328
Variegated (KL,KF,KV,KM)	27.211	42.643	33.073	32.053	34.622
Slick (S grades)	.366	.395	.248	.169	.298
Green (includes rank)	5.433	8.534	7.409	10.369	7.584
Nondescript	5.600	5.793	4.467	9.860	5.960
No grade 1/	1.126	.887	1.054	2.543	1.208
Total	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade NOGF sand which totaled 0.064 percent.

Table 29--Percentage distribution by grades for all flue-cured 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1976	1977	1978		1976	1977	1978
Wrappers:				B4G	.342	.155	.226
A1L	.002	—	—	B5G	.191	.181	.151
A1F	.003	—	—	B6G	.033	.042	.023
Total A	.005	—	—	Total BG	.566	.378	.400
Leaf:				B5GR	.029	.156	.008
B1L	.037	.009	.008	B4GK	1.130	.964	1.656
B2L	.174	.027	.089	B5GK	1.069	2.487	1.696
B3L	.828	.138	.536	B6GK	.420	2.118	.569
B4L	.764	.152	.726	Total BGK	2.619	5.569	3.921
B5L	.131	.037	.150	B5GG	.021	.020	.077
B6L	.012	.002	.001	Total B	57.118	50.386	58.157
Total BL	1.946	.365	1.510	Smoking leaf:			
B1F	.136	.023	.008	H3L	.046	.011	.020
B2F	.610	.104	.108	H4L	.069	.019	.051
B3F	5.822	1.088	2.133	H5L	.019	.007	.019
B4F	9.744	3.488	6.352	H6L	.002	—	.002
B5F	2.469	1.622	2.763	Total HL	.136	.037	.092
B6F	.087	.076	.062	H1F	.002	.001	.001
Total BF	18.868	6.401	11.426	H2F	.031	.003	.002
B1FR	.006	—	—	H3F	.383	.060	.072
B2FR	.039	.004	.003	H4F	.936	.263	.358
B3FR	.562	.052	.056	H5F	.364	.151	.260
B4FR	1.025	.241	.258	H6F	.014	.010	.008
B5FR	.233	.104	.101	Total HF	1.730	.488	.701
B6FR	.008	.014	.005	H4FR	.092	.008	.023
Total BFR	1.873	.415	.423	H5FR	.040	.011	.017
B4R	.010	.007	.001	H6FR	.004	.003	.001
B5R	.037	.138	.015	Total HFR	.136	.022	.041
Total BR	.047	.145	.016	H4K	.495	.204	.160
B3K	.723	.312	.260	H5K	.469	.315	.399
B4K	6.323	4.210	3.940	H6K	.155	.146	.161
B5K	3.202	4.391	3.449	Total HK	1.119	.665	.720
B6K	.713	1.655	.834	Total H	3.121	1.212	1.554
Total BK	10.961	10.568	8.483	Cutters:			
B3KR	1.122	.108	.163	C1L	.011	.001	.003
B4KR	1.719	.323	.637	C2L	.035	.012	.020
B5KR	.279	.136	.183	C3L	.305	.107	.192
Total BKR	3.120	.567	.983	C4L	1.005	.348	1.283
B3V	.616	.151	.414	C5L	.624	.260	.911
B4V	1.432	.816	1.309	Total CL	1.980	.728	2.409
B5V	.313	.309	.344	C1F	.003	.001	—
Total BV	2.361	1.276	2.067	C2F	.038	.009	.014
B3S	.088	.007	.067	C3F	.447	.103	.129
B4S	.095	.010	.056	C4F	2.123	.735	1.531
B5S	.012	—	.002	C5F	1.770	.929	1.701
Total BS	.195	.017	.125	Total CF	4.381	1.777	3.375
B3KL	.092	.026	.548	C4KR	.675	.117	.235
B4KL	.219	.093	1.074	C4V	.548	.363	.777
B5KL	.066	.059	.266	C4S	—	.005	.100
B6KL	.017	.019	.021	C4KL	.087	.058	.306
Total BKL	.394	.197	1.909	C4KM	1.064	.736	2.376
B3KF	.435	.283	1.051	C4G	.116	.084	.125
B4KF	2.205	3.070	6.030	C4GK	—	.213	.369
B5KF	1.465	5.692	4.378	Total C	8.851	4.081	10.072
B6KF	.394	4.051	1.003	Lugs:			
Total BKF	4.499	13.096	12.462	X1L	.031	.011	.024
B4KV	.995	1.124	.371	X2L	.127	.052	.114
B5KV	.966	2.526	.748	X3L	1.014	.416	1.216
B6KV	.329	1.748	.335	X4L	.855	.510	1.154
Total BKV	2.290	5.398	1.454	X5L	.126	.122	.215
B3KM	1.928	.526	2.315	Total XL	2.153	1.111	2.723
B4KM	4.289	2.981	7.522	X1F	.034	.014	.007
B5KM	1.001	1.944	2.757	X2F	.119	.058	.068
B6KM	.111	.367	.299	X3F	1.283	.629	1.101
Total BKM	7.329	5.818	12.893	X4F	2.868	2.424	2.820

Continued

Table 29--Percentage distribution by grades for all flue-cured--continued 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1976	1977	1978		1976	1977	1978
X5F	1.122	1.751	1.271	P4G	.683	.401	.537
Total XF	5.426	4.876	5.267	P4G sand	-	.073	.055
X3KR	.188	.030	.064	P5G	.735	.964	.470
X4KR	.291	.073	.120	P5G sand	-	.168	.061
Total XKR	.479	.103	.184	Total PG	1.418	1.606	1.123
X3V	.395	.325	.523	Total P	11.319	6.329	8.587
X4V	.736	1.123	.900	Mixed:			
Total XV	1.131	1.448	1.423	M4F	.007	.018	.004
X3S	-	.007	.072	M5F	.008	.017	.004
X4KL	.060	.046	.212	Total MF	.015	.035	.008
X4KF	.131	.216	.165	M4KR	.001	-	.001
X4KV	.503	1.426	.330	M4KM	.007	.006	.009
X3KM	.378	.219	.817	M5KM	.011	.010	.013
X4KM	.744	.968	1.677	Total MKM	.018	.016	.022
Total XKM	1.122	1.187	2.494	M4GK	.003	.009	.003
X4GK	.489	1.135	.826	M5GK	.002	.043	.005
X4G	.457	.581	.433	Total MGK	.005	.052	.008
X5G	.202	.853	.294	Total M	.039	.103	.039
Total XG	.659	1.434	.727	Nondescript:			
Total X	12.153	12.989	14.423	N1L	1.719	1.949	.851
Primings:				N1L sand	-	.292	.083
P2L	.101	.019	.103	N1XL	.260	.567	.312
P2L sand	-	.002	.005	N1K	.209	.884	.308
P3L	.975	.164	.875	N1R	.077	.829	.064
P3L sand	-	.031	.056	N1GL	.981	3.525	.622
P4L	2.070	.744	1.545	N1GL sand	-	.365	.063
P4L sand	-	.139	.143	N1GF	.142	.723	.125
P5L	1.004	.757	.670	N1KV	.131	1.510	.209
P5L sand	-	.157	.081	N1GR	.148	1.848	.126
Total PL	4.150	2.013	3.478	N1GG	.009	.017	.015
P2F	.025	.003	.022	N1PO	.864	.376	.655
P2F sand	-	-	.001	N1PO sand	-	.092	.116
P3F	.473	.053	.376	N1XO	.215	.168	.348
P3F sand	-	.010	.033	N1BO	-	.645	.352
P4F	2.636	.757	1.792	N2	1.306	8.876	1.711
P4F sand	-	.116	.155	Total N	6.061	22.666	5.960
P5F	2.617	1.538	1.472	No grade 2/	1.333	2.234	1.208
P5F sand	-	.233	.135	Grand total	100.000	100.000	100.000
Total PF	5.751	2.710	3.986				

1/ Table shows new grades added 1977 as well as grades authorized in previous years.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order and unsound. Also, includes grade NOGF sand which totaled 0.064 percent.

Table 30--Average prices by grade group and type for flue-cured tobacco, 1978 and 1977 crops

Type	1978 Crop							1977 Crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	138	145	146	134	108	138	89	127	147	147	131	105	107	75
12	139	148	144	134	110	121	95	133	148	146	133	107	129	82
13	141	144	147	135	114	130	95	137	148	144	129	106	121	76
14	147	154	157	146	124	139	107	134	139	133	125	104	114	85
11-14	140	147	147	136	111	127	95	132	147	144	130	106	120	79

U.S. DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service  
Washington, D.C. 20250

Official Business  
Penalty for Private Use, \$300.

POSTAGE AND FEES PAID  
U.S. DEPARTMENT OF  
AGRICULTURE  
AGR 101



FIRST CLASS