



United States  
Department of  
Agriculture


Agricultural  
Marketing  
Service

TOB-FL-25


Washington, D.C.  
April 1982

# Tobacco Market Review

## Flue-Cured, 1981 Crop



# Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

## CONTENTS

	<u>Page</u>
Review of marketing season . . . . .	4
Warehouse charges . . . . .	5
Average basket weight . . . . .	5
Receipts under government loan program . . . . .	5
Allotted sales opportunities . . . . .	6
Initial and final designations . . . . .	7
Opening and closing dates . . . . .	8-9
Producers' sales by types . . . . .	10
Gross sales and resales by types . . . . .	10-11
Across-State-line sales . . . . .	11
Producers' sales by markets . . . . .	12-13
Gross sales by markets . . . . .	14-15
Resales by markets . . . . .	16-17
Rank of auction markets . . . . .	18
Season prices and schedule of loan rates by grades . . . . .	19-21
Weekly and season prices by grades, type 11 . . . . .	22-23
Weekly and season prices by grades, type 12 . . . . .	24-25
Weekly and season prices by grades, type 13 . . . . .	26-27
Weekly and season prices by grades, type 14 . . . . .	28
Summary of flue-cured tobacco grades . . . . .	29
Composition of crop . . . . .	30-31
Percentage distribution of grades by types . . . . .	32-33
Percentage distribution of marketing by maturity . . . . .	33
Percentage distribution, all flue-cured . . . . .	34-35
Average prices by grade group and type . . . . .	35

Sources:

The statistics on sales and markets in this review were compiled from reports and records of the State Departments of Agriculture of Florida, Georgia, South Carolina, North Carolina, Virginia; and from data furnished by marketing recorders employed through county ASCS offices; and from information received direct from markets and trade sources. The statistics on prices by grades are based on data recorded from warehouse sales tickets from representative markets in the flue-cured area.

Review of the 1981 flue-cured marketing season

Net value of \$1,899.9 million  
Grade prices set new records  
Volume increased  
Quality better than in 1980  
Loan receipts decline

A strong demand and increased volume helped make the 1981 flue-cured tobacco crop a "record setter" for grade prices and total value. A much better growing season and no major disease problems also contributed to the success. Very little primings and nondescript tobacco were placed under loan, as most of the Stabilization Corporation receipts were from the leaf or lug groups. While quality was a little better, around 42 percent of sales was still classed as unripe or immature tobacco. A marketing holiday was called for the week of October 5-8 in order to relieve congestion at some plants. This was the second consecutive season a marketing holiday was needed.

**Sales and averages.** Producers received an average price of \$166.40 per hundred for the 1981 crop -- a gain of \$21.88 from 1980. Net sales at auction of 1,141.8 million pounds were up 5.5 percent from last season. Net value of \$1,899.9 million increased 21.4 percent from 1980.

**Grade averages.** Individual grade averages showed substantial increases over 1980 levels. Better quality grades of leaf, cutters, and lugs gained mainly \$12 to \$17 with less desirable tobacco in these groups up \$18 to \$21 per hundred. Most categories of primings and nondescript advanced \$23 to \$29 from previous levels, with a few up as much as \$33 to \$35 per hundred. The practical top price for the flue-cured area was \$190 per hundred in 1981.

**Composition of offerings.** Overall, quality showed some improvement from the dry weather crop of 1980. Just over 9 percent of sales graded good quality or better in 1981; fair quality increased to 51 percent; low was about the same at 29 percent; and poor quality dropped to 5 percent of sales. Less tobacco was placed in nondescript categories this season with more leaf tobacco sold. Upper stalk grades made up about 67 percent of auctions, lugs 17, primings 10, and nondescript 6 percent. Maturity of the crop was better in 1981, but was still nowhere near levels of the early 1970's. Mature to mellow tobacco was up to 42 percent of sales with unripe or immature offerings about the same as in 1980 at 51 percent. The three heaviest volume grades and their percentages were: B4KM (9.1); B5KF (6.5); and B4KF (5.9). Completing the top ten grades were: B5KM (4.2); B5K (4.1); B4F (4.0); B4K (3.9); P4F (2.9); X4F (2.7); and C4KM (2.6). These ten grades made up 45.9 percent of total flue-cured sales in 1981.

**Stabilization receipts.** Less tobacco was delivered to the Flue-Cured Stabilization Corporation this season. A total of 105.9 million pounds was placed under loan compared to 137.2 million in 1980. The bulk of cooperative receipts came from the leaf and lug groups with relatively little from primings and nondescript. A breakdown of receipts by groups follow:

<u>Group</u>	<u>1981</u>	<u>1980</u>
	<u>Percent</u>	
Leaf (B)	66.2	66.8
Smoking Leaf (H)	0.5	0.2
Cutters (C)	10.1	3.7
Lugs (X)	22.5	23.7
Primings (P)	0.4	1.9
Nondescript (N)	0.3	3.7

**Loan rates.** Loan rates by grades for 1981 reflected an average support level of \$1.587 per pound, 17.2 cents above the 1980 level. Support was again withheld from many down stalk grades. Eligible growers were required to certify they had not used DDT or TDE insecticides on their crops. Random samplings were conducted by the Agricultural Stabilization and Conservation Service to check for compliance.

**Marketing regulations.** Auctions are operated under the grower designation plan. Basic provisions of the plan are: growers can designate their quota to individual warehouses, within a 100 mile radius of the county seat of the county in which the farm is located, and receive price support (sales outside a grower's radius are not eligible for price support); designations can be changed during the season at specified intervals or at any time in certain cases; a Flue-Cured Tobacco Advisory Committee advises the Secretary of Agriculture on marketing conditions and recommends adjustments during the season. The plan is designed to allow growers the opportunity to sell tobacco at the warehouse of their choice in their marketing area.

**Preliminary 1982 quota.** 1/ The basic quota for 1982 is unchanged from the 1981 level of 1.013 billion pounds. Due to overmarketings for 1981, the effective quota for 1982 will be 978 million pounds, about 12 percent below the 1981 effective quota.

1/ From "Tobacco Outlook and Situation"  
 Economic Research Service, USDA.  
 March 1982

Table 1.--Auction sales warehouse charges on flue-cured markets, 1981 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles	Percent	
Georgia	14	of 100 pounds or less	2-1/2	Weighing and handling 10
North Carolina	11-13	and 25 cents on all	2-1/2	cents per pile on all piles
South Carolina	13	piles over 100 pounds	2-1/2	of 100 pounds or less, and
Virginia	11	25 cents per pile	2-1/2	10 cents for each additional
				100 pounds.
				Weighing, 10 cents per 100
				pounds.

1/ Maximum permitted under State law.

Table 2.--Average weight per lot of flue-cured tobacco, 1976-81 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1976	178	179	180	189	180
1977	178	175	174	184	177
1978	180	182	183	188	182
1979	185	183	181	186	184
1980	179	178	181	185	180
1981	184	184	182	187	184

Table 3.--Flue-cured tobacco received by the Stabilization Corporation and percentage of net auction sales, 1979-81 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1979	1,000 lb. 25,122	Percent 8.5	1,000 lb. 25,730	Percent 8.0	1,000 lb. 12,343	Percent 6.2
1980	45,205	15.0	45,861	10.8	30,025	13.4
1981	48,433	12.5	33,809	9.2	12,190	5.0

Crop	Type 14		Types 11-14	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
1979	1,000 lb. 6,629	Percent 5.3	1,000 lb. 69,824	Percent 7.4
1980	16,138	12.2	137,229	12.7
1981	11,431	8.0	105,863	9.3

Table 4.—Allotted sales opportunities compared to producers' sales, 1981 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D 2/		Marketing area E 2/		Total flue-cured		
	Sets of buyers	Sales opport.	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Prod. sales
<u>1,000 pounds</u>													
July 16	16	18,090	11,529									16	18,090
July 23	16	24,111	15,129	21	32,760	21,548	24	17,953	17,162			61	74,824
July 30	16	24,116	16,235	21	32,722	24,724	24	35,861	34,302	4	5,003	4,201	53,839
Aug. 6	9	12,766	12,010	14	21,466	21,050	24	35,724	35,065	4	5,752	4,538	93,198
Aug. 13	9	11,904	11,763	14	20,107	20,140	24	33,369	33,263	4	5,369	5,154	87,680
Aug. 20	9	10,814	10,857	14	18,254	18,108	24	30,414	30,267	4	4,913	4,942	92,453
Aug. 27	9	10,781	10,825	14	18,167	18,434	24	30,425	30,513	4	4,582	4,564	88,379
Sep. 3	9	10,797	10,811	14	18,078	18,115	24	30,424	30,438	4	4,905	4,919	84,221
Sep. 10	9	8,266	8,190	14	13,727	13,541	24	22,860	22,959	4	3,604	3,615	84,090
Sep. 17	9	10,882	11,169	14	18,397	18,435	24	30,405	30,474	4	4,931	4,923	63,355
Sep. 24	9	13,159	13,167	14	18,426	18,404	24	30,364	30,407	4	4,924	4,927	63,295
Oct. 1	9	14,714	11,731	14	18,244	19,040	24	30,361	30,436	4	4,943	4,972	66
Oct. 15	Closed	14	16,274	16,127	28	28,868	28,643	4	4,587	4,580	18	19,161	19,170
Oct. 22	4/	13,345	13,345	28	38,239	36,166	4	6,116	6,095	18	25,259	25,215	64
Oct. 29	4	4/	2,113	2,113	28	41,432	22,345	4	6,368	5,795	18	26,481	26,551
Nov. 5	Closed		12	13,478	2,914	4	6,368	3,611	18	26,615	24,516	54	76,394
Nov. 12	Closed					2	2,454	683	18	18,910	9,106	34	56,804
Nov. 16	Closed					1	400	146	7	2,400	1,456	8	46,461
Closed Oct. 1, 1981		Closed Oct. 29, 1981		Closed Nov. 12, 1981		Closed Nov. 16, 1981		Closed Nov. 16, 1981		Closed Nov. 16, 1981		21,364	

1/ Based on grower designations. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-Cured Tobacco Advisory Committee.

2/ Areas D and E shared one set of buyers from week of August 6 through week ending October 1. This set is counted in both areas in this table.

3/ Derived from weekly market news reports. Sales limited to 76,000 pounds per hour, per set of buyers; basket weight limit 250 pounds.

4/ Close-out for area. Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 5.--Initial and final designation of the 1981 flue-cured crop 1/

Marketing area A			Marketing area C		
Market	Initial	Final	Market	Initial	Final
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Adel	4,502,677	4,265,777	Aberdeen	6,779,318	7,063,877
Alma	6,429,637	6,801,734	Ahoskie	8,803,237	8,919,141
Baxley	4,845,356	5,133,423	Carthage	10,060,049	9,954,172
Blackshear	9,610,566	9,449,776	Clinton	18,530,671	19,385,449
Claxton	7,580,785	7,254,422	Dunn	12,873,514	12,969,217
Douglas	13,827,909	14,937,274	Farmville	28,670,671	28,507,686
Fitzgerald	4,720,331	4,314,487	Fuquay-Varina	21,278,971	21,254,042
Hahira	4,697,136	4,573,916	Goldsboro	32,122,786	34,292,166
Hazlehurst	4,421,441	4,332,203	Greenville	44,215,754	44,398,842
Metter	3,522,890	3,374,211	Kinston	41,389,310	43,046,771
Moultrie	15,722,076	16,525,067	Robersonville	6,968,464	7,005,715
Nashville	9,346,646	9,693,046	Rocky Mount	27,530,835	27,640,643
Pelham	4,218,694	3,932,866	Sanford	12,162,223	12,149,889
Statesboro	3,876,515	4,584,096	Smithfield	21,785,817	22,154,828
Thomasville	3,210,871	3,076,132	Tarboro	3,600,048	3,572,047
Tifton	6,796,842	7,140,341	Wallace	11,822,561	11,646,245
Valdosta	8,356,134	8,498,173	Washington	6,247,643	6,225,770
Vidalia	10,640,125	10,937,810	Wendell	10,601,533	9,892,159
Waycross	2,573,887	2,608,904	Williamston	12,348,427	12,518,381
Total Georgia	128,900,518	131,433,658	Wilson	83,271,394	83,257,264
Florida:			Windsor	11,817,744	12,192,108
High Springs	3,415,455	3,413,388	Total area C	432,880,970	438,046,412
Jasper	1,662,485	1,599,222			
Lake City	4,969,576	5,250,054			
Live Oak	12,107,233	12,437,165			
Madison	1,975,548	1,954,627			
Total Florida	24,130,297	24,654,456			
Total area A	153,030,815	156,088,114			
Marketing area B			Marketing area D		
South Carolina:			North Carolina:		
Conway	11,648,583	11,610,391	Durham	16,083,544	16,185,411
Darlington	9,223,400	9,134,198	Henderson	16,008,401	16,136,675
Dillon	1,772,961	1,573,464	Louisburg	8,859,327	9,388,070
Hemingway	10,258,304	10,284,681	Oxford	18,666,215	19,324,164
Kingstree	9,147,543	9,206,220	Warrenton	9,683,901	10,142,240
Lake City	41,605,272	42,342,996	Total area D	69,301,388	71,176,560
Loris	8,244,291	8,122,216			
Mullins	40,748,315	41,206,339			
Pamplico	6,191,611	5,665,450			
Timmonsville	10,752,445	11,026,616			
Total S. C.	149,592,725	150,172,571			
North Carolina:					
Chadbourn	15,824,136	16,071,189	North Carolina:		
Clarkton	5,891,716	6,787,621	Burlington	4,895,939	5,044,185
Fair Bluff	6,744,117	7,677,969	Greensboro	2,173,501	2,135,112
Fairmont	31,917,801	32,904,156	Madison	7,147,939	6,014,039
Lumberton	18,336,871	18,043,341	Mebane	5,223,066	5,016,876
Tabor City	14,640,204	14,694,869	Mt. Airy	16,265,930	17,259,292
Whiteville	15,998,870	16,351,130	Reidsville	21,940,446	22,390,371
Total N.C.	109,353,715	112,530,275	Roxboro	19,517,314	19,607,087
Total area B	258,946,440	262,702,846	Stoneville	11,998,278	12,617,661
			Winston-Salem	54,201,475	56,031,621
			Yadkinville	6,992,575	7,462,939
			Total N.C.	150,356,463	153,579,183
			Virginia:		
			Brookneal	8,864,576	8,789,921
			Chase City	7,332,108	7,247,071
			Clarksville	8,979,738	9,296,372
			Danville	52,725,163	54,473,663
			Kenbridge	4,940,767	4,916,112
			Lawrenceville	9,306,764	9,731,381
			Martinsville	(No sales held in 1981)	
			Petersburg	5,152,153	5,730,724
			South Boston	22,696,307	22,908,772
			South Hill	10,946,061	11,352,555
			Total Virginia	130,943,637	134,446,571
			Total area E	281,300,100	288,025,754
			Total flue-cured	1,195,459,713	1,216,039,686

1/ Growers allowed to designate 110 percent of their effective quota.

Table 6.--Opening and closing dates of marketing season; warehouse firms selling flue-cured tobacco at auction in the United States by types, States and markets, 1981 and 1980 crops

States and markets	Type 11 - Old and Middle Belt flue-cured							
	1981				1980			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			<u>Number</u>	<u>Number</u>			<u>Number</u>	<u>Number</u>
Brookneal	Aug. 5	Nov. 12	27	4	Aug. 11	Nov. 10	25	4
Chase City	Aug. 4	Nov. 12	23	3	Aug. 11	Nov. 12	20	4
Clarksville	Aug. 4	Nov. 12	28	3	Aug. 12	Nov. 12	23	3
Danville	Aug. 4	Nov. 16	53	9	Aug. 11	Nov. 12 <sup>2/</sup>	49	8
Kenbridge	Aug. 6	Nov. 10	15	3	Aug. 13	Nov. 13	15	3
Lawrenceville	Aug. 5	Nov. 12	27	2	Aug. 12	Nov. 5	22	2
Martinsville	No sales held in 1981				Aug. 13	Nov. 3	9	1
Petersburg	Aug. 5	Nov. 10	17	2	Aug. 12	Nov. 10	15	2
South Boston	Aug. 4	Nov. 16	52	7	Aug. 11	Nov. 12	48	6
South Hill	Aug. 4	Nov. 16	31	4	Aug. 11	Nov. 12	25	4
Total			37				37	
North Carolina:								
Aberdeen	July 23	Nov. 2	26	2	July 30	Nov. 5	22	2
Burlington	Aug. 4	Nov. 4	20	2	Aug. 12	Nov. 3	12	2
Carthage	July 22	Oct. 28	30	4	July 29	Nov. 6	32	4
Durham	July 28	Nov. 5	48	4	Aug. 4	Nov. 3	41	4
Fuquay-Varina	July 22	Oct. 29	52	6	July 29	Nov. 6	54	6
Greensboro	Aug. 5	Nov. 4	12	1	Aug. 13	Oct. 30	7	1
Henderson	July 28	Nov. 5	48	6	Aug. 4	Nov. 5	45	6
Louisburg	July 29	Nov. 9	26	3	Aug. 5	Nov. 10	27	3
Madison	Aug. 5	Nov. 16	24	4	Aug. 13	Nov. 10	19	3
Mebane	Aug. 4	Nov. 5	18	1	Aug. 11	Oct. 28	16	1
Mt. Airy	Aug. 4	Nov. 12 <sup>1/</sup>	48	4	Aug. 11	Nov. 4 <sup>2/</sup>	38	4
Oxford	July 28	Nov. 16	57	6	Aug. 4	Nov. 5	44	6
Reidsville	Aug. 4	Nov. 10 <sup>1/</sup>	51	4	Aug. 11	Nov. 10	48	4
Roxboro	Aug. 4	Nov. 16	52	6	Aug. 11	Nov. 6	45	6
Sanford	July 22	Nov. 2	40	4	July 29	Nov. 5	40	4
Stoneville	Aug. 4	Nov. 16	39	2	Aug. 11	Nov. 10	29	2
Warrenton	July 28	Nov. 10	29	5	Aug. 6	Nov. 4	24	6
Winston-Salem	Aug. 4	Nov. 16 <sup>1/</sup>	53	8	Aug. 11	Nov. 6 <sup>2/</sup>	48	8
Yadkinville	Aug. 5	Nov. 10	29	4	Aug. 12	Nov. 6 <sup>2/</sup>	20	4
Total			76				76	
Total type 11			113				113	
Type 12 - Eastern North Carolina flue-cured								
North Carolina:								
Ahoskie	July 23	Nov. 5	26	2	July 30	Nov. 13	30	2
Clinton	July 22	Oct. 29	51	6	July 29	Nov. 10	55	6
Dunn	July 22	Oct. 29	38	5	July 29	Nov. 5	38	4
Farmville	July 22	Nov. 2	53	5	July 29	Nov. 12	56	7
Goldsboro	July 22	Nov. 2	53	8	July 29	Nov. 12	56	8
Greenville	July 22	Nov. 2	53	10	July 29	Nov. 13	57	10
Kinston	July 22	Oct. 28	51	8	July 29	Nov. 10	55	7
Robersonville	July 22	Nov. 2	28	2	July 30	Nov. 12	28	2
Rocky Mount	July 22	Nov. 2	53	6	July 29	Nov. 13	57	7
Smithfield	July 22	Oct. 29	52	5	July 29	Nov. 12	56	6
Tarboro	July 28	Oct. 29	14	2	July 31	Nov. 5	14	2
Wallace	July 22	Oct. 28	35	4	July 29	Nov. 10	36	4
Washington	July 23	Oct. 28	25	3	July 29	Nov. 13	28	3
Wendell	July 22	Oct. 29	30	5	July 29	Nov. 10	41	6
Williamston	July 22	Nov. 3	38	3	July 29	Nov. 12	43	3
Wilson	July 22	Nov. 4	55	12	July 29	Nov. 17	58	11
Windsor	July 22	Oct. 28	34	2	July 29	Nov. 6	38	2
Total type 12			88				90	

See footnotes at end of table.

Continued

Table 6.--Opening and closing dates of marketing season; warehouse firms selling flue-cured tobacco at auction in the United States by types, States and markets, 1981 and 1980 crops--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1981				1980			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 20	Oct. 21	33	4	July 28	Oct. 29	34	4
Darlington	July 20	Oct. 27	27	4	July 28	Oct. 27	26	4
Dillon	July 23	Oct. 21	12	2	July 30	Oct. 28	13	2
Hemingway	July 20	Oct. 22	29	3	July 28	Oct. 28	27	3
Kingstree	July 20	Oct. 28	29	4	July 28	Oct. 27	30	4
Lake City	July 20	Oct. 28	53	8	July 28	Oct. 28	49	8
Loris	July 20	Oct. 19	23	3	July 28	Oct. 28	26	3
Mullins	July 20	Oct. 22	50	8	July 28	Oct. 30	51	8
Pamplico	July 21	Oct. 21	20	3	July 29	Oct. 23	18	3
Timmonsville	July 20	Oct. 21	33	3	July 28	Oct. 29	34	3
Total			42				42	
North Carolina:								
Chadbourn	July 20	Oct. 21	43	5	July 28	Nov. 4	46	4
Clarkton	July 20	Oct. 27	20	2	July 29	Nov. 3	17	3
Fair Bluff	July 20	Oct. 21	21	4	July 29	Oct. 27	19	4
Fairmont	July 20	Oct. 28	52	10	July 28	Nov. 3	52	10
Lumberton	July 20	Oct. 27	49	6	July 28	Oct. 30	50	8
Tabor City	July 20	Oct. 21	45	3	July 28	Nov. 3	43	3
Whiteville	July 20	Oct. 22	44	8	July 28	Nov. 3	50	8
Total			38				40	
Total type 13			80				82	

Type 14 - Georgia and Florida flue-cured

Georgia:	1981				1980			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Adel	July 15	Sep. 29	14	2	July 21	Sep. 29	14	2
Alma	July 14	Sep. 30	21	2	July 21	Oct. 7	20	2
Baxley	July 14	Sep. 30	15	3	July 21	Oct. 6	21	3
Blackshear	July 14	Oct. 1	27	3	July 21	Oct. 8	29	3
Claxton	July 14	Oct. 1	26	1	July 22	Sep. 29	18	1
Douglas	July 14	Oct. 1	38	4	July 21	Oct. 8	37	4
Fitzgerald	July 14	Sep. 28	15	1	July 22	Oct. 7	15	1
Hahira	July 14	Sep. 30	15	1	July 22	Sep. 23	12	1
Hazlehurst	July 15	Sep. 30	15	2	July 21	Oct. 7	15	2
Metter	July 15	Sep. 29	12	1	July 22	Oct. 8	14	1
Moultrie	July 14	Oct. 1	46	3	July 21	Oct. 9	39	3
Nashville	July 14	Oct. 1	28	3	July 21	Oct. 7	29	3
Pelham	July 15	Sep. 28	13	1	July 22	Sep. 29	14	1
Statesboro	July 14	Oct. 2	14	1	July 21	Oct. 7	18	2
Thomasville	July 15	Sep. 24	10	1	July 22	Oct. 6	8	1
Tifton	July 14	Sep. 29	24	3	July 21	Oct. 8	20	3
Valdosta	July 14	Sep. 24	26	2	July 21	Oct. 1	24	2
Vidalia	July 14	Oct. 1	32	2	July 21	Oct. 8	29	3
Waycross	July 20	Sep. 21	7	1	July 21	Oct. 1	12	2
Total			37				40	
Florida:								
High Springs	July 15	Sep. 17	12	1	July 22	Sep. 23	8	1
Jasper	July 21	Sep. 15	5	1	July 24	Sep. 18	5	1
Lake City	July 14	Sep. 29	15	1	July 21	Sep. 17	12	1
Live Oak	July 14	Sep. 28	35	2	July 21	Sep. 22	24	2
Madison	July 20	Sep. 21	6	1	July 24	Sep. 9	5	1
Total			6				6	
Total type 14			43				46	
Total 11-14			324				331	

1/ Yadkinville, N.C. clean-up sale held November 13, Danville, Va. and Mt. Airy and Winston-Salem, N.C. clean-up sales held November 17, 1980.

2/ Winston-Salem and Danville clean-up sales held November 8, 1979.

Table 7.--Producers' sales, value, and average price by types for flue-cured tobacco, 1976-81 crops 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1976	434,999,525	465,350,359	106.98	1976	461,764,674	521,621,734	112.96
1977	366,808,557	417,330,219	113.77	1977	370,468,041	439,097,186	118.52
1978	367,998,997	485,041,730	131.81	1978	437,339,128	586,891,858	134.20
1979	297,253,267	415,924,990	139.92	1979	319,873,433	445,310,458	139.21
1980	301,619,475	431,458,289	143.05	1980	424,336,839	626,791,057	147.71
1981	387,156,360	633,885,313	163.73	1981	367,509,749	625,370,225	170.16

Type 13 - South Carolina and Border North Carolina

Type 14 - Georgia and Florida

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1976	261,101,557	293,115,049	112.26	1976	155,051,397	170,813,390	110.17
1977	227,599,029	282,038,620	123.92	1977	156,528,836	181,232,258	115.78
1978	251,200,323	344,041,868	136.96	1978	145,288,241	207,376,974	142.73
1979	200,820,411	284,338,463	141.59	1979	124,973,269	174,685,006	139.78
1980	224,670,253	321,143,472	142.94	1980	132,066,156	185,319,068	140.32
1981	243,371,937	405,796,625	166.74	1981	143,762,511	234,878,993	163.38

Types 11-14 - Total flue-cured

Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1976	1,312,917,153	1,450,900,532	110.51	1979	942,920,380	1,320,258,917	140.02
1977	1,121,404,463	1,319,698,283	117.68	1980	1,082,692,723	1,564,711,886	144.52
1978	1,201,826,689	1,623,352,430	135.07	1981	1,141,800,557	1,899,931,156	166.40

1/ Auction sales only. Does not include carry-over tobacco, nonauction sales, or direct deliveries.

Table 8.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types for flue-cured tobacco, 1976-81 crops 1/

Type 11 - Old and Middle Belt			
Gross			Resales
Crop	Sales Pounds	Value Dollars	Average price Dollars
1976	452,830,681	485,203,903	107.15
1977	385,256,228	439,235,153	114.01
1978	391,103,294	515,946,150	131.92
1979	318,902,173	446,535,573	140.02
1980	321,633,104	460,671,796	143.23
1981	412,798,710	675,930,013	163.74

Type 12 - Eastern North Carolina

Crop	Sales Pounds	Value Dollars	Average price Dollars	Resales	Average price Dollars	Percentage of gross sales Percent
1976	480,139,814	542,638,536	113.02	18,375,140	114.38	3.8
1977	388,914,382	461,020,721	118.54	18,446,341	118.85	4.7
1978	465,606,347	624,550,827	134.14	28,267,219	133.22	6.1
1979	343,039,128	477,461,168	139.19	23,165,695	138.79	6.8
1980	455,737,405	672,390,516	147.54	31,400,566	145.22	6.9
1981	396,954,540	674,475,826	169.91	29,444,791	166.77	7.4

See footnote at end of table.

Continued

Table 8.--Gross sales, value, and average price; resales, average price and percentage of gross sales types for flue-cured tobacco, 1976-81 crops--Continued 1/

Type 13 - South Carolina and Border North Carolina						
Crop	Gross			Resales		
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percentage of gross sales Percent
1976	274,533,411	308,368,439	112.32	13,431,854	113.56	4.9
1977	242,521,480	301,064,572	124.14	14,922,451	127.50	6.2
1978	272,244,858	373,061,481	137.03	21,044,535	137.90	7.7
1979	219,417,784	310,800,468	141.65	18,597,373	142.29	8.5
1980	244,799,301	350,784,795	143.29	20,129,048	147.26	8.2
1981	266,180,894	444,251,749	166.90	22,808,957	168.60	8.6

Type 14 - Georgia and Florida						
1976	162,761,434	179,368,837	110.20	7,710,037	110.97	4.7
1977	169,195,099	196,094,691	115.90	12,666,263	117.34	7.5
1978	160,110,020	227,934,602	142.36	14,821,779	138.70	9.3
1979	137,626,923	192,409,431	139.81	12,653,654	140.07	9.2
1980	144,316,545	202,817,565	140.54	12,250,389	142.84	8.5
1981	158,180,639	258,751,225	163.58	14,418,128	165.57	9.1

Types 11-14 - Total flue-cured						
1976	1,370,265,340	1,515,579,715	110.60	57,348,187	112.78	4.2
1977	1,185,887,189	1,397,415,137	117.84	64,482,726	120.52	5.4
1978	1,289,064,519	1,741,493,060	135.10	87,237,830	135.42	6.8
1979	1,018,986,008	1,427,206,640	140.06	76,065,628	140.60	7.5
1980	1,166,486,355	1,686,664,672	144.59	83,793,632	145.54	7.2
1981	1,234,114,783	2,053,408,813	166.39	92,314,226	166.26	7.5

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 9.--Across-State-line movement of flue-cured tobacco reflecting net sales in States other than in the State in which produced, 1981 and 1980 crops 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
1,000 pounds						
1981 Crop						
Alabama	968		968			
Florida	3,527		3,527			
Georgia	2,713	2,629		84		
South Carolina	14,010		784		13,226	
North Carolina	27,905			5,326		22,579
Virginia	7,270				7,270	
Total	56,393	2,629	5,279	5,410	20,496	22,579
1,000 pounds						
1980 Crop						
Alabama	817		817			
Florida	3,405		3,405			
Georgia	1,402	1,343	44			
South Carolina	13,014		813		15	
North Carolina	23,072			6,477	12,201	
Virginia	5,552				5,552	16,595
Total	47,262	1,343	5,079	6,477	17,768	16,595

1/ Based on report of Agricultural Stabilization and Conservation Service, USDA.

Table 10.--Producers' sales, value, and average price by markets for flue-cured tobacco, 1981 and 1980 crops 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1981 crop			1980 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Brookneal	8,398,703	13,735,355	163.54	6,741,667	9,531,326	141.38
Chase City	7,002,136	11,848,971	169.22	4,937,181	6,997,033	141.72
Clarksville	8,777,999	14,680,767	167.25	6,154,321	8,659,554	140.71
Danville	52,400,351	86,753,273	165.56	38,906,071	56,395,813	144.95
Kenbridge	4,673,777	7,764,207	166.12	3,393,882	4,640,989	136.75
Lawrenceville	9,205,753	15,385,846	167.13	6,208,366	8,429,862	135.78
Martinsville	No sales in 1981			2,119,568	3,162,117	149.19
Petersburg	5,231,024	8,642,743	165.22	3,338,023	4,491,310	134.55
South Boston	22,008,804	36,320,136	165.03	15,790,868	22,289,320	141.15
South Hill	11,006,398	18,573,908	168.76	7,552,897	10,684,763	141.47
Total Virginia	128,704,945	213,705,206	166.04	95,142,844	135,282,087	142.19
North Carolina:						
Aberdeen	6,559,984	10,523,818	160.42	5,778,533	7,681,026	132.92
Burlington	4,751,922	7,881,467	165.86	3,297,026	4,933,542	149.64
Carthage	9,365,727	15,498,944	165.49	9,203,060	13,506,075	146.76
Durham	15,169,557	24,800,286	163.49	12,880,245	18,750,220	145.57
Fuquay-Varina	20,295,419	33,574,926	165.43	22,154,380	33,893,540	152.99
Greensboro	1,943,502	3,167,852	163.00	1,273,193	1,926,058	151.28
Henderson	15,512,699	25,775,113	166.15	13,976,455	19,142,344	136.96
Louisburg	8,970,867	14,704,936	163.92	7,890,611	11,106,611	140.76
Madison	5,638,017	8,902,762	157.91	4,995,801	7,449,422	149.11
Mebane	4,743,529	7,903,794	166.62	4,705,005	6,880,721	146.24
Mt. Airy	16,213,096	25,534,670	157.49	10,517,825	14,822,388	140.93
Oxford	18,275,096	29,976,328	164.03	12,178,083	16,938,878	139.09
Reidsville	21,247,296	34,822,449	163.89	16,281,557	24,160,298	148.39
Roxboro	18,434,735	30,808,060	167.12	13,610,368	19,996,374	146.92
Sanford	11,484,665	19,001,796	165.45	11,188,656	17,081,262	152.67
Stoneville	12,008,817	19,148,507	159.45	9,005,657	13,406,928	148.87
Warrenton	9,739,575	15,659,207	160.78	7,038,379	9,290,410	132.00
Winston-Salem	51,228,613	81,885,867	159.84	35,788,909	49,376,988	137.97
Yadkinville	6,868,299	10,609,325	154.47	4,712,888	5,833,117	123.77
Total N.C.	258,451,415	420,180,107	162.58	206,476,631	296,176,202	143.44
Total type 11	387,156,360	633,885,313	163.73	301,619,475	431,458,289	143.05

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	8,663,071	13,930,658	160.81	8,004,203	10,206,327	127.51
Clinton	17,857,422	30,189,267	169.06	20,138,072	30,446,081	151.19
Dunn	12,142,959	20,143,301	165.88	13,068,403	19,307,948	147.75
Farmville	27,598,334	47,643,739	172.63	32,976,299	49,656,149	150.58
Goldsboro	32,564,947	56,635,106	173.91	37,118,360	56,336,619	151.78
Greenville	41,606,262	71,654,443	172.22	49,659,371	72,980,182	146.96
Kinston	39,445,752	68,227,370	172.97	47,190,834	71,594,673	151.71
Robersonville	6,835,604	11,680,678	170.88	8,450,185	12,300,362	145.56
Rocky Mount	26,529,979	43,449,752	163.78	31,161,654	42,454,791	136.24
Smithfield	21,067,155	35,497,171	168.50	24,788,591	36,052,260	145.44
Tarboro	3,497,657	5,658,938	161.79	3,752,576	5,223,017	139.18
Wallace	10,742,147	18,079,344	168.30	12,054,377	18,540,753	153.81
Washington	5,498,982	9,218,757	167.64	8,574,456	12,336,866	143.88
Wendell	9,593,952	15,958,197	166.34	11,991,758	17,392,439	145.04
Williamston	11,959,590	20,345,365	170.12	13,785,566	20,314,846	147.36
Wilson	80,308,732	137,734,696	171.51	90,179,411	135,624,955	150.39
Windsor	11,597,204	19,323,443	166.62	11,442,723	16,022,789	140.03
Total type 12	367,509,749	625,370,225	170.16	424,336,839	626,791,057	147.71

See footnote at end of table.

Continued

Table 10.—Producers' sales, value, and average price by markets for flue-cured tobacco, 1981 and 1980 crops—Continued

Type 13 - South Carolina and Border North Carolina flue-cured						
Market and State	1981 crop		1980 crop			
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
<b>South Carolina:</b>						
Conway	10,843,437	18,083,787	166.77	10,572,561	15,364,664	145.33
Darlington	8,276,275	13,147,635	158.86	5,808,372	6,985,910	120.27
Dillon	1,481,350	2,398,627	161.92	2,169,737	2,945,675	135.76
Hemingway	9,691,428	16,159,802	166.74	7,980,072	11,888,618	148.98
Kingstree	8,731,550	13,951,647	159.78	6,887,135	9,704,521	140.91
Lake City	39,070,749	63,989,075	163.78	30,642,079	42,048,069	137.22
Loris	7,515,324	12,765,300	169.86	7,825,698	11,182,985	142.90
Mullins	38,259,338	64,054,385	167.42	34,479,829	48,269,509	139.99
Pamplico	4,992,587	8,139,117	163.02	4,517,197	6,237,251	138.08
Timmonsville	10,109,206	16,496,428	163.18	7,982,347	10,438,048	130.76
<b>Total S.C.</b>	<b>138,971,244</b>	<b>229,185,803</b>	<b>164.92</b>	<b>118,865,027</b>	<b>165,065,250</b>	<b>138.87</b>
<b>North Carolina:</b>						
Chadbourn	14,588,409	24,514,581	168.04	15,901,225	23,592,505	148.37
Clarkton	6,217,770	10,310,124	165.82	5,301,707	7,888,098	148.78
Fair Bluff	7,268,075	12,359,772	170.06	6,259,389	8,994,222	143.69
Fairmont	31,073,898	52,995,607	170.55	28,649,124	42,156,390	147.15
Lumberton	16,655,551	27,454,017	164.83	18,127,941	26,570,262	146.57
Tabor City	13,709,581	23,209,881	169.30	13,669,567	20,095,893	147.01
Whiteville	14,887,409	25,766,840	173.08	17,896,273	26,780,852	149.64
<b>Total N.C.</b>	<b>104,400,693</b>	<b>176,610,822</b>	<b>169.17</b>	<b>105,805,226</b>	<b>156,078,222</b>	<b>147.51</b>
<b>Total type 13</b>	<b>243,371,937</b>	<b>405,796,625</b>	<b>166.74</b>	<b>224,670,253</b>	<b>321,143,472</b>	<b>142.94</b>
Type 14 - Georgia and Florida flue-cured						
<b>Georgia:</b>						
Adel	4,125,466	6,916,301	167.65	4,142,303	5,863,529	141.55
Alma	6,448,106	10,709,601	166.09	6,047,449	8,679,663	143.53
Baxley	4,412,946	6,756,983	153.12	5,604,907	7,026,929	125.37
Blackshear	9,507,686	15,411,002	162.09	9,231,600	13,259,834	143.64
Claxton	6,648,319	10,074,335	151.53	5,394,004	7,087,583	131.40
Douglas	13,822,007	23,356,044	168.98	11,994,810	17,791,920	148.33
Fitzgerald	3,999,146	6,597,449	164.97	3,903,342	5,319,588	136.28
Hahira	4,279,051	7,279,587	170.12	4,012,003	5,819,677	145.06
Hazlehurst	3,714,006	5,898,040	158.81	2,932,754	3,662,209	124.87
Metter	3,029,898	4,558,912	150.46	2,846,721	3,530,709	124.03
Moultrie	15,985,564	26,367,235	164.94	14,009,094	20,444,301	145.94
Nashville	9,432,171	16,151,292	171.24	9,307,084	13,523,048	145.30
Pelham	3,469,675	5,659,914	163.13	3,980,797	5,574,714	140.04
Statesboro	3,984,622	5,763,816	144.65	3,979,658	4,986,127	125.29
Thomasville	2,594,719	4,144,204	159.72	2,330,580	3,228,326	138.52
Tifton	6,810,309	10,967,694	161.05	5,747,391	7,861,684	136.79
Valdosta	8,043,141	13,298,382	165.34	7,439,892	10,634,246	142.94
Vidalia	9,485,818	14,380,662	151.60	7,370,614	9,123,017	123.78
Waycross	2,527,889	4,428,699	175.19	3,649,097	5,392,006	147.76
<b>Total Georgia</b>	<b>122,320,539</b>	<b>198,720,152</b>	<b>162.46</b>	<b>113,924,100</b>	<b>158,809,110</b>	<b>139.40</b>
<b>Florida:</b>						
High Springs	2,713,363	4,444,776	163.81	2,521,016	3,681,551	146.03
Jasper	1,525,300	2,676,574	175.48	1,782,936	2,685,855	150.64
Lake City	4,657,639	7,763,507	166.68	3,943,977	5,715,391	144.91
Live Oak	10,798,491	18,327,300	169.72	8,541,578	12,507,712	146.43
Madison	1,747,179	2,946,684	168.65	1,352,549	1,919,449	141.91
<b>Total Florida</b>	<b>21,441,972</b>	<b>36,158,841</b>	<b>168.64</b>	<b>18,142,056</b>	<b>26,509,958</b>	<b>146.12</b>
<b>Total type 14</b>	<b>143,762,511</b>	<b>234,878,993</b>	<b>163.38</b>	<b>132,066,156</b>	<b>185,319,068</b>	<b>140.32</b>
<b>Total types 11-14</b>	<b>1,141,800,557</b>	<b>1,899,931,156</b>	<b>166.40</b>	<b>1,082,692,723</b>	<b>1,564,711,886</b>	<b>144.52</b>

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 11.--Gross sales, value, and average price by markets for flue-cured tobacco, 1981 and 1980 crops 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1981 crop			1980 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
<b>Virginia:</b>						
Brookneal	8,852,824	14,477,753	163.54	7,172,767	10,158,330	141.62
Chase City	7,345,237	12,395,673	168.76	5,274,964	7,477,493	141.75
Clarksville	9,115,060	15,215,628	166.93	6,412,990	9,015,751	140.59
Danville	54,950,610	90,929,674	165.48	40,653,199	58,891,681	144.86
Kenbridge	4,757,582	7,893,503	165.91	3,459,346	4,725,895	136.61
Lawrenceville	9,454,054	15,786,485	166.98	6,404,696	8,703,114	135.89
Martinsville	No sales in 1981			2,227,920	3,343,704	150.08
Petersburg	5,447,366	8,998,001	165.18	3,457,922	4,651,675	134.52
South Boston	23,130,889	38,118,019	164.79	16,602,654	23,413,027	141.02
South Hill	11,279,225	19,023,595	168.66	7,811,573	11,072,037	141.74
<b>Total Virginia</b>	<b>134,332,847</b>	<b>222,838,331</b>	<b>165.89</b>	<b>99,478,031</b>	<b>141,452,707</b>	<b>142.19</b>
<b>North Carolina:</b>						
Aberdeen	7,135,903	11,443,193	160.36	6,220,644	8,211,102	132.00
Burlington	4,953,443	8,218,696	165.92	3,415,091	5,114,644	149.77
Carthage	9,905,678	16,409,819	165.66	9,738,281	14,290,562	146.75
Durham	16,627,066	27,203,188	163.61	14,073,394	20,528,901	145.87
Fuquay-Varina	21,797,303	36,069,403	165.48	23,708,790	36,303,465	153.12
Greensboro	2,064,524	3,357,684	162.64	1,357,267	2,048,765	150.95
Henderson	16,156,223	26,860,270	166.25	14,592,636	20,027,620	137.24
Louisburg	9,705,076	15,904,021	163.87	8,336,593	11,740,597	140.83
Madison	6,182,028	9,760,357	157.88	5,529,965	8,246,426	149.12
Mebane	4,842,298	8,055,142	166.35	4,816,379	7,044,475	146.26
Mt. Airy	17,905,120	28,282,985	157.96	11,595,546	16,407,789	141.50
Oxford	19,227,831	31,504,287	163.85	12,834,008	17,844,500	139.04
Reidsville	22,186,409	36,427,196	164.19	17,155,821	25,507,458	148.68
Roxboro	19,694,270	32,910,928	167.11	14,621,063	21,521,361	147.19
Sanford	12,153,484	20,125,161	165.59	11,782,676	18,001,564	152.78
Stoneville	13,184,241	21,091,598	159.98	9,769,230	14,597,280	149.42
Warrenton	10,413,160	16,767,993	161.03	7,457,364	9,868,475	132.33
Winston-Salem	56,942,745	91,302,133	160.34	40,124,897	55,726,812	138.88
Yadkinville	7,389,061	11,397,628	154.25	5,025,428	6,187,293	123.12
<b>Total N.C.</b>	<b>278,465,863</b>	<b>453,091,682</b>	<b>162.71</b>	<b>222,155,073</b>	<b>319,219,089</b>	<b>143.69</b>
<b>Total type 11</b>	<b>412,798,710</b>	<b>675,930,013</b>	<b>163.74</b>	<b>321,633,104</b>	<b>460,671,796</b>	<b>143.23</b>

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	9,334,254	15,035,829	161.08	8,599,209	11,019,439	128.14
Clinton	19,217,313	32,497,506	169.11	21,682,925	32,813,909	151.34
Dunn	12,827,559	21,252,363	165.68	13,778,103	20,326,252	147.53
Farmville	29,592,683	50,991,840	172.31	34,796,012	52,362,546	150.48
Goldsboro	36,134,581	62,720,650	173.58	40,604,400	61,640,678	151.81
Greenville	45,207,514	77,558,319	171.56	53,475,423	78,261,713	146.35
Kinston	42,406,461	73,195,726	172.61	50,053,555	75,693,470	151.22
Robersonville	7,551,580	12,781,073	169.25	9,181,812	13,174,900	143.49
Rocky Mount	27,717,184	45,369,435	163.69	32,737,649	44,636,297	136.35
Smithfield	22,919,544	38,606,434	168.44	26,433,416	38,433,916	145.40
Tarboro	3,706,347	5,982,766	161.42	3,968,424	5,526,660	139.27
Wallace	11,319,511	19,022,511	168.05	12,598,561	19,344,469	153.55
Washington	5,926,228	9,935,824	167.66	9,336,971	13,459,567	144.15
Wendell	10,134,386	16,837,403	166.14	12,698,553	18,323,470	144.30
Williamston	12,383,221	21,040,232	169.91	14,551,908	21,424,217	147.23
Wilson	87,866,783	150,481,490	171.26	98,645,279	148,256,952	150.29
Windsor	12,709,391	21,166,425	166.54	12,595,205	17,692,061	140.47
<b>Total type 12</b>	<b>396,954,540</b>	<b>674,475,826</b>	<b>169.91</b>	<b>455,737,405</b>	<b>672,390,516</b>	<b>147.54</b>

Continued

See footnote at end of table.

Table 11.--Gross sales, value, and average price by markets for flue-cured tobacco, 1981 and 1980 crops--  
Continued 1/

Type 13 - South Carolina and Border North Carolina flue-cured							
Market and State	1981 crop			1980 crop			Average price
	Sales	Value	Average price	Sales	Value	Average price	
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars	
South Carolina:							
Conway	11,936,905	19,956,942	167.19	11,565,795	16,885,716	146.00	
Darlington	8,878,816	14,151,650	159.39	6,216,439	7,533,927	121.19	
Dillon	1,584,422	2,562,517	161.73	2,298,831	3,117,924	135.63	
Hemingway	10,516,878	17,596,847	167.32	8,644,771	12,904,211	149.27	
Kingstree	9,555,472	15,342,564	160.56	7,529,569	10,655,219	141.51	
Lake City	42,923,304	70,340,229	163.87	33,720,863	46,474,282	137.82	
Loris	8,145,292	13,827,663	169.76	8,446,449	12,122,910	143.53	
Mullins	42,067,721	70,518,207	167.63	37,849,995	53,238,005	140.66	
Pamplico	5,275,775	8,602,951	163.07	4,704,177	6,507,666	138.34	
Timmonsville	11,208,836	18,355,953	163.76	8,868,341	11,665,451	131.54	
Total S.C.	152,093,421	251,255,523	165.20	129,845,230	181,105,311	139.48	
North Carolina:							
Chadbourn	16,235,511	27,312,632	168.23	17,491,632	25,991,110	148.59	
Clarkton	6,816,316	11,303,500	165.83	5,851,484	8,695,634	148.61	
Fair Bluff	8,102,123	13,732,667	169.49	6,851,867	9,845,594	143.69	
Fairmont	34,097,681	58,183,366	170.64	31,519,507	46,517,806	147.58	
Lumberton	17,640,788	29,104,273	164.98	19,242,323	28,230,503	146.71	
Tabor City	14,959,113	25,293,155	169.08	14,978,942	21,977,160	146.72	
Whiteville	16,235,941	28,066,633	172.87	19,018,316	28,421,677	149.44	
Total N.C.	114,087,473	192,996,226	169.17	114,954,071	169,679,484	147.61	
Total type 13	266,180,894	444,251,749	166.90	244,799,301	350,784,795	143.29	
Type 14 - Georgia and Florida flue-cured							
Georgia:							
Adel	4,507,011	7,526,488	167.00	4,549,773	6,429,265	141.31	
Alma	6,830,879	11,384,396	166.66	6,322,734	9,074,761	143.53	
Baxley	4,741,007	7,280,230	153.56	6,067,509	7,616,767	125.53	
Blackshear	10,255,262	16,648,896	162.34	9,933,443	14,339,318	144.35	
Claxton	7,337,940	11,115,942	151.49	6,011,197	7,892,221	131.29	
Douglas	15,226,243	25,881,887	169.98	13,079,422	19,483,284	148.96	
Fitzgerald	4,275,640	7,066,720	165.28	4,069,112	5,541,023	136.17	
Hahira	4,526,890	7,702,365	170.15	4,139,525	6,005,486	145.08	
Hazlehurst	4,125,207	6,537,213	158.47	3,207,160	3,998,138	124.66	
Metter	3,110,462	4,674,594	150.29	2,872,390	3,563,810	124.07	
Moultrie	17,964,693	29,611,607	164.83	15,740,527	22,959,660	145.86	
Nashville	10,289,052	17,635,054	171.40	10,037,509	14,573,171	145.19	
Pelham	3,881,352	6,367,771	164.06	4,442,247	6,268,444	141.11	
Statesboro	4,459,709	6,454,103	144.72	4,397,621	5,533,825	125.84	
Thomasville	2,973,323	4,789,489	161.08	2,582,574	3,606,921	139.66	
Tifton	7,618,984	12,301,034	161.45	6,389,583	8,771,595	137.28	
Valdosta	8,918,583	14,772,691	165.64	8,226,033	11,761,965	142.98	
Vidalia	10,591,006	16,104,781	152.06	8,358,019	10,363,952	124.00	
Waycross	2,636,566	4,633,432	175.74	3,896,593	5,763,499	147.91	
Total Georgia	134,269,809	218,488,693	162.72	124,322,971	173,547,105	139.59	
Florida:							
High Springs	2,932,223	4,817,428	164.29	2,743,268	4,015,490	146.38	
Jasper	1,603,191	2,807,411	175.11	1,856,828	2,794,743	150.51	
Lake City	5,243,495	8,644,314	164.86	4,269,426	6,132,485	143.64	
Live Oak	12,264,996	20,838,233	169.90	9,692,363	14,291,880	147.46	
Madison	1,866,925	3,155,146	169.00	1,431,689	2,035,862	142.20	
Total Florida	23,910,830	40,262,532	168.39	19,993,574	29,270,460	146.40	
Total type 14	158,180,639	258,751,225	163.58	144,316,545	202,817,565	140.54	
Total types 11-14	1,234,114,783	2,053,408,813	166.39	1,166,486,355	1,686,664,672	144.59	

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 12.--Resales, average price, and percentage of gross sales by markets for flue-cured tobacco,  
1981 and 1980 crops 1/

Market and State	Type 11 - Old and Middle Belt flue-cured			1980 crop		
	1981 crop		Percent of gross Percent	1980 crop		Percent of gross Percent
	Resales Pounds	Average price Dollars		Resales Pounds	Average price Dollars	
Virginia:						
Brookneal	454,121	163.48	5.1	431,100	145.44	6.0
Chase City	343,101	159.34	4.7	337,783	142.24	6.4
Clarksville	337,061	158.68	3.7	258,669	137.70	4.0
Danville	2,550,259	163.76	4.6	1,747,128	142.86	4.3
Kenbridge	83,805	154.28	1.8	65,464	129.70	1.9
Lawrenceville	248,301	161.35	2.6	196,330	139.18	3.1
Martinsville	No sales in 1981			108,352	167.59	4.9
Petersburg	216,342	164.21	4.0	119,899	133.75	3.5
South Boston	1,122,085	160.23	4.9	811,786	138.42	4.9
South Hill	272,827	164.82	2.4	258,676	149.71	3.3
Total Virginia	5,627,902	162.28	4.2	4,335,187	142.34	4.4
North Carolina:						
Aberdeen	575,919	159.64	8.1	442,111	119.90	7.1
Burlington	201,521	167.34	4.1	118,065	153.39	3.5
Carthage	539,951	168.70	5.4	535,221	146.57	5.5
Durham	1,457,509	164.86	8.8	1,193,149	149.07	8.5
Fuquay-Varina	1,501,884	166.09	6.9	1,554,410	155.04	6.6
Greensboro	121,022	156.86	5.9	84,074	145.95	6.2
Henderson	643,524	168.63	4.0	616,181	143.67	4.2
Louisburg	734,209	163.32	7.6	445,982	142.16	5.4
Madison	544,011	157.64	8.8	534,164	149.21	9.7
Mebane	98,769	153.23	2.0	111,374	147.03	2.3
Mt. Airy	1,692,024	162.43	9.4	1,077,721	147.11	9.3
Oxford	952,735	160.38	5.0	655,925	138.07	5.1
Reidsville	939,113	170.88	4.2	874,264	154.09	5.1
Roxboro	1,259,535	166.96	6.4	1,010,695	150.88	6.9
Sanford	668,819	167.96	5.5	594,020	154.93	5.0
Stoneville	1,175,424	165.31	8.9	763,573	155.89	7.8
Warrenton	673,585	164.61	6.5	418,985	137.97	5.6
Winston-Salem	5,714,132	164.79	10.0	4,335,988	146.44	10.8
Yadkinville	520,762	151.37	7.0	312,540	113.32	6.2
Total N.C.	20,014,448	164.44	7.2	15,678,442	146.97	7.1
Total type 11	25,642,350	163.97	6.2	20,013,629	145.97	6.2
Type 12 - Eastern North Carolina flue-cured						
North Carolina:						
Ahoskie	671,183	164.66	7.2	595,006	136.66	6.9
Clinton	1,359,891	169.74	7.1	1,544,853	153.27	7.1
Dunn	684,600	162.00	5.3	709,700	143.48	5.2
Farmville	1,994,349	167.88	6.7	1,819,713	148.73	5.2
Goldsboro	3,569,634	170.48	9.9	3,486,040	152.15	8.6
Greenville	3,601,252	163.94	8.0	3,816,052	138.40	7.1
Kinston	2,960,709	167.81	7.0	2,862,721	143.18	5.7
Robersonville	715,976	153.69	9.5	731,627	119.53	8.0
Rocky Mount	1,187,205	161.70	4.3	1,575,995	138.42	4.8
Smithfield	1,852,389	167.85	8.1	1,644,825	144.80	6.2
Tarboro	208,690	155.17	5.6	215,848	140.67	5.4
Wallace	577,364	163.36	5.1	544,184	147.69	4.3
Washington	427,246	167.83	7.2	762,515	147.24	8.2
Wendell	540,434	162.69	5.3	706,795	131.73	5.6
Williamston	423,631	164.03	3.4	766,342	144.76	5.3
Wilson	7,558,051	168.65	8.6	8,465,868	149.21	8.6
Windsor	1,112,187	165.71	8.8	1,152,482	144.84	9.2
Total type 12	29,444,791	166.77	7.4	31,400,566	145.22	6.9

See footnote at end of table.

Continued

Table 12.--Resales, average price, and percentage of gross sales by markets for flue-cured tobacco,  
1981 and 1980 Crops--Continued<sup>1/</sup>

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1981 crop			1980 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
South Carolina:						
Conway	1,093,468	171.30	9.2	993,234	153.14	8.6
Darlington	602,541	166.63	6.8	408,067	134.30	6.6
Dillon	103,072	159.01	6.5	129,094	133.43	5.6
Hemingway	825,450	174.09	7.8	664,699	152.79	7.7
Kingstree	823,922	168.82	8.6	642,434	147.98	8.5
Lake City	3,852,555	164.86	9.0	3,078,784	143.76	9.1
Loris	629,968	168.64	7.7	620,751	151.42	7.3
Mullins	3,808,383	169.73	9.1	3,370,166	147.43	8.9
Pamplico	283,188	163.79	5.4	186,980	144.62	4.0
Timmonsville	1,099,630	169.10	9.8	885,994	138.53	10.0
Total S.C.	13,122,177	168.19	8.6	10,980,203	146.08	8.5
North Carolina:						
Chadbourn	1,647,102	169.88	10.2	1,590,407	150.82	9.1
Clarkton	598,546	165.96	8.8	549,777	146.88	9.4
Fair Bluff	834,048	164.61	10.3	592,478	143.70	8.7
Fairmont	3,023,783	171.57	8.9	2,870,383	151.95	9.1
Lumberton	985,237	167.50	5.6	1,114,382	148.98	5.8
Tabor City	1,249,532	166.72	8.4	1,309,375	143.68	8.7
Whiteville	1,348,532	170.54	8.3	1,122,043	146.24	5.9
Total N.C.	9,686,780	169.15	8.5	9,148,845	148.67	8.0
Total type 13	22,808,957	168.60	8.6	20,129,048	147.26	8.2

Type 14 - Georgia and Florida flue-cured

Georgia:						
Adel	381,545	159.93	8.5	407,470	138.84	9.0
Alma	382,773	176.29	5.6	275,285	143.52	4.4
Baxley	328,061	159.50	6.9	462,602	127.50	7.6
Blackshear	747,576	165.59	7.3	701,843	153.81	7.1
Claxton	689,621	151.04	9.4	617,193	130.37	10.3
Douglas	1,404,236	179.87	9.2	1,084,612	155.94	8.3
Fitzgerald	276,494	169.72	6.5	165,770	133.58	4.1
Hahira	247,839	170.59	5.5	127,522	145.71	3.1
Hazlehurst	411,201	155.44	10.0	274,406	122.42	8.6
Metter	80,564	143.59	2.6	25,669	128.95	0.9
Moultrie	1,979,129	163.93	11.0	1,731,433	145.28	11.0
Nashville	856,881	173.16	8.3	730,425	143.77	7.3
Pelham	411,677	171.94	10.6	461,450	150.34	10.4
Statesboro	475,087	145.30	10.7	417,963	131.04	9.5
Thomasville	378,604	170.44	12.7	251,994	150.24	9.8
Tifton	808,675	164.88	10.6	642,192	141.69	10.1
Valdosta	875,442	168.41	9.8	786,141	143.45	9.6
Vidalia	1,105,188	156.00	10.4	987,405	125.68	11.8
Waycross	108,677	188.39	4.1	247,496	150.10	6.4
Total Georgia	11,949,270	165.44	8.9	10,398,871	141.73	8.4
Florida:						
High Springs	218,860	170.27	7.5	222,252	150.25	8.1
Jasper	77,891	167.97	4.9	73,892	147.36	4.0
Lake City	585,856	150.35	11.2	325,449	128.16	7.6
Live Oak	1,466,505	171.22	12.0	1,150,785	155.04	11.9
Madison	119,746	174.09	6.4	79,140	147.10	5.5
Total Florida	2,468,858	166.22	10.3	1,851,518	149.09	9.3
Total type 14	14,418,128	165.57	9.1	12,250,389	142.84	8.5
Total types 11-14	92,314,226	166.26	7.5	83,793,632	145.54	7.2

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

Table 13.--Rank of flue-cured markets, according to volume of producers' sales, by separate types and by all types, 1981 crop 1/

Type, market and State	Sales	Rank by:		Type, market and State	Sales	Rank by:	
		Separate types	All types			Separate types	All types
	Mil. lb.				Mil. lb.		
<u>Type 11</u>							
Danville, Va.	52.4	1	2	Lake City, S.C.	39.1	1	6
Winston-Salem, N.C.	51.2	2	3	Mullins, S.C.	38.3	2	7
South Boston, Va.	22.0	3	12	Fairmont, N.C.	31.1	3	9
Reidsville, N.C.	21.2	4	13	Lumberton, N.C.	16.7	4	19
Fuquay-Varina, N.C.	20.3	5	15	Whiteville, N.C.	14.9	5	24
Roxboro, N.C.	18.4	6	16	Chadbourn, N.C.	14.6	6	25
Oxford, N.C.	18.3	7	17	Tabor City, N.C.	13.7	7	27
Mt. Airy, N.C.	16.2	8	20	Conway, S.C.	10.8	8	34
Henderson, N.C.	15.5	9	22	Timmonsville, S.C.	10.1	9	37
Durham, N.C.	15.2	10	23	Hemingway, S.C.	9.7	10	39
Stoneville, N.C.	12.0	11	29	Kingstree, S.C.	8.7	11	48
Sanford, N.C.	11.5	12	32	Darlington, S.C.	8.3	12	51
South Hill, Va.	11.0	13	33	Loris, S.C.	7.5	13	53
Warrenton, N.C.	9.7	14	38	Fair Bluff, N.C.	7.3	14	54
Carthage, N.C.	9.4	15	44	Clarkton, N.C.	6.2	15	62
Lawrenceville, Va.	9.2	16	45	Pamplico, S.C.	5.0	16	66
Louisburg, N.C.	9.0	17	46	Dillon, S.C.	1.5	17	86
Clarksville, Va.	8.8	18	47				
Brookneal, Va.	8.4	19	50				
Chase City, Va.	7.0	20	55				
Yadkinville, N.C.	6.9	21	56				
Aberdeen, N.C.	6.6	22	60				
Madison, N.C.	5.6	23	63				
Petersburg, Va.	5.2	24	65				
Burlington, N.C.	4.8	25	67				
Mebane, N.C.	4.7	26	68				
Kenbridge, Va.	4.7	27	69				
Greensboro, N.C.	1.9	28	83				
<u>Type 12</u>							
Wilson, N.C.	80.3	1	1	Moultrie, Ga.	16.0	1	21
Greenville, N.C.	41.6	2	4	Douglas, Ga.	13.8	2	26
Kinston, N.C.	39.4	3	5	Live Oak, Fla.	10.8	3	35
Goldsboro, N.C.	32.6	4	8	Blackshear, Ga.	9.5	4	41
Farmville, N.C.	27.6	5	10	Vidalia, Ga.	9.5	5	42
Rocky Mount, N.C.	26.5	6	11	Nashville, Ga.	9.4	6	43
Smithfield, N.C.	21.1	7	14	Valdosta, Ga.	8.0	7	52
Clinton, N.C.	17.9	8	18	Tifton, Ga.	6.8	8	58
Dunn, N.C.	12.1	9	28	Claxton, Ga.	6.6	9	59
Williamston, N.C.	12.0	10	30	Alma, Ga.	6.4	10	61
Windsor, N.C.	11.6	11	31	Lake City, Fla.	4.7	11	70
Wallace, N.C.	10.7	12	36	Baxley, Ga.	4.4	12	71
Wendell, N.C.	9.6	13	40	Hahira, Ga.	4.3	13	72
Ahoskie, N.C.	8.7	14	49	Adel, Ga.	4.1	14	73
Robersonville, N.C.	6.8	15	57	Fitzgerald, Ga.	4.0	15	74
Washington, N.C.	5.5	16	64	Statesboro, Ga.	4.0	16	75
Tarboro, N.C.	3.5	17	77	Hazelhurst, Ga.	3.7	17	76
				Pelham, Ga.	3.5	18	78
				Metter, Ga.	3.0	19	79
				High Springs, Fla.	2.7	20	80
				Thomasville, Ga.	2.6	21	81
				Waycross, Ga.	2.5	22	82
				Madison, Fla.	1.7	23	84
				Jasper, Fla.	1.5	24	85

1/ In instances where producers' sales of two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 14.--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1981 crop 1/

Group and grade 2/	1981 crop Season averages					1981 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Wrappers:							Wrappers:
A1L	--	--	--	--	--	203	A1L
A1F	--	--	--	--	--	203	A1F
Leaf:							Leaf:
B1L	--	--	--	194	194	193	B1L
B2L	(191)	192	(191)	190	192	189	B2L
B3L	189	189	189	190	189	186	B3L
B4L	187	188	187	190	188	182	B4L
B5L	181	181	180	186	182	174	B5L
B6L	171	--	--	--	174	168	B6L
B1F	195	194	(194)	194	194	193	B1F
B2F	190	192	191	190	191	189	B2F
B3F	189	189	190	190	190	186	B3F
B4F	188	188	188	189	188	182	B4F
B5F	181	182	185	186	183	174	B5F
B6F	171	175	176	179	176	168	B6F
B1FR	--	--	--	--	--	191	B1FR
B2FR	--	--	--	--	--	187	B2FR
B3FR	(188)	188	--	--	188	184	B3FR
B4FR	186	186	(188)	--	186	181	B4FR
B5FR	180	179	174	(174)	179	173	B5FR
B6FR	--	--	--	--	(168)	166	B6FR
B4R	--	--	--	--	--	160	B4R
B5R	159	175	--	--	166	152	B5R
B3K	181	183	186	187	183	178	B3K
B4K	177	178	181	182	179	172	B4K
B5K	169	171	173	175	172	165	B5K
B6K	160	164	164	165	163	157	B6K
B3KR	182	182	181	186	182	175	B3KR
B4KR	176	178	181	182	179	171	B4KR
B5KR	168	173	174	175	171	162	B5KR
B3V	183	184	183	189	184	174	B3V
B4V	179	180	181	186	181	169	B4V
B5V	171	173	176	178	174	160	B5V
B3S	182	181	--	184	181	166	B3S
B4S	182	177	--	--	178	162	B4S
B5S	--	(170)	--	--	169	156	B5S
B3KL	175	179	180	183	178	165	B3KL
B4KL	170	174	174	184	173	161	B4KL
B5KL	163	168	168	174	167	155	B5KL
B6KL	151	161	158	149	156	146	B6KL
B3KF	173	177	176	177	175	165	B3KF
B4KF	167	172	171	176	170	161	B4KF
B5KF	160	166	163	166	164	155	B5KF
B6KF	152	159	154	152	155	146	B6KF
B4KV	168	170	170	175	170	158	B4KV
B5KV	159	163	163	164	162	148	B5KV
B6KV	151	158	153	151	153	138	B6KV
B3KM	178	182	182	186	181	169	B3KM
B4KM	174	177	178	182	177	165	B4KM
B5KM	166	171	172	175	171	159	B5KM
B6KM	157	165	161	165	163	148	B6KM
B4G	164	167	168	176	168	151	B4G
B5G	158	159	162	164	161	145	B5G
B6G	152	146	148	149	149	133	B6G
B5GR	(142)	154	--	--	150	133	B5GR
B4GK	160	166	166	168	165	146	B4GK
B5GK	153	160	160	160	158	142	B5GK
B6GK	146	155	151	148	150	133	B6GK
B5GG	141	150	154	--	146	118	B5GG

Continued

See footnotes at end of table.

Table 14.--Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1981 crop--Continued 1/

Group and grade 2/	1981 crop Season averages					1981 Loan rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Smoking leaf:</b>							<b>Smoking leaf:</b>
H3L	190	190	(189)	--	190	188	H3L
H4L	188	188	--	--	188	185	H4L
H5L	184	(185)	--	--	185	177	H5L
H6L	--	--	--	--	--	172	H6L
H1F	--	--	--	--	--	195	H1F
H2F	--	--	--	--	(192)	191	H2F
H3F	190	190	190	191	190	188	H3F
H4F	189	189	189	190	189	185	H4F
H5F	184	186	186	189	185	177	H5F
H6F	(179)	--	--	--	(183)	172	H6F
H4FR	--	--	--	--	--	181	H4FR
H5FR	180	--	--	--	180	174	H5FR
H6FR	(169)	--	--	--	(169)	167	H6FR
H4K	181	183	185	188	182	171	H4K
H5K	176	177	178	185	178	166	H5K
H6K	168	172	170	172	169	158	H6K
<b>Cutters:</b>							<b>Cutters:</b>
C1L	--	--	--	(196)	195	195	C1L
C2L	193	194	--	--	194	192	C2L
C3L	190	190	190	190	190	189	C3L
C4L	186	186	187	188	187	185	C4L
C5L	181	180	182	185	181	177	C5L
C1F	--	--	--	--	--	195	C1F
C2F	194	(194)	--	--	193	192	C2F
C3F	190	190	190	190	190	189	C3F
C4F	187	187	187	189	187	185	C4F
C5F	182	181	182	185	182	177	C5F
C4KR	179	180	180	184	180	172	C4KR
C4V	178	177	179	185	179	171	C4V
C4S	175	177	(176)	--	177	167	C4S
C4KL	173	173	177	185	174	163	C4KL
C4KM	178	176	177	183	177	166	C4KM
C4G	166	165	169	175	168	154	C4G
C4GK	166	164	168	172	167	148	C4GK
<b>Lugs:</b>							<b>Lugs:</b>
X1L	--	--	--	--	(190)	190	X1L
X2L	186	186	186	190	186	184	X2L
X3L	180	179	180	183	179	177	X3L
X4L	173	170	172	176	172	166	X4L
X5L	157	158	159	165	159	150	X5L
X1F	(191)	(190)	--	--	190	190	X1F
X2F	186	185	--	190	186	184	X2F
X3F	181	179	181	184	181	177	X3F
X4F	175	172	174	177	174	166	X4F
X5F	160	160	161	165	161	150	X5F
X3KR	176	175	176	(172)	176	166	X3KR
X4KR	169	173	173	171	171	160	X4KR
X3V	173	174	174	180	174	165	X3V
X4V	167	166	167	172	168	159	X4V
X3S	170	172	(167)	0	172	160	X3S
X4KL	159	164	166	172	162	147	X4KL
X4KF	157	163	165	164	161	147	X4KF
X4KV	154	154	157	160	156	143	X4KV
X3KM	174	171	172	177	173	157	X3KM
X4KM	165	164	166	171	166	150	X4KM
X4GK	155	155	156	162	157	139	X4GK
X4G	155	155	158	163	157	145	X4G
X5G	147	148	149	149	148	139	X5G

See footnotes at end of table.

Continued

Table 14.—Season average prices per 100 pounds of tobacco by types in the flue-cured area and schedule of loan rates, 1981 crop—Continued<sup>1/</sup>

Group and grade <sup>2/</sup>	1981 crop Season averages					1981 Loan rate <sup>3/</sup> 11-14	Group and grade <sup>2/</sup>
	Type 11	Type 12	Type 13	Type 14	11-14		
<b>Primings:</b>							
P2L	167	169	174	(174)	169	136	P2L
P2L sand	--	--	--	--	--	122	P2L sand
P3L	157	161	163	169	160	128	P3L
P3L sand	(140)	(142)	--	--	142	115	P3L sand
P4L	146	151	154	158	150	117	P4L
P4L sand	134	(148)	(148)	(160)	138	105	P4L sand
P5L	130	137	143	144	136	--	P5L
P5L sand	121	--	--	--	121	--	P5L sand
P2F	170	171	(168)	(181)	171	136	P2F
P2F sand	--	169	--	--	169	122	P2F sand
P3F	158	162	161	168	160	128	P3F
P3F sand	(133)	151	--	(159)	147	115	P3F sand
P4F	142	150	149	156	148	117	P4F
P4F sand	127	134	(161)	145	134	105	P4F sand
P5F	126	137	137	141	133	--	P5F
P5F sand	118	--	--	137	122	--	P5F sand
P4G	137	143	145	149	143	107	P4G
P4G sand	125	(142)	--	142	135	96	P4G sand
P5G	122	133	132	136	131	--	P5G
P5G sand	118	--	--	126	121	--	P5G sand
<b>Mixed:</b>							
M4F	--	--	--	--	--	147	M4F
M5F	--	(159)	--	168	164	144	M5F
M4KR	--	--	--	--	--	138	M4KR
M4KM	(155)	161	--	--	161	135	M4KM
M5KM	153	160	(147)	163	157	130	M5KM
M4GK	--	--	--	--	(157)	132	M4GK
M5GK	139	159	--	(150)	147	124	M5GK
<b>Nondescript:</b>							
N1L	115	126	126	130	122	--	N1L
N1L sand	109	--	--	121	111	--	N1L sand
N1XL	132	132	142	139	134	--	N1XL
N1K	144	150	146	143	145	120	N1K
N1R	136	144	135	119	135	110	N1R
N1GL	117	129	129	129	126	--	N1GL
N1GL sand	105	--	--	(118)	111	--	N1GL sand
N1GF	128	141	141	136	137	110	N1GF
N1KV	140	147	143	135	140	109	N1KV
N1GR	136	145	137	123	138	104	N1GR
N1GG	113	133	149	--	131	101	N1GG
N1PO	115	133	130	135	129	--	N1PO
N1PO sand	109	--	--	143	125	--	N1PO sand
N1XO	130	143	143	153	142	--	N1XO
N1BO	145	159	152	147	152	102	N1BO
N2	104	121	120	117	115	--	N2
NOG 4/	112	122	118	124	120	--	NOG 4/
NOG-F sand	105	--	--	145	127	--	NOG-F sand
"W"	118	135	132	135	130	--	"W"
"U"	123	130	132	129	129	--	"U"

<sup>1/</sup> Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

<sup>2/</sup> For key to standard grademarks see brief of classification on page 29.

<sup>3/</sup> Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

<sup>4/</sup> Includes NOG, NOG-F and scrap (S).

Table 15.—1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops

## Type 11

Group and grade	Week ending							
	July 23	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sept. 3	Sept. 10
B3L	--	--	--	--	--	188	188	189
B4L	--	--	--	--	185	184	186	188
B3F	--	--	--	--	188	188	189	190
B4F	--	--	--	--	185	186	187	189
B5F	--	--	--	--	178	184	183	185
B4K	--	--	--	--	--	178	181	183
B5K	--	--	--	--	--	171	173	174
B6K	--	--	--	--	--	--	--	163
B4KR	--	--	--	--	--	179	180	185
B3V	--	--	--	--	178	181	184	184
B4V	--	--	--	--	176	179	179	182
B4KL	--	--	--	166	171	172	171	176
B3KF	--	--	--	--	--	176	176	182
B4KF	--	--	169	163	169	169	170	170
B5KF	--	--	160	155	159	162	162	163
B6KF	--	--	--	--	--	147	149	149
B4KV	--	--	--	--	162	175	170	173
B5KV	--	--	--	--	--	160	163	161
B3KM	--	--	--	175	180	181	182	184
B4KM	--	--	173	174	173	176	178	179
B5KM	--	--	--	161	169	170	172	171
B6KM	--	--	--	--	--	--	167	--
B4GK	--	--	159	157	160	163	161	161
B5GK	--	--	161	149	152	155	155	153
H4F	--	--	--	--	186	186	189	189
H4K	--	--	--	--	--	--	184	188
H5K	--	--	--	--	--	172	178	181
C4L	--	184	185	185	186	186	187	188
C5L	--	--	178	179	180	181	183	181
C3F	--	--	--	190	190	190	190	190
C4F	--	186	186	186	186	186	187	188
C5F	--	--	179	180	180	181	183	183
C4V	179	179	176	176	176	179	180	181
C4KL	--	--	174	171	173	174	177	173
C4KM	179	180	178	177	178	178	181	182
X3L	179	180	178	179	179	180	182	182
X4L	173	174	172	172	171	173	176	175
X5L	--	161	156	156	155	156	162	160
X3F	179	179	179	179	181	182	183	183
X4F	170	174	173	173	173	175	177	176
X5F	158	160	155	156	156	160	163	162
X4V	166	170	165	167	165	168	170	170
X4KV	151	--	151	148	152	153	155	157
X3KM	174	174	174	174	175	175	176	176
X4KM	167	168	165	162	164	167	172	168
X4GK	154	161	155	150	154	156	160	155
X5G	154	156	143	144	144	145	148	149
P3L	166	166	158	152	148	149	152	--
P4L	157	156	145	141	136	137	135	138
P5L	--	138	133	129	121	118	121	--
P3F	168	167	158	156	154	152	155	--
P4F	157	156	143	139	136	137	141	140
P5F	145	137	129	126	119	119	120	127
P4G	149	150	133	132	127	128	132	127
P5G	139	134	122	117	115	118	121	--
N1L	--	121	116	115	108	111	119	122
N1XL	--	--	128	122	117	127	133	131
N1K	--	--	--	--	--	--	--	137
N1GL	--	124	114	110	112	116	126	132
N1PO	--	126	117	116	107	114	111	--
N1BO	--	--	--	--	--	--	--	--
N2	--	104	98	100	97	98	111	112

Continued

Table 15.--1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops--Continued

Type 11

Group and grade	Week ending							Season	
	Sept. 17	Sept. 24	Oct. 1	Oct. 1/15	Oct. 22	Oct. 29	Nov. 5	1981	1980
B3L	190	190	190	190	188	189	--	189	--
B4L	189	187	188	189	186	185	183	187	173
B3F	190	190	190	190	190	189	187	189	175
B4F	189	188	188	189	187	185	182	188	173
B5F	184	181	180	181	178	177	174	181	170
B4K	181	179	176	177	175	175	173	177	165
B5K	175	171	169	169	167	167	166	169	156
B6K	164	163	161	161	160	159	158	160	142
B4KR	179	178	176	176	174	173	172	176	--
B3V	187	184	187	--	184	--	--	183	--
B4V	184	182	180	179	176	171	170	179	168
B4KL	173	171	170	171	166	165	162	170	166
B3KF	181	175	172	174	170	168	166	173	168
B4KF	174	170	168	167	164	163	162	167	159
B5KF	163	162	162	162	159	157	156	160	146
B6KF	155	153	153	155	152	150	150	152	132
B4KV	171	170	167	167	166	163	160	168	153
B5KV	166	162	158	161	158	154	153	159	141
B3KM	183	182	180	179	175	171	170	178	169
B4KM	179	176	174	171	169	167	166	174	165
B5KM	173	169	166	165	163	161	160	166	157
B6KM	164	167	159	157	156	154	152	157	--
B4GK	165	162	160	161	156	153	153	160	149
B5GK	158	156	155	158	152	150	149	153	136
H4F	189	189	190	189	189	189	186	189	173
H4K	185	183	179	177	178	178	174	181	--
H5K	180	177	176	173	173	173	172	176	164
C4L	187	187	189	189	189	187	166	186	170
C5L	183	182	181	182	184	181	181	181	166
C3F	190	190	--	--	--	--	--	190	--
C4F	188	189	189	189	189	187	186	187	171
C5F	184	184	185	186	184	181	179	182	169
C4V	182	182	180	--	--	174	--	178	166
C4KL	176	176	173	--	166	166	168	173	--
C4KM	182	181	177	176	173	170	168	178	166
X3L	182	183	184	--	--	--	--	180	165
X4L	175	175	172	175	171	168	168	173	160
X5L	162	--	--	155	--	--	--	157	147
X3F	183	182	186	186	186	179	179	181	167
X4F	177	177	176	174	177	171	169	175	163
X5F	164	163	161	162	160	156	155	160	150
X4V	172	173	167	167	170	164	--	167	155
X4KV	160	156	157	161	155	--	--	154	142
X3KM	175	--	170	179	--	163	--	174	158
X4KM	168	166	161	165	161	158	155	165	153
X4GK	159	154	154	--	156	152	--	155	137
X5G	151	147	152	--	--	153	--	147	132
P3L	--	--	--	--	--	--	--	157	141
P4L	150	--	--	--	--	139	141	146	129
P5L	130	--	--	--	--	--	--	130	110
P3F	--	--	--	--	--	--	--	158	143
P4F	144	141	136	137	--	144	138	142	130
P5F	136	127	130	119	123	128	125	126	113
P4G	--	--	--	--	--	--	--	137	116
P5G	--	--	--	--	--	130	--	122	102
N1L	127	126	118	--	122	115	119	115	98
N1XL	141	142	139	140	143	142	142	132	115
N1K	148	141	142	147	146	145	142	144	117
N1GL	129	--	--	--	129	131	--	117	96
N1PO	--	--	--	--	--	--	--	115	99
N1BO	145	147	145	147	146	145	139	145	--
N2	119	117	117	116	120	115	109	104	78

1/ No sales held previous week of October 5-8 due to marketing holiday.

2/ No averages shown after week of November 5 due to limited sales.

Dashes indicate less than 20 lots were recorded for the week.

Table 16.--1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops

Type 12

Group and grade	Week ending						
	July 23	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sept. 3
B3L	--	--	187	188	188	190	190
B4L	--	--	185	185	186	188	189
B3F	--	--	188	188	189	189	190
B4F	--	--	185	186	186	188	189
B5F	--	--	--	181	178	182	186
B3K	--	--	--	--	--	--	185
B4K	--	--	--	--	177	182	183
B5K	--	--	--	--	171	177	180
B6K	--	--	--	--	--	167	170
B4KR	--	--	--	--	181	180	183
B5KR	--	--	--	--	--	173	183
B3V	--	--	--	181	182	185	186
B4V	--	--	178	177	177	181	182
B5V	--	--	--	--	166	173	177
B3KL	--	--	--	174	175	181	184
B4KL	--	--	173	169	174	174	178
B5KL	--	--	164	161	167	167	173
B3KF	--	--	--	177	178	179	183
B4KF	--	--	170	169	173	175	178
B5KF	158	--	159	163	166	171	171
B6KF	--	--	155	155	155	160	159
B4KV	--	--	--	171	170	169	174
B5KV	--	--	--	163	160	164	167
B3KM	--	177	179	180	180	182	187
B4KM	--	171	175	176	177	179	183
B5KM	--	--	164	170	172	175	177
B4GK	--	--	166	161	166	168	170
B5GK	--	--	155	159	159	163	161
H4F	--	--	--	--	--	--	--
H5K	--	--	--	--	--	--	179
C4L	187	186	185	185	186	187	189
C5L	--	179	179	178	178	180	181
C4F	--	185	185	186	187	188	187
C5F	--	180	180	178	181	181	184
C4KR	--	--	178	177	177	180	184
C4V	179	178	175	176	176	179	184
C4KM	177	178	175	173	174	177	181
C4GK	--	168	164	160	157	169	174
X3L	178	179	178	177	176	179	183
X4L	173	171	168	168	169	170	176
X3F	178	179	178	179	178	183	185
X4F	173	173	169	170	170	176	176
X5F	156	159	156	157	160	165	169
X4V	169	168	162	163	165	166	173
X4KV	152	156	151	151	152	155	163
X3KM	174	173	171	165	170	172	176
X4KM	167	168	159	161	165	170	174
X4GK	161	158	153	152	154	158	163
X4G	162	158	152	152	156	157	158
P3L	165	163	155	145	149	--	--
P4L	156	155	144	143	137	145	157
P3F	165	164	154	152	--	--	--
P4F	154	155	146	141	147	151	154
P5F	140	141	135	130	134	138	145
P4G	148	148	139	135	134	134	--
N1L	129	130	124	118	117	133	--
N1GL	131	128	129	125	134	132	137
N1GF	--	--	130	138	137	135	141
N1KV	--	--	--	137	122	140	147
N1XO	146	145	138	138	146	139	159
N1BO	--	--	--	--	153	160	163
N2	117	122	116	116	116	117	125

Continued

Table 16.--1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops--Continued

Type 12

Group and grade	Week ending							Season	
	Sept. 10	Sept. 17	Sept. 24	Oct. 1	Oct. 1/15	Oct. 22	Oct. 2/29	1981	1980
B3L	190	--	--	190	191	191	--	189	173
B4L	189	187	188	189	193	184	--	188	171
B3F	190	189	190	189	190	190	187	189	174
B4F	189	188	188	187	188	187	183	188	172
B5F	186	184	182	181	182	178	175	182	170
B3K	185	186	185	181	--	--	178	183	172
B4K	183	180	178	177	177	174	173	178	166
B5K	178	174	172	169	170	167	166	171	158
B6K	170	167	163	163	165	161	159	164	146
B4KR	184	180	178	177	180	174	173	178	166
B5KR	176	176	174	173	168	168	164	173	154
B3V	188	186	187	182	190	184	174	184	168
B4V	184	183	182	181	183	176	170	180	167
B5V	177	178	172	173	175	169	--	173	163
B3KL	182	182	183	177	179	175	168	179	171
B4KL	180	176	174	172	176	167	164	174	165
B5KL	173	172	167	168	170	163	158	168	160
B3KF	183	179	176	174	177	171	165	177	168
B4KF	177	174	170	169	171	167	162	172	159
B5KF	172	170	165	165	167	162	158	166	149
B6KF	164	162	160	160	162	157	152	159	136
B4KV	166	172	169	167	170	166	160	170	157
B5KV	164	164	163	164	167	161	155	163	149
B3KM	185	183	184	182	182	178	171	182	169
B4KM	182	180	177	176	175	171	167	177	165
B5KM	175	174	169	170	170	164	162	171	160
B4GK	167	165	166	169	166	161	155	166	152
B5GK	165	161	161	161	161	156	154	160	142
H4F	--	190	--	--	190	189	189	189	174
H5K	187	183	181	181	172	168	167	177	165
C4L	190	188	189	189	192	188	185	186	170
C5L	187	184	185	185	--	181	178	180	167
C4F	189	188	189	188	190	189	186	187	170
C5F	183	184	183	183	184	182	177	181	168
C4KR	182	--	--	182	--	183	174	180	165
C4V	179	185	178	182	183	182	175	177	163
C4KM	183	182	183	183	181	177	170	176	166
C4GK	--	--	--	168	171	--	160	164	153
X3L	--	179	--	--	190	179	--	179	162
X4L	179	175	--	170	175	171	168	170	155
X3F	183	183	184	181	187	181	178	179	164
X4F	177	175	174	174	174	173	168	172	158
X5F	173	164	162	160	161	158	152	160	145
X4V	177	--	174	--	181	166	161	166	150
X4KV	164	163	--	--	--	155	149	154	142
X3KM	177	172	--	177	--	172	163	171	158
X4GK	--	--	159	--	--	149	151	155	137
X4G	--	--	--	--	--	--	--	155	137
P3L	--	--	--	--	--	--	--	161	126
P4L	--	--	--	--	150	136	140	151	118
P3F	--	--	--	--	--	--	--	162	130
P4F	161	143	144	149	143	137	134	150	120
P5F	--	--	--	119	140	129	127	137	107
P4G	--	--	--	--	--	--	134	143	107
NIL	--	--	125	--	132	125	121	126	98
N1GL	--	--	--	--	--	126	130	129	101
N1GF	139	146	145	144	150	142	140	141	117
N1KV	159	153	150	144	152	151	148	147	116
N1XO	--	--	--	--	--	--	125	143	118
N1BO	166	160	157	160	160	153	151	159	119
N2	137	128	136	116	127	122	118	121	91

1/ No sales held previous week of October 5-8 due to marketing holiday.

2/ No averages shown after week of October 29 due to limited sales.

Dashes indicate that less than 20 lots were recorded for the week.

Table 17.—1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops

Type 13

Group and grade	Week ending						
	July 23	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sept. 3
B4L	--	--	186	185	187	188	190
B3F	--	--	--	188	188	190	190
B4F	--	--	184	185	186	188	189
B5F	--	--	178	181	182	185	187
B4K	--	--	--	175	178	180	185
B5K	--	--	168	170	172	175	177
B6K	--	--	--	160	163	163	168
B4KR	--	--	--	174	176	181	185
B3V	--	186	180	182	184	186	187
B4V	--	180	179	177	180	181	186
B5V	--	169	167	173	172	177	181
B4KL	--	--	--	171	171	177	179
B4KF	--	--	169	169	171	176	178
B5KF	--	--	--	164	163	168	169
B6KF	--	--	--	152	153	157	157
B4KV	--	--	--	163	165	172	175
B5KV	--	--	--	157	159	165	168
B6KV	--	--	--	146	145	149	156
B3KM	--	--	177	179	179	185	185
B4KM	--	179	173	175	176	180	182
B5KM	--	164	168	168	171	177	177
B6KM	--	--	--	152	166	165	167
B4G	--	--	164	167	162	171	179
B4GK	--	165	164	165	165	170	172
B5GK	--	170	154	156	159	164	164
B6GK	--	--	146	142	146	154	157
C4L	186	186	186	186	187	188	189
C5L	180	182	179	180	181	185	187
C3F	--	190	--	--	--	--	--
C4F	185	186	186	186	186	189	189
C5F	178	180	180	180	182	185	187
C4V	178	179	177	179	179	182	188
C4KM	175	176	174	174	178	182	184
C4GK	168	171	166	164	166	177	181
X3L	179	181	180	178	178	--	--
X4L	172	173	170	169	172	178	182
X3F	178	181	179	180	180	186	183
X4F	171	173	171	170	174	178	181
X5F	161	160	158	157	159	167	169
X4V	167	169	164	164	168	168	178
X4KF	--	--	152	162	161	171	166
X4KV	155	160	152	150	155	158	165
X3KM	173	172	171	170	174	177	182
X4KM	169	166	162	163	168	170	175
X4GK	160	159	155	151	157	159	163
X4G	161	160	155	153	158	158	166
X5G	150	150	146	146	145	148	158
P4L	158	154	148	137	146	--	--
P3F	163	160	155	148	--	--	--
P4F	154	151	144	137	140	149	144
P5F	141	139	133	127	132	144	138
P4G	149	145	139	135	--	--	--
P5G	133	135	129	124	117	--	--
N1L	129	128	124	120	123	128	136
N1XL	--	--	138	137	140	143	141
N1K	--	--	--	--	--	136	148
N1GL	127	130	127	124	131	131	139
N1KV	--	--	--	--	146	137	141
N1PO	134	129	132	123	128	--	--
N1XO	138	146	138	139	137	147	150
N1BO	--	--	--	153	149	156	158
N2	117	120	117	106	117	119	125

Continued

Table 17.--1980 averages prices by weeks on representative grades and season averages, 1981 and 1980 crops--Continued

Type 13

Group and grade	Week ending						Season		
	Sept. 10	Sept. 17	Sept. 24	Oct. 1	Oct. 15	Oct. 1/ 22	Oct. 2/ 22	1981	1980
B4L	190	--	--	--	--	--	--	187	170
B3F	190	190	190	190	190	190	190	190	172
B4F	189	189	188	189	188	184	188	188	170
B5F	187	187	183	184	183	179	185	185	167
B4K	184	183	179	177	177	176	181	181	164
B5K	175	176	172	170	170	170	173	173	156
B6K	166	166	163	163	162	163	164	164	145
B4KR	185	185	180	175	182	176	181	181	165
B3V	--	--	172	--	--	--	183	183	166
B4V	185	184	182	182	181	182	181	181	164
B5V	179	178	173	174	172	171	176	176	159
B4KL	175	176	171	174	170	168	174	174	162
B4KF	175	175	169	168	166	165	171	171	157
B5KF	166	166	162	161	161	162	163	163	147
B6KF	153	154	153	154	153	154	154	154	135
B4KV	176	172	165	169	166	171	170	170	152
B5KV	163	165	161	159	163	158	163	163	144
B6KV	155	157	151	154	153	154	153	153	132
B3KM	185	184	182	182	181	174	182	182	161
B4KM	181	181	176	174	172	173	178	178	160
B5KM	174	174	169	168	167	167	172	172	155
B6KM	165	165	158	159	161	161	161	161	142
B4G	--	170	--	--	--	--	168	168	147
B4GK	168	166	163	163	163	159	166	166	143
B5GK	160	163	157	157	159	158	160	160	136
B6GK	150	150	149	151	152	154	151	151	125
C4L	--	--	--	190	190	--	187	187	169
C5L	189	--	--	--	--	--	182	182	165
C3F	--	--	190	--	--	--	190	190	173
C4F	189	190	189	190	189	--	187	187	170
C5F	187	186	186	186	185	187	182	182	167
C4V	185	--	185	--	--	--	179	179	162
C4KM	185	184	183	180	181	176	177	177	161
C4GK	--	--	--	--	--	--	168	168	144
X3L	--	--	--	--	--	--	180	180	162
X4L	182	--	--	--	--	--	172	172	157
X3F	--	--	--	--	--	186	181	181	164
X4F	180	178	175	179	176	173	174	174	159
X5F	167	168	165	166	162	160	161	161	147
X4V	175	174	166	--	166	169	167	167	149
X4KF	175	--	167	--	--	159	165	165	143
X4KV	167	166	165	160	152	161	157	157	138
X3KM	182	--	--	--	--	--	172	172	154
X4KM	173	176	169	171	168	167	166	166	149
X4GK	167	162	152	--	158	155	156	156	131
X4G	--	--	--	--	--	--	158	158	133
X5G	--	--	160	--	--	--	149	149	127
P4L	--	--	--	--	--	--	154	154	122
P3F	--	--	--	--	--	--	161	161	133
P4F	158	140	--	--	139	138	149	149	121
P5F	139	129	135	136	133	124	137	137	104
P4G	--	--	--	--	--	--	145	145	106
P5G	--	--	--	--	--	--	132	132	94
N1L	133	--	--	135	132	118	126	126	96
N1XL	148	156	144	--	135	147	142	142	118
N1K	143	144	145	147	146	149	146	146	118
N1GL	129	146	--	133	126	127	129	129	90
N1KV	136	143	141	147	142	145	143	143	112
N1PO	--	--	--	--	--	114	130	130	95
N1XO	151	147	--	148	--	140	143	143	111
N1BO	159	153	150	148	149	149	152	152	116
N2	128	132	125	128	121	118	120	120	85

1/ No sales held previous week of October 5-8 due to marketing holiday.

2/ No averages shown after week of October 22 due to limited sales.

Dashes indicate that less than 20 lots were recorded for the week.

Table 18---1981 average prices by weeks on representative grades and season averages, 1981 and 1980 crops

## Type 14

Group and Grade	Week ending											Season	
	July 16	July 23	July 30	Aug. 6	Aug. 13	Aug. 20	Aug. 27	Sept. 3	Sept. 10	Sept. 17	Sept. 24	1981	1980
B3L	--	--	190	190	190	--	--	--	--	--	--	190	166
B4L	--	--	190	190	189	190	190	--	--	--	--	190	165
B3F	--	190	190	190	190	190	190	190	--	190	189	190	166
B4F	--	189	190	189	189	190	190	190	188	188	187	189	165
B5F	--	181	186	185	186	186	188	186	187	183	181	186	165
B4K	--	--	180	183	183	184	186	185	179	178	176	182	162
B5K	--	180	178	175	178	177	179	177	174	170	169	175	158
B6K	--	--	--	169	164	168	171	166	164	162	159	165	150
B4KR	--	--	180	179	182	185	185	186	--	--	173	182	163
B4V	--	186	188	185	184	186	188	189	188	183	185	186	160
B5V	--	--	--	177	176	179	178	184	174	174	--	178	157
B4KF	--	--	183	178	178	178	180	179	173	171	164	176	156
B5KF	--	--	172	170	165	171	173	169	165	160	158	166	149
B6KF	--	--	155	157	152	158	159	153	154	149	148	152	138
B4KV	--	178	179	176	172	177	173	181	171	167	--	175	154
B5KV	--	159	177	165	165	166	168	168	158	156	157	164	148
B6KV	--	--	163	150	154	152	154	155	148	143	149	151	139
B3KM	--	184	188	186	184	187	187	188	--	176	--	186	161
B4KM	--	181	182	181	179	184	185	184	182	175	174	182	159
B5KM	--	176	178	174	173	175	178	178	172	169	165	175	156
B6KM	--	--	168	168	165	161	168	175	164	157	157	165	144
B4GK	--	164	173	172	163	169	171	174	163	161	156	168	144
B5GK	--	171	163	161	158	159	163	165	155	153	152	160	139
B6GK	--	151	156	149	147	146	151	145	148	143	146	148	129
H4F	--	--	190	190	190	--	190	190	--	--	--	190	166
H5K	--	--	--	--	186	188	183	186	183	178	186	185	165
C3L	--	189	--	--	--	--	--	--	--	--	--	190	168
C4L	185	188	190	190	189	--	183	--	--	--	--	188	165
C5L	184	185	186	184	187	--	--	--	--	--	--	185	160
C3F	--	190	--	190	--	--	--	--	--	--	--	190	--
C4F	186	189	190	189	189	--	--	--	--	--	--	189	165
C5F	182	184	186	185	186	187	186	--	--	--	--	185	162
C4V	180	185	186	183	183	--	--	--	--	--	--	185	156
C4KM	181	184	183	182	183	182	182	--	--	--	--	183	157
C4GK	170	176	174	170	168	167	--	--	--	--	--	172	140
X3L	179	184	188	183	--	--	--	--	--	--	--	183	159
X4L	174	179	177	172	169	--	--	--	--	--	--	176	153
X5L	171	169	170	163	155	--	--	--	--	--	--	165	144
X3F	179	184	187	185	--	--	--	--	--	--	--	184	160
X4F	171	179	179	178	177	177	174	--	--	--	--	177	154
X5F	162	165	167	165	162	165	162	167	163	158	--	165	145
X4V	169	174	174	170	168	166	--	--	--	--	--	172	147
X4KV	--	160	171	160	156	156	158	--	--	--	--	160	136
X4KM	165	175	175	170	165	168	168	169	--	--	--	171	145
X4GK	157	168	163	159	150	157	157	--	--	--	--	162	131
X4G	160	167	162	159	159	161	152	--	--	--	--	163	132
X5G	147	150	152	149	148	150	146	--	--	--	--	149	126
P3L	170	173	167	142	--	--	--	--	--	--	--	169	134
P4L	157	163	158	146	--	--	--	--	--	--	--	158	121
P4F	154	163	157	140	140	137	--	--	--	--	--	156	124
P5F	141	146	144	135	130	126	117	--	--	--	--	141	106
P4G	146	156	151	135	133	--	--	--	--	--	--	149	106
P5G	135	141	137	132	129	--	--	--	--	--	--	136	87
N1L	126	136	136	129	129	128	107	--	--	--	--	130	96
N1XL	--	143	141	143	133	140	125	--	--	--	--	139	114
N1K	--	--	--	151	151	145	150	142	137	138	143	136	
N1GL	122	138	134	128	122	126	119	128	--	--	--	129	94
N1KV	--	148	142	132	134	137	136	138	138	132	134	135	125
N1PO	130	142	141	130	--	--	--	--	--	--	--	135	91
N1XO	--	159	146	161	144	147	145	--	--	--	--	153	116
N1BO	--	--	--	159	156	153	152	150	148	137	135	147	130
N2	112	127	117	120	114	110	114	117	111	114	113	117	89

1/ No averages shown after week of September 24 due to limited sales.

Dashes indicate that less than 20 lots were recorded for the week.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to standard grademarks for flue-cured tobacco

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>		<u>Combination symbols</u>
A - Wrappers	1 - Choice	L - Lemon	V - Greenish	XL - Lug side
B - Leaf	2 - Fine	F - Orange	GR - Green red	PO - Oxidized primings
H - Smoking leaf	3 - Good	FR - Orange red	GK - Green variegated	XO - Oxidized lugs or cutters
C - Cutters	4 - Fair	R - Red	GG - Gray green	BO - Oxidized leaf
X - Lugs	5 - Low	K - Variegated	KL - Variegated lemon	GL - Thin-bodied
P - Primings	6 - Poor	KR - Variegated red or scorched	KF - Variegated orange	GF - Medium-bodied
M - Mixed		G - Green	KV - Variegated greenish	nondescript
N - Nondescript			KM - Variegated mixed	nondescript
S - Scrap				

Special factor

W - Wet  
U - Unsound  
Sand or Dirt

Special symbol

S - Slick

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

2 Grades of Wrappers:

A1L  
A1F

56 Grades of Leaf:

B1L  
B2L  
B3L  
B4L  
B5L  
B6L  
B1F  
B2F  
B3F  
B4F  
B5F  
B6F  
B1FR  
B2FR  
B3FR  
B4FR  
B5FR  
B6FR  
B4R  
B5R  
B3K  
B4K  
B5K  
B6K  
B3KR  
B4KR  
B5KR  
B3V  
B4V  
B5V  
B3S  
B4S  
B5S  
B3KL  
B4KL

B5KL  
B6KL  
B3KF  
B4KF  
B5KF  
B3KM  
B4KM  
B5KM  
B6KM  
B4G  
B5G  
B6G  
B5GR  
B4CK  
B5GK  
B6GK  
B5GG

H3L  
H4L  
H5L  
H6L  
H1F  
H2F  
H3F  
H4F  
H5F  
H6F  
H4FR  
H5FR  
H6KR  
H4K  
H5K  
H6K

Leaf--Continued:

17 Grades of Cutters:

C1L  
C2L  
C3L  
C4L  
C5L  
C1F  
C2F  
C3F  
C4F  
C5F  
C4KR  
C4V  
C4S  
C4KL  
C4KM  
C4G  
C4GK

Lugs--Continued:

X4GK  
X4G  
X5G  
P2L  
P3L  
P4L  
P5L  
P2F  
P3F  
P4F  
P5F  
P4G  
P5G

7 Grades of Mixed:

M4F  
M5F  
M4KR  
M4KM  
M5KM  
M4GK  
M5GK

13 Grades of Nondescript:

N1L  
N1KL  
N1K  
N1R  
N1GL  
N1GF  
N1KV  
N1GR  
N1GG  
N1PO  
N1KO  
N1BO  
N2

23 Grades of Lugs:

X1L  
X2L  
X3L  
X4L  
X5L  
X1F  
X2F  
X3F  
X4F  
X5F  
X3KR  
X4KR  
X3V  
X4V  
X3S  
X4KL  
X4KF  
X4KV  
X3KM  
X4KM

1/ Tobacco not covered by the standard grades is designated "NO-G" or "NOG-F"

**Table 19.--Percentage distribution by groups for flue-cured types, 1977-81 crops**

		Type 11							
Crop year	Wrappers	A Leaf	B S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
1977	--	54.0	1.2	3.7	12.4	6.3	0.1	21.2	1.1
1978	--	56.3	2.8	11.5	14.1	8.6	--	5.6	1.1
1979	--	58.3	2.7	9.2	15.4	9.8	--	3.7	.9
1980		51.7	1.4	9.7	17.7	9.7	--	9.4	.4
1981		57.5	1.9	7.7	17.1	10.6	--	4.8	.4
Type 12									
1977	--	47.7	1.1	3.8	12.6	6.0	--	27.7	1.1
1978	--	59.1	.8	10.3	14.3	8.7	0.1	5.8	.9
1979	--	58.7	.6	10.8	16.9	7.9	--	4.5	.6
1980	--	55.5	.2	8.3	17.4	6.9	--	11.2	.5
1981		60.7	.4	10.0	16.7	8.2	--	3.7	.3
Type 13									
1977	--	50.1	1.2	5.5	16.2	6.8	0.3	18.0	1.9
1978	--	61.1	.9	8.7	15.4	8.4	--	4.5	1.0
1979	--	59.8	.5	10.9	18.6	5.7	--	3.5	1.0
1980	--	50.0	.4	5.1	21.6	7.6	.2	13.7	1.4
1981	--	55.0	.3	7.9	17.7	11.3	--	6.6	1.2
Type 14									
1977	--	48.8	1.4	3.6	10.6	6.6	--	21.1	7.9
1978	--	55.0	1.6	8.4	14.2	8.4	--	9.9	2.5
1979	--	56.2	2.0	5.4	15.8	11.9	--	6.5	2.2
1980	--	54.2	.9	6.9	13.6	9.8	0.2	12.0	2.4
1981		58.3	.8	5.5	12.4	8.3	--	12.4	2.3

Dashes indicate a percentage of less than 0.1.

**Table 20.--Percentage distribution by qualities for flue-cured types, 1977-81 crops**

		Type 11							
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.	
1977	0.1	0.3	4.6	31.0	29.6	12.1	21.2	1.1	
1978	.1	.8	12.9	52.6	24.4	2.5	5.6	1.1	
1979	--	.8	14.3	56.9	21.1	2.3	3.7	.9	
1980	--	.2	6.5	46.2	30.8	6.5	9.4	.4	
1981	--	.3	9.5	53.2	28.0	3.8	4.8	.4	
Type 12									
1977	0.1	0.4	5.8	27.2	25.1	12.6	27.7	1.1	
1978	.1	.6	16.2	51.4	22.1	2.9	5.8	.9	
1979	--	.3	13.7	56.7	21.4	2.8	4.5	.6	
1980	--	.2	6.4	42.0	29.5	10.2	11.2	.5	
1981	--	.4	12.5	54.2	25.8	3.1	3.7	.3	
Type 13									
1977	--	0.2	4.4	40.0	30.4	5.1	18.0	1.9	
1978	--	.3	10.9	51.1	29.4	2.8	4.5	1.0	
1979	--	.3	15.5	57.6	21.0	1.1	3.5	1.0	
1980	--	--	4.5	39.4	30.3	10.7	13.7	1.4	
1981		.1	6.2	49.5	31.5	4.9	6.6	1.2	
Type 14									
1977	--	0.1	4.0	30.6	28.2	8.1	21.1	7.9	
1978	--	.2	8.5	43.7	27.9	7.3	9.9	2.5	
1979	--	.5	11.0	47.1	28.9	3.8	6.5	2.2	
1980	--	.1	4.7	38.2	32.3	10.3	12.0	2.4	
1981	0.1	.2	4.8	39.1	32.3	8.8	12.4	2.3	

Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors for flue-cured types, 1977-81 crops

Type 11											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1977	3.2	17.3	0.3	0.3	10.6	31.5	3.5	--	11.0	21.2	1.1
1978	12.2	29.3	.6	--	14.2	27.2	4.0	0.3	5.5	5.6	1.1
1979	10.2	32.0	1.1	.1	16.2	26.5	4.2	--	5.1	3.7	.9
1980	9.2	25.5	--	--	9.6	33.1	4.9	--	7.9	9.4	.4
1981	8.8	22.9	.1	--	14.6	36.9	3.8	.2	7.5	4.8	.4

Type 12											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1977	4.4	14.6	0.9	0.1	11.8	27.0	2.4	--	10.0	27.7	1.1
1978	9.9	20.8	.6	--	7.1	42.7	3.4	0.4	8.4	5.8	.9
1979	8.5	20.3	1.0	--	8.2	45.1	3.1	.2	8.5	4.5	.6
1980	6.5	15.5	.2	--	4.9	45.1	3.6	--	12.5	11.2	.5
1981	8.4	16.7	.2	--	8.0	49.7	3.7	.8	8.5	3.7	.3

Type 13											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1977	6.5	19.4	0.1	--	13.9	25.9	3.6	--	10.7	18.0	1.9
1978	10.1	27.7	.1	--	10.3	33.1	5.6	0.2	7.4	4.5	1.0
1979	8.9	29.5	.2	--	8.9	35.1	6.9	.3	5.7	3.5	1.0
1980	5.0	15.9	--	--	9.1	38.4	4.1	--	12.4	13.7	1.4
1981	7.0	19.6	--	--	10.1	39.3	5.2	--	11.0	6.6	1.2

Type 14											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1977	3.3	14.0	0.1	--	13.1	26.8	2.9	--	10.8	21.1	7.9
1978	6.8	20.2	.1	--	12.8	32.0	5.2	0.1	10.4	9.9	2.5
1979	7.5	29.4	.1	--	16.5	26.8	3.0	.1	7.9	6.5	2.2
1980	7.3	14.1	--	--	11.2	37.5	2.9	.3	12.3	12.0	2.4
1981	3.6	18.8	--	--	11.4	36.1	3.3	--	12.1	12.4	2.3

Dashes indicate a percentage of less than 0.1.

Table 22.--Percentage distribution by groups, qualities, and colors for flue-cured types 11-14, 1977-81 crops

Group											
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.		
1977	--	50.4	1.2	4.1	13.0	6.3	0.1	22.7	2.2		
1978	--	58.2	1.6	10.1	14.4	8.5	--	6.0	1.2		
1979	--	58.5	1.4	9.7	16.6	8.5	--	4.3	1.0		
1980	--	53.1	.7	7.9	17.9	8.2	--	11.3	.9		
1981	--	58.1	.9	8.2	16.5	9.7	--	5.8	.8		

Quality											
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.			
1977	0.1	0.2	4.9	31.5	28.1	10.3	22.7	2.2			
1978	--	.5	13.1	50.7	25.1	3.4	6.0	1.2			
1979	--	.5	14.0	55.6	22.1	2.5	4.3	1.0			
1980	--	.2	5.8	42.2	30.3	9.3	11.3	.9			
1981	--	.3	9.0	51.0	28.6	4.5	5.8	.8			

Color											
Crop year	L	F	FR	R	K	K(sf)	V	S	G	Nondescript	Misc.
1977	4.2	16.5	0.5	0.1	12.0	28.2	3.1	--	10.5	22.7	2.2
1978	10.2	24.8	.5	--	10.6	34.6	4.3	0.3	7.5	6.0	1.2
1979	8.9	27.1	.8	.1	12.1	34.6	4.3	.2	6.6	4.3	1.0
1980	7.0	18.2	.1	--	7.8	39.5	4.0	.1	11.1	11.3	.9
1981	7.6	19.7	.1	--	11.0	41.5	4.0	.3	9.2	5.8	.8

Dashes indicate a percentage of less than 0.1.

Table 23.--Percentage distribution by grades for flue-cured tobacco types 11-14, 1981 crop

Group and grade	1981 Crop				Group and grade	1981 Crop			
	11	12	13	14		11	12	13	14
Wrappers					Smoking leaf				
A1L	--	--	--	--	H3L	0.018	0.018	0.008	--
A1F	--	--	--	--	H4L	.031	.008	.004	0.004
Total A	--	--	--	--	H5L	.012	.005	--	.006
Leaf					H6L	--	--	.001	.001
B1L	0.002	--	0.005	0.014	H1F	--	--	.002	--
B2L	.005	0.031	.008	.015	H2F	--	--	.003	.007
B3L	.224	.224	.062	.153	H3F	.049	.024	.017	.015
B4L	.468	.334	.189	.251	H4F	.424	.058	.056	.125
B5L	.119	.074	.069	.118	H5F	.223	.066	.060	.121
B6L	.006	.002	.004	.007	H6F	.005	--	--	.010
B1F	.008	.013	.005	.054	H4FR	.001	--	--	--
B2F	.046	.087	.013	.126	H5FR	.014	.002	.001	--
B3F	.841	1.204	.313	.884	H6FR	.005	--	--	--
B4F	4.575	3.677	3.320	4.479	H4K	.387	.052	.058	.088
B5F	1.652	1.862	2.200	3.469	H5K	.503	.111	.079	.270
B6F	.025	.039	.057	.116	H6K	.187	.026	.026	.121
B1FR	--	--	--	--	Total H	1.859	.370	.315	.768
B2FR	--	.001	--	--	Cutters				
B3FR	.007	.011	.001	.001	C1L	--	.003	--	.012
B4FR	.073	.106	.006	.001	C2L	.010	.017	--	--
B5FR	.030	.111	.022	.009	C3L	.070	.083	.033	.059
B6FR	.003	.002	.002	--	C4L	.635	.805	.551	.353
B4R	--	.003	--	--	C5L	.899	.521	.830	.287
B5R	.017	.011	.003	--	C1F	.002	--	--	.001
B3K	.335	.115	.083	.024	C2F	.014	.005	.002	.005
B4K	5.899	2.447	3.514	2.793	C3F	.109	.061	.047	.065
B5K	4.457	3.038	4.552	5.318	C4F	.893	1.064	.811	.603
B6K	1.153	.595	.925	1.722	C5F	1.787	.996	1.521	.962
B3KR	.132	.168	.045	.040	C4KR	.150	.197	.083	.078
B4KR	.766	.746	.415	.564	C4V	.637	.703	.815	.428
B5KR	.393	.318	.158	.217	C4S	.065	.325	.006	.002
B3V	.167	.267	.216	.243	C4KL	.341	.400	.215	.021
B4V	.907	.780	1.395	1.041	C4KM	1.748	4.079	2.422	1.788
B5V	.238	.231	.416	.393	C4G	.087	.140	.122	.162
B3S	.043	.142	--	.015	C4GK	.273	.579	.444	.659
B4S	.024	.096	.001	.001	Total C	7.720	9.978	7.902	5.485
B5S	.002	.005	--	.002	Lugs				
B3KL	.311	.538	.110	.021	X1L	.003	.004	--	.001
B4KL	.843	1.645	.658	.168	X2L	.045	.067	.032	.020
B5KL	.314	.575	.241	.069	X3L	.632	1.199	.546	.197
B6KL	.037	.044	.029	.022	X4L	1.384	1.410	1.176	.360
B3KF	.797	.799	.203	.105	X5L	.431	.387	.308	.180
B4KF	6.943	7.121	4.601	2.359	X1F	.005	.005	--	.001
B5KF	5.630	6.745	7.782	5.914	X2F	.063	.046	.004	.029
B6KF	1.143	1.299	2.064	2.912	X3F	.951	.866	.669	.387
B4KV	.469	.418	.387	.550	X4F	3.585	1.990	3.128	1.637
B5KV	.911	.850	1.459	2.038	X5F	2.245	1.034	1.531	1.357
B6KV	.414	.286	.785	1.967	X3KR	.073	.033	.023	.008
B3KM	1.602	2.849	.923	1.061	X4KR	.146	.064	.056	.067
B4KM	8.201	11.317	8.123	7.613	X3V	.600	.706	.653	.275
B5KM	3.119	4.772	4.325	5.139	X4V	1.239	1.042	1.751	.924
B6KM	.214	.357	.396	.879	X3S	.038	.250	.006	.005
B4G	.117	.181	.210	.227	X4KL	.222	.255	.191	.030
B5G	.085	.079	.157	.175	X4KF	.259	.122	.190	.076
B6G	.009	.008	.012	.049	X4KV	.530	.461	.724	.527
B5GR	.006	.010	.001	.002	X3KM	.750	1.515	.620	.694
B4GK	1.329	1.623	1.597	1.714	X4KM	2.153	3.183	2.883	2.087
B5GK	1.731	1.937	2.383	2.156	X4GK	.743	.992	1.881	1.861
B6GK	.602	.477	.608	.975	X4G	.438	.646	.721	.797
B5GG	.088	.041	.036	.005	X5G	.533	.410	.558	.855
Total B	57.532	60.711	55.089	58.190	Total X	17.068	16.687	17.651	12.375

Continued

Table 23.--Percentage distribution by grades for flue-cured tobacco types 11-14, 1981 crop--Continued

Group and grade	1981 Crop				Group and grade	1981 Crop			
	11	12	13	14		11	12	13	14
Primings					Nondescript				
P2L	0.099	0.128	0.115	0.008	N1L	0.833	0.359	0.811	0.863
P2L sand	--	.001	--	--	N1L sand	.038	--	.001	.018
P3L	1.046	.948	.955	.317	N1XL	.553	.204	.227	.315
P3L sand	.007	.007	--	.003	N1K	.400	.158	.404	1.172
P4L	2.015	1.792	1.625	.828	N1R	.033	.050	.020	.163
P4L sand	.044	.006	.010	.009	N1GL	.559	.495	.826	1.771
P5L	.543	.288	.450	.349	N1GL sand	.014	.003	--	.013
P5L sand	.026	--	--	.003	N1GF	.118	.194	.107	.272
P2F	.025	.020	.009	.011	N1KV	.241	.210	.480	1.656
P2F sand	--	.019	--	--	N1GR	.115	.106	.047	.108
P3F	.654	.431	.658	.205	N1GG	.012	.019	.010	.004
P3F sand	.005	.013	--	.011	N1PO	.177	.275	.625	.674
P4F	3.134	2.352	3.648	2.350	N1PO sand	.008	.001	--	.021
P4F sand	.051	.020	.010	.054	N1XO	.086	.154	.440	.198
P5F	1.476	.795	1.555	1.666	N1BO	.222	.400	1.026	1.148
P5F sand	.045	.001	--	.030	N2	1.413	1.023	1.600	3.975
P4G	.950	.930	1.464	1.258	Total N	4.822	3.651	6.624	12.371
P4G sand	.016	.005	.003	.056	No grade	.165	.283	.605	1.175
P5G	.434	.410	.768	1.104	NOGF sand	.011	--	--	.035
P5G sand	.020	--	.002	.025	W - unsafe	.024	.028	.114	.114
Total P	10.590	8.166	11.272	8.287	U - unsound	.164	.071	.411	1.140
Mixed					Grand total	100.000	100.000	100.000	100.000
M4F	--	.002	--	--					
M5F	.002	.005	--	.023					
M4KR	--	--	--	--					
M4KM	.004	.017	--	.003					
M5KM	.022	.018	.007	.024					
M4GK	.001	.001	.006	.001					
M5GK	.016	.012	.004	.009					
Total M	.045	.055	.017	.060					

Dashes indicate a percentage of less than 0.001.

Table 24.--Breakdown of marketings by selected groupings, 1981 crop

Groupings	Types				
	11	12	13	14	11-14
Straight grades (mature to mellow)	50.187	37.003	41.918	36.983	42.441
Variegated (KL,KF,KV,KM)	36.977	49.665	39.338	36.067	41.460
Slick (S grades)	.172	.818	.013	.025	.327
Green (includes rank)	7.478	8.481	10.977	12.090	9.162
Nondescript	4.822	3.651	6.624	12.371	5.815
No grade 1/ Total:	.364	.382	1.130	2.464	.795
	100.000	100.000	100.000	100.000	100.000

1/ Includes tobacco defined as decayed, botched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade NOGF.

Table 25.--Percentage distribution by grades for all flue-cured types, 1979-81 crops

Group and grade	Crop of:			Group and grade	Crop of:		
	1979	1980	1981		1979	1980	1981
Wrappers:				B4G	0.204	0.185	0.171
All	--	--	--	B5G	.121	.193	.110
A1F	--	--	--	B6G	.014	.030	.015
Total A	--	--	--	Total BG	.339	.408	.296
Leaf:				B5GR	.012	.016	.009
B1L	0.002	0.004	0.004	B4GK	1.857	1.167	1.530
B2L	.027	.017	.015	B5GK	1.313	2.430	1.993
B3L	.356	.173	.180	B6GK	.314	1.790	.611
B4L	.518	.319	.337	Total BGK	3.484	5.387	4.134
B5L	.106	.076	.094	B5GG	.034	.032	.054
B6L	.005	.001	.004	Total B	58.470	53.141	58.135
Total BL	1.014	.590	.634	Smoking leaf:			
B1F	.008	.005	.015	H3L	.003	.011	.014
B2F	.098	.041	.062	H4L	.025	.026	.014
B3F	2.026	.677	.850	H5L	.010	.006	.006
B4F	7.589	3.197	4.003	H6L	.001	.001	--
B5F	2.710	1.451	2.070	Total HL	.039	.044	.034
B6F	.039	.041	.048	H1F	--	--	.002
Total BF	12.470	5.412	7.048	H2F	.002	.006	.002
B1FR	--	--	--	H3F	.039	.038	.031
B2FR	.005	--	--	H4F	.283	.190	.118
B3FR	.077	.004	.006	H5F	.199	.099	.124
B4FR	.414	.067	.060	H6F	.004	.005	.004
B5FR	.189	.043	.052	Total HF	.527	.338	.281
B6FR	.006	.004	.002	H4FR	.025	--	--
Total BFR	.691	.118	.120	H5FR	.027	--	.006
B4R	.005	--	--	H6FR	.004	--	.002
B5R	.055	.007	.009	Total HFR	.056	--	.008
Total BR	.060	.007	.009	H4K	.283	.082	.170
B3K	.305	.087	.170	H5K	.401	.132	.256
B4K	4.583	2.744	3.876	H6K	.131	.060	.092
B5K	3.359	3.195	4.131	Total HK	.815	.274	.518
B6K	.744	1.135	.997	Total H	1.437	.656	.841
Total BK	8.991	7.161	9.174	Cutters:			
B3KR	.234	.020	.123	C1L	--	.001	.002
B4KR	1.073	.132	.658	C2L	.004	.008	.009
B5KR	.314	.092	.296	C3L	.055	.104	.065
Total BKR	1.621	.244	1.077	C4L	.883	.687	.635
B3V	.469	.176	.220	C5L	.629	.661	.684
B4V	1.362	1.173	.989	Total CL	1.571	1.461	1.395
B5V	.268	.350	.294	C1F	--	--	.001
Total BV	2.099	1.699	1.503	C2F	.003	.006	.007
B3S	.044	.014	.062	C3F	.110	.102	.075
B4S	.034	.010	.039	C4F	1.816	1.019	.897
B5S	.003	--	.003	C5F	1.647	1.357	1.370
Total BS	.081	.024	.104	Total CF	3.576	2.484	2.350
B3KL	.220	.086	.304	C4KR	.292	.063	.141
B4KL	.525	.465	.975	C4V	.631	.616	.670
B5KL	.118	.213	.351	C4S	.048	.037	.128
B6KL	.009	.032	.036	C4KL	.158	.118	.292
Total BKL	.872	.796	1.666	C4KM	2.886	2.519	2.648
B3KF	.680	.287	.581	C4G	.094	.131	.121
B4KF	4.874	4.216	5.909	C4GK	.350	.432	.458
B5KF	2.827	6.968	6.493	Total C	9.606	7.861	8.203
B6KF	.575	3.394	1.618	Lugs:			
Total BKF	8.956	14.865	14.601	X1L	.011	.003	.010
B4KV	.371	.956	.445	X2L	.085	.040	.046
B5KV	.730	3.102	1.154	X3L	1.261	.604	.740
B6KV	.278	2.324	.652	X4L	1.472	1.257	1.216
Total BKV	1.379	6.382	2.251	X5L	.278	.501	.358
B3KM	2.546	.836	1.788	Total XL	3.107	2.405	2.370
B4KM	10.488	5.418	9.112	X1F	.008	.007	.008
B5KM	3.066	3.280	4.170	X2F	.077	.024	.040
B6KM	.267	.466	.385	X3F	1.497	.718	.791
Total BKM	16.367	10.000	15.455	X4F	3.165	2.926	2.724

Continued

Table 25.--Percentage distribution by grades for all flue-cured types, 1979-81 crops--Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1979	1980	1981		1979	1980	1981
X5F	1.383	2.272	1.588	P4G	0.534	0.888	1.094
Total XF	6.130	5.947	5.151	P4G sand	.016	.012	.015
X3KR	.096	.027	.043	P5G	.318	.767	.584
X4KR	.162	.055	.091	P5G sand	.018	.013	.010
Total XKR	.258	.082	.134	Total PG	.886	1.680	1.703
X3V	.639	.383	.604	Total P	8.536	8.168	9.671
X4V	.872	1.253	1.246	Mixed:			
Total XV	1.511	1.636	1.850	M4F	--	.003	.001
X3S	.095	.024	.095	M5F	.002	.006	.005
X4KL	.124	.082	.202	Total MF	.002	.009	.006
X4KF	.106	.160	.176	M4KR	--	--	--
X4KV	.220	1.263	.549	M4KM	.004	.008	.007
X3KM	1.264	.635	.961	M5KM	.013	.021	.018
X4KM	2.280	2.621	2.634	Total MKM	.017	.029	.025
Total XKM	3.544	3.256	3.595	M4GK	.001	.006	.012
X4GK	.814	1.287	1.212	M5GK	.001	.005	.011
X4G	.459	.669	.612	Total MGK	.002	.011	.023
X5G	.255	1.050	.540	Total M	.021	.049	.054
Total XG	.714	1.719	1.152	Nondescript:			
Total X	16.623	17.861	16.486	N1L	.617	.852	.683
Primings:				N1L sand	.012	.021	.015
P2L	.163	.037	.100	N1XL	.253	.549	.340
P2L sand	.001	--	--	NIK	.211	.783	.421
P3L	1.098	.535	.901	NIR	.070	.239	.054
P3L sand	.022	.009	.005	N1GL	.438	1.402	.751
P4L	1.427	1.389	1.708	N1GL sand	.015	.014	.007
P4L sand	.039	.053	.030	N1GF	.103	.479	.160
P5L	.420	.461	.416	N1KV	.131	1.685	.464
P5L sand	.013	.019	.009	N1GR	.069	.817	.097
Total PL	3.183	2.503	3.169	N1GG	.015	.018	.023
P2F	.034	.005	.018	N1PO	.498	.433	.369
P2F sand	.001	--	.006	N1PO sand	.033	.011	.006
P3F	.719	.238	.526	N1XO	.284	.265	.198
P3F sand	.016	.005	.007	N1BO	.309	.684	.571
P4F	2.256	2.181	2.893	N2	1.223	3.076	1.656
P4F sand	.052	.063	.032	Total N	4.281	11.328	5.815
P5F	1.351	1.446	1.298	No grade 1/	1.026	.936	.795
P5F sand	.038	.047	.019	Grand total	100.000	100.000	100.000
Total PF	4.467	3.985	4.799				

1/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also, includes grade NOGF sand, which totaled 0.008 percent in 1981.  
Dashes indicate a percentage of less than 0.001.

Table 26.--Average price by grade group and type for flue-cured tobacco, 1981 and 1980 crops

Type	1981 crop							1980 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	171	181	180	167	141	148	119	156	170	168	154	124	131	96
12	174	183	178	167	149	160	134	155	172	166	150	114	145	105
13	172	183	180	167	148	150	134	151	166	163	147	112	137	101
14	175	186	183	168	150	162	129	154	164	158	145	115	134	106
11-14	173	182	180	167	146	156	128	154	169	165	150	117	137	102

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
WASHINGTON, DC 20250



----  
POSTAGE & FEES PAID  
United States Department of Agriculture  
AGR 101

OFFICIAL BUSINESS  
PENALTY FOR PRIVATE USE \$300  
FCR

THIRD CLASS