



United States
Department of
Agriculture


Agricultural
Marketing
Service

TOB-FL-33


Washington, D.C.
April 1990

Tobacco Market Review

Flue-Cured, 1989 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

Contents

	<u>Page</u>
Review of the 1989 Marketing Season	4
Summary of standard flue-cured tobacco grades	5

Tables

Table

1. Allotted sales opportunities compared to producers' sales, 1989 crop	6
2. Initial and final designation of the 1989 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1984-89 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1984-89 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1989 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1989 crop	29
17. Average weight per lot, 1984-89 crops	29
18. Tobacco received by the Stabilization Corporation, 1986-89 crops	29
19. Percentage distribution by groups and types, 1985-89 crops	30
20. Percentage distribution by qualities and types, 1985-89 crops	30
21. Percentage distribution by colors and types, 1985-89 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1985-89 crops . .	31
23. Percentage distribution by grades and types, 1989 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1989 and 1988 crops	33
25. Group averages by maturity, 1989 crop	33
26. Percentage distribution by grades for all types, 1987-89 crops	34-35
27. Average price by grade groups and types, 1989 and 1988 crops	35

Review of the 1989 Marketing Season

Slightly better quality and increases in individual grade averages produced a significant increase in the overall average price for the 1989 crop of flue-cured tobacco. Total volume and total value increased, but loan receipts were higher, especially late in the season. A wet, cool, spring delayed both land preparation and early plant development, resulting in the auction markets opening later than the past several years. Most areas experienced favorable growing conditions after May, though South Carolina suffered damage to both tobacco and buildings due to Hurricane Hugo in September. Early auctions in most areas consisted mainly of leaf tobacco carried over from 1988 production.

Sales and averages. Producers' sales for 1989 totaled 835.8 million pounds, up 5.0 percent from 1988. The general average price of \$157.42 was a gain of \$6.17 from the 1988 average of \$161.25 per hundred. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments. Total value of producers' sales of \$1,399.3 million was up \$115.3 million or 9.0 percent from 1988.

Grade averages. Increases were recorded for 86 percent of the grade averages with 8 percent lower and 6 percent unchanged. Mature to ripe leaf grades gained mostly \$2 to \$4 from the 1988 season with unripe and immature leaf grades up \$2 to \$7 per hundred. Smoking leaf increased mainly \$2 to \$3 this season. Ripe tobacco in the cutter group showed the only consistent losses this season as they were down \$1 to \$5 per hundred. Gains of \$4 to \$9 were recorded for unripe and immature grades in the cutter group. Lower stalk tobacco experienced the largest increases. Lugs were up mostly \$8 to \$18, primings gained \$13 to \$20, and nondescript tobacco advanced \$10 to \$25 per hundred from 1988 levels.

Composition of offerings. Tobacco classed as fair or good quality made up 71 percent of 1989 sales, up 8 points from 1988. Sales grading low or poor quality dropped a similar amount to 24 percent of auctions. From a group standpoint, less primings and nondescript were sold with small increases in both cutters and lugs. Percentages were: leaf 61; smoking leaf 2; cutters 10; lugs 14; primings 8; and nondescript 4 percent. Premature to mellow sales were up a little to 49 percent while unripe or immature tobacco slipped to 46 percent. South Carolina and Border North Carolina markets had the highest percentage of premature to mellow sales at 57 percent followed closely by the Old and Middle belts at 53 percent. Eastern North Carolina was the lowest at 39 percent. The three heaviest volume grades and their percentages were: B4KM (10.4); B4K (9.4); and B4KF (5.7). Rounding out the top ten grades were: B5K (5.6); and B3KM (4.7); B4KR (4.3); C4KM (3.8); X4F (3.5); P4F (3.2); and B5KF (2.5). These ten grades accounted for 53 percent of all auctions in 1989.

Loan rates. Loan rates by grades for 1989 were based on an average support level of \$1.468 per pound compared to \$1.442 for 1988. The Flue-Cured

Stabilization Corporation continued to deduct 1 cent per pound from the support price to offset overhead costs. The 1990 support level was announced at \$1.488 per pound by the Secretary of Agriculture in December, 1989.

Stabilization receipts. More of the 1989 crop was placed under loan than in 1988. Growers delivered 28.4 million pounds or 3.4 percent of net sales to the Stabilization Corporation compared to 15.2 million pounds or 1.9 percent last season. Percentages of loan receipts by group follow:

Group	1989	1988
Leaf (B)	90.8	33.0
Smoking leaf (H)	4.1	1.8
Cutters (C)	4.0	17.9
Lugs (X)	0.9	44.4
Primings (P)	*	2.1
Nondescript (N)	0.2	0.8

*Less than one-tenth of one percent.

Marketing regulations. Flue-cured tobacco auctions were again governed by the grower designation plan of 1974, with growers allowed to designate and sell up to 103 percent of their effective quota. The "no net cost" assessment for 1989 remained at 2 cents per pound shared equally between producers and purchasers. In addition, an assessment of 0.24 cents per pound (also shared) was applied to satisfy the "budget deficit reduction", down from the 1988 figure of 0.26 cents. Growers also were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) used by them had been approved by the Environmental Protection Agency (EPA) and were applied according to label directions, and that they had not planted a discount variety. Random sampling was performed by the USDA-ASCS to check for compliance. In a January 1989 referendum, producers approved acreage-poundage quotas for the 1989 through 1991 crops. The user fee for grading services of the USDA-AMS Tobacco Division was raised from 55 to 67 cents per hundred pounds.

Grade changes. There were no additions or deletions to grades for the 1989 crop. However, the seven mixed grades that had been suspended for 1987 and 1988 were allowed to be used in 1989. They are: M4F; M5F; M4KR; M4KM; M5KM; M4GK; and M5GK.

Preliminary 1990 quota. The 1990 basic national marketing quota for flue-cured tobacco was announced at 877.7 million pounds by the Secretary of Agriculture in December, 1989. This is a decline of 1.4 percent from the 1989 basic quota of 890.5 million pounds. Undermarketings totaled about 61 million pounds, making the preliminary 1990 effective quota 938.9 million -- up 3.9 percent from the 1989 effective figure of 903.6 million pounds. The national acreage allotment was decreased from 426,485 acres in 1989 to 420,354 acres for 1990, with the national average yield goal unchanged to 2,088 pounds per acre.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to standard trademarks for flue-cured tobacco

<u>Groups</u>	<u>Qualities</u>	<u>Color symbols</u>	<u>Combination symbols</u>
B - Leaf	I - Choice	L - Lemon	KL - Variegated lemon
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green
N - Nondescript		V - Greenish	GR - Green red
S - Scrap		LL - Whitish-lemon	GK - Green variegated
			GG - Gray green
<u>Special factor</u>		<u>Special symbol</u>	
	W - Wet		S - Stick
	U - Unsound		
	Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

<u>63 Grades of Leaf:</u>	<u>Leaf--Continued:</u>	<u>Cutters--Continued:</u>	<u>Lugs--Continued:</u>
B1L	B4KD	C4LL	X3KM
B2L	B5KD	C5LL	X4KM
B3L	B6KD	C5LP	X4GK
B4L	B4KV	C1F	X4G
B5L	B5KV	C2F	X5G
B6L	B6KV	C3F	
B1F	B3KM	C4F	
B2F	B4KM	C5F	
B3F	B5KM	C5FP	
B4F	B6KM	C4KR	
B5F	B3KK	C4V	
B6F	B4KK	C4S	
B1FR	B5KK	C4KL	
B2FR	B6KK	C4KF	
B3FR	B4G	C4KM	
B4FR	B5G	C4KK	
B5FR	B6G	C4G	
B6FR	B5GR	C4GK	
B5R	B4GK		
B3K	B5GK		
B4K	B6GK		
B5K	B5GG		
B6K			
B3KR			
B4KR	<u>10 Grades of Smoking leaf:</u>		
B5KR	H3F	X1L	M4F
B3V	H4F	X2L	M5F
B4V	H5F	X3L	M4KR
B5V	H6F	X4L	M4KM
B3S	H4FR	X5L	M5KM
B4S	H5FR	X3LL	M4GK
B5S	H5FR	X4LL	M5GK
B3KL	H4K	X1F	
B4KL	H5K	X2F	
B5KL	H5K	X3F	
B6KL		X4F	
B3KF		X5F	
B4KF		X3KR	
B5KF		X4KR	
B6KF		X3V	
B3KD		X4V	
	<u>23 Grades of Cutters:</u>	X3S	N1L
	C1L	X4S	N1XL
	C2L	X4KL	N1K
	C3L	X4KF	N1R
	C4L	X4KV	N1GL
	C5L		N1GF
			N1KV
			N1GR
			N1G
			N1PO
			N1XO
			N1B0
			N2

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".
2/ Suspended for the 1987 and 1988 crops.

Table 1.—Allotted sales opportunities compared to producers' sales, 1989 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Marketing area F		Total flue-cured 2/			
	Sets of buyers opport.	Sales	Prod.	Sets of sales buyers	Prod.	Sets of sales buyers	Prod.									
<u>1,000 pounds</u>																
July 27	14	15,917	14,682											14	15,917	14,682
Aug. 03	14	21,187	15,954											14	21,187	15,954
Aug. 10	7	10,720	10,158	13	18,076	19,485	21	23,649	25,780					41	52,445	55,423
Aug. 17	7	9,836	9,667	13	16,995	17,011	21	29,504	29,493	3	4,303	4,686	12	16,831	17,576	56
Aug. 24	7	9,901	9,878	13	16,995	17,006	21	29,507	29,025	3	4,303	4,278	12	16,845	14,590	56
Aug. 31	7	9,138	9,102	13	15,798	15,866	21	27,400	27,356	3	3,975	3,962	12	15,712	14,395	56
Sep. 07	7	6,890	6,984	13	11,885	12,013	21	20,570	20,657	3	2,986	2,981	12	11,801	11,873	56
Sep. 14	7	9,188	9,196	13	15,777	15,827	21	27,613	27,654	3	3,950	3,964	12	15,920	15,943	56
Sep. 21	7	9,229	9,203	13	15,777	15,888	21	27,619	27,695	3	3,950	3,926	12	15,866	16,159	56
Sep. 28	7	9,557	7,950	13	16,534	16,430	21	28,978	28,624	3	4,107	4,066	12	16,735	16,804	56
Oct. 05	7	9,706	3,918	13	17,461	17,970	21	30,528	31,343	3	4,335	4,541	12	17,616	17,669	56
Oct. 12	13	13,510	13,982	22	23,686	24,817	3	3,342	3,532	14	13,686	13,988	52	72,441	72,881	
Oct. 19	13	18,757	16,839	22	32,435	29,907	3	4,610	4,516	14	18,745	16,827	52	74,547	68,089	
Oct. 26	13	18,757	6,618	22	32,426	18,489	3	4,610	4,132	14	18,837	11,425	52	74,630	40,664	
Nov. 02				4/	32,435	2,758	3	4,610	2,729	14	18,745	4,578	21	55,790	10,065	
Nov. 09							4/	380 3/	380	4/	615 3/	615	4/	995 3/	995	
														Closed 11-01-89	Closed 11-08-89	Closed 11-09-89

^{1/} Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.
^{2/} Producers' sales derived from weekly market news reports.

Table 2.--Initial and final designation of the 1989 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	: North Carolina:	Pounds	Pounds
Alma	10,260,574	10,391,427	: Ahoskie	5,007,298	5,035,071
Blackshear	8,967,106	8,969,287	: Cart-Aber	6,740,625	7,490,911
Claxton	6,127,201	5,818,069	: Clinton	15,012,674	15,372,603
Douglas	14,823,954	15,172,190	: Dunn	4,035,449	4,316,617
Haz-Bax	871,710	846,743	: Farmville	22,352,917	23,740,780
Moultrie	11,446,068	11,545,953	: Fuquay-Varina	20,230,696	21,618,216
Nashville	8,481,753	8,770,862	: Goldsboro	28,888,498	31,304,844
Pelham	9,953,385	9,997,433	: Greenville	36,875,360	38,999,228
Statesboro	4,113,481	4,286,945	: Kinston	39,716,070	42,540,106
Tifton	3,051,737	3,135,690	: Robersonville	6,367,520	6,489,542
Val-Hira	9,306,824	10,140,551	: Rocky Mount	17,471,057	19,523,996
Vidalia	9,852,951	10,207,996	: Sanford	8,450,419	8,187,388
Total Georgia	97,256,744	99,283,146	: Smithfield	27,293,616	28,694,805
Florida:			: Wallace	6,530,521	7,329,248
Lake City	6,131,372	6,200,177	: Wendell	2,795,464	3,159,907
Live Oak	10,408,623	10,774,949	: Williamston	9,556,665	9,517,397
Madison	1,892,166	1,971,778	: Wilson	67,140,089	71,226,995
Total Florida	18,432,161	18,946,904	: Windsor	10,031,545	10,269,961
Total area A	115,688,905	118,230,050	: Total area C	334,496,483	354,817,615
Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	: North Carolina:	Pounds	Pounds
Conway	6,595,556	6,245,425	: Henderson	12,044,771	11,608,432
Darl-Tim	11,972,108	9,650,583	: Louisburg	17,466,584	19,467,823
Hemingway	9,498,371	9,679,840	: Oxford	12,025,495	11,578,317
Kingstree	6,428,392	6,495,968	: Warrenton	8,604,901	9,136,357
Lake City	31,364,294	28,790,180	: Total area D	50,141,751	51,790,929
Loris	8,108,249	7,813,844			
Mullins	32,928,287	33,398,198			
Total S.C.	106,895,257	102,074,038			
North Carolina:					
Chadbourn	7,807,717	7,820,751	: Virginia:		
Clarkton	7,800,827	8,125,085	: Chase City	4,249,189	4,715,962
Fair Bluff	4,353,805	4,638,483	: Clarksville	7,988,208	8,709,184
Fairmont	30,189,106	30,639,679	: Danville	46,736,424	49,720,850
Lumberton	15,100,186	16,414,564	: Kenbridge	2,691,029	2,451,197
Tabor City	9,989,420	10,316,379	: Lawrenceville	8,408,503	8,744,824
Whiteville	14,894,454	16,355,352	: South Boston	17,442,823	19,202,384
Total N.C.	90,135,515	94,310,293	: South Hill	8,796,669	9,057,160
Total area B	197,030,772	196,384,331	: Total Virginia	96,312,845	102,601,561
			: Total area E	193,704,391	203,529,393
			: Total flue-cured	891,062,302	924,752,318

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured									
States and markets	1989				1988				Number
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms	
Virginia:	:				:				
Chase City	:	Aug. 15	Nov. 8	15	3	Aug. 10	Nov. 7	14	3
Clarksville	:	Aug. 14	Nov. 9	27	3	Aug. 9	Nov. 10	26	3
Danville	:	Aug. 14	Nov. 7	48	6	Aug. 9	Nov. 8	51	6
Kenbridge	:	Aug. 17	Nov. 8	9	3	Aug. 11	Nov. 9	12	3
Lawrenceville	:	Aug. 15	Nov. 2	23	2	Aug. 10	Nov. 2	23	2
South Boston	:	Aug. 14	Nov. 6	47	6	Aug. 9	Nov. 8	51	6
South Hill	:	Aug. 14	Nov. 7	24	4	Aug. 9	Nov. 3	25	4
Total Virginia:	:			27	:				27
North Carolina:	:								
Burl-Meb	:	Aug. 15	Oct. 30	17	2	Aug. 10	Nov. 8	19	2
Cart-Abr	:	Aug. 9	Oct. 26	22	4	Aug. 4	Oct. 26	22	4
Fuquay-Varina	:	Aug. 8	Oct. 26	45	4	Aug. 3	Oct. 25	45	4
Henderson	:	Aug. 14	Nov. 2	34	5	Aug. 9	Nov. 2	33	6
Louisburg	:	Aug. 14	Nov. 7	48	3	Aug. 9	Nov. 1	47	3
Madison 1/	:	Combined with Stoneville in 1989				Aug. 9	Nov. 7	31	2
Mt. Airy	:	Aug. 14	Oct. 30	33	2	Aug. 9	Nov. 8	41	2
Oxford	:	Aug. 14	Nov. 8	34	4	Aug. 9	Nov. 10	40	4
Reidsville	:	Aug. 14	Nov. 2	46	3	Aug. 9	Nov. 7	50	3
Roxboro	:	Aug. 14	Nov. 2	46	5	Aug. 9	Nov. 10	51	5
Sanford	:	Aug. 8	Oct. 25	23	3	Aug. 3	Oct. 27	26	3
Stoneville 1/	:	Combined with Madison in 1989				Aug. 9	Nov. 7	31	1
Ston-Mad	:	Aug. 14	Oct. 31	27	3				
Warrenton	:	Aug. 15	Nov. 6	25	3	Aug. 10	Nov. 3	25	3
Winston-Salem	:	Aug. 14	Oct. 31	44	7	Aug. 9	Nov. 8	51	7
Total N.C.	:			48	:				49
Total type 11	:			75	:				76

Type 12 - Eastern North Carolina flue-cured									
North Carolina:	1989				1988				Number
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms	
Ahoskie	:	Aug. 9	Oct. 25	15	1	Aug. 4	Oct. 27	19	1
Clinton	:	Aug. 8	Oct. 31	46	4	Aug. 3	Oct. 20	43	3
Dunn	:	Aug. 10	Oct. 26	12	2	Aug. 4	Oct. 24	14	2
Farmville	:	Aug. 8	Oct. 31	46	3	Aug. 3	Oct. 27	48	3
Goldsboro	:	Aug. 8	Nov. 1	47	5	Aug. 3	Oct. 26	46	5
Greenville	:	Aug. 8	Oct. 31	47	7	Aug. 3	Oct. 25	45	7
Kinston	:	Aug. 8	Oct. 31	47	5	Aug. 3	Oct. 20	44	5
Robersonville	:	Aug. 9	Oct. 31	22	2	Aug. 4	Oct. 25	22	2
Rocky Mount	:	Aug. 8	Oct. 26	45	5	Aug. 3	Oct. 26	47	5
Smithfield	:	Aug. 8	Oct. 25	44	6	Aug. 3	Oct. 25	46	5
Wallace	:	Aug. 9	Oct. 31	24	2	Aug. 3	Oct. 24	24	2
Wendell	:	Aug. 14	Oct. 24	10	2	Aug. 9	Oct. 20	11	2
Williamston	:	Aug. 8	Oct. 30	24	2	Aug. 3	Oct. 24	23	2
Wilson	:	Aug. 8	Nov. 1	47	10	Aug. 3	Oct. 31	48	10
Windsor	:	Aug. 8	Oct. 26	30	2	Aug. 3	Oct. 26	29	2
Total type 12	:			58	:				51

See footnotes at end of table.

Continued

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued

States and markets	Type 13 - South Carolina and Border North Carolina flue-cured							
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:								
Conway	Aug. 8	Oct. 18	20	3	Aug. 3	Oct. 13	16	3
Darl-Tim	Aug. 7	Oct. 23	36	5	Aug. 2	Oct. 19	30	5
Hemingway	Aug. 7	Oct. 23	30	3	Aug. 2	Oct. 17	25	3
Kingstree	Aug. 8	Oct. 24	21	3	Aug. 3	Oct. 18	18	3
Lake City	Aug. 7	Oct. 26	46	6	Aug. 3	Oct. 20	43	6
Loris	Aug. 7	Oct. 23	23	3	Aug. 3	Oct. 12	19	3
Mullins	Aug. 7	Oct. 26	46	4	Aug. 2	Oct. 19	43	4
Total S.C.			27				27	
North Carolina:								
Chadbourn	Aug. 8	Oct. 25	23	3	Aug. 3	Oct. 17	21	3
Clarkton	Aug. 7	Oct. 24	22	2	Aug. 2	Oct. 20	22	2
Fair Bluff	Aug. 10	Oct. 25	13	3	Aug. 4	Oct. 17	12	3
Fairmont	Aug. 7	Oct. 25	45	7	Aug. 2	Oct. 25	46	8
Lumberton	Aug. 7	Oct. 25	45	4	Aug. 2	Oct. 20	44	4
Tabor City	Aug. 7	Oct. 24	33	3	Aug. 2	Oct. 18	27	3
Whiteville	Aug. 7	Oct. 25	44	6	Aug. 2	Oct. 20	35	6
Total N.C.			28				29	
Total type 13			55				56	

	Type 14 - Georgia and Florida flue-cured							
	Georgia:	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days
Alma	July 25	Oct. 3	28	2	July 26	Oct. 5	29	2
Blackshear	July 25	Oct. 5	25	2	July 26	Oct. 13	28	2
Claxton	July 25	Oct. 4	19	1	July 27	Oct. 13	22	1
Douglas	July 25	Oct. 4	41	3	July 26	Oct. 6	42	3
Haz-Bax	Aug. 2	Sep. 25	4	2	Sep. 26	Sep. 26	1	1
Moultrie	July 25	Sep. 27	28	3	July 26	Oct. 11	32	3
Nashville	July 25	Oct. 2	24	2	July 27	Oct. 12	24	2
Pelham	July 25	Oct. 2	25	2	July 26	Oct. 13	33	2
Statesboro	July 25	Sep. 27	12	1	July 28	Oct. 4	11	1
Tifton	July 27	Oct. 3	8	2	July 28	Oct. 6	9	2
Val-Hira	July 25	Sep. 28	26	3	July 26	Oct. 6	26	3
Vidalia	July 25	Oct. 3	29	2	July 26	Oct. 6	31	2
Total Georgia			25				24	
Florida:								
Lake City	July 25	Oct. 4	17	1	July 27	Oct. 6	20	1
Live Oak	July 25	Oct. 5	28	2	July 26	Oct. 4	33	2
Madison	July 27	Sep. 28	6	1	Aug. 2	Oct. 5	5	1
Total Florida			4				4	
Total type 14			29				28	
Total II-14			217				211	

1/ Stoneville and Madison combined sales for the 1989 crop season as the Ston-Mad market.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:					
		Florida	Georgia	South Carolina	North Carolina	Virginia	
10000 pounds							
1989 Crop							
Alabama	613	--	613	--	--	--	
Florida	3,130	--	3,130	--	--	--	
Georgia	2,798	2,798	--	--	--	--	
South Carolina	10,300	--	576	--	9,724	--	
North Carolina	25,352	--	--	3,960	--	21,392	
Virginia	5,905	--	--	--	5,905	--	
Total	48,098	2,798	4,319	3,960	15,629	21,392	
1988 Crop							
Alabama	671	--	671	--	--	--	
Florida	2,999	--	2,999	--	--	--	
Georgia	3,433	3,270	--	--	--	--	
South Carolina	9,624	--	473	--	163	--	
North Carolina	22,349	--	--	3,421	9,145	6	
Virginia	5,489	--	--	--	5,489	18,928	
Total	44,565	3,270	4,143	3,421	14,797	18,934	

1/ Based on reports of the Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1984-89 crops 1/

Type 11 - Old and Middle Belt				Type 12 Eastern North Carolina			
Crop	Sales	Average Value	Average price	Crop	Sales	Average Value	Average price
:	Pounds	Dollars	Dollars	:	Pounds	Dollars	Dollars
1984	269,234,461	486,320,092	180.63	1984	294,025,444	532,256,203	181.02
1985 2/	236,035,250	410,828,286	174.05	1985 2/	282,592,667	481,477,931	170.38
1986	206,410,455	308,047,524	149.24	1986	238,615,344	373,392,289	156.48
1987	196,762,052	301,659,444	153.31	1987	240,030,456	383,293,166	159.69
1988	242,354,823	384,431,536	158.62	1988	275,406,677	447,963,016	162.66
1989	253,481,860	426,982,317	168.45	1989	289,640,728	485,385,312	167.58

Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales	Average Value	Average price	Crop	Sales	Average Value	Average price
:	Pounds	Dollars	Dollars	:	Pounds	Dollars	Dollars
1984	178,784,939	323,912,974	181.17	1984	103,520,376	188,610,755	182.20
1985 2/	169,220,541	291,475,175	172.25	1985	98,509,084	168,828,671	171.38
1986	132,941,036	195,965,679	147.41	1986	82,053,389	130,085,882	158.54
1987	160,587,362	259,371,950	161.51	1987	86,413,943	140,989,837	163.16
1988	175,280,516	283,302,453	161.63	1988	103,261,656	168,358,682	163.04
1989	186,019,360	308,703,764	165.95	1989	106,686,431	178,249,560	167.08

Types 11-14 - Total flue-cured							
Crop	Sales	Average Value	Average price	Crop	Sales	Average Value	Average price
:	Pounds	Dollars	Dollars	:	Pounds	Dollars	Dollars
1984	845,565,220	1,531,100,024	181.07	1987	683,793,813	1,085,314,397	158.72
1985 2/	786,357,542	1,352,610,063	172.01	1988	796,303,672	1,284,055,687	161.25
1986	660,020,224	1,007,491,374	152.65	1989	835,828,379	1,399,320,953	167.42

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.
2/ Includes special carryover auctions.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1984-89 crops 1/

Type 11 - Old and Middle Belt						
Crop	Gross		Resales		Percentage of gross sales	
	Sales Pounds	Value Dollars	Average price Dollars	Resales Pounds	Average price Dollars	Percent
1984 :	289,023,442	521,165,857	180.32	19,788,981	176.09	6.9
1985 2/:	256,470,470	445,303,271	173.63	20,435,220	168.70	8.0
1986 :	229,545,684	341,021,184	148.56	23,135,229	142.53	10.1
1987 :	219,853,069	336,821,190	153.20	23,091,017	152.27	10.5
1988 :	268,826,895	425,791,593	158.39	26,472,072	156.24	9.9
1989 :	276,581,617	465,752,946	168.40	23,099,757	167.84	8.4

Type 12 - Eastern North Carolina						
1984 :	320,040,809	578,509,121	180.76	26,015,365	177.79	8.1
1985 2/:	305,189,213	518,884,166	170.02	22,596,546	165.54	7.4
1986 :	261,783,701	408,933,541	156.21	23,168,357	153.40	8.9
1987 :	267,886,831	427,543,289	159.60	27,856,375	158.85	10.4
1988 :	308,193,754	501,186,876	162.62	32,787,077	162.33	10.6
1989 :	314,324,409	526,582,157	167.53	24,683,681	166.90	7.9

Type 13 - South Carolina and Border North Carolina						
1984 :	197,207,270	357,327,487	181.19	18,422,331	181.38	9.3
1985 2/:	187,183,820	322,212,994	172.14	17,963,279	171.11	9.6
1986 :	148,393,367	218,790,869	147.44	15,452,331	147.71	10.4
1987 :	178,239,911	287,862,577	161.50	17,652,549	161.40	9.9
1988 :	195,802,337	316,645,311	161.72	20,521,821	162.48	10.5
1989 :	205,434,547	340,990,851	165.99	19,415,187	166.30	9.5

Type 14 - Georgia and Florida						
1984 :	117,643,361	214,031,567	181.93	14,122,985	180.00	12.0
1985 :	113,110,887	194,167,925	171.66	14,601,803	173.54	12.9
1986 :	95,206,579	150,857,762	158.45	13,153,190	157.92	13.8
1987 :	99,513,011	162,089,355	162.88	13,099,068	161.08	13.2
1988 :	119,891,798	195,554,553	163.11	16,630,142	163.53	13.9
1989 :	121,735,812	203,572,450	167.22	15,049,381	168.27	12.4

Types 11-14 Total flue-cured						
1984 :	923,914,882	1,671,034,132	180.86	78,349,662	178.60	8.5
1985 2/:	861,954,390	1,480,568,356	171.77	75,596,848	169.26	8.8
1986 :	734,929,331	1,119,603,356	152.34	74,909,107	149.66	10.2
1987 :	765,492,822	1,214,316,411	158.63	81,699,009	157.92	10.7
1988 :	892,714,784	1,439,178,333	161.21	96,411,112	160.90	10.8
1989 :	918,076,385	1,536,898,404	167.40	82,248,006	167.27	9.0

1/ Auction sales only. Does not include carryover tobacco, nonauction sales, or direct deliveries.

2/ Includes special carryover auctions.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured					
	1989 crop			1988 crop		
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Virginia:						
Chase City	4,235,023	7,061,759	166.75	3,897,208	6,209,368	159.33
Clarksville	7,646,879	12,844,374	167.97	7,195,937	11,546,608	160.46
Danville	42,703,788	72,626,118	170.07	41,350,426	66,746,668	161.42
Kenbridge	1,998,300	3,287,368	164.51	2,199,907	3,441,196	156.42
Lawrenceville	7,889,722	13,191,122	167.19	7,461,200	11,972,455	160.46
South Boston	16,264,248	27,355,230	168.19	15,427,485	24,102,587	156.23
South Hill	8,241,655	13,667,690	165.84	7,769,913	12,340,576	158.83
Total Virginia	88,979,615	150,033,661	168.62	85,302,076	136,359,458	159.85
North Carolina:						
Burl-Meb	5,848,645	9,889,850	169.10	5,691,561	8,894,480	156.27
Cart-Abr	7,042,742	11,820,544	167.84	6,012,419	9,500,757	158.02
Fuquay-Varina	19,254,438	32,397,479	168.26	18,120,385	29,271,578	161.54
Henderson	10,971,905	18,432,330	168.00	10,174,669	16,462,043	161.79
Louisburg	18,087,011	30,942,641	171.08	14,161,393	23,471,681	165.74
Madison	Combined with Stoneville in 1989			3,884,912	5,989,721	154.18
Mt. Airy	8,588,785	14,201,825	165.35	9,592,765	14,493,627	151.09
Oxford	10,124,815	16,961,043	167.52	10,895,994	16,920,104	155.29
Reidsville	14,692,977	24,954,229	169.84	13,509,553	21,347,349	158.02
Roxboro	14,109,099	23,915,294	169.50	13,647,766	21,013,242	153.97
Sanford	7,429,766	12,420,904	167.18	8,337,912	13,416,158	160.91
Stoneville	Combined with Madison in 1989			4,121,785	6,240,724	151.41
Ston-Mad	8,115,190	13,611,615	167.73			
Warrenton	8,520,699	14,341,889	168.32	7,075,960	11,469,488	162.09
Winston-Salem	31,716,173	53,059,013	167.29	31,825,673	49,581,126	155.79
Total N.C.	164,502,245	276,948,656	168.36	157,052,747	248,072,078	157.95
Total type 11	253,481,860	426,982,317	168.45	242,354,823	384,431,536	158.62

North Carolina:	Type 12 - Eastern North Carolina flue-cured					
	Sales Pounds	Value Dollars	Average price Dollars	Sales Pounds	Value Dollars	Average price Dollars
Ahoskie	3,919,758	6,419,569	163.77	4,534,101	7,118,002	156.99
Clinton	14,316,370	24,039,270	167.91	12,867,754	20,768,347	161.40
Dunn	3,653,774	6,098,541	166.91	4,243,985	6,595,152	155.40
Farmville	21,797,417	36,550,241	167.68	20,833,257	34,097,797	163.67
Goldsboro	29,659,346	49,600,722	167.23	27,017,965	44,204,176	163.61
Greenville	36,298,945	60,522,149	166.73	34,779,202	56,434,190	162.26
Kinston	40,857,144	68,923,469	168.69	33,080,483	54,814,987	165.70
Robersonville	5,879,641	9,746,586	165.77	6,143,457	9,814,023	159.75
Rocky Mount	16,806,429	28,090,821	167.14	17,468,497	28,276,788	161.87
Smithfield	25,327,869	42,222,386	166.70	23,832,741	38,210,686	160.33
Wallace	6,946,621	11,472,564	165.15	6,466,987	10,401,882	160.85
Wendell	2,930,508	4,964,227	169.40	2,391,913	3,871,285	161.85
Williamston	8,635,905	14,271,557	165.26	7,478,033	12,067,862	161.38
Wilson	63,616,041	107,616,195	169.17	64,996,567	106,409,762	163.72
Windsor	8,994,960	14,847,015	165.06	9,271,735	14,878,077	160.47
Total type 12	289,640,728	485,385,312	167.58	275,406,677	447,963,016	162.66

See footnotes at end of table.

Continued

Table 7.--Producers' sales, value, and average price by type, state, and market 1/--Continued

Type 13 - South Carolina and Border North Carolina flue-cured							
Market and State	1989 crop			1988 crop			Average price Dollars
	Sales	Value	Average price	Sales	Value		
	Pounds	Dollars	Dollars	Pounds	Dollars		
South Carolina:				:			
Conway	5,851,775	9,849,844	168.32	5,340,010	8,758,655	164.02	
Darl-Tim	10,823,014	17,877,541	165.18	10,210,335	16,320,444	159.84	
Hemingway	8,715,447	14,441,617	165.70	8,360,952	13,509,686	161.58	
Kingstree	5,687,533	9,416,822	165.57	5,838,905	9,271,037	158.78	
Lake City	29,298,722	48,470,704	165.44	26,726,592	42,582,952	159.33	
Loris	7,354,839	12,210,924	166.03	6,716,903	10,924,645	162.64	
Mullins	32,096,779	53,733,178	167.41	28,632,415	46,672,420	163.01	
Total S.C.	99,828,109	166,000,630	166.29	91,826,112	148,039,839	161.22	
North Carolina:				:			
Chadbourn	7,156,115	11,772,578	164.51	7,041,693	11,270,000	160.05	
Clarkton	6,979,975	11,427,027	163.71	7,372,201	11,843,447	160.65	
Fair Bluff	4,457,247	7,450,996	167.17	3,722,137	6,119,611	164.41	
Fairmont	28,410,610	47,358,335	166.69	27,073,521	43,845,567	161.95	
Lumberton	15,064,633	24,942,805	165.57	14,150,702	22,721,274	160.57	
Tabor City	9,517,184	15,757,519	165.57	9,534,343	15,543,200	163.02	
Whiteville	14,605,487	23,993,874	164.28	14,559,807	23,919,515	164.28	
Total N.C.	86,191,251	142,703,134	165.57	83,454,404	135,262,614	162.08	
Total type 13	186,019,360	308,703,764	165.95	175,280,516	283,302,453	161.63	

Type 14 - Georgia and Florida flue-cured							
Georgia:	1989 crop			1988 crop			Average price Dollars
	Sales	Value	Average price	Sales	Value		
Alma	9,509,432	15,869,616	166.88	8,596,929	14,077,894	163.75	
Blackshear	8,563,247	14,343,780	167.50	8,115,526	13,294,181	163.81	
Claxton	5,120,018	8,535,828	166.71	5,379,679	8,602,887	159.91	
Douglas	14,155,185	23,610,818	166.80	13,993,347	22,613,936	161.60	
Haz-Bax	729,693	1,210,752	165.93	7,997	14,163	177.10	
Moultrie	9,936,883	16,652,771	167.59	10,678,454	17,472,535	163.62	
Nashville	8,260,466	13,791,655	166.96	7,495,974	12,279,356	163.81	
Pelham	8,565,118	14,421,995	168.38	9,207,527	15,096,834	163.96	
Statesboro	3,513,452	5,726,053	162.98	3,192,630	4,976,487	155.87	
Tifton	2,704,771	4,506,497	166.61	2,381,923	3,880,297	162.91	
Val-Hira	9,348,621	15,690,024	167.83	8,454,762	13,770,224	162.87	
Vidalia	8,609,076	14,230,355	165.29	8,641,375	13,961,200	161.56	
Total Georgia	89,015,962	148,590,144	166.93	86,146,123	140,039,994	162.56	
Florida:				:			
Lake City	5,840,746	9,761,024	167.12	5,566,057	9,219,513	165.64	
Live Oak	10,096,890	17,044,312	168.81	10,032,005	16,559,095	165.06	
Madison	1,732,833	2,854,080	164.71	1,517,471	2,540,080	167.39	
Total Florida	17,670,469	29,659,416	167.85	17,115,533	28,318,688	165.46	
Total type 14	106,686,431	178,249,560	167.08	103,261,656	168,358,682	163.04	
Total types 11-14	835,828,379	1,399,320,953	167.42	796,303,672	1,284,055,687	161.25	

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Market and State	Type 11 - Old and Middle Belt flue-cured				1988 crop		
	1989 crop		Average price	Sales	Value	Average price	
	Sales	Value	Dollars	Pounds	Dollars	Dollars	
Virginia:							
Chase City	4,395,608	7,322,163	166.58	4,067,053	6,468,225	159.04	
Clarksville	8,638,139	14,486,551	167.70	8,254,143	13,211,178	160.06	
Danville	46,289,243	78,688,689	169.99	45,627,171	73,553,477	161.21	
Kenbridge	2,055,715	3,379,492	164.39	2,288,568	3,564,318	155.74	
Lawrenceville	8,068,419	13,487,699	167.17	7,746,628	12,407,065	160.16	
South Boston	17,658,877	29,684,394	168.10	16,761,389	26,133,042	155.91	
South Hill	8,556,926	14,195,474	165.89	8,042,048	12,759,308	158.66	
Total Virginia:	95,662,927	161,244,462	168.55	92,787,000	148,096,613	159.61	
North Carolina:							
Burl-Meb	6,099,226	10,317,613	169.16	6,032,420	9,400,253	155.83	
Cart-Abr	7,667,297	12,880,395	167.99	6,418,616	10,145,080	158.06	
Fuquay-Varina	20,710,182	34,834,038	168.20	19,531,938	31,533,918	161.45	
Henderson	11,469,012	19,274,734	168.06	10,829,533	17,525,040	161.83	
Louisburg	19,554,013	33,423,849	170.93	15,682,955	25,986,605	165.70	
Madison	Combined with Stoneville, in 1989			4,582,754	7,096,774	154.86	
Mt. Airy	9,991,352	16,559,879	165.74	11,149,970	16,927,896	151.82	
Oxford	10,552,484	17,661,919	167.37	11,764,610	18,268,930	155.29	
Reidsville	16,008,688	27,197,729	169.89	14,768,504	23,265,777	157.54	
Roxboro	15,716,645	26,586,051	169.16	15,349,681	23,666,390	154.18	
Sanford	8,223,753	13,742,812	167.11	9,849,185	15,784,617	160.26	
Stoneville	Combined with Madison in 1989			4,755,866	7,227,450	151.97	
Ston-Mad	9,269,116	15,531,727	167.56				
Warrenton	9,026,277	15,190,567	168.29	7,686,571	12,443,340	161.88	
Winston-Salem	36,630,645	61,307,171	167.37	37,637,292	58,422,910	155.23	
Total N.C.	180,918,690	304,508,484	168.31	176,039,895	277,694,980	157.75	
Total type 11	276,581,617	465,752,946	168.40	268,826,895	425,791,593	158.39	

Type 12 - Eastern North Carolina flue-cured						
North Carolina:						
Ahoskie	4,306,332	7,066,468	164.09	4,914,148	7,715,893	157.01
Clinton	15,190,463	25,511,661	167.95	13,925,609	22,484,681	161.46
Dunn	3,910,003	6,534,201	167.11	4,591,100	7,132,219	155.35
Farmville	24,061,912	40,298,605	167.48	23,328,618	38,116,119	163.39
Goldsboro	33,057,363	55,334,833	167.39	31,263,936	51,136,410	163.56
Greenville	39,775,918	66,246,262	166.55	39,733,195	64,412,400	162.11
Kinston	42,744,013	72,074,349	168.62	35,823,042	59,311,768	165.57
Robersonville	6,505,926	10,754,306	165.30	6,788,384	10,837,771	159.65
Rocky Mount	18,187,108	30,418,596	167.25	19,615,915	31,821,583	162.22
Smithfield	27,628,817	46,045,146	166.66	26,789,068	42,952,224	160.33
Wallace	7,296,188	12,048,641	165.14	7,065,241	11,340,193	160.51
Wendell	3,023,143	5,119,559	169.35	2,540,628	4,117,531	162.07
Williamston	9,099,372	15,027,028	165.14	7,932,139	12,784,754	161.18
Wilson	69,586,699	117,663,235	169.09	73,630,048	120,577,341	163.76
Windsor	9,951,152	16,439,267	165.20	10,252,683	16,445,989	160.41
Total type 12	314,324,409	526,582,157	167.53	308,193,754	501,186,876	162.62

See footnotes at end of table.

Continued

Table 8.--Gross sales, value, and average price by type, state, and market 1/--Continued

Type 13 - South Carolina and Border North Carolina flue-cured							
Market and State	1989 crop			1988 crop			Average price
	Sales	Value	Average price	Sales	Value	Dollars	
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars	
South Carolina:							
Conway	6,330,307	10,585,745	167.22	5,919,911	9,722,160	164.23	
Darl-Tim	11,836,925	19,597,100	165.56	11,415,189	18,286,904	160.20	
Hemingway	9,570,155	15,899,676	166.14	9,310,708	15,102,153	162.20	
Kingstree	6,300,643	10,447,943	165.82	6,298,960	9,998,519	158.73	
Lake City	33,519,187	55,315,658	165.03	30,764,918	48,952,451	159.12	
Loris	7,933,569	13,193,754	166.30	7,279,478	11,843,251	162.69	
Mullins	35,742,543	59,929,747	167.67	32,344,944	52,803,031	163.25	
Total S.C.	111,233,329	184,969,623	166.29	103,334,108	166,708,469	161.33	
North Carolina:							
Chadbourn	7,689,210	12,660,935	164.66	7,846,500	12,564,921	160.13	
Clarkton	7,489,598	12,274,748	163.89	8,030,960	12,914,616	160.81	
Fair Bluff	4,833,337	8,078,383	167.14	4,244,638	6,986,460	164.59	
Fairmont	31,784,020	53,014,794	166.80	30,633,305	49,665,102	162.13	
Lumberton	15,762,983	26,088,013	165.50	14,990,776	24,100,316	160.77	
Tabor City	10,557,613	17,494,973	165.71	10,687,142	17,420,384	163.00	
Whiteville	16,084,457	26,409,382	164.19	16,034,908	26,285,043	163.92	
Total N.C.	94,201,218	156,021,228	165.63	92,468,229	149,936,842	162.15	
Total type 13	205,434,547	340,990,851	165.99	195,802,337	316,645,311	161.72	

Type 14 - Georgia and Florida flue-cured							
Georgia:	1989 crop			1988 crop			Average price
	Sales	Value	Average price	Sales	Value	Dollars	
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars	
Alma	10,726,088	17,933,136	167.19	10,019,320	16,442,647	164.11	
Blackshear	9,857,428	16,492,894	167.31	9,543,216	15,644,790	163.94	
Claxton	5,869,704	9,764,306	166.35	6,577,209	10,493,509	159.54	
Douglas	16,110,701	26,931,657	167.17	16,216,079	26,301,154	162.19	
Haz-Bax	877,939	1,453,461	165.55	7,997	14,163	177.10	
Moultrie	11,519,105	19,326,926	167.78	12,633,977	20,724,172	164.04	
Nashville	9,289,679	15,552,166	167.41	8,442,799	13,806,879	163.53	
Pelham	9,859,912	16,600,340	168.36	10,784,596	17,645,106	163.61	
Statesboro	3,994,333	6,527,595	163.42	3,659,265	5,713,936	156.15	
Tifton	3,119,989	5,177,963	165.96	2,714,053	4,433,686	163.36	
Val-Hira	10,397,359	17,499,006	168.30	9,603,290	15,647,737	162.94	
Vidalia	9,884,453	16,347,536	165.39	9,891,485	15,919,322	160.94	
Total Georgia	101,506,690	169,606,986	167.09	100,093,286	162,787,101	162.64	
Florida:							
Lake City	6,688,975	11,172,465	167.03	6,419,766	10,589,180	164.95	
Live Oak	11,634,639	19,642,318	168.83	11,603,536	19,208,196	165.54	
Madison	1,905,508	3,150,681	165.35	1,775,210	2,970,076	167.31	
Total Florida	20,229,122	33,965,464	167.90	19,798,512	32,767,452	165.50	
Total type 14	121,735,812	203,572,450	167.22	119,891,798	195,554,553	163.11	
Total types 11-14	918,076,385	1,536,898,404	167.40	892,714,784	1,439,178,333	161.21	

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured						
Market and State	1989 crop			1988 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Virginia:						
Chase City	160,585	162.16	3.7	169,845	152.41	4.2
Clarksville	991,260	165.67	11.5	1,058,206	157.30	12.8
Danville	3,585,455	169.09	7.8	4,276,745	159.16	9.4
Kenbridge	57,415	160.45	2.8	88,661	138.87	3.9
Lawrenceville	178,697	165.97	2.2	285,428	152.27	3.7
South Boston	1,394,629	167.01	7.9	1,333,904	152.22	8.0
South Hill	315,271	167.41	3.7	272,135	153.87	3.4
Total Virginia	6,683,312	167.74	7.0	7,484,924	156.81	8.1
North Carolina:						
Burl-Meb	250,581	170.71	4.1	340,859	148.38	5.7
Cart-Abr	624,555	169.70	8.2	406,197	158.62	6.3
Fuquay-Varina	1,455,744	167.38	7.0	1,411,553	160.27	7.2
Henderson	497,107	169.46	4.3	654,864	162.32	6.1
Louisburg	1,467,002	169.13	7.5	1,521,562	165.29	9.7
Madison	Combined with Stoneville in 1989			697,842	158.64	15.2
Mt. Airy	1,402,567	168.12	14.0	1,557,205	156.32	14.0
Oxford	427,669	163.88	4.1	868,616	155.28	7.4
Reidsville	1,315,711	170.52	8.2	1,258,951	152.38	8.5
Roxboro	1,607,546	166.14	10.2	1,701,915	155.89	11.1
Sanford	793,987	166.49	9.7	1,511,273	156.72	15.3
Stoneville	Combined with Madison in 1989			634,081	155.62	13.3
Ston-Mad	1,153,926	166.40	12.5			
Warrenton	505,578	167.86	5.6	610,611	159.49	7.9
Winston-Salem	4,914,472	167.83	13.4	5,811,619	152.14	15.4
Total N.C.	16,416,445	167.88	9.1	18,987,148	156.02	10.8
Total type 11	23,099,757	167.84	8.4	26,472,072	156.24	9.9

Type 12 - Eastern North Carolina flue-cured						
North Carolina:	1989 crop			1988 crop		
	Resales Pounds	Average price Dollars	Percent of gross Percent	Resales Pounds	Average price Dollars	Percent of gross Percent
Ahoskie	386,574	167.34	9.0	380,047	157.32	7.7
Clinton	874,093	168.45	5.8	1,057,855	162.25	7.6
Dunn	256,229	170.03	6.6	347,115	154.72	7.6
Farmville	2,264,495	165.53	9.4	2,495,361	161.03	10.7
Goldsboro	3,398,017	168.75	10.3	4,245,971	163.27	13.6
Greenville	3,476,973	164.63	8.7	4,953,993	161.05	12.5
Kinston	1,886,869	166.99	4.4	2,742,559	163.96	7.7
Robersonville	626,285	160.90	9.6	644,927	158.74	9.5
Rocky Mount	1,380,679	168.60	7.6	2,147,418	165.07	11.0
Smithfield	2,300,948	166.14	8.3	2,956,327	160.39	11.0
Wallace	349,567	164.80	4.8	598,254	156.84	8.5
Wendell	92,635	167.68	3.1	148,715	165.58	5.9
Williamston	463,467	163.00	5.1	454,106	157.87	5.7
Wilson	5,970,658	168.27	8.6	8,633,481	164.10	11.7
Windsor	956,192	166.52	9.6	980,948	159.84	9.6
Total type 12	24,683,681	166.90	7.9	32,787,077	162.33	10.6

See footnotes at end of table.

Continued

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/--Continued

Market and State	Type 13 - South Carolina and Border North Carolina flue-cured			1988 crop		
	1989 crop		Percent of gross	1988 crop		Percent of gross
	Resales	Average price	Percent	Resales	Average price	Percent
Pounds	Dollars	Percent	Pounds	Dollars	Percent	Percent
South Carolina:						
Conway	478,532	153.78	7.6	579,901	166.15	9.8
Darl-Tim	1,013,911	169.60	8.6	1,204,854	163.21	10.6
Hemingway	854,708	170.59	8.9	949,756	167.67	10.2
Kingstree	613,110	168.18	9.7	460,055	158.13	7.3
Lake City	4,220,465	162.18	12.6	4,038,326	157.73	13.1
Loris	578,730	169.83	7.3	562,575	163.29	7.7
Mullins	3,645,764	169.97	10.2	3,712,529	165.13	11.5
Total S.C.	11,405,220	166.32	10.3	11,507,996	162.22	11.1
North Carolina:						
Chadbourn	533,095	166.64	6.9	804,807	160.90	10.3
Clarkton	509,623	166.34	6.8	658,759	162.60	8.2
Fair Bluff	376,090	166.82	7.8	522,501	165.90	12.3
Fairmont	3,373,410	167.68	10.6	3,559,784	163.48	11.6
Lumberton	698,350	163.99	4.4	840,074	164.16	5.6
Tabor City	1,040,429	166.99	9.9	1,152,799	162.84	10.8
Whiteville	1,478,970	163.32	9.2	1,475,101	160.36	9.2
Total N.C.	8,009,967	166.27	8.5	9,013,825	162.80	9.8
Total type 13	19,415,187	166.30	9.5	20,521,821	162.48	10.5

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	1,216,656	169.61	11.3	1,422,391	166.25	14.2
Blackshear	1,294,181	166.06	13.1	1,427,690	164.64	15.0
Claxton	749,686	163.87	12.8	1,197,530	157.88	18.2
Douglas	1,955,516	169.82	12.1	2,222,732	165.89	13.7
Haz-Bax	148,246	163.72	16.9	--	--	--
Moultrie	1,582,222	169.01	13.7	1,955,523	166.28	15.5
Nashville	1,029,213	171.05	11.1	946,825	161.33	11.2
Pelham	1,294,794	168.24	13.1	1,577,069	161.58	14.6
Statesboro	480,881	166.68	12.0	466,635	158.04	12.8
Tifton	415,218	161.71	13.3	332,130	166.62	12.2
Val-Hira	1,048,738	172.49	10.1	1,148,528	163.47	12.0
Vidalia	1,275,377	166.00	12.9	1,250,110	156.64	12.6
Total Georgia	12,490,728	168.26	12.3	13,947,163	163.09	13.9
Florida:						
Lake City	848,229	166.40	12.7	853,709	160.44	13.3
Live Oak	1,537,749	168.95	13.2	1,571,531	168.57	13.5
Madison	172,675	171.77	9.1	257,739	166.83	14.5
Total Florida	2,558,653	168.29	12.7	2,682,979	165.81	13.6
Total type 14	15,049,381	168.27	12.4	16,630,142	163.53	13.9
Total types 11-14	82,248,006	167.27	9.0	96,411,112	160.90	10.8

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types, 1989 crop 1/

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1989 crop Season averages						1989 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14			
Leaf:								
B1L	--	--	--	--	--	--	191	: Leaf: B1L
B2L	--	(191)	(190)	--	190	--	189	: B2L
B3L	186	186	186	186	186	--	185	: B3L
B4L	183	183	183	184	183	--	182	: B4L
B5L	175	176	175	180	177	--	172	: B5L
B6L	--	--	--	--	(170)	--	167	: B6L
B1F	--	(192)	(192)	--	192	--	191	: B1F
B2F	189	190	189	--	190	--	189	: B2F
B3F	186	186	186	186	186	--	185	: B3F
B4F	184	184	184	184	184	--	183	: B4F
B5F	178	178	176	181	178	--	172	: B5F
B6F	170	(170)	172	--	172	--	167	: B6F
B1FR	--	--	--	--	--	--	190	: B1FR
B2FR	--	188	--	--	188	--	187	: B2FR
B3FR	(185)	--	(185)	--	185	--	184	: B3FR
B4FR	183	183	183	184	183	--	181	: B4FR
B5FR	182	174	177	--	178	--	171	: B5FR
B6FR	--	--	--	--	--	--	165	: B6FR
B5R	171	(178)	170	--	173	--	141	: B5R
B3K	179	179	179	182	179	--	176	: B3K
B4K	176	176	175	181	177	--	171	: B4K
B5K	173	173	171	178	174	--	164	: B5K
B6K	169	169	167	174	170	--	153	: B6K
B3KR	177	177	176	181	177	--	172	: B3KR
B4KR	175	175	173	180	175	--	166	: B4KR
B5KR	173	175	171	179	174	--	157	: B5KR
B3V	176	175	176	178	176	--	167	: B3V
B4V	172	173	172	179	174	--	162	: B4V
B5V	171	167	170	175	170	--	154	: B5V
B3S	172	172	171	176	172	--	161	: B3S
B4S	168	172	170	177	172	--	156	: B4S
B5S	(166)	170	168	(174)	170	--	150	: B5S
B3KL	170	170	170	177	170	--	160	: B3KL
B4KL	168	169	169	176	170	--	155	: B4KL
B5KL	165	168	167	174	168	--	146	: B5KL
B6KL	156	166	(165)	168	165	--	139	: B6KL
B3KF	172	172	171	176	172	--	160	: B3KF
B4KF	172	171	170	176	172	--	155	: B4KF
B5KF	170	170	169	175	170	--	146	: B5KF
B6KF	164	164	164	170	165	--	139	: B6KF
B3KD	176	178	--	(169)	176	--	157	: B3KD
B4KD	173	175	173	168	174	--	150	: B4KD
B5KD	169	173	169	166	174	--	138	: B5KD
B6KD	160	164	159	162	161	--	130	: B6KD
B4KV	169	169	168	176	172	--	151	: B4KV
B5KV	166	167	166	175	170	--	141	: B5KV
B6KV	162	164	164	173	167	--	132	: B6KV
B3KM	174	173	174	179	174	--	166	: B3KM
B4KM	173	172	172	178	174	--	161	: B4KM
B5KM	171	171	170	177	173	--	153	: B5KM
B6KM	168	169	166	174	171	--	143	: B6KM
B3KK	173	175	174	174	174	--	159	: B3KK
B4KK	171	175	172	175	174	--	154	: B4KK
B5KK	170	174	170	174	173	--	145	: B5KK
B6KK	(166)	164	167	171	167	--	136	: B6KK
B4G	168	166	167	171	168	--	145	: B4G
B5G	162	164	163	169	166	--	137	: B5G
B6G	--	--	(161)	--	161	--	129	: B6G
B5GR	167	(164)	166	--	167	--	123	: B5GR
B4GK	167	169	168	175	170	--	143	: B4GK
B5GK	163	167	165	173	167	--	136	: B5GK
B6GK	159	163	162	169	163	--	127	: B6GK
B5GG	155	158	154	167	158	--	118	: B5GG

See footnotes at end of table.

Continued

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/--Continued

Group and grade 2/	1989 crop Season averages					1989 Advance rate 3/	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Smoking leaf:							
H3F	188	--	(187)	188	188	187	H3F
H4F	185	184	185	185	185	184	H4F
H5F	178	176	177	183	179	173	H5F
H6F	174	--	171	--	173	167	H6F
H4FR	(183)	--	184	184	184	182	H4FR
H5FR	179	183	179	--	179	172	H5FR
H6FR	--	--	174	--	174	166	H6FR
H4K	179	177	177	183	179	172	H4K
H5K	176	175	173	182	176	165	H5K
H6K	171	172	169	178	172	154	H6K
Cutters:							
C1L	--	--	--	--	--	177	C1L
C2L	--	--	--	--	--	174	C2L
C3L	173	--	(173)	--	173	169	C3L
C4L	169	168	168	174	169	161	C4L
C5L	164	164	163	170	165	155	C5L
C5LP	156	155	152	152	154	125	C5LP
C1F	--	--	--	--	--	177	C1F
C2F	--	--	(180)	--	(180)	174	C2F
C3F	175	172	176	179	176	169	C3F
C4F	171	170	171	175	171	161	C4F
C5F	167	167	166	173	167	155	C5F
C5FP	156	156	153	152	154	125	C5FP
C4KR	169	167	167	173	168	152	C4KR
C4V	163	165	164	172	165	150	C4V
C4LL	159	164	155	(163)	159	138	C4LL
C5LL	(157)	155	154	--	155	132	C5LL
C4S	162	164	164	168	164	146	C4S
C4KL	163	164	161	168	164	145	C4KL
C4KF	165	166	164	171	165	145	C4KF
C4KM	166	166	166	172	167	148	C4KM
C4KK	166	166	165	170	166	143	C4KK
C4G	161	161	158	166	161	134	C4G
C4GK	164	163	162	167	164	129	C4GK
Lugs:							
X1L	--	--	175	--	174	170	X1L
X2L	167	167	170	--	168	163	X2L
X3L	160	160	161	163	160	154	X3L
X4L	157	156	156	159	156	138	X4L
X5L	154	154	152	156	154	121	X5L
X1F	--	--	175	--	174	170	X1F
X2F	169	168	171	169	169	163	X2F
X3F	163	162	162	165	163	154	X3F
X4F	161	159	158	162	159	138	X4F
X5F	160	156	154	157	156	121	X5F
X3KR	164	162	163	165	163	145	X3KR
X4KR	163	160	161	162	162	137	X4KR
X3V	159	158	159	158	158	143	X3V
X4V	157	156	156	155	156	134	X4V
X3LL	159	159	159	155	156	128	X3LL
X4LL	(154)	156	151	152	154	122	X4LL
X3S	158	159	158	159	158	136	X3S
X4S	155	156	156	156	156	126	X4S
X4KL	157	156	155	156	156	123	X4KL
X4KF	160	157	157	159	159	123	X4KF
X4KV	155	155	154	156	155	119	X4KV
X3KM	161	161	160	161	161	137	X3KM
X4KM	159	158	157	160	158	127	X4KM
X4G	155	155	153	153	154	119	X4G
X5G	153	153	150	151	151	114	X5G
X4GK	157	157	154	154	156	117	X4GK

See footnotes at end of table.

Continued

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/--Continued

Group and grade 2/	1989 crop Season averages					1989 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
Primings:							
P2L	155	155	157	150	155	136	P2L
P2L sand	--	--	--	--	--	122	P2L sand
P3L	154	153	151	148	152	127	P3L
P3L sand	148	(146)	153	(152)	151	114	P3L sand
P4L	151	150	148	145	149	119	P4L
P4L sand	147	(149)	149	139	144	107	P4L sand
P5L	147	146	144	139	145	0	P5L
P5L sand	144	--	--	--	143	0	P5L sand
P2F	157	157	156	150	156	136	P2F
P2F sand	--	--	--	--	--	122	P2F sand
P3F	155	154	152	148	153	127	P3F
P3F sand	148	--	--	143	145	114	P3F sand
P4F	153	152	149	145	150	119	P4F
P4F sand	148	147	145	140	143	107	P4F sand
P5F	148	147	145	140	146	0	P5F
P5F sand	140	--	--	135	137	0	P5F sand
P4G	150	149	147	142	147	104	P4G
P4G sand	(147)	--	--	135	139	94	P4G sand
P5G	145	147	143	139	143	0	P5G
P5G sand	--	--	--	(129)	130	0	P5G sand
Mixed:							
M4F	(154)	165	--	--	162	140	M4F
M5F	--	158	--	--	158	130	M5F
M4KR	--	--	--	--	--	129	M4KR
M4KM	--	161	--	--	160	128	M4KM
M5KM	--	157	159	--	157	125	M5KM
M4GK	--	(148)	156	--	154	118	M4GK
M5GK	--	159	--	--	159	111	M5GK
Nondescript:							
N1L	144	142	140	138	142	0	N1L
N1L sand	(134)	--	--	(133)	(134)	0	N1L sand
N1XL	150	149	145	153	149	0	N1XL
N1K	159	160	160	169	162	119	N1K
N1R	148	156	153	153	153	114	N1R
N1GL	143	146	143	141	143	0	N1GL
N1GL sand	--	--	--	--	--	0	N1GL sand
N1GF	148	153	150	161	153	105	N1GF
N1KV	155	158	159	166	161	105	N1KV
N1GR	154	152	151	--	153	104	N1GR
N1GG	--	149	123	140	139	100	N1GG
N1PO	144	145	141	136	142	0	N1PO
N1PO sand	--	--	--	133	134	0	N1PO sand
N1XO	150	150	146	150	149	0	N1XO
N1BO	160	163	160	169	165	108	N1BO
N2	122	133	127	144	131	0	N2
No-G 4/	121	129	124	127	125	0	No-G 4/
No-G-F sand	--	--	--	124	129	0	No-G-F sand
"W"	155	150	149	148	150	0	"W"
"U"	145	149	143	149	146	0	"U"

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

4/ Includes No-G, No-G-F and scrap (S).

Table 12.--Average prices by weeks for representative grades and season averages--Type 11 1/

Type 11 - 1989 crop

Group and grade	Week ending							
	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21	
B4F	184	184	184	183	184	184	184	184
B5F	--	178	177	175	174	179	179	
B3K	180	180	180	176	--	178	180	
B4K	177	179	179	175	175	177	179	
B5K	175	177	176	171	173	175	177	
B6K	--	175	--	--	--	171	173	
B3KR	180	180	179	--	175	178	179	
B4KR	178	178	179	176	174	177	179	
B5KR	--	178	175	--	172	175	177	
B3KL	--	--	--	168	170	174	173	
B4KL	--	--	--	169	169	171	173	
B3KF	176	179	179	172	173	175	176	
B4KF	176	178	177	172	172	174	176	
B5KF	175	176	175	168	171	172	174	
B4KD	173	175	173	163	--	--	--	
B5KD	168	172	172	161	162	162	169	
B5KV	--	--	--	161	169	172	172	
B3KM	178	179	178	174	175	176	178	
B4KM	177	178	173	173	173	175	177	
B5KM	174	176	172	172	171	174	175	
B3KK	--	180	179	--	174	173	175	
B4KK	175	178	177	169	171	174	175	
B4GK	--	172	171	169	169	170	174	
B5GK	--	167	168	165	164	168	169	
H4K	--	--	--	--	--	177	182	
H5K	--	--	--	--	--	175	180	
C4L	--	--	166	169	168	172	173	
C5L	--	159	161	163	164	168	167	
C4F	--	--	167	170	171	173	175	
C5F	--	160	163	164	166	170	171	
C4KR	--	--	163	167	167	172	176	
C4S	--	160	161	160	163	168	168	
C4KL	--	160	161	160	160	168	170	
C4KF	--	--	164	161	163	169	172	
C4KM	163	160	164	165	166	171	172	
X3L	--	158	160	161	161	163	166	
X4L	152	155	157	157	156	160	163	
X5L	--	152	153	153	154	157	161	
X3F	--	158	161	163	164	167	168	
X4F	153	157	158	159	160	166	169	
X5F	--	155	154	155	157	165	169	
X4KR	--	--	160	160	162	169	170	
X3S	157	156	158	159	158	165	--	
X4KL	--	155	157	156	155	163	164	
X4KF	--	154	156	158	159	165	169	
X3KM	155	158	160	161	162	166	170	
X4KM	154	156	158	159	159	164	170	
X4GK	--	154	156	156	158	164	168	
P2L	--	154	156	156	--	--	--	
P3L	153	153	155	155	153	159	--	
P4L	148	150	153	153	152	153	--	
P5L	140	145	150	151	149	153	--	
P3F	153	155	155	155	155	157	162	
P4F	148	151	154	153	153	157	160	
P5F	--	146	149	149	150	157	161	
P4G	147	148	152	152	153	--	--	
N1L	139	142	146	147	145	151	158	
N1XL	--	143	144	148	150	157	164	
N1PO	138	141	147	147	149	151	158	
N1XO	--	149	150	149	150	154	158	
N2	120	132	138	132	134	142	145	

Continued

See footnotes at end of table.

Table 12.--Average prices by weeks for representative grades and season averages--Type 11--continued

Type 11 - 1989 crop

Group and grade	Week ending						Season
	Sep. 28	Oct. 5	Oct. 12	Oct. 19	Oct. 26	Nov. 2 ^{1/}	
B4F	184	134	184	184	183	184	: 1989 1988
B5F	179	179	179	177	174	175	: 184 181
B3K	180	180	179	179	177	178	: 178 175
B4K	178	177	177	176	174	175	: 176 174
B5K	174	172	173	173	171	171	: 173 171
B6K	171	168	166	170	166	167	: 169 165
B3KR	173	177	176	175	174	174	: 177 175
B4KR	177	175	174	174	171	172	: 175 174
B5KR	174	173	172	173	171	170	: 173 171
B3KL	170	165	164	167	164	164	: 170 173
B4KL	169	153	152	164	164	164	: 168 167
B3KF	173	169	168	168	167	167	: 172 171
B4KF	172	168	158	159	157	168	: 172 170
B5KF	170	166	167	163	165	166	: 170 166
B4KD	--	--	--	158	159	--	: 173 151
B5KD	171	161	165	167	165	155	: 169 155
B5KV	168	165	165	157	165	153	: 166 153
B3KM	176	173	171	171	170	171	: 174 175
B4KM	174	171	170	170	168	159	: 173 172
B5KM	172	168	167	168	167	168	: 171 169
B3KK	174	167	168	170	166	170	: 173 172
B4KK	171	165	168	169	165	167	: 171 169
B4GK	168	165	163	164	163	166	: 167 164
B5GK	167	161	161	160	160	157	: 163 158
H4K	180	179	180	180	177	178	: 179 177
H5K	177	177	177	176	173	175	: 176 174
C4L	170	--	--	--	152	157	: 169 170
C5L	164	162	158	--	--	161	: 164 164
C4F	171	167	156	164	165	166	: 171 174
C5F	168	164	160	160	160	162	: 167 167
C4KR	171	167	164	167	161	164	: 169 169
C4S	--	--	--	--	--	--	: 162 151
C4KL	165	164	159	161	--	--	: 163 150
C4KF	169	164	160	161	157	--	: 165 162
C4KM	169	164	163	162	159	159	: 166 165
X3L	--	--	--	--	--	--	: 160 160
X4L	165	163	156	--	--	--	: 157 147
X3F	165	162	--	159	163	160	: 163 163
X4F	168	163	159	158	158	155	: 161 154
X5F	165	160	158	160	155	154	: 160 142
X4KR	--	--	--	--	--	--	: 163 152
X3S	--	--	--	--	--	--	: 158 147
X4KL	159	--	--	--	--	--	: 157 143
X4KF	167	160	157	159	146	147	: 160 144
X3KM	165	160	158	--	--	--	: 161 154
X4KM	164	160	158	160	154	151	: 159 147
X4GK	--	--	--	--	--	--	: 157 137
P2L	--	--	--	--	--	--	: 155 141
P3L	--	--	--	--	--	--	: 154 137
P4L	--	--	--	--	--	--	: 151 130
P5L	--	--	--	--	--	--	: 147 121
P3F	--	--	156	--	--	--	: 155 138
P4F	163	--	156	157	151	147	: 153 131
P5F	157	--	--	--	140	137	: 148 119
P4G	--	--	--	--	--	--	: 150 124
N1L	156	153	--	--	135	123	: 144 113
N1XL	156	156	152	144	142	133	: 150 122
N1PO	--	--	--	--	--	--	: 144 116
N1XO	157	149	151	124	142	127	: 150 126
N2	146	136	126	119	112	90	: 122 109

^{1/} Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

^{2/} No averages shown after November 2 due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages--Type 12 1/

Type 12 - 1989 crop

Group and grade	Week ending						
	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21
B4F	--	--	184	184	184	184	184
B5F	--	--	179	175	177	177	180
B3K	180	--	--	--	--	178	181
B4K	177	180	178	176	176	177	179
B5K	176	179	175	173	175	175	177
B6K	174	176	--	169	172	171	173
B3KR	179	180	--	176	178	179	180
B4KR	179	180	179	177	177	177	178
B5KR	178	178	177	174	176	177	177
B3KL	--	--	--	173	173	174	175
B4KL	--	--	170	170	172	172	174
B5KL	--	--	161	170	170	170	170
B3KF	178	180	178	--	175	175	175
B4KF	177	178	176	173	174	175	176
B5KF	175	177	170	173	173	173	174
B4KD	176	177	176	174	171	--	--
B5KD	175	174	174	172	171	168	169
B5KV	--	--	--	170	172	172	171
B3KM	179	179	174	175	175	176	177
B4KM	178	178	173	174	175	175	176
B5KM	177	177	171	172	174	173	175
B3KK	178	179	178	174	175	174	175
B4KK	177	178	177	174	174	174	175
B5KK	176	177	175	171	173	174	173
B4GK	171	174	168	171	172	172	173
B5GK	169	168	168	169	170	170	171
H5K	--	--	--	--	--	175	179
C5L	160	166	165	164	165	166	168
C5LP	153	156	156	157	155	155	--
C4F	--	--	169	172	172	171	175
C5F	--	166	166	167	168	168	171
C5FP	154	157	157	159	158	--	--
C4KR	--	161	165	167	170	169	173
C4S	157	164	168	162	165	166	166
C4KL	--	160	165	162	164	167	168
C4KM	163	162	167	166	168	168	171
C4KK	169	165	166	166	170	170	170
C4GK	--	161	161	164	166	166	168
X3L	156	159	161	159	160	162	162
X4L	153	156	156	154	157	158	160
X5L	152	154	154	152	155	155	157
X3F	--	161	163	162	163	163	166
X4F	155	158	159	159	161	160	163
X5F	154	155	156	156	159	158	160
X3S	154	160	160	159	159	160	--
X3KM	155	160	162	160	164	162	165
X4KM	153	157	159	159	161	161	162
X4GK	153	155	157	157	161	161	163
P3L	151	154	154	153	153	--	--
P4L	148	152	152	151	152	154	156
P5L	142	148	150	149	--	150	--
P3F	151	155	155	154	156	--	--
P4F	149	153	153	152	154	155	154
P5F	144	149	149	149	151	149	151
P4G	146	150	151	150	151	--	--
N1L	138	144	146	144	148	145	148
N1XL	146	147	148	148	153	154	158
N1PO	141	147	148	146	147	147	143
N1XO	145	148	150	150	152	154	155
N2	137	138	134	131	139	143	146

Continued

See footnotes at end of table.

Table 13.--Average prices by weeks for representative grades and season averages--Type 12--Continued

Type 12 - 1989 crop

Group and grade	Week ending						Season		
	Sep. 28	Oct. 5	Oct. 12	Oct. 19	Oct. 26	Nov. 2/	:	1989	1988
B4F	184	184	184	183	183	--	:	184	181
B5F	180	178	177	173	175	--	:	178	176
B3K	180	179	180	177	176	177	:	179	177
B4K	177	175	175	174	172	173	:	176	175
B5K	175	172	173	172	159	170	:	173	172
B6K	171	167	167	169	165	165	:	169	168
B3KR	178	176	175	173	173	174	:	177	175
B4KR	176	174	174	172	169	171	:	175	174
B5KR	175	172	174	172	169	169	:	175	173
B3KL	170	166	164	166	165	--	:	170	171
B4KL	170	165	164	165	163	160	:	169	168
B5KL	168	164	164	164	162	--	:	168	167
B3KF	172	168	168	168	165	165	:	172	174
B4KF	172	168	168	168	165	164	:	171	171
B5KF	170	167	166	157	163	164	:	170	169
B4KD	167	163	--	163	--	--	:	175	170
B5KD	166	162	162	161	154	--	:	173	168
B5KV	168	164	165	167	163	165	:	167	167
B3KM	174	171	171	170	169	169	:	173	174
B4KM	173	170	170	169	166	168	:	172	172
B5KM	171	168	170	158	165	167	:	171	170
B3KK	170	168	167	168	165	--	:	175	171
B4KK	172	168	168	168	165	--	:	175	171
B5KK	171	167	170	167	162	--	:	174	169
B4GK	169	164	164	165	161	163	:	169	166
B5GK	166	163	162	163	159	159	:	167	164
H5K	177	172	177	175	174	174	:	175	176
C5L	168	161	159	157	159	--	:	164	164
C5LP	--	--	--	--	148	--	:	155	141
C4F	172	167	166	166	164	--	:	170	173
C5F	168	164	161	161	158	160	:	167	168
C5FP	--	--	--	--	151	--	:	156	142
C4KR	169	164	163	162	159	--	:	167	169
C4S	166	163	159	161	158	--	:	164	158
C4KL	166	153	161	162	156	--	:	164	160
C4KM	168	163	163	162	157	159	:	166	164
C4KK	167	161	160	151	152	--	:	166	160
C4GK	165	161	161	156	152	--	:	163	155
X3L	164	--	--	157	155	--	:	160	160
X4L	162	158	155	155	152	--	:	156	149
X5L	150	--	154	155	150	--	:	154	141
X3F	165	163	--	156	156	--	:	162	164
X4F	163	159	156	157	153	153	:	159	156
X5F	158	158	155	155	150	146	:	156	148
X3S	--	--	--	--	156	--	:	159	147
X3KM	165	161	158	159	154	--	:	161	153
X4KM	163	159	157	157	152	151	:	158	149
X4GK	160	156	154	155	148	--	:	157	143
P3L	--	--	--	154	--	--	:	153	139
P4L	--	156	154	153	145	--	:	150	136
P5L	--	--	--	--	140	--	:	146	132
P3F	--	--	--	--	--	--	:	154	141
P4F	158	154	153	154	146	140	:	152	138
P5F	--	151	148	150	139	138	:	147	132
P4G	--	--	--	--	146	--	:	149	134
NIL	150	149	142	145	132	130	:	142	125
N1XL	156	156	154	144	137	137	:	149	135
N1PO	148	144	146	146	132	139	:	145	129
N1XO	156	154	153	150	140	137	:	150	139
N2	142	141	141	137	117	122	:	133	123

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after November 2 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages--Type 13 1/

Type 13 - 1989 crop

Group and grade	Week ending						
	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21
B4F	184	--	184	184	184	184	184
B5F	176	--	175	175	178	178	178
B3K	179	--	--	178	178	179	180
B4K	177	178	175	175	176	176	177
B5K	175	176	172	172	173	174	175
B6K	174	174	171	168	171	171	171
B3KR	180	--	175	175	177	177	177
B4KR	177	177	174	175	175	176	176
B5KR	176	177	172	172	174	174	175
B4KL	--	168	170	171	172	172	172
B3KF	177	171	173	172	175	175	174
B4KF	175	175	172	172	173	174	173
B5KF	174	174	169	170	171	172	172
B6KF	168	172	--	165	165	168	168
B5KV	--	--	171	165	169	169	168
B3KM	179	175	174	175	176	176	176
B4KM	177	173	173	173	175	175	175
B5KM	175	174	171	171	173	173	174
B4KK	177	176	172	172	173	174	174
B5KK	175	174	166	171	169	170	170
B4GK	166	168	167	169	171	171	172
B5GK	171	166	167	166	167	170	170
H5F	--	--	--	174	176	178	178
H4K	--	--	--	176	176	177	178
H5K	--	--	--	172	174	174	175
H6K	--	--	--	171	--	171	172
C5L	158	161	163	163	166	168	169
C5LP	152	152	155	156	--	--	--
C4F	--	169	169	172	173	174	174
C5F	161	163	165	165	168	168	170
C5FP	152	155	156	157	--	--	--
C4KR	169	165	166	168	169	170	173
C4KF	--	161	162	163	165	167	169
C4KM	158	163	165	166	168	170	171
C4GK	152	161	162	162	163	166	--
X3L	159	161	161	160	163	164	--
X4L	153	155	156	156	157	158	162
X5L	149	152	152	153	152	160	--
X3F	158	160	163	162	163	165	169
X4F	154	157	157	158	159	161	165
X5F	150	152	152	155	157	158	162
X4V	154	156	157	155	158	160	--
X4KF	151	153	156	157	162	164	164
X3KM	156	159	162	162	164	170	167
X4KM	152	155	157	159	161	162	164
X4G	149	151	153	154	155	152	167
X4GK	150	152	156	156	156	162	163
P3L	150	154	152	153	--	--	--
P4L	147	150	150	151	--	--	--
P3F	151	153	155	155	--	--	--
P4F	147	150	150	151	153	156	156
P5F	142	146	147	148	148	--	--
P4G	145	149	149	150	--	--	--
N1L	138	142	144	144	147	146	--
N1XL	141	146	146	148	153	152	154
N1K	166	--	--	162	161	163	165
N1PO	141	141	143	145	148	143	--
N1XO	145	144	146	146	149	152	157
N1BO	168	--	--	160	161	164	166
N2	133	132	135	139	142	142	143

See footnotes at end of table.

Continued

Table 14.--Average prices by weeks for representative grades and season averages--Type 13--Continued

Type 13 - 1989 crop

Group and grade	Week ending				Season	
	Sep. 28	Oct. 5	Oct. 12	Oct. 19	Oct. 26	: 1989 1988
B4F	184	184	184	184	183	: 184 181
B5F	176	175	175	174	173	: 176 176
B3K	179	179	179	179	177	: 179 177
B4K	174	174	174	173	172	: 175 174
B5K	172	170	170	169	168	: 171 170
B6K	169	166	165	166	164	: 167 165
B3KR	175	174	174	174	173	: 176 175
B4KR	173	171	171	170	170	: 173 173
B5KR	172	169	168	169	166	: 171 171
B4KL	167	165	165	164	162	: 169 170
B3KF	170	168	167	167	167	: 171 173
B4KF	170	168	167	167	166	: 170 171
B5KF	169	166	165	165	163	: 169 167
B6KF	167	162	161	163	158	: 164 161
B5KV	168	165	165	164	160	: 166 163
B3KM	173	170	171	170	170	: 174 173
B4KM	172	169	169	168	168	: 172 171
B5KM	170	167	167	167	165	: 170 168
B4KK	170	167	168	167	167	: 172 166
B5KK	170	167	167	166	161	: 170 164
B4GK	169	164	163	164	160	: 168 164
B5GK	168	164	159	161	154	: 165 162
H5F	178	177	176	175	173	: 177 178
H4K	176	177	177	177	173	: 177 176
H5K	173	172	174	173	169	: 173 172
H6K	170	167	169	168	165	: 169 166
C5L	163	162	157	157	--	: 163 164
C5LP	--	--	--	--	--	: 152 138
C4F	172	167	164	165	165	: 171 171
C5F	164	162	161	161	159	: 166 168
C5FP	--	--	--	--	--	: 153 138
C4KR	167	163	165	163	162	: 157 166
C4KF	165	164	160	162	155	: 164 161
C4KM	167	164	159	161	158	: 166 161
C4GK	165	--	--	--	--	: 162 154
X3L	--	--	--	--	--	: 161 159
X4L	160	159	155	156	--	: 156 148
X5L	--	--	--	--	--	: 152 137
X3F	164	162	160	161	156	: 162 161
X4F	161	159	156	157	150	: 158 154
X5F	158	157	153	153	145	: 154 143
X4V	--	--	--	--	--	: 156 147
X4KF	163	159	152	155	145	: 157 146
X3KM	166	--	157	159	--	: 160 148
X4KM	161	160	155	154	148	: 157 145
X4G	--	--	--	--	--	: 153 137
X4GK	--	--	--	151	140	: 154 139
P3L	--	--	--	--	--	: 151 138
P4L	--	155	--	149	--	: 148 135
P3F	--	--	--	--	--	: 152 140
P4F	154	153	154	152	144	: 149 135
P5F	--	--	--	--	142	: 145 128
P4G	--	--	--	--	--	: 147 132
N1L	--	--	139	126	114	: 140 123
N1XL	149	153	143	143	123	: 145 129
N1K	165	162	158	159	156	: 160 156
N1PO	--	--	138	137	131	: 141 124
N1XO	153	151	146	144	105	: 146 130
N1BO	163	159	157	159	146	: 160 157
N2	146	143	137	125	99	: 127 122

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after week of October 26 due to limited sales.

Table 15.--Average prices by weeks for representative grades and season averages--Type 14 1/

Type 14 - 1989 crop

Group and grade	Week ending										: Season	
	July 27	Aug. 3	Aug. 10	Aug. 17	Aug. 24	Aug. 31	Sep. 7	Sep. 14	Sep. 21	Sep. 28	: 1989	1988
B4F	--	184	184	184	184	184	184	184	184	184	: 184	181
B5F	--	179	180	182	182	182	182	181	180	181	: 181	180
B3K	177	--	183	183	182	182	182	182	182	182	: 182	181
B4K	173	179	179	181	181	180	181	181	180	180	: 181	179
B5K	167	169	178	179	179	178	178	179	178	174	: 178	175
B6K	165	166	174	176	177	175	176	176	175	171	: 174	170
B4KR	168	177	180	181	180	180	182	181	181	178	: 180	177
B5KR	166	175	180	179	179	178	179	181	179	177	: 179	174
B4KL	--	172	174	177	176	177	177	175	174	167	: 176	168
B4KF	165	170	176	176	177	177	178	177	177	172	: 176	174
B5KF	164	168	174	177	177	175	176	176	175	171	: 175	171
B6KF	--	165	168	174	171	172	170	171	172	169	: 170	166
B4KV	--	--	175	177	178	176	176	177	176	170	: 176	172
B5KV	162	166	172	177	177	175	176	175	175	170	: 175	169
B6KV	--	--	168	174	175	171	172	175	172	170	: 173	164
B3KM	--	--	179	181	180	179	180	180	177	174	: 179	176
B4KM	170	175	178	179	179	179	180	179	178	172	: 178	176
B5KM	166	173	177	178	178	177	178	178	177	173	: 177	173
B4KK	168	170	174	176	176	177	176	177	176	171	: 175	172
B5KK	165	--	175	175	176	174	176	175	175	173	: 174	168
B4GK	169	167	173	175	177	175	174	176	175	171	: 175	168
B5GK	165	167	172	175	175	174	173	174	173	169	: 173	165
H4F	--	185	185	185	185	185	185	185	185	--	: 185	182
H5F	--	--	183	183	184	183	183	184	181	181	: 183	181
H4K	--	--	183	183	184	183	184	184	183	183	: 183	180
H5K	--	--	180	183	182	183	183	183	182	180	: 182	179
H6K	--	--	177	180	179	179	181	179	175	174	: 178	175
C5L	--	165	170	172	170	173	167	--	--	--	: 170	169
C5LP	147	152	164	--	166	--	--	--	146	--	: 152	144
C4F	--	167	176	175	178	176	177	175	--	--	: 175	171
C5F	--	164	173	173	174	176	175	173	174	170	: 173	168
C5FP	147	152	161	172	169	--	--	--	--	--	: 152	146
C4KM	160	163	173	174	173	172	174	174	171	167	: 172	165
C4GK	--	159	169	167	171	169	165	173	159	163	: 167	157
X3L	156	159	166	168	168	--	--	--	--	--	: 163	160
X4L	148	153	164	166	165	163	164	--	--	--	: 159	152
X3F	158	162	168	170	171	167	169	169	162	--	: 165	166
X4F	150	155	166	169	170	168	162	165	167	164	: 162	160
X5F	144	151	162	166	168	165	162	163	157	162	: 157	150
X4KV	142	147	160	164	163	162	160	--	--	--	: 156	151
X3KM	151	155	169	171	169	166	166	--	--	167	: 161	155
X4KM	146	153	166	168	168	167	164	169	163	162	: 160	153
X4G	144	146	153	159	162	164	--	--	--	--	: 153	143
X4GK	146	149	160	166	167	166	161	161	161	--	: 154	147
P3L	145	148	156	--	--	--	--	--	--	--	: 148	141
P4L	142	146	154	157	161	149	--	--	151	--	: 145	136
P5L	137	140	147	--	--	--	--	--	--	--	: 139	131
P3F	146	149	159	159	--	--	--	146	--	--	: 148	142
P4F	142	146	153	158	159	150	--	140	--	151	: 145	138
P5F	137	142	153	151	156	--	--	--	--	135	: 140	133
P4G	140	144	152	--	151	--	--	--	--	--	: 142	133
N1L	134	136	145	146	155	--	--	--	--	--	: 138	126
N1XL	140	142	156	156	165	159	160	148	167	159	: 153	139
N1K	157	--	159	170	170	157	169	171	168	169	: 159	161
N1GL	133	137	149	153	159	142	--	--	--	--	: 141	126
N1KV	--	--	157	152	169	161	164	170	170	166	: 166	154
N1PO	132	139	145	141	153	142	--	--	--	130	: 136	125
N1XO	140	144	153	153	158	161	140	159	157	151	: 150	138
N1BO	156	154	166	171	172	170	170	169	169	167	: 169	159
N2	126	131	143	145	155	147	144	152	154	133	: 144	125

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after September 28 due to limited sales.

Table 16.--Warehouse charges by states, 1989 crop

State	Type	Auction fee <u>1/</u>	Commission	Additional charges
			on gross	
			sales <u>1/</u>	
			:	
:	:	:	:	
:	:	:	<u>Percent</u>	
Florida	14	15 cents on all piles	2-1/2	Weighing and handling 10
Georgia	14	of 100 pounds or less	2-1/2	cents per pile on all piles
North Carolina	11-13	and 25 cents on all	2-1/2	of 100 pounds or less, and
South Carolina	13	piles over 100 pounds	2-1/2	10 cents for each additional
				100 pounds.
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100
				pounds.

1/ Maximum permitted under State law.

Table 17.--Average weight per lot, 1984-89 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pound
1984	184	187	187	189	186
1985	181	184	184	189	184
1986	180	181	178	185	181
1987	179	185	181	184	183
1988 1/	189	191	193	192	191
1989	198	194	195	197	196

1/ Maximum allowed was increased from 250 pounds to 275 pounds.

Table 18.--Tobacco received by the Stabilization Corporation, 1986-89 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	<u>1,000 lb.</u>	Percent	<u>1,000 lb.</u>	Percent	<u>1,000 lb.</u>	Percent
1986	28,376	13.8	14,504	6.1	11,029	8.3
1987	13,831	7.0	6,556	2.7	3,889	2.4
1988	7,254	3.0	4,567	1.7	2,894	1.7
1989	10,818	4.3	8,145	2.8	8,697	4.7

Crop :	Type 14	Types 11-14 1/	
:			
Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
<u>1,000 lb.</u>	<u>Percent</u>	<u>1,000. lb.</u>	<u>Percent</u>
1986 : 1,241	1.5	55,150	8.4
1987 : 552	0.6	24,828	3.6
1988 : 438	0.4	15,152	1.9
1989 : 744	0.7	28,404	3.4

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1985-89 crops 1/

Crop year	A Wrappers	Type 11							
		B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.
1985	--	56.2	4.7	8.4	15.6	10.8	--	3.6	0.7
1986	--	61.1	2.4	2.8	13.4	10.7	--	8.7	0.9
1987	--	57.4	0.9	6.8	15.6	10.9	--	7.1	1.3
1988	--	60.8	1.1	4.4	14.4	12.1	--	5.7	1.5
1989	--	61.8	1.4	10.2	13.3	10.0	--	2.5	0.8
Type 12									
1985	--	57.9	1.0	9.6	16.6	9.9	--	4.6	0.4
1986	--	61.7	0.6	6.4	14.4	9.1	--	7.2	0.6
1987	--	61.2	0.8	9.0	13.9	9.7	--	4.8	0.6
1988	--	62.5	0.6	10.0	12.6	10.7	--	3.1	0.5
1989	--	62.7	0.6	10.6	15.0	6.7	0.1	3.5	0.8
Type 13									
1985	--	55.9	1.6	11.2	17.1	10.6	0.1	3.0	0.5
1986	--	53.7	1.5	4.3	13.9	10.7	--	13.1	2.8
1987	--	55.8	2.1	11.6	16.5	7.8	--	5.8	0.4
1988	--	62.0	2.3	7.7	12.9	9.9	--	4.5	0.7
1989	--	59.3	3.4	9.4	15.6	6.7	--	4.5	1.1
Type 14									
1985	--	56.9	2.3	4.5	15.7	11.1	--	8.2	1.3
1986	--	56.8	1.8	5.2	14.5	12.4	--	8.3	1.0
1987	--	54.9	2.1	6.3	14.0	9.5	--	11.2	2.0
1988	--	57.9	2.7	5.5	10.6	13.4	--	8.7	1.2
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

Table 20.--Percentage distribution by qualities and types, 1985-89 crops 1/

Crop year	1 Choice	2 Fine	3 Good	Type 11					Misc.
				4 Fair	5 Low	6 Poor	Nondescript	Misc.	
1985	--	0.2	10.6	55.0	27.3	2.6	3.6	0.7	
1986	--	0.1	5.0	42.4	35.9	7.0	8.7	0.9	
1987	--	0.1	8.1	49.0	29.4	5.0	7.1	1.3	
1988	--	0.1	8.7	52.6	29.3	2.1	5.7	1.5	
1989	--	0.5	21.5	55.4	18.3	1.0	2.5	0.8	
Type 12									
1985	--	--	7.3	55.5	28.7	3.5	4.6	0.4	
1986	--	0.1	4.7	42.2	38.6	6.6	7.2	0.6	
1987	--	0.1	6.8	51.2	32.7	3.8	4.8	0.6	
1988	--	0.1	8.9	57.3	28.4	1.7	3.1	0.5	
1989	--	0.1	14.6	59.6	20.1	1.3	3.5	0.8	
Type 13									
1985	--	0.1	8.8	58.4	26.6	2.6	3.0	0.5	
1986	--	--	2.6	37.6	35.3	8.6	13.1	2.8	
1987	--	0.1	6.2	55.8	28.9	2.8	5.8	0.4	
1988	--	0.1	8.8	55.2	28.0	2.7	4.5	0.7	
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4	
Type 14									
1985	--	--	4.0	45.6	34.4	6.5	8.2	1.3	
1986	--	0.1	4.1	45.7	34.7	6.1	8.3	1.0	
1987	--	0.1	3.5	45.6	32.4	5.2	11.2	2.0	
1988	--	0.0	4.6	49.1	30.8	5.6	8.7	1.2	
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4	

1/ Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors and types, 1985-89 crops 1/

Type 11												
Crop	Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
1985	:	3.7	21.5	0.1	38.7	0.8	0.7	--	27.1	3.1	3.6	0.7
1986 3/	:	2.8	18.1	0.2	29.8	0.2	0.3	4.5	30.5	3.9	8.7	0.9
1987	:	5.2	17.2	0.1	17.2	0.3	1.2	4.6	37.3	8.5	7.1	1.3
1988	:	4.5	21.2	0.2	22.5	0.4	0.7	4.6	32.9	5.8	5.7	1.5
1989	:	6.3	19.8	0.1	26.5	0.1	0.5	0.9	40.4	2.1	2.5	0.8
Type 12												
1985	:	2.8	11.8	0.1	28.9	1.3	0.4	--	45.0	4.7	4.6	0.4
1986 3/	:	2.8	11.4	0.2	26.7	1.5	0.4	5.4	39.1	4.7	7.2	0.6
1987	:	4.4	10.4	0.1	19.6	1.9	0.7	5.1	45.8	6.6	4.8	0.6
1988	:	4.5	13.2	--	23.4	2.3	0.4	2.0	45.1	5.5	3.1	0.5
1989	:	5.4	11.9	0.1	20.6	0.7	0.5	0.9	52.6	3.0	3.5	0.8
Type 13												
1985	:	5.3	16.8	0.1	31.7	1.3	1.5	--	34.6	5.1	3.0	0.5
1986 3/	:	3.0	12.2	0.1	21.6	1.2	0.8	7.2	29.2	8.8	13.1	2.8
1987	:	3.4	17.2	0.1	26.8	2.6	1.5	1.5	33.9	6.8	5.8	0.4
1988	:	2.9	15.3	0.1	30.9	2.2	0.9	1.7	34.5	6.3	4.5	0.7
1989	:	4.3	20.0	0.1	31.3	0.7	0.9	1.0	32.7	3.4	4.5	1.1
Type 14												
1985	:	3.4	15.6	0.1	27.5	0.3	0.4	--	36.7	6.5	8.2	1.3
1986 3/	:	5.0	17.4	--	30.2	0.8	0.9	3.2	26.4	6.8	8.3	1.0
1987	:	4.9	15.2	--	25.1	0.7	0.4	2.4	31.7	6.4	11.2	2.0
1988	:	5.7	14.1	--	25.3	0.5	0.3	3.1	32.1	9.0	8.7	1.2
1989	:	5.3	19.5	--	27.7	1.0	0.4	2.2	30.7	4.9	6.9	1.4

1/ Dashes indicate a percentage of less than 0.1.

2/ Includes KL,KF,KD,KM,KV and S colors for 1985. Includes KL,KF,KD,KK,KM and S colors for 1986-89.

3/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1985-89 crops 1/

Group												
Crop	year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.		
1985	:	--	56.8	2.3	9.0	16.3	10.5	--	4.5	0.6		
1986	:	--	59.3	1.5	4.7	14.0	10.3	--	9.0	1.2		
1987	:	--	58.0	1.3	8.6	15.0	9.6	--	6.5	1.0		
1988	:	--	61.3	1.4	7.2	13.0	11.3	--	4.9	0.9		
1989	:	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0		
Quality												
Crop	year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor		Nondescript	Misc.		
1985	:	--	0.1	8.1	54.7	28.6	3.4		4.5	0.6		
1986	:	--	0.1	4.3	41.7	36.6	7.1		9.0	1.2		
1987	:	--	0.1	6.6	50.9	30.8	4.1		6.5	1.0		
1988	:	--	0.1	8.3	54.3	28.9	2.6		4.9	0.9		
1989	:	--	0.2	14.8	56.6	21.8	1.7		3.9	1.0		
Color												
Crop	year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 3/	G-GK	Nondescript	Misc.
1985	:	3.7	16.3	0.1	32.1	1.0	0.7	--	36.5	4.5	4.5	0.6
1986 4/	:	3.1	14.4	0.1	27.1	1.0	0.5	5.2	32.8	5.5	9.0	1.2
1987	:	4.5	14.5	0.1	21.2	1.5	1.0	3.8	38.7	7.2	6.5	1.0
1988	:	4.3	16.2	0.1	25.0	1.5	0.6	2.9	37.4	6.2	4.9	0.9
1989	:	5.4	17.1	0.1	25.7	0.5	0.6	1.0	41.6	3.1	3.9	1.0

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

3/ Includes KL,KF,KD,KM,KV and S colors for 1985. Includes KL,KF,KD,KK,KM and S colors for 1986-89.

4/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

Table 23.--Percentage distribution by grades and types, 1989 crop 1/

Group and grade	1989 crop				Group and grade	1989 crop			
Leaf:	11	12	13	14	Smoking leaf:	11	12	13	14
B1L	--	--	--	--	H3F	.006	.007	.005	.092
B2L	--	.002	.005	--	H4F	.089	.021	.099	.632
B3L	.028	.004	.010	.010	H5F	.152	--	.316	.372
B4L	.054	.032	.020	.082	H6F	.008	--	.008	.001
B5L	.032	.033	.069	.066	H4FR	.003	.005	.013	.023
B6L	.001	--	.002	--	H5FR	.011	--	.051	--
B1F	--	.002	.005	--	H6FR	--	--	.011	--
B2F	.009	.016	.010	--	H4K	.420	.100	.854	.868
B3F	.180	.048	.102	.166	H5K	.619	.324	1.567	1.195
B4F	2.206	.541	.940	1.839	H6K	.112	.099	.451	.247
B5F	1.759	.536	3.438	1.500	Total H	1.420	.556	3.375	3.430
B6F	.007	.001	.020	.003	Cutters:				
B1FR	--	--	--	--	C1L	--	--	--	--
B2FR	--	.006	--	--	C2L	--	.001	.005	--
B3FR	.004	.002	.003	--	C3L	.009	.122	.176	.002
B4FR	.061	.013	.021	.007	C4L	.246	.525	.400	.151
B5FR	.026	.010	.038	--	C5L	.424	.318	.298	.230
B6FR	--	--	--	--	C5LP	.031	--	--	.389
B5R	.004	.003	.007	.001	C1F	--	--	--	--
B3K	2.234	.570	.814	.326	C2F	--	--	.004	--
B4K	10.769	6.187	11.378	11.082	C3F	.089	.005	.044	.023
B5K	4.761	3.983	7.690	8.422	C4F	1.181	.397	.644	.439
B6K	.386	.563	1.375	1.567	C5F	2.407	1.513	2.330	.792
B3KR	1.766	.894	.780	.181	C5FP	.040	.418	.324	.570
B4KR	3.701	5.460	4.427	2.466	C4KR	.532	.347	.445	.165
B5KR	.713	1.741	1.074	.977	C4V	.110	.089	.204	.053
B3V	.026	.032	.059	.016	C4LL	.006	.011	.021	.004
B4V	.061	.046	.180	.136	C5LL	.004	.004	.007	--
B5V	.011	.014	.042	.020	C4S	.335	.535	.250	.132
B3S	.127	.239	.178	.015	C4KL	.480	.385	.230	.145
B4S	.071	.189	.092	.105	C4KF	.531	.257	.471	.155
B5S	.003	.014	.006	.004	C4KM	3.467	4.956	3.044	2.533
B3KL	.386	.449	.159	.072	C4KK	.112	.293	.123	.119
B4KL	.773	1.324	.407	.594	C4G	.047	.048	.082	.053
B5KL	.139	.399	.068	.148	C4GK	.178	.333	.325	.333
B6KL	.005	.018	.003	.014	Total C	10.229	10.557	9.427	6.288
B3KF	2.421	.686	.787	.132	Lugs:				
B4KF	7.914	5.364	4.913	3.188	X1L	.002	--	.008	--
B5KF	2.723	2.425	2.591	2.097	X2L	.009	.009	.007	.002
B6KF	.185	.226	.286	.352	X3L	.614	.472	.490	.294
B3KD	.024	.027	--	.006	X4L	.912	1.399	1.195	.689
B4KD	.243	.606	.097	.129	X5L	.157	.429	.241	.192
B5KD	.360	.687	.270	.250	X1F	--	--	.011	.003
B6KD	.115	.146	.092	.084	X2F	.026	.007	.018	.042
B4KV	.219	.176	.219	.532	X3F	1.550	.587	.960	.847
B5KV	.319	.334	.358	1.077	X4F	3.286	2.907	4.906	2.917
B6KV	.061	.100	.130	.285	X5F	1.090	1.361	1.648	1.293
B3KM	6.023	6.181	2.686	1.278	X3KR	.222	.109	.127	.094
B4KM	7.923	14.056	8.571	10.018	X4KR	.240	.223	.183	.155
B5KM	.777	2.553	1.716	3.438	X3V	.140	.124	.153	.045
B6KM	.014	.076	.066	.186	X4V	.113	.172	.304	.126
B3KK	.260	.506	.086	.045	X3LL	.007	.011	.016	.014
B4KK	.643	3.020	.844	.597	X4LL	.004	.015	.009	.016
B5KK	.131	.680	.300	.208	X3S	.320	.323	.137	.128
B6KK	.002	.014	.032	.022	X4S	.065	.172	.048	.064
B4G	.018	.040	.052	.061	X4KL	.361	.221	.135	.201
B5G	.006	.015	.023	.036	X4KF	.473	.194	.286	.169
B6G	--	--	.002	.002	X4KV	.184	.215	.211	.285
B5GR	.039	.002	.010	--	X3KM	1.694	2.118	1.028	1.268
B4GK	.510	.844	.859	.992	X4KM	1.337	3.272	2.591	2.825
B5GK	.422	.561	.505	.829	X4G	.165	.165	.282	.325
B6GK	.072	.080	.124	.116	X5G	.049	.098	.156	.201
B5GG	.028	.044	.035	.025	X4GK	.232	.422	.464	.798
Total B	61.755	62.820	59.176	55.804	Total X	13.252	15.025	15.614	12.993

See footnotes at end of table.

Continued

Table 23.--Percentage distribution by grades and types, 1989 crop--Continued

Group and grade	1989 crop				Group and grade	1989 crop			
	11	12	13	14		11	12	13	14
Primings:									
P2L	.252	.005	.056	.039	N1L	.340	.258	.255	.436
P2L sand	--	--	.002	--	N1L sand	.002	--	--	.007
P3L	1.542	.635	.618	.906	N1XL	.365	.319	.388	.352
P3L sand	.010	.002	.016	.004	N1K	.167	.187	.536	.576
P4L	1.716	1.477	.898	2.109	N1R	.012	.018	.020	.008
P4L sand	.033	.002	.009	.064	N1GL	.098	.155	.176	.379
P5L	.238	.262	.090	.363	N1GL sand	--	--	--	.001
P5L sand	.005	--	--	.003	N1GF	.028	.055	.043	.063
P2F	.204	.009	.056	.040	N1KV	.082	.067	.104	.231
P2F sand	--	--	--	--	N1GR	.029	.010	.005	.001
P3F	1.836	.632	.867	1.425	N1GG	.001	.012	.010	.008
P3F sand	.005	.002	--	.030	N1PO	.409	.707	.683	1.364
P4F	3.048	2.681	3.037	5.463	N1PO sand	.001	--	--	.023
P4F sand	.039	.004	.006	.169	N1XO	.186	.530	.798	.899
P5F	.665	.651	.576	1.351	N1BO	.079	.235	.514	1.266
P5F sand	.006	--	.001	.022	N2	.695	.898	1.019	1.324
P4G	.296	.262	.326	.766	Total N	2.494	3.451	4.551	6.938
P4G sand	.002	.001	.001	.018	No-grade 2/	.495	.527	.645	.637
P5G	.081	.102	.061	.289	No-G-F sand	.002	--	--	.010
P5G sand	.002	--	--	.005	W - unsafe	.018	.009	.043	.025
Total P	9.980	6.727	6.620	13.066	U - unsound	.350	.271	.530	.808
Mixed:					S - scrap	.001	.003	.005	--
M4F	.002	.004	--	--					
M5F	--	.005	--	--					
M4KR	--	--	--	--					
M4KM	.001	.013	.002	.001					
M5KM	--	.024	.006	--					
M4GK	.001	.002	.006	--					
M5GK	--	.006	--	--					
Total M	.004	.054	.014	.001	Grand total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes grades No-G and No-G-F.

Table 24.--Percentage breakdown of marketings by selected groupings, 1989 and 1988 crops

Grouping	11	12	13	14	11-14
	1989	1988	1989	1988	1989
Premature to mellow	53.3	49.5	39.2	43.8	53.9
Unripe	41.3	37.5	53.5	47.1	45.9
Immature	2.1	5.8	3.0	5.5	9.0
Nondescript	2.5	5.7	3.5	3.1	4.9
No-grade 1/	0.8	1.5	0.8	0.5	1.2
Total:	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, blotched, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.--Group averages by maturity, 1989 crop.

GROUP	MATURE TO MELLOW	PREMATURE	UNRIPE	IMMATURE
		dollars per hundred pounds		
Leaf (B)	175.97	--	172.47	168.07
Smoking Leaf (H)	177.61	--	--	--
Cutters (C)	167.75	154.05	166.35	153.18
Lugs (X)	158.79	--	158.75	154.41
Mixed (M)	160.22	--	158.15	156.15
Primings (P)	--	150.02	--	146.08
Total	171.70	150.27	169.96	160.96
Nondescript				145.78
No Grade 1/				134.35

1/ Includes tobacco defined as decayed, blotched, off-type, and nested; also includes unsafe keeping order, unsound, and scrap.

Table 26.--Percentage distribution by grades for all types, 1987-89 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1987	1988	1989		1987	1988	1989
Wrappers:				B5KM	2.608	2.675	1.949
A1L	--	--	--	B6KM	.107	.101	.070
A1F	--	--	--	Total BKM	11.217	14.265	17.172
Total A	--	--	--	B3KK	.061	.071	.277
Leaf:				B4KK	.572	.795	1.497
B1L	--	--	--	B5KK	.259	.345	.367
B2L	.004	.001	.002	B6KK	.014	.014	.015
B3L	.020	.008	.014	Total BKK	.906	1.225	2.156
B4L	.069	.064	.042	B4G	.070	.041	.039
B5L	.033	.040	.045	B5G	.041	.035	.017
B6L	--	--	.001	B6G	.003	.002	.001
Total BL	.126	.113	.104	Total BG	.114	.078	.057
B1F	.001	.002	.002	B5GR	.026	.015	.015
B2F	.018	.019	.010	B4GK	1.115	1.218	.766
B3F	.119	.258	.116	B5GK	1.437	1.294	.565
B4F	1.118	1.631	1.304	B6GK	.532	.246	.092
B5F	1.370	1.713	1.679	Total BGK	3.084	2.758	1.423
B6F	.015	.021	.007	B5GG	.041	.031	.035
Total BF	2.641	3.644	3.118	Total B	58.029	61.248	60.759
B1FR	--	--	--	Smoking leaf:			
B2FR	--	--	.002	H3F	.009	.017	.015
B3FR	--	.003	.002	H4F	.102	.135	.135
B4FR	.016	.026	.029	H5F	.125	.140	.173
B5FR	.023	.045	.020	H6F	.010	.004	.004
B6FR	.001	.004	--	Total HF	.246	.296	.327
Total BFR	.040	.078	.053	H4FR	.007	.004	.007
B5R	.001	.007	.004	H5FR	.014	.014	.016
B3K	.589	.938	1.094	H6FR	.002	--	.002
B4K	8.301	10.404	9.375	Total HFR	.023	.018	.025
B5K	7.379	7.428	5.633	H4K	.264	.399	.467
B6K	1.367	1.103	.824	H5K	.597	.550	.805
Total BK	17.636	19.873	16.926	H6K	.155	.136	.201
B3KR	.238	.433	1.037	Total HK	1.016	1.085	1.473
B4KR	1.538	2.543	4.302	Total H	1.285	1.399	1.825
B5KR	.572	.787	1.181	Cutters:			
Total BKR	2.348	3.763	6.520	C1L	--	--	--
B3V	.032	.022	.034	C2L	--	--	--
B4V	.158	.132	.092	C3L	.002	.004	.004
B5V	.032	.043	.020	C4L	.088	.054	.175
Total BV	.222	.197	.146	C5L	.306	.212	.427
B3S	.072	.064	.162	Total CL	.396	.270	.606
B4S	.057	.077	.120	C5LP	.608	.664	.236
B5S	.001	.004	.007	C1F	--	.002	--
Total BS	.130	.145	.289	C2F	--	--	.001
B3KL	.187	.120	.315	C3F	.003	.010	.041
B4KL	.683	.491	.857	C4F	.254	.291	.694
B5KL	.248	.153	.213	C5F	1.268	1.043	1.869
B6KL	.021	.008	.010	Total CF	1.525	1.346	2.605
Total BKL	1.139	.772	1.395	C5FP	.861	.816	.304
B3KF	.801	.534	1.158	C4KR	.155	.131	.400
B4KF	6.313	5.706	5.743	C4V	.175	.092	.116
B5KF	5.188	4.711	2.508	C4LL	.029	.003	.011
B6KF	1.071	.509	.244	C5LL	.008	.002	.004
Total BKF	14.373	11.460	9.653	Total CLL	.037	.005	.015
B3KD	.041	.004	.018	C4S	.416	.296	.358
B4KD	.384	.140	.320	C4KL	.365	.201	.347
B5KD	.605	.509	.438	C4KF	.540	.224	.374
B6KD	.243	.121	.117	C4KM	2.859	2.649	3.759
Total BKD	1.273	.774	.893	C4KK	.092	.133	.177
B4KV	.644	.594	.246	C4KG	.127	.046	.056
B5KV	1.538	1.156	.434	C4GK	.439	.328	.285
B6KV	.530	.300	.120	Total C	8.595	7.201	9.638
Total BKV	2.712	2.050	.800	Lugs:			
B3KM	1.421	2.152	4.704	X1L	.001	--	.003
B4KM	7.081	9.337	10.449	X2L	.005	.005	.007
				X3L	.188	.131	.495

See footnotes at end of table

Continued

Table 26.--Percentage distribution by grades for all types, 1987-89 crops--Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1987	1988	1989		1987	1988	1989
X4L	.0724	0.485	1.112	P4F	3.490	4.331	3.240
X5L	.320	.219	.273	P4F sand	.039	.108	.037
Total XL	1.238	.840	1.890	P5F	1.341	1.496	.731
X1F	--	.002	.003	P5F sand	.018	.047	.005
X2F	.007	.012	.020	Total PF	5.368	6.745	5.252
X3F	.459	.458	.995	P4G	1.006	1.007	.354
X4F	2.615	2.179	3.468	P4G sand	.012	.027	.004
X5F	1.610	1.527	1.334	P5G	.470	.447	.112
Total XF	4.691	4.178	5.820	P5G sand	.007	.009	.001
X3KR	.050	.061	.145	Total PG	1.495	1.490	.471
X4KR	.108	.114	.210	Total P	9.577	11.316	8.525
Total XKR	.158	.175	.355	Mixed:			
X3V	.167	.088	.125	M4F	--	--	.002
X4V	.419	.212	.178	M5F	--	--	.002
Total XV	.586	.300	.303	Total MF	--	--	.004
X3LL	.025	.012	.011	M4KR	--	--	--
X4LL	.038	.011	.010	M4KM	--	--	.005
Total XLL	.063	.023	.021	M5KM	--	--	.010
X3S	.163	.172	.254	Total MKM	--	--	.015
X4S	.120	.076	.098	M4GK	--	--	.002
Total XS	.283	.248	.352	M5GK	--	--	.002
X4KL	.300	.174	.241	Total MGK	--	--	.004
X4KF	.715	.433	.295	Total M	--	--	.023
X4KV	.944	.778	.214	Nondescript:			
X3KM	1.051	1.320	1.635	N1L	.751	.711	.305
X4KM	3.105	3.046	2.478	N1L sand	.006	.010	.002
Total XKM	4.156	4.366	4.113	N1XL	.552	.511	.353
X4G	.456	.218	.212	N1K	.468	.338	.311
X5G	.368	.263	.110	N1R	.031	.014	.015
Total XG	.824	.481	.322	N1GL	.820	.645	.172
X4GK	1.020	.960	.424	N1GL sand	.003	.005	--
Total X	14.978	12.956	14.350	N1GF	.199	.105	.045
Primings:				N1KV	.294	.190	.102
P2L	.016	.026	.096	N1GR	.076	.035	.014
P2L sand	--	--	--	N1GG	.016	.010	.008
P3L	.414	.612	.941	N1PO	.451	.480	.699
P3L sand	.004	.014	.008	N1PO sand	.005	.004	.003
P4L	1.745	1.912	1.504	N1XO	.334	.184	.535
P4L sand	.025	.054	.021	N1BO	.634	.433	.387
P5L	.504	.450	.230	N2	1.898	1.237	.920
P5L sand	.006	.013	.002	Total N	6.538	4.912	3.871
Total PL	2.714	3.081	2.802	No-grade 2/	.998	.968	1.009
P2F	.007	.018	.081				
P2F sand	.001	--	--				
P3F	.466	.736	1.152				
P3F sand	.006	.009	.006	Grand total	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.002 percent in 1989.

Table 27.--Average price by grade groups and types, 1989 and 1988 crops 1/

Type	1989 crop							1988 crop						
	Group							Group						
	B	H	C	X	P	M	N	B	H	C	X	P	N	
11	174	177	167	160	152	155	141	171	176	163	147	127	118	
12	173	175	165	158	151	158	145	172	176	158	150	136	134	
13	172	174	165	157	149	158	144	171	173	154	146	134	133	
14	178	183	170	159	144	143	152	174	180	162	151	136	135	
11-14	174	178	166	159	150	158	146	172	176	159	148	133	128	

1/ The mixed (M) group was restricted for the 1988 crop.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
TOBACCO DIVISION
WASHINGTON, DC 20250