



United States
Department of
Agriculture

Agricultural
Marketing
Service

TOB-FL-34


Washington, D.C.
April 1991

Tobacco Market Review

Flue-Cured, 1990 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Contents

	Page
Review of the 1990 Marketing Season	4
Summary of standard flue-cured tobacco grades	5

Tables

Table

1. Allotted sales opportunities compared to producers' sales, 1990 crop	6
2. Initial and final designation of the 1990 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1985-90 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1985-90 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1990 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1990 crop	29
17. Average weight per lot, 1985-90 crops	29
18. Tobacco received by the Stabilization Corporation, 1987-90 crops	29
19. Percentage distribution by groups and types, 1986-90 crops	30
20. Percentage distribution by qualities and types, 1986-90 crops	30
21. Percentage distribution by colors and types, 1986-90 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1986-90 crops . .	31
23. Percentage distribution by grades and types, 1990 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1990 and 1989 crops	33
25. Group averages by maturity, 1990 crop	33
26. Percentage distribution by grades for all types, 1988-90 crops	34-35
27. Average price by grade groups and types, 1990 and 1989 crops	35

Review of the 1990 Marketing Season

Auction sales of the 1990 crop of flue-cured tobacco were marked by selective bidding and increased loan receipts. Though both total volume and value increased by about 10 percent from 1989, the general average price was slightly lower. Unfavorable weather had a negative impact on quality in the South Carolina and Border North Carolina Belt, but overall, maturity improved. The volume of tobacco carried over from 1989 production was relatively light.

SALES AND AVERAGES. Producers' sales for 1990 totaled 919.2 million pounds, up 10.0 percent from 1989. The general average price of \$167.18 was down from the 1989 figure of \$167.42 per hundred. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments. Total value of producers' sales was approximately \$1,536.7 million or 9.8 percent higher than the 1989 return of \$1,399.3 million.

GRADE AVERAGES. While overall gains and losses were about evenly divided this season, a definite trend was shown in favor of premature to mellow grades. Nearly three-fourths of ripe grades in the leaf (B), smoking leaf (H), cutter (C), and priming (P) groups averaged higher than last season. Gains were \$1 to \$3 for these tobaccos with the exception of primings which were up \$2 to \$4 per hundred. Unripe grades of leaf and cutters were down mainly \$5 to \$12 with nondescript (N) tobacco recording losses of \$7 to \$18 per hundred. Ripe lugs (X) varied \$1 to \$3 with a few more losses than gains, while unripe lugs slipped \$2 to \$7 in most cases.

COMPOSITION OF OFFERINGS. Fair and good quality tobacco combined for 66.1 percent of sales this season, down 5.3 points from 1989. Low and poor quality sales increased 5.4 points to make up 28.9 percent. More leaf, smoking leaf, and primings were sold in 1990 with less cutters and lugs. Percentages by group were: leaf 61; smoking leaf 2; cutters 6; lugs 14; primings 12; and nondescript 4 percent. Maturity was better due to significant improvement in both the Old and Middle Belt and the Eastern North Carolina Belt. Offerings classed as premature to mellow made up 54.9 percent, up 5.5 points from 1989. Unripe and immature sales combined for 40.3 percent, down 5.4 points from 1989. Old and Middle Belt markets had the highest percentage of premature to mellow sales at 66.8 percent, followed by the South Carolina and Border North Carolina belt at 51.4 and Eastern North Carolina at 51.1 percent. Georgia-Florida markets had 47.9 percent classed in this category. The decline in maturity at Type 13 markets was due mainly to adverse weather conditions experienced during the growing and harvesting seasons. The three heaviest volume grades and their percentages were: B4K (12.1); B5K (8.5); and B4KM (7.5). Rounding out the top ten were: B4KF (4.5); P4F (4.4); B5KF (3.6); B4KR (3.1); X4F (2.8); X4KM (2.6); and B5KM (2.5). These ten grades accounted for 51.6 percent of all auctions in 1990.

LOAN RATES. The 1990 loan rates by grades were based on an average support level of \$1.488 per pound compared to \$1.468 for 1989. The Flue-cured Stabilization Corporation continued to deduct 1 cent per pound from the support price to offset overhead costs. The support level for 1991 was announced at \$1.528 per pound by the Secretary of Agriculture in December, 1990.

STABILIZATION RECEIPTS. Loan receipts increased sharply for the 1990 marketing season. Producers placed 74.1 million pounds or 8.1 percent of net sales under loan as opposed to 28.4 million pounds or 3.4 percent for the 1989 crop. Percentages of loan receipts by group follow:

GROUP	1990	1989
Leaf (B)	90.0	90.8
Smoking leaf (H)	3.8	4.1
Cutters (C)	1.9	4.0
Lugs (X)	3.1	0.9
Primings (P)	0.3	*
Mixed (M)	*	*
Nondescript (N)	0.9	0.2

*Less than one-tenth of one percent.

MARKETING REGULATIONS. Flue-cured tobacco auctions continued to be governed by the grower designation plan of 1974, with growers allowed to designate and sell up to 103 percent of their effective quota. For 1990, the "no net cost" assessment remained at 2 cents per pound shared equally between producers and purchasers. The Gramm-Rudman-Hollins budget deficit reduction bill resulted in a 1.4 percent reduction in the loan rate only for growers placing tobacco under loan. This translated into a 2 cent per pound reduction in loan rates that was paid for the producer by the Flue-cured Stabilization Corporation. Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) used by them had been approved by the Environmental Protection Agency (EPA) and were applied according to label directions, and that they had not planted a discount variety. The USDA-ASCS checked for compliance by random sampling. The 1990 user fee for grading services of the USDA-AMS Tobacco Division remained at 67 cents per hundred pounds.

PRELIMINARY 1991 QUOTA. The Secretary of Agriculture announced in December, 1990, a 1991 basic national marketing quota for flue-cured tobacco of 877.7 million pounds, unchanged from the 1990 crop. The 1991 effective quota of 893 million is down 4.6 percent from the 1990 effective figure of 936.1 million pounds. The national acreage allotment for 1991 is the same as 1990's 420,354 acres. In addition, the national average yield also remains unchanged at 2,088 pounds per acre.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to Standard Grademarks for Flue-cured Tobacco

Groups	Qualities	Color symbols		Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lug side
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange	PO - Oxidized primings
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red	XO - Oxidized lugs or cutters
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish	
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed	BO - Oxidized leaf or smoking leaf
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green	GL - Thin-bodied nondescript
N - Nondescript		V - Greenish	GR - Green red	GF - Medium-bodied nondescript
S - Scrap		LL - Whitish-lemon	GK - Green variegated	
			GG - Gray green	LP - Lemon (primings side)
				FP - Orange (primings side)
				KK - Excessively scorched
		Special factor	Special symbol	
		W - Wet	S - Slick	
		U - Unsound		
		Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

63 Grades of Leaf:	Leaf--Continued:	Cutters--Continued:	Lugs--Continued:
B1L	B3KD	C4LL	X3KM
B2L	B4KD	C5LL	X4KM
B3L	B5KD	C5LP	X4GK
B4L	B6KD	C1F	X4G
B5L	B4KV	C2F	X5G
B6L	B5KV	C3F	10 Grades of Primings:
B1F	B6KV	C4F	P2L
B2F	B3KM	C5F	P3L
B3F	B4KM	C5FP	P4L
B4F	B5KM	C4KR	P5L
B5F	B6KM	C4V	P2F
B6F	B3KK	C4S	P3F
B1FR	B4KK	C4KL	P4F
B2FR	B5KK	C4KF	P5F
B3FR	B6KK	C4KM	P4G
B4FR	B4G	C4KK	P5G
B5FR	B5G	C4G	7 Grades of Mixed: 2/
B6FR	B6G	C4GK	M4F
B5R	B5GR	26 Grades of Lugs:	M5F
B3K	B4GK	X1L	M4KR
B4K	B5GK	X2L	M4KM
B5K	B6GK	X3L	M5KM
B6K	B5GG	X4L	M4GK
B3KR	10 Grades of Smoking leaf:	X5L	M5GK
B4KR	H3F	X3LL	13 Grades of Nondescript:
B5KR	H4F	X4LL	N1L
B3V	H5F	X1F	N1XL
B4V	H6F	X2F	N1K
B5V	H4FR	X3F	N1R
B3S	H5FR	X4F	N1GL
B4S	H6FR	X5F	N1GF
B5S	H4K	X3KR	N1KV
B3KL	H5K	X4KR	N1GR
B4KL	H6K	X3V	N1GG
B5KL	23 Grades of Cutters:	X4V	N1PO
B6KL	C1L	X3S	N1XO
B3KF	C2L	X4S	N1BO
B4KF	C3L	X4KL	N2
B5KF	C4L	X4KF	
B6KF	C5L	X4KV	

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".

2/ Suspended for the 1987 and 1988 crops.

Table 1.--Allotted sales opportunities compared to producers' sales, 1990 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Total flue-cured 2/
	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales
	1,000 pounds										
July 19	7	8,803	8,483								7
July 26	7	10,404	10,279	12	14,286	13,966	21	17,187	16,169		40
Aug. 02	7	10,442	10,098	12	16,910	16,228	21	30,634	28,703	3	3,681
Aug. 09	7	10,404	9,893	12	16,907	15,048	21	30,522	27,569	3	4,363
Aug. 16	7	10,285	9,612	12	17,149	14,942	21	30,884	29,353	3	4,325
Aug. 23	7	10,246	10,200	12	17,109	15,837	21	30,774	29,927	3	4,325
Aug. 30	7	10,209	10,198	12	17,135	16,986	21	30,797	30,583	3	4,325
Sep. 06	7	7,688	7,699	12	12,889	12,883	21	23,150	23,241	3	3,234
Sep. 13	7	9,297	9,449	12	15,481	15,579	21	27,920	28,081	3	3,945
Sep. 20	7	9,342	9,412	12	15,307	15,314	21	28,115	28,019	3	4,077
Sep. 27	7	9,227	9,353	12	15,329	15,382	21	28,177	28,184	3	4,077
Oct. 04	7	9,362	9,359	12	15,371	15,442	21	28,115	28,203	3	4,077
Oct. 11	7	6,970	5,354	12	11,459	10,436	21	21,111	21,198	3	3,093
Oct. 18	3/	854 4/	854	12	17,243	12,207	21	31,296	28,207	3	4,547
Oct. 25		3/	18,047	2,356	21	32,183	11,242	3	4,664	4,244	14
Nov. 01											19,083
Nov. 08											18,601
Nov. 15	5/	Closed 10-16-90	Closed 10-25-90		Closed 10-31-90			Closed 11-08-90	48 4/	48	3/ 770 4/ 770
									Closed 11-13-90		3/ 818 4/ 818

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets close.

4/ Sales opportunity was not predetermined.

5/ Clean up sales held Nov. 13 in area D, and Nov. 14 in area E.

Table 2.--Initial and final designation of the 1990 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	10,412,773	11,495,889	Ahoskie	5,882,753	5,569,068
Blackshear	9,028,590	8,972,383	Cart-Aber	7,168,023	8,613,056
Claxton	6,298,752	6,099,288	Clinton	14,620,175	16,954,284
Douglas	14,659,997	15,318,879	Dunn	5,503,624	5,830,121
Fitzgerald	543,963	---	Farmville	23,487,280	24,621,149
Haz-Bax	992,976	---	Fuquay-Varina	21,694,803	22,294,282
Metter	46,625	---	Goldsboro	27,176,951	29,272,997
Moultrie	12,374,069	12,479,894	Greenville	38,561,610	38,544,027
Nashville	9,034,337	9,112,183	Kinston	43,763,174	45,451,111
Pelham	10,873,295	10,877,601	Robersonville	6,618,353	6,587,943
Statesboro	4,760,377	5,113,715	Rocky Mount	12,870,873	13,493,691
Tifton	3,634,006	3,556,281	Sanford	9,113,218	9,221,777
Val-Hira	10,750,709	10,880,861	Smithfield	28,329,623	31,194,556
Vidalia	10,291,652	10,746,957	Wallace	7,113,622	5,387,753
Total Georgia:	103,702,121	104,653,931	Wendell	3,357,122	3,228,725
Florida:			Williamston	10,334,997	10,486,661
Lake City	5,915,586	6,189,444	Wilson	80,561,142	83,794,715
Live Oak	10,413,563	10,153,128	Windsor	10,330,675	10,898,018
Madison	2,284,794	2,303,699	Total area C:	356,488,018	371,443,934
Total Florida:	18,613,943	18,646,271			
Total area A:	122,316,064	123,300,202	Marketing area D		
			North Carolina:	Pounds	Pounds
			Henderson	10,936,051	11,773,109
			Louisburg	19,476,987	20,331,308
			Oxford	12,689,395	12,612,473
			Warrenton	8,940,738	8,710,203
			Total area D:	52,043,171	53,427,093
			Marketing area E		
			North Carolina:	Pounds	Pounds
			Burl-Meb	6,398,191	6,453,470
			Mt. Airy	12,377,636	12,809,833
			Reidsville	16,926,377	16,587,160
			Roxboro	15,869,846	15,959,360
			Ston-Mad	11,968,763	12,218,526
			Winston-Salem	43,973,634	43,780,388
			Total N.C.	107,514,447	107,808,737
			Virginia:		
			Chase City	5,084,417	4,794,411
			Clarksville	8,289,497	9,081,954
			Danville	48,957,731	49,901,419
			Kenbridge	2,198,318	2,060,072
			Lawrenceville	8,858,065	8,957,754
			South Boston	20,644,079	21,094,764
			South Hill	8,773,316	9,103,996
			Total Virginia	102,805,423	104,994,370
			Total area E:	210,319,870	212,803,107
			Total flue-cured:	939,454,010	963,302,010

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured

States and markets	1990				1989			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Chase City	Aug. 1	Nov. 8	16	3	Aug. 15	Nov. 8	15	3
Clarksville	July 31	Nov. 7	26	3	Aug. 14	Nov. 9	27	3
Danville	July 31	Nov. 13	58	6	Aug. 14	Nov. 7	48	6
Kenbridge	Aug. 1	Nov. 8	10	3	Aug. 17	Nov. 8	9	3
Lawrenceville	July 31	Nov. 7	29	2	Aug. 15	Nov. 2	23	2
South Boston	July 31	Nov. 8	57	7	Aug. 14	Nov. 6	47	6
South Hill	Aug. 1	Nov. 8	28	4	Aug. 14	Nov. 7	24	4
Total Virginia			28				27	
North Carolina:								
Burl-Meb	Aug. 1	Nov. 8	27	2	Aug. 15	Oct. 30	17	2
Cart-Abr	July 26	Oct. 29	26	4	Aug. 9	Oct. 26	22	4
Fuquay-Varina	July 25	Oct. 25	52	4	Aug. 8	Oct. 26	45	4
Henderson	July 31	Oct. 31	38	5	Aug. 14	Nov. 2	34	5
Louisburg	July 31	Nov. 6	55	3	Aug. 14	Nov. 7	48	3
Mt. Airy 1/	July 31	Nov. 7	44	2	Aug. 14	Oct. 30	33	2
Oxford 2/	July 31	Nov. 8	43	4	Aug. 14	Nov. 8	34	4
Reidsville	July 31	Nov. 8	56	3	Aug. 14	Nov. 2	46	3
Roxboro	July 31	Nov. 7	54	5	Aug. 14	Nov. 2	46	5
Sanford	July 25	Oct. 24	27	3	Aug. 8	Oct. 25	23	3
Ston-Mad	July 31	Nov. 13	44	3	Aug. 14	Oct. 31	27	3
Warrenton	Aug. 1	Nov. 8	30	3	Aug. 15	Nov. 6	25	3
Winston-Salem	July 31	Nov. 13	58	7	Aug. 14	Oct. 31	44	7
Total N.C.			48				48	
Total type 11			76				75	

Type 12 - Eastern North Carolina flue-cured

North Carolina:								
Ahoskie	July 26	Oct. 30	20	1	Aug. 9	Oct. 25	15	1
Clinton	July 25	Oct. 23	49	3	Aug. 8	Oct. 31	46	4
Dunn	July 25	Oct. 24	19	2	Aug. 19	Oct. 26	12	2
Farmville	July 25	Oct. 25	52	3	Aug. 8	Oct. 31	46	3
Goldsboro	July 25	Oct. 31	54	5	Aug. 8	Nov. 1	47	5
Greenville	July 25	Oct. 25	52	7	Aug. 8	Oct. 31	47	7
Kinston	July 25	Oct. 23	50	6	Aug. 8	Oct. 31	47	5
Robersonville	July 26	Oct. 29	24	2	Aug. 9	Oct. 31	22	2
Rocky Mount	July 25	Oct. 30	38	3	Aug. 8	Oct. 26	45	5
Smithfield	July 25	Oct. 29	52	6	Aug. 8	Oct. 25	44	6
Wallace	July 26	Oct. 22	26	1	Aug. 9	Oct. 31	24	2
Wendell	July 30	Oct. 23	13	2	Aug. 14	Oct. 24	10	2
Williamston	July 25	Oct. 24	29	2	Aug. 8	Oct. 30	24	2
Wilson	July 25	Oct. 31	55	11	Aug. 8	Nov. 1	47	10
Windsor	July 25	Oct. 29	33	2	Aug. 8	Oct. 26	30	2
Total type 12			56				58	

See footnotes at end of table.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1990				1989			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 26	Oct. 15	20	3	Aug. 8	Oct. 18	20	3
Darl-Tim	July 24	Oct. 18	34	5	Aug. 7	Oct. 23	36	5
Hemingway	July 24	Oct. 22	26	2	Aug. 7	Oct. 23	30	3
Kingstree	July 25	Oct. 18	23	3	Aug. 8	Oct. 24	21	3
Lake City	July 24	Oct. 23	49	4	Aug. 7	Oct. 26	46	6
Loris	July 25	Oct. 16	22	3	Aug. 7	Oct. 23	23	3
Mullins	July 24	Oct. 23	51	4	Aug. 7	Oct. 26	46	4
Total S.C.			24				27	
North Carolina:								
Chadbourn	July 25	Oct. 17	23	3	Aug. 8	Oct. 25	23	3
Clarkton	July 24	Oct. 25	29	2	Aug. 7	Oct. 24	22	2
Fair Bluff	July 26	Oct. 15	13	3	Aug. 10	Oct. 25	13	3
Fairmont	July 24	Oct. 24	51	7	Aug. 7	Oct. 25	45	7
Lumberton	July 24	Oct. 24	51	4	Aug. 7	Oct. 25	45	4
Tabor City	July 24	Oct. 17	32	3	Aug. 7	Oct. 24	33	3
Whiteville	July 24	Oct. 18	49	6	Aug. 7	Oct. 25	44	6
Total N.C.			28				29	
Total type 13			52				56	

Type 14 - Georgia and Florida flue-cured

Georgia:								
Alma	July 17	Oct. 9	30	2	July 25	Oct. 3	28	2
Blackshear	July 18	Oct. 15	25	2	July 25	Oct. 5	25	2
Claxton	July 18	Oct. 11	19	1	July 25	Oct. 4	19	1
Douglas	July 17	Oct. 15	40	3	July 25	Oct. 4	41	3
Haz-Bax	Not operating in 1990.				Aug. 2	Sep. 25	4	2
Moultrie	July 17	Oct. 16	37	3	July 25	Sep. 27	28	3
Nashville	July 17	Oct. 11	25	2	July 25	Oct. 2	24	2
Pelham	July 17	Oct. 15	32	2	July 25	Oct. 2	25	2
Statesboro	July 18	Oct. 10	15	1	July 25	Sep. 27	12	1
Tifton	July 23	Sep. 27	10	2	July 27	Oct. 3	8	2
Val-Hira	July 18	Oct. 11	31	3	July 25	Sep. 28	26	3
Vidalia	July 17	Oct. 16	36	2	July 25	Oct. 3	29	2
Total Georgia			23				25	
Florida:								
Lake City	July 18	Oct. 11	16	1	July 25	Oct. 4	17	1
Live Oak	July 17	Oct. 10	27	2	July 25	Oct. 5	28	2
Madison	July 30	Oct. 3	6	1	July 27	Sep. 28	6	1
Total Florida			4				4	
Total type 14			27				29	
Total 11-14			211				217	

1/ Clean up sale held Nov. 14.

2/ Clean up sale held Nov. 13.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
10,000 pounds						
1990 Crop						
Alabama	884	--	884	--	--	--
Florida	3,223	--	3,223	--	--	--
Georgia	2,747	2,747	--	20	--	--
South Carolina	12,109	--	1,007	--	11,102	--
North Carolina	25,577	--	4	3,012	--	22,561
Virginia	7,477	--	--	--	7,477	--
Total	52,017	2,727	5,118	3,032	18,579	22,561
1989 Crop						
Alabama	613	--	613	--	--	--
Florida	3,130	--	3,130	--	--	--
Georgia	2,798	2,798	--	--	--	--
South Carolina	10,300	--	576	--	9,724	--
North Carolina	25,352	--	--	3,960	--	21,392
Virginia	5,905	--	--	--	5,905	--
Total	48,098	2,798	4,319	3,960	15,629	21,392

1/ Based on reports of the Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1985-90 crops 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales	Average price	Crop	Sales	Average price	Crop	
1985 2/	Pounds 236,035,250	Dollars 410,828,286	Dollars 174.05	1985 2/	Pounds 282,592,667	Dollars 481,477,931	Dollars 170.38
1986	206,410,455	308,047,524	149.24	1986	238,615,344	373,392,289	156.48
1987	196,762,052	301,659,444	153.31	1987	240,030,456	383,293,166	159.69
1988	242,354,823	384,431,536	158.62	1988	275,406,677	447,963,016	162.66
1989	253,481,860	426,982,317	168.45	1989	289,640,728	485,385,312	167.58
1990	284,357,274	480,371,433	168.93	1990	322,032,434	545,959,095	169.54
Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales	Average price	Crop	Sales	Average price	Crop	
1985 2/	Pounds 169,220,541	Dollars 291,475,175	Dollars 172.25	1985	Pounds 98,509,084	Dollars 168,828,671	Dollars 171.38
1986	132,941,036	195,965,679	147.41	1986	82,053,389	130,085,882	158.54
1987	160,587,362	259,371,950	161.51	1987	86,413,943	140,989,837	163.16
1988	175,280,516	283,302,453	161.63	1988	103,261,656	168,358,682	163.04
1989	186,019,360	308,703,764	165.95	1989	106,686,431	178,249,560	167.08
1990	192,638,263	307,417,625	159.58	1990	120,190,364	202,991,523	168.89

Types 11-14 - Total flue-cured

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
1985 2/	Pounds 786,357,542	Dollars 1,352,610,063	Dollars 172.01	1988	Pounds 796,303,672	Dollars 1,284,055,687	Dollars 161.25
1986	660,020,224	1,007,491,374	152.65	1989	835,828,379	1,399,320,953	167.42
1987	683,793,813	1,085,314,397	158.72	1990	919,218,335	1,536,739,676	167.18

1/ Auct. on sales only. Does not include nonauction sales or direct deliveries.

2/ Includes special carryover auctions.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1985-90 crops 1/

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
1985 2/	Pounds 256,470,470	Dollars 445,303,271	Dollars 173.63	Pounds 20,435,220	Dollars 168.70	Percent 8.0
1986	229,545,684	341,021,184	148.56	23,135,229	142.53	10.1
1987	219,853,069	336,821,190	153.20	23,091,017	152.27	10.5
1988	268,826,895	425,791,593	158.39	26,472,072	156.24	9.9
1989	276,581,617	465,752,946	168.40	23,099,757	167.84	8.4
1990	311,758,684	525,776,194	168.65	27,401,410	165.70	8.8

Type 12 - Eastern North Carolina

1985 2/	305,189,213	518,884,166	170.02	22,596,546	165.54	7.4
1986	261,783,701	408,933,541	156.21	23,168,357	153.40	8.9
1987	267,886,831	427,543,289	159.60	27,856,375	158.85	10.4
1988	308,193,754	501,186,876	162.62	32,787,077	162.33	10.6
1989	314,324,409	526,582,157	167.53	24,683,681	166.90	7.9
1990	353,116,291	598,364,018	169.45	31,083,857	168.59	8.8

Type 13 - South Carolina and Border North Carolina

1985 2/	187,183,820	322,212,994	172.14	17,963,279	171.11	9.6
1986	148,393,367	218,790,869	147.44	15,452,331	147.71	10.4
1987	178,239,911	287,862,577	161.50	17,652,549	161.40	9.9
1988	195,802,337	316,645,311	161.72	20,521,821	162.48	10.5
1989	205,434,547	340,990,851	165.99	19,415,187	166.30	9.5
1990	211,339,198	337,303,379	159.60	18,700,935	159.81	8.9

Type 14 - Georgia and Florida

1985 2/	113,110,887	194,167,925	171.66	14,601,803	173.54	12.9
1986	95,206,579	150,857,762	158.45	13,153,190	157.92	13.8
1987	99,513,011	162,089,355	162.88	13,099,068	161.08	13.2
1988	119,891,798	195,554,553	163.11	16,630,142	163.53	13.9
1989	121,735,812	203,572,450	167.22	15,049,381	168.27	12.4
1990	135,561,833	229,191,390	169.07	15,371,469	170.44	11.3

Types 11-14 Total flue-cured

1985 2/	861,954,390	1,480,568,356	171.77	75,596,848	169.26	8.8
1986	734,929,331	1,119,603,356	152.34	74,909,107	149.66	10.2
1987	765,492,822	1,214,316,411	158.63	81,699,009	157.92	10.7
1988	892,714,784	1,439,178,333	161.21	96,411,112	160.90	10.8
1989	918,076,385	1,536,898,404	167.40	82,248,006	167.27	9.0
1990	1,011,776,006	1,690,634,981	167.10	92,557,671	166.27	9.2

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Includes special carryover auctions.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1990 crop			1989 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Virginia:						
Chase City	4,535,426	7,705,743	169.90	4,235,023	7,061,759	166.75
Clarksville	8,166,766	13,946,994	170.78	7,646,879	12,844,374	167.97
Danville	46,733,051	79,610,488	170.35	42,703,788	72,626,118	170.07
Kenbridge	1,706,951	2,853,634	167.18	1,998,300	3,287,368	164.51
Lawrenceville	8,484,915	14,501,017	170.90	7,889,722	13,191,122	167.19
South Boston	19,155,206	32,494,316	169.64	16,264,248	27,355,230	168.19
South Hill	8,580,808	14,635,092	170.56	8,241,655	13,667,690	165.84
Total Virginia	97,363,123	165,747,284	170.24	88,979,615	150,033,661	168.62
North Carolina:						
Burl-Meb	6,086,530	10,296,818	169.17	5,848,645	9,889,850	169.10
Cart-Abr	8,369,886	13,951,802	166.69	7,042,742	11,820,544	167.84
Fuquay-Varina	21,684,781	36,539,483	168.50	19,254,438	32,397,479	168.26
Henderson	11,461,534	19,848,720	173.18	10,971,905	18,432,330	168.00
Louisburg	19,761,425	34,141,894	172.77	18,087,011	30,942,641	171.08
Mt. Airy	11,725,392	19,402,673	165.48	8,588,785	14,201,825	165.35
Oxford	11,657,292	19,453,969	166.88	10,124,815	16,961,043	167.52
Reidsville	15,111,600	25,566,532	169.18	14,692,977	24,954,229	169.84
Roxboro	14,794,521	24,979,436	168.84	14,109,099	23,915,294	169.50
Sanford	8,971,766	14,982,739	167.00	7,429,766	12,420,904	167.18
Ston-Mad	10,405,716	16,927,915	162.68	8,115,190	13,611,615	167.73
Warrenton	8,298,514	14,263,075	171.88	8,520,699	14,341,889	168.32
Winston-Salem	38,665,194	64,269,093	166.22	31,716,173	53,059,013	167.29
Total N.C.	186,994,151	314,624,149	168.25	164,502,245	276,948,656	168.36
Total type 11	284,357,274	480,371,433	168.93	253,481,860	426,982,317	168.45

Type 12 - Eastern North Carolina flue-cured

North Carolina:	1990 crop			1989 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
North Carolina:						
Ahoskie	5,092,481	8,526,954	167.44	3,919,758	6,419,569	163.77
Clinton	16,534,360	27,847,507	168.42	14,316,370	24,039,270	167.91
Dunn	5,596,014	9,316,955	166.49	3,653,774	6,098,541	166.91
Farmville	24,160,471	41,206,109	170.55	21,797,417	36,550,241	167.68
Goldsboro	28,810,696	48,894,903	169.71	29,659,346	49,600,722	167.23
Greenville	37,437,681	62,772,760	167.67	36,298,945	60,522,149	166.73
Kinston	44,440,714	75,667,433	170.27	40,857,144	68,923,469	168.69
Robersonville	6,351,831	10,767,676	169.52	5,879,641	9,746,586	165.77
Rocky Mount	12,932,328	21,797,964	168.55	16,806,429	28,090,821	167.14
Smithfield	29,965,241	50,099,232	167.19	25,327,869	42,222,386	166.70
Wallace	5,294,634	8,754,719	165.35	6,946,621	11,472,564	165.15
Wendell	3,125,586	5,264,304	168.43	2,930,508	4,964,227	169.40
Williamston	10,076,383	17,094,262	169.65	8,635,905	14,271,557	165.26
Wilson	81,915,623	140,542,415	171.57	63,616,041	107,616,195	169.17
Windsor	10,298,391	17,405,902	169.02	8,994,960	14,847,015	165.06
Total type 12	322,032,434	545,959,095	169.54	289,640,728	485,385,312	167.58

See footnote at end of table.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1990 crop			1989 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Conway	6,463,267	10,472,986	162.04	5,851,775	9,849,844	168.32
Darl-Tim	11,149,518	17,443,695	156.45	10,823,014	17,877,541	165.18
Hemingway	9,425,751	15,002,267	159.16	8,715,447	14,441,617	165.70
Kingstree	7,670,114	12,283,547	160.15	5,687,533	9,416,822	165.57
Lake City	29,382,974	45,731,850	155.64	29,298,722	48,470,704	165.44
Loris	7,220,903	11,563,028	160.13	7,354,839	12,210,924	166.03
Mullins	29,669,966	47,260,656	159.29	32,096,779	53,733,178	167.41
Total S.C.	100,982,493	159,758,029	158.20	99,828,109	166,000,630	166.29
North Carolina:						
Chadbourn	7,039,175	11,316,405	160.76	7,156,115	11,772,578	164.51
Clarkton	8,753,650	14,165,836	161.83	6,979,975	11,427,027	163.71
Fair Bluff	4,375,815	6,910,085	157.92	4,457,247	7,450,996	167.17
Fairmont	28,486,733	45,875,467	161.04	28,410,610	47,358,335	166.69
Lumberton	16,197,260	25,872,210	159.73	15,064,633	24,942,805	165.57
Tabor City	10,885,207	17,494,040	160.71	9,517,184	15,757,519	165.57
Whiteville	15,917,930	26,025,553	163.50	14,605,487	23,993,874	164.28
Total N.C.	91,655,770	147,659,596	161.10	86,191,251	142,703,134	165.57
Total type 13	192,638,263	307,417,625	159.58	186,019,360	308,703,764	165.95

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	11,258,999	18,967,062	168.46	9,509,432	15,869,616	166.88
Blackshear	8,813,382	15,080,902	171.11	8,563,247	14,343,780	167.50
Claxton	5,944,079	9,936,770	167.17	5,120,018	8,535,828	166.71
Douglas	14,901,033	24,928,441	167.29	14,155,185	23,610,818	166.80
Fitzgerald	Not operating in 1990			Not a designated market in 1989		
Haz-Bax	Not operating in 1990			729,693	1,210,752	165.93
Metter	Not operating in 1990			Not a designated market in 1989		
Moultrie	12,261,597	20,489,426	167.10	9,936,883	16,652,771	167.59
Nashville	8,998,956	15,374,889	170.85	8,260,466	13,791,655	166.96
Pelham	10,643,073	17,821,829	167.45	8,565,118	14,421,995	168.38
Statesboro	4,979,155	8,159,593	163.88	3,513,452	5,726,053	162.98
Tifton	3,465,141	5,770,327	166.53	2,704,771	4,506,497	166.61
Val-Hira	10,610,971	18,193,229	171.46	9,348,621	15,690,024	167.83
Vidalia	10,452,432	17,341,258	165.91	8,609,076	14,230,355	165.29
Total Georgia	102,328,818	172,063,726	168.15	89,015,962	148,590,144	166.93
Florida:						
Lake City	5,921,951	10,251,807	173.12	5,840,746	9,761,024	167.12
Live Oak	9,680,731	16,764,109	173.17	10,096,890	17,044,312	168.81
Madison	2,258,864	3,911,881	173.18	1,732,833	2,854,080	164.71
Total Florida	17,861,546	30,927,797	173.15	17,670,469	29,659,416	167.85
Total type 14	120,190,364	202,991,523	168.89	106,686,431	178,249,560	167.08
Total types 11-14	919,218,335	1,536,739,676	167.18	835,828,379	1,399,320,953	167.42

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1990 crop			1989 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Virginia:						
Chase City	4,745,740	8,049,485	169.61	4,395,608	7,322,163	166.58
Clarksville	9,136,339	15,526,698	169.94	8,638,139	14,486,551	167.70
Danville	50,802,522	86,358,151	169.99	46,289,243	78,688,689	169.99
Kenbridge	1,842,766	3,084,223	167.37	2,055,715	3,379,492	164.39
Lawrenceville	8,739,215	14,913,225	170.65	8,068,419	13,487,699	167.17
South Boston	21,510,086	36,369,305	169.08	17,658,877	29,684,394	168.10
South Hill	9,028,832	15,395,558	170.52	8,556,926	14,195,474	165.89
Total Virginia	105,805,500	179,696,645	169.84	95,662,927	161,244,462	168.55
North Carolina:						
Burl-Meb	6,379,342	10,781,623	169.01	6,099,226	10,317,613	169.16
Cart-Abr	9,319,202	15,580,828	167.19	7,667,297	12,880,395	167.99
Fuquay-Varina	23,188,227	39,080,132	168.53	20,710,182	34,834,038	168.20
Henderson	12,394,460	21,446,598	173.03	11,469,012	19,274,734	168.06
Louisburg	21,383,196	36,910,507	172.61	19,554,013	33,423,849	170.93
Mt. Airy	13,251,264	21,929,761	165.49	9,991,352	16,559,879	165.74
Oxford	12,351,216	20,576,318	166.59	10,552,484	17,661,919	167.37
Reidsville	16,679,631	28,151,677	168.78	16,008,688	27,197,729	169.89
Roxboro	16,477,145	27,758,678	168.47	15,716,645	26,586,051	169.16
Sanford	9,924,009	16,574,794	167.02	8,223,753	13,742,812	167.11
Ston-Mad	11,765,713	19,153,911	162.79	9,269,116	15,531,727	167.56
Warrenton	8,797,617	15,087,423	171.49	9,026,277	15,190,567	168.29
Winston-Salem	44,042,162	73,047,299	165.86	36,630,645	61,307,171	167.37
Total N.C.	205,953,184	346,079,549	168.04	180,918,690	304,508,484	168.31
Total type 11	311,758,684	525,776,194	168.65	276,581,617	465,752,946	168.40

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	5,496,658	9,209,197	167.54	4,306,332	7,066,468	164.09
Clinton	17,858,124	30,112,861	168.62	15,190,463	25,511,661	167.95
Dunn	6,005,437	10,008,364	166.66	3,910,003	6,534,201	167.11
Farmville	26,361,792	44,892,836	170.30	24,061,912	40,298,605	167.48
Goldsboro	32,448,070	55,104,958	169.83	33,057,363	55,334,833	167.39
Greenville	40,888,034	68,528,640	167.60	39,775,918	66,246,262	166.55
Kinston	48,609,101	82,596,126	169.92	42,744,013	72,074,349	168.62
Robersonville	7,014,325	11,883,515	169.42	6,505,926	10,754,306	165.30
Rocky Mount	13,497,261	22,753,129	168.58	18,187,108	30,418,596	167.25
Smithfield	32,350,747	54,048,949	167.07	27,628,817	46,045,146	166.66
Wallace	5,675,350	9,390,235	165.46	7,296,188	12,048,641	165.14
Wendell	3,219,936	5,421,557	168.37	3,023,143	5,119,559	169.35
Williamston	10,925,602	18,500,913	169.34	9,099,372	15,027,028	165.14
Wilson	91,453,198	156,824,471	171.48	69,586,699	117,663,235	169.09
Windsor	11,312,656	19,088,267	168.73	9,951,152	16,439,267	165.20
Total type 12	353,116,291	598,364,018	169.45	314,324,409	526,582,157	167.53

See footnote at end of table.

Table 8.--Gross sales, value, and average price by type, state, and market 1/
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1990 crop			1989 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Conway	6,885,576	11,160,716	162.09	6,330,307	10,585,745	167.22
Darl-Tim	12,409,683	19,545,991	157.51	11,836,925	19,597,100	165.56
Hemingway	10,345,638	16,528,585	159.76	9,570,155	15,899,676	166.14
Kingstree	8,464,323	13,599,620	160.67	6,300,643	10,447,943	165.82
Lake City	32,867,026	51,029,512	155.26	33,519,187	55,315,658	165.03
Loris	7,734,655	12,394,041	160.24	7,933,569	13,193,754	166.30
Mullins	32,903,221	52,444,771	159.39	35,742,543	59,929,747	167.67
Total S.C.	111,610,122	176,703,236	158.32	111,233,329	184,969,623	166.29
North Carolina:						
Chadbourn	7,681,531	12,363,550	160.95	7,689,210	12,660,935	164.66
Clarkton	9,425,305	15,261,749	161.92	7,489,598	12,274,748	163.89
Fair Bluff	4,686,812	7,397,614	157.84	4,833,337	8,078,383	167.14
Fairmont	31,624,270	50,901,529	160.96	31,784,020	53,014,794	166.80
Lumberton	16,724,991	26,708,611	159.69	15,762,983	26,088,013	165.50
Tabor City	11,972,839	19,226,357	160.58	10,557,613	17,494,973	165.71
Whiteville	17,613,328	28,740,733	163.18	16,084,457	26,409,382	164.19
Total N.C.	99,729,076	160,600,143	161.04	94,201,218	156,021,228	165.63
Total type 13	211,339,198	337,303,379	159.60	205,434,547	340,990,851	165.99

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	12,977,134	21,937,769	169.05	10,726,088	17,933,136	167.19
Blackshear	10,004,737	17,088,739	170.81	9,857,428	16,492,894	167.31
Claxton	6,633,222	11,099,339	167.33	5,869,704	9,764,306	166.35
Douglas	16,912,901	28,364,177	167.71	16,110,701	26,931,657	167.17
Fitzgerald	Not operating in 1990			Not a designated market in 1989		
Haz-Bax	Not operating in 1990			877,939	1,453,461	165.55
Metter	Not operating in 1990			Not a designated market in 1989		
Moultrie	13,923,078	23,301,224	167.36	11,519,105	19,326,926	167.78
Nashville	10,028,467	17,143,691	170.95	9,289,679	15,552,166	167.41
Pelham	12,066,455	20,218,538	167.56	9,859,912	16,600,340	168.36
Statesboro	5,555,113	9,118,582	164.15	3,994,333	6,527,595	163.42
Tifton	3,865,262	6,427,406	166.29	3,119,989	5,177,963	165.96
Val-Hira	11,518,778	19,748,544	171.45	10,397,359	17,499,006	168.30
Vidalia	11,849,334	19,665,011	165.96	9,884,453	16,347,536	165.39
Total Georgia	115,334,481	194,113,020	168.30	101,506,690	169,606,986	167.09
Florida:						
Lake City	6,625,337	11,474,245	173.19	6,688,975	11,172,465	167.03
Live Oak	11,048,194	19,162,800	173.45	11,634,639	19,642,318	168.83
Madison	2,553,821	4,441,325	173.91	1,905,508	3,150,681	165.35
Total Florida	20,227,352	35,078,370	173.42	20,229,122	33,965,464	167.90
Total type 14	135,561,833	229,191,390	169.07	121,735,812	203,572,450	167.22
Total types 11-14	1,011,776,006	1,690,634,981	167.10	918,076,385	1,536,898,404	167.40

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1990 crop			1989 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Virginia:						
Chase City	210,314	163.44	4.4	160,585	162.16	3.7
Clarksville	969,573	162.93	10.6	991,260	165.67	11.5
Danville	4,069,471	165.81	8.0	3,585,455	169.09	7.8
Kenbridge	135,815	169.78	7.4	57,415	160.45	2.8
Lawrenceville	254,300	162.10	2.9	178,697	165.97	2.2
South Boston	2,354,880	164.55	11.0	1,394,629	167.01	7.9
South Hill	448,024	169.74	5.0	315,271	167.41	3.7
Total Virginia	8,442,377	165.23	8.0	6,683,312	167.74	7.0
North Carolina:						
Burl-Meb	292,812	165.57	4.6	250,581	170.71	4.1
Cart-Abr	949,316	171.60	10.2	624,555	169.70	8.2
Fuquay-Varina	1,503,446	168.99	6.5	1,455,744	167.38	7.0
Henderson	932,926	171.28	7.5	497,107	169.46	4.3
Louisburg	1,621,771	170.72	7.6	1,467,002	169.13	7.5
Mt. Airy	1,525,872	165.62	11.5	1,402,567	168.12	14.0
Oxford	693,924	161.74	5.6	427,669	163.88	4.1
Reidsville	1,568,031	164.87	9.4	1,315,711	170.52	8.2
Roxboro	1,682,624	165.17	10.2	1,607,546	166.14	10.2
Sanford	952,243	167.19	9.6	793,987	166.49	9.7
Ston-Mad	1,359,997	163.68	11.6	1,153,926	166.40	12.5
Warrenton	499,103	165.17	5.7	505,578	167.86	5.6
Winston-Salem	5,376,968	163.26	12.2	4,914,472	167.83	13.4
Total N.C.	18,959,033	165.91	9.2	16,416,445	167.88	9.1
Total type 11	27,401,410	165.70	8.8	23,099,757	167.84	8.4

Type 12 - Eastern North Carolina flue-cured

North Carolina:	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Ahoskie	404,177	168.80	7.4	386,574	167.34	9.0
Clinton	1,323,764	171.13	7.4	874,093	168.45	5.8
Dunn	409,423	168.87	6.8	256,229	170.03	6.6
Farmville	2,201,321	167.48	8.4	2,264,495	165.53	9.4
Goldsboro	3,637,374	170.73	11.2	3,398,017	168.75	10.3
Greenville	3,450,353	166.82	8.4	3,476,973	164.63	8.7
Kinston	4,168,387	166.22	8.6	1,886,869	166.99	4.4
Robersonville	662,494	168.43	9.4	626,285	160.90	9.6
Rocky Mount	564,933	169.08	4.2	1,380,679	168.60	7.6
Smithfield	2,385,506	165.57	7.4	2,300,948	166.14	8.3
Wallace	380,716	166.93	6.7	349,567	164.80	4.8
Wendell	94,350	166.67	2.9	92,635	167.68	3.1
Williamston	849,219	165.64	7.8	463,467	163.00	5.1
Wilson	9,537,575	170.71	10.4	5,970,658	168.27	8.6
Windsor	1,014,265	165.87	9.0	956,192	166.52	9.6
Total type 12	31,083,857	168.59	8.8	24,683,681	166.90	7.9

See footnote at end of table.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/ --Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1990 crop			1989 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	422,309	162.85	6.1	478,532	153.78	7.6
Darl-Tim	1,260,165	166.83	10.2	1,013,911	169.60	8.6
Hemingway	919,887	165.92	8.9	854,708	170.59	8.9
Kingstree	794,209	165.71	9.4	613,110	168.18	9.7
Lake City	3,484,052	152.05	10.6	4,220,465	162.18	12.6
Loris	513,752	161.75	6.6	578,730	169.83	7.3
Mullins	3,233,255	160.34	9.8	3,645,764	169.97	10.2
Total S.C.	10,627,629	159.44	9.5	11,405,220	166.32	10.3
North Carolina:						
Chadbourn	642,356	163.02	8.4	533,095	166.64	6.9
Clarkton	671,655	163.17	7.1	509,623	166.34	6.8
Fair Bluff	310,997	156.76	6.6	376,090	166.82	7.8
Fairmont	3,137,537	160.19	9.9	3,373,410	167.68	10.6
Lumberton	527,731	158.49	3.2	698,350	163.99	4.4
Tabor City	1,087,632	159.27	9.1	1,040,429	166.99	9.9
Whiteville	1,695,398	160.15	9.6	1,478,970	163.32	9.2
Total N.C.	8,073,306	160.29	8.1	8,009,967	166.27	8.5
Total type 13	18,700,935	159.81	8.9	19,415,187	166.30	9.5

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	1,718,135	172.90	13.2	1,216,656	169.61	11.3
Blackshear	1,191,355	168.53	11.9	1,294,181	166.06	13.1
Clahton	689,143	168.70	10.4	749,686	163.87	12.8
Douglas	2,011,868	170.77	11.9	1,955,516	169.82	12.1
Fitzgerald	Not operating in 1990			Not a designated market in 1989		
Haz-Bax	Not operating in 1990			148,246	163.72	16.9
Metter	Not operating in 1990			Not a designated market in 1989		
Moultrie	1,661,481	169.23	11.9	1,582,222	169.01	13.7
Nashville	1,029,511	171.81	10.3	1,029,213	171.05	11.1
Pelham	1,423,382	168.38	11.8	1,294,794	168.24	13.1
Statesboro	575,958	166.50	10.4	480,881	166.68	12.0
Tifton	400,121	164.22	10.4	415,218	161.71	13.3
Val-Hira	907,807	171.33	7.9	1,048,738	172.49	10.1
Vidalia	1,396,902	166.35	11.8	1,275,377	166.00	12.9
Total Georgia	13,005,663	169.54	11.3	12,490,728	168.26	12.3
Florida:						
Lake City	703,386	173.79	10.6	848,229	166.40	12.7
Live Oak	1,367,463	175.41	12.4	1,537,749	168.95	13.2
Madison	294,957	179.50	11.6	172,675	171.77	9.1
Total Florida	2,365,806	175.44	11.7	2,558,653	168.29	12.7
Total type 14	15,371,469	170.44	11.3	15,049,381	168.27	12.4
Total types 11-14	92,557,671	166.27	9.2	82,248,006	167.27	9.0

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types, 1990 crop 1/

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1990 crop Season averages					1990 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							LEAF
B1L	--	--	--	191	191	191	B1L
B2L	--	--	--	--	--	189	B2L
B3L	187	187	--	187	187	186	B3L
B4L	184	185	184	185	184	183	B4L
B5L	178	181	176	181	180	173	B5L
B6L	--	(172)	--	--	(172)	168	B6L
B1F	192	--	192	--	192	191	B1F
B2F	190	190	190	189	190	189	B2F
B3F	187	187	187	187	187	186	B3F
B4F	185	185	185	185	185	184	B4F
B5F	180	181	177	182	180	173	B5F
B6F	176	(172)	171	176	173	168	B6F
B1FR	--	--	--	--	--	190	B1FR
B2FR	188	--	--	188	188	187	B2FR
B3FR	186	185	(186)	186	186	185	B3FR
B4FR	184	184	183	185	184	182	B4FR
B5FR	180	180	175	182	179	172	B5FR
B6FR	(184)	--	(178)	--	182	167	B6FR
B5R	178	(171)	149	--	160	144	B5R
B3K	181	182	181	184	182	178	B3K
B4K	179	180	177	183	179	174	B4K
B5K	172	175	170	179	174	166	B5K
B6K	164	168	160	172	164	155	B6K
B3KR	180	181	179	183	181	175	B3KR
B4KR	177	179	174	181	178	169	B4KR
B5KR	173	174	168	178	172	160	B5KR
B3V	179	175	176	177	177	170	B3V
B4V	176	175	171	177	175	164	B4V
B5V	174	173	166	173	170	156	B5V
B3S	180	178	174	175	177	164	B3S
B4S	179	171	169	175	173	159	B4S
B5S	--	170	--	(171)	171	152	B5S
B3KL	177	175	171	176	176	163	B3KL
B4KL	172	172	166	176	173	158	B4KL
B5KL	164	166	157	167	166	148	B5KL
B6KL	160	162	148	160	159	141	B6KL
B3KF	174	177	172	178	175	163	B3KF
B4KF	171	174	167	177	172	158	B4KF
B5KF	164	169	158	171	165	148	B5KF
B6KF	155	163	150	164	156	141	B6KF
B3KD	175	--	--	--	176	160	B3KD
B4KD	170	175	160	169	172	152	B4KD
B5KD	160	162	150	161	158	140	B5KD
B6KD	154	156	143	155	151	132	B6KD
B4KV	167	172	161	169	168	153	B4KV
B5KV	161	167	154	165	162	143	B5KV
B6KV	153	162	147	159	155	134	B6KV
B3KM	178	179	175	179	179	169	B3KM
B4KM	176	176	171	178	176	163	B4KM
B5KM	170	172	165	175	171	155	B5KM
B6KM	160	165	156	170	164	145	B6KM
B3KK	175	176	169	176	175	162	B3KK
B4KK	172	173	167	172	172	156	B4KK
B5KK	166	169	158	169	166	147	B5KK
B6KK	162	155	150	(161)	155	138	B6KK
B4G	166	166	155	168	165	147	B4G
B5G	156	162	149	163	157	139	B5G
B6G	150	--	138	(150)	146	131	B6G
B5GR	158	161	138	--	147	124	B5GR
B4GK	164	165	157	168	164	145	B4GK
B5GK	156	162	150	163	158	138	B5GK
B6GK	149	154	141	155	150	128	B6GK
B5GG	145	151	--	(152)	147	119	B5GG

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued

Group and grade 2/	1990 crop Season averages					1990 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
SMOKING LEAF							SMOKING LEAF
H3F	189	188	--	189	189	188	H3F
H4F	186	185	185	186	186	185	H4F
H5F	181	182	178	184	181	175	H5F
H6F	175	--	174	--	175	169	H6F
H4FR	185	(185)	(185)	185	185	183	H4FR
H5FR	181	183	175	183	181	174	H5FR
H6FR	--	--	--	--	--	168	H6FR
H4K	181	181	177	185	182	174	H4K
H5K	176	177	172	183	177	167	H5K
H6K	168	173	163	177	169	156	H6K
CUTTERS							CUTTERS
C1L	--	--	--	--	--	178	C1L
C2L	--	--	(175)	--	(175)	175	C2L
C3L	175	181	(171)	173	176	170	C3L
C4L	172	174	170	170	172	162	C4L
C5L	168	168	162	167	167	157	C5L
C5LP	157	157	152	158	157	127	C5LP
C1F	--	--	179	--	179	178	C1F
C2F	179	185	--	--	182	175	C2F
C3F	176	180	176	177	177	170	C3F
C4F	173	174	169	172	172	162	C4F
C5F	170	171	164	168	169	157	C5F
C5FP	159	158	154	157	157	127	C5FP
C4KR	168	170	165	168	168	154	C4KR
C4V	166	165	161	164	163	152	C4V
C4LL	--	--	--	--	165	140	C4LL
C5LL	--	--	--	--	--	134	C5LL
C4S	170	166	160	166	166	148	C4S
C4KL	166	163	158	167	165	147	C4KL
C4KF	166	163	155	166	161	147	C4KF
C4KM	167	166	161	166	165	150	C4KM
C4KK	164	161	157	164	161	145	C4KK
C4G	161	159	150	159	156	136	C4G
C4GK	158	158	148	160	156	131	C4GK
LUGS							LUGS
X1L	--	--	--	--	--	171	X1L
X2L	171	169	--	167	168	164	X2L
X3L	162	160	158	163	161	155	X3L
X4L	156	158	153	158	157	139	X4L
X5L	152	154	147	154	153	123	X5L
X1F	(172)	(185)	--	--	177	171	X1F
X2F	168	166	169	168	168	164	X2F
X3F	165	162	159	164	164	155	X3F
X4F	159	158	153	160	158	139	X4F
X5F	151	153	146	155	151	123	X5F
X3KR	164	162	156	161	162	147	X3KR
X4KR	160	160	152	159	158	139	X4KR
X3V	159	159	156	159	158	145	X3V
X4V	155	156	151	157	154	136	X4V
X3LL	158	158	--	--	158	130	X3LL
X4LL	(158)	--	(143)	--	154	124	X4LL
X3S	159	158	154	160	159	138	X3S
X4S	158	157	153	158	157	128	X4S
X4KL	154	155	149	156	155	125	X4KL
X4KF	155	154	141	156	150	125	X4KF
X4KV	148	151	138	149	146	121	X4KV
X3KM	161	159	156	160	159	139	X3KM
X4KM	157	157	150	158	156	129	X4KM
X4G	149	153	145	154	150	121	X4G
X5G	141	149	139	150	144	116	X5G
X4GK	150	152	143	153	150	119	X4GK

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued

Group and grade 2/	1990 crop Season averages					1990 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	157	156	158	157	157	138	P2L
P2LS	--	--	--	--	--	124	P2LS
P3L	155	156	154	156	155	129	P3L
P3LS	148	--	--	(156)	150	116	P3LS
P4L	151	154	152	153	153	122	P4L
P4LS	140	(150)	--	147	142	110	P4LS
P5L	146	150	147	150	149	0	P5L
P5LS	142	--	--	--	143	0	P5LS
P2F	157	157	156	157	157	138	P2F
P2FS	--	--	--	--	--	124	P2FS
P3F	155	156	154	156	155	129	P3F
P3FS	143	154	--	(153)	145	116	P3FS
P4F	150	153	151	154	152	122	P4F
P4FS	137	148	131	149	139	110	P4FS
P5F	144	150	146	150	147	0	P5F
P5FS	130	150	--	(130)	133	0	P5FS
P4G	150	151	147	151	150	106	P4G
P4GS	143	(148)	--	145	143	95	P4GS
P5G	143	148	140	147	145	0	P5G
P5GS	(149)	(149)	--	--	147	0	P5GS
MIXED							MIXED
M4F	(149)	(168)	--	--	160	142	M4F
M5F	--	--	--	--	153	131	M5F
M4KR	--	--	--	--	--	130	M4KR
M4KM	--	167	--	--	166	129	M4KM
M5KM	163	166	(142)	(179)	163	126	M5KM
M4GK	(164)	--	--	--	160	118	M4GK
M5GK	--	(160)	(130)	--	146	111	M5GK
NONDESCRIPT							NONDESCRIPT
N1L	136	146	136	147	141	0	N1L
N1LS	(129)	--	--	--	131	0	N1LS
N1XL	140	145	124	147	136	0	N1XL
N1K	148	157	142	161	149	120	N1K
N1R	139	(154)	136	--	137	115	N1R
N1GL	135	144	125	139	135	0	N1GL
N1GLS	--	--	--	--	(128)	0	N1GLS
N1GF	132	139	126	144	136	105	N1GF
N1KV	142	153	133	148	143	106	N1KV
N1GR	132	(149)	128	150	132	104	N1GR
N1GG	(123)	139	--	--	132	99	N1GG
N1PO	141	147	137	148	144	0	N1PO
N1POS	--	--	--	--	(140)	0	N1POS
N1XO	137	145	130	148	140	0	N1XO
N1BO	151	159	141	159	150	108	N1BO
N2	119	139	110	134	123	0	N2
NO-G	106	124	108	128	114	0	NO-G
NO-G-F	131	154	124	153	137	0	NO-G-F
NO-G-F-S	--	--	--	--	(153)	0	NO-G-F-S
NO-G-N	--	--	--	--	--	0	NO-G-N
W-unsafe	155	147	125	--	144	0	W-unsafe
U-unsound	125	145	120	138	131	0	U-unsound
S-scrap	--	--	--	--	105	0	S-scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

Table 12.--Average prices by weeks for representative grades and season averages--Type 11 1/

Type 11 - 1990 crop

Group and grade	Week ending								
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13	Sep. 20
B3F	--	--	--	--	186	187	187	187	187
B4F	--	185	--	184	184	185	185	185	185
B5F	--	--	--	--	176	179	178	180	182
B3K	--	179	--	--	180	181	181	182	183
B4K	178	178	--	176	176	178	178	179	181
B5K	--	174	--	--	171	172	173	175	176
B6K	--	--	--	--	162	164	163	167	168
B3KR	--	179	180	--	177	179	180	180	183
B4KR	177	178	179	--	174	175	176	178	180
B5KR	--	174	178	--	168	171	172	176	176
B3KL	--	--	--	--	--	169	172	173	180
B4KL	--	--	--	--	--	167	171	171	176
B3KF	176	176	175	--	169	173	177	177	180
B4KF	175	175	175	170	167	171	173	174	177
B5KF	--	173	--	157	162	165	168	168	171
B6KF	--	--	--	--	--	161	159	163	153
B5KD	--	171	174	--	--	149	160	165	168
B4KV	--	--	--	167	160	168	168	168	170
B5KV	--	--	--	159	156	161	162	162	167
B6KV	--	--	--	--	--	150	152	153	156
B3KM	--	177	--	174	174	176	178	180	182
B4KM	--	176	175	172	172	174	176	177	179
B5KM	--	--	--	167	166	170	170	172	173
B4KK	--	176	175	166	166	170	172	174	175
B4GK	--	165	160	162	161	165	166	162	169
B5GK	--	--	--	152	157	157	162	159	162
H4F	--	--	--	--	--	--	186	186	186
H5F	--	--	--	--	--	177	183	183	183
H6K	--	--	--	--	--	179	180	182	184
H5K	--	--	--	--	--	--	177	177	180
C4F	--	--	--	167	168	170	173	174	179
C5F	--	161	164	163	166	166	169	169	175
C4KR	--	--	--	164	163	166	169	170	175
C4KF	--	--	--	160	160	164	165	166	172
C4KM	--	164	163	164	164	166	168	171	175
X3L	--	158	160	160	162	162	161	165	168
X4L	--	158	159	155	156	153	154	155	161
X3F	--	160	160	160	163	164	167	167	172
X4F	--	158	160	157	157	158	158	160	164
X5F	--	157	156	150	150	148	149	148	154
X4KF	--	156	158	154	153	153	155	153	161
X4KV	152	--	154	147	146	148	145	147	154
X3KM	159	159	159	160	160	161	163	166	170
X4KM	156	158	158	156	155	156	154	158	164
X4G	154	157	154	149	145	143	142	140	145
X4GK	154	155	155	148	150	148	145	149	152
P2L	--	158	158	157	158	152	--	--	--
P3L	157	157	157	155	151	147	139	143	--
P4L	154	155	155	152	146	140	136	143	--
P2F	--	157	158	157	156	157	--	--	--
P3F	156	157	157	155	152	149	151	148	155
P4F	153	155	156	152	148	143	142	142	146
P5F	151	153	153	147	143	136	133	134	138
P4G	153	154	153	148	142	134	136	136	136
P5G	150	152	150	143	137	126	133	--	--
N1L	146	150	150	142	135	129	122	125	132
N1XL	151	--	150	144	140	136	135	134	145
N1K	--	--	--	--	--	--	150	149	155
N1GL	148	148	147	135	131	125	128	127	131
N2	135	137	135	133	127	114	111	118	118

See footnotes at end of table.

Table 12.--Average prices by weeks for representative grades and season averages--Type 11

--Continued

Type 11 - 1990 crop

Group and grade	Week ending							Season	
	Sep. 27	Oct. 4	Oct. 11	Oct. 18	Oct. 25	Nov. 1	Nov. 2/8	1990	1989
B3F	187	187	187	187	187	187	--	187	186
B4F	185	185	185	185	185	185	184	185	184
B5F	183	183	182	178	176	175	175	180	178
B3K	184	184	182	180	180	179	178	181	179
B4K	182	182	180	177	175	175	175	179	176
B5K	177	177	174	170	168	167	168	172	173
B6K	169	165	167	159	160	161	159	164	169
B3KR	184	183	182	179	177	176	175	180	177
B4KR	182	181	178	174	172	171	171	177	175
B5KR	177	178	173	169	165	166	165	173	173
B3KL	183	183	178	175	170	173	--	177	170
B4KL	178	179	173	166	164	164	--	172	168
B3KF	183	180	178	171	167	169	167	174	172
B4KF	178	177	175	166	164	163	163	171	172
B5KF	172	171	170	161	155	157	157	164	170
B6KF	159	162	156	154	148	151	149	155	164
B5KD	168	165	159	159	146	150	146	160	169
B4KV	172	171	168	162	157	160	160	167	169
B5KV	165	165	163	159	151	154	152	161	166
B6KV	159	156	156	152	148	146	143	153	162
B3KM	183	184	181	176	173	174	171	178	174
B4KM	181	181	178	171	168	169	168	176	173
B5KM	177	177	173	164	162	164	164	170	171
B4KK	179	174	172	168	164	164	--	172	171
B4GK	169	169	166	160	153	157	153	164	167
B5GK	164	162	160	154	148	151	145	156	163
H4F	186	186	186	186	186	185	185	186	185
H5F	184	184	182	181	177	175	175	181	178
H4K	184	184	183	182	181	176	175	181	179
H5K	181	182	181	176	173	170	170	176	176
C4F	182	182	183	179	--	178	--	173	171
C5F	180	181	179	172	168	165	--	170	167
C4KR	179	178	169	--	--	--	--	168	169
C4KF	170	--	152	--	--	--	--	166	165
C4KM	179	182	175	175	166	163	--	167	166
X3L	--	--	--	--	--	--	--	162	160
X4L	163	164	165	--	--	162	--	156	157
X3F	179	177	176	166	157	--	--	165	163
X4F	168	170	167	164	155	154	152	159	161
X5F	158	163	163	159	148	147	142	151	160
X4KF	164	159	155	156	146	--	--	155	160
X4KV	153	162	153	--	145	--	--	148	155
X3KM	176	--	--	--	--	--	--	161	161
X4KM	167	167	172	159	158	148	--	157	159
X4G	149	--	--	--	--	--	--	149	155
X4GK	151	163	--	--	--	--	--	150	157
P2L	--	--	--	--	--	--	--	157	155
P3L	--	--	--	--	--	--	--	155	154
P4L	--	--	--	--	--	--	--	151	151
P2F	--	--	--	--	--	--	--	157	157
P3F	159	--	--	--	--	--	--	155	155
P4F	148	152	--	144	--	153	137	150	153
P5F	133	144	--	--	124	--	--	144	148
P4G	--	--	--	--	--	--	--	150	150
PSG	--	--	--	--	--	--	--	143	145
N1L	131	133	151	132	117	127	127	136	144
N1XL	148	149	156	147	137	140	131	140	150
N1K	156	154	151	151	142	141	141	148	159
N1GL	132	134	--	120	--	--	--	135	143
N2	122	118	121	119	120	104	108	119	122

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after November 8 due to limited sales.

Table 13.--Average prices by weeks for representatives grades and season averages--Type 12 1/

Type 12 - 1990 crop

Group and grade	Week ending							
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13
B3F	--	--	--	--	186	187	187	187
B4F	--	--	--	--	185	185	185	185
B5F	--	--	--	175	178	180	182	183
B3K	--	--	--	--	179	181	181	183
B4K	178	179	176	175	177	179	179	181
B5K	176	177	175	172	172	174	175	177
B6K	176	177	--	--	165	166	166	170
B3KR	--	179	--	--	179	181	180	183
B4KR	178	179	174	173	176	178	178	180
B5KR	178	178	173	171	173	173	174	176
B4KL	--	--	163	167	168	173	177	174
B3KF	--	--	--	175	173	174	175	179
B4KF	176	177	171	169	170	172	174	177
B5KF	--	177	168	166	162	167	169	172
B6KF	--	--	--	162	155	159	161	166
B4KV	--	--	165	167	168	167	171	175
B5KV	--	--	158	160	159	163	165	169
B6KV	--	--	--	148	145	154	154	164
B3KM	--	178	174	173	176	178	180	183
B4KM	176	178	170	171	172	176	178	180
B5KM	--	--	166	166	168	172	173	176
B4KK	177	178	169	167	168	171	173	176
B5KK	--	178	--	162	163	167	171	172
B4GK	--	161	163	162	162	165	168	172
B5GK	--	170	158	157	156	161	161	166
H4K	--	--	--	--	--	180	180	184
H5K	--	--	--	--	--	179	177	180
C5L	--	158	164	164	168	170	176	175
C5LP	156	158	158	156	156	--	--	--
C4F	--	162	166	167	172	179	179	181
C5F	--	160	161	165	168	174	173	177
C5FP	157	158	158	155	158	--	--	--
C4KM	159	160	163	162	165	170	174	177
C4GK	--	156	158	155	156	160	166	166
X4L	156	157	158	156	158	158	159	162
X5L	154	156	156	151	147	152	147	--
X3F	158	159	161	161	165	166	166	165
X4F	157	158	159	156	158	159	158	163
X5F	157	156	156	151	150	149	148	154
X4V	--	157	157	154	159	158	153	--
X4KV	153	155	154	149	148	149	149	159
X3KM	157	158	160	158	161	162	161	166
X4KM	155	157	158	155	154	157	157	163
X4G	154	155	155	150	149	151	--	--
X5G	152	154	152	147	141	152	147	--
X4GK	153	155	155	149	148	150	150	156
P3L	155	156	157	154	154	156	--	--
P4L	153	155	154	151	146	149	--	--
P3F	155	156	157	154	154	155	149	--
P4F	154	155	154	149	145	144	143	144
P5F	152	153	152	144	140	139	137	138
P4G	152	154	152	145	141	141	--	--
P5G	151	152	150	142	136	136	--	--
N1L	151	151	149	142	138	135	135	134
N1XL	--	149	151	144	139	138	147	144
N1K	--	--	--	--	150	153	156	159
N1GL	149	150	147	140	132	138	136	143
N1PO	150	153	149	143	136	132	--	--
N1BO	--	--	--	--	149	154	156	161
N2	146	147	143	137	134	136	132	129

See footnotes at end of table.

Table 13.--Average prices by weeks for representative grades and season averages--Type 12
--Continued

Type 12 - 1990 crop

Group and grade	Week ending						Season	
	Sep. 20	Sep. 27	Oct. 4	Oct. 11	Oct. 18	Oct. 25	1990	1989
B3F	187	187	187	187	187	186	187	186
B4F	185	185	185	185	185	184	185	184
B5F	184	184	184	181	178	175	181	178
B3K	183	184	184	183	180	178	182	179
B4K	182	183	183	181	176	175	180	176
B5K	178	180	179	175	169	167	175	173
B6K	172	172	172	168	160	158	168	169
B3KR	183	184	184	182	178	176	181	177
B4KR	181	182	182	179	172	171	179	175
B5KR	178	179	178	173	166	164	174	175
B4KL	179	180	177	173	163	164	172	169
B3KF	179	182	182	179	173	172	177	172
B4KF	177	179	179	174	166	164	174	171
B5KF	172	175	175	170	160	155	169	170
B6KF	167	170	169	166	155	150	163	164
B4KV	175	178	178	174	164	160	172	169
B5KV	171	174	174	170	159	155	167	167
B6KV	168	168	168	167	155	152	162	164
B3KM	183	184	184	181	176	173	179	173
B4KM	181	182	182	178	170	169	176	172
B5KM	176	178	177	172	163	161	172	171
B4KK	176	179	179	174	166	166	173	175
B5KK	169	177	176	165	161	157	169	174
B4GK	174	176	176	168	161	155	165	169
B5GK	167	170	169	165	156	151	162	167
H4K	184	184	184	183	179	175	181	177
H5K	181	183	183	178	172	169	177	175
C5L	182	180	183	177	--	--	168	164
C5LP	--	--	--	--	--	--	157	155
C4F	183	185	185	183	180	--	174	170
C5F	179	181	180	179	174	--	171	167
C5FP	--	--	--	--	--	--	158	156
C4KM	179	180	181	179	175	168	166	166
C4GK	178	172	175	--	166	--	158	163
X4L	166	174	--	--	--	--	158	156
X5L	--	--	--	--	--	--	154	154
X3F	173	--	--	--	165	--	162	162
X4F	165	171	170	165	158	152	158	159
X5F	157	160	161	157	149	138	153	156
X4V	--	--	--	--	--	--	156	156
X4KV	159	164	164	--	148	--	151	155
X3KM	162	175	--	--	165	--	159	161
X4KM	165	165	169	165	157	146	157	158
X4G	--	--	--	--	--	--	153	155
X5G	--	--	--	--	--	--	149	153
X4GK	157	165	--	166	150	--	152	157
P3L	--	172	--	--	159	--	156	153
P4L	--	--	167	--	153	142	154	150
P3F	--	--	--	--	--	--	156	154
P4F	151	157	154	160	144	145	153	152
P5F	147	150	148	146	141	--	150	147
P4G	--	--	--	--	--	--	151	149
P5G	--	--	--	--	--	--	148	147
N1L	--	142	144	--	135	125	146	142
N1XL	155	158	--	--	146	137	145	149
N1K	160	160	163	160	152	144	157	160
N1GL	--	--	130	--	137	--	144	146
N1PO	--	--	--	--	--	--	147	145
N1BO	160	167	165	162	152	139	159	163
N2	139	146	154	136	135	113	139	133

1/ Average based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after November 25 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages--Type 13 1/

Type 13 - 1990 crop

Group and grade	Week ending						
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6
B4F	--	--	185	185	185	184	185
B5F	176	174	174	174	175	175	177
B3K	--	--	--	178	--	180	180
B4K	176	175	174	175	175	175	176
B5K	174	175	170	169	169	169	169
B6K	169	--	167	160	162	160	159
B4KR	176	175	172	171	172	173	173
B5KR	174	175	--	168	169	167	167
B3KF	--	--	--	173	172	169	172
B4KF	176	--	170	166	166	165	165
B5KF	172	168	162	159	158	156	155
B6KF	--	--	158	148	151	146	149
B5KD	--	--	--	152	146	143	145
B4KV	--	169	163	160	158	158	158
B5KV	--	--	157	150	151	151	152
B6KV	--	--	157	142	142	140	144
B3KM	--	--	176	172	173	173	176
B4KM	176	169	169	168	169	170	171
B5KM	--	165	163	164	165	164	163
B4KK	175	174	169	165	168	164	163
B5KK	175	--	155	158	162	152	156
B4GK	--	163	164	156	155	155	153
B5GK	147	--	156	149	148	147	149
B6GK	--	--	145	141	135	136	142
H5F	--	--	--	178	176	176	--
H4K	--	--	--	--	--	174	174
H5K	--	--	--	--	168	170	169
H6K	--	--	--	--	--	--	162
C4F	--	164	164	168	168	170	176
C5F	--	161	162	162	164	164	165
C4V	--	160	160	159	160	163	--
C4KF	--	--	158	154	153	155	156
C4KM	160	161	162	160	160	161	166
C4GK	161	156	154	148	145	140	148
X4L	156	155	154	150	147	144	--
X3F	159	159	160	158	160	159	163
X4F	157	156	155	152	149	147	151
X5F	154	152	151	145	138	134	135
X3V	159	158	155	151	154	--	--
X4V	157	154	153	146	144	143	--
X4KF	154	151	150	143	136	133	137
X4KV	153	149	146	139	129	129	133
X3KM	158	158	158	152	150	153	150
X4KM	156	155	154	147	145	143	144
X4G	155	151	147	138	133	136	138
X5G	150	147	142	133	127	126	134
X4GK	154	151	147	138	134	131	129
P4F	153	152	150	143	135	131	130
P5F	149	147	145	135	119	132	--
P4G	151	148	143	135	121	118	--
P5G	148	143	139	129	103	--	--
N1L	146	141	140	123	112	102	107
N1XL	146	145	140	129	112	110	110
N1K	163	--	159	141	136	134	138
N1GL	144	138	129	114	107	103	106
N1KV	--	--	139	129	125	127	129
N1PO	147	142	138	126	112	--	--
N1XO	--	145	141	132	122	113	126
N1BO	--	--	--	125	142	138	141
N2	133	120	123	108	101	100	99

See footnotes at end of table.

Table 14.--Average prices by weeks for representative grades and season averages--Type 13 1/
--Continued

Type 13 - 1990 crop

Group and grade	Week ending						Season	
	Sep. 13	Sep. 20	Sep. 27	Oct. 4	Oct. 11	Oct. 2/18	1990	1989
B4F	185	185	185	185	185	185	185	184
B5F	178	179	181	181	176	175	177	176
B3K	179	181	182	182	179	179	181	179
B4K	177	177	178	178	176	175	177	175
B5K	170	170	172	171	170	168	170	171
B6K	160	161	161	161	161	158	160	167
B4KR	175	175	176	175	173	171	174	173
B5KR	168	169	170	169	168	163	168	171
B3KF	172	172	174	177	--	169	172	171
B4KF	167	167	170	169	166	162	167	170
B5KF	157	157	160	160	158	155	158	169
B6KF	150	149	151	151	150	149	150	164
B5KD	149	153	153	151	--	149	150	169
B4KV	160	164	162	164	165	159	161	168
B5KV	154	155	158	157	158	154	154	166
B6KV	147	146	151	149	151	148	147	164
B3KM	176	178	179	180	177	172	175	174
B4KM	172	174	174	174	171	167	171	172
B5KM	166	166	167	167	165	159	165	170
B4KK	166	168	166	165	--	166	167	172
B5KK	155	159	166	157	163	154	158	170
B4GK	158	158	159	160	160	153	157	168
B5GK	150	152	154	153	153	148	150	165
B6GK	138	142	147	140	144	139	141	162
H5F	179	178	182	180	--	176	178	177
H4K	179	177	180	178	176	176	177	177
H5K	172	172	174	173	172	169	172	173
H6K	164	163	163	163	165	160	163	169
C4F	174	174	175	174	--	173	169	171
C5F	166	163	170	168	--	162	164	166
C4V	163	--	--	--	--	--	161	164
C4KF	157	159	161	--	--	--	155	164
C4KM	161	168	164	165	166	170	161	166
C4GK	141	--	155	146	--	--	148	162
X4L	--	--	--	--	--	--	153	156
X3F	162	--	164	--	--	--	159	162
X4F	150	150	153	149	152	150	153	158
X5F	141	142	139	137	143	136	146	154
X3V	--	--	--	--	--	--	156	159
X4V	--	--	--	--	--	--	151	156
X4KF	139	138	148	138	133	135	141	157
X4KV	135	135	133	137	129	129	138	154
X3KM	159	155	156	158	--	--	156	160
X4KM	148	145	147	151	148	138	150	157
X4G	138	--	135	--	--	--	145	153
X5G	124	--	--	131	--	125	139	150
X4GK	135	137	144	134	--	126	143	154
P4F	129	136	--	134	--	133	151	149
P5F	--	--	--	114	--	120	146	145
P4G	--	--	--	--	--	--	147	147
P5G	--	--	--	--	--	--	140	143
N1L	--	114	--	--	--	112	136	140
N1XL	120	124	126	124	--	103	124	145
N1K	134	135	144	143	148	142	142	160
N1GL	111	109	116	113	91	95	125	143
N1KV	127	129	137	138	146	137	133	159
N1PO	--	--	--	--	--	96	137	141
N1XO	125	129	123	124	138	113	130	146
N1BO	140	139	146	145	144	133	141	160
N2	110	103	120	112	107	95	110	127

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after October 18 due to limited sales.

Table 15.--Average prices by weeks for representative grades and season averages--Type 14 1/

Type 14 - 1990 crop

Group and grade	Week ending													Season	
	July 19	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13	Sep. 20	Sep. 27	Oct. 2/4	1990	1989	
B3F	--	--	--	--	186	187	187	187	187	187	187	187	187	186	
B4F	--	--	185	185	185	185	185	185	185	185	185	185	185	184	
B5F	--	--	177	177	182	183	184	184	184	184	183	184	182	181	
B3K	--	--	--	--	183	182	184	185	185	185	185	185	184	182	
B4K	--	--	175	178	180	181	182	183	184	184	183	182	183	181	
B5K	--	--	171	176	175	179	178	180	181	181	178	177	179	178	
B6K	--	--	--	170	166	170	172	173	174	173	170	168	172	174	
B3KR	--	--	--	181	181	180	182	183	184	184	185	183	183	181	
B4KR	--	--	--	178	178	179	182	181	183	183	182	181	181	180	
B4KL	--	--	--	171	170	174	174	178	180	180	181	177	176	176	
B3KF	--	--	--	173	174	172	178	177	180	182	182	180	178	176	
B4KF	--	--	169	172	170	174	175	179	180	179	178	176	177	176	
B5KF	--	--	170	170	167	171	168	174	176	172	171	166	171	175	
B6KF	--	--	--	160	163	163	158	164	170	164	165	162	164	170	
B4KV	--	--	--	166	164	167	171	175	173	173	167	164	169	176	
B5KV	--	--	--	161	159	163	164	169	173	170	161	162	165	175	
B6KV	--	--	--	156	153	155	156	166	166	162	164	157	159	173	
B3KM	--	--	172	175	175	179	182	181	183	183	183	183	179	179	
B4KM	--	165	170	173	174	177	179	181	182	181	182	180	178	178	
B5KM	--	--	172	172	172	174	175	178	179	178	178	174	175	177	
B4KK	--	--	166	173	168	172	173	176	175	177	178	--	172	175	
B4GK	--	--	165	166	165	168	169	173	175	174	173	173	168	175	
B5GK	--	--	157	162	157	161	162	169	171	167	168	161	163	173	
H3F	--	--	--	189	--	189	189	189	189	189	189	189	189	188	
H4F	--	--	--	186	186	186	186	186	186	186	186	186	186	185	
H4K	--	--	--	182	182	184	185	185	185	185	185	184	185	183	
H5K	--	--	--	179	179	183	184	185	185	185	184	181	183	182	
C5LP	156	158	158	157	160	--	--	--	--	--	--	--	158	152	
C4F	--	165	167	169	171	178	179	--	182	--	--	--	172	175	
C5F	--	--	162	165	167	173	175	175	173	181	174	--	168	173	
C4S	--	160	161	162	163	170	179	180	179	--	180	--	166	168	
C4KM	--	160	161	164	164	171	174	175	174	177	179	178	166	172	
C4GK	--	160	158	158	157	163	167	162	169	--	--	--	160	167	
X3L	--	159	161	163	166	173	170	--	--	--	--	--	163	163	
X4L	157	158	158	159	156	157	166	160	--	--	--	--	158	159	
X5L	153	155	155	157	148	149	148	--	--	--	--	--	154	156	
X3F	--	160	163	166	166	176	167	169	166	--	--	--	164	165	
X4F	156	158	158	161	161	162	160	171	172	172	177	172	160	162	
X5F	153	155	155	156	155	153	149	161	163	--	164	166	155	157	
X4KV	152	152	152	152	142	145	143	158	162	--	--	--	149	156	
X3KM	158	159	159	162	159	163	167	--	172	--	--	--	160	161	
X4KM	156	158	157	159	156	156	156	168	168	174	--	169	158	160	
X4G	152	155	154	154	150	154	151	--	--	--	--	--	154	153	
X5G	151	153	152	150	137	143	146	--	--	--	--	--	150	151	
X4GK	153	155	153	155	148	149	148	164	140	--	--	164	153	154	
P3L	154	157	156	158	151	--	--	--	--	--	--	--	156	148	
P4L	151	155	154	156	145	145	--	--	--	--	--	--	153	145	
PSL	147	152	152	151	135	--	--	--	--	--	--	--	150	139	
P3F	155	157	156	158	--	--	--	--	--	--	--	--	156	148	
P4F	152	155	154	155	149	146	142	--	--	--	--	--	154	145	
PSF	149	152	152	150	142	148	--	--	--	--	--	--	150	140	
P4G	149	153	152	150	142	--	--	--	--	--	--	--	151	142	
N1L	144	149	150	148	133	146	--	--	--	--	--	--	147	138	
N1XL	146	152	152	150	144	135	135	153	156	--	129	--	147	153	
N1K	--	--	--	--	163	163	164	162	167	160	159	153	161	169	
N1GL	139	147	144	136	128	122	128	125	--	--	--	--	139	141	
N1KV	--	--	--	142	137	147	142	154	149	149	153	154	148	166	
N1PO	143	151	150	149	143	139	--	--	--	--	--	--	148	136	
N1XO	151	153	150	149	144	132	149	148	--	--	--	--	148	150	
N2	136	143	140	135	130	125	124	123	130	138	143	133	134	144	

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after October 4 due to limited sales.

Table 16.--Warehouse charges by states, 1990 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14	25 cents on all piles over 100 pounds	2-3/4	
North Carolina	11-13	and 25 cents on all piles over 100 pounds	2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

Table 17.--Average weight per lot, 1985-90 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1985	181	184	184	189	184
1986	180	181	178	185	181
1987	179	185	181	184	183
1988 1/	189	191	193	192	191
1989	198	194	195	197	196
1990	204	202	197	195	200

1/ Maximum allowed was increased from 250 pounds to 275 pounds.

Table 18.--Tobacco received by the Stabilization Corporation, 1987-90 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent	1,000 lb.	Percent
1987	13,831	7.0	6,556	2.7	3,889	2.4
1988	7,254	3.0	4,567	1.7	2,894	1.7
1989	10,818	4.3	8,145	2.8	8,697	4.7
1990	29,243	10.3	16,489	5.1	26,378	13.7

Crop	Type 14		Types 11-14 1/	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent
1987	552	0.6	24,828	3.6
1988	438	0.4	15,152	1.9
1989	744	0.7	28,404	3.4
1990	1,981	1.7	74,091	8.1

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1986-90 crops 1/

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.
(Type 11)									
1986	--	61.1	2.4	2.8	13.4	10.7	--	8.7	0.9
1987	--	57.4	0.9	6.8	15.6	10.9	--	7.1	1.3
1988	--	60.8	1.1	4.4	14.4	12.1	--	5.7	1.5
1989	--	61.8	1.4	10.2	13.3	10.0	--	2.5	0.8
1990	--	61.5	2.8	5.7	12.5	14.5	--	2.7	0.3
(Type 12)									
1986	--	61.7	0.6	6.4	14.4	9.1	--	7.2	0.6
1987	--	61.2	0.8	9.0	13.9	9.7	--	4.8	0.6
1988	--	62.5	0.6	10.0	12.6	10.7	--	3.1	0.5
1989	--	62.7	0.6	10.6	15.0	6.7	0.1	3.5	0.8
1990	--	65.3	0.8	6.1	13.7	10.9	--	2.8	0.4
(Type 13)									
1986	--	53.7	1.5	4.3	13.9	10.7	--	13.1	2.8
1987	--	55.8	2.1	11.6	16.5	7.8	--	5.8	0.4
1988	--	62.0	2.3	7.7	12.9	9.9	--	4.5	0.7
1989	--	59.3	3.4	9.4	15.6	6.7	--	4.5	1.1
1990	--	59.9	2.0	4.6	14.7	9.7	--	7.9	1.2
(Type 14)									
1986	--	56.8	1.8	5.2	14.5	12.4	--	8.3	1.0
1987	--	54.9	2.1	6.3	14.0	9.5	--	11.2	2.0
1988	--	57.9	2.7	5.5	10.6	13.4	--	8.7	1.2
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0
1990	--	54.4	5.2	6.9	15.5	12.1	--	5.4	0.5

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

Table 20.--Percentage distribution by qualities and types, 1986-90 crops 1/

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
(Type 11)								
1986	--	0.1	5.0	42.4	35.9	7.0	8.7	0.9
1987	--	0.1	8.1	49.0	29.4	5.0	7.1	1.3
1988	--	0.1	8.7	52.6	29.3	2.1	5.7	1.5
1989	--	0.5	21.5	55.4	18.3	1.0	2.5	0.8
1990	--	0.8	16.3	57.8	20.6	1.5	2.7	0.3
(Type 12)								
1986	--	0.1	4.7	42.2	38.6	6.6	7.2	0.6
1987	--	0.1	6.8	51.2	32.7	3.8	4.8	0.6
1988	--	0.1	8.9	57.3	28.4	1.7	3.1	0.5
1989	--	0.1	14.6	59.6	20.1	1.3	3.5	0.8
1990	--	0.2	12.4	54.6	26.3	3.3	2.8	0.4
(Type 13)								
1986	--	--	2.6	37.6	35.3	8.6	13.1	2.8
1987	--	0.1	6.2	55.8	28.9	2.8	5.8	0.4
1988	--	0.1	8.8	55.2	28.0	2.7	4.5	0.7
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.1	4.7	45.1	34.7	6.3	7.9	1.2
(Type 14)								
1986	--	0.1	4.1	45.7	34.7	6.1	8.3	1.0
1987	--	0.1	3.5	45.6	32.4	5.2	11.2	2.0
1988	--	0.0	4.6	49.1	30.8	5.6	8.7	1.2
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.2	10.2	59.0	22.5	2.2	5.4	0.5

1/ Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors and types, 1986-90 crops 1/

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 2/	G-GK	Nondescript	Misc.
(Type 11)											
1986 3/	2.8	18.1	0.2	29.8	0.2	0.3	4.5	30.6	3.9	8.7	0.9
1987	5.2	17.2	0.1	17.2	0.3	1.2	4.6	37.3	8.5	7.1	1.3
1988	4.5	21.2	0.2	22.5	0.4	0.7	4.6	32.9	5.8	5.7	1.5
1989	6.3	19.8	0.1	26.5	0.1	0.5	0.9	40.4	2.1	2.5	0.8
1990	4.5	26.6	0.3	34.7	0.1	0.6	2.1	24.6	3.5	2.7	0.3
(Type 12)											
1986 3/	2.8	11.4	0.2	26.7	1.5	0.4	5.4	39.1	4.7	7.2	0.6
1987	4.4	10.4	0.1	19.6	1.9	0.7	5.1	45.8	6.6	4.8	0.6
1988	4.5	13.2	--	23.4	2.3	0.4	2.0	45.1	5.5	3.1	0.5
1989	5.4	11.9	0.1	20.6	0.7	0.5	0.9	52.6	3.0	3.5	0.8
1990	4.0	13.4	0.1	32.6	0.4	0.6	3.4	36.3	6.0	2.8	0.4
(Type 13)											
1986 3/	3.0	12.2	0.1	21.6	1.2	0.8	7.2	29.2	8.8	13.1	2.8
1987	3.4	17.2	0.1	26.8	2.6	1.5	1.5	33.9	6.8	5.8	0.4
1988	2.9	15.3	0.1	30.9	2.2	0.9	1.7	34.5	6.3	4.5	0.7
1989	4.3	20.0	0.1	31.3	0.7	0.9	1.0	32.7	3.4	4.5	1.1
1990	1.9	16.3	0.2	31.7	0.1	1.2	5.8	26.3	7.4	7.9	1.2
(Type 14)											
1986 3/	5.0	17.4	--	30.2	0.8	0.9	3.2	26.4	6.8	8.3	1.0
1987	4.9	15.2	--	25.1	0.7	0.4	2.4	31.7	6.4	11.2	2.0
1988	5.7	14.1	--	25.3	0.5	0.3	3.1	32.1	9.0	8.7	1.2
1989	5.3	19.5	--	27.7	1.0	0.4	2.2	30.7	4.9	6.9	1.4
1990	7.1	19.4	0.1	20.3	0.4	0.6	4.2	33.9	8.1	5.4	0.5

1/ Dashes indicate a percentage of less than 0.1.

2/ Includes KL, KF, KD, KK, KM and S colors for 1986-90.

3/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1986-90 crops 1/

Crop year	(Group)										
	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.		
1986	--	59.3	1.5	4.7	14.0	10.3	--	9.0	1.2		
1987	--	58.0	1.3	8.6	15.0	9.6	--	6.5	1.0		
1988	--	61.3	1.4	7.2	13.0	11.3	--	4.9	0.9		
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0		
1990	--	61.2	2.4	5.8	13.9	11.9	--	4.2	0.6		
Crop year	(Quality)										
	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.			
1986	--	0.1	4.3	41.7	36.6	7.1	9.0	1.2			
1987	--	0.1	6.6	50.9	30.8	4.1	6.5	1.0			
1988	--	0.1	8.3	54.3	28.9	2.6	4.9	0.9			
1989	--	0.2	14.8	56.6	21.8	1.7	3.9	1.0			
1990	--	0.3	11.6	54.5	25.7	3.1	4.2	0.6			
Crop year	(Color)										
	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K 3/	G-GK	Nondescript	Misc.
1986 4/	3.1	14.4	0.1	27.1	1.0	0.5	5.2	32.8	5.6	9.0	1.2
1987	4.5	14.5	0.1	21.2	1.5	1.0	3.8	38.7	7.2	6.5	1.0
1988	4.3	16.2	0.1	25.0	1.5	0.6	2.9	37.4	6.2	4.9	0.9
1989	5.4	17.1	0.1	25.7	0.5	0.6	1.0	41.6	3.1	3.9	1.0
1990	4.3	18.7	0.2	30.8	0.2	0.7	3.6	30.7	6.0	4.2	0.6

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

3/ Includes KL, KF, KD, KK, KM and S colors for 1986-90

4/ Grade changes occurred in 1986. KK color was added and maturity on LL changed from ripe to unripe.

Table 23.--Percentage distribution by grades and types, 1990 crop 1/

Group and grade	1990 crop				Group and grade	1990 crop			
	11	12	13	14		11	12	13	14
Leaf:					Smoking leaf:				
B1L	--	--	--	.009	H3F	.024	.008	--	.631
B2L	.001	--	--	.002	H4F	.565	.047	.044	1.564
B3L	.028	.008	.001	.017	H5F	.193	.021	.204	.194
B4L	.128	.023	.013	.123	H6F	.004	--	.010	.002
B5L	.059	.019	.006	.050	H4FR	.042	.003	.004	.034
B6L	--	.001	--	--	H5FR	.015	.007	.015	.015
B1F	.034	.001	.006	.002	H6FR	--	.001	--	--
B2F	.066	.022	.009	.049	H4K	1.302	.292	.349	1.517
B3F	.510	.211	.085	.409	H5K	.573	.352	1.000	1.052
B4F	3.612	.927	1.253	2.785	H6K	.095	.124	.415	.168
B5F	1.797	.624	1.464	.884	Total H	2.813	.855	2.041	5.177
B6F	.009	.001	.025	.014	Cutters:				
B1FR	--	--	--	.002	C1L	--	--	.001	--
B2FR	.011	--	--	.018	C2L	--	--	.004	--
B3FR	.020	.007	.004	.007	C3L	.022	.009	.005	.013
B4FR	.116	.051	.122	.010	C4L	.138	.086	.028	.271
B5FR	.067	.035	.068	.021	C5L	.151	.175	.072	.224
B6FR	.004	--	.004	.001	C5LP	.033	.151	.018	.334
B5R	.008	.002	.022	--	C1F	--	--	.005	--
B3K	3.692	1.667	.510	.606	C2F	.006	.006	--	--
B4K	16.538	11.913	9.109	8.658	C3F	.143	.052	.025	.012
B5K	6.651	9.401	12.431	5.213	C4F	1.448	.303	.356	.744
B6K	.718	1.758	3.337	.649	C5F	1.483	.616	.819	.655
B3KR	1.108	.656	.171	.452	C5FP	.022	.230	.021	.135
B4KR	2.920	4.384	2.680	1.513	C4KR	.256	.085	.105	.098
B5KR	.513	1.816	1.489	.305	C4V	.059	.113	.218	.117
B3V	.033	.025	.014	.044	C4LL	.002	.001	.001	.002
B4V	.124	.076	.217	.163	C5LL	--	--	.001	--
B5V	.032	.014	.074	.022	C4S	.065	.157	.060	.358
B3S	.031	.048	.041	.075	C4KL	.133	.084	.030	.168
B4S	.019	.072	.032	.186	C4KF	.245	.162	.460	.232
B5S	.002	.003	--	.005	C4KM	1.280	3.015	1.589	2.622
B3KL	.212	.060	.022	.082	C4KK	.047	.196	.098	.124
B4KL	.456	.296	.055	.707	C4G	.023	.057	.111	.166
B5KL	.080	.136	.024	.216	C4GK	.157	.565	.513	.579
B6KL	.005	.012	.007	.013	Total C	5.713	6.063	4.540	6.854
B3KF	.690	.198	.247	.375	Lugs:				
B4KF	5.795	3.395	3.805	5.616	X1L	--	--	--	--
B5KF	3.251	3.141	5.510	3.223	X2L	.005	.009	--	.015
B6KF	.276	.490	1.114	.388	X3L	.294	.260	.098	.544
B3KD	.005	.002	--	--	X4L	.454	.670	.259	1.124
B4KD	.083	.090	.017	.008	X5L	.085	.165	.084	.345
B5KD	.265	.136	.217	.037	X1F	.003	.002	--	.001
B6KD	.082	.105	.150	.024	X2F	.057	.019	.023	.025
B4KV	.513	.772	1.117	1.015	X3F	1.710	.645	.502	.929
B5KV	.869	1.510	2.625	1.764	X4F	3.500	2.131	2.739	2.934
B6KV	.200	.453	.827	.558	X5F	1.244	1.048	1.915	1.242
B3KM	2.087	3.062	.633	1.852	X3KR	.141	.068	.057	.036
B4KM	5.124	10.054	4.692	9.007	X4KR	.163	.073	.087	.065
B5KM	.713	3.727	2.341	2.802	X3V	.122	.122	.239	.066
B6KM	.009	.182	.090	.094	X4V	.181	.286	.450	.179
B3KK	.142	.170	.008	.037	X3LL	.010	.003	--	--
B4KK	.295	1.032	.409	.451	X4LL	.003	.001	.003	.002
B5KK	.090	.323	.228	.135	X3S	.087	.116	.028	.193
B6KK	.006	.039	.018	.004	X4S	.022	.062	.019	.130
B4G	.041	.048	.056	.187	X4KL	.175	.068	.030	.126
B5G	.027	.017	.059	.069	X4KF	.602	.151	.891	.215
B6G	.004	--	.005	.004	X4KV	.530	.610	1.231	.852
B5GR	.005	.007	.026	--	X3KM	.891	2.154	.901	1.332
B4GK	.691	1.133	.991	1.883	X4KM	1.371	3.337	2.568	2.840
B5GK	.518	.745	1.124	1.313	X4G	.236	.409	.691	.711
B6GK	.086	.148	.245	.221	X5G	.101	.240	.592	.385
B5GG	.014	.008	.001	.006	X4GK	.503	1.097	1.321	1.260
Total B	61.485	65.256	59.850	54.385	Total X	12.490	13.746	14.728	15.552

See footnotes at end of table.

Table 23.--Percentage distribution by grades and types, 1990 1/--Continued

Group and grade	1990 crop				Group and grade	1990 crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript:				
P2L	.263	.064	.015	.029	N1L	.524	.420	.759	.629
P2L sand	.001	--	--	--	N1L sand	.003	.001	.001	--
P3L	1.267	1.138	.304	1.205	N1XL	.464	.165	.846	.531
P3L sand	.008	.001	--	.004	N1K	.239	.248	.992	.366
P4L	1.405	1.180	.786	2.539	N1R	.008	.003	.098	--
P4L sand	.033	.002	--	.019	N1GL	.325	.511	1.194	.976
P5L	.185	.216	.181	.619	N1GL sand	--	.001	.001	.001
P5L sand	.006	--	--	.002	N1GF	.048	.076	.094	.088
P2F	.421	.060	.041	.044	N1KV	.156	.174	.418	.279
P2F sand	--	--	--	--	N1GR	.012	.002	.030	.005
P3F	2.942	1.676	.815	1.278	N1GG	.003	.003	.001	.001
P3F sand	.031	.004	--	.007	N1PO	.141	.231	.499	.537
P4F	5.360	3.932	4.346	4.048	N1PO sand	.001	--	--	.004
P4F sand	.172	.014	.008	.049	N1XO	.088	.120	.449	.437
P5F	1.277	1.050	1.642	.958	N1BO	.075	.273	.679	.270
P5F sand	.027	.004	.001	.004	N2	.578	.563	1.788	1.266
P4G	.888	1.139	1.160	1.005	Total N	2.665	2.791	7.849	5.390
P4G sand	.010	.003	.002	.009	No-grade 2/	.160	.253	.957	.283
P5G	.222	.397	.451	.279	No-G-F sand	.002	.001	--	--
P5G sand	.003	.002	--	--	W - unsafe	.006	.051	.015	.001
Total P	14.521	10.882	9.752	12.098	U - unsound	.133	.087	.253	.255
Mixed:					S - scrap	.001	--	.001	--
M4F	.002	.002	--	--	Grand total	100.000	100.000	100.000	100.000
M5F	--	.002	.002	--					
M4KR	--	--	--	--					
M4KM	.001	.004	.001	.002					
M5KM	.004	.005	.004	.004					
M4GK	.003	--	.002	--					
M5GK	.001	.002	.005	--					
Total M	.011	.015	.014	.006					

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes grades No-G and No-G-F.

Table 24.--Percentage breakdown of marketings by selected groupings, 1990 and 1989 crops

Grouping	Type 11		Type 12		Type 13		Type 14		Types 11-14	
	1990	1989	1990	1989	1990	1989	1990	1989	1990	1989
Premature to mellow	66.8	53.3	51.1	39.2	51.4	57.3	47.9	53.9	54.9	49.4
Unripe	26.7	41.3	39.7	53.5	32.1	33.7	38.1	32.9	34.3	42.6
Immature	3.5	2.1	6.0	3.0	7.4	3.4	8.1	4.9	6.0	3.1
Nondescript	2.7	2.5	2.8	3.5	7.9	4.5	5.4	6.9	4.2	3.9
No-grade 1/	0.3	0.8	0.4	0.8	1.2	1.1	0.5	1.4	0.6	1.0
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, off-type, and nested; also unsafe keeping order and unsound.

Also includes grade No-G-F.

Table 25.--Group averages by maturity, 1990 crop

GROUP	MATURE TO MELLOW		PREMATURE	UNRIPE	IMMATURE
	dollars per hundred pounds				
Leaf (B)	177.29	--		170.93	160.76
Smoking Leaf (H)	180.45	--		--	--
Cutters (C)	169.93	157.36		164.82	156.06
Lugs (X)	157.26	--		154.73	149.05
Mixed (M)	157.51	--		164.24	151.63
Primings (P)	--	152.25		--	148.70
Total:	173.90	152.37		167.78	153.88
Nondescript	.00	.00		.00	137.00
No-grade 1/	.00	.00		.00	123.66

1/ Includes tobacco defined as decayed, off-type, and nested; also includes unsafe keeping order unsound, and scrap.

Table 26.--Percentage distribution by grades for all types, 1988-90 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1988	1989	1990		1988	1989	1990
Leaf:				B3KK	.071	.277	.108
B1L	--	--	.002	B4KK	.795	1.497	.607
B2L	.001	.002	.001	B5KK	.345	.367	.207
B3L	.008	.014	.014	B6KK	.014	.015	.020
B4L	.064	.042	.068	Total BKK:	--	1.225	2.156
B5L	.040	.045	.033			----	.942
B6L	--	.001	.001	B4G	.041	.039	.073
Total BL:	.113	.104	----	B5G	.035	.017	.037
B1F	.002	.002	.011	B6G	.002	.001	.003
B2F	.019	.010	.036	Total BG:	--	.078	----
B3F	.258	.116	.304			.057	----
B4F	1.631	1.304	2.057	B5GR	.015	.015	.009
B5F	1.713	1.679	1.154	B4GK	1.218	.766	1.118
B6F	.021	.007	.010	B5GK	1.294	.565	.857
Total BF:	3.644	3.118	----	B6GK	.246	.092	.162
B1FR	--	--	--	Total BGK:	--	2.758	----
B2FR	--	.002	.006			1.423	----
B3FR	.003	.002	.010	B5GG	.031	.035	.008
B4FR	.026	.029	.075	Total B:	--	61.248	----
B5FR	.045	.020	.048			60.759	----
B6FR	.004	--	.002	Smoking leaf			
Total BFR:	.078	.053	----	H3F	.017	.015	.122
B5R	.007	.004	.007	H4F	.135	.135	.458
B3K	.938	1.094	1.812	H5F	.140	.173	.135
B4K	10.404	9.375	12.065	H6F	.004	.004	.003
B5K	7.428	5.633	8.484	Total HF:	--	.296	----
B6K	1.103	.824	1.579			.327	----
Total BK:	19.873	16.926	23.940	H4FR	.004	.007	.019
B3KR	.433	1.037	.651	H5FR	.014	.016	.012
B4KR	2.543	4.302	3.144	H6FR	--	.002	--
B5KR	.787	1.181	1.127	Total HFR:	--	.018	----
Total BKR:	3.763	6.520	4.922			.025	----
B3V	.022	.034	.028	H4K	.399	.467	.798
B4V	.132	.092	.131	H5K	.550	.805	.661
B5V	.043	.020	.032	H6K	.136	.201	.180
Total BV:	.197	.146	----	Total HK:	--	1.085	----
B3S	.064	.162	.046			1.473	----
B4S	.077	.120	.070	Total H:	--	1.399	----
B5S	.004	.007	.003			1.825	----
Total BS:	.145	.289	----	Cutters			
B3KL	.120	.315	.099	C1L	--	--	--
B4KL	.491	.857	.367	C2L	--	--	.001
B5KL	.153	.213	.113	C3L	.004	.004	.013
B6KL	.008	.010	.009	C4L	.054	.175	.122
Total BKL:	.772	1.395	----	C5L	.212	.427	.157
B3KF	.534	1.158	.374	Total CL:	--	.270	----
B4KF	5.706	5.743	4.528			.606	----
B5KF	4.711	2.508	3.641	C5LP	.664	.236	.125
B6KF	.509	.244	.533	C1F	.002	--	.001
Total BKF:	11.460	9.653	9.076	C2F	--	.001	.004
B3KD	.004	.018	.002	C3F	.010	.041	.065
B4KD	.140	.320	.059	C4F	.291	.694	.706
B5KD	.509	.438	.169	C5F	1.043	1.869	.900
B6KD	.121	.117	.093	Total CF:	--	1.346	----
Total BKD:	.774	.893	----			2.605	1.676
B4KV	.594	.246	.811	C5FP	.816	.304	.116
B5KV	1.156	.434	1.593	C4KR	.131	.400	.138
B6KV	.300	.120	.474	C4V	.092	.116	.119
Total BKV:	2.050	.800	2.878	C4LL	.003	.011	.001
B3KM	2.152	4.704	2.112	C5LL	.002	.004	--
B4KM	9.337	10.449	7.484	Total CLL:	--	.005	----
B5KM	2.675	1.949	2.469			.015	----
B6KM	.101	.070	.101	C4S	.296	.358	.149
Total BKM:	14.265	17.172	12.166	C4KL	.201	.347	.102
				C4KF	.224	.374	.254
				C4KM	2.649	3.759	2.195
				C4KK	.133	.177	.123
				C4G	.046	.056	.077
				C4GK	.328	.285	.445
				Total C:	--	7.201	9.638
							5.813
				Lugs			
				X1L	--	.003	--
				X2L	.005	.007	.007
				X3L	.131	.495	.289
				X4L	0.485	1.112	.584

See footnotes at end of table

Table 26.--Percentage distribution by grades for all types, 1989-90 crops 1/--Continued

Group and grade	Crop of:			Group and grade	Crop of:						
	1988	1989	1990		1988	1989	1990				
X5L	.219	.273	.160	P3F sand	.009	.006	.011				
Total XL: --	.840	----	1.890	----	1.068	P4F	4.331	3.240	4.424		
X1F	.002	.003	.001	P4F sand	.108	.037	.063				
X2F	.012	.020	.031	P5F	1.496	.731	1.210				
X3F	.458	.995	.960	P5F sand	.047	.005	.010				
X4F	2.179	3.468	2.766	Total PF: --	6.745	----	5.252	----	7.657		
X5F	1.527	1.334	1.303	P4G	1.007	.354	1.051				
Total XF: --	4.178	----	5.820	----	5.061	P4G sand	.027	.004	.006		
X3KR	.061	.145	.080	P5G	.447	.112	.338				
X4KR	.114	.210	.099	P5G sand	.009	.001	.002				
Total XKR: --	.175	----	.355	----	.179	Total PG: --	1.490	----	.471	----	1.397
X3V	.088	.125	.134	Total P: --	11.316	----	8.525	----	11.881		
X4V	.212	.178	.269	Mixed							
Total XV: --	.300	----	.303	----	.403	M4F	-	.002	.001		
X3LL	.012	.011	.004	M5F	-	.002	.001				
X4LL	.011	.010	.002	Total MF: --	-	----	.004	----	.002		
Total XLL: --	.023	----	.021	----	.006	M4KR	-	--	--		
X3S	.172	.254	.105	M4KM	-	.005	.002				
X4S	.076	.098	.055	M5KM	-	.010	.004				
Total XS: --	.248	----	.352	----	.160	Total MKM: --	-	----	.015	----	.006
X4KL	.174	.241	.100	M4GK	-	.002	.001				
X4KF	.433	.295	.429	M5GK	-	.002	.002				
X4KV	.778	.214	.750	Total MGK: --	-	----	.004	----	.003		
X3KM	1.320	1.635	1.420	Total M: --	-	----	.023	----	.011		
X4KM	3.046	2.478	2.561	Nondescript							
Total XKM: --	4.366	----	4.113	----	3.981	N1L	.7 1	.305	.551		
X4G	.218	.212	.470	N1L sand	.010	.002	.001				
X5G	.263	.110	.295	N1XL	.511	.353	.443				
Total XG: --	.481	----	.322	----	.765	N1K	.338	.311	.410		
X4GK	.960	.424	1.006	N1R	.014	.015	.022				
Total X: --	12.956	----	14.350	----	13.908	N1GL	.645	.172	.674		
Primings				N1GL sand	.005	--	.001				
P2L	.026	.096	.103	N1GF	.105	.045	.074				
P2L sand	--	--	--	N1KV	.190	.102	.234				
P3L	.612	.941	1.025	N1GR	.035	.014	.011				
P3L sand	.014	.008	.003	N1GG	.010	.008	.002				
P4L	1.912	1.504	1.408	N1PO	.480	.699	.312				
P4L sand	.054	.021	.013	N1PO sand	.004	.003	.001				
P5L	.450	.230	.273	N1XO	.184	.535	.231				
P5L sand	.013	.002	.002	N1BO	.433	.387	.297				
Total PL: --	3.081	----	2.802	----	2.827	N2	1.237	.920	.927		
P2F	.018	.081	.152	Total N: --	4.912	----	3.871	----	4.191		
P2F sand	--	--	--	No-grade 2/	.968		1.009		.557		
P3F	.736	1.152	1.787	Grand total:	100.000		100.000		100.000		

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.001 percent in 1990.

Table 27.--Average price by grade groups and types, 1990 and 1989 crops 1/

1990 crop								1989 crop							
Type	B	H	C	X	P	M	N	B	H	C	X	P	M	N	
11	175	180	169	158	151	161	135	174	177	167	160	152	155	141	
12	175	179	165	156	153	165	147	173	175	165	158	151	158	145	
13	167	172	160	148	149	140	127	172	174	165	157	149	158	144	
14	177	185	166	157	153	177	144	178	183	170	159	144	143	152	
11-14	174	180	166	155	152	160	137	174	178	166	159	150	158	146	