



United States
Department of
Agriculture

Agricultural
Marketing
Service


TOB-FL-35

April 1992


Washington, D.C.

Tobacco Market Review

Flue-cured, 1991 Crop



Flue-Cured Tobacco Auction Markets and Marketing Areas



Flue-cured auction markets were grouped into broad marketing areas by the Flue-Cured Tobacco Advisory Committee. Buyers and inspectors were assigned to marketing areas based on designations by growers.

Contents

	Page
Review of the 1991 Marketing Season	4
Summary of standard flue-cured tobacco grades	5

Tables

Table

1. Allotted sales opportunities compared to producers' sales, 1991 crop	6
2. Initial and final designation of the 1991 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1986-91 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1986-91 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1991 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1991 crop	29
17. Average weight per lot, 1986-91 crops	29
18. Tobacco received by the Stabilization Corporation, 1988-91 crops	29
19. Percentage distribution by groups and types, 1987-91 crops	30
20. Percentage distribution by qualities and types, 1987-91 crops	30
21. Percentage distribution by colors and types, 1987-91 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1987-91 crops . .	31
23. Percentage distribution by grades and types, 1991 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1991 and 1990 crops	33
25. Group averages by maturity, 1991 crop	33
26. Percentage distribution by grades for all types, 1989-91 crops	34-35
27. Average price by grade groups and types, 1991 and 1990 crops	35

Review of the 1991 Marketing Season

A good demand and improved quality highlighted marketing of the 1991 crop of flue-cured tobacco. The crop was smaller due to a lower effective quota, but a significant gain was shown in the general average price. Weather conditions were good with the exception of the Georgia-Florida area, which suffered from excessive rainfall. Overall maturity was the best in fifteen years. This year's auctions contained approximately twenty-five million pounds carried over from 1990 production.

SALES AND AVERAGES. Producers' sales for 1991 totaled 882.7 million pounds, down 4.0 percent from 1990. The general average price of \$172.42 was up \$5.24 from the 1990 figure of \$167.18 per hundred. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments. Total value of producers' sales was \$1,521.9 million or 1.0 percent lower than the 1990 return of \$1,536.7 million.

GRADE AVERAGES. The great majority of grade averages recorded gains from 1990 levels. Ripe grades of leaf (B) as well as smoking leaf (H) were up mainly \$1 to \$3, while cutters (C) and ripe lugs (X) gained \$1 to \$5 per hundred. Unripe leaf, unripe lugs, and primings (P) increased \$3 to \$9 in most cases. Nondescript (N) grades recorded the largest gains of mainly \$8 to \$14 per hundred. The practical top bid was \$187 compared to \$185 for the 1990 crop.

COMPOSITION OF OFFERINGS. Tobacco grading fair quality or better gained 5.8 percentage points to account for 72.2 percent of all sales. Low and poor quality dropped 6.4 points, making up 22.4 percent. Less leaf and primings were sold this year with increases in smoking leaf and cutters. Percentages by group were: leaf 59; smoking leaf 4; cutters 8; lugs 15; primings 9; and nondescript 5 percent. Maturity of offerings showed improvement in all belts. Overall, sales classed as premature to mellow made up 64.5 percent, up 9.6 points from 1990 and the highest proportion since the 1976 crop. Unripe and immature sales combined for 30.1 percent, down 10.2 points. Old and Middle Belt markets had 70.8 percent grading premature to mellow followed by the South Carolina and Border North Carolina Belt with 65.2 percent, Eastern North Carolina at 62.1, and the Georgia-Florida Belt at 55.1 percent. The three heaviest volume grades and their percentages were: B4K (14.2); B4KM (6.8); and B5K (6.8). Rounding out the top ten grades were: B3K (4.8); X4F (4.2); B4KR (4.2); P4F (4.0); B3KM (2.7); B4KF (2.7); and B4F (2.5). These ten grades made up 52.9 percent of all auctions in 1991.

LOAN RATES. Loan rates by grades for the 1991 crop were based on an average support level of \$1.528 per pound, compared to \$1.488 for 1990. The Flue-Cured Stabilization Corporation continued to deduct one cent per pound from the support price to offset overhead

costs. The support level for 1992 was announced at \$1.560 per pound by the Secretary of Agriculture in December, 1991.

STABILIZATION RECEIPTS. Less tobacco was placed under loan from the 1991 crop. Producers delivered 49.6 million pounds or 5.6 percent of net sales to the Stabilization Corporation, as opposed to 74.1 million pounds or 8.1 percent from the 1990 crop. Percentages of loan receipts by group follow:

GROUP	1991	1990
Leaf (B)	81.1	90.0
Smoking leaf (H)	7.4	3.8
Cutters (C)	8.0	1.9
Lugs (X)	3.1	3.1
Primings (P)	*	0.3
Mixed (M)	*	*
Nondescript (N)	0.4	0.9

*Less than one-tenth of one percent.

MARKETING REGULATIONS. Auctions were again governed by the grower designation plan started in 1974, with growers allowed to designate and sell up to 103 percent of their effective quota. For 1991, the "no net cost" assessment was 0.4720 cents per pound with a new "marketing assessment" of 1.528 cents per pound (10 percent of the average loan level). These assessments totaled 2.0 cents per pound with producers and purchasers paying 1.0 cent each. In 1990, the "no net cost" assessment was 2.0 cents per pound, also shared equally by buyers and producers. Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) used by them had been approved by the Environmental Protection Agency (EPA) and were applied according to label directions, and that they had not planted a discount variety. The USDA-ASCS checked for compliance by random sampling. The 1991 user fee for grading services of the USDA-AMS Tobacco Division was raised from 67 to 70 cents per hundred pounds.

PRELIMINARY 1992 INFORMATION. The 1992 basic marketing quota, announced in December, 1991, by the Secretary of Agriculture, is 890.8 million pounds, up 1.5 percent from the 1991 figure of 877.9 million pounds. The 1992 effective quota of 898 million is up 7 percent from 1991. The national acreage allotment for 1992 is 427,107 acres, up from 420,354. The national average yield goal remained at 2,088 pounds per acre. The "marketing assessment" for 1992 was announced at 1.56 cents per pound, shared equally by growers and buyers. A "no-net-cost" assessment of 0.44 cents was announced in December, 1991. This assessment is also shared equally. Growers voted Jan. 6-9, 1992, to decide whether marketing quotas on an acreage-poundage basis will continue for the next three years. Over 98 percent voted in favor of continuing the program.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to Standard Grademarks for Flue-cured Tobacco

Groups	Qualities		Color symbols	Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lug side
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange	PO - Oxidized primings
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red	XO - Oxidized lugs or cutters
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish	BO - Oxidized leaf or smoking leaf
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed	GL - Thin-bodied nondescript
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green	GF - Medium-bodied nondescript
N - Nondescript		V - Greenish	GR - Green red	LP - Lemon (primings side)
S - Scrap		LL - Whitish-lemon	GK - Green variegated	FP - Orange (primings side)
			GG - Gray green	KK - Excessively scorched
		Special factor	Special symbol	
		W - Wet	S - Slick	
		U - Unsound		
		Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

63 Grades of Leaf:	Leaf--Continued:	Cutters--Continued:	Lugs--Continued:
B1L	B3KD	C4LL	X3KM
B2L	B4KD	C5LL	X4KM
B3L	B5KD	C5LP	X4GK
B4L	B6KD	C1F	X4G
B5L	B4KV	C2F	X5G
B6L	B5KV	C3F	10 Grades of Primings:
B1F	B6KV	C4F	P2L
B2F	B3KM	C5F	P3L
B3F	B4KM	C5FP	P4L
B4F	B5KM	C4KR	P5L
B5F	B6KM	C4V	P2F
B6F	B3KK	C4S	P3F
B1FR	B4KK	C4KL	P4F
B2FR	B5KK	C4KF	P5F
B3FR	B6KK	C4KM	P4G
B4FR	B4G	C4KK	P5G
B5FR	B5G	C4G	7 Grades of Mixed: 2/
B6FR	B6G	C4GK	M4F
B5R	B5GR	26 Grades of Lugs:	M5F
B3K	B4GK	X1L	M4KR
B4K	B5GK	X2L	M4KM
B5K	B6GK	X3L	M5KM
B6K	B5GG	X4L	M4GK
B3KR	10 Grades of Smoking leaf:	X5L	M5GK
B4KR	H3F	X3LL	13 Grades of Nondescript:
B5KR	H4F	X4LL	N1L
B3V	H5F	X1F	N1XL
B4V	H6F	X2F	N1K
B5V	H4FR	X3F	N1R
B3S	H5FR	X4F	N1GL
B4S	H6FR	X5F	N1GF
B5S	H4K	X3KR	N1KV
B3KL	H5K	X4KR	N1GR
B4KL	H6K	X3V	N1GG
B5KL	23 Grades of Cutters:	X4V	N1PO
B6KL	C1L	X3S	N1XO
B3KF	C2L	X4S	N1BO
B4KF	C3L	X4KL	N2
B5KF	C4L	X4KF	
B6KF	C5L	X4KV	

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".

2/ Suspended for the 1987 and 1988 crops.

Table 1.--Allotted sales opportunities compared to producers' sales, 1991 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Total flue-cured 2/		
	Sets of buyers	Sales opport.	Prod. sets of sales buyers	Sales opport.	Prod. sets of sales buyers	Sales opport.	Prod. sets of sales buyers	Sales opport.	Prod. sets of sales buyers	Sales opport.	Prod. sets of sales buyers	Prod. sales	
1,000 pounds													
July 18	14	20,206	19,526	13	8,456	9,294					27	28,662	28,820
July 25	14	20,203	13,949	13	16,909	16,944	21	30,025	31,716		48	67,137	62,609
Aug. 01	7	9,165	8,275	13	15,561	15,084	21	27,773	27,040	3	4,055	4,334	12,829
Aug. 08	7	9,185	8,372	13	15,563	15,156	21	27,712	27,762	3	4,055	3,546	12,858
Aug. 15	7	9,931	9,826	13	17,202	16,758	21	30,351	28,161	3	4,301	3,404	12,17,297
Aug. 22	7	9,909	9,819	13	17,201	17,121	21	30,302	29,429	3	4,301	4,021	12,17,303
Aug. 29	7	9,011	9,063	13	15,602	15,613	21	27,685	27,987	3	4,051	3,994	12,15,849
Sep. 05	7	6,767	6,954	13	11,712	11,733	21	20,843	20,916	3	3,038	3,057	12,11,900
Sep. 12	7	8,971	9,692	13	15,201	15,571	21	27,665	27,930	3	4,051	4,065	12,15,810
Sep. 19	7	9,383	5,975	13	16,206	16,214	21	28,820	29,076	3	4,193	4,208	12,16,462
Sep. 26	13	17,744	17,727	22	31,216	31,567	3	4,439	4,609	14	17,959	17,999	52
Oct. 03	13	17,740	16,405	22	31,264	31,220	3	4,439	4,632	14	18,032	18,231	52
Oct. 10	13	18,767	6,017	22	32,565	24,953	3	4,556	4,756	14	18,770	18,916	52
Oct. 17	3/	259	4/ 259	22	25,433	5,654	3	3,504	3,526	14	14,572	14,362	40
Oct. 24			3/ 17,615	1,265	3	4,673	3,066	14	19,391	16,056	25	41,679	20,387
Oct. 31	4/				3	565	565	14	7,090	7,090	17	7,655	7,655
Nov. 07	4/				3/	135	135	3/	1,367	1,367	10	1,502	1,502
	Closed 09-19-91	Closed 10-16-91	Closed 10-23-91	Closed 11-06-91	Closed 11-07-91	Closed 11-07-91							

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets close.

4/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 2.--Initial and final designation of the 1991 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	11,004,814	11,210,069	Ahoskie	5,198,357	4,920,646
Blackshear	8,628,030	8,520,948	Cart-Aber	7,842,973	9,891,674
Claxton	5,045,870	5,387,639	Clinton	14,815,301	15,520,223
Douglas	13,538,039	13,927,981	Dunn	5,463,289	5,527,219
Haz-Bax	0	1,198	Farmville	24,396,735	24,669,480
Metter	17,200	4,888	Fuquay-Varina	19,547,529	20,743,556
Moultrie	11,229,764	11,335,478	Goldsboro	24,413,835	27,633,063
Nashville	8,419,022	8,876,817	Greenville	33,726,645	34,722,182
Ocila-Fitz	837,417	741,747	Kinston	41,446,398	43,397,596
Pelham	9,399,382	9,579,372	Robersonville	6,123,768	6,162,739
Statesboro	4,276,597	4,540,636	Rocky Mount	11,166,206	11,598,204
Tifton	2,943,766	2,726,860	Sanford	8,178,108	8,577,650
Val-Hira	10,058,003	10,064,400	Smithfield	27,794,810	29,969,216
Vidalia	9,560,881	9,584,182	Wallace	5,027,943	5,353,791
Total Georgia	94,958,785	96,502,215	Wendell	2,818,910	2,866,959
Florida:			Williamston	9,926,890	10,505,823
Lake City	6,029,620	6,256,962	Wilson	74,096,023	80,147,260
Live Oak	10,149,627	10,309,124	Windsor	9,932,026	10,383,131
Madison	2,023,860	1,883,773	Total area C:	331,915,746	352,590,412
Total Florida	18,203,107	18,449,859			
Total area A:	113,161,892	114,952,074			
Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Conway	6,709,613	6,877,898	Henderson	11,705,712	12,575,174
Darl-Tim	11,418,276	11,594,808	Louisburg	17,904,254	21,115,373
Hemingway	8,690,538	9,033,864	Oxford	11,058,421	11,367,825
Kingstree	7,247,428	7,966,623	Warrenton	7,612,052	7,830,311
Lake City	31,160,774	32,081,170	Total area D:	48,280,439	52,888,683
Loris	7,532,286	7,645,030			
Mullins	31,023,721	31,928,512			
Total S.C.	103,782,636	107,127,905			
North Carolina:					
Chadbourn	7,386,422	7,394,402			
Clarkton	7,451,539	7,945,974			
Fair Bluff	4,009,619	4,234,132			
Fairmont	27,182,869	28,462,321			
Lumberton	15,346,580	15,941,262			
Tabor City	10,622,215	11,220,777			
Whiteville	14,666,281	15,644,896			
Total N.C.	86,665,525	90,843,764			
Total area B:	190,448,161	197,971,669			
Marketing area E					
North Carolina:	Pounds	Pounds			
Burl-Meb	6,035,948	5,857,928			
Mt. Airy	11,334,735	12,264,325			
Reidsville	16,114,217	16,846,173			
Roxboro	14,296,656	15,688,406			
Ston-Mad	11,177,369	12,320,326			
Winston-Salem	39,396,778	40,364,675			
Total N.C.	98,355,703	103,341,833			
Virginia:					
Chase City	4,099,574	4,130,833			
Clarksville	8,873,412	9,375,81			
Danville	44,716,182	45,895,811			
Kenbridge	2,039,889	1,925,208			
Lawrenceville	7,973,625	8,241,444			
South Boston	19,145,261	20,019,980			
South Hill	8,441,644	8,825,893			
Total Virginia	95,289,587	98,414,350			
Total area E:	193,645,290	201,756,183			
Total flue-cured	877,451,528	920,159,021			

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured

States and markets	1991				1990			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Chase City	July 30	Nov. 4	16	3	Aug. 1	Nov. 8	16	3
Clarksville	July 29	Nov. 5	33	3	July 31	Nov. 7	26	3
Danville	July 29	Nov. 5	56	6	July 31	Nov. 13	58	6
Kenbridge	Aug. 1	Oct. 30	8	3	Aug. 1	Nov. 8	10	3
Lawrenceville	July 30	Nov. 4	28	2	July 31	Nov. 7	29	2
South Boston	July 29	Nov. 7	57	7	July 31	Nov. 8	57	7
South Hill	July 29	Nov. 5	28	4	Aug. 1	Nov. 8	28	4
Total Virginia			28				28	
North Carolina:								
Burl-Meb	July 31	Oct. 24	19	2	Aug. 1	Nov. 8	27	2
Cart-Abr	July 22	Oct. 16	26	4	July 26	Oct. 29	26	4
Fuquay-Varina	July 22	Oct. 16	49	4	July 25	Oct. 25	52	4
Henderson	July 29	Oct. 24	37	5	July 31	Oct. 31	38	5
Louisburg	July 29	Oct. 29	52	3	July 31	Nov. 6	55	3
Mt. Airy 1/	July 29	Oct. 29	44	2	July 31	Nov. 7	44	2
Oxford 2/	July 29	Nov. 6	41	4	July 31	Nov. 8	43	4
Reidsville	July 29	Oct. 30	52	3	July 31	Nov. 8	56	3
Roxboro	July 29	Oct. 31	54	5	July 31	Nov. 7	54	5
Sanford	July 23	Oct. 17	25	3	July 25	Oct. 24	27	3
Ston-Mad	July 29	Nov. 5	35	3	July 31	Nov. 13	44	3
Warrenton	July 30	Oct. 24	26	3	Aug. 1	Nov. 8	30	3
Winston-Salem 3/	July 29	Oct. 31	54	7	July 31	Nov. 13	58	7
Total N.C.			48				48	
Total type 11			76				76	

Type 12 - Eastern North Carolina flue-cured

North Carolina:								
Ahoskie	July 23	Oct. 21	19	1	July 26	Oct. 30	20	1
Clinton	July 22	Oct. 16	49	3	July 25	Oct. 23	49	3
Dunn	July 22	Oct. 17	21	2	July 25	Oct. 24	19	2
Farmville	July 22	Oct. 17	50	3	July 25	Oct. 25	52	3
Goldsboro	July 22	Oct. 21	51	5	July 25	Oct. 31	54	5
Greenville	July 22	Oct. 16	49	7	July 25	Oct. 25	52	7
Kinston	July 22	Oct. 16	49	6	July 25	Oct. 23	50	6
Robersonville	July 23	Oct. 22	21	2	July 26	Oct. 29	24	2
Rocky Mount	July 22	Oct. 22	39	3	July 25	Oct. 30	38	3
Smithfield	July 22	Oct. 22	52	6	July 25	Oct. 29	52	6
Wallace	July 22	Oct. 9	23	1	July 26	Oct. 22	26	1
Wendell	July 25	Oct. 8	11	2	July 30	Oct. 23	13	2
Williamston	July 22	Oct. 21	30	2	July 25	Oct. 24	29	2
Wilson	July 22	Oct. 23	53	11	July 25	Oct. 31	55	11
Windsor	July 22	Oct. 22	33	2	July 25	Oct. 29	33	2
Total type 12			56				56	

See footnotes at end of table.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1991				1990			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 18	Oct. 3	22	3	July 26	Oct. 15	20	3
Darl-Tim	July 17	Oct. 3	39	5	July 24	Oct. 18	34	5
Hemingway	July 17	Oct. 9	30	2	July 24	Oct. 22	26	2
Kingstree	July 18	Oct. 7	24	3	July 25	Oct. 18	23	3
Lake City	July 17	Oct. 8	47	4	July 24	Oct. 23	49	4
Loris	July 17	Oct. 8	24	3	July 25	Oct. 16	22	3
Mullins	July 17	Oct. 9	47	5	July 24	Oct. 23	51	4
Total S.C.			25					24
North Carolina:								
Chadbourn	July 17	Oct. 10	25	3	July 25	Oct. 17	23	3
Clarkton	July 18	Oct. 16	26	2	July 24	Oct. 25	29	2
Fair Bluff	July 18	Oct. 9	14	3	July 26	Oct. 15	13	3
Fairmont	July 17	Oct. 10	49	6	July 24	Oct. 24	51	7
Lumberton	July 17	Oct. 10	49	4	July 24	Oct. 24	51	4
Tabor City	July 17	Oct. 8	34	3	July 24	Oct. 17	32	3
Whiteville	July 17	Oct. 10	48	6	July 24	Oct. 18	49	6
Total N.C.			27					28
Total type 13			52					52

Type 14 - Georgia and Florida flue-cured

Georgia:								
Alma	July 15	Sep. 18	28	3	July 17	Oct. 9	30	2
Blackshear	July 15	Sep. 18	24	2	July 18	Oct. 15	25	2
Claxton	July 15	Sep. 19	16	1	July 18	Oct. 11	19	1
Douglas	July 15	Sep. 18	32	3	July 17	Oct. 15	40	3
Haz-Bax	Sep. 16	Sep. 16	1	1	Not operating in 1990.			
Metter	Sep. 5	Sep. 5	1	1	Not operating in 1990.			
Moultrie	July 15	Sep. 18	30	3	July 17,	Oct. 16	37	3
Nashville	July 15	Sep. 19	23	2	July 17	Oct. 11	25	2
Ocila-Fitz	July 24	Sep. 17	3	1	Not operating in 1990.			
Pelham	July 15	Sep. 18	27	2	July 17	Oct. 15	32	2
Statesboro	July 15	Sep. 18	16	1	July 18	Oct. 10	15	1
Tifton	July 17	Sep. 11	7	2	July 23	Sep. 27	10	2
Val-Hira	July 15	Sep. 17	27	3	July 18	Oct. 11	31	3
Vidalia	July 15	Sep. 19	31	2	July 17	Oct. 16	36	2
Total Georgia			27					23
Florida:								
Lake City	July 15	Sep. 16	16	1	July 18	Oct. 11	16	1
Live Oak	July 15	Sep. 19	26	2	July 17	Oct. 10	27	2
Madison	July 17	Sep. 10	5	1	July 30	Oct. 3	6	1
Total Florida			4					4
Total type 14			31					27
Total 11-14			215					211

1/ Clean up sale held Nov. 14, 1990, and Nov. 7, 1991.

2/ Clean up sale held Nov. 13, 1990, and Nov. 13, 1991.

3/ Clean up sale held Nov. 7, 1991.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
1991 Crop		10,000 pounds				
Alabama	673	--	673	--	--	--
Florida	2,703	--	2,703	--	--	--
Georgia	2,562	2,556	--	6	--	--
South Carolina	11,898	--	608	--	11,290	--
North Carolina	24,629	--	--	2,553	--	22,076
Virginia	7,250	--	--	--	7,250	--
Total	49,715	2,556	3,984	2,559	18,540	22,076
1990 Crop						
Alabama	884	--	884	--	--	--
Florida	3,223	--	3,223	--	--	--
Georgia	2,747	2,727	--	20	--	--
South Carolina	12,109	--	1,007	--	11,102	--
North Carolina	25,577	--	4	3,012	--	22,561
Virginia	7,477	--	--	--	7,477	--
Total	52,017	2,727	5,118	3,032	18,579	22,561

1/ Based on reports of the Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1986-91 crops 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1986	206,410,455	308,047,524	149.24	1986	238,615,344	373,392,289	156.48
1987	196,762,052	301,659,444	153.31	1987	240,030,456	383,293,166	159.69
1988	242,354,823	384,431,536	158.62	1988	275,406,677	447,963,016	162.66
1989	253,481,860	426,982,317	168.45	1989	289,640,728	485,385,312	167.58
1990	284,357,274	480,371,433	168.93	1990	322,032,434	545,959,062	169.54
1991	284,703,858	493,645,487	173.39	1991	306,350,494	530,256,108	173.09

Type 13 - South Carolina and Border North Carolina

Type 13 - South Carolina and Border North Carolina				Type 14 - Georgia and Florida			
Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1986	132,941,036	195,965,679	147.41	1986	82,053,389	130,085,882	158.54
1987	160,587,362	259,371,950	161.51	1987	86,413,943	140,989,837	163.16
1988	175,280,516	283,302,453	161.63	1988	103,261,656	168,358,682	163.04
1989	186,019,360	308,703,764	165.95	1989	106,686,431	178,249,560	167.08
1990	192,638,263	307,417,624	159.58	1990	120,190,364	202,991,523	168.89
1991	189,869,314	326,207,545	171.81	1991	101,766,870	171,831,968	168.85

Types 11-14 - Total flue-cured

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1986	660,020,224	1,007,491,374	152.65	1989	835,828,379	1,399,320,953	167.42
1987	683,793,813	1,085,314,397	158.72	1990	919,218,335	1,536,739,676	167.18
1988	796,303,672	1,284,055,687	161.25	1991	882,690,536	1,521,941,108	172.42

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1986-91 crops 1/

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
1986	Pounds 229,545,684	Dollars 341,021,184	Dollars 148.56	Pounds 23,135,229	Dollars 142.53	Percent 10.1
1987	219,853,069	336,821,190	153.20	23,091,017	152.27	10.5
1988	268,826,895	425,791,593	158.39	26,472,072	156.24	9.9
1989	276,581,617	465,752,946	168.40	23,099,757	167.84	8.4
1990	311,758,684	525,776,194	168.65	27,401,410	165.70	8.8
1991	317,609,835	550,548,812	173.34	32,905,977	172.93	10.4

Type 12 - Eastern North Carolina

1986	261,783,701	408,933,541	156.21	23,168,357	153.40	8.9
1987	267,886,831	427,543,289	159.60	27,856,375	158.85	10.4
1988	308,193,754	501,186,876	162.62	32,787,077	162.33	10.6
1989	314,324,409	526,582,157	167.53	24,683,681	166.90	7.9
1990	353,116,281	598,364,018	169.45	31,083,857	168.59	8.8
1991	343,435,618	594,610,574	173.14	37,085,124	173.53	10.8

Type 13 - South Carolina and Border North Carolina

1986	148,393,367	218,790,869	147.44	15,452,331	147.71	10.4
1987	178,239,911	287,862,577	161.50	17,652,549	161.40	9.9
1988	195,802,337	316,645,311	161.72	20,521,821	162.48	10.5
1989	205,434,547	340,990,851	165.99	19,415,187	166.30	9.5
1990	211,339,198	337,303,379	159.60	18,700,935	159.81	8.9
1991	210,939,135	362,445,995	171.82	21,069,821	171.99	10.0

Type 14 - Georgia and Florida

1986	95,206,579	150,857,762	158.45	13,153,190	157.92	13.8
1987	99,513,011	162,089,355	162.88	13,099,068	161.08	13.2
1988	119,891,798	195,554,553	163.11	16,630,142	163.53	13.9
1989	121,735,812	203,572,450	167.22	15,049,381	168.27	12.4
1990	135,561,833	229,191,390	169.07	15,371,469	170.44	11.3
1991	115,202,404	194,861,355	169.15	13,435,534	171.41	11.7

Types 11-14 Total flue-cured

1986	734,929,331	1,119,603,356	152.34	74,909,107	149.66	10.2
1987	765,492,822	1,214,316,411	158.63	81,699,009	157.92	10.7
1988	892,714,784	1,439,178,333	161.21	96,411,112	160.90	10.8
1989	918,076,385	1,536,898,404	167.40	82,248,006	167.27	9.0
1990	1,011,776,006	1,690,634,981	167.10	92,557,671	166.27	9.2
1991	987,186,992	1,702,466,736	172.46	104,496,456	172.76	10.6

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1991 crop			1990 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Virginia:						
Chase City	4,026,674	6,876,292	170.77	4,535,426	7,705,743	169.90
Clarksville	8,734,305	14,989,669	171.62	8,166,766	13,946,994	170.78
Danville	44,928,636	77,809,991	173.19	46,733,051	79,610,488	170.35
Kenbridge	1,784,426	3,023,723	169.45	1,706,951	2,853,634	167.18
Lawrenceville	8,103,154	13,961,351	172.30	8,484,915	14,501,017	170.90
South Boston	19,322,803	32,539,456	168.40	19,155,206	32,494,316	169.64
South Hill	8,609,393	14,718,296	170.96	8,580,808	14,635,092	170.56
Total Virginia	95,509,391	163,918,778	171.63	97,363,123	165,747,284	170.24
North Carolina:						
Burl-Meb	5,706,213	9,980,440	174.90	6,086,530	10,296,818	169.17
Cart-Abr	9,677,762	16,875,952	174.38	8,369,886	13,951,802	166.69
Fuquay-Varina	20,276,746	35,575,231	175.45	21,684,781	36,539,483	168.50
Henderson	12,413,989	21,742,947	175.15	11,461,534	19,848,720	173.18
Louisburg	20,840,445	36,573,048	175.49	19,761,425	34,141,894	172.77
Mt. Airy	11,809,006	20,458,691	173.25	11,725,392	19,402,673	165.48
Oxford	10,986,472	18,911,559	172.13	11,657,292	19,453,969	166.88
Reidsville	16,257,768	28,416,096	174.78	15,111,600	25,566,532	169.18
Roxboro	15,452,737	26,807,606	173.48	14,794,521	24,979,436	168.84
Sanford	8,383,923	14,610,913	174.27	8,971,766	14,982,739	167.00
Ston-Mad	11,689,634	20,173,004	172.57	10,405,716	16,927,915	162.68
Warrenton	7,724,626	13,497,118	174.73	8,298,514	14,263,075	171.88
Winston-Salem	37,975,146	66,104,104	174.07	38,665,194	64,269,093	166.22
Total N.C.	189,194,467	329,726,709	174.28	186,994,151	314,624,149	168.25
Total type 11	284,703,858	493,645,487	173.39	284,357,274	480,371,433	168.93

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,528,758	7,573,636	167.23	5,092,481	8,526,954	167.44
Clinton	15,069,433	25,931,083	172.08	16,534,360	27,847,507	168.42
Dunn	5,391,264	9,243,751	171.46	5,596,014	9,316,955	166.49
Farmville	24,328,189	42,204,884	173.48	24,160,471	41,206,109	170.55
Goldsboro	27,071,869	46,995,249	173.59	28,810,696	48,894,903	169.71
Greenville	34,033,658	58,691,367	172.45	37,437,681	62,772,760	167.67
Kinston	42,115,685	73,163,654	173.72	44,440,714	75,667,433	170.27
Robersonville	6,040,339	10,336,446	171.12	6,351,831	10,767,676	169.52
Rocky Mount	11,376,476	19,560,963	171.94	12,932,328	21,797,964	168.55
Smithfield	29,262,603	50,434,837	172.35	29,965,241	50,099,232	167.19
Wallace	5,257,098	8,973,509	170.69	5,294,634	8,754,719	165.35
Wendell	2,805,766	4,923,286	175.47	3,125,586	5,264,304	168.43
Williamston	10,207,476	17,667,654	173.09	10,076,383	17,094,262	169.65
Wilson	78,889,418	137,564,292	174.38	81,915,623	140,542,415	171.57
Windsor	9,972,462	16,991,497	170.38	10,298,391	17,405,902	169.02
Total type 12	306,350,494	530,256,108	173.09	322,032,434	545,959,095	169.54

See footnote at end of table.

**Table 7.--Producers' sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1991 crop			1990 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	6,603,667	11,576,727	175.31	6,463,267	10,472,986	162.04
Darl-Tim	11,116,433	18,922,224	170.22	11,149,518	17,443,695	156.45
Hemingway	8,633,117	14,848,871	172.00	9,425,751	15,002,267	159.16
Kingstree	7,569,469	13,077,437	172.77	7,670,114	12,283,547	160.15
Lake City	29,967,815	50,703,045	169.19	29,382,974	45,731,850	155.64
Loris	7,402,679	12,836,040	173.40	7,220,903	11,563,028	160.13
Mullins	30,537,819	52,684,935	172.52	29,669,966	47,260,656	159.29
Total S.C.	101,830,999	174,649,279	171.51	100,982,493	159,758,029	158.20
North Carolina:						
Chadbourn	7,168,586	12,238,510	170.72	7,039,175	11,316,405	160.76
Clarkton	7,652,920	13,167,116	172.05	8,753,650	14,165,836	161.83
Fair Bluff	4,134,168	7,087,287	171.43	4,375,815	6,910,085	157.92
Fairmont	27,652,746	47,793,431	172.83	28,486,733	45,875,467	161.04
Lumberton	15,541,012	26,839,010	172.70	16,197,260	25,872,210	159.73
Tabor City	10,744,669	18,328,810	170.59	10,885,207	17,494,040	160.71
Whiteville	15,144,214	26,104,102	172.37	15,917,930	26,025,553	163.50
Total N.C.	88,038,315	151,558,266	172.15	91,655,770	147,659,596	161.10
Total type 13	189,869,314	326,207,545	171.81	192,638,263	307,417,625	159.58

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	10,076,253	17,252,452	171.22	11,258,999	18,967,062	168.46
Blackshear	7,444,197	12,757,150	171.37	8,813,382	15,080,902	171.11
Claxton	4,929,794	8,514,311	172.71	5,944,079	9,936,770	167.17
Douglas	13,023,030	22,058,376	169.38	14,901,033	24,928,441	167.29
Haz-Bax	1,198	2,156	179.94	Not operating in 1990		
Metter	4,732	8,394	177.39	Not operating in 1990		
Moultrie	9,651,056	16,160,335	167.45	12,261,597	20,489,426	167.10
Nashville	8,439,548	14,632,191	173.38	8,998,956	15,374,889	170.85
Ocilla-Fitz	672,754	1,108,394	164.75	Not operating in 1990		
Pelham	8,163,834	13,748,908	168.41	10,643,073	17,821,829	167.45
Statesboro	3,685,276	6,124,645	166.19	4,979,155	8,159,593	163.88
Tifton	2,397,984	3,981,397	166.03	3,465,141	5,770,327	166.53
Val-Hira	8,822,703	14,614,443	165.65	10,610,971	18,193,229	171.46
Vidalia	8,502,975	14,297,875	168.15	10,452,432	17,341,258	165.91
Total Georgia	85,815,334	145,261,027	169.27	102,328,818	172,063,726	168.15
Florida:						
Lake City	5,359,710	8,931,976	166.65	5,921,951	10,251,807	173.12
Live Oak	9,082,025	15,302,245	168.49	9,680,731	16,764,109	173.17
Madison	1,509,801	2,336,720	154.77	2,258,864	3,911,881	173.18
Total Florida	15,951,536	26,570,941	166.57	17,861,546	30,927,797	173.15
Total type 14	101,766,870	171,831,968	168.85	120,190,364	202,991,523	168.89
Total types 11-14	882,690,536	1,521,941,108	172.42	919,218,335	1,536,739,676	167.18

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1991 crop			1990 crop		
	Sales	Value	Average price	Sales	Value	Average price
			Pounds	Dollars	Dollars	Dollars
Virginia:						
Chase City	4,390,387	7,480,965	170.39	4,745,740	8,049,485	169.61
Clarksville	9,665,193	16,589,400	171.64	9,136,339	15,526,698	169.94
Danville	50,544,842	87,468,742	173.05	50,802,522	86,358,151	169.99
Kenbridge	1,843,748	3,118,002	169.11	1,842,766	3,084,223	167.37
Lawrenceville	8,652,408	14,904,420	172.26	8,739,215	14,913,225	170.65
South Boston	22,613,274	38,086,532	168.43	21,510,086	36,369,305	169.08
South Hill	9,266,141	15,851,383	171.07	9,028,832	15,395,558	170.52
Total Virginia	106,975,993	183,499,444	171.53	105,805,500	179,696,645	169.84
North Carolina:						
Burl-Meb	5,937,519	10,381,872	174.85	6,379,342	10,781,623	169.01
Cart-Abr	10,711,126	18,694,673	174.54	9,319,202	15,580,828	167.19
Fuquay-Varina	21,979,288	38,558,936	175.43	23,188,227	39,080,132	168.53
Henderson	13,342,964	23,362,150	175.09	12,394,460	21,446,598	173.03
Louisburg	22,910,037	40,193,799	175.44	21,383,196	36,910,507	172.61
Mt. Airy	13,546,915	23,497,251	173.45	13,251,264	21,929,761	165.49
Oxford	12,044,503	20,699,949	171.86	12,351,216	20,576,318	166.59
Reidsville	18,203,931	31,832,585	174.87	16,679,631	28,151,677	168.78
Roxboro	17,568,376	30,473,374	173.46	16,477,145	27,758,678	168.47
Sanford	9,640,504	16,831,166	174.59	9,924,009	16,574,794	167.02
Ston-Mad	13,037,993	22,494,069	172.53	11,765,713	19,153,911	162.79
Warrenton	8,400,239	14,688,967	174.86	8,797,617	15,087,423	171.49
Winston-Salem	43,310,447	75,340,577	173.95	44,042,162	73,047,299	165.86
Total N.C.	210,633,842	367,049,368	174.26	205,953,184	346,079,549	168.04
Total type 11	317,609,835	550,548,812	173.34	311,758,684	525,776,194	168.65

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,940,423	8,280,177	167.60	5,496,658	9,209,197	167.54
Clinton	16,696,960	28,796,019	172.46	17,858,124	30,112,861	168.62
Dunn	5,900,729	10,121,508	171.53	6,005,437	10,008,364	166.66
Farmville	26,785,996	46,395,690	173.21	26,361,792	44,892,836	170.30
Goldsboro	31,238,146	54,288,734	173.79	32,448,070	55,104,958	169.83
Greenville	38,050,765	65,580,706	172.35	40,888,034	68,528,640	167.60
Kinston	47,083,575	81,884,288	173.91	48,609,101	82,596,126	169.92
Robersonville	6,592,353	11,312,407	171.60	7,014,325	11,883,515	169.42
Rocky Mount	12,174,269	20,927,024	171.90	13,497,261	22,753,129	168.58
Smithfield	32,083,645	55,293,800	172.34	32,350,747	54,048,949	167.07
Wallace	5,804,376	9,902,842	170.61	5,675,350	9,390,235	165.46
Wendell	2,890,747	5,070,890	175.42	3,219,936	5,421,557	168.37
Williamston	11,145,634	19,234,659	172.58	10,925,602	18,500,913	169.34
Wilson	91,040,943	158,772,349	174.40	91,453,198	156,824,471	171.48
Windsor	11,007,057	18,749,481	170.34	11,312,656	19,088,267	168.73
Total type 12	343,435,618	594,610,574	173.14	353,116,291	598,364,018	169.45

See footnote at end of table.

**Table 8.--Gross sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1991 crop			1990 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Conway	7,043,120	12,339,002	175.19	6,885,576	11,160,716	162.09
Darl-Tim	12,300,985	20,982,752	170.58	12,409,683	19,545,991	157.51
Hemingway	9,517,954	16,402,556	172.33	10,345,638	16,528,585	159.76
Kingstree	8,258,586	14,264,028	172.72	8,464,323	13,599,620	160.67
Lake City	34,081,087	57,620,746	169.07	32,867,026	51,029,512	155.26
Loris	7,959,592	13,804,122	173.43	7,734,655	12,394,041	160.24
Mullins	33,916,645	58,527,939	172.56	32,903,221	52,444,771	159.39
Total S.C.	113,077,969	193,941,145	171.51	111,610,122	176,703,236	158.32
North Carolina:						
Chadbourn	8,057,425	13,795,489	171.21	7,681,531	12,363,550	160.95
Clarkton	8,623,161	14,861,545	172.34	9,425,305	15,261,749	161.92
Fair Bluff	4,658,896	7,997,375	171.66	4,686,812	7,397,614	157.84
Fairmont	31,505,742	54,495,332	172.97	31,624,270	50,901,529	160.96
Lumberton	16,348,631	28,221,492	172.62	16,724,991	26,708,611	159.69
Tabor City	11,927,459	20,339,908	170.53	11,972,839	19,226,357	160.58
Whiteville	16,739,852	28,793,709	172.01	17,613,328	28,740,733	163.18
Total N.C.	97,861,166	168,504,850	172.19	99,729,076	160,600,143	161.04
Total type 13	210,939,135	362,445,995	171.82	211,339,198	337,303,379	159.60

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	11,433,795	19,641,862	171.79	12,977,134	21,937,769	169.05
Blackshear	8,544,090	14,622,569	171.14	10,004,737	17,088,739	170.81
Claxton	5,548,325	9,592,163	172.88	6,633,222	11,099,339	167.33
Douglas	14,667,734	24,894,997	169.73	16,912,901	28,364,177	167.71
Haz-Bax	1,198	2,156	179.94	Not operating in 1990		
Metter	4,732	8,394	177.39	Not operating in 1990		
Moultrie	10,984,708	18,463,685	168.09	13,923,078	23,301,224	167.36
Nashville	9,338,857	16,204,903	173.52	10,028,467	17,143,691	170.95
Ocila-Fitz	694,404	1,144,744	164.85	Not operating in 1990		
Pelham	9,467,870	15,991,459	168.90	12,066,455	20,218,538	167.56
Statesboro	4,229,335	7,027,457	166.16	5,555,113	9,118,582	164.15
Tifton	2,682,597	4,440,819	165.54	3,865,262	6,427,406	166.29
Val-Hira	9,661,209	15,984,143	165.45	11,518,778	19,748,544	171.45
Vidalia	9,662,388	16,286,500	168.56	11,849,334	19,665,011	165.96
Total Georgia	96,921,242	164,305,851	169.53	115,334,481	194,113,020	168.30
Florida:						
Lake City	6,084,038	10,164,058	167.06	6,625,337	11,474,245	173.19
Live Oak	10,461,251	17,669,273	168.90	11,048,194	19,162,800	173.45
Madison	1,735,873	2,722,173	156.82	2,553,821	4,441,325	173.91
Total Florida	18,281,162	30,555,504	167.14	20,227,352	35,078,370	173.42
Total type 14	115,202,404	194,861,355	169.15	135,561,833	229,191,390	169.07
Total types 11-14	987,186,992	1,702,466,736	172.46	1,011,776,006	1,690,634,981	167.10

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1991 crop			1990 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Virginia:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Chase City	363,713	166.25	8.3	210,314	163.44	4.4
Clarksville	930,888	171.85	9.6	969,573	162.93	10.6
Danville	5,616,206	171.98	11.1	4,069,471	165.81	8.0
Kenbridge	59,322	158.93	3.2	135,815	169.78	7.4
Lawrenceville	549,254	171.70	6.4	254,300	162.10	2.9
South Boston	3,290,471	168.58	14.6	2,354,880	164.55	11.0
South Hill	656,748	172.53	7.1	448,024	169.74	5.0
Total Virginia	11,466,602	170.76	10.7	8,442,377	165.23	8.0
North Carolina:						
Burl-Meb	231,306	173.55	3.9	292,812	165.57	4.6
Cart-Abr	1,033,364	176.00	9.7	949,316	171.60	10.2
Fuquay-Varina	1,702,542	175.25	7.8	1,503,446	168.99	6.5
Henderson	928,975	174.30	7.0	932,926	171.28	7.5
Louisburg	2,069,592	174.95	9.0	1,621,771	170.72	7.6
Mt. Airy	1,737,909	174.84	12.8	1,525,872	165.62	11.5
Oxford	1,058,031	169.03	8.8	693,924	161.74	5.6
Reidsville	1,946,163	175.55	10.7	1,568,031	164.87	9.4
Roxboro	2,115,639	173.27	12.0	1,682,624	165.17	10.2
Sanford	1,256,581	176.69	13.0	952,243	167.19	9.6
Ston-Mad	1,348,359	172.14	10.3	1,359,997	163.68	11.6
Warrenton	675,613	176.41	8.0	499,103	165.17	5.7
Winston-Salem	5,335,301	173.12	12.3	5,376,968	163.26	12.2
Total N.C.	21,439,375	174.08	10.2	18,959,033	165.91	9.2
Total type 11	32,905,977	172.93	10.4	27,401,410	165.70	8.8

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	411,665	171.63	8.3	404,177	168.80	7.4
Clinton	1,627,527	176.03	9.8	1,323,764	171.13	7.4
Dunn	509,465	172.29	8.6	409,423	168.87	6.8
Farmville	2,457,807	170.51	9.2	2,201,321	167.48	8.4
Goldsboro	4,166,277	175.06	13.3	3,637,374	170.73	11.2
Greenville	4,017,107	171.50	10.6	3,450,353	166.82	8.4
Kinston	4,967,890	175.54	10.6	4,168,387	166.22	8.6
Robersonville	552,014	176.80	8.4	662,494	168.43	9.4
Rocky Mount	797,793	171.23	6.6	564,933	169.08	4.2
Smithfield	2,821,042	172.24	8.8	2,385,506	165.57	7.4
Wallace	547,278	169.81	9.4	380,716	166.93	6.7
Wendell	84,981	173.69	2.9	94,350	166.67	2.9
Williamston	938,158	167.03	8.4	849,219	165.64	7.8
Wilson	12,151,525	174.53	13.4	9,537,575	170.71	10.4
Windsor	1,034,595	169.92	9.4	1,014,265	165.87	9.0
Total type 12	37,085,124	173.53	10.8	31,083,857	168.59	8.8

See footnote at end of table.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1991 crop			1990 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	439,453	173.46	6.2	422,309	162.85	6.1
Darl-Tim	1,184,552	173.95	9.6	1,260,165	166.83	10.2
Hemingway	884,837	175.59	9.3	919,887	165.92	8.9
Kingstree	689,117	172.19	8.3	794,209	165.71	9.4
Lake City	4,113,272	168.18	12.1	3,484,052	152.05	10.6
Loris	556,913	173.83	7.0	513,752	161.75	6.6
Mullins	3,378,826	172.93	10.0	3,233,255	160.34	9.8
Total S.C.	11,246,970	171.53	10.0	10,627,629	159.44	9.5
North Carolina:						
Chadbourn	888,839	175.17	11.0	642,356	163.02	8.4
Clarkton	970,241	174.64	11.3	671,655	163.17	7.1
Fair Bluff	524,728	173.44	11.3	310,997	156.76	6.6
Fairmont	3,852,996	173.94	12.2	3,137,537	160.19	9.9
Lumberton	807,619	171.18	4.9	527,731	158.49	3.2
Tabor City	1,182,790	170.03	9.9	1,087,632	159.27	9.1
Whiteville	1,595,638	168.56	9.5	1,695,398	160.15	9.6
Total N.C.	9,822,851	172.52	10.0	8,073,306	160.29	8.1
Total type 13	21,069,821	171.99	10.0	18,700,935	159.81	8.9

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	1,357,542	176.01	11.9	1,718,135	172.90	13.2
Blackshear	1,099,893	169.60	12.9	1,191,355	168.53	11.9
Claxton	618,531	174.26	11.2	689,143	168.70	10.4
Douglas	1,644,704	172.47	11.2	2,011,868	170.77	11.9
Haz-Bax	--	--	--	Not operating in 1990		
Metter	--	--	--	Not operating in 1990		
Moultrie	1,333,652	172.71	12.1	1,661,481	169.23	11.9
Nashville	899,309	174.88	9.6	1,029,511	171.81	10.3
Ocila-Fitz	21,650	167.90	3.1	Not operating in 1990		
Pelham	1,304,036	171.97	13.8	1,423,382	168.38	11.8
Statesboro	544,059	165.94	12.9	575,958	166.50	10.4
Tifton	284,613	161.42	10.6	400,121	164.22	10.4
Val-Hira	838,506	163.35	8.7	907,807	171.33	7.9
Vidalia	1,159,413	171.52	12.0	1,396,902	166.35	11.8
Total Georgia	11,105,908	171.48	11.5	13,005,663	169.54	11.3
Florida:						
Lake City	724,328	170.10	11.9	703,386	173.79	10.6
Live Oak	1,379,226	171.62	13.2	1,367,463	175.41	12.4
Madison	226,072	170.50	13.0	294,957	179.50	11.6
Total Florida	2,329,626	171.04	12.7	2,365,806	175.44	11.7
Total type 14	13,435,534	171.41	11.7	15,371,469	170.44	11.3
Total types 11-14	104,496,456	172.76	10.6	92,557,671	166.27	9.2

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

**Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types,
1991 crop 1/**

Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types	Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types
<u>Type 11</u>							
Danville, Va.	44.9	1	2	Mullins, S.C.	30.5	1	6
Winston-Salem, N.C.	38.0	2	4	Lake City, S.C.	30.0	2	7
Louisburg, N.C.	20.8	3	12	Fairmont, N.C.	27.7	3	9
Fuquay-Varina, N.C.	20.3	4	13	Lumberton, N.C.	15.5	4	16
South Boston, Va.	19.3	5	14	Whiteville, N.C.	15.1	5	18
Reidsville, N.C.	16.3	6	15	Darl-Tim, S.C.	11.1	6	25
Roxboro, N.C.	15.5	7	17	Tabor City, N.C.	10.7	7	27
Henderson, N.C.	12.4	8	21	Hemingway, S.C.	8.6	8	36
Mount Airy, N.C.	11.8	9	22	Clarkton, N.C.	7.7	9	44
Stone-Mad, N.C.	11.7	10	23	Kingstree, S.C.	7.6	10	45
Oxford, N.C.	11.0	11	26	Loris, S.C.	7.4	11	47
Cart-Abr, N.C.	9.7	12	31	Chadbourn, N.C.	7.2	12	48
Clarksville, Va.	8.7	13	35	Conway, S.C.	6.6	13	49
South Hill, Va.	8.6	14	37	Fair Bluff, N.C.	4.1	14	57
Sanford, N.C.	8.4	15	40				
Lawrenceville, Va.	8.1	16	42				
Warrenton, N.C.	7.7	17	43				
Burl-Meb, N.C.	5.7	18	51				
Chase City, Va.	4.0	19	58				
Kenbridge, Va.	1.8	20	62				
<u>Type 12</u>							
Wilson, N.C.	78.9	1	1	<u>Type 14</u>			
Kinston, N.C.	42.1	2	3	Douglas, Ga.	13.0	1	20
Greenville, N.C.	34.0	3	5	Alma, Ga.	10.1	2	29
Smithfield, N.C.	29.3	4	8	Moultrie, Ga.	9.7	3	32
Goldsboro, N.C.	27.1	5	10	Live Oak, Fl.	9.1	4	33
Farmville, N.C.	24.3	6	11	Val-Hira, Ga.	8.8	5	34
Clinton, N.C.	15.1	7	19	Vidalia, Ga.	8.5	6	38
Rocky Mount, N.C.	11.4	8	24	Nashville, Ga.	8.4	7	39
Williamston, N.C.	10.2	9	28	Pelham, Ga.	8.2	8	41
Windsor, N.C.	10.0	10	30	Blackshear, Ga.	7.4	9	46
Robersonville, N.C.	6.0	11	50	Lake City, Fl.	5.4	10	53
Dunn, N.C.	5.4	12	52	Claxton, Ga.	4.9	11	55
Wallace, N.C.	5.3	13	54	Statesboro, Ga.	3.7	12	59
Ahoskie, N.C.	4.5	14	56	Tifton, Ga.	2.4	13	61
Wendell, N.C.	2.8	15	60	Madison, Fl.	1.5	14	63
				Ocila-Fitz, Ga.	0.7	15	64
				Metter, Ga.	*	16	65
				Haz-Bax, Ga.	*	17	66

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

* Less than 100,000 pounds.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1991 crop Season averages					1991 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							LEAF
B1L	--	193	--	--	193	192	B1L
B2L	--	192	--	--	192	190	B2L
B3L	189	189	--	--	189	188	B3L
B4L	186	186	186	186	186	185	B4L
B5L	179	180	178	179	179	175	B5L
B6L	--	(173)	--	(173)	173	170	B6L
B1F	--	193	193	--	193	192	B1F
B2F	191	191	190	--	191	190	B2F
B3F	189	189	189	189	189	188	B3F
B4F	187	187	187	187	187	186	B4F
B5F	181	183	180	183	181	175	B5F
B6F	175	--	175	174	174	170	B6F
B1FR	--	192	--	--	192	191	B1FR
B2FR	--	189	--	--	189	188	B2FR
B3FR	187	187	187	--	187	186	B3FR
B4FR	186	186	186	(187)	186	184	B4FR
B5FR	184	183	182	(177)	183	174	B5FR
B6FR	--	--	--	--	(178)	169	B6FR
B5R	--	178	--	--	177	147	B5R
B3K	184	184	184	185	184	180	B3K
B4K	182	182	182	184	182	177	B4K
B5K	178	178	177	180	178	169	B5K
B6K	173	172	170	172	172	158	B6K
B3KR	183	183	183	182	183	178	B3KR
B4KR	182	181	180	181	181	172	B4KR
B5KR	178	178	176	177	178	163	B5KR
B3V	180	182	181	183	181	174	B3V
B4V	177	178	177	177	177	168	B4V
B5V	173	170	170	175	171	160	B5V
B3S	178	177	176	173	177	167	B3S
B4S	176	172	173	175	175	162	B4S
B5S	(167)	--	(176)	174	174	155	B5S
B3KL	176	177	175	176	176	166	B3KL
B4KL	173	173	172	175	173	162	B4KL
B5KL	167	166	166	171	169	152	B5KL
B6KL	159	160	(162)	162	161	145	B6KL
B3KF	179	180	179	177	179	166	B3KF
B4KF	178	178	175	176	177	162	B4KF
B5KF	174	173	169	171	172	152	B5KF
B6KF	169	165	162	166	165	145	B6KF
B3KD	--	--	--	--	(180)	163	B3KD
B4KD	175	175	170	163	173	155	B4KD
B5KD	168	171	160	159	166	143	B5KD
B6KD	163	160	152	158	158	135	B6KD
B4KV	173	175	171	173	173	156	B4KV
B5KV	170	170	166	171	170	146	B5KV
B6KV	168	165	161	167	166	137	B6KV
B3KM	181	181	180	181	181	173	B3KM
B4KM	179	179	177	180	179	167	B4KM
B5KM	174	173	172	177	174	159	B5KM
B6KM	172	167	168	171	169	148	B6KM
B3KK	179	179	177	171	178	165	B3KK
B4KK	177	178	173	174	176	159	B4KK
B5KK	175	173	169	171	172	150	B5KK
B6KK	(165)	166	154	163	163	141	B6KK
B4G	169	170	166	170	168	149	B4G
B5G	162	162	162	164	163	141	B5G
B6G	--	--	--	158	154	133	B6G
B5GR	167	--	--	--	166	126	B5GR
B4GK	171	170	168	171	170	147	B4GK
B5GK	167	166	164	167	166	140	B5GK
B6GK	163	160	157	163	161	130	B6GK
B5GG	158	163	145	154	156	121	B5GG

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued

Group and grade 2/	1991 crop Season averages					1991 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
SMOKING LEAF							SMOKING LEAF
H3F	189	(188)	188	189	189	188	H3F
H4F	187	187	187	187	187	186	H4F
H5F	181	182	180	181	181	175	H5F
H6F	--	--	175	176	176	170	H6F
H4FR	187	186	187	--	186	184	H4FR
H5FR	186	183	178	--	183	174	H5FR
H6FR	--	--	--	--	--	169	H6FR
H4K	184	182	182	185	183	177	H4K
H5K	179	179	177	180	179	169	H5K
H6K	174	172	169	171	171	158	H6K
CUTTERS							CUTTERS
C1L	179	--	--	--	179	178	C1L
C2L	(185)	--	--	--	(184)	175	C2L
C3L	177	177	174	--	177	172	C3L
C4L	173	172	169	171	172	165	C4L
C5L	167	166	165	168	167	159	C5L
C5LP	161	163	--	158	162	131	C5LP
C1F	--	--	--	--	--	178	C1F
C2F	182	--	180	--	181	175	C2F
C3F	179	177	176	(173)	178	172	C3F
C4F	174	173	171	173	173	165	C4F
C5F	169	167	167	170	168	159	C5F
C5FP	161	162	--	159	161	131	C5FP
C4KR	169	170	169	171	169	157	C4KR
C4V	166	168	168	169	167	155	C4V
C4LL	(168)	(173)	159	--	164	144	C4LL
C5LL	--	--	159	--	160	138	C5LL
C4S	168	169	167	165	167	152	C4S
C4KL	165	164	163	164	164	151	C4KL
C4KF	164	164	165	164	164	151	C4KF
C4KM	168	168	168	169	168	154	C4KM
C4KK	163	166	165	165	165	150	C4KK
C4G	158	163	162	161	161	140	C4G
C4GK	159	162	162	161	161	135	C4GK
LUGS							LUGS
X1L	--	--	--	--	(175)	171	X1L
X2L	169	170	167	169	169	164	X2L
X3L	165	166	164	164	165	158	X3L
X4L	159	162	161	161	161	145	X4L
X5L	153	156	156	155	155	131	X5L
X1F	(175)	--	172	--	173	171	X1F
X2F	171	169	169	170	170	164	X2F
X3F	167	166	165	167	166	158	X3F
X4F	160	161	161	162	161	145	X4F
X5F	154	155	156	156	155	131	X5F
X3KR	165	165	164	164	165	152	X3KR
X4KR	160	161	162	163	161	144	X4KR
X3V	162	166	163	165	163	150	X3V
X4V	157	161	159	159	159	141	X4V
X3LL	--	--	(162)	163	163	135	X3LL
X4LL	--	161	--	--	160	129	X4LL
X3S	162	163	163	164	163	143	X3S
X4S	(159)	161	159	152	157	133	X4S
X4KL	158	156	158	157	157	130	X4KL
X4KF	156	154	154	157	156	130	X4KF
X4KV	152	155	155	157	154	126	X4KV
X3KM	163	165	164	165	164	144	X3KM
X4KM	159	160	161	161	160	135	X4KM
X4G	154	157	156	156	156	126	X4G
X5G	149	153	151	153	152	121	X5G
X4GK	153	157	156	157	156	124	X4GK

See footnotes at end of table.

**Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued**

Group and grade 2/	1991 crop Season averages					1991 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	162	164	161	164	163	143	P2L
P2LS	--	--	--	--	--	129	P2LS
P3L	159	163	160	159	160	134	P3L
P3LS	(157)	--	--	147	149	121	P3LS
P4L	156	159	156	157	157	129	P4L
P4LS	150	(152)	--	143	145	116	P4LS
P5L	151	154	150	151	152	0	P5L
P5LS	--	--	--	--	(147)	0	P5LS
P2F	163	165	162	163	164	143	P2F
P2FS	--	--	--	--	--	129	P2FS
P3F	159	163	160	161	161	134	P3F
P3FS	153	(158)	--	--	154	121	P3FS
P4F	155	158	157	157	157	129	P4F
P4FS	150	155	149	148	150	116	P4FS
P5F	149	153	151	151	151	0	P5F
P5FS	147	--	(144)	--	146	0	P5FS
P4G	151	156	154	152	154	114	P4G
P4GS	148	--	--	--	150	103	P4GS
P5G	147	151	149	149	149	0	P5G
P5GS	(142)	--	--	--	142	0	P5GS
MIXED							MIXED
M4F	--	--	--	--	--	145	M4F
M5F	--	--	--	--	(152)	134	M5F
M4KR	--	--	--	--	--	133	M4KR
M4KM	--	--	--	--	--	132	M4KM
M5KM	--	--	--	(144)	149	128	M5KM
M4GK	--	(144)	--	--	(143)	120	M4GK
M5GK	--	--	--	--	--	114	M5GK
NONDESCRIPT							NONDESCRIPT
N1L	143	148	145	147	146	0	N1L
N1LS	(142)	--	--	(144)	143	0	N1LS
N1XL	146	146	142	150	147	0	N1XL
N1K	166	163	153	163	162	125	N1K
N1R	159	158	(140)	163	158	119	N1R
N1GL	143	147	140	146	144	0	N1GL
N1GLS	--	--	--	--	--	0	N1GLS
N1GF	152	149	141	152	150	108	N1GF
N1KV	155	155	151	160	159	110	N1KV
N1GR	(153)	--	132	--	141	107	N1GR
N1GG	(152)	--	(129)	--	140	102	N1GG
N1PO	146	150	147	148	148	0	N1PO
N1POS	--	--	--	--	--	0	N1POS
N1XO	147	147	144	148	146	0	N1XO
N1BO	163	163	157	158	159	112	N1BO
N2	138	142	117	141	137	0	N2
NO-G	127	138	114	128	126	0	NO-G
NO-G-F	157	161	141	152	149	0	NO-G-F
NO-G-F-S	--	--	--	--	--	0	NO-G-F-S
NO-G-N	--	--	--	--	--	0	NO-G-N
W-unsafe	162	162	(161)	138	157	0	W-unsafe
U-unsound	150	156	137	145	146	0	U-unsound
S-scrap	--	--	--	--	--	0	S-scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard grademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

Table 12.--Average prices by weeks for representative grades and season averages 1/

Type 11 - 1991 crop

Group and grade	Week ending									
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13	Sep. 20	
B3F	--	189	--	--	--	189	189	189	189	189
B4F	187	187	187	186	186	187	187	187	187	187
B5F	--	184	--	178	179	179	182	181	182	182
B4FR	--	--	--	--	--	--	187	185	187	187
B3K	185	185	185	182	181	182	184	184	184	184
B4K	182	183	184	179	179	180	182	182	183	183
B5K	176	179	181	--	172	174	178	177	179	179
B6K	--	170	175	--	--	--	169	167	169	169
B3KR	184	184	185	182	181	182	183	183	184	184
B4KR	180	182	183	181	179	180	182	181	183	183
B5KR	172	177	178	--	--	174	177	176	179	179
B3KL	--	--	--	--	175	177	177	174	179	179
B4KL	--	--	--	--	169	170	174	172	175	175
B3KF	--	182	--	176	176	179	180	179	181	181
B4KF	176	180	180	177	171	174	177	177	179	179
B5KF	--	172	177	--	161	169	172	171	175	175
B4KV	--	--	--	167	169	169	174	170	173	173
B5KV	--	--	--	157	169	165	169	163	169	169
B3KM	184	184	177	178	180	180	182	182	182	182
B4KM	180	182	179	175	177	177	180	179	180	180
B5KM	177	180	171	173	168	172	175	173	175	175
B3KK	--	181	--	174	--	--	176	180	180	180
B4KK	--	179	182	173	176	176	177	177	179	179
B4GK	--	180	--	169	172	170	171	168	171	171
B5GK	--	168	167	166	163	165	165	162	167	167
H4F	--	--	187	--	--	186	--	187	187	187
H5F	--	--	--	--	179	178	180	182	182	182
H4K	--	183	--	--	--	--	182	184	185	185
H5K	--	178	--	--	--	172	178	177	178	178
C4F	--	--	173	171	173	173	174	176	175	175
C5F	--	168	168	169	169	168	169	170	170	170
C4KR	--	--	168	171	167	169	169	171	169	169
C4KM	--	168	168	169	167	167	169	170	170	170
C4GK	--	164	162	158	158	158	159	159	159	159
X3L	--	166	166	167	164	163	166	164	--	--
X4L	165	165	163	161	156	156	157	156	150	150
X3F	166	167	166	167	166	166	168	168	170	170
X4F	165	165	163	162	160	159	160	158	159	159
X5F	161	162	160	156	153	152	153	151	153	153
X4KR	--	163	161	160	159	158	159	158	157	157
X4KF	165	162	160	159	157	156	154	155	156	156
X4KV	160	160	158	150	150	150	150	150	153	153
X3KM	165	166	164	163	161	161	162	163	163	163
X4KM	163	163	161	158	156	157	158	160	157	157
X4GK	157	162	158	155	150	151	152	151	152	152
P3L	163	162	162	157	152	151	--	--	--	--
P4L	161	158	158	152	147	147	151	--	--	--
P5L	--	152	154	149	144	146	--	--	--	--
P2F	166	165	165	162	157	160	--	--	--	--
P3F	164	163	162	158	153	155	157	157	155	155
P4F	161	159	158	154	149	149	151	150	148	148
P5F	154	153	153	149	145	144	145	145	142	142
P4G	159	154	154	149	144	143	145	146	--	--
N1L	--	147	148	144	140	139	136	143	140	140
N1XL	--	154	152	145	143	143	145	146	147	147
N1K	--	--	--	--	--	--	--	153	157	157
N1GL	151	148	146	142	139	137	138	144	--	--
N1XO	160	160	155	146	143	143	146	148	145	145
N1BO	--	--	--	--	--	163	170	161	162	162
N2	--	140	144	135	133	132	132	138	143	143

See footnotes at end of table.

Table 12.--Average prices by weeks for representative grades and season averages
--Continued

Type 11 - 1991 crop

Group and grade	Week ending							Season	
	Sep. 27	Oct. 4	Oct. 11	Oct. 18	Oct. 25	Nov. 1	2/	1991	1990
B3F	189	189	189	189	188	188		189	187
B4F	187	187	187	187	186	187		187	185
B5F	182	182	181	180	179	178		181	180
B4FR	187	186	186	186	186	186		186	184
B3K	184	184	183	183	183	182		184	181
B4K	183	183	182	182	182	179		182	179
B5K	180	180	178	179	179	174		178	172
B6K	174	175	173	175	175	170		173	164
B3KR	184	184	182	183	182	181		183	180
B4KR	183	183	181	181	181	178		182	177
B5KR	179	180	178	180	177	174		178	173
B3KL	178	175	174	173	171	171		176	177
B4KL	173	172	173	172	172	171		173	172
B3KF	181	179	177	177	177	173		179	174
B4KF	179	179	177	177	177	173		178	171
B5KF	176	175	175	176	177	173		174	164
B4KV	175	177	173	175	175	171		173	167
B5KV	170	172	170	174	174	169		170	161
B3KM	182	182	180	180	179	177		181	178
B4KM	181	181	178	178	177	174		179	176
B5KM	178	177	175	176	175	170		174	170
B3KK	179	180	179	179	182	--		179	175
B4KK	175	178	177	178	177	174		177	172
B4GK	173	172	170	172	170	167		171	164
B5GK	170	170	169	168	169	164		167	156
H4F	187	187	187	187	187	186		187	186
H5F	182	181	181	182	178	--		181	181
H4K	184	184	184	184	183	182		184	181
H5K	181	180	181	181	179	174		179	176
C4F	175	176	171	172	170	170		174	173
C5F	170	170	171	164	172	169		169	170
C4KR	169	173	165	--	170	--		169	168
C4KM	170	172	169	170	176	170		168	167
C4GK	158	165	--	--	--	--		159	158
X3L	--	--	--	--	--	--		165	162
X4L	163	--	--	--	--	--		159	156
X3F	169	171	166	170	--	--		167	165
X4F	162	163	156	156	164	155		160	159
X5F	157	160	155	155	155	150		154	151
X4KR	165	165	165	170	--	--		160	160
X4KF	165	--	154	--	--	--		156	155
X4KV	153	161	--	--	155	--		152	148
X3KM	166	156	--	--	--	--		163	161
X4KM	162	163	163	158	158	--		159	157
X4GK	--	161	--	--	--	--		153	150
P3L	--	--	--	--	--	--		159	155
P4L	--	--	--	--	--	--		156	151
P5L	--	--	--	--	--	--		151	146
P2F	--	--	--	--	--	--		163	157
P3F	--	--	--	--	--	--		159	155
P4F	154	--	146	146	--	146		155	150
P5F	147	--	--	--	--	--		149	144
P4G	--	--	--	--	--	--		151	150
N1L	--	--	--	--	--	--		143	136
N1XL	145	156	154	157	157	155		146	140
N1K	166	166	161	170	173	168		166	148
N1GL	--	--	133	--	--	--		143	135
N1XO	149	--	--	--	--	--		147	137
N1BO	161	167	159	166	171	166		163	151
N2	142	137	141	156	147	134		138	119

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after November 1 due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages 1/

Type 12 - 1991 crop

Group and grade	Week ending						
	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6
B3F	--	--	189	188	189	189	189
B4F	187	--	187	187	187	187	187
B5F	--	--	--	179	181	183	183
B3K	184	--	--	181	180	185	185
B4K	183	185	182	179	180	181	182
B5K	178	183	177	174	173	176	177
B6K	170	176	--	--	161	164	166
B3KR	183	185	--	180	181	183	184
B4KR	182	184	183	177	179	180	182
B5KR	178	183	179	178	172	174	177
B3KL	--	--	176	173	175	178	176
B4KL	--	--	168	171	168	172	172
B5KL	--	--	169	168	162	166	168
B4KF	179	182	182	173	171	175	179
B5KF	173	176	176	169	166	170	173
B6KF	166	--	--	--	158	162	163
B4KV	--	--	--	171	163	171	175
B5KV	170	--	--	167	158	164	168
B6KV	--	--	--	161	152	158	162
B3KM	182	181	179	178	179	181	183
B4KM	181	181	173	176	175	177	180
B5KM	177	175	169	172	167	171	174
B3KK	179	--	--	173	176	179	177
B4KK	179	182	174	173	170	175	178
B5KK	178	178	177	170	165	168	173
B4GK	173	--	166	168	164	168	174
B5GK	168	160	163	165	159	162	168
H4F	--	--	--	--	--	187	187
H5F	--	--	--	--	177	180	--
H4K	--	--	--	--	--	180	183
H5K	179	--	--	--	174	173	176
C5L	--	167	168	167	165	167	168
C3F	--	--	176	175	178	182	--
C4F	--	169	172	172	172	174	177
C5F	--	169	169	168	165	168	168
C4KR	--	170	169	168	169	170	174
C4KM	167	169	169	168	166	168	171
C4GK	162	167	165	163	158	160	165
X4L	165	165	163	159	154	155	154
X4F	165	165	164	160	154	157	157
X5F	162	163	158	154	148	152	152
X4KR	161	165	162	162	156	160	155
X4KF	--	158	159	157	149	153	152
X4KV	--	159	158	154	148	155	151
X3KM	165	166	166	164	159	161	158
X4KM	164	164	162	159	153	158	157
X4GK	163	162	159	156	148	153	149
P4L	160	162	158	151	144	--	--
P3F	163	164	162	154	150	161	--
P4F	159	162	157	149	146	150	149
P5F	153	158	152	144	143	145	--
P4G	156	160	156	146	143	--	--
N1L	148	153	149	143	140	143	135
N1XL	--	156	150	145	143	146	135
N1K	158	--	--	--	--	--	158
N1GL	149	152	146	145	144	145	142
N1KV	--	--	--	--	--	--	156
N1XO	160	155	152	148	143	147	144
N1BO	165	158	--	155	153	155	161
N2	144	146	143	134	138	136	138

See footnotes at end of tables.

**Table 13.--Average prices by weeks for representative grades and season averages 1/
--Continued**

Type 12 - 1991 crop

Group and grade	Week ending							Season	
	Sep. 13	Sep. 20	Sep. 27	Oct. 4	Oct. 11	Oct. 18	2/	1991	1990
B3F	189	189	189	188	188	--		189	187
B4F	187	187	187	187	186	186		187	185
B5F	184	184	183	179	179	178		183	181
B3K	185	185	185	183	182	181		184	182
B4K	183	184	183	180	180	179		182	180
B5K	179	181	180	177	177	174		178	175
B6K	170	174	175	174	172	171		172	168
B3KR	184	185	184	182	181	181		183	181
B4KR	183	183	183	180	179	177		181	179
B5KR	180	180	181	178	176	174		178	174
B3KL	181	181	175	179	176	170		177	175
B4KL	178	177	178	172	174	171		173	172
B5KL	167	172	--	168	169	--		166	166
B4KF	181	182	181	177	176	174		178	174
B5KF	176	179	176	173	172	172		173	169
B6KF	165	169	172	169	167	165		165	163
B4KV	176	180	179	176	175	173		175	172
B5KV	173	176	173	173	173	169		170	167
B6KV	167	174	172	169	167	160		165	162
B3KM	184	184	183	180	179	179		181	179
B4KM	181	182	182	178	178	175		179	176
B5KM	177	179	178	176	173	173		173	172
B3KK	182	182	182	179	179	--		179	176
B4KK	181	181	180	177	175	175		178	173
B5KK	179	172	178	176	172	--		173	169
B4GK	177	176	178	172	171	173		170	165
B5GK	171	174	171	167	169	171		166	162
H4F	187	187	187	186	186	186		187	185
H5F	184	182	184	184	--	--		182	182
H4K	183	184	183	181	180	179		182	181
H5K	179	180	181	180	179	175		179	177
C5L	163	172	--	--	161	--		166	168
C3F	--	179	--	--	174	--		177	180
C4F	178	176	179	173	169	169		173	174
C5F	170	170	170	169	166	165		167	171
C4KR	172	181	179	--	172	--		170	170
C4KM	170	172	170	171	168	163		168	166
C4GK	167	--	--	164	158	--		162	158
X4L	154	--	--	--	149	--		162	158
X4F	157	163	157	156	158	151		161	158
X5F	154	156	158	152	151	148		155	153
X4KR	--	--	--	--	--	--		161	160
X4KF	153	--	--	151	--	--		154	154
X4KV	151	--	--	--	--	--		155	151
X3KM	167	158	163	164	157	--		165	159
X4KM	159	162	158	156	154	151		160	157
X4GK	153	--	--	--	--	--		157	152
P4L	--	--	--	--	148	--		159	154
P3F	157	--	152	--	--	--		163	156
P4F	150	152	148	146	148	147		158	153
P5F	--	151	148	144	143	147		153	150
P4G	--	--	--	--	--	--		156	151
N1L	150	--	145	--	--	--		148	146
N1XL	146	146	156	142	150	146		146	145
N1K	159	157	164	168	166	164		163	157
N1GL	146	154	--	--	--	--		147	144
N1KV	156	145	162	163	160	--		155	153
N1X0	148	145	148	154	142	136		147	145
N1B0	165	164	167	166	166	165		163	159
N2	137	146	153	147	148	140		142	139

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after October 18 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages 1/

Type 13 - 1991 crop

Group and grade	Week ending							
	July 19	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6
B3F	--	--	--	188	188	188	189	189
B4F	--	--	187	186	186	187	187	187
B5F	--	--	177	177	178	179	181	181
B3K	--	--	--	--	181	182	183	184
B4K	180	179	178	179	179	180	181	182
B5K	174	172	170	175	175	175	175	177
B6K	--	--	--	--	168	165	164	166
B3KR	--	--	179	179	179	181	182	182
B4KR	--	--	--	175	177	178	179	180
B5KR	178	--	--	171	174	174	174	177
B3V	--	--	--	--	178	181	183	182
B4V	--	--	175	175	177	174	177	177
B4KL	--	--	--	169	172	171	166	173
B3KF	--	--	--	172	175	177	180	180
B4KF	171	173	168	172	173	172	174	176
B5KF	159	163	172	169	169	168	167	169
B6KF	--	--	--	161	161	159	159	159
B4KV	--	--	--	166	168	167	169	170
B5KV	--	--	169	168	165	162	163	166
B6KV	--	--	--	--	160	157	160	157
B3KM	--	--	177	177	178	180	182	182
B4KM	--	175	174	174	175	176	177	179
B5KM	--	--	169	171	172	171	170	175
B4KK	--	--	165	170	173	172	174	174
B5KK	--	--	--	167	169	165	167	171
B4GK	--	--	166	165	167	166	166	173
B5GK	--	--	164	163	164	161	162	163
H4F	--	--	--	--	--	186	187	187
H5F	--	--	--	177	178	178	179	179
H4K	--	--	--	--	--	180	181	181
H5K	--	--	--	170	175	172	174	176
C4F	169	167	170	171	173	171	174	174
C5F	165	164	167	169	170	166	165	166
C4KR	167	165	169	169	170	167	170	--
C4V	--	165	167	168	171	166	168	173
C4KM	163	165	168	169	168	168	168	175
C4GK	160	157	164	164	160	157	157	--
X4L	161	161	161	162	161	153	--	--
X3F	163	164	165	166	167	164	162	--
X4F	162	161	163	163	161	156	152	155
X5F	158	157	159	158	152	150	146	147
X4KF	--	156	156	159	154	148	149	148
X4KV	151	154	157	160	151	147	148	--
X3KM	162	163	166	166	168	158	160	--
X4KM	159	159	162	164	161	154	152	150
X4G	157	155	158	158	153	149	142	--
X4GK	155	156	159	157	153	145	150	--
P4L	156	157	157	160	--	--	--	--
P5L	151	146	152	--	--	--	--	--
P3F	160	160	161	157	--	--	--	--
P4F	156	156	159	157	149	141	--	--
P5F	150	152	154	153	142	124	--	--
P4G	153	155	155	152	--	--	--	--
N1L	148	150	148	147	139	134	--	--
N1XL	--	148	150	147	141	129	134	140
N1K	--	171	--	152	149	144	143	150
N1GL	139	139	145	144	139	129	145	--
N1X0	155	150	149	145	140	137	139	139
N1B0	--	--	--	160	156	154	152	157
N2	140	134	137	123	123	107	118	118

See footnotes at end of table.

**Table 14.--Average prices by weeks for representative grades and season averages 1/
--Continued**

Type 13 - 1991 crop

Group and grade	Week ending					Season	
	Sep. 13	Sep. 20	Sep. 27	Oct. 4	Oct. 11	1991	1990
B3F	189	189	189	188	188	189	187
B4F	187	187	187	187	186	187	185
B5F	182	182	182	180	180	180	177
B3K	184	186	185	184	182	184	181
B4K	183	184	183	181	181	182	177
B5K	178	179	179	177	177	177	170
B6K	170	171	172	170	172	170	160
B3KR	183	185	183	182	182	183	179
B4KR	182	183	182	180	179	180	174
B5KR	178	180	179	176	173	176	168
B3V	183	--	183	176	--	181	176
B4V	178	179	180	179	179	177	171
B4KL	181	179	176	--	173	172	166
B3KF	183	182	183	177	176	179	172
B4KF	178	179	180	176	174	175	167
B5KF	172	175	175	170	173	169	158
B6KF	162	166	168	164	161	162	150
B4KV	175	175	173	174	173	171	161
B5KV	170	169	172	170	171	166	154
B6KV	163	164	163	163	170	161	147
B3KM	184	184	183	179	180	180	175
B4KM	180	182	181	179	177	177	171
B5KM	175	177	178	173	175	172	165
B4KK	176	178	182	179	174	173	167
B5KK	171	172	177	171	--	169	158
B4GK	171	171	174	169	171	168	157
B5GK	164	166	167	166	167	164	150
H4F	187	187	187	187	186	187	185
H5F	182	182	182	181	183	180	178
H4K	183	184	183	183	182	182	177
H5K	178	180	179	176	177	177	172
C4F	172	172	171	169	168	171	169
C5F	164	165	170	167	166	167	164
C4KR	--	--	--	--	--	169	165
C4V	--	--	--	--	--	168	161
C4KM	167	--	171	168	163	168	161
C4GK	--	--	--	--	--	162	148
X4L	--	--	--	--	--	161	153
X3F	--	--	--	--	--	165	159
X4F	153	155	155	159	153	161	153
X5F	148	153	147	154	147	156	146
X4KF	156	--	--	--	--	154	141
X4KV	--	--	--	--	--	155	138
X3KM	152	--	--	--	--	164	156
X4KM	157	--	--	158	157	161	150
X4G	--	--	--	--	--	156	145
X4GK	--	--	--	--	--	156	143
P4L	--	--	--	--	--	156	152
P5L	--	--	--	--	--	150	147
P3F	--	--	--	--	--	160	154
P4F	--	--	--	--	--	157	151
P5F	--	--	--	--	--	151	146
P4G	--	--	--	--	--	154	147
N1L	--	--	--	--	--	145	136
N1XL	124	--	129	135	122	142	124
N1K	152	153	157	154	163	153	142
N1GL	--	--	--	--	--	140	125
N1X0	135	140	129	134	121	144	130
N1B0	158	162	162	159	159	157	141
N2	118	120	114	105	101	117	110

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after October 11 due to limited sales.

Table 15.--Average prices by weeks for representative grades and season averages 1/

Type 14 - 1991 crop

Group and grade	Week ending										Season	
	July 19	July 26	Aug. 2	Aug. 9	Aug. 16	Aug. 23	Aug. 30	Sep. 6	Sep. 13	Sep. 20	1991	1990
B3F	--	--	188	--	--	189	--	189	189	189	189	187
B4F	--	--	186	187	187	187	187	187	187	187	187	185
B5F	--	177	181	181	183	183	186	185	184	184	183	182
B3K	181	--	--	184	185	186	186	186	186	186	185	184
B4K	180	178	180	182	183	184	185	186	185	185	184	183
B5K	173	175	175	176	178	179	181	182	181	182	180	179
B6K	161	162	166	169	168	169	172	174	173	176	172	172
B3KR	179	179	181	183	182	186	183	185	184	185	182	183
B4KR	176	174	178	181	182	183	184	184	184	184	181	181
B5KR	171	169	172	177	179	179	179	183	180	182	177	178
B4S	--	--	175	174	174	178	176	--	177	--	175	175
B4KL	--	--	174	172	171	175	178	180	179	180	175	176
B5KL	160	171	174	167	164	171	176	172	177	175	171	167
B4KF	171	166	172	174	175	177	178	180	179	180	176	177
B5KF	164	160	165	167	169	172	173	174	175	177	171	171
B6KF	164	--	161	157	164	164	165	168	169	169	166	164
B5KD	157	158	158	157	162	--	162	160	161	163	159	161
B6KD	155	158	153	--	--	158	159	162	162	160	158	155
B4KV	--	--	170	170	171	173	172	178	176	177	173	169
B5KV	--	168	169	166	168	170	173	174	174	176	171	165
B6KV	--	174	165	163	163	164	164	170	170	172	167	159
B3KM	177	--	179	180	182	181	184	182	183	--	181	179
B4KM	176	174	178	179	180	180	183	183	184	182	180	178
B5KM	170	171	175	174	175	177	178	180	179	180	177	175
B6KM	--	--	165	165	167	173	172	--	175	178	171	170
B4KK	170	169	175	174	174	178	175	180	176	--	174	172
B5KK	172	167	167	172	172	168	176	172	175	174	171	169
B4GK	162	169	171	169	168	173	174	177	174	176	171	168
B5GK	159	162	165	164	165	169	168	172	171	170	167	163
H4F	--	--	187	187	187	187	187	187	187	187	187	186
H5F	--	177	179	180	183	183	183	187	186	--	181	184
H5K	--	172	174	176	180	180	183	183	180	180	180	183
H6K	--	166	167	165	170	168	172	176	172	173	171	177
C4F	--	169	174	175	171	177	170	--	--	--	173	172
C5F	--	168	170	169	174	165	166	169	173	--	170	168
C4KR	170	168	172	173	175	170	--	--	--	--	171	168
C4S	--	169	170	168	162	--	163	152	--	--	165	166
C4KM	166	167	172	170	165	162	171	167	170	168	169	166
X4L	162	161	162	161	155	152	149	155	149	155	161	158
X5L	159	155	157	152	145	151	144	--	--	146	155	154
X4F	162	162	164	161	160	155	155	162	156	154	162	160
X5F	157	157	160	155	149	152	153	156	150	151	156	155
X3KM	165	166	167	161	161	--	--	162	--	--	165	160
X4KM	161	162	165	161	156	156	153	155	148	154	161	158
X4G	156	156	159	155	149	153	--	--	--	--	156	154
X5G	153	154	157	145	154	--	--	--	--	--	153	150
P3L	160	158	159	149	--	--	--	--	--	--	159	156
P4L	157	156	157	149	143	142	141	--	--	145	157	153
P3F	162	161	159	--	--	--	--	--	--	--	161	156
P4F	157	157	158	147	--	142	--	--	--	--	157	154
P5F	151	153	157	144	--	--	--	--	--	--	151	150
P4G	152	154	156	--	--	--	--	--	--	--	152	151
N1L	147	148	153	144	--	--	--	--	--	142	147	147
N1XL	152	150	154	151	144	150	150	148	142	153	150	147
N1K	156	159	159	157	162	161	164	166	164	167	163	161
N1GF	--	--	151	145	152	157	154	153	155	--	152	144
N1KV	--	157	161	156	158	160	161	164	160	163	160	148
N1XO	149	150	151	144	147	143	142	141	138	142	148	148
N1BO	154	158	157	155	158	159	157	160	158	159	158	159
N2	140	144	143	140	146	140	144	146	135	140	141	134

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after September 20 due to limited sales.

Table 16.--Warehouse charges by states, 1991 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less	2-1/2	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14	25 cents on all piles over 100 pounds	2-3/4	
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

Table 17.--Average weight per lot, 1986-91 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1986	180	181	178	185	181
1987	179	185	181	184	183
1988 1/	189	191	193	192	191
1989	198	194	195	197	196
1990	204	202	197	195	200
1991	204	198	197	190	199

1/ Maximum allowed was increased from 250 pounds to 275 pounds.

Table 18.--Tobacco received by the Stabilization Corporation, 1988-91 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent	1,000 lb.	Percent
1988	7,254	3.0	4,567	1.7	2,894	1.7
1989	10,818	4.3	8,145	2.8	8,697	4.7
1990	29,243	10.3	16,489	5.1	26,378	13.7
1991	20,221	7.1	15,925	5.2	9,551	5.0

Crop	Type 14		Types 11-14 1/	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent
1988	438	0.4	15,152	1.9
1989	744	0.7	28,404	3.4
1990	1,981	1.7	74,091	8.1
1991	3,951	3.9	49,647	5.6

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1987-91 crops 1/

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.
(Type 11)									
1987	--	57.4	0.9	6.8	15.6	10.9	--	7.1	1.3
1988	--	60.8	1.1	4.4	14.4	12.1	--	5.7	1.5
1989	--	61.8	1.4	10.2	13.3	10.0	--	2.5	0.8
1990	--	61.5	2.8	5.7	12.5	14.5	--	2.7	0.3
1991	--	58.4	3.8	9.3	14.2	12.1	--	1.9	0.3
(Type 12)									
1987	--	61.2	0.8	9.0	13.9	9.7	--	4.8	0.6
1988	--	62.5	0.6	10.0	12.6	10.7	--	3.1	0.5
1989	--	62.7	0.6	10.6	15.0	6.7	0.1	3.5	0.8
1990	--	65.3	0.8	6.1	13.7	10.9	--	2.8	0.4
1991	--	61.8	2.1	7.3	16.0	9.4	--	3.0	0.4
(Type 13)									
1987	--	55.8	2.1	11.6	16.5	7.8	--	5.8	0.4
1988	--	62.0	2.3	7.7	12.9	9.9	--	4.5	0.7
1989	--	59.3	3.4	9.4	15.6	6.7	--	4.5	1.1
1990	--	59.9	2.0	4.6	14.7	9.7	--	7.9	1.2
1991	--	57.7	4.6	8.8	17.1	5.6	--	5.1	1.1
(Type 14)									
1987	--	54.9	2.1	6.3	14.0	9.5	--	11.2	2.0
1988	--	57.9	2.7	5.5	10.6	13.4	--	8.7	1.2
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0
1990	--	54.4	5.2	6.9	15.5	12.1	--	5.4	0.5
1991	--	56.5	5.2	3.7	11.0	7.8	--	13.8	2.0

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

Table 20.--Percentage distribution by qualities and types, 1987-91 crops 1/

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
(Type 11)								
1987	--	0.1	8.1	49.0	29.4	5.0	7.1	1.3
1988	--	0.1	8.7	52.6	29.3	2.1	5.7	1.5
1989	--	0.5	21.5	55.4	18.3	1.0	2.5	0.8
1990	--	0.8	16.3	57.8	20.6	1.5	2.7	0.3
1991	--	0.3	23.5	58.7	14.7	0.6	1.9	0.3
(Type 12)								
1987	--	0.1	6.8	51.2	32.7	3.8	4.8	0.6
1988	--	0.1	8.9	57.3	28.4	1.7	3.1	0.5
1989	--	0.1	14.6	59.6	20.1	1.3	3.5	0.8
1990	--	0.2	12.4	54.6	26.3	3.3	2.8	0.4
1991	--	0.2	17.2	59.4	18.6	1.2	3.0	0.4
(Type 13)								
1987	--	0.1	6.2	55.8	28.9	2.8	5.8	0.4
1988	--	0.1	8.8	55.2	28.0	2.7	4.5	0.7
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.1	4.7	45.1	34.7	6.3	7.9	1.2
1991	--	0.1	13.7	55.5	22.3	2.2	5.1	1.1
(Type 14)								
1987	--	0.1	3.5	45.6	32.4	5.2	11.2	2.0
1988	--	0.0	4.6	49.1	30.8	5.6	8.7	1.2
1989	--	0.1	7.4	54.9	26.4	2.9	6.9	1.4
1990	--	0.2	10.2	59.0	22.5	2.2	5.4	0.5
1991	--	0.1	4.7	38.7	32.9	7.8	13.8	2.0

1/ Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors and types, 1987-91 crops 1/

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K	G-GK	Nondescript	Misc.
(Type 11)											
1987	5.2	17.2	0.1	17.2	0.3	1.2	4.6	37.3	8.5	7.1	1.3
1988	4.5	21.2	0.2	22.5	0.4	0.7	4.6	32.9	5.8	5.7	1.5
1989	6.3	19.8	0.1	26.5	0.1	0.5	0.9	40.4	2.1	2.5	0.8
1990	4.5	26.6	0.3	34.7	0.1	0.6	2.1	24.6	3.5	2.7	0.3
1991	4.2	28.2	0.4	36.9	--	1.1	1.4	23.0	2.6	1.9	0.3
(Type 12)											
1987	4.4	10.4	0.1	19.6	1.9	0.7	5.1	45.8	6.6	4.8	0.6
1988	4.5	13.2	--	23.4	2.3	0.4	2.0	45.1	5.5	3.1	0.5
1989	5.4	11.9	0.1	20.6	0.7	0.5	0.9	52.6	3.0	3.5	0.8
1990	4.0	13.4	0.1	32.6	0.4	0.6	3.4	36.3	6.0	2.8	0.4
1991	4.3	18.1	0.3	38.8	0.1	0.5	1.3	29.8	3.4	3.0	0.4
(Type 13)											
1987	3.4	17.2	0.1	26.8	2.6	1.5	1.5	33.9	6.8	5.8	0.4
1988	2.9	15.3	0.1	30.9	2.2	0.9	1.7	34.5	6.3	4.5	0.7
1989	4.3	20.0	0.1	31.3	0.7	0.9	1.0	32.7	3.4	4.5	1.1
1990	1.9	16.3	0.2	31.7	0.1	1.2	5.8	26.3	7.4	7.9	1.2
1991	3.2	22.3	0.5	37.3	--	1.9	1.2	23.3	4.1	5.1	1.1
(Type 14)											
1987	4.9	15.2	--	25.1	0.7	0.4	2.4	31.7	6.4	11.2	2.0
1988	5.7	14.1	--	25.3	0.5	0.3	3.1	32.1	9.0	8.7	1.2
1989	5.3	19.5	--	27.7	1.0	0.4	2.2	30.7	4.9	6.9	1.4
1990	7.1	19.4	0.1	20.3	0.4	0.6	4.2	33.9	8.1	5.4	0.5
1991	6.6	13.3	--	34.8	--	0.4	3.9	22.2	3.0	13.8	2.0

1/ Dashes indicate a percentage of less than 0.1.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1987-91 crops 1/

(Group)									
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M 2/ Mixed	N Nondescript	Misc.
1987	--	58.0	1.3	8.6	15.0	9.6	--	6.5	1.0
1988	--	61.3	1.4	7.2	13.0	11.3	--	4.9	0.9
1989	--	60.8	1.8	9.6	14.4	8.5	--	3.9	1.0
1990	--	61.2	2.4	5.8	13.9	11.9	--	4.2	0.6
1991	--	59.2	3.6	7.6	14.8	9.4	--	4.7	0.7

(Quality)

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
1987	--	0.1	6.6	50.9	30.8	4.1	6.5	1.0
1988	--	0.1	8.3	54.3	28.9	2.6	4.9	0.9
1989	--	0.2	14.8	56.6	21.8	1.7	3.9	1.0
1990	--	0.3	11.6	54.5	25.7	3.1	4.2	0.6
1991	--	0.2	16.7	55.3	20.2	2.2	4.7	0.7

(Color)

Crop year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K	G-GK	Nondescript	Misc.
1987	4.5	14.5	0.1	21.2	1.5	1.0	3.8	38.7	7.2	6.5	1.0
1988	4.3	16.2	0.1	25.0	1.5	0.6	2.9	37.4	6.2	4.9	0.9
1989	5.4	17.1	0.1	25.7	0.5	0.6	1.0	41.6	3.1	3.9	1.0
1990	4.3	18.7	0.2	30.8	0.2	0.7	3.6	30.7	6.0	4.2	0.6
1991	4.5	21.4	0.4	37.3	--	0.9	1.7	25.2	3.2	4.7	0.7

1/ Dashes indicate a percentage of less than 0.1.

2/ Suspended for the 1987 and 1988 crops.

Table 23.--Percentage distribution by grades and types, 1991 crop 1/

Group and grade	1991 crop				Group and grade	1991 crop			
	11	12	13	14		11	12	13	14
Leaf:					Smoking leaf:				
B1L	--	.003	--	--	H3F	.064	.002	.008	.062
B2L	--	.003	--	--	H4F	.656	.113	.423	.529
B3L	.012	.006	.003	--	H5F	.172	.037	.430	.347
B4L	.109	.053	.017	.064	H6F	.001	.001	.020	.011
B5L	.045	.036	.014	.094	H4FR	.059	.050	.045	--
B6L	--	.001	--	.003	H5FR	.018	.033	.010	--
B1F	.002	.006	.012	--	H6FR	--	.001	--	--
B2F	.055	.014	.008	.001	H4K	1.775	1.002	1.660	1.154
B3F	.932	.251	.257	.063	H5K	.949	.719	1.527	2.118
B4F	3.682	1.534	3.358	1.008	H6K	.122	.165	.424	.946
B5F	1.195	.431	1.431	1.269	Total H	3.816	2.123	4.547	5.167
B6F	.003	.001	.016	.036	Cutters:				
B1FR	--	.004	--	--	C1L	.004	--	--	--
B2FR	--	.003	--	--	C2L	.002	--	.001	--
B3FR	.033	.006	.028	--	C3L	.051	.026	.024	.003
B4FR	.294	.153	.360	.005	C4L	.313	.211	.202	.142
B5FR	.036	.026	.054	.004	C5L	.274	.323	.274	.386
B6FR	--	--	.001	.001	C5LP	.008	.038	.001	.016
B5R	--	.008	.001	.001	C1F	.001	--	--	--
B3K	7.448	4.560	4.502	.288	C2F	.006	--	.005	--
B4K	14.750	15.907	14.170	9.324	C3F	.273	.055	.194	.007
B5K	3.852	6.130	7.732	13.225	C4F	2.311	.826	1.576	.454
B6K	.262	.672	1.126	4.443	C5F	2.148	1.406	1.899	.821
B3KR	2.334	2.079	1.380	.219	C5FP	.006	.038	--	.014
B4KR	3.977	5.883	3.467	1.758	C4KR	.516	.198	.395	.112
B5KR	.446	1.286	.736	1.033	C4V	.239	.118	.420	.037
B3V	.038	.015	.108	.016	C4LL	.003	.002	.009	.002
B4V	.099	.034	.312	.064	C5LL	--	.001	.006	.001
B5V	.019	.013	.073	.020	C4S	.069	.066	.116	.128
B3S	.072	.028	.063	.016	C4KL	.204	.215	.112	.062
B4S	.028	.025	.030	.100	C4KF	.253	.153	.308	.047
B5S	.002	--	.006	.016	C4KM	2.303	3.040	2.649	1.204
B3KL	.276	.171	.051	.032	C4KK	.053	.138	.104	.018
B4KL	.484	.612	.189	.568	C4G	.048	.051	.115	.049
B5KL	.054	.166	.031	.484	C4GK	.211	.347	.368	.145
B6KL	.004	.006	.003	.052	Total C	9.296	7.252	8.778	3.648
B3KF	.838	.198	.459	.038	Lugs:				
B4KF	3.791	2.133	2.524	1.896	X1L	.001	--	.001	.003
B5KF	1.085	1.326	1.952	2.792	X2L	.021	.006	.013	.021
B6KF	.046	.133	.281	.598	X3L	.505	.552	.511	.511
B3KD	.001	.001	--	.001	X4L	.666	.986	.943	1.328
B4KD	.076	.077	.026	.064	X5L	.092	.231	.168	.487
B5KD	.101	.186	.081	.221	X1F	.002	.001	.010	--
B6KD	.030	.058	.062	.139	X2F	.048	.018	.026	.020
B4KV	.418	.375	.320	.363	X3F	1.985	1.354	1.632	.683
B5KV	.423	.519	.482	1.974	X4F	4.472	3.910	5.338	2.841
B6KV	.049	.081	.074	1.290	X5F	1.116	1.454	1.656	1.477
B3KM	3.863	3.236	1.607	.556	X3KR	.217	.091	.094	.045
B4KM	5.288	8.863	5.981	6.508	X4KR	.234	.143	.133	.053
B5KM	.528	2.138	2.013	3.622	X3V	.304	.130	.355	.072
B6KM	.008	.060	.068	.174	X4V	.360	.197	.645	.168
B3KK	.089	.104	.082	.031	X3LL	--	.004	.003	.007
B4KK	.296	.827	.406	.465	X4LL	--	.003	.001	.002
B5KK	.059	.292	.134	.250	X3S	.014	.030	.039	.039
B6KK	.001	.010	.007	.015	X4S	.003	.015	.022	.040
B4G	.024	.021	.071	.039	X4KL	.083	.134	.031	.062
B5G	.008	.012	.027	.066	X4KF	.330	.129	.302	.059
B6G	--	.001	.002	.010	X4KV	.535	.278	.301	.244
B5GR	.005	.001	--	.001	X3KM	1.218	1.788	1.067	.482
B4GK	.551	.635	.856	.465	X4KM	1.401	3.420	2.443	1.437
B5GK	.268	.376	.570	.595	X4G	.214	.249	.532	.302
B6GK	.023	.029	.076	.109	X5G	.068	.162	.286	.209
B5GG	.013	.006	.012	.016	X4GK	.278	.685	.572	.446
Total B	58.425	61.824	57.712	56.505	Total X	14.167	15.970	17.124	11.038

See footnotes at end of table.

Table 23.--Percentage distribution by grades and types, 1991 1--Continued

Group and grade	1991 crop				Group and grade	1991 crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript:				
P2L	.052	.070	.038	.031	N1L	.384	.233	.161	.448
P2L sand	--	--	--	--	N1L sand	.002	--	--	.006
P3L	.806	.787	.362	.924	N1XL	.351	.265	.370	.740
P3L sand	.002	.001	.001	.030	N1K	.177	.125	.468	2.444
P4L	1.093	.906	.543	2.052	N1R	.005	.004	.003	.020
P4L sand	.009	.002	--	.052	N1GL	.158	.219	.295	.390
P5L	.164	.127	.088	.467	N1GL sand	--	--	--	--
P5L sand	--	--	--	.002	N1GF	.042	.034	.029	.081
P2F	.069	.058	.014	.007	N1KV	.036	.042	.070	.826
P2F sand	--	--	--	--	N1GR	.002	.001	.009	.002
P3F	2.172	1.741	.807	.529	N1GG	.002	--	.004	.001
P3F sand	.003	.002	.001	.001	N1PO	.220	.546	.550	1.308
P4F	5.412	4.030	2.670	2.397	N1PO sand	--	--	--	.001
P4F sand	.077	.007	.020	.012	N1XO	.203	.550	1.154	1.131
P5F	1.330	.841	.462	.717	N1BO	.069	.583	1.165	2.495
P5F sand	.015	.001	.004	.002	N2	.291	.425	.852	3.929
P4G	.662	.637	.444	.407	Total N	1.942	3.027	5.130	13.822
P4G sand	.004	.002	--	.001	No-grade 2/	.178	.219	.668	1.184
P5G	.189	.192	.141	.159	No-G-F sand	--	--	--	--
P5G sand	.003	--	--	--	W - unsafe	.006	.006	.006	.009
Total P	12.062	9.404	5.595	7.790	U - unsound	.107	.170	.440	.831
Mixed:					S - scrap	--	--	--	--
M4F	--	--	--	--					
M5F	--	.001	--	--					
M4KR	--	.001	--	--					
M4KM	--	--	--	--					
M5KM	.001	.001	--	.006					
M4GK	--	.002	--	--					
M5GK	--	--	--	--					
Total M	.001	.005	--	.006	Grand total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes grades No-G and No-G-F.

Table 24.--Percentage breakdown of marketings by selected groupings, 1991 and 1990 crops

Grouping	Type 11		Type 12		Type 13		Type 14		11-14	
	1991	1990	1991	1990	1991	1990	1991	1990	1991	1990
Premature to mellow	70.8	66.8	62.1	51.1	65.2	51.4	55.1	47.9	64.5	54.9
Unripe	24.4	26.7	31.1	39.7	24.5	32.1	26.1	38.1	26.9	34.3
Immature	2.6	3.5	3.4	6.0	4.1	7.4	3.0	8.1	3.2	6.0
Nondescript	1.9	2.7	3.0	2.8	5.1	7.9	13.8	5.4	4.7	4.2
No-grade 1/	0.3	0.3	0.4	0.4	1.1	1.2	2.0	0.5	0.7	0.6
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.--Group averages by maturity, 1991 crop

GROUP	MATURE TO MELLOW		PREMATURE		UNRIPE		IMMATURE	
dollars per hundred pounds								
Leaf (B)	181.52	--			176.32		167.56	
Smoking Leaf (H)	180.77	--			--		--	
Cutters (C)	170.25		161.44		167.46		161.33	
Lugs (X)	161.08	--			160.40		155.31	
Mixed (M)	160.00	--			149.13		143.38	
Primings (P)	--		156.95		--		152.51	
Total	176.88		156.97		172.70		159.52	
Nondescript	.00		.00		.00		148.71	
No-grade 1/	.00		.00		.00		134.53	

1/ Includes tobacco defined as decayed, off-type, and nested; also includes unsafe keeping order unsound, and scrap.

Table 26.--Percentage distribution by grades for all types, 1989-91 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1989	1990	1991		1989	1990	1991
Wrappers:				B5KM	1.949	2.469	1.822
A1L	--	--	--	B6KM	.070	.101	.062
A1F	--	--	--	Total BKM -	17.172	12.166	11.414
Total A	--	--	--	B3KK	.277	.108	.084
Leaf:				B4KK	1.497	.607	.521
B1L	--	.002	.001	B5KK	.367	.207	.181
B2L	.002	.001	.001	B6KK	.015	.020	.007
B3L	.014	.014	.007	Total BKK -	2.156	.942	.793
B4L	.042	.068	.066	B4G	.039	.073	.034
B5L	.045	.033	.044	B5G	.017	.037	.022
B6L	.001	.001	.001	B6G	.001	.003	.002
Total BL --	.104	.119	.120	Total BG --	.057	.113	.058
B1F	.002	.011	.005	B5GR	.015	.009	.002
B2F	.010	.036	.024	B4GK	.766	1.118	.623
B3F	.116	.304	.443	B5GK	.565	.857	.411
B4F	1.304	2.057	2.487	B6GK	.092	.162	.048
B5F	1.679	1.154	.993	Total BGK -	1.423	2.137	1.082
B6F	.007	.010	.010	B5GG	.035	.008	.011
Total BF --	3.118	3.572	3.962	Total B --	60.759	61.251	59.138
B1FR	--	--	.001	Smoking leaf			
B2FR	.002	.006	.001	H3F	.015	.122	.032
B3FR	.002	.010	.018	H4F	.135	.458	.410
B4FR	.029	.075	.214	H5F	.173	.135	.201
B5FR	.020	.048	.031	H6F	.004	.003	.006
B6FR	--	.002	.001	Total HF --	.327	.718	.649
Total BFR --	.053	.141	.266	H4FR	.007	.019	.045
B5R	.004	.007	.004	H5FR	.016	.012	.019
B3K	1.094	1.812	4.826	H6FR	.002	--	--
B4K	9.375	12.065	14.196	Total HFR -	.025	.031	.064
B5K	5.633	8.484	6.784	H4K	.467	.798	1.398
B6K	.824	1.579	1.204	H5K	.805	.661	1.159
Total BK --	16.926	23.940	27.010	H6K	.201	.180	.318
B3KR	1.037	.651	1.745	Total HK --	1.473	1.639	2.875
B4KR	4.302	3.144	4.182	Total H --	1.825	2.388	3.588
B5KR	1.181	1.127	.873	Cutters:			
Total BKR --	6.520	4.922	6.800	C1L	--	--	.001
B3V	.034	.028	.040	C2L	--	.001	.001
B4V	.092	.131	.111	C3L	.004	.013	.030
B5V	.020	.032	.027	C4L	.175	.122	.232
Total BV --	.146	.191	.178	C5L	.427	.157	.310
B3S	.162	.046	.047	Total CL --	.606	.293	.574
B4S	.120	.070	.038	C5LP	.236	.125	.018
B5S	.007	.003	.004	C1F	--	.001	--
Total BS --	.289	.119	.089	C2F	.001	.004	.003
B3KL	.315	.099	.161	C3F	.041	.065	.144
B4KL	.857	.367	.485	C4F	.694	.706	1.389
B5KL	.213	.113	.153	C5F	1.869	.900	1.648
B6KL	.010	.009	.012	Total CF --	2.605	1.676	3.184
Total BKL --	1.395	.588	.811	C5FP	.304	.116	.018
B3KF	1.158	.374	.429	C4KR	.400	.138	.324
B4KF	5.743	4.528	2.706	C4V	.116	.119	.202
B5KF	2.508	3.641	1.590	C4LL	.011	.001	.004
B6KF	.244	.533	.204	C5LL	.004	--	.002
Total BKF --	9.653	9.076	4.929	Total CLL -	.015	.001	.006
B3KD	.018	.002	.001	C4S	.358	.149	.086
B4KD	.320	.059	.065	C4KL	.347	.102	.168
B5KD	.438	.169	.144	C4KF	.374	.254	.198
B6KD	.117	.093	.062	C4KM	3.759	2.195	2.446
Total BKD --	.893	.323	.272	C4KK	.177	.123	.085
B4KV	.246	.811	.377	C4G	.056	.077	.061
B5KV	.434	1.593	.705	C4GK	.285	.445	.276
B6KV	.120	.474	.255	Total C --	9.638	5.813	7.646
Total BKV --	.800	2.878	1.337	Lugs:			
B3KM	4.704	2.112	2.723	X1L	.003	--	.001
B4KM	10.449	7.484	6.807	X2L	.007	.007	.014
				X3L	.495	.289	.523

See footnotes at end of table

Table 26.--Percentage distribution by grades for all types, 1989-91 crops 1/--Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1989	1990	1991		1989	1990	1991
X4L	1.112	.612	.927	P4F	3.240	4.424	3.972
X5L	.273	.160	.214	P4F sand	.037	.063	.033
Total XL --	1.890 ----	1.068 ----	1.679	P5F	.731	1.210	.909
X1F	.003	.001	.003	P5F sand	.005	.010	.006
X2F	.020	.031	.030	Total PF --	5.252 ----	7.657 ---	6.488
X3F	.995	.960	1.506	P4G	.354	1.051	.574
X4F	3.468	2.766	4.193	P4G sand	.004	.006	.002
X5F	1.334	1.303	1.386	P5G	.112	.338	.176
Total XF --	5.820 ----	5.061 ----	7.118	P5G sand	.001	.002	.001
X3KR	.145	.080	.125	Total PG --	.471 ----	1.397 ---	.753
X4KR	.210	.099	.157	Total P --	8.525 ----	11.881 ---	9.306
Total XKR --	.355 ----	.179 ----	.282	Mixed:			
X3V	.125	.134	.219	M4F	.002	.001	--
X4V	.178	.269	.329	M5F	.002	.001	--
Total XV --	.303 ----	.403 ----	.548	Total MF --	.004 ----	.002 ---	--
X3LL	.011	.004	.002	M4KR	--	--	--
X4LL	.010	.002	.002	M4KM	.005	.002	--
Total XLL --	.021 ----	.006 ----	.004	M5KM	.010	.004	.001
X3S	.254	.105	.028	Total MKM -	.015 ----	.006 ---	.001
X4S	.098	.055	.016	M4GK	.002	.001	.001
Total XS --	.352 ----	.160 ----	.044	M5GK	.002	.002	--
X4KL	.241	.100	.087	Total MGK -	.004 ----	.003 ---	.001
X4KF	.295	.429	.215	Total M --	.023 ----	.011 ---	.002
X4KV	.214	.750	.361	Nondescript			
X3KM	1.635	1.420	1.268	N1L	.305	.551	.302
X4KM	2.478	2.561	2.280	N1L sand	.002	.001	.002
Total XKM --	4.113 ----	3.981 ----	3.548	N1XL	.353	.443	.386
X4G	.212	.470	.299	N1K	.311	.410	.563
X5G	.110	.295	.162	N1R	.015	.022	.006
Total XG --	.322 ----	.765 ----	.461	N1GL	.172	.674	.240
X4GK	.424	1.006	.496	N1GL sand	--	.001	--
Total X --	14.350 ----	13.908 ----	14.843	N1GF	.045	.074	.043
Primings:				N1KV	.102	.234	.166
P2L	.096	.103	.052	N1GR	.014	.011	.003
P2L sand	--	--	--	N1GG	.008	.002	.001
P3L	.941	1.025	.735	N1PO	.699	.312	.559
P3L sand	.008	.003	.006	N1PO sand	.003	.001	--
P4L	1.504	1.408	1.075	N1XO	.535	.231	.640
P4L sand	.021	.013	.012	N1BO	.387	.297	.823
P5L	.230	.273	.184	N2	.920	.927	1.001
P5L sand	.002	.002	.001	Total N --	3.871 ----	4.191 ---	4.735
Total PL --	2.802 ----	2.827 ----	2.065	No-grade 2/	1.009	.557	.742
P2F	.081	.152	.046	Grand total:	100.000	100.000	100.000
P2F sand	--	--	--				
P3F	1.152	1.787	1.520				
P3F sand	.006	.011	.002				

1/ Dashes indicate a percentage of less than 0.001.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.001 percent in 1990.

Table 27.--Average price by grade groups and types, 1991 and 1990 crops

1991 crop							1990 crop							
Group							Group							
Type	B	H	C	X	P	M	N	B	H	C	X	P	M	N
11	181	183	170	160	155	148	147	175	181	169	158	151	161	136
12	180	180	168	161	159	155	150	175	179	165	156	153	165	147
13	178	179	168	160	156	--	143	167	172	160	148	149	140	127
14	178	180	169	160	156	144	151	177	185	166	157	153	177	144
11-14	180	181	169	161	157	151	149	174	180	166	155	152	160	137