



United States
Department of
Agriculture

Agricultural
Marketing
Service


TOB-FL-38

April 1995

Washington, DC

Tobacco Market Review

Flue-Cured, 1994 Crop



Contents

	Page
Review of the 1994 Marketing Season	4
Summary of standard flue-cured tobacco grades	5
Table	
1. Allotted sales opportunities compared to producers' sales, 1994 crop	6
2. Initial and final designation of the 1994 crop	7
3. Opening and closing dates, and number of warehouse firms by type, state, and market	8-9
4. Movement of tobacco across state lines	10
5. Producers' sales, value, and average price by types, 1989-94 crops	10
6. Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1989-94 crops	11
7. Producers' sales, value, and average price by type, state, and market	12-13
8. Gross sales, value, and average price by type, state, and market	14-15
9. Resales, average price, and percentage of gross sales by type, state, and market	16-17
10. Rank of markets by volume of producers' sales, by separate types and by all types, 1994 crop	18
11. Season average prices and support rates by individual grades, per 100 pounds	19-21
12. Average prices by weeks for representative grades and season averages--Type 11	22-23
13. Average prices by weeks for representative grades and season averages--Type 12	24-25
14. Average prices by weeks for representative grades and season averages--Type 13	26-27
15. Average prices by weeks for representative grades and season averages--Type 14	28
16. Warehouse charges by states, 1994 crop	29
17. Average weight per lot, 1989-94 crops	29
18. Tobacco received by the Stabilization Corporation, 1991-94 crops	29
19. Percentage distribution by groups and types, 1990-94 crops	30
20. Percentage distribution by qualities and types, 1990-94 crops	30
21. Percentage distribution by colors and types, 1990-94 crops	31
22. Percentage distribution by groups, qualities, and colors for types 11-14, 1990-94 crops	31
23. Percentage distribution by grades and types, 1994 crop	32-33
24. Percentage breakdown of marketings by selected groupings, 1994 and 1993 crops	33
25. Group averages by maturity, 1994 crop	33
26. Percentage distribution by grades for all types, 1992-94 crops	34-35
27. Average price by grade groups and types, 1994 and 1993 crops	35

REVIEW OF THE 1994 MARKETING SEASON

The 1994 crop of flue-cured tobacco showed substantial improvement from the previous year. Most areas had near ideal growing conditions, the major exception being the Georgia-Florida area that suffered from excess rainfall. Overall, quality was up and the percentage grading mature or better was the highest since the 1975 crop. Markets opened with a light demand for tobacco carried over from the 1993 "bad weather" crop, and loan receipts were high. Also, lower stalk "new crop" offerings brought well below 1993 levels. Demand and prices showed a steady improving trend from late August through October, with loan receipts consistently declining. Early auctions contained an estimated 65.4 million pounds of carry-over tobacco. The 1994 basic quota was down 10.0 percent, with the effective quota at 798.5 million pounds, a drop of 10.2 percent from 1993.

SALES AND AVERAGES. Producers' sales for 1994 totaled 807.4 million pounds, down 9.5 percent from 1993. The general average price of \$170.18 was up \$1.53 from the 1993 figure of \$168.65 per hundred pounds. These figures are based on auction sales only, including carry-over tobacco, and do not reflect assessments. Total value of producers' sales was \$1,374.0 million, down 8.7 percent from the 1993 value of \$1,504.5.

GRADE AVERAGES. Nearly 60 percent of all grade averages were down from 1993 levels. In the leaf (B) and smoking leaf (H) groups, most average bids were between \$2 and \$3 higher, with small losses centered on higher supported grades. Cutters (C) were mainly \$3 to \$6 lower, lugs (X) \$1 to \$3 down, and primings (P) \$4 to \$6 below 1993 marks. The nondescript group (N) showed increases of mostly \$6 to \$17 per hundred pounds. The practical top bid was considered to be \$184, though late in the season some \$185 to \$187 bids were recorded for several grades.

COMPOSITION OF OFFERINGS. Improved quality and maturity were the reason for an increase in the general average price this season. Sales grading good quality or better rose 8 percentage points to represent 22.7 percent of all auctions. Fair quality rose to 59.0 percent, up 1.2 points. Low quality dropped 7.2 points to 14.7 percent, and poor quality slipped 1.1 points to 0.9 percent of total sales. Percentages by group also showed improvement. They were as follows: leaf 59.9; smoking leaf 4.5; cutters 8.9; lugs 15.6; primings 8.4; and nondescript 2.5 percent. Tobacco grading mature to mellow rose 13.9 points to 73.8 percent of marketings. Only 23.5 percent graded unripe or immature. The Old and Middle Belt and South Carolina-Border North Carolina markets both had 78.5 percent in mature to mellow categories, followed by Eastern North Carolina at 70.0 and Georgia-Florida at 65.6 percent. The three heaviest volume grades and their percentages follow: B4K (16.5); B3K (8.5); and B4KM (4.9). Rounding out the top ten grades were: X4F (4.8); B5K (4.7); B4F (4.5); B4KR (4.2); P4F (3.5); B4KF (3.1); and B3KM (2.5). These ten grades accounted for 57.2 percent of all sales during the 1994 season.

LOAN RATES. Loan rates by grade for the 1994 crop were based on an average support level of \$1.583 per pound, compared to \$1.577 for 1993. The Flue-Cured Stabilization Corporation

continued to deduct one cent per pound from the support price to offset overhead costs. The support level for 1995 was set at \$1.597 per pound by the Secretary of Agriculture in December, 1994.

STABILIZATION RECEIPTS. A lot less tobacco was placed under loan from 1994 auctions. The cooperative received 97.7 million pounds or 12.1 percent of net sales, compared to 204.8 million pounds or 23.0 percent from 1993 auctions. Percentages of loan receipts by group follow:

GROUP	1994	1993	1992*
Leaf (B)	70.9	80.9	55.6
Smoking leaf (H)	4.7	2.7	3.1
Cutters (C)	3.5	2.3	6.8
Lugs (X)	17.3	10.8	22.4
Primings (P)	3.3	2.3	11.9
Mixed (M)	**	**	**
Nondescript (N)	0.3	0.9	0.2

*Revision shown in 1993 review was in error. Original figures shown in the 1992 review were correct.

** Less than one-tenth of one percent.

MARKETING REGULATIONS. The marketing of flue-cured tobacco is regulated by the grower designation plan which began in 1974. In 1994, the "no-net-cost" assessment was 2.2085 cents per pound for growers, and 4.2085 cents for buyers. The "marketing assessment" was 1.583 cents per pound shared equally. These assessments totalled 8.0 cents, with growers paying 3.0 cents and purchasers 5.0 cents per pound. For the 1993 crop, the total of assessments was 4.0 cents, 1.0 cent for growers and 3.0 cents for buyers. Growers were required to certify that any pesticides (including plant regulators, defoliants, or desiccants) they used had been approved by the Environmental Protection Agency (EPA), and that they had not planted a discount variety. The USDA-ASCS checked for compliance by random sampling. The 1994 user fee for grading services of the USDA-AMS Tobacco Division remained at 70 cents per hundred pounds.

PRELIMINARY 1995 INFORMATION. The 1995 basic marketing quota was announced by the Secretary of Agriculture in December 1994. The quota was set at 934.6 million pounds, up 16.4 percent. The 1995 effective quota is expected to be about 926 million pounds, up 127 million from 1994. This increase was the result of a contract between companies and the flue-cured and burley cooperatives to purchase approximately 700 million pounds of tobacco over a seven year period, and increased purchase intentions by the companies. The national acreage allotment rose to 447,605 acres compared to 384,387 acres in 1994, with the yield goal per acre remaining at 2,088 pounds. The 1995 "marketing assessment" will be 0.7985 cents per pound on both growers and buyers, for a total of 1.597 cents. The "no-net-cost" assessment will be 0.0015 cents for producers and 1.0015 cents for purchasers. These assessments combined amount to 0.8 cents for growers and 1.8 cents for buyers, for a total of 2.6 cents per pound.

SUMMARY OF STANDARD FLUE-CURED TOBACCO GRADES 1/

Key to Standard Grademarks for Flue-cured Tobacco

Groups	Qualities		Color symbols	Combination symbols
B - Leaf	1 - Choice	L - Lemon	KL - Variegated lemon	XL - Lug side
H - Smoking leaf	2 - Fine	F - Orange	KF - Variegated orange	PO - Oxidized primings
C - Cutters	3 - Good	FR - Orange red	KD - Variegated dark red	XO - Oxidized lugs or cutters
X - Lugs	4 - Fair	R - Red	KV - Variegated greenish	
P - Primings	5 - Low	K - Variegated	KM - Variegated mixed	BO - Oxidized leaf or smoking leaf
M - Mixed	6 - Poor	KR - Variegated red or scorched	G - Green	GL - Thin-bodied nondescript
N - Nondescript		V - Greenish	GR - Green red	GF - Medium-bodied nondescript
S - Scrap		LL - Whitish-lemon	GK - Green variegated	LP - Lemon (primings side)
			GG - Gray green	FP - Orange (primings side)
				KK - Excessively scorched
		Special factor	Special symbol	
		W - Wet	S - Slick	
		U - Unsound		
		Sand or Dirt		

Special factors "sand" or "dirt" may be applied to all priming grades and to first quality nondescript from the priming side.

Individual flue-cured grades

63 Grades of Leaf:	Leaf--Continued:	Cutters--Continued:	Lugs--Continued:
B1L	B3KD	C4LL	X3KM
B2L	B4KD	C5LL	X4KM
B3L	B5KD	C5LP	X4GK
B4L	B6KD	C1F	X4G
B5L	B4KV	C2F	X5G
B6L	B5KV	C3F	
B1F	B6KV	C4F	10 Grades of Primings:
B2F	B3KM	C5F	P2L
B3F	B4KM	C5FP	P3L
B4F	B5KM	C4KR	P4L
B5F	B6KM	C4V	P5L
B6F	B3KK	C4S	P2F
B1FR	B4KK	C4KL	P3F
B2FR	B5KK	C4KF	P4F
B3FR	B6KK	C4KM	P5F
B4FR	B4G	C4KK	P4G
B5FR	B5G	C4G	P5G
B6FR	B6G	C4GK	7 Grades of Mixed: 2/
B5R	B5GR		M4F
B3K	B4GK	X1L	M5F
B4K	B5GK	X2L	M4KR
B5K	B6GK	X3L	M4KM
B6K	B5GG	X4L	M5KM
B3KR		X5L	M4GK
B4KR	H3F	X3LL	M5GK
B5KR	H4F	X4LL	13 Grades of Nondescript:
B3V	H5F	X1F	N1L
B4V	H6F	X2F	N1XL
B5V	H4FR	X3F	N1K
B3S	H5FR	X4F	N1R
B4S	H6FR	X5F	N1GL
B5S	H4K	X3KR	N1GF
B3KL	H5K	X4KR	N1KV
B4KL	H6K	X3V	N1GR
B5KL		X4V	N1GG
B6KL	C1L	X3S	N1PO
B3KF	C2L	X4S	N1XO
B4KF	C3L	X4KL	N1BO
B5KF	C4L	X4KF	N2
B6KF	C5L	X4KV	

1/ Tobacco not covered by the standard grades is designated "No-G", "No-G-F" or "No-G-Nested".

2/ Suspended for the 1987 and 1988 crops.

Table 1.--Allocated sales opportunities compared to producers' sales, 1994 crop 1/

Week ending	Marketing area A		Marketing area B		Marketing area C		Marketing area D		Marketing area E		Total flue-cured 2/		
	Sets of buyers	Sales opport.	Prod. sales	Sets of buyers	Prod. sales	Sets of buyers	Prod. sales						
1,000 pounds													
July 21	6	6,798	7,387	11	11,311	12,261	17	11,946	12,953	3	1,483	1,662	13
July 28	9,015	8,801	14,989	15,037	23,850	24,534	6,260	6,942	11,123	12,129	33,755	35,677	
Aug. 4	9,019	8,566	15,075	14,803	23,850	23,299	7,323	6,445	14,836	12,670	65,240	67,208	
Aug. 11	9,019	8,735	15,253	15,243	24,214	23,856	7,253	6,097	14,944	10,684	70,103	66,952	
Aug. 18	8,985	8,937	15,160	15,286	24,223	24,038	7,233	7,173	14,938	11,572	70,649	64,817	
Aug. 25	8,966	9,061	15,258	15,379	24,323	24,244	7,166	7,413	14,952	13,505	70,520	67,130	
Sep. 1	8,936	8,957	11,495	11,571	18,293	18,348	5,364	5,613	11,226	11,238	70,635	69,498	
Sep. 8	6,746	6,822	15,312	15,748	24,485	24,610	7,145	7,333	15,189	15,156	53,124	53,592	
Sep. 15	8,969	9,036	15,125	15,611	24,456	24,540	7,125	7,376	15,109	15,191	71,100	71,883	
Sep. 22	8,993	9,141	15,399	15,640	24,479	24,660	7,145	7,411	15,476	15,168	70,898	71,859	
Sep. 29	9,027	9,069	15,188	15,086	24,492	24,844	7,145	7,385	15,152	15,193	71,526	71,948	
Oct. 6	9,020	5,327	11,600	9,264	18,426	18,522	5,343	5,473	11,342	11,553	46,711	44,812	
Oct. 13			15,736	2,552	25,705	8,481	7,416	5,900	15,745	15,536	64,602	32,469	
Oct. 20					25,693	1,529	4,323	1,712	15,712	9,339	48,866	12,580	
Oct. 27							4/	485	4/	1,874	4/	2,359	
Nov. 3													
	Closed 10-06-94	Closed 10-20-94		Closed 10-27-94		Closed 11-03-94		Closed 11-03-94		Closed 11-03-94			

1/ Based on grower designation. Sales scheduled by Tobacco Division, AMS, USDA, as recommended by the Flue-cured Tobacco Advisory Committee.

2/ Producers' sales derived from weekly market news reports.

3/ Number of sets reduced as markets close.

4/ Sales opportunity was not predetermined, but limited to 450,000 pounds per day per set of buyers.

Table 2.--Initial and final designation of the 1994 crop 1/

Market	Initial	Final	Market	Initial	Final
Marketing area A			Marketing area C		
Georgia:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Alma	12,640,494	14,116,047	Ahoskie	4,440,587	4,461,306
Blackshear	7,970,274	8,284,581	Cart-Aber	9,608,424	9,506,720
Claxton	4,913,034	5,132,306	Clinton	16,108,522	16,659,404
Douglas	11,553,052	11,278,736	Farmville	21,750,719	22,135,761
Moultrie	11,499,750	11,139,953	Fuquay-Varina	19,011,175	19,448,262
Nashville	9,767,481	9,590,403	Goldsboro	23,993,419	25,209,245
Ocilla-Fitz	1,141,054	1,161,664	Greenville	28,050,040	29,092,579
Pelham	7,134,873	6,980,292	Kinston	39,367,248	40,699,021
Statesboro	4,523,235	4,393,267	Rocky Mount	9,398,994	9,378,275
Tifton	1,855,839	1,855,264	Sanford	6,222,524	6,277,248
Val-Hira	6,899,359	6,492,261	Smithfield	28,637,314	30,596,134
Vidalia	7,164,674	7,308,909	Wallace	4,741,075	5,058,042
Total Georgia	87,063,119	87,733,683	Wendell	2,608,680	2,808,769
			Wilson	67,884,670	71,418,658
			Win-Will-Rob	24,095,463	24,685,019
			Total area C:	305,918,854	317,434,443
Florida:					
Lake City	5,668,792	6,014,168			
Live Oak	7,953,197	8,089,449			
Madison	2,990,365	2,902,191			
Total Florida	16,612,354	17,005,808			
Total area A:	103,675,473	104,739,491			
Marketing area B			Marketing area D		
South Carolina:	Pounds	Pounds	North Carolina:	Pounds	Pounds
Conway	5,831,668	5,899,235	Henderson	11,969,625	11,856,886
Darl-Tim	10,081,379	10,164,316	Louisburg	19,743,244	20,517,949
Hemingway	7,368,349	7,489,243	Oxford	10,498,107	10,593,035
Kingstree	7,178,679	7,445,535	Warrenton	7,662,348	7,663,194
Lake City	27,371,369	27,669,544	Total area D:	49,873,324	50,631,064
Loris	4,205,405	4,488,509			
Mullins	28,221,229	30,442,944			
Total S.C.	90,258,078	93,599,326			
North Carolina:					
Chadbourn	2,492,906	2,242,452	North Carolina:	Pounds	Pounds
Clarkton	7,820,254	8,626,250	Burl-Meb	4,419,932	4,071,645
Fair Bluff	2,701,158	2,846,027	Mt. Airy	10,347,274	11,108,023
Fairmont	25,388,803	25,410,092	Reidsville	14,287,750	14,543,354
Lumberton	14,051,332	13,747,994	Roxboro	12,863,701	13,472,903
Tabor City	12,165,408	13,887,710	Stone-Mad	9,572,376	9,794,935
Whiteville	14,356,004	16,854,288	Winston-Salem	32,808,221	33,510,466
Total N.C.	78,975,865	83,614,813	Total N.C.	84,299,254	86,501,326
Total area B:	169,233,943	177,214,139	Virginia:		
			Chase City	3,404,382	3,312,117
			Clarksville	7,227,276	7,472,867
			Danville	43,747,771	44,517,751
			Kenbridge	1,362,796	1,278,688
			Lawrenceville	6,155,104	6,445,816
			South Boston	15,928,096	16,154,482
			South Hill	8,163,471	8,645,706
			Total Virginia	85,988,896	87,827,427
			Total area E:	170,288,150	174,328,753
			Total flue-cured	798,989,744	824,347,890

1/ Growers allowed to designate 103 percent of their effective quota.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market

Type 11 - Old and Middle Belt flue-cured

States and markets	1994				1993			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
Virginia:			Number	Number			Number	Number
Chase City	Aug. 04	Nov. 02	11	3	Aug. 03	Nov. 08	16	3
Clarksville	Aug. 03	Nov. 03	23	3	Aug. 02	Nov. 08	33	3
Danville	Aug. 02	Nov. 03	53	6	Aug. 02	Nov. 16	59	6
Kenbridge	Aug. 09	Nov. 02	6	2	Aug. 11	Nov. 03	7	2
Lawrenceville	Aug. 03	Oct. 31	20	2	Aug. 03	Nov. 04	26	2
South Boston	Aug. 02	Nov. 03	53	6	Aug. 02	Nov. 11	55	6
South Hill	Aug. 02	Nov. 03	28	5	Aug. 02	Nov. 09	27	4
Total Virginia			27				26	
North Carolina:								
Burl-Meb	Aug. 04	Oct. 26	16	1	Aug. 04	Nov. 09	20	2
Cart-Abr	July 27	Oct. 20	27	3	July 28	Nov. 04	46	3
Fuquay-Varina	July 27	Oct. 20	48	4	July 28	Nov. 03	54	4
Henderson	Aug. 02	Oct. 31	37	4	Aug. 02	Nov. 09	41	4
Louisburg	Aug. 02	Oct. 27	49	3	Aug. 02	Nov. 03	53	3
Mt. Airy	Aug. 02	Nov. 01	51	2	Aug. 02	Nov. 10	42	2
Oxford	Aug. 02	Nov. 01	34	4	Aug. 02	Nov. 10	36	4
Reidsville	Aug. 02	Oct. 31	50	3	Aug. 02	Nov. 04	54	3
Roxboro	Aug. 02	Oct. 31	39	5	Aug. 02	Nov. 10	55	5
Sanford	July 28	Oct. 19	18	2	July 28	Nov. 03	34	3
Stone-Mad	Aug. 02	Oct. 31	34	3	Aug. 02	Nov. 10	37	3
Warrenton	Aug. 03	Nov. 03	27	3	Aug. 03	Nov. 08	28	3
Winston-Salem	Aug. 02	Oct. 31	50	7	Aug. 02	Nov. 10	57	7
Total N.C.			44				46	
Total type 11			71				72	

Type 12 - Eastern North Carolina flue-cured

North Carolina:								
Ahoskie	July 28	Oct. 27	16	1	July 29	Nov. 02	19	1
Clinton	July 27	Oct. 19	46	3	July 28	Oct. 28	51	3
Farmville	July 27	Oct. 20	48	3	July 28	Oct. 28	51	3
Goldsboro	July 27	Oct. 24	49	5	July 28	Nov. 02	53	5
Greenville	July 27	Oct. 24	48	7	July 28	Oct. 28	51	7
Kinston	July 27	Oct. 20	48	6	July 28	Oct. 26	49	6
Rocky Mount	July 27	Oct. 24	29	3	July 28	Nov. 01	36	3
Smithfield	July 27	Oct. 25	49	5	July 28	Nov. 10	58	6
Wallace	July 27	Oct. 18	22	1	July 29	Oct. 27	25	1
Wendell	Aug. 03	Oct. 19	9	2	Aug. 03	Oct. 26	12	2
Wilson	July 27	Oct. 26	49	11	July 28	Nov. 01	52	12
Win-Will-Rob 1/	July 27	Oct. 26	49	6	July 28	Nov. 03	34	6
Total type 12			53				57	

See footnotes at end of table.

Table 3.--Opening and closing dates, and number of warehouse firms by type, state, and market--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

States and markets	1994				1993			
	Opening dates	Closing dates	Sales days	Warehouse firms	Opening dates	Closing dates	Sales days	Warehouse firms
South Carolina:			Number	Number			Number	Number
Conway	July 27	Oct. 19	21	3	July 28	Oct. 26	24	3
Darl-Tim	July 26	Oct. 13	26	5	July 27	Oct. 28	38	5
Hemingway	July 27	Oct. 17	23	2	July 28	Oct. 20	24	2
Kingstree	July 26	Oct. 13	23	3	July 27	Oct. 27	27	3
Lake City	July 26	Oct. 18	47	5	July 27	Nov. 03	55	5
Loris	July 28	Oct. 18	13	2	July 27	Oct. 25	25	3
Mullins	July 26	Oct. 17	46	5	July 27	Oct. 28	50	5
Total S.C.			25				26	
North Carolina:								
Chadbourn	Aug. 02	Oct. 17	7	2	July 29	Oct. 28	18	3
Clarkton	July 27	Oct. 20	24	2	July 28	Nov. 03	27	2
Fair Bluff	July 27	Oct. 12	10	3	July 28	Oct. 26	14	3
Fairmont	July 26	Oct. 19	47	7	July 27	Nov. 02	54	7
Lumberton	July 26	Oct. 13	44	4	July 27	Nov. 02	54	4
Tabor City	July 26	Oct. 18	39	3	July 27	Oct. 27	34	3
Whiteville	July 26	Oct. 20	41	6	July 27	Nov. 02	47	5
Total N.C.			27				27	
Total type 13			52				53	

Type 14 - Georgia and Florida flue-cured

Georgia:								
Alma	July 19	Oct. 06	34	3	July 21	Oct. 27	38	3
Blackshear	July 20	Oct. 05	22	2	July 22	Oct. 19	25	2
Claxton	July 21	Oct. 06	13	1	July 26	Oct. 21	17	1
Douglas	July 19	Oct. 04	30	3	July 21	Oct. 18	43	3
Moultrie	July 19	Oct. 04	27	3	July 21	Oct. 19	36	3
Nashville	July 19	Oct. 05	24	2	July 21	Oct. 20	26	2
Ocila-Fitz	Aug. 01	Sep. 19	4	1	Aug. 02	Oct. 04	6	1
Pelham	July 20	Oct. 05	18	2	July 22	Oct. 20	27	2
Statesboro	July 21	Oct. 03	12	1	July 22	Oct. 25	17	1
Tifton	July 26	Sep. 26	4	1	July 29	Oct. 13	7	1
Val-Hira	July 20	Oct. 03	21	2	July 21	Oct. 21	31	3
Vidalia	July 19	Oct. 06	20	2	July 21	Oct. 21	29	2
Total Georgia			23				24	
Florida:								
Lake City	July 20	Oct. 03	16	1	July 22	Oct. 18	21	1
Live Oak	July 19	Oct. 05	22	2	July 21	Oct. 14	28	2
Madison	July 21	Oct. 05	8	1	July 28	Oct. 18	9	1
Total Florida			4				4	
Total type 14			27				28	
Total 11-14			203				210	

1/ Win-Will-Rob was formed from a merger of the Windsor, Williamston and Robersonville markets, for the 1994 season.

Table 4.--Movement of tobacco across state lines 1/

State in which produced and crop year	Total sold out of State	Sold in:				
		Florida	Georgia	South Carolina	North Carolina	Virginia
thousand pounds						
1994 Crop						
Alabama	615	---	606	9	---	---
Florida	2,418	---	2,418	---	---	---
Georgia	2,150	2,150	---	---	---	---
South Carolina	11,729	---	682	---	11,044	3
North Carolina	21,999	---	---	1,758	---	20,241
Virginia	6,907	---	---	---	6,907	---
Total	45,818	2,150	3,706	1,767	17,951	20,244
1993 Crop						
Alabama	810	--	810	--	--	--
Florida	3,866	--	3,866	--	--	--
Georgia	2,744	2,744	--	--	--	--
South Carolina	10,676	--	815	--	9,817	44
North Carolina	23,563	--	56	2,310	--	21,197
Virginia	8,191	--	--	--	8,191	--
Total	49,850	2,744	5,547	2,310	18,008	21,241

1/ Based on reports of the Agricultural Stabilization and Conservation Service, USDA.

Table 5.--Producers' sales, value, and average price by types, 1989-94 crops 1/

Type 11 - Old and Middle Belt				Type 12 - Eastern North Carolina			
Crop	Sales Pounds	Value Dollars	Average price Dollars	Crop	Sales Pounds	Value Dollars	Average price Dollars
1989	253,481,860	426,982,317	168.45	1989	289,640,728	485,385,312	167.58
1990	284,357,274	480,371,433	168.93	1990	322,032,434	545,959,062	169.54
1991	284,703,858	493,645,487	173.39	1991	306,350,494	530,256,108	173.09
1992	280,539,708	493,748,869	176.00	1992	311,062,604	539,201,056	173.34
1993	275,801,125	466,537,168	169.16	1993	310,545,952	528,607,306	170.22
1994	255,550,138	436,411,748	170.77	1994	278,445,985	477,975,177	171.66

Type 13 - South Carolina and Border North Carolina

Type 14 - Georgia and Florida

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1989	186,019,360	308,703,764	165.95	1989	106,686,431	178,249,560	167.08
1990	192,638,263	307,417,624	159.58	1990	120,190,364	202,991,523	168.89
1991	189,869,314	326,207,545	171.81	1991	101,766,870	171,831,968	168.85
1992	188,253,945	320,134,328	170.05	1992	121,291,907	204,032,569	168.22
1993	190,609,995	319,225,645	167.48	1993	115,117,580	190,085,708	165.12
1994	173,518,369	294,699,117	169.84	1994	99,872,206	164,892,155	165.10

Types 11-14 - Total flue-cured

Crop	Sales	Value	Average price	Crop	Sales	Value	Average price
	Pounds	Dollars	Dollars		Pounds	Dollars	Dollars
1989	835,828,379	1,399,320,953	167.42	1992	901,148,164	1,557,116,822	172.79
1990	919,218,335	1,536,739,676	167.18	1993	892,074,652	1,504,455,827	168.65
1991	882,690,536	1,521,941,108	172.42	1994	807,386,698	1,373,978,197	170.18

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 6.--Gross sales, value, and average price; resales, average price, and percentage of gross sales by types, 1989-94 crops 1/

Type 11 - Old and Middle Belt

Crop	Gross			Resales		
	Sales	Value	Average price	Resales	Average price	Percentage of gross sales
1989	Pounds	Dollars	Dollars	Pounds	Dollars	Percent
1989	276,581,617	465,752,946	168.40	23,099,757	167.84	8.4
1990	311,758,684	525,776,194	168.65	27,401,410	165.70	8.8
1991	317,609,835	550,548,812	173.34	32,905,977	172.93	10.4
1992	304,180,759	534,907,404	175.85	23,641,051	174.10	7.8
1993	298,316,895	504,731,441	169.19	22,515,770	169.63	7.6
1994	276,477,878	472,324,154	170.84	20,927,740	171.60	7.6

Type 12 - Eastern North Carolina

1989	314,324,409	526,582,157	167.53	24,683,681	166.90	7.9
1990	353,116,291	598,364,018	169.45	31,083,857	168.59	8.8
1991	343,435,618	594,610,574	173.14	37,085,124	173.53	10.8
1992	336,392,053	583,085,070	173.33	25,329,449	173.25	7.5
1993	336,457,532	573,238,062	170.37	25,911,580	172.24	7.7
1994	301,746,745	518,371,960	171.79	23,300,760	173.37	7.7

Type 13 - South Carolina and Border North Carolina

1989	205,434,547	340,990,851	165.99	19,415,187	166.30	9.5
1990	211,339,198	337,303,379	159.60	18,700,935	159.81	8.9
1991	210,939,135	362,445,995	171.82	21,069,821	171.99	10.0
1992	206,724,528	351,667,472	170.11	18,470,583	170.72	8.9
1993	210,480,935	352,741,583	167.59	19,870,940	168.67	9.4
1994	189,859,398	322,595,120	169.91	16,341,029	170.71	8.6

Type 14 - Georgia and Florida

1989	121,735,812	203,572,450	167.22	15,049,381	168.27	12.4
1990	135,561,833	229,191,390	169.07	15,371,469	170.44	11.3
1991	115,202,404	194,861,355	169.15	13,435,534	171.41	11.7
1992	136,824,612	230,292,301	168.31	15,532,705	169.06	11.4
1993	129,934,608	215,067,933	165.52	14,817,028	168.60	11.4
1994	110,939,341	183,397,436	165.31	11,067,135	167.21	10.0

Types 11-14 Total flue-cured

1989	918,076,385	1,536,898,404	167.40	82,248,006	167.27	9.0
1990	1,011,776,006	1,690,634,981	167.10	92,557,671	166.27	9.2
1991	987,186,992	1,702,466,736	172.46	104,496,456	172.76	10.6
1992	984,121,952	1,699,952,247	172.74	82,973,788	172.15	8.4
1993	975,189,970	1,645,779,019	168.76	83,115,318	170.03	8.5
1994	879,023,362	1,496,688,670	170.27	71,636,664	171.30	8.2

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

Table 7.--Producers' sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1994 Crop			1993 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Chase City	3,275,385	5,564,411	169.89	3,535,285	5,907,686	167.11
Clarksville	7,318,768	12,566,272	171.70	8,794,921	14,903,825	169.46
Danville	44,026,251	75,333,440	171.11	45,303,249	77,723,588	171.56
Kenbridge	1,203,589	2,024,523	168.21	1,314,991	2,181,615	165.90
Lawrenceville	6,352,845	10,821,280	170.34	7,600,523	12,886,975	169.55
South Boston	15,698,828	26,472,985	168.63	16,716,742	27,625,604	165.26
South Hill	8,279,844	14,146,453	170.85	7,799,219	13,102,395	168.00
Total Virginia	86,155,510	146,929,364	170.54	91,064,930	154,331,688	169.47
North Carolina:						
Burl-Meb	4,008,518	6,899,040	172.11	5,427,045	9,320,827	171.75
Cart-Abr	9,246,277	15,969,841	172.72	10,457,347	17,708,758	169.34
Fuquay-Varina	19,260,697	33,121,193	171.96	19,566,722	33,391,881	170.66
Henderson	11,748,755	19,960,760	169.90	12,887,675	21,321,204	165.44
Louisburg	20,311,173	35,070,337	172.67	20,924,300	35,663,620	170.44
Mt. Airy	10,876,082	18,391,091	169.10	11,288,024	18,908,772	167.51
Oxford	10,475,678	17,781,124	169.74	10,764,714	17,814,517	165.49
Reidsville	14,406,046	24,989,651	173.47	15,504,409	26,645,956	171.86
Roxboro	13,360,798	22,744,723	170.23	15,642,675	26,620,520	170.18
Sanford	6,099,317	10,353,261	169.74	8,089,000	13,535,699	167.33
Stone-Mad	9,569,827	16,148,236	168.74	10,456,973	17,624,750	168.55
Warrenton	7,582,910	12,993,783	171.36	7,256,990	12,014,922	165.56
Winston-Salem	32,448,550	55,059,344	169.68	36,470,321	61,634,054	169.00
Total N.C.	169,394,628	289,482,384	170.89	184,736,195	312,205,480	169.00
Total type 11	255,550,138	436,411,748	170.77	275,801,125	466,537,168	169.16

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,289,229	7,140,050	166.46	4,708,856	7,664,537	162.77
Clinton	16,373,313	28,260,766	172.60	15,493,320	26,275,330	169.59
Dunn	NOT OPERATING IN 1994			4,396,363	7,370,803	167.66
Farmville	21,940,109	37,767,712	172.14	23,005,049	39,288,397	170.78
Goldsboro	24,830,901	42,441,149	170.92	28,169,868	48,031,606	170.51
Greenville	28,761,597	48,787,308	169.63	32,011,804	53,980,811	168.63
Kinston	40,253,017	68,902,096	171.17	44,852,447	76,812,126	171.26
Rocky Mount	9,265,063	15,724,121	169.71	10,952,690	18,146,945	165.68
Smithfield	30,127,686	51,806,482	171.96	32,994,349	56,218,995	170.39
Wallace	5,010,164	8,597,666	171.60	5,823,783	9,922,741	170.38
Wendell	2,778,872	4,772,799	171.75	2,988,381	5,032,295	168.40
Wilson	70,539,297	121,999,808	172.95	78,832,621	135,126,716	171.41
2/ Win-Will-Rob	24,276,737	41,775,220	172.08	26,316,421	44,736,004	169.99
Total type 12	278,445,985	477,975,177	171.66	310,545,952	528,607,306	170.22

See footnote at end of table.

**Table 7.--Producers' sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1994 crop			1993 crop		
	Sales	Value	Average price	Sales	Value	Average price
	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
South Carolina:						
Conway	5,773,749	9,736,590	168.64	6,449,612	10,977,738	170.21
Darl-Tim	9,878,307	16,427,512	166.30	10,962,098	18,045,448	164.62
Hemingway	7,414,995	12,652,797	170.64	8,201,427	14,147,404	172.50
Kingstree	7,347,390	12,476,891	169.81	8,315,672	14,127,681	169.89
Lake City	27,292,692	45,494,155	166.69	31,645,405	51,590,715	163.03
Loris	4,382,481	7,329,725	167.25	7,110,955	11,788,800	165.78
Mullins	29,492,726	50,194,157	170.19	30,560,399	50,537,842	165.37
Total S.C.	91,582,340	154,311,827	168.50	103,245,568	171,215,628	165.83
North Carolina:						
Chadbourn	2,209,300	3,765,239	170.43	5,607,916	9,538,157	170.08
Clarkton	8,492,383	14,505,726	170.81	8,652,104	14,637,544	169.18
Fair Bluff	2,769,567	4,800,415	173.33	3,783,016	6,438,266	170.19
Fairmont	24,855,975	42,668,155	171.66	27,185,425	46,107,535	169.60
Lumberton	13,356,779	22,940,389	171.75	15,352,952	25,939,746	168.96
Tabor City	13,635,528	22,951,498	168.32	11,068,561	18,594,922	168.00
Whiteville	16,616,497	28,755,868	173.06	15,714,453	26,753,847	170.25
Total N.C.	81,936,029	140,387,290	171.34	87,364,427	148,010,017	169.42
Total type 13	173,518,369	294,699,117	169.84	190,609,995	319,225,645	167.48

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	13,785,553	23,112,740	167.66	12,795,679	21,758,849	170.05
Blackshear	8,157,269	13,672,656	167.61	8,983,788	15,378,933	171.19
Claxton	4,996,838	8,345,128	167.01	5,591,317	9,393,821	168.01
Douglas	10,771,955	17,539,799	162.83	13,693,292	22,730,311	166.00
Moultrie	9,979,254	16,243,413	162.77	11,641,390	18,573,706	159.55
Nashville	9,124,529	15,194,101	166.52	9,704,075	16,469,777	169.72
Ocila-Fitz	1,258,870	2,116,545	168.13	1,859,376	3,092,438	166.32
Pelham	6,421,923	10,474,023	163.10	8,566,610	13,829,228	161.43
Statesboro	4,180,289	6,870,112	164.35	4,645,866	7,479,084	160.98
Tifton	1,707,411	2,809,045	164.52	2,184,798	3,467,421	158.71
Val-Hira	6,173,556	10,037,517	162.59	9,207,441	14,889,722	161.71
Vidalia	7,141,275	11,842,888	165.84	8,704,522	14,303,211	164.32
Total Georgia	83,698,722	138,257,967	165.19	97,578,154	161,366,501	165.37
Florida:						
Lake City	5,712,990	9,328,713	163.29	6,408,449	10,379,102	161.96
Live Oak	7,830,215	12,952,431	165.42	8,188,013	13,508,184	164.98
Madison	2,630,279	4,353,044	165.50	2,942,964	4,831,921	164.19
Total Florida	16,173,484	26,634,188	164.68	17,539,426	28,719,207	163.74
Total type 14	99,872,206	164,892,155	165.10	115,117,580	190,085,708	165.12
Total types 11-14	807,386,698	1,373,978,197	170.18	892,074,652	1,504,455,827	168.65

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Windsor, Williamston, and Robersonville markets merged for the 1994 season.

Table 8.--Gross sales, value, and average price by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1994 crop			1993 crop		
	Sales	Value	Average price	Sales	Value	Average price
Virginia:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Chase City	3,315,621	5,633,517	169.91	3,634,361	6,065,732	166.90
Clarksville	7,660,331	13,140,918	171.55	9,107,869	15,427,512	169.39
Danville	48,937,608	83,779,992	171.20	49,698,767	85,250,913	171.54
Kenbridge	1,208,833	2,032,940	168.17	1,334,959	2,212,128	165.71
Lawrenceville	6,542,367	11,140,681	170.29	7,895,499	13,354,453	169.14
South Boston	16,522,350	27,799,515	168.25	17,323,329	28,596,325	165.07
South Hill	8,528,476	14,562,141	170.75	7,989,613	13,391,032	167.61
Total Virginia	92,715,586	158,089,704	170.51	96,984,397	164,298,095	169.41
North Carolina:						
Burl-Meb	4,076,185	7,012,653	172.04	5,504,269	9,439,496	171.49
Cart-Abr	9,957,285	17,218,869	172.93	11,545,231	19,602,623	169.79
Fuquay-Varina	20,517,984	35,273,165	171.91	20,990,042	35,858,927	170.84
Henderson	12,476,342	21,217,812	170.06	13,569,583	22,473,083	165.61
Louisburg	21,599,973	37,330,764	172.83	22,345,146	38,082,184	170.43
Mt. Airy	12,155,895	20,602,736	169.49	12,668,262	21,282,505	168.00
Oxford	10,944,763	18,585,511	169.81	11,168,168	18,494,012	165.60
Reidsville	16,058,612	27,871,230	173.56	17,077,762	29,336,575	171.78
Roxboro	14,311,882	24,356,811	170.19	17,222,332	29,227,100	169.70
Sanford	6,684,160	11,373,344	170.15	8,948,767	15,039,663	168.06
Stone-Mad	10,663,525	18,018,022	168.97	11,742,995	19,826,170	168.83
Warrenton	7,850,568	13,445,857	171.27	7,439,870	12,312,943	165.50
Winston-Salem	36,465,118	61,927,676	169.83	41,110,071	69,458,065	168.96
Total N.C.	183,762,292	314,234,450	171.00	201,332,498	340,433,346	169.09
Total type 11	276,477,878	472,324,154	170.84	298,316,895	504,731,441	169.19

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	4,562,865	7,609,746	166.78	5,075,688	8,284,724	163.22
Clinton	17,573,562	30,338,637	172.64	16,755,875	28,477,352	169.95
Dunn	Not operating in 1994			4,568,504	7,661,515	167.70
Farmville	23,719,724	40,814,769	172.07	24,797,407	42,306,728	170.61
Goldsboro	27,046,245	46,330,629	171.30	30,371,501	51,849,238	170.72
Greenville	31,064,834	52,752,561	169.81	34,558,254	58,320,471	168.76
Kinston	42,723,657	73,265,246	171.49	46,784,943	80,117,661	171.25
Rocky Mount	9,570,383	16,236,570	169.65	11,274,357	18,682,681	165.71
Smithfield	32,984,535	56,695,979	171.89	36,155,139	61,621,101	170.44
Wallace	5,177,244	8,884,459	171.61	6,076,797	10,355,108	170.40
Wendell	2,843,445	4,880,591	171.64	3,049,108	5,134,853	168.41
Wilson	77,821,249	134,702,445	173.09	87,837,487	150,791,007	171.67
Win-Will-Rob 2/	26,659,002	45,860,328	172.03	29,152,472	49,635,623	170.26
Total type 12	301,746,745	518,371,960	171.79	336,457,532	573,238,062	170.37

See footnote at end of table.

**Table 8.--Gross sales, value, and average price by type, state, and market 1/
--Continued**

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1994 crop			1993 crop		
	Sales	Value	Average price	Sales	Value	Average price
South Carolina:	Pounds	Dollars	Dollars	Pounds	Dollars	Dollars
Conway	6,038,644	10,173,985	168.48	6,757,393	11,494,257	170.10
Darl-Tim	10,952,564	18,249,989	166.63	12,205,101	20,197,311	165.48
Hemingway	8,010,927	13,709,086	171.13	8,954,644	15,467,968	172.74
Kingstree	8,051,609	13,683,007	169.94	9,099,878	15,461,048	169.90
Lake City	30,719,479	51,347,793	167.15	35,952,449	58,779,295	163.49
Loris	4,693,231	7,846,285	167.18	7,688,165	12,771,981	166.13
Mullins	32,620,576	55,575,623	170.37	33,909,260	56,070,160	165.35
Total S.C.	101,087,030	170,585,768	168.75	114,566,890	190,242,020	166.05
North Carolina:						
Chadbourn	2,404,701	4,084,192	169.84	6,010,765	10,202,173	169.73
Clarkton	9,166,155	15,700,863	171.29	9,609,829	16,290,386	169.52
Fair Bluff	3,012,026	5,209,443	172.95	4,191,634	7,139,916	170.34
Fairmont	27,369,991	47,016,397	171.78	30,531,806	51,834,197	169.77
Lumberton	13,784,860	23,673,992	171.74	15,904,590	26,864,044	168.91
Tabor City	14,703,309	24,798,119	168.66	12,037,936	20,253,859	168.25
Whiteville	18,331,326	31,526,346	171.98	17,627,485	29,914,988	169.71
Total N.C.	88,772,368	152,009,352	171.23	95,914,045	162,499,563	169.42
Total type 13	189,859,398	322,595,120	169.91	210,480,935	352,741,583	167.59

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	15,648,671	26,312,459	168.15	15,119,373	25,867,161	171.09
Blackshear	8,940,865	14,974,757	167.49	10,270,431	17,588,334	171.25
Claxton	5,521,544	9,235,029	167.25	6,244,553	10,539,206	168.77
Douglas	12,053,627	19,695,571	163.40	15,664,521	26,016,122	166.08
Moultrie	11,273,498	18,346,430	162.74	13,341,484	21,458,044	160.84
Nashville	9,980,233	16,649,055	166.82	10,887,235	18,511,513	170.03
Ocilla-Fitz	1,372,809	2,304,123	167.84	1,948,322	3,230,849	165.83
Pelham	7,099,463	11,619,133	163.66	9,580,855	15,529,333	162.09
Statesboro	4,650,847	7,648,603	164.46	5,191,214	8,346,952	160.79
Tifton	1,843,298	3,035,134	164.66	2,396,030	3,819,973	159.43
Val-Hira	6,575,269	10,682,427	162.46	10,079,598	16,249,851	161.22
Vidalia	7,977,780	13,250,893	166.10	9,860,987	16,231,367	164.60
Total Georgia	92,937,904	153,753,614	165.44	110,584,603	183,388,975	165.84
Florida:						
Lake City	6,331,593	10,335,489	163.24	7,095,541	11,479,615	161.79
Live Oak	8,727,521	14,430,818	165.35	9,005,349	14,868,883	165.11
Madison	2,942,223	4,877,515	165.78	3,249,115	5,330,460	164.06
Total Florida	18,001,437	29,643,822	164.67	19,350,005	31,678,958	163.72
Total type 14	110,939,341	183,397,436	165.31	129,934,608	215,067,933	165.52
Total types 11-14	879,023,362	1,496,688,670	170.27	975,189,970	1,645,779,019	168.76

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Windsor, Williamston, and Robersonville markets merged for the 1994 season.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/

Type 11 - Old and Middle Belt flue-cured

Market and State	1994 crop			1993 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
Virginia:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Chase City	40,236	171.75	1.21	99,076	159.52	2.73
Clarksville	341,563	168.24	4.46	312,948	167.34	3.44
Danville	4,911,357	171.98	10.04	4,395,518	171.25	8.84
Kenbridge	5,244	160.51	0.43	19,968	152.81	1.50
Lawrenceville	189,522	168.53	2.90	294,976	158.48	3.74
South Boston	823,522	161.08	4.98	606,587	160.03	3.50
South Hill	248,632	167.19	2.92	190,394	151.60	2.38
Total Virginia	6,560,076	170.13	7.08	5,919,467	168.37	6.10
North Carolina:						
Burl-Meb	67,667	167.90	1.66	77,224	153.67	1.40
Cart-Abr	711,008	175.67	7.14	1,087,884	174.09	9.42
Fuquay-Varina	1,257,287	171.16	6.13	1,423,320	173.33	6.78
Henderson	727,587	172.77	5.83	681,908	168.92	5.03
Louisburg	1,288,800	175.39	5.97	1,420,846	170.22	6.36
Mt. Airy	1,279,813	172.81	10.53	1,380,238	171.98	10.90
Oxford	469,085	171.48	4.29	403,454	168.42	3.61
Reidsville	1,652,566	174.37	10.29	1,573,353	171.01	9.21
Roxboro	951,084	169.50	6.65	1,579,657	165.01	9.17
Sanford	584,843	174.42	8.75	859,767	174.93	9.61
Stone-Mad	1,093,698	170.96	10.26	1,286,022	171.18	10.95
Warrenton	267,658	168.90	3.41	182,880	162.96	2.46
Winston-Salem	4,016,568	171.00	11.01	4,639,750	168.63	11.29
Total N.C.	14,367,664	172.28	7.82	16,596,303	170.09	8.24
Total type 11	20,927,740	171.60	7.57	22,515,770	169.63	7.55

Type 12 - Eastern North Carolina flue-cured

North Carolina:						
Ahoskie	273,636	171.65	6.00	366,832	169.07	7.23
Clinton	1,200,249	173.12	6.83	1,262,555	174.41	7.53
Dunn	NOT OPERATING IN 1994			172,141	168.88	3.77
Farmville	1,779,615	171.22	7.50	1,792,358	168.40	7.23
Goldsboro	2,215,344	175.57	8.19	2,201,633	173.40	7.25
Greenville	2,303,237	172.16	7.41	2,546,450	170.42	7.37
Kinston	2,470,640	176.60	5.78	1,932,496	171.05	4.13
Rocky Mount	305,320	167.84	3.19	321,667	166.55	2.85
Smithfield	2,856,849	171.15	8.66	3,160,790	170.91	8.74
Wallace	167,080	171.65	3.23	253,014	170.89	4.16
Wendell	64,573	166.93	2.27	60,727	168.88	1.99
Wilson	7,281,952	174.44	9.36	9,004,866	173.95	10.25
Win-Will-Rob 2/	2,382,265	171.48	8.94	2,836,051	172.76	9.73
Total type 12	23,300,760	173.37	7.72	25,911,580	172.24	7.70

See footnote at end of Table.

Table 9.--Resales, average price, and percentage of gross sales by type, state, and market 1/
--Continued

Type 13 - South Carolina and Border North Carolina flue-cured

Market and State	1994 crop			1993 crop		
	Resales	Average price	Percent of gross	Resales	Average price	Percent of gross
South Carolina:	Pounds	Dollars	Percent	Pounds	Dollars	Percent
Conway	264,895	165.12	4.39	307,781	167.82	4.55
Darl-Tim	1,074,257	169.65	9.81	1,243,003	173.12	10.18
Hemingway	595,932	177.25	7.44	753,217	175.32	8.41
Kingstree	704,219	171.27	8.75	784,206	170.03	8.62
Lake City	3,426,787	170.82	11.16	4,307,044	166.90	11.98
Loris	310,750	166.23	6.62	577,210	170.33	7.51
Mullins	3,127,850	172.05	9.59	3,348,861	165.20	9.88
Total S.C.	9,504,690	171.22	9.40	11,321,322	168.06	9.88
North Carolina:						
Chadbourn	195,401	163.23	8.13	402,849	164.83	6.70
Clarkton	673,772	177.38	7.35	957,725	172.58	9.97
Fair Bluff	242,459	168.70	8.05	408,618	171.71	9.75
Fairmont	2,514,016	172.96	9.19	3,346,381	171.13	10.96
Lumberton	428,081	171.37	3.11	551,638	167.56	3.47
Tabor City	1,067,781	172.94	7.26	969,375	171.13	8.05
Whiteville	1,714,829	161.56	9.35	1,913,032	165.24	10.85
Total N.C.	6,836,339	170.00	7.70	8,549,618	169.48	8.91
Total type 13	16,341,029	170.71	8.61	19,870,940	168.67	9.44

Type 14 - Georgia and Florida flue-cured

Georgia:						
Alma	1,863,118	171.74	11.91	2,323,694	176.80	15.37
Blackshear	783,596	166.17	8.76	1,286,643	171.72	12.53
Claxton	524,706	169.60	9.50	653,236	175.34	10.46
Douglas	1,281,672	168.20	10.63	1,971,229	166.69	12.58
Moultrie	1,294,244	162.49	11.48	1,700,094	169.66	12.74
Nashville	855,704	170.03	8.57	1,183,160	172.57	10.87
Ocila-Fitz	113,939	164.63	8.30	88,946	155.61	4.57
Pelham	677,540	169.01	9.54	1,014,245	167.62	10.59
Statesboro	470,558	165.44	10.12	545,348	159.14	10.51
Tifton	135,887	166.38	7.37	211,232	166.90	8.82
Val-Hira	401,713	160.54	6.11	872,157	155.95	8.65
Vidalia	836,505	168.32	10.49	1,156,465	166.75	11.73
Total Georgia	9,239,182	167.72	9.94	13,006,449	169.32	11.76
Florida:						
Lake City	618,603	162.75	9.77	687,092	160.17	9.68
Live Oak	897,406	164.74	10.28	817,336	166.48	9.08
Madison	311,944	168.13	10.60	306,151	162.84	9.42
Total Florida	1,827,953	164.65	10.15	1,810,579	163.47	9.36
Total type 14	11,067,135	167.21	9.98	14,817,028	168.60	11.40
Total types 11-14	71,636,664	171.30	8.15	83,115,318	170.03	8.52

1/ Auction sales only. Does not include nonauction sales or direct deliveries.

2/ Windsor, Williamston, and Robersonville markets merged for the 1994 season.

Table 10.--Rank of markets by volume of producers' sales, by separate types and by all types,
1994 crop 1/

Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types	Type, market, and State	Sales Mil. lb.	Rank by Separate types	All types
<u>Type 11</u>							
Danville, Va.	44.0	1	2	Mullins, S.C.	29.5	1	6
Winston-Salem, N.C.	32.4	2	4	Lake City, S.C.	27.3	2	8
Louisburg, N.C.	20.3	3	13	Fairmont, N.C.	24.9	3	9
Fuquay-Varina, N.C.	19.3	4	14	Whiteville, N.C.	16.6	4	15
South Boston, Va.	15.7	5	17	Tabor City, N.C.	13.6	5	20
Reidsville, N.C.	14.4	6	18	Lumberton, N.C.	13.4	6	22
Roxboro, N.C.	13.4	7	21	Darl-Tim, S.C.	9.9	7	28
Henderson, N.C.	11.7	8	23	Clarkton, N.C.	8.5	8	33
Mount Airy, N.C.	10.9	9	24	Hemingway, S.C.	7.4	9	38
Oxford, N.C.	10.5	10	26	Kingstree, S.C.	7.3	10	39
Stone-Mad, N.C.	9.6	11	29	Conway, S.C.	5.8	11	46
Cart-Aber, N.C.	9.2	12	31	Loris, S.C.	4.4	12	50
South Hill, Va.	8.3	13	34	Fair Bluff, N.C.	2.8	13	56
Warrenton, N.C.	7.6	14	37	Chadbourn, N.C.	2.2	14	58
Clarksville, Va.	7.3	15	40				
Lawrenceville, Va.	6.4	16	43				
Sanford, N.C.	6.1	17	45				
Burl-Meb, N.C.	4.0	18	53				
Chase City, Va.	3.3	19	54				
Kenbridge, Va.	1.2	20	61				
<u>Type 12</u>							
Wilson, N.C.	70.5	1	1	<u>Type 14</u>			
Kinston, N.C.	40.3	2	3	Alma, Ga.	13.8	1	19
Smithfield, N.C.	30.1	3	5	Douglas, Ga.	10.8	2	25
Greenville, N.C.	28.8	4	7	Moultrie, Ga.	10.0	3	27
Goldsboro, N.C.	24.8	5	10	Nashville, Ga.	9.1	4	32
Win-Will-Rob, N.C.	24.3	6	11	Blackshear, Ga.	8.2	5	35
Farmville, N.C.	21.9	7	12	Live Oak, Fl.	7.8	6	36
Clinton, N.C.	16.4	8	16	Vidalia, Ga.	7.1	7	41
Rocky Mount, N.C.	9.3	9	30	Pelham, Ga.	6.4	8	42
Wallace, N.C.	5.0	10	48	Val-Hira, Ga.	6.2	9	44
Ahoskie, N.C.	4.3	11	51	Lake City, Fl.	5.7	10	47
Wendell, N.C.	2.8	12	55	Clahton, Ga.	5.0	11	49
				Statesboro, Ga.	4.2	12	52
				Madison, Fl.	2.6	13	57
				Tifton, Ga.	1.7	14	59
				Ocila-Fitz, Ga.	1.3	15	60

1/ In instances where producers' sales for two or more markets when rounded to million pounds were identical, rank was determined from sales on an exact poundage basis.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/

Group and grade 2/	1994 crop Season averages					1994 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
LEAF							LEAF
B1L	--	--	--	--	--	191	B1L
B2L	190	190	--	--	190	189	B2L
B3L	187	187	187	187	187	186	B3L
B4L	184	184	184	184	184	183	B4L
B5L	178	182	179	179	179	176	B5L
B6L	--	--	--	--	--	173	B6L
B1F	192	192	--	--	192	191	B1F
B2F	190	190	189	190	190	189	B2F
B3F	187	187	187	187	187	186	B3F
B4F	184	184	184	184	184	183	B4F
B5F	180	181	180	182	181	176	B5F
B6F	(174)	--	175	180	177	173	B6F
B1FR	--	--	--	--	--	190	B1FR
B2FR	189	--	--	--	189	187	B2FR
B3FR	186	186	186	186	186	185	B3FR
B4FR	184	184	183	183	184	181	B4FR
B5FR	181	181	178	183	181	175	B5FR
B6FR	175	(181)	--	--	176	172	B6FR
B5R	--	(172)	(175)	--	173	150	B5R
B3K	183	183	183	183	183	180	B3K
B4K	182	182	181	182	182	178	B4K
B5K	177	178	176	179	178	171	B5K
B6K	173	172	170	174	173	162	B6K
B3KR	182	182	181	182	182	179	B3KR
B4KR	180	180	179	180	180	174	B4KR
B5KR	176	175	173	177	175	166	B5KR
B3V	181	181	180	182	180	177	B3V
B4V	176	177	177	176	177	171	B4V
B5V	174	172	172	171	172	164	B5V
B3S	176	178	177	173	176	170	B3S
B4S	171	177	175	172	174	165	B4S
B5S	--	--	--	169	168	155	B5S
B3KL	173	176	174	177	174	169	B3KL
B4KL	170	173	170	175	172	165	B4KL
B5KL	165	167	162	168	166	155	B5KL
B6KL	(162)	--	--	(168)	162	148	B6KL
B3KF	174	176	177	177	175	169	B3KF
B4KF	170	173	172	173	172	165	B4KF
B5KF	161	166	165	165	164	155	B5KF
B6KF	152	160	159	160	157	148	B6KF
B3KD	169	(168)	--	--	169	166	B3KD
B4KD	162	160	165	161	161	158	B4KD
B5KD	150	154	150	156	152	146	B5KD
B6KD	145	142	145	149	144	138	B6KD
B4KV	172	172	170	170	171	159	B4KV
B5KV	165	166	165	165	165	149	B5KV
B6KV	157	162	163	161	161	140	B6KV
B3KM	179	180	178	179	179	173	B3KM
B4KM	177	177	175	176	177	170	B4KM
B5KM	172	172	170	171	171	163	B5KM
B6KM	160	170	166	163	167	152	B6KM
B3KK	173	174	175	175	174	168	B3KK
B4KK	169	172	168	172	171	162	B4KK
B5KK	164	167	164	162	165	153	B5KK
B6KK	--	(164)	--	(150)	155	144	B6KK
B4G	166	169	167	167	167	152	B4G
B5G	152	167	158	155	158	144	B5G
B6G	--	--	--	--	(150)	136	B6G
B5GR	(168)	--	--	--	(166)	129	B5GR
B4GK	166	167	166	164	166	150	B4GK
B5GK	160	162	158	159	160	143	B5GK
B6GK	148	151	151	155	151	133	B6GK
B5GG	(145)	126	158	--	142	125	B5GG

See footnotes at end of table.

Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued

Group and grade 2/	1994 crop Season averages					1994 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
SMOKING LEAF							SMOKING LEAF
H3F	187	187	187	187	187	186	H3F
H4F	184	184	184	184	184	183	H4F
H5F	181	182	179	183	181	176	H5F
H6F	--	--	--	(176)	177	173	H6F
H4FR	184	184	183	183	184	181	H4FR
H5FR	182	182	181	183	182	175	H5FR
H6FR	--	--	--	--	--	172	H6FR
H4K	183	183	182	183	183	178	H4K
H5K	180	180	179	181	180	171	H5K
H6K	175	177	173	177	176	162	H6K
CUTTERS							CUTTERS
C1L	--	--	--	--	--	177	C1L
C2L	180	183	--	--	180	176	C2L
C3L	176	177	175	173	176	171	C3L
C4L	172	172	170	168	171	165	C4L
C5L	167	168	165	164	167	160	C5L
C5LP	(150)	139	--	136	138	134	C5LP
C1F	--	184	--	--	184	177	C1F
C2F	180	(182)	178	--	180	176	C2F
C3F	176	178	175	174	176	171	C3F
C4F	173	173	170	169	172	165	C4F
C5F	169	169	166	165	168	160	C5F
C5FP	--	155	(140)	137	144	134	C5FP
C4KR	169	169	167	166	168	159	C4KR
C4V	169	167	165	161	167	157	C4V
C4LL	(153)	(169)	--	--	157	147	C4LL
C5LL	(144)	--	--	--	(144)	141	C5LL
C4S	163	165	162	162	162	155	C4S
C4KL	163	166	161	163	164	154	C4KL
C4KF	164	163	162	161	163	154	C4KF
C4KM	168	167	164	162	166	156	C4KM
C4KK	159	162	156	157	160	153	C4KK
C4G	157	158	158	153	157	143	C4G
C4GK	156	158	153	148	155	138	C4GK
LUGS							LUGS
X1L	174	--	--	--	174	171	X1L
X2L	167	168	(169)	163	167	163	X2L
X3L	164	163	162	160	163	159	X3L
X4L	157	155	152	152	155	148	X4L
X5L	148	148	145	141	145	135	X5L
X1F	174	173	--	--	174	171	X1F
X2F	170	170	166	(164)	169	163	X2F
X3F	166	165	162	161	165	159	X3F
X4F	158	157	154	153	157	148	X4F
X5F	149	147	143	141	146	135	X5F
X3KR	162	162	158	158	161	155	X3KR
X4KR	156	156	152	152	156	147	X4KR
X3V	161	160	157	155	159	152	X3V
X4V	153	152	150	149	151	144	X4V
X3LL	--	--	--	--	--	138	X3LL
X4LL	(135)	--	--	141	139	132	X4LL
X3S	157	155	150	148	151	146	X3S
X4S	--	154	145	141	144	136	X4S
X4KL	148	150	148	146	148	133	X4KL
X4KF	147	147	147	143	146	133	X4KF
X4KV	146	143	140	137	143	129	X4KV
X3KM	159	159	153	154	157	147	X3KM
X4KM	152	151	145	144	149	138	X4KM
X4G	146	144	141	137	142	128	X4G
X5G	138	136	135	133	135	124	X5G
X4GK	146	143	139	135	140	127	X4GK

See footnotes at end of table.

**Table 11.--Season average prices and support rates by individual grades, per 100 pounds 1/
--Continued**

Group and grade 2/	1994 crop Season averages					1994 Advance rate 3/ 11-14	Group and grade 2/
	Type 11	Type 12	Type 13	Type 14	11-14		
PRIMINGS							PRIMINGS
P2L	157	149	150	147	154	146	P2L
P2LS	--	--	--	--	--	131	P2LS
P3L	151	144	141	140	146	136	P3L
P3LS	--	--	--	--	--	122	P3LS
P4L	143	140	137	136	140	132	P4L
P4LS	131	(132)	--	(124)	130	119	P4LS
P5L	134	133	132	130	132	0	P5L
P5LS	126	--	--	--	126	0	P5LS
P2F	156	154	152	149	154	146	P2F
P2FS	--	--	--	--	--	131	P2FS
P3F	151	144	141	140	146	136	P3F
P3FS	--	--	--	--	--	122	P3FS
P4F	144	140	137	136	140	132	P4F
P4FS	136	(132)	(130)	128	132	119	P4FS
P5F	136	133	131	129	132	0	P5F
P5FS	134	--	--	--	134	0	P5FS
P4G	136	133	131	130	132	116	P4G
P4GS	--	--	--	--	(122)	104	P4GS
P5G	129	127	127	125	127	0	P5G
P5GS	--	--	--	--	--	0	P5GS
MIXED							MIXED
M4F	(147)	--	--	--	(147)	146	M4F
M5F	--	--	--	--	--	136	M5F
M4KR	--	--	--	--	--	134	M4KR
M4KM	(136)	--	--	--	(140)	133	M4KM
M5KM	131	--	--	--	132	129	M5KM
M4GK	--	--	--	--	--	122	M4GK
M5GK	--	--	--	--	--	114	M5GK
NONDESCRIPT							NONDESCRIPT
N1L	130	129	125	125	128	0	N1L
N1LS	--	--	--	--	--	0	N1LS
N1XL	138	138	130	129	134	0	N1XL
N1K	154	162	152	160	159	127	N1K
N1R	--	147	126	--	133	121	N1R
N1GL	126	128	122	120	123	0	N1GL
N1GLS	--	--	--	--	--	0	N1GLS
N1GF	141	155	133	145	143	110	N1GF
N1KV	142	149	145	148	147	112	N1KV
N1GR	--	--	--	--	--	111	N1GR
N1GG	--	--	--	--	--	102	N1GG
N1PO	131	129	128	124	126	0	N1PO
N1POS	--	--	--	--	--	0	N1POS
N1XO	139	140	132	128	131	0	N1XO
N1BO	154	160	155	150	153	114	N1BO
N2	119	126	114	114	117	0	N2
NO-G	108	116	111	98	109	0	NO-G
NO-G-F	(164)	153	142	150	147	0	NO-G-F
NO-G-F-S	--	--	--	--	--	0	NO-G-F-S
NO-G-N	--	--	--	--	--	0	NO-G-N
W-unsafe	163	179	(162)	--	171	0	W-unsafe
U-unsound	108	151	140	123	126	0	U-unsound
S-scrap	--	--	--	--	--	0	S-scrap

1/ Averages based on auction sales. Averages are shown in parentheses when at least 10 but less than 20 lots were recorded. Dashes indicate that less than 10 lots were recorded.

2/ For key to standard trademarks see brief of classification on page 5.

3/ Commodity Credit Corporation loans made available through the Flue-cured Cooperative Stabilization Corporation, Raleigh, N.C.

Table 12.--Average prices by weeks for representative grades and season averages 1/

Type 11 - 1994 crop

Group and grade	Week ending							
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9	Sep. 16
B2F	--	--	--	--	--	--	--	190
B3F	--	--	--	--	--	187	187	187
B4F	--	184	184	184	184	184	184	184
B5F	--	180	181	--	--	178	181	180
B3K	181	182	182	183	182	181	182	182
B4K	179	180	181	181	179	180	181	181
B5K	171	173	174	175	173	173	175	177
B3KR	179	180	180	--	179	181	182	182
B4KR	175	176	176	175	176	177	180	180
B5KR	--	169	168	169	--	174	173	175
B3KL	--	170	--	--	169	172	173	174
B4KL	--	--	--	--	--	169	168	170
B3KF	169	173	172	174	172	173	175	177
B4KF	166	168	168	169	167	170	172	172
B5KF	157	157	158	161	160	162	166	163
B4KV	--	160	164	--	--	166	169	168
B5KV	--	151	152	--	--	162	158	162
B3KM	175	176	176	174	175	177	180	180
B4KM	172	172	173	172	172	175	177	179
B4KK	--	163	164	163	--	166	169	171
B4GK	--	154	154	155	154	163	162	169
B5GK	--	148	147	156	154	154	159	163
H3F	--	--	--	--	--	--	187	187
H4F	--	--	--	--	--	--	184	184
H5F	--	--	--	--	--	--	180	180
H4K	--	180	180	--	--	179	180	181
H5K	--	172	172	--	--	173	174	175
H6K	--	--	--	--	--	--	--	168
C4L	--	--	--	168	170	172	172	170
C5L	--	--	160	165	164	168	168	166
C3F	--	--	--	173	175	175	175	176
C4F	--	--	168	169	172	172	172	173
C5F	--	162	160	165	168	169	169	169
C4KR	--	--	--	164	167	169	170	168
C4KF	--	--	155	158	159	164	165	163
C4KM	--	157	161	163	167	168	168	168
X3L	--	--	160	162	164	166	165	163
X4L	--	150	151	156	159	159	157	154
X3F	--	162	160	163	166	167	166	166
X4F	151	151	152	156	159	159	158	159
X5F	--	137	143	147	152	150	147	148
X4V	--	145	147	153	155	154	157	157
X4KF	--	--	134	139	148	150	145	152
X4KV	--	130	138	140	147	149	146	149
X3KM	150	150	153	157	161	163	161	163
X4KM	141	142	148	151	156	156	155	156
P3L	--	138	141	152	157	156	155	--
P4L	--	134	135	144	151	149	148	139
P5L	--	124	127	134	144	140	--	--
P3F	--	141	141	151	156	156	154	--
P4F	--	134	135	142	149	148	145	143
P5F	--	121	125	134	140	141	140	142
P4G	--	125	129	136	142	142	140	--
N1L	--	108	118	125	133	136	133	139
N1XL	--	--	121	--	139	140	139	139
N1GL	--	96	114	123	134	137	137	123
N1PO	--	119	124	130	135	136	129	--
N1XO	--	--	135	139	140	139	140	138
N2	--	83	96	114	122	125	127	117

See footnotes at end of table.

Table 12.--Average prices by weeks for representative grades and season averages
--Continued

* Type 11 - 1994 crop

Group and grade	Week ending						Season	
	Sep. 23	Sep. 30	Oct. 7	Oct. 14	Oct. 21	Oct. 28	1994	1993
B2F	190	190	190	190	190	190	190	190
B3F	187	187	187	187	187	187	187	187
B4F	184	184	184	184	184	185	184	186
B5F	181	181	180	181	182	184	180	183
B3K	183	182	182	183	183	185	183	185
B4K	181	182	181	182	183	185	182	183
B5K	177	178	179	180	182	184	177	176
B3KR	182	182	182	182	183	185	182	184
B4KR	180	181	180	181	183	185	180	182
B5KR	175	176	179	179	183	183	176	174
B3KL	172	173	173	177	178	180	173	179
B4KL	168	171	170	175	179	--	170	174
B3KF	173	176	175	177	180	184	174	181
B4KF	172	173	174	179	180	183	170	174
B5KF	167	172	171	177	177	182	161	162
B4KV	170	173	173	177	181	183	172	164
B5KV	163	164	170	175	178	178	165	155
B3KM	179	179	179	180	182	184	179	182
B4KM	177	178	178	179	181	184	177	177
B4KK	173	174	174	179	175	--	169	178
B4GK	165	172	173	176	179	175	166	163
B5GK	165	167	163	172	175	164	160	152
H3F	187	187	187	187	187	187	187	187
H4F	184	184	184	184	184	186	184	186
H5F	179	181	181	182	182	186	181	183
H4K	181	182	182	183	184	186	183	184
H5K	178	179	180	182	183	185	180	179
H6K	168	174	180	173	181	183	175	171
C4L	173	175	175	--	--	--	172	178
C5L	171	170	174	--	--	--	167	174
C3F	177	178	177	180	179	178	176	183
C4F	174	177	177	176	174	181	173	180
C5F	170	173	173	174	173	178	169	175
C4KR	169	172	169	172	--	--	169	173
C4KF	166	166	163	--	--	--	164	165
C4KM	169	170	169	174	173	--	168	171
X3L	168	166	--	--	--	--	164	167
X4L	158	158	--	--	--	--	157	158
X3F	166	170	169	169	171	--	166	170
X4F	158	163	167	168	169	173	158	159
X5F	149	156	153	163	163	--	149	143
X4V	--	--	--	--	--	--	153	152
X4KF	147	159	158	--	--	--	147	145
X4KV	150	156	--	--	--	--	146	138
X3KM	166	--	--	--	--	--	159	162
X4KM	155	160	147	159	--	--	152	152
P3L	--	--	--	--	--	--	151	153
P4L	--	--	--	--	--	--	143	143
P5L	--	--	--	--	--	--	134	130
P3F	149	--	--	--	--	--	151	154
P4F	143	143	--	--	--	--	144	143
P5F	135	141	143	--	--	--	136	128
P4G	--	--	--	--	--	--	136	133
N1L	139	132	--	--	--	--	130	118
N1XL	138	142	138	135	144	--	138	117
N1GL	115	--	113	--	--	--	126	109
N1PO	--	--	--	--	--	--	131	118
N1XO	133	142	--	--	--	--	139	123
N2	122	122	117	121	117	121	119	98

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
 2/ No averages shown after Oct. 28 due to limited sales.

Table 13.--Average prices by weeks for representative grades and season averages 1/

Type 12 - 1994 crop

Group and grade	Week ending							
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9	
B3F	--	--	--	--	--	187	187	
B4F	--	184	184	--	184	184	184	
B5F	--	--	--	--	177	179	182	
B3K	181	182	181	--	181	182	183	
B4K	179	180	179	178	179	181	182	
B5K	173	173	171	172	173	175	178	
B6K	163	163	161	166	165	167	169	
B3KR	180	181	180	180	180	181	183	
B4KR	176	177	176	175	176	178	181	
B5KR	168	168	167	167	169	172	177	
B4KL	--	--	--	--	169	169	175	
B3KF	174	174	171	172	174	176	179	
B4KF	169	170	168	167	170	172	175	
B5KF	159	161	160	160	163	166	171	
B4KV	161	167	--	164	165	168	171	
B5KV	154	155	151	156	158	166	164	
B3KM	176	177	174	174	176	178	181	
B4KM	174	175	171	171	173	175	179	
B5KM	167	166	165	166	167	171	174	
B4KK	167	169	166	165	166	168	174	
B4GK	159	156	155	157	162	165	169	
B5GK	--	152	145	149	159	161	166	
H4F	--	--	--	--	--	--	184	
H4K	--	--	--	--	--	179	182	
H5K	--	173	--	--	--	173	179	
C3L	--	--	--	175	174	176	180	
C4L	--	--	167	169	171	173	176	
C5L	--	--	164	166	167	169	169	
C3F	--	--	--	173	175	177	180	
C4F	--	165	168	169	172	173	176	
C5F	161	162	163	166	168	169	170	
C4KR	--	--	163	165	168	168	170	
C4V	--	--	164	165	167	169	167	
C4KF	157	156	--	159	163	164	166	
C4KM	158	161	161	165	167	169	171	
X3L	159	160	162	164	166	167	--	
X4L	149	150	152	158	160	159	158	
X5L	145	140	143	153	153	151	--	
X3F	--	160	162	165	167	168	167	
X4F	149	150	152	159	162	160	160	
X5F	140	139	140	151	154	150	149	
X4KR	--	148	150	156	159	158	161	
X3V	--	154	157	160	163	164	--	
X4V	146	145	148	155	157	158	157	
X4KV	130	133	137	147	150	148	148	
X3KM	150	150	156	161	164	163	162	
X4KM	140	142	147	155	158	155	152	
P3L	141	142	145	154	157	--	--	
P4L	135	136	140	149	149	149	--	
P5L	127	129	133	139	139	143	--	
P3F	142	141	145	155	158	--	--	
P4F	135	136	140	148	151	147	144	
P5F	125	129	133	138	140	139	140	
P4G	127	129	133	141	143	140	--	
N1L	121	124	128	132	140	137	151	
N1XL	--	127	133	137	142	140	141	
N1PO	124	127	129	132	140	136	--	
N1XO	--	128	131	141	145	141	146	
N2	124	119	121	126	131	127	130	

See footnotes at end of tables.

**Table 13.--Average prices by weeks for representative grades and season averages 1/
--Continued**

Type 12 - 1994 crop

Group and grade	Week ending					Season	
	Sep. 16	Sep. 23	Sep. 30	Oct. 7	Oct. 14/	1994	1993
B3F	187	187	187	187	187	187	187
B4F	184	184	184	184	184	184	186
B5F	182	182	182	182	183	181	183
B3K	183	183	183	183	183	183	185
B4K	183	183	183	182	182	182	184
B5K	179	179	180	180	181	178	179
B6K	171	175	176	177	177	172	169
B3KR	183	183	182	182	182	182	184
B4KR	181	181	181	181	182	180	182
B5KR	179	177	179	180	181	175	176
B4KL	175	175	175	178	181	173	174
B3KF	178	179	179	179	181	176	179
B4KF	177	177	178	179	180	173	175
B5KF	172	173	175	175	178	166	167
B4KV	173	175	176	178	179	172	169
B5KV	168	169	174	175	176	166	162
B3KM	182	182	181	182	181	180	182
B4KM	180	180	180	181	181	177	179
B5KM	177	176	178	179	180	172	173
B4KK	176	177	178	178	180	172	176
B4GK	173	173	175	175	177	167	164
B5GK	170	164	170	171	174	162	156
H4F	184	184	184	184	184	184	186
H4K	183	182	183	183	183	183	185
H5K	180	178	181	182	182	180	181
C3L	182	--	183	183	--	177	180
C4L	177	182	177	180	--	172	176
C5L	175	168	--	--	--	168	174
C3F	181	183	182	181	183	178	183
C4F	178	181	178	178	180	173	179
C5F	172	172	172	173	175	169	175
C4KR	172	174	176	--	--	169	176
C4V	173	--	--	--	--	167	171
C4KF	175	--	--	--	--	163	170
C4KM	173	173	176	177	177	167	172
X3L	--	--	--	--	--	163	165
X4L	161	--	--	--	--	155	159
X5L	--	--	--	--	--	148	152
X3F	166	169	--	--	--	165	167
X4F	161	159	165	168	166	157	161
X5F	155	147	162	160	158	147	149
X4KR	160	--	--	--	--	156	156
X3V	--	--	--	--	--	160	162
X4V	--	--	--	--	--	152	156
X4KV	148	--	--	--	164	143	145
X3KM	164	--	--	--	--	159	162
X4KM	160	154	172	161	159	151	156
P3L	--	--	--	--	--	144	155
P4L	--	--	--	--	--	140	149
P5L	--	--	--	--	--	133	139
P3F	--	--	--	--	--	144	155
P4F	148	--	--	--	--	140	148
P5F	--	--	--	144	129	133	135
P4G	--	--	--	--	--	133	140
N1L	--	--	--	--	110	129	127
N1XL	150	--	133	--	150	138	130
N1PO	--	--	--	--	--	129	131
N1XO	153	--	--	--	133	140	132
N2	142	150	144	153	117	126	120

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
2/ No averages shown after Oct. 14 due to limited sales.

Table 14.--Average prices by weeks for representative grades and season averages 1/

Type 13 - 1994 crop

Group and grade	Week ending						
	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9
B3F	--	--	--	187	187	187	187
B4F	183	184	183	184	184	184	184
B5F	--	--	177	178	178	181	182
B4FR	--	--	--	--	182	182	183
B3K	180	181	180	182	181	182	183
B4K	178	179	178	179	180	181	182
B5K	172	172	172	173	174	175	177
B6K	162	163	--	166	166	168	168
B3KR	179	--	179	180	180	181	182
B4KR	176	176	174	176	177	179	180
B5KR	169	169	167	172	172	173	174
B3V	--	--	178	178	179	181	181
B4V	--	--	171	173	175	178	181
B3KF	170	--	--	174	173	178	180
B4KF	166	167	166	169	170	174	174
B5KF	158	158	160	163	163	167	169
B4KV	--	--	159	162	165	173	173
B5KV	--	--	152	155	161	169	165
B3KM	176	174	174	175	177	179	181
B4KM	171	171	170	172	174	177	177
B5KM	164	167	164	167	170	171	175
B4GK	157	--	157	160	161	169	167
B5GK	151	--	149	157	156	159	170
H3F	--	--	--	--	187	187	187
H4F	--	--	184	183	184	184	184
H5F	--	--	--	178	178	178	182
H4K	--	--	--	180	179	180	182
H5K	--	--	--	--	173	174	176
C4L	--	166	166	168	172	174	177
C5L	--	161	163	165	168	171	--
C3F	--	--	171	173	176	177	178
C4F	--	166	166	169	172	174	176
C5F	--	161	163	166	168	172	171
C4KR	--	162	163	165	169	173	170
C4V	--	159	162	165	169	173	169
C4KM	159	158	161	164	169	171	171
C4GK	--	147	150	155	158	162	--
X3L	159	160	161	164	164	--	--
X4L	149	150	152	158	158	167	--
X3F	160	160	161	164	165	168	--
X4F	150	150	152	158	159	162	158
X5F	139	140	141	150	147	149	142
X3V	155	155	157	160	164	--	--
X4V	145	147	150	156	157	157	--
X3KM	150	150	153	159	163	163	--
X4KM	141	142	145	152	156	158	--
X4G	139	138	139	147	142	154	--
X4GK	133	136	138	146	143	148	--
P3L	139	141	144	158	--	--	--
P4L	135	137	138	150	--	--	--
P3F	140	141	144	155	153	--	--
P4F	135	136	138	145	142	142	--
P5F	127	130	133	138	135	143	--
P4G	128	132	134	139	131	--	--
N1XL	--	130	131	133	128	129	--
N1PO	124	128	130	130	121	--	--
N1XO	--	133	130	135	127	126	135
N1BO	--	--	--	--	146	156	148
N2	105	110	121	114	117	113	116

See footnotes at end of table.

**Table 14. --Average prices by weeks for representative grades and season averages 1/
--Continued**

Type 13 - 1994 crop

Group and grade	Week ending					Season	
	Sep. 16	Sep. 23	Sep. 30	Oct. 7	Oct. 14 2/	1994	1993
B3F	187	187	187	187	187	187	187
B4F	184	184	184	184	184	184	185
B5F	179	180	180	180	180	180	179
B4FR	184	183	183	183	184	183	184
B3K	183	183	183	182	183	183	184
B4K	181	181	181	181	181	181	181
B5K	178	177	178	179	180	176	173
B6K	171	171	174	172	175	170	163
B3KR	182	182	182	181	182	181	183
B4KR	179	179	180	180	181	179	178
B5KR	177	176	177	178	179	173	170
B3V	181	181	181	180	182	180	181
B4V	178	181	180	178	180	177	174
B3KF	179	178	178	179	179	177	174
B4KF	176	176	177	178	178	172	169
B5KF	174	172	172	176	176	165	159
B4KV	175	173	--	178	179	170	163
B5KV	168	172	168	174	178	165	154
B3KM	180	180	180	180	181	178	179
B4KM	178	178	179	179	179	175	173
B5KM	173	173	175	175	179	170	166
B4GK	171	170	176	176	179	166	158
B5GK	167	164	157	169	--	158	149
H3F	187	187	187	187	187	187	187
H4F	184	184	184	184	184	184	185
H5F	180	180	182	180	181	179	179
H4K	182	182	182	182	182	182	182
H5K	178	177	178	180	181	179	175
C4L	--	--	--	--	--	170	174
C5L	--	--	--	--	--	165	166
C3F	176	--	180	174	--	175	179
C4F	173	169	173	170	168	170	174
C5F	169	165	167	165	163	166	169
C4KR	171	164	--	--	--	167	171
C4V	169	--	--	--	--	165	166
C4KM	165	166	--	--	167	164	166
C4GK	--	--	--	--	--	153	151
X3L	--	--	--	--	--	162	161
X4L	--	--	--	--	--	152	154
X3F	--	--	--	--	--	162	163
X4F	152	158	162	159	160	154	155
X5F	145	--	145	151	152	143	145
X3V	--	--	--	--	--	157	157
X4V	--	--	--	--	--	150	151
X3KM	--	--	--	--	--	153	158
X4KM	--	--	--	154	157	145	151
X4G	--	--	--	--	--	141	140
X4GK	--	--	--	--	--	139	141
P3L	--	--	--	--	--	141	151
P4L	--	--	--	--	--	137	145
P3F	--	--	--	--	--	141	151
P4F	--	--	--	143	153	137	145
P5F	--	--	--	--	--	131	145
P4G	--	--	--	--	--	131	137
N1XL	--	--	--	124	129	130	118
N1PO	--	--	--	--	--	128	127
N1XO	124	136	--	--	--	132	122
N1BO	153	157	161	157	166	155	137
N2	122	113	99	117	130	114	104

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.

2/ No averages shown after Oct. 14 due to limited sales.

Table 15...Average prices by weeks for representative grades and season averages 1/

Type 14 - 1994 *crop

Group and grade	Week ending										Season		
	July 22	July 29	Aug. 5	Aug. 12	Aug. 19	Aug. 26	Sep. 2	Sep. 9	Sep. 16	Sep. 23	Sep. 30	1994	1993
B4F	--	--	--	183	184	184	184	184	184	184	184	184	185
B5F	--	--	--	177	179	181	183	184	182	183	183	182	181
B3K	--	--	--	181	182	183	184	184	184	184	184	183	184
B4K	178	178	--	179	180	181	183	183	183	183	183	182	182
B5K	172	171	171	172	174	176	181	182	181	182	180	179	177
B6K	163	--	--	164	165	170	174	181	178	177	175	174	169
B3KR	--	--	--	--	180	181	183	182	183	183	182	182	183
B4KR	174	--	--	175	177	179	181	182	182	182	181	180	180
B5KR	--	166	166	--	173	175	181	179	182	181	179	177	173
B4KL	--	--	--	165	175	172	175	177	177	183	--	175	169
B4KF	166	165	165	166	172	170	179	179	177	181	179	173	172
B5KF	159	155	155	158	167	163	173	174	171	175	172	165	164
B4KV	--	--	--	160	164	169	173	175	178	177	176	170	163
B5KV	156	--	--	153	156	163	167	176	169	177	174	165	158
B3KM	--	--	--	174	176	177	180	181	182	182	182	179	179
B4KM	171	170	170	171	174	175	179	181	180	182	181	176	175
B5KM	163	--	164	166	169	170	177	179	174	180	179	171	168
B4GK	--	--	155	155	157	164	166	176	177	175	176	164	159
B5GK	--	--	151	153	157	156	161	169	167	175	170	159	154
H3F	--	--	--	--	187	187	187	187	187	187	187	187	187
H4F	--	--	--	--	184	184	184	184	184	184	184	184	185
H5F	--	--	--	--	179	182	183	184	183	184	183	183	183
H4K	--	--	--	179	180	183	183	184	183	184	183	183	184
H5K	--	--	172	172	176	179	181	183	182	183	182	181	180
H6K	--	--	162	165	169	171	179	179	180	180	179	177	175
C4L	--	--	166	168	167	169	171	--	--	--	--	168	171
C5L	--	--	162	164	166	165	166	--	160	--	--	164	165
C4F	--	167	166	168	169	169	171	--	--	--	--	169	172
C5F	--	161	163	165	165	167	167	--	--	--	--	165	166
C4KM	--	160	160	162	162	165	167	--	167	--	158	162	165
X3L	160	160	161	161	--	--	--	--	--	--	--	160	161
X4L	149	151	151	154	154	155	157	153	--	--	--	152	154
X5L	--	139	138	142	150	150	139	--	--	--	--	141	147
X3F	160	161	160	161	162	--	171	--	--	--	--	161	162
X4F	151	151	152	154	155	156	161	151	158	152	150	153	155
X5F	140	138	139	144	147	146	152	--	--	139	139	141	147
X4V	146	147	148	150	153	156	--	--	--	--	--	149	151
X4KF	--	138	138	150	144	--	--	--	--	--	--	143	144
X4KV	--	133	135	138	141	134	143	--	--	--	--	137	140
X3KM	152	151	153	157	157	152	--	--	--	--	--	154	157
X4KM	142	142	142	146	147	147	154	--	--	140	150	144	151
X4G	133	135	133	140	142	136	--	--	--	--	--	137	144
X5G	--	129	129	139	146	--	--	--	--	--	--	133	139
X4GK	132	134	132	139	137	142	136	--	--	--	--	135	142
P3L	139	141	140	143	--	--	--	--	--	--	--	140	150
P4L	135	136	135	141	--	--	--	--	--	--	139	136	147
P3F	141	140	140	145	--	--	--	--	--	--	--	140	152
P4F	135	136	135	141	137	--	--	--	--	--	139	136	147
P5F	128	130	127	140	129	--	--	--	--	--	130	129	138
P4G	130	129	130	141	--	--	--	--	--	--	--	130	140
P5G	119	126	127	137	--	--	--	--	--	--	--	125	134
N1L	122	125	125	127	--	--	--	--	--	--	--	125	133
N1XL	130	127	128	132	131	123	135	--	--	--	109	129	133
N1K	136	--	145	139	142	147	160	174	169	161	158	160	148
N1GL	113	115	120	126	130	122	--	--	--	--	--	120	129
N1PO	123	123	124	129	131	--	128	--	--	--	--	124	131
N1XO	129	124	125	130	132	128	128	142	129	130	122	128	128
N1BO	135	--	--	129	137	141	158	159	155	161	156	150	136
N2	107	110	112	119	119	113	113	123	124	129	108	114	115

1/ Averages based on auction sales. Dashes indicate that less than 20 lots were recorded for the week.
No averages shown after Sep. 30 due to limited sales.

Table 16.--Warehouse charges by states, 1994 crop

State	Type	Auction fee 1/	Commission on gross sales 1/	Additional charges
Florida	14	15 cents on all piles of 100 pounds or less	2-3/4	Weighing and handling 10 cents per pile on all piles of 100 pounds or less, and 10 cents for each additional 100 pounds.
Georgia	14	and 25 cents on all piles over 100 pounds	2-3/4	
North Carolina	11-13		2-1/2	
South Carolina	13		2-1/2	
Virginia	11	25 cents per pile	2-1/2	Weighing, 10 cents per 100 pounds.

1/ Maximum permitted under State law.

Table 17.--Average weight per lot, 1989-94 crops

Crop	Type 11	Type 12	Type 13	Type 14	Types 11-14
	Pounds	Pounds	Pounds	Pounds	Pounds
1989	198	194	195	197	196
1990	204	202	197	195	200
1991	204	198	197	190	199
1992	207	201	199	199	201
1993	204	203	204	195	202
1994	204	201	199	194	201

Table 18.--Tobacco received by the Stabilization Corporation, 1991-94 crops

Crop	Type 11		Type 12		Type 13	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent	1,000 lb.	Percent
1991	20,221	7.1	15,925	5.2	9,551	5.0
1992	20,640	7.4	24,348	7.8	25,934	13.8
1993	64,857	23.5	46,066	14.8	70,498	37.0
1994	32,847	12.9	26,595	9.6	24,558	14.2

Crop	Type 14		Types 11-14 1/	
	Receipts (green weight)	Percentage of net sales	Receipts (green weight)	Percentage of net sales
	1,000 lb.	Percent	1,000 lb.	Percent
1991	3,951	3.9	49,647	5.6
1992	10,331	8.5	81,253	9.0
1993	23,419	20.3	204,840	23.0
1994	13,670	13.7	97,670	12.1

1/ Details may not add to totals due to rounding.

Table 19.--Percentage distribution by groups and types, 1990-94 crops 1/

Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.
(Type 11)									
1990	--	61.5	2.8	5.7	12.5	14.5	--	2.7	0.3
1991	--	58.4	3.8	9.3	14.2	12.1	--	1.9	0.3
1992	--	63.1	4.8	5.8	13.5	11.0	--	1.5	0.3
1993	--	65.2	1.9	6.0	14.0	10.7	--	1.9	0.3
1994	--	59.1	3.8	10.0	15.7	9.9	--	1.4	0.1
(Type 12)									
1990	--	65.3	0.8	6.1	13.7	10.9	--	2.8	0.4
1991	--	61.8	2.1	7.3	16.0	9.4	--	3.0	0.4
1992	--	68.1	1.1	6.9	14.6	7.5	--	1.6	0.2
1993	--	64.1	0.5	6.5	17.0	9.2	--	2.6	0.1
1994	--	63.4	1.9	9.9	17.4	6.0	--	1.4	--
(Type 13)									
1990	--	59.9	2.0	4.6	14.7	9.7	--	7.9	1.2
1991	--	57.7	4.6	8.8	17.1	5.6	--	5.1	1.1
1992	--	58.3	2.7	10.9	15.9	8.2	--	3.5	0.5
1993	--	65.5	3.3	4.5	16.7	6.1	--	3.5	0.4
1994	--	63.1	7.1	7.9	12.6	7.2	--	1.8	0.3
(Type 14)									
1990	--	54.4	5.2	6.9	15.5	12.1	--	5.4	0.5
1991	--	56.5	5.2	3.7	11.0	7.8	--	13.8	2.0
1992	--	55.4	3.3	6.2	14.5	12.1	--	7.4	1.1
1993	--	56.4	2.4	4.6	16.8	12.4	--	6.9	0.5
1994	--	47.4	8.9	5.5	15.5	13.0	--	9.1	0.6

1/ Dashes indicate a percentage of less than 0.1.

Table 20.--Percentage distribution by qualities and types, 1990-94 crops 1/

Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor	Nondescript	Misc.
(Type 11)								
1990	--	0.8	16.3	57.8	20.6	1.5	2.7	0.3
1991	--	0.3	23.5	58.7	14.7	0.6	1.9	0.3
1992	--	0.7	33.5	56.3	7.4	0.3	1.5	0.3
1993	--	0.5	18.8	58.9	18.7	0.9	1.9	0.3
1994	--	0.9	27.4	57.2	12.5	0.5	1.4	0.1
(Type 12)								
1990	--	0.2	12.4	54.6	26.3	3.3	2.8	0.4
1991	--	0.2	17.2	59.4	18.6	1.2	3.0	0.4
1992	--	0.1	30.6	55.8	11.0	0.7	1.6	0.2
1993	--	0.1	15.4	60.2	19.7	1.9	2.6	0.1
1994	--	0.2	22.3	61.6	13.8	0.7	1.4	--
(Type 13)								
1990	--	0.1	4.7	45.1	34.7	6.3	7.9	1.2
1991	--	0.1	13.7	55.5	22.3	2.2	5.1	1.1
1992	--	0.4	20.7	58.9	15.3	0.7	3.5	0.5
1993	--	0.1	11.6	57.5	24.5	2.4	3.5	0.4
1994	--	0.2	22.8	60.7	13.6	0.6	1.8	0.3
(Type 14)								
1990	--	0.2	10.2	59.0	22.5	2.2	5.4	0.5
1991	--	0.1	4.7	38.7	32.9	7.8	13.8	2.0
1992	--	-	10.5	57.2	22.0	1.8	7.4	1.1
1993	--	0.1	8.0	52.6	28.4	3.5	6.9	0.5
1994	--	0.3	9.5	53.3	24.2	3.0	9.1	0.6

1/ Dashes indicate a percentage of less than 0.1.

Table 21.--Percentage distribution by colors and types, 1990-94 crops 1/

Crop Year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
(Type 11)											
1990	4.5	26.6	0.3	34.7	0.1	0.6	2.1	24.6	3.5	2.7	0.3
1991	4.2	28.2	0.4	36.9	--	1.1	1.4	23.0	2.6	1.9	0.3
1992	4.3	27.3	1.4	47.8	--	0.9	0.7	14.3	1.5	1.5	0.3
1993	3.8	22.5	0.3	39.9	--	1.1	5.8	21.4	3.0	1.9	0.3
1994	6.1	31.4	0.3	39.8	--	0.9	0.8	17.8	1.4	1.4	0.1
(Type 12)											
1990	4.0	13.4	0.1	32.6	0.4	0.6	3.4	36.3	6.0	2.8	0.4
1991	4.3	18.1	0.3	38.8	0.1	0.5	1.3	29.8	3.4	3.0	0.4
1992	6.1	16.5	0.6	45.8	--	0.6	0.9	25.3	2.4	1.6	0.2
1993	3.5	13.8	0.1	33.9	--	1.1	4.9	34.2	5.8	2.6	0.1
1994	5.6	21.2	0.1	42.0	--	1.1	1.7	25.1	1.8	1.4	--
(Type 13)											
1990	1.9	16.3	0.2	31.7	0.1	1.2	5.8	26.3	7.4	7.9	1.2
1991	3.2	22.3	0.5	37.3	--	1.9	1.2	23.3	4.1	5.1	1.1
1992	3.4	24.7	1.0	36.4	--	2.8	1.0	22.1	4.6	3.5	0.5
1993	1.1	17.7	0.9	43.3	--	2.0	2.5	22.9	5.7	3.5	0.4
1994	3.4	27.7	0.4	45.3	--	1.7	0.5	16.6	2.3	1.8	0.3
(Type 14)											
1990	7.1	19.4	0.1	20.3	0.4	0.6	4.2	33.9	8.1	5.4	0.5
1991	6.6	13.3	--	34.8	--	0.4	3.9	22.2	3.0	13.8	2.0
1992	7.6	18.9	0.2	30.1	0.1	0.7	1.8	27.2	4.9	7.4	1.1
1993	7.4	15.8	0.1	30.5	--	1.3	6.5	25.7	5.3	6.9	0.5
1994	7.5	24.0	0.2	33.2	--	0.7	2.0	18.9	3.8	9.1	0.6

1/ Dashes indicate a percentage of less than 0.1.

Table 22.--Percentage distribution by groups, qualities, and colors for types 11-14, 1990-94 crops 1/

(Group)											
Crop year	A Wrappers	B Leaf	H S. Leaf	C Cutters	X Lugs	P Primings	M Mixed	N Nondescript	Misc.		
1990	--	61.2	2.4	5.8	13.9	11.9	--	4.2	0.6		
1991	--	59.2	3.6	7.6	14.8	9.4	--	4.7	0.7		
1992	--	62.6	2.9	7.2	14.5	9.5	--	2.9	0.4		
1993	--	63.3	1.8	5.6	15.9	9.7	--	3.4	0.3		
1994	--	59.9	4.5	8.9	15.6	8.4	--	2.5	0.2		
(Quality)											
Crop year	1 Choice	2 Fine	3 Good	4 Fair	5 Low	6 Poor		Nondescript	Misc.		
1990	--	0.3	11.6	54.5	25.7	3.1		4.2	0.6		
1991	--	0.2	16.7	55.3	20.2	2.2		4.7	0.7		
1992	--	0.3	26.3	56.7	12.6	0.8		2.9	0.4		
1993	--	0.2	14.4	57.8	21.9	2.0		3.4	0.3		
1994	--	0.4	22.3	59.0	14.7	0.9		2.5	0.2		
(Color)											
Crop year	L	F	FR-R	K-KR	LP-FP	V	LL-KV	K(SF)	G-GK	Nondescript	Misc.
1990	4.3	18.7	0.2	30.8	0.2	0.7	3.6	30.7	6.0	4.2	0.6
1991	4.5	21.4	0.4	37.3	--	0.9	1.7	25.2	3.2	4.7	0.7
1992	5.3	21.7	0.9	42.0	--	1.1	1.0	21.7	3.0	2.9	0.4
1993	3.8	17.6	0.3	36.9	--	1.3	5.1	26.5	4.8	3.4	0.3
1994	5.5	26.1	0.3	40.8	--	1.1	1.2	20.2	2.1	2.5	0.2

1/ Dashes indicate a percentage of less than 0.1.

Table 23.--Percentage distribution by grades and types, 1994 crop 1/

Group and grade	1994 crop				Group and grade	1994 crop			
	11	12	13	14		11	12	13	14
Leaf:					Smoking leaf:				
B1L	.001	.001	--	--	H3F	.179	.055	.210	.623
B2L	.021	.020	.001	--	H4F	.658	.253	1.742	1.544
B3L	.086	.064	.075	.013	H5F	.064	.036	.273	.481
B4L	.117	.172	.112	.138	H6F	--	.001	.001	.006
B5L	.029	.021	.062	.087	H4FR	.072	.020	.054	.064
B6L	--	--	.001	.002	H5FR	.032	.006	.020	.010
B1F	.016	.026	--	.003	H6FR	.001	--	--	--
B2F	.191	.076	.065	.040	H4K	2.041	.942	3.514	2.880
B3F	1.535	1.166	1.314	.791	H5K	.685	.455	1.113	2.595
B4F	4.458	3.062	7.363	3.172	H6K	.071	.071	.127	.628
B5F	.297	.113	.938	1.605	Total H	3.804	1.840	7.052	8.832
B6F	.004	--	.011	.019	Cutters:				
B1FR	--	--	--	--	C1L	.002	--	--	--
B2FR	.014	--	--	--	C2L	.030	.004	.002	--
B3FR	.067	.014	.049	.034	C3L	.177	.147	.122	.044
B4FR	.139	.065	.210	.082	C4L	.564	.689	.352	.395
B5FR	.012	.006	.015	.014	C5L	.310	.509	.400	.308
B6FR	.008	.003	--	--	C5LP	.003	.006	--	.052
B5R	--	.002	.003	.001	C1F	.001	.010	--	--
B3K	10.269	7.913	11.331	1.314	C2F	.060	.002	.007	--
B4K	16.526	16.489	18.987	12.268	C3F	.770	.428	.241	.066
B5K	3.527	4.834	4.337	7.929	C4F	3.213	2.141	1.834	1.088
B6K	.160	.413	.360	1.854	C5F	2.424	1.927	1.670	.958
B3KR	2.249	2.779	2.014	.594	C5FP	.001	.006	.005	.017
B4KR	3.326	6.696	2.723	2.422	C4KR	.438	.375	.336	.108
B5KR	.246	.661	.264	.450	C4V	.208	.282	.320	.103
B3V	.031	.075	.251	.029	C4LL	.003	.001	--	.002
B4V	.073	.118	.414	.111	C5LL	.003	--	--	--
B5V	.006	.016	.049	.010	C4S	.043	.037	.163	.172
B3S	.058	.026	.107	.077	C4KL	.137	.079	.043	.068
B4S	.006	.018	.029	.093	C4KF	.238	.172	.185	.084
B5S	--	--	.002	.023	C4KM	1.215	2.701	1.870	1.801
B3KL	.223	.120	.124	.064	C4KK	.046	.098	.047	.069
B4KL	.213	.206	.145	.201	C4G	.024	.045	.091	.048
B5KL	.018	.024	.019	.116	C4GK	.074	.226	.204	.106
B6KL	.002	--	.001	.005	Total C	9.983	9.886	7.890	5.490
B3KF	1.305	.578	.549	.227	Lugs:				
B4KF	4.255	3.275	2.113	1.807	X1L	.016	.001	--	--
B5KF	1.329	1.094	.894	1.280	X2L	.045	.011	.003	.017
B6KF	.133	.085	.075	.164	X3L	.863	.904	.301	.453
B3KD	.008	.002	--	--	X4L	1.048	1.491	.792	1.126
B4KD	.032	.062	.024	.023	X5L	.096	.242	.148	.518
B5KD	.097	.120	.064	.050	X1F	.019	.004	--	--
B6KD	.023	.043	.029	.036	X2F	.101	.019	.024	.008
B4KV	.285	.514	.193	.368	X3F	2.883	1.738	1.065	.759
B5KV	.172	.319	.162	.877	X4F	6.113	4.555	4.035	3.308
B6KV	.024	.047	.019	.222	X5F	1.455	1.287	1.284	2.122
B3KM	2.955	3.208	1.868	.950	X3KR	.144	.128	.080	.038
B4KM	3.454	6.884	4.086	4.837	X4KR	.168	.196	.075	.073
B5KM	.214	.845	.532	1.742	X3V	.170	.209	.215	.108
B6KM	.004	.023	.011	.037	X4V	.420	.375	.404	.338
B3KK	.070	.095	.042	.029	X3LL	--	--	--	--
B4KK	.169	.366	.162	.258	X4LL	.002	--	--	.007
B5KK	.024	.048	.030	.082	X3S	.009	.019	.056	.103
B6KK	.001	.002	.002	.003	X4S	.001	.004	.028	.045
B4G	.019	.036	.095	.058	X4KL	.042	.032	.017	.094
B5G	.008	.010	.028	.022	X4KF	.206	.164	.148	.266
B6G	.001	--	--	.001	X4KV	.288	.781	.136	.525
B5GR	.003	--	--	.001	X3KM	.527	1.529	1.017	1.105
B4GK	.374	.375	.530	.416	X4KM	.777	3.146	2.154	3.011
B5GK	.173	.110	.191	.331	X4G	.123	.189	.231	.439
B6GK	.022	.009	.011	.044	X5G	.035	.084	.109	.347
B5GG	.002	.004	.006	.001	X4GK	.122	.282	.296	.722
Total B	59.087	63.352	63.092	47.425	Total X	15.672	17.391	12.618	15.531

See footnotes at end of table.

Table 23.--Percentage distribution by grades and type , 1994 1/-Continued

Group and grade	1994 crop				Group and grade	1994 crop			
	11	12	13	14		11	12	13	14
Primings:					Nondescript:				
P2L	.152	.007	.047	.088	N1L	.328	.202	.105	.347
P2L sand	--	--	--	--	N1L sand	--	--	--	--
P3L	.927	.366	.399	1.144	N1XL	.283	.231	.169	.808
P3L sand	--	--	--	.002	N1K	.038	.074	.108	.723
P4L	1.292	.839	.505	2.636	N1R	--	.003	.011	.002
P4L sand	.011	.002	--	.007	N1GL	.083	.133	.079	.601
P5L	.275	.154	.072	.512	N1GL sand	--	--	--	--
P5L sand	.005	--	--	--	N1GF	.013	.009	.012	.028
P2F	.245	.016	.098	.140	N1KV	.017	.031	.011	.111
P2F sand	--	--	--	--	N1GR	--	--	.001	--
P3F	1.910	.625	1.276	.928	N1GG	--	--	.001	--
P3F sand	--	--	--	.001	N1PO	.246	.204	.489	2.372
P4F	3.796	2.735	3.517	4.907	N1PO sand	--	--	--	--
P4F sand	.011	.003	.003	.026	N1XO	.135	.233	.405	1.907
P5F	.906	.789	.843	1.366	N1BO	.033	.132	.169	.844
P5F sand	.005	--	--	--	N2	.210	.197	.236	1.350
P4G	.318	.367	.419	1.000	Total N	1.390	1.450	1.796	9.090
P4G sand	.001	--	--	.004	No-grade 2/	.060	.054	.198	.184
P5G	.084	.079	.094	.288	No-G-F sand	--	--	.001	--
P5G sand	--	--	--	--	W - unsafe	.005	.015	.003	.003
Total P	9.938	5.982	7.273	13.048	U - unsound	.050	.030	.077	.394
Mixed:					S - scrap	--	--	--	--
M4F	.003	--	--	--					
M5F	--	--	--	--					
M4KR	--	--	--	--					
M4KM	.002	.001	--	--					
M5KM	.005	--	--	--					
M4GK	--	--	--	--					
M5GK	.001	--	--	--					
Total M	.012	.001	.000	.000	Grand total	100.000	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes grades No-G and No-G-F.

Table 24.--Percentage breakdown of marketings by selected groupings, 1994 and 1993 crops

Grouping	Type 11		Type 12		Type 13		Type 14	
	1994	1993	1994	1993	1994	1993	1994	1993
Premature to mellow	78.5	67.6	70.0	52.4	78.5	65.0	65.6	55.1
Unripe	18.6	27.2	26.8	39.1	17.1	25.4	20.9	32.2
Immature	1.4	3.0	1.8	5.8	2.3	5.7	3.8	5.3
Nondescript	1.4	1.9	1.4	2.6	1.8	3.5	9.1	6.9
No-grade 1/	0.1	0.3	0.0	0.1	0.3	0.4	0.6	0.5
Total:	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

1/ Includes tobacco defined as decayed, off-type, and nested; also unsafe keeping order and unsound. Also includes grade No-G-F.

Table 25.--Group averages by maturity, 1994 crop

GROUP	MATURE TO MELLOW	PREMATURE	UNRIPE	IMMATURE
dollars per hundred pounds				
Leaf (B)	181.47	--	173.46	163.68
Smoking Leaf (H)	182.12	--	--	--
Cutters (C)	170.45	140.51	165.29	155.82
Lugs (X)	156.38	--	150.00	139.48
Primings (P)	--	140.39	--	131.30
Total	175.98	140.39	167.93	146.33
Nondescript	131.13			
No-grade 1/	122.69			

1/ Includes tobacco defined as decayed, off-type, and nested; also includes "W", "U", and scrap.

Table 26.--Percentage distribution by grades for all types, 1992-94 crops 1/

Group and grade	Crop of:			Group and grade	Crop of:		
	1992	1993	1994		1992	1993	1994
Wrappers:				B5KM	.874	1.289	.700
A1L	--	--	--	B6KM	.026	.037	.017
A1F	--	--	--	Total BKM	10.666	9.869	8.197
Total A	--	--	--	B3KK	.180	.115	.067
				B4KK	.449	.358	.246
Leaf:				B5KK	.085	.098	.041
B1L	.001	--	--	B6KK	.004	.007	.002
B2L	.002	.002	.013	Total BKK	.718	.577	.357
B3L	.017	.016	.066	B4G	.065	.065	.047
B4L	.077	.047	.137	B5G	.014	.042	.015
B5L	.027	.024	.041	B6G	.002	.003	.001
B6L	--	.001	--	Total BG	.081	.110	.063
Total BL	.124	---	.259	B5GR	.001	.004	.001
B1F	.018	.016	.014	B4GK	.606	.860	.415
B2F	.049	.062	.104	B5GK	.234	.561	.176
B3F	.592	.314	1.262	B6GK	.018	.110	.018
B4F	4.227	1.576	4.465	Total BGK	.858	1.530	.609
B5F	.691	.314	.549	B5GG	.008	.006	.003
B6F	.004	.003	.006	Total B	62.563	63.295	59.912
Total BF	5.581	---	6.401	Smoking leaf			
B1FR	--	--	--	H3F	.032	.030	.202
B2FR	--	--	.004	H4F	.523	.247	.879
B3FR	.089	.015	.040	H5F	.086	.073	.156
B4FR	.581	.171	.122	H6F	.001	.001	.001
B5FR	.042	.053	.011	Total HF	.642	.352	1.238
B6FR	.001	.003	.003	H4FR	.119	.036	.049
Total BFR	.713	---	.181	H5FR	.018	.019	.018
B5R	.001	.001	.002	H6FR	.001	--	--
B3K	9.572	4.374	8.533	Total HFR	.138	.056	.067
B4K	15.056	14.926	16.508	H4K	1.497	.851	2.106
B5K	4.030	7.830	4.730	H5K	.575	.453	.952
B6K	.457	.932	.512	H6K	.088	.093	.156
Total BK	29.115	---	30.283	Total HK	2.160	1.397	3.215
B3KR	4.467	2.000	2.161	Total H	2.940	1.805	4.521
B4KR	5.002	4.407	4.221	Cutters:			
B5KR	.570	.694	.418	C1L	--	--	--
Total BKR	10.039	---	6.799	C2L	.001	.001	.011
B3V	.082	.061	.095	C3L	.037	.032	.137
B4V	.129	.159	.170	C4L	.266	.183	.537
B5V	.017	.027	.019	C5L	.273	.175	.398
Total BV	.228	---	.284	Total CL	.577	.391	1.083
B3S	.050	.032	.061	C5LP	.021	.003	.010
B4S	.083	.027	.027	C1F	--	--	.004
B5S	.003	.001	.003	C2F	.005	.002	.021
Total BS	.136	---	.091	C3F	.250	.150	.443
B3KL	.105	.076	.145	C4F	1.391	.917	2.261
B4KL	.223	.211	.194	C5F	1.167	1.081	1.894
B5KL	.031	.046	.033	Total CF	2.813	2.150	4.622
B6KL	.001	.003	.002	C5FP	.015	.001	.006
Total BKL	.360	---	.373	C4KR	.344	.158	.351
B3KF	.433	.740	.747	C4V	.276	.209	.244
B4KF	1.862	4.839	3.121	C4LL	.004	--	.002
B5KF	.709	3.086	1.145	C5LL	--	--	.001
B6KF	.063	.349	.108	Total CLL	.004	--	.003
Total BKF	3.067	---	5.121	C4S	.147	.093	.084
B3KD	.001	.002	.003	C4KL	.050	.107	.087
B4KD	.036	.071	.039	C4KF	.087	.321	.184
B5KD	.094	.150	.091	C4KM	2.404	1.771	1.945
B6KD	.036	.063	.033	C4KK	.087	.059	.067
Total BKD	.167	---	.167	C4G	.089	.097	.049
B4KV	.340	1.521	.353	C4GK	.224	.245	.159
B5KV	.312	1.606	.312	Total C	7.138	5.604	8.893
B6KV	.048	.351	.057	Lugs:			
Total BKV	.700	---	.722	X1L	.003	--	.005
B3KM	3.822	2.260	2.535	X2L	.011	.008	.020
B4KM	5.944	6.283	4.945	X3L	.522	.286	.698

See footnotes at end of table

Table 26.--Percentage distribution by grades for all types, 1992-94 crops 1/--Continued

Group and grade	Crop of:			Group and grade	Crop of:		
	1992	1993	1994		1992	1993	1994
X4L	1.097	.651	1.152	P4F	3.603	3.864	3.517
X5L	.219	.230	.213	P4F sand	.030	.030	.009
Total XL --	1.924 ----	1.176 ----	2.088	P5F	.759	1.247	.912
X1F	.016	.006	.007	P5F sand	.002	.007	.002
X2F	.067	.020	.044	Total PF --	5.974 ----	6.181 ----	5.762
X3F	1.708	1.146	1.808	P4G	.627	.909	.447
X4F	3.817	3.749	4.750	P4G sand	.011	.007	.001
X5F	1.083	1.706	1.447	P5G	.155	.381	.111
Total XF --	6.691 ----	6.627 ----	8.055	P5G sand	--	.001	--
X3KR	.158	.060	.110	Total PG --	.793 ----	1.298 ----	.558
X4KR	.143	.084	.144	Total P --	9.501 ----	9.666 ----	8.400
Total XKR --	.301 ----	.143 ----	.254	Mixed:			
X3V	.263	.254	.185	M4F	--	.001	.001
X4V	.325	.620	.390	M5F	--	--	--
Total XV --	.588 ----	.874 ----	.575	Total MF --	--	.001	.001
X3LL	.005	.002	--	M4KR	--	--	--
X4LL	.005	.002	.002	M4KM	.001	.003	.001
Total XLL --	.010 ----	.004 ----	.002	M5KM	.001	.002	.002
X3S	.114	.038	.035	Total MKM -	.002 ----	.005 ----	.003
X4S	.051	.022	.014	M4GK	.001	.001	--
Total XS --	.165 ----	.060 ----	.049	M5GK	.001	.001	--
X4KL	.032	.056	.040	Total MGK -	.001 ----	.002 ----	--
X4KF	.072	.492	.186	Total M --	.003 ----	.007 ----	.004
X4KV	.296	1.572	.453	Nondescript			
X3KM	1.338	.906	1.054	N1L	.358	.409	.237
X4KM	2.159	2.519	2.185	N1L sand	--	--	--
Total XKM --	3.497 ----	3.425 ----	3.239	N1XL	.247	.482	.309
X4G	.339	.504	.211	N1K	.139	.172	.156
X5G	.157	.367	.109	N1R	.002	.009	.004
Total XG --	.496 ----	.871 ----	.320	N1GL	.217	.625	.167
X4GK	.403	.653	.294	N1GL sand	--	--	--
Total X Primings:	14.475 ----	15.952 ----	15.555	N1GF	.019	.091	.013
P2L	.063	.052	.071	N1KV	.030	.143	.033
P2L sand	--	--	--	N1GR	.001	.010	--
P3L	.874	.529	.646	N1GG	.001	.002	--
P3L sand	.002	.002	--	N1PO	.670	.336	.565
P4L	1.515	1.285	1.137	N1PO sand	--	--	--
P4L sand	.009	.007	.005	N1XO	.350	.238	.461
P5L	.271	.312	.219	N1BO	.320	.184	.203
P5L sand	--	--	.001	N2	.583	.656	.361
Total PL --	2.734 ----	2.187 ----	2.080	Total N --	2.937 ----	3.358 ----	2.508
P2F	.127	.063	.120	No-grade 2/	.443	.313	.082
P2F sand	--	--	--	Grand total:	100.000	100.000	100.000

1/ Dashes indicate a percentage of less than 0.001. Detail may not add to totals due to rounding.

2/ Includes tobacco defined as decayed, off-type, nested, unsafe keeping order, and unsound. Also includes grade No-G-F sand, which totaled 0.000 percent in 1994.

Table 27.--Average price by grade groups and types, 1994 and 1993 crops

1994 crop							1993 crop						
Type	Group						Group						
	B	H	C	X	P	N	B	H	C	X	P	N	
11	179	183	171	158	145	132	178	183	175	155	142	114	
12	179	182	169	155	139	137	178	183	172	155	145	129	
13	180	182	166	151	137	131	175	181	167	149	143	120	
14	178	182	164	147	135	129	174	181	164	150	144	128	
11-14	179	182	169	154	140	131	177	182	171	153	144	124	

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs).

Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-5881 (voice) or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, DC, 20250, or call (202) 720-7327 (voice) or 720-1127 (TDD). USDA is an equal opportunity employer.