United States Department of Agriculture

Marketing and Regulatory Programs

Agricultural Marketing Service

Livestock and Seed Program

Seed Regulatory and Testing Branch

State Noxious-Weed Seed Requirements Recognized in the Administration of the Federal Seed Act

State	Page	State	Page
Alabama	1	Montana	52
Alaska	3	Nebraska	54
Arizona	4	Nevada	56
Arkansas	5	New Hampshire	58
California	8	New Jersey	59
Colorado	11	New Mexico	61
Connecticut	14	New York	62
Delaware	15	North Carolina	63
District of Columbia	18	North Dakota	65
Florida	19	Ohio	66
Georgia	21	Oklahoma	68
Hawaii	23	Oregon	70
Idaho	27	Pennsylvania	72
Illinois	30	Rhode Island	74
Indiana	32	South Carolina	75
Iowa	33	South Dakota	77
Kansas	35	Tennessee	78
Kentucky	37	Texas	80
Louisiana	38	Utah	82
Maine	40	Vermont	84
Maryland	41	Virginia	85
Massachusetts	44	Washington	87
Michigan	45	West Virginia	89
Minnesota	47	Wisconsin	91
Mississippi	48	Wyoming	93
Missouri	50		

COMMON NAMES APPENDIX A

BOTANICAL NAMES APPENDIX B

Note: These lists show the common names appearing in State seed laws.
In labeling interstate shipments, seed dealers are cautioned to use the common name(s) appearing on the list for the State into which the seed is being shipped.

DISTRIBUTION: 02071

YEAR: 2002

State Noxious-Weed Seed Requirements
Recognized In The Administration Of The Federal Seed Act

Changes for 2002

Montana:

Add to Prohibited

- Common tansy (*Tanacetum vulgare*)
- Houndstongue (*Cynoglossum officinale* L.)
- Meadow Hawkweed Complex (*Hieracium pratense*, *H. floribundum*, *H. piloselloides*)
- Orange Hawkweed (*Hieracium aurantiacum L.*)
- Ox-eye Daisy (*Chrysanthemum leucanthemum L.)*
- Purple Loosestrife or Lythrum (*Lythrum salicaria, L. virgatum*, and any hybrid crosses thereof).
- Sulfur (Erect) Cinquefoil (*Potentilla recta*)
- Tall Buttercup (*Ranunculus acris* L.)
- Tamarisk [Saltcedar] (*Tamarix* spp.)
- Tansy Ragwort (*Senecio jacobea* L.)

Change Prohibited

- Change HoaryCress (*Cardaria draba*) to Whitetop or Hoary Cress (*Cardaria draba*)

Move from Restricted to Prohibited

- Common Crupina (*Crupina vulgaris*)
- Diffuse Knapweed (*Centaurea diffusa*)
- Dyers Woad (*Isatis tinctoria*)
- Rush Skeletonweed (*Chondrilla juncea*)
- Spotted Knapweed (*Centaurea maculosa*)
- St. Johnswort (*Hypericum perforatum*)
- Yellow Starthistle (*Centaurea solstitialis*)

Move Prohibited to Restricted

- Quackgrass (*Agropyron repens*) 0 per pound
- Perennial Sowthistle (*Sonchus arvensis*) 0 per pound

Change Restricted

- Dodder (*Cuscuta spp*.) from 18 per pound to 9 per pound
- Jointed Goatgrass (*Aegilops cylindrica*) from 18 per pound to 0 per pound
- Persian Darnel (*Lolium persicum*) from 18 per pound to 9 per lb of grass seed and 0 per lb of all other seed
- Yellow Toadflax (*Linaria vulgaris*) from 9 per pound to 0 per pound
- Wild Oat (*Avena fatua*) from 9 per pound of cereal seed to 5 per pound of all other seed

North Dakota: Change the maximum number of restricted noxious-weed seeds allowed in a seed lot from 90 per pound to 25 per pound

Washington:

Added to Prohibited

- Knapweed, brown (*Centaurea jacea*)
- Lepyrodiclis (*Lepyrodiclis holosteoides*)

Appendixes A and B have been corrected for numerous omissions and inaccuracies.

State Noxious-Weed Seed Requirements
Recognized In The Administration Of The Federal Seed Act

This publication contains information about the various State labeling requirements and prohibitions of noxious-weed seeds and shows the botanical names and common names according to the law and regulations of the particular State in which the seed is noxious. It is designed for keeping in a ringed binder. Amendments in the form of replacement pages will be distributed from time to time. It is the responsibility of seed dealers to know the requirements of State laws, and the changes in those laws.

In addition to the noxious-weed seed requirements, the maximum percentage of weed seeds permitted by the State laws is shown where applicable. Note: The Federal Seed Act does not limit the percentage of weed seeds but does require truth in labeling as it pertains to weed seed content.

For updates and corrections, please contact:

Seed Regulatory and Testing Branch
306 Center Road, Room 209, BARC-East
Beltsville, Maryland 20705-2325
Voice (301) 504-9430 Fax (301) 504-8098
E-Mail: Seed.AMS@usda.gov.

This publication is available on the Internet at http://www.ams.usda.gov/lsg/seed/ls-sd.htm.

Another publication that might be useful is *Federal and State Quarantine Summaries 1996*. There is a charge of $30.00 for that publication. It can be obtained from:

American Nursery & Landscape Association
1250 I Street NW, Suite 500
Washington, DC 20005
Voice: 202-789-2900, Fax: 202-789-1893.
Internet: http://www.anla.org/ (click on publications)

The Association of American State Seed Control Officials publishes a web site at http://www.seedcontrol.org that has links to each state's web page. Most of those state's web pages have links to their state seed law.

For the purpose of interstate commerce, the Federal Seed Act defines "noxious-weed seed" as, in part, "the seeds or bulblets of plants recognized as noxious ... by the law or rules and regulations of the State into which the seed is offered for transportation, or transported.... or … Puerto Rico, Guam, or District of Columbia … or … by the rules and regulations of the Secretary of Agriculture … "

Section 201 of the Federal Seed Act provides, in part, "It shall be unlawful for any person to transport or deliver for transportation on interstate commerce --
(a) Any agricultural seeds or any mixture of agricultural seeds for seeding purposes, unless each container bears a label giving the following information...
. . . . . .
(5) Kinds of noxious-weed seeds and the rate of occurrence of each, which rate shall be

expressed in accordance with and shall not exceed the rate allowed for shipment, movement, or sale of such noxious-weed seeds by the law and regulations of the State into which the seed is offered for transportation or transported or in accordance with the rules and regulations of the Secretary of Agriculture, when under the provisions of section 101(a)(9)(A)(iii) he shall determine that weeds other than those designated by State requirements are noxious;"

Section 201.16 of the Regulations under the Federal Seed Act provides, in part:
"Seeds or bulblets of the following plants shall be considered noxious-weed seeds in agricultural and vegetable seeds transported or delivered for transportation in interstate commerce (including Puerto Rico, Guam, and the District of Columbia). Agricultural or vegetable seed containing seeds or bulblets of these kinds shall not be transported or delivered for transportation in interstate commerce.

Effective January 11, 2001, noxious-weed seeds include the following species on which no tolerance will be applied:

Aeginetia spp.
Ageratina adenophora (Spreng.) King and H.E. Robins.
Alectra spp.
Alternanthera sessilis (L.) DC.
Asphodelus fistulosus L.
Avena sterilis L. (including Avena ludoviciana Dur.)
Azolla pinnata R. Br.
Borreria alata (Aubl.) DC.
Carthamus oxyacantha M. Bieb.
Chrysopogon aciculatus (Retz.) Trin.
Commelina benghalensis L.
Crupina vulgaris Cass.
Digitaria abyssinica Stapf. (=D. scalarum (Schweinf.) Chiov.)
Digitaria velutina (Forsk.) Beauv.
Drymaria arenarioides Roem. and Schult.
Eichhornia azurea (Sw.) Kunth
Emex australis Steinh.
Emex spinosa (L.) Campd.
Galega officinalis L.
Heracleum mantegazzianum Sommier & Levier
Hydrilla verticillata (L. f.) Royle
Hygrophila polysperma T. Anders.
Imperata brasiliensis Trin.
Imperata cylindrica (L.) Raeusch.
Ipomoea aquatica Forsk.
Ipomoea triloba L.
Ischaemum rugosum Salisb.
Lagarosiphon major (Ridley) Moss
Leptochloa chinensis (L.) Nees
Limnophila sessiliflora (Vahl) Blume
Lycium ferocissimum Miers
Melaleuca quinquenervia (Cav.) Blake
Melastoma malabathricum L.
Mikania cordata (Burm. f.) B.L. Robins.
Mikania micrantha H.B.K.
Mimosa invisa Mart.
Mimosa pigra L. var. pigra
Monochoria hastata (L.) Sloms-Laub.
Monochoria vaginalis (Burm. f.) K.B. Presl
Nassella trichotoma (Nees) Arechavaleta
Opuntia aurantiaca Lindl.
Orobanche spp.
Oryza longistaminata A. Cheval. and Roehr.
Oryza punctata Steud.
Oryza rufipogon Griff.
Ottelia alismoides (L.) Pers.
Paspalum scrobiculatum L.
Pennisetum clandestinum Chiov.
Pennisetum macrourum Trin.
Pennisetum pedicellatum Trin.
Pennisetum polystachion (L.) Schult.
Prosopis alpataco R.A. Philippi
Prosopis argentina Burkart
Prosopis articulata S. Watson
Prosopis burkartii Munoz
Prosopis caldenia Burkart

State Noxious-Weed Seed Requirements
Recognized In The Administration Of The Federal Seed Act

Prosopis calingastana Burkart
Prosopis campestris Griseb.
Prosopis castellanosii Burkart
Prosopis denudans Benth.
Prosopis elata (Burkart) Burkart
Prosopis farcta (Russell) Macbride
Prosopis ferox Griseb.
Prosopis fiebrigii Harms
Prosopis hassleri Harms
Prosopis humilis Hook. and Arn.
Prosopis kuntzei Harms
Prosopis pallida (Willd.) H.B.K.
Prosopis palmeri S. Watson
Prosopis reptans Benth. var. reptans
Prosopis rojasiana Burkart
Prosopis ruizlealii Burkart
Prosopis ruscifolia Griseb.
Prosopis sericantha Hook. and Arn.
Prosopis strombulifera (Lam.) Benth.
Prosopis torquata (Lagasca) DC.

Rottboellia cochinchinensis (Lour.) Clayton (=R. exaltata (L.) L.f.)
Rubus fruticosus L. (complex)
Rubus moluccanus L.
Saccharum spontaneum L.
Sagittaria sagittifolia L.
Salsola vermiculata L.
Salvinia auriculata Aubl.
Salvinia biloba Raddi
Salvinia herzogii de la Sota
Salvinia molesta D.S. Mitchell
Setaria pallide-fusca (Schumach.) Stapf and Hubb.
Solanum torvum Sw.
Solanum viarum Dunal
Sparganium erectum L.
Striga spp.
Tridax procumbens L.
Urochloa panicoides Beauv.

… The tolerance applicable to the prohibition of the noxious-weed seeds … of this section shall be zero (0.) "

Under the Federal Seed Act, only agricultural seeds (including lawn seeds) are subject to State noxious-weed seed requirements. However, the interstate provisions as listed above apply to both agricultural and vegetable seeds, even though vegetable seeds are not required to be labeled as to the presence of noxious-weed seeds.

ALABAMA

Noxious-Weed Seeds
2002

Prohibited		
Balloonvine	Cardiospermum halicacabum	
Bindweed, field	Convolvulus arvensis	
Bindweed, hedge	Convolvulus sepium	
Cocklebur	Xanthium spp.	none allowed in certified seed 1/
Crotalaria	Crotalaria spp.	
Goatgrass	Aegilops spp.	
Nutgrass	Cyperus rotundus	
Tussock, serrated	Nassella trichotoma	

Restricted		Limitations
Bermudagrass	Cynodon dactylon	300 per pound
Buckhorn	Plantago lanceolata	200 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	300 per pound
Cocklebur	Xanthium spp.	2 per pound in uncertified seed 1/
Corncockle	Agrostemma githago	200 per pound
Darnel	Lolium temulentum	200 per pound
Docks	Rumex spp. except hastatulus	100 per pound
Dodder	Cuscuta spp.	100 per pound
Foxtail, giant	Setaria faberi	100 per pound
Garlic, wild or Onion, wild	Allium spp.	27 per pound
Horsenettle	Solanum carolinense	200 per pound
Johnsongrass and/or Sorghum almum or perennial rhizomatous derivatives of these		
	Sorghum halepense	100 per pound
Moonflower or giant Morningglory	Calonyction muricatum	9 per pound
Mustard, wild or Turnip, wild	Brassica spp.	27 per pound
Nightshade, silverleaf	Solanum elaeagnifolium	200 per pound
Plantain, bracted	Plantago aristata	200 per pound
Quackgrass	Agropyron repens	100 per pound
Radish	Raphanus spp.	27 per pound
Sorrel, sheep	Rumex acetosella	200 per pound
Thistle, blessed	Cnicus benedictus	9 per pound
Thistle, Canada	Cirsium arvense	100 per pound

The label shall show the name and number per pound of each kind of the seeds, bulblets, or tubers of each noxious-weed seed which are present in agricultural, vegetable, herb, tree, shrub, or flower seed.

1/ No cocklebur seed is allowed in certified seed and 2 per pound is allowed in uncertified seed.

The total restricted noxious-weed seeds shall not exceed 200 per pound, singly or collectively, subject to the above restrictions; except bermudagrass and cheat or chess which shall not exceed 300 per pound, singly or collectively, including the above limitations. The sum total of all "Restricted Noxious Weeds" shall not exceed 300 per pound.

Except as provided in the regulations, Alabama law prohibits the sale of any agricultural or vegetable seed containing weed seed in excess of 2 percent of the whole weight.

ALASKA

Noxious-Weed Seeds
2002

Prohibited	
Bindweed, field	Convolvulus arvensis
Fieldcress, Austrian	Rorippa austriaca
Galinsoga	Galinsoga parviflora
Hempnettle	Galeopsis tetrahit
Horsenettle	Solanum carolinense
Knapweed, Russian	Centaurea repens
Lettuce, blue flowering	Lactuca pulchella
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Whitetops and its varieties	Cardaria draba or Cardaria pubescens or Lepidium latifolium

Alaska law prohibits the shipment of agricultural seed containing any prohibited noxious-weed seeds.

Restricted		Limitations
Bluegrass, annual	Poa annua	90 per pound
Buckwheat, wild	Polygonum convolvulus	2 per pound
Blue burr	Lappula echinata	18 per pound
Mustard	Brassica juncea or Brassica kaber	36 per pound
Oats, wild	Avena fatua	7 per pound
Plantain, buckhorn	Plantago spp.	90 per pound
Radish	Raphanus raphanistrum	27 per pound
Toadflax, yellow	Linaria vulgaris	1 per pound
Vetch, tufted	Vicia cracca	2 per pound

Agricultural seed sold or offered for sale within the State of Alaska shall be labeled to show the name and approximate number per pound of each kind of restricted noxious-weed seeds.

ARIZONA

Noxious-Weed Seeds
2002

Prohibited	
Alfombrilla	Drymaria arenarioides
Bindweed, field	Convolvulus arvensis
Blueweed	Helianthus ciliaris
Camelthorn	Alhagi pseudalhagi
Goatgrass, jointed	Aegilops cylindrica
Hoarycress	Cardaria draba var. repens or Cardaria pubescens
Horsenettle	Solanum carolinense or Solanum elaeagnifolium
Knapweed, Russian	Acroptilon repens
Morningglory	Ipomea spp., except I. carnea and I. aborescens
Nutgrass	Cyperus esculentus or Cyperus rotundus
Quackgrass	Elytrigia repens
Sorghum, perennial such as, but not limited to, Johnsongrass, Sorghum almum and perennial sweet sudangrass	Sorghum spp.
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Starthistle, yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense

Arizona law prohibits the sale of agricultural, vegetable or ornamental plant seed containing any prohibited noxious-weed seed.

Restricted		Limitations
Dock, curly	Rumex crispus	30 per pound
Dodder	Cuscuta spp.	10 per pound
Mallow, alkali	Sida hederacea	30 per pound
Mustard, wild	Brassica spp.	30 per pound
Oat, wild	Avena fatua	5 per pound
Puncturevine	Tribulus terrestris	10 per pound
Sandbur	Cenchrus pauciflorus	10 per pound
Thistle, Russian	Salsola kali var. tenuifolia	30 per pound

Arizona law prohibits the sale of agricultural, vegetable or ornamental plant seed containing restricted noxious-weed seeds, singly in excess of limitations, as stated per pound, or in combination of 50 per pound.

The label shall show the name and rate of occurrence per pound of each kind of restricted noxious-weed seed present.

ARKANSAS

Noxious-Weed Seeds
2002

Prohibited	
Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Crotalaria	Crotalaria spp.
Itchgrass	Rottboellia exaltata
Nutgrass	Cyperus rotundus
Tropical soda apple	Solanum viarum
Tussock, serrated	Nassella trichotoma

Restricted		Limitations	
Barnyardgrass	Echinochloa crusgalli	300 per pound	1/
Bermudagrass	Cynodon dactylon	300 per pound	
Bindweed, hedge	Convolvulus sepium	300 Per pound	
Blueweed	Helianthus ciliaris	300 per pound	
Cheat or Chess	Bromus secalinus or	300 per pound	
	Bromus commutatus	See exception 5	
Corncockle	Agrostemma githago	300 per pound	
Cocklebur	Xanthium spp.	3 per pound	
Coffeebean or Indigo, tall	Sesbania exaltata	15 per pound	(in rice)
Darnel	Lolium temulentum	300 per pound	
Dock	Rumex spp.	300 per pound	
Dodder	Cuscuta spp.	300 per pound	
Foxtail, giant	Setaria faberi	300 per pound	
Garlic, wild or Onion, wild	Allium spp.	2 per pound	
	see exception 2	or 18 per pound	
Horsenettle	Solanum carolinense	300 per pound	
Indigo, curly	Aeschynomene spp.	15 per pound	(in rice)
Indigo, tall or Coffeebean	Sesbania exaltata	15 per pound	(in rice)
Johnsongrass	Sorghum halepense	100 per pound	
Moonflower	Ipomoea turbinata	300 per pound	
Morningglory	Ipomoea spp.	300 per pound	
Nightshade, purple	Solanum elaeagnifolium	300 per pound	

1/ Barnyardgrass, (Echinochloa crusgalli), when present in lespedeza, shall not be considered as a noxious weed, but as a common weed.

Restricted		Limitations
Plantain, buckhorn	Plantago lanceolata	300 per pound
Rice, red	Oryza sativa var.	15 per pound (in rice)
Sorrel	Rumex spp.	300 per pound

The Arkansas lab distinguishes moonflower (Ipomoea turbinata) from other species of morninglory (Ipmoea spp.). Each of the two is allowed 300 seeds per pound.

Arkansas law declares, in part, that "When found in rice, the following weeds shall, in addition, be classed as noxious, and their presence must be indicated in accordance with the requirements for other noxious weeds: (a) red rice (Oryza sativa var.), (b) curly indigo (Aeschynomene spp.), 8 tall indigo or coffee bean (Sesbania exaltata).

The label shall show the name and number of each noxious-weed seed present per pound, or if none are present, a statement to that effect.

Agricultural seeds must not be sold for planting purposes which contain more than 300 of any one noxious weed per pound, or a combined total of 500 noxious weeds per pound, with the following exceptions:

1. Sale of seed containing Field Bindweed, Crotalaria spp., Balloonvine, Itchgrass, Nutgrass and Serrated Tussock, and Tropical Soda Apple in any amount whatsoever (no tolerance) is prohibited.

2. Sale of seed such as sorghum, vetch or small grains requiring at least 300 grams or more as shown in Section 4, Subsection (C), Column 3, for a noxious weed examination, that contains more than 2 wild onion or wild garlic per pound is prohibited. Sale of seed such as sudangrass, clovers, or lespedeza requiring less than 300 grams for a noxious examination, that contain more than 18 wild onion or wild garlic per pound, is prohibited.

   When the original analysis used for tagging shows any wild onion or wild garlic present, a warning tag must be attached in addition to the analysis tag, said warning tab to be obtained from the Plant Board.

3. Sale of seed containing more than 100 Johnsongrass seeds per pound is prohibited.

   When the original analysis used for tagging shows any Johnsongrass present, a warning tag must be attached in addition to the analysis tag, said warning tab to be obtained from the Plant Board.

4. Sale of rice seed for planting purposes containing more than 15 each of red rice, curly indigo, and tall indigo, or coffee bean per pound is prohibited.

5. Bromus commutatus when present in smooth bromegrass shall not be considered noxious weed but as a common weed.

6. Sale of seed containing more than three cocklebur per pound is prohibited.

7. Barnyardgrass, Echinochloa crusgalli, when present in lespedeza, shall not be considered as a noxious weed, but as a common weed.

The sale for planting purposes of any agricultural seed containing in excess of 2 percent by weight of weed seed is prohibited. Exceptions: the limit is 4 percent for lespedeza and grasses."

CALIFORNIA

Noxious-Weed Seeds
2002

Prohibited

If the seed lot is contaminated with seeds on this list, the allowable level is 2 seeds per minimum weight of sample for noxious weed examination as given in the Federal Seed Act Regulations Section 201.46 Table 1. If over tolerance, seed lot cannot be sold unless it can be cleaned to meet allowable tolerance level.

Acroptilon repens	Russian knapweed
Alhagi pseudalhagi	camelthorn
Cardaria chalepensis	lens-podded hoary cress
Cardaria draba	heart-podded hoary cress
Cardaria pubescens	globe-podded hoary cress
Carduus acanthoides	plumeless thistle
Carduus nutans	musk thistle
Carthamus leucocaulos	whitestem distaff thistle
Cirsium arvense	Canada thistle
Cirsium undulatum	wavyleaf thistle
Cucumis melo var. dudaim	dudaim melon
Euphorbia esula	leafy spurge
Helianthus ciliaris	blueweed
Lepidium latifolium	perennial pepperweed
Onopordum spp.	onopordum thistles
Rorippa austriaca	Austrian fieldcress
Solanum carolinense	Carolina horsenettle
Solanum elaeagnifolium	white horsenettle
Sonchus arvensis	perennial sowthistle

Restricted

If the seed lot is contaminated with seeds on this list, then the lot must be labeled to name the restricted noxious-weed seeds and the rate of occurrence per pound of seed. The State will examine seed lots to confirm if the labeled rate of occurrence is within tolerance of the rate of occurrence found under State examination. California tolerance for labeled vs. State determined rate of occurrence is the same as that used by the USDA under FSA Reg. Sec.201.65 for noxious weed in interstate commerce.

Allium vineale	wild garlic
Carduus pycnocephalus	Italian thistle
Carduus tenuiflorus	slenderflowered thistle
Carthamus baeticus	smooth distaff thistle
Carthamus lanatus	woolly distaff thistle
Cenchrus echinatus	southern sandbur
Cenchrus incertus	coast sandbur

Restricted

Cenchrus longispinus	mat sandbur
Centaurea solstitialis	yellow starthistle
Chorispora tenella	purple mustard
Convolvulus arvensis	field bindweed
Cuscuta spp.	dodder
Cyperus esculentus	yellow nutsedge
Cyperus rotundus	purple nutsedge
Elytrigia repens	quackgrass
Halogeton glomeratus	halogeton
Hypericum perforatum	Klamathweed
Iva axillaris	povertyweed
Malvella leprosa	alkali mallow
Salvia aethiopis	Mediterranean sage
Sorghum halepense	Johnsongrass and other perennial Sorghum spp. including but not limited to Sorghum almum and perennial sweet sudangrass.
Taeniatherum caput-medusae	medusahead
Tribulus terrestris	puncturevine

California seed law declares it is unlawful to ship, deliver, transport, or sell any agricultural or vegetable seed that contains more than 1 1/2 percent by weight of all weed seeds.

California Quarantine Noxious Weeds

In addition to the noxious-weed seeds listed above, the State of California plant quarantine laws also regulate the sale of crop seed containing propagules of noxious weeds. The Federal Seed Act does not enforce this provision of State law.

Firms shipping seed into California should obtain a copy of both the California Plant Quarantine and Seed Laws for guidance. These are available from the Pest Exclusion/Seed Service, Plant Health and Pest Prevention Services, California Department of Food and Agriculture, 1220 N Street, Room A372, Sacramento CA 95814, telephone (916) 653-1440. This list of weeds is also included in the *Federal and State Quarantine Summaries 1996* and can be obtained from the American Nursery & Landscape Association, 1250 I Street NW, Suite 500 Washington, DC 20005. Tel: 202-789-2900, Fax: 202-789-1893. http://www.anla.org/. There is a charge of $30.00 for that publication.

Quarantine A & Q Rated Noxious Weeds: Seed lots contaminated with propagules from "A" or "Q" rated plants will be rejected from entry into California. There is zero tolerance.

Quarantine B & C Rated Noxious Weeds: Seed lots contaminated with propagules from "B" or "C" rated plants may not be rejected from entry into California. The determination is made by the Agricultural Commissioner of the destination county. *California Plant Quarantine Manual Memo No. 21* indicates the counties in which shipments containing "B" & "C" rated weed seeds will be rejected. For a copy of this memo, direct requests to Pest Exclusion, Plant Health and

Pest Prevention Services, California Department of Feed and Agriculture, 1220 N Street, Room A372, Sacramento CA 95814, telephone (916) 654-1440.

COLORADO

Noxious-Weed Seeds
2002

Prohibited

Anoda, spurred	Anoda cristata
Bindweed, field	Convolvulus arvensis
Bouncingbet	Saponaria officinalis
Camelthorn	Alhagi pseudalhagi
Chamomile, scentless	Anthemis arvensis
Cinquefoil, sulfur	Potentilla recta
Clematis, Chinese	Clematis orientalis
Daisy, oxeye	Chrysanthemum leucanthemum
Goatgrass, jointed	Aegilops cylindrica
Halogeton	Halogeton glomeratus
Horsenettle, Carolina	Solanum carolinense
Horsenettle, white	Solanum elaeagnifolium
Houndstongue	Cynoglossum officinale
Johnsongrass	Sorghum halepense
Knapweed, black	Centaurea nigra
Knapweed, diffuse	Centaurea diffusa
Knapweed, Russian	Acroptilon repens or Centaurea repens
Knapweed, spotted	Centaurea maculosa
Knapweed, squarrose	Centaurea virgata
Loosestrife, purple	Lythrum salicaria or Lythrum virgatum
Mallow, Venice	Hibiscus trionum
Medusahead	Taeniatherum caput-medusae
Millet, wild proso	Panicum miliaceum subsp. ruderale
Nutsedge, yellow	Cyperus esculentus
Povertyweed, silverleaf	Ambrosia tomentosa or Franseria discolor
Povertyweed, woollyleaf	Ambrosia grayi or Franseria tomentosa
Rocket, Dame's	Hesperis matronalis
Rue, African	Peganum harmala
Sage, Mediterranean	Salvia aethiopis
Saltcedar	Tamarix parviflora or Tamarix ramosissima
Skeletonweed, rush	Chrondrilla juncea
Sorghum almum	Sorghum almum
Sowthistle, perennial	Sonchus arvensis
Spurge, cypress	Euphorbia cyparissias
Spurge, leafy	Euphorbia esula
Spurge, myrtle	Euphorbia myrsinites
St. Johnswort	Hypericum perforatum

Prohibited - continued

Starthistle, yellow	Centaurea solstitialis
Tarweed, coast	Madia sativa
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Thistle, plumeless	Carduus acanthoides
Thistle, Scotch	Onopordum acanthium or Onopordum tauricum
Toadflax, dalmatian	Linaria dalmatica
Toadflax, yellow	Linaria vulgaris
Whitetop	Cardaria draba
Whitetop, hairy	Cardaria pubescens
Whitetop, tall	Lepidium latifolium
Woad, dyers	Isatis tinctoria

Colorado law prohibits sale of agricultural seeds containing prohibited noxious-weed seeds.

Restricted		Limitation
Blueweed	Helianthus ciliaris	200 per pound
Burdock, common	Arctium minus	200 per pound
Butterprint or velvetleaf	Abutilon theophrasti	10 per pound
Dock, curly	Rumex crispus	50 per pound
Dodder	Cuscuta spp.	20 per pound
Foxtail, giant	Setaria faberi	50 per pound
Groundcherry, purpleflower	Quincula lobata or	
	Physalis lobata	50 per pound
Hemlock, poison	Conium maculatum	10 per pound
Henbane, black	Hyoscyamus niger	10 per pound
Lettuce, blue	Lactuca tatarica subsp. pulchella or	
	Lactuca pulchella	200 per pound
Mustard, black	Brassica nigra	30 per pound
Mustard, India	Brassica juncea	30 per pound
Mustard, wild	Sinapis arvensis or	30 per pound
	Brassica kaber	30 per pound
Oat, wild	Avena fatua in barley, oat, wheat, rye and triticale:	10 per pound
	Avena fatua in all other seeds:	100 per pound
Plantain, buckhorn	Plantago lanceolata	100 per pound
Povertyweed, mouse-ear	Iva axillaris	200 per pound
Puncturevine	Tribulus terrestris	50 per pound
Quackgrass	Agropyron repens or	50 per pound
	Elytrigia repens	50 per pound
Sandbur, longspine	Cenchrus longispinus	50 per pound
Thistle, bull	Cirsium vulgare	10 per pound
Velvetleaf or Butterprint	Abutilon theophrasti	10 per pound

The label shall show the name and number per pound of each kind of restricted noxious-weed seed present.

No one lot of seed shall have more than five restricted weeds in the lot.

Colorado law prohibits the sale of agricultural seed if it contains more than 2 percent of weed seed by weight.

CONNECTICUT

Noxious-Weed Seeds
2002

Prohibited

Bedstraw	Galium spp.
Bindweed	Convolvulus arvensis
Dodder	Cuscuta spp.
Horsenettle	Solanum carolinense
Knapweed, Russian	Centaurea repens
Nutsedge, yellow	Cyperus esculentus
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Thistle, Canada	Cirsium arvense

Connecticut law prohibits the sale of agricultural seeds consisting of or containing prohibited noxious-weed seeds.

Restricted

Bluegrass, annual	Poa annua
Cockle, white	Lychnis alba
Dock	Rumex spp.
Mustard, wild	Brassica spp.
Plantain	Plantago spp.
Radish, wild	Raphanus raphanistrum
Rocket, yellow	Barbarea vulgaris

The seeds of bedstraw species Galium asprellum may be deleted from the list of prohibited noxious-weed seeds in lawn grass mixtures; seeds of dock (Rumex spp.), except red sorrel (Rumex acetosella), and all Plantago spp., other than broadleaf plantain (Plantago major), blackseed plantain (P. rugelii), and buckhorn plantain (P. lanceolata) shall not be considered restricted noxious-weed seeds in lawngrass mixtures. Annual bluegrass (Poa annua) shall not be considered to be a noxious-weed seed when labeled as a component in lawngrass mixtures.

The label shall show the name and number per pound of each kind of restricted noxious-weed seed present.

Connecticut law prohibits sale of agricultural, vegetable, and lawn or turf seed if it contains in excess of 2.5 percent by weight of weed seed.

DELAWARE

Noxious-Weed Seeds
2002

Prohibited

Balloonvine	Cardiospermum halicacabum
Quackgrass	Agropyron repens
Sicklepod	Cassia tora
Sorghum species, Johnsongrass, perennial sweet sudangrass, sorghum almum, and hybrids derived therefrom	Sorghum spp.
Thistle, Canada	Cirsium arvense
Thistle, Plumeless	Carduus spp.
Tussock, Serrated	Nassella trichotoma

Delaware law prohibits the sale of agricultural and vegetable seed consisting of or containing any of the above weed seeds.

Restricted

In Agricultural, vegetable, flower, tree, and shrub seed.

Anoda, Spurred	Anoda cristata
Bermudagrass, Common	Cynodon spp.
Bindweed	Convolvulus arvensis
Bluegrass, annual	Poa annua
Burcucumber	Sicyos angulatus
Cheat or chess	Bromus secalinus
Cockle, corn	Agrostemma githago
Cocklebur	Xanthium strumarium
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Garlic, wild	Allium spp.
Horsenettle	Solanum carolinense
Onion, wild	Allium spp.
Ragweed, giant	Ambrosia trifida

Delaware law states, in part, "For agricultural seeds, the label shall show the name and rate of occurrence per pound of each kind of restricted noxious-weed seed present, singly or collectively, in any amounts whatsoever, provided that the amount does not exceed 160 per pound in Group 1, and 10 per pound in Group 2. Except in lawn or turf seed, annual bluegrass shall not exceed 256 per pound.

Group 1: Agropyron spp., Agrostis spp., alfalfa, Bermudagrass, Brassica spp., orchardgrass, alsike, and white clover, crimson clover, dallisgrass, fescues, flax, foxtail millet, lespedezas, Poa spp., red clover, reed canarygrass, rhodesgrass, ryegrass, sweetclover, smooth brome, timothy, and other agricultural seeds of similar size and weight, or mixtures within this group.

Restricted - (Continued)
In Agricultural, vegetable, flower, tree and shrub seed.

Group 2: Barley, buckwheat, oats, proso, rye, sorghums, sudangrass, vetches, wheat, and other agricultural seeds of a size and weight similar to, or greater than those within this group, or any mixtures within this group.

For seed mixtures for lawn and/or turf purposes in containers of 50 pounds or less, the label shall show the name and rate of occurrence per pound of each kind of restricted noxious-weed seed present."

Delaware law prohibits the sale of agricultural, vegetable, flower, or tree and shrub seeds containing in excess of 1.5 percent by weight of all weed seeds.

Restricted Noxious-Weed Seed in Lawn and Turf Seed and Mixtures

Except as provided below, seed of the following plants shall be restricted noxious-weed seed and shall be listed on the tag or label under the heading "Noxious-Weed Seed" or "Undesirable Grass Seed" by name and number per pound or ounce when present in bentgrass, Kentucky bluegrass, chewings fescue, hard fescue, red fescue, varieties of named turf-type tall fescue, varieties of perennial ryegrass, or a mixture containing any of these grasses:

Bentgrass, Colonial	Agrostis spp. 1/
Bentgrass, Creeping	Agrostis spp. 1/
Bentgrass, Velvet	Agrostis spp. 1/
Bermudagrass, common	Cynodon spp.
Bermudagrass, giant	Cynodon spp.
Bluegrass, annual	Poa annua
Bluegrass, rough	Poa trivialis 1/
Fescue, meadow	Festuca pratensis 1/
Fescue, tall	Festuca arundinacea 1/
Orchardgrass	Dactylis glomerata
Redtop	Agrostis gigantea 1/
Timothy	Phleum pretense
Velvetgrass	Holcus lanatus

Restricted noxious-weed seed set forth above may not exceed 0.5 percent by weight.

1/ May be included as a labeled component of a mixture when each is present in excess of five percent, by weight of the mixture.

Restricted Noxious Weed Seed in Lawn and Turf Seed and Mixtures - (continued)

If included on the tag or label, seed designated as noxious-weed seed in other states shall be listed under the heading, "Noxious-Weed Seed" or "Undesirable Grass Seed."

The restricted noxious-weed seed set forth above may not apply to grasses or mixtures clearly labeled for pasture, forage, hay, conservation, or spoil bank reclamation usage.

Total weed seed, including lawn and turf restricted noxious-weed seed may not exceed 1 percent by weight.

DISTRICT OF COLUMBIA

Noxious-Weed Seeds
2002

Bermudagrass	Cynodon dactylon
Bermudagrass, giant	Cynodon dactylon var. aridus
Bindweed, field	Convolvulus arvensis
Bluegrass, annual	Poa annua
Garlic, wild	Allium vineale
Onion, wild	Allium canadense
Quackgrass	Elytrigia repens
Thistle, Canada	Cirsium arvense

The name and number per pound of each kind of such noxious-weed seeds present shall be stated on the label.

FLORIDA

Noxious-Weed Seeds
2002

Prohibited		
Bindweed	Convolvulus arvensis	
Nutgrass	Cyperus rotundus	
Tropical soda apple	Solanum viarum	
Tussock, serrated	Nassella trichotoma	

Restricted		Limitations
Balloonvine	Cardiospermum halicacabum	4 per pound
Bermudagrass	Cynodon dactylon	300 per pound
Bluegrass, annual	Poa annua	1000 per pound
Buffalograss	Panicum texanum	9 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	300 per pound
Corncockle	Agrostemma githago	100 per pound
Cocklebur	Xanthium spp.	4 per pound
Crotalaria	Crotalaria spectabilis	9 per pound
Crotalaria	Crotalaria mucronata or Crotalaria striata	54 per pound
Darnel	Lolium temulentum	100 per pound
Docks	Rumex conglomeratus or Rumex crispus or Rumex obtusifolius	100 per pound
Dodders	Cuscuta spp.	100 per pound
Horsenettle or Nightshade	Solanum carolinense or Solanum elaeagnifolium	100 per pound
Johnsongrass and/or Sorghum almum	Sorghum halepense and/or Sorghum almum	27 per pound
Millet, Texas	Panicum texanum	9 per pound
Mustard, wild or Turnip, wild	Brassica spp.	27 per pound
Nightshade or Horsenettle	Solanum elaeagnifolium or Solanum carolinense	100 per pound
Onions, wild	Allium canadense	27 per pound
Plantain, buckhorn	Plantago lanceolata	100 per pound
Quackgrass	Agropyron repens	100 per pound
Radish, wild	Raphanus raphanistrum	27 per pound
Rice, red	Oryza sativa	300 per pound
Sorghum almum and/or Johnsongrass	Sorghum almum and/or Sorghum halepense	27 per pound
Sorrel, sheep	Rumex acetosella	200 per pound
Thistle, blessed	Cnicus benedictus	9 per pound
Thistle, Canada	Cirsium arvense	100 per pound
Turnip, wild or Mustard, wild	Brassica spp.	27 per pound

Vegetable seed in containers over 8 ounces and agricultural seed shall be labeled to show the name and number per pound of each kind of restricted noxious-weed seed.

The total amount of all restricted noxious-weed seed shall not exceed 300 per pound, exclusive of annual bluegrass.

Florida law prohibits the sale, for planting purposes, of agricultural, vegetable, flower, or forest tree seed containing in excess of 2 percent of total weed seed. Carpetgrass, for seeding purposes, may contain up to 5 percent total weed seed.

GEORGIA

Noxious-Weed Seeds
2002

Prohibited		
Balloonvine	Cardiospermum halicacabum	
Bindweed, field	Convolvulus arvensis	
Bindweed, hedge	Calystegia sepium	
Cocklebur	Xanthium spp.	
Crotalaria	Crotalaria spp.	
Morningglory, giant or Moonflower	Ipomoea turbinata or Calonyction muricatum	
Nutsedge, purple	Cyperus rotundus	
Nutsedge, yellow	Cyperus esculentus	
Tropical soda apple	Solanum viarum	
Tussock, serrated	Nassella trichotoma	
Restricted		**Limitations**
Bermudagrass	Cynodon dactylon	300 per pound
Blueweed	Helianthus ciliaris	200 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	300 per pound
Corncockle	Agrostemma githago	100 per pound
Darnel	Lolium temulentum	200 per pound
Dock	Rumex spp.	100 per pound
Dodder	Cuscuta spp.	100 per pound
Foxtail, giant	Setaria faberi	100 per pound
Garlic, wild and/or Onion, wild	Allium spp.	27 per pound
Horsenettle	Solanum carolinense	200 per pound
Johnsongrass	Sorghum halepense	100 per pound
Knapweed, Russian	Acroptilon repens	100 per pound
Millet, Texas or Panicum, Texas	Panicum texanum	27 per pound
Mustard, wild and Turnips, wild	Brassica spp. (except for Winter Rape, Brassica napus var. biennis and Rape, Brassica rapa var. rapa)	27 per pound
Nightshade, purple	Solanum elaeagnifolium	200 per pound
Onion, wild and/or Garlic, wild	Allium spp.	27 per pound
Panicum, Texas or Millet, Texas	Panicum texanum	27 per pound
Plantain, bracted	Plantago aristata	200 per pound
Plantain, buckhorn	Plantago lanceolata	200 per pound
Quackgrass	Elytrigia repens	100 per pound
Radish, wild	Raphanus raphanistrum	27 per pound
Rice, red	Oryza rufipogon	300 per pound
Sandbur, field	Cenchrus incertus	27 per pound
Sorghum almum	Sorghum X almum	100 per pound
Sorrel, red or Sorrel, sheep	Rumex acetosella	200 per pound

Restricted - (continued)		Limitations
Thistle, blessed	Cnicus benedictus	9 per pound
Thistle, Canada	Cirsium arvense	100 per pound
Turnips, wild and Mustard, wild	Brassica spp.	27 per pound
(except for Winter Rape, Brassica napus var. biennis and Rape, Brassica rapa var. rapa)		

A maximum or total of all noxious-weed seeds allowed in seed shall not exceed 300 per pound, singly or collectively, provided that no one of the seeds with a specific limitation is present in excess of the limit fixed for it.

Georgia law provides that the percent weed seed labeled shall comply with the following requirements:

1. The percent weed seed shall not exceed the following limitations for major crop seed as indicated:

	Kind	Maximum Percent Weed Seed
(i)	Corn	None
(ii)	Cotton	0.05%
(iii)	Peanut	0.2 %
(iv)	Soybean	0.2 %

2. The percent weed seed labeled for crops not listed shall not exceed 1.0%, except for a maximum weed seed limitation of 2.0% for lawn, turf and forage grasses.

The label shall show the name and number of restricted noxious-weed seeds per pound.

HAWAII

Noxious-Weed Seeds
2002

Prohibited

Acuate	Lagascea mollis
Ardisia, shoebutton	Ardisia elliptica
Barbwire grass	Cymbopogon refractus
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Bitterbush	Chromolaena odorata
Blackberry, prickly Florida	Rubus argutus
Blueweed	Helianthus ciliaris
Box, Victorian	Pittosporum undulatum
Broom, French	Cytisus monspessulanus
Broom, Scotch	Cytisus scoparius
Broom, Spanish	Spartium junceum
Broomsedge	Andropogon virginicus
Buffalobur	Solanum rostratum
Bur, New Zealand	Acaena novae-zelandiae
Bur, paroquet	Triumfetta rhomboidea
Bur, Sacramento	Triumfetta semitriloba
Cactus, moon	Eriocereus martinii
Cactus, spiny tree	Cereus uruguayanus
Caesarweed	Urena lobata
Camelthorn	Alhagi maurorum
Cogongrass	Imperata cylindrica
Cortaderia jubata	Cortaderia jubata
Croftonweed	Ageratina adenophora
Croftonweed, creeping	Ageratina riparia
Curse, Koster's	Clidemia hirta var. hirta
Daisy, tree	Montanoa hibiscifolia
Elephant's foot	Elephantopus mollis
Elephantopus	Elephantopus mollis
Emex, spiny	Emex spinosa
Fieldcress, Austrian	Rorippa austriaca
Firetree	Myrica faya
Fireweed	Senecio madagascariensis
Fountaingrass	Pennisetum setaceum
Foxtail, West Indian	Andropogon bicornis
Garlic, wild	Allium vineale
Gaura	Gaura spp.
Goatgrass, barb	Aegilops triuncialis
Gorse	Ulex europaeus
Gourd, ivy	Coccinia grandis

Prohibited - continued

Grevillea, Bank's	Grevillea banksii
Halogeton	Halogeton glomeratus
Hempweed, climbing	Mikania scandens
Hoarycress	Cardaria draba
Horsenettle	Solanum carolinense
Hyptis, comb	Hyptis pectinata
Jointvetch, Indian	Aeschynomene indica
Kahiliflower	Grevillea banksii
Kat sola	Aeschynomene indica
Knapweed, Russian	Acroptilon repens
Kudzu, tropical	Pueraria phaseoloides
Locoweeds	Astragalus spp.
Locoweeds	Oxytropis spp.
Lyon's grass	Themeda villosa
Malachra	Malachra alceifolia
Marabu	Dichrostachys nutans
Medusahead	Taeniatherum caput-medusae
Medinilla venosa	Medinilla venosa
Melastoma	Melastoma spp.
Miconia	Miconia spp.
Mile-a-minute	Mikania micrantha
Miscanthus	Miscanthus floridulus
Mullein	Verbascum thapsus
Myrtle, candleberry	Myrica faya
Nightshade, silverleaf	Solanum elaeagnifolium
Nightshade, silverleaf	Solanum robustum
Nutsedge, yellow	Cyperus esculentus
Oxyspora paniculata	Oxyspora paniculata
Pamakani, Hamakua	Ageratina riparia
Pamakani, Maui	Ageratina adenophora
Passionfruit, winged-leaf	Passiflora pulchella
Passionfruit, banana	Passiflora mollissima
Pepper, spiked	Piper aduncum
Peppercress, perennial	Lepidium latifolium
Peruvian apple	Cereus uruguayanus
Piripiri	Acaena novae-zelandiae
Poka, banana	Passiflora mollissima
Poppy, plume	Bocconia frutescens
Prosopis juliflora	Prosopis juliflora
Quackgrass	Elytrigia repens
Ragweeds	Ambrosia spp.
Raspberry, hill	Rubus niveus
Raspberry, Molucca	Rubus sieboldii
Raspberry, yellow Himalayan	Rubus ellipticus var. obcordatus

Prohibited - continued

Rosemyrtle, downy	Rhodomyrtus tomentosa
Sensitiveplant, giant	Mimosa invisa
Sensitiveplant, thorny	Mimosa pigra
Siamweed	Chromolaena odorata
Silvergrass, Japanese	Miscanthus floridulus
Snakeroot, white	Ageratina altissima
Sowthistle, perennial	Sonchus arvensis
Spikenard, wild	Hyptis suaveolens
Spurge, leafy	Euphorbia esula
St. John's-wort, common	Hypericum perforatum
Starthistle, yellow	Centaurea solstitialis
Terongan	Solanum torvum
Thistle, Canada	Cirsium arvense
Thistle, Russian	Salsola kali
Three-awns	Aristida spp.
Tibouchina	Tibouchina spp.
Torpedograss	Panicum repens
Turkeyberry	Solanum torvum
Tussock, nasella	Stipa
Wattle, Black	Acacia mearnsii
Whitetop, hairy	Cardaria pubescens
Witchweeds	Striga spp.

Restricted

Bur, star	Acanthospermum hispidum
Cockleburs	Xanthium spp.
Crotalaria, showy	Crotalaria spectabilis
Daisy, oxeye	Chrysanthemum leucanthemum
Dodders	Cuscuta spp.
Elephantopus	Elephantopus spp. (except E. mollis)
Emex	Emex australis
Johnsongrass	Sorghum halepense
Lettuce, blue	Lactuca pulchella
Marigold, wild	Tagetes minuta
Milkweeds	Asclepias spp.
Needlegrasses	Stipa spp.
Puncturevine	Tribulus terrestris
Rattlepod, longbeak	Crotalaria longirostrata
Sorghum almum	Sorghum almum
Spurge, toothed	Euphorbia serrata
Thistle, curled	Carduus spp.
Thistle, musk	Carduus spp.
Thistle, plumeless	Carduus spp.

No person shall sell, offer, or expose for sale within the State, for planting purposes, agricultural or vegetable seed:

A. Consisting of or containing prohibited noxious-weed seed; or

B. Consisting of or containing more than 32 seeds of restricted noxious-weed seed singly or collectively per pound.

IDAHO

Noxious-Weed Seeds
2002

Prohibited	
Beancaper, Syrian	Zygophyllum fabago
Bindweed, field	Convolvulus arvensis
Buffalobur	Solanum rostratum
Bursage, skeletonleaf	Ambrosia tomentosa
Butter and eggs or Toadflax, yellow	Linaria vulgaris
Camelthorn	Alhagi maurorum or Alhagi camelorum
Carrot, wild or Queen Anne's Lace	Daucus carota subsp. carota
Cress, hoary or White top	Cardaria draba subsp. draba
Crupina, common	Crupina vulgaris
Fieldcress, Austrian	Rorippa austriaca
Goatgrass, jointed	Aegilops cylindrica
Groundcherry, smooth	Physalis longifolia var. subglabrata
Henbane, black	Hyoscyamus niger
Johnsongrass	Sorghum halepense
Knapweed, diffuse	Centaurea diffusa
Knapweed, Russian	Acroptilon repens or Centaurea repens
Knapweed, spotted	Centaurea maculosa
Loosestrife, Purple or Lythrum, purple	Lythrum salicaria
Nightshade, silverleaf	Solanum elaeagnifolium
Pepperweed, perennial	Lepidium latifolium
Poison - Hemlock	Conium maculatum
Puncturevine	Tribulus terrestris
Quackgrass	Elytrigia repens
Quackgrass	Agropyron repens
Queen Anne's Lace or Carrot, wild	Daucus carota subsp. carota
Ragwort, tansy	Senecio jacobaea
Skeletonweed, rush	Chondrilla juncea
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
St. Johnswort, common	Hypericum perforatum
Starthistle, yellow	Centaurea solstitialis
Swainson pea	Sphaerophysa salsula or Swainsona salsula
Thistle, Canada	Cirsium arvense
Thistle, musk or nodding	Carduus nutans
Thistle, Scotch	Onopordum acanthium
Toadflax, Dalmatian	Linaria dalmatica or Linaria genistifolia subsp. dalmatica

Prohibited - (continued)

Toadflax, yellow or Butter and eggs	Linaria vulgaris
White top or Cress, hoary	Cardaria draba subsp. draba
Woad, dyers	Isatis tinctoria

Idaho law prohibits sale of agricultural or vegetable seed containing prohibited noxious-weed seeds.

Restricted

Dodder	Cuscuta spp.
Halogeton	Halogeton glomeratus
Lettuce, blue	Lactuca tatarica subsp. pulchella or Lactuca pulchella
Oat, wild	Avena fatua
Plantain, buckhorn	Plantago lanceolata
Ragweed, perennial or Western	Ambrosia psilostachya
Rye, medusahead	Taeniatherum caput-medusae subsp. caput-medusae or Elymus caput-medusae
Sumpweed, poverty	Iva axillaris

The label shall show the name and approximate number of each kind of restricted noxious-weed seed per pound.

It shall be unlawful for any person to sell, offer for sale, expose for sale, or deliver under contract any agricultural or vegetable seed containing restricted noxious-weed seeds singly or collectively in excess of:

A. Seven (7) seeds in 50 grams of Agrostis species, Poa species, Rhodes grass, Bermudagrass, timothy, celery, and other agricultural or vegetable seed of similar size and weight, within this group;

B. Seven (7) seeds in each 50 grams of Dallisgrass, ryegrass, fescue species, foxtail millets, alfalfa, red clover, sweetclover, lespedeza, bromegrass, Brassica species, carrot, onion, and other agricultural or vegetable seeds of similar size and weight or mixtures within this group, or mixtures of this group with those in group A;

C. Seven (7) seeds in 50 grams of alsike clover, white clover, and other agricultural or vegetable seeds of similar size and weight, or mixtures of this group with those in group A or group B;

D. Eight (8) seeds in each 150 grams of Proso millet, Sudan grass, and seeds of similar size and weight, or mixtures of seeds within this group;

E. Forty-five (45) seeds in each pound for all wheatgrass species.

F. Four (4) seeds in each 500 grams of wheat, oats, rye, barley, buckwheat, sorghums, vetches, field peas, and other seeds of a size and weight similar to or greater than those within this group, or any mixtures within this group.

G. One percent (1%) by weight of all weed seeds, inclusive restricted noxious-weed seeds, provided that three percent (3%) of cheat, chess, or downy brome shall be allowed in grass seed in which these weeds are found.

ILLINOIS

Noxious-Weed Seeds
2002

Prohibited (Primary)

Bindweed, field	Convolvulus arvensis
Hoarycress	Cardaria draba
Johnsongrass and Sorghum almum and any plant the seed of which cannot be distinguished from Johnsongrass	Sorghum halepense
Knapweed, Russian	Centaurea picris
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Tussock, serrated	Nassella trichotoma

Restricted (Secondary)

Buckhorn	Plantago lanceolata
Bullnettle	Solanum carolinense
Carrot, wild	Daucus carota
Daisy, oxeye	Chrysanthemum leucanthemum
Dock, curled	Rumex crispus
Dodders	Cuscuta spp.
Foxtail, giant	Setaria faberi
Garlic, wild or Onion, wild	Allium vineale
Mustard, wild	Brassica juncea or Brassica kaber or Brassica nigra 1/
Onion, wild or Garlic, wild	Allium canadense
Quackgrass	Agropyron repens
Rape, bird	Brassica campestris

1 / All species of Brassica are regarded as noxious by the Illinois seed lab. The Federal Seed Act, by reason of the Illinois State law and regulations, regards only these three species of Brassica as noxious when occurring in agricultural seed shipped into Illinois.

It shall be unlawful to sell, offer, or expose for sale for seeding purposes within the State of Illinois any agricultural seed or mixture of same:

A. Containing prohibited noxious-weed seeds;

B. Containing restricted noxious-weed seeds either singly or collectively in greater numbers than the proportion of one to 1,000 agricultural seeds.

C. Containing more than 1.5% by weight of all weed seeds in chaffy seeds and native grasses or 1 percent by weight of weed seed in all other agricultural seed.

The label shall show the name and approximate number of each kind of restricted noxious-weed seed, per pound in groups A, B, C, and D when present singly or collectively in excess of:

A. Eighty seeds or bulblets per pound of Agrostis spp., Poa spp., Rhodesgrass, Bermudagrass, timothy, orchardgrass, fine-textured fescues, alsike and white clover, reed canarygrass, dallisgrass, and other agricultural seeds of similar size and weight, or mixtures within this group;

B. Thirty-two seeds or bulblets per pound of ryegrass, meadow and tall fescues, foxtail millet, crownvetch, alfalfa, red clover, sweetclovers, lespedezas, smooth brome grass, crimson clover, flax, Agropyron spp., and other agricultural seeds of similar size and weight, or mixtures within this group, or of this group with group A;

C. Sixteen seeds or bulblets per pound of proso, Sudangrass, and other agricultural seeds of similar size and weight, or mixtures not specified in groups A, B, or D;

D. Four seeds or bulblets per pound of wheat, oats, rye, barley, buckwheat, sorghums (except Sudangrass), vetches and other agricultural seeds of a size and weight similar to or greater than those within this group, or any mixtures within this group.

INDIANA

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Garlic, wild and Onion, wild	Allium spp.
Johnsongrass and Sorghum almum	Sorghum halepense
Knapweed, Russian	Centaurea repens
Onion, wild and Garlic, wild	Allium spp.
Peppergrass, perennial	Lepidium draba
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Thistle, Canada	Cirsium arvense

It is unlawful for any person to distribute agricultural seed if the seed contains or consists of prohibited noxious-weed seeds.

Restricted

Buckhorn	Plantago lanceolata
Corncockle	Agrostemma githago
Cocklebur	Xanthium pensylvanicum
Daisy, oxeye	Chrysanthemum leucanthemum
Dock, curled	Rumex crispus
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Horsenettle	Solanum carolinense
Mustard	Brassica arvensis
Nightshade, eastern black	Solanum ptycanthum
Pennycress	Thlaspi arvense
Peppergrass, field	Lepidium campestre
Wintercress, bitter	Barbarea vulgaris

It is unlawful for any person to distribute agricultural seeds if the seed consists of or contains restricted noxious-weed seeds in excess of one-fourth of one percent (0.25%), or if it contains more than two and one-half percent (2.5%) of all weed seeds. If less than one-fourth of one percent (0.25%) of such weed seeds by weight are present, the number per pound must be declared on the labeling.

IOWA

Noxious-Weed Seeds
2002

Primary

Horsenettle	Solanum carolinense
Knapweed, Russian	Centaurea repens
Morningglory, European	Convolvulus arvensis
Peppergrass, perennial	Cardaria draba
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense

Iowa law prohibits the sale of agricultural seed if it contains any primary noxious-weed seeds.

Secondary

Buckhorn	Plantago lanceolata
Butterprint	Abutilon theophrasti
Carrot, wild	Daucus carota
Cocklebur	Xanthium strumarium
Dock, smooth	Rumex altissimus
Dock, sour	Rumex crispus
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Hemlock, poison	Conium maculatum
Mustard	Brassica juncea, or Brassica nigra, or Sinapis arvensis
Puncturevine	Tribulus terrestris
Sorrel, sheep	Rumex acetosella
Sunflower, wild	Helianthus annuus

For agricultural seed the label shall show the name and approximate number of each kind of secondary noxious-weed seed per pound in groups A, B, C, and D, when present singly or collectively in excess of:

A. Eighty seeds or bulblets per pound of Agrostis spp., Poa spp., Bermudagrass, timothy, orchardgrass, fescues (except meadow fescue), alsike and white clover, reed canarygrass, and other agricultural seeds of similar size and weight, or mixtures within this group;

Secondary - continued

B. Forty-eight seeds or bulblets per pound of ryegrass, meadow fescue, foxtail millet, alfalfa, red clover, sweet clover, lespedeza, smooth brome, crimson clover, Brassica spp., flax, Agropyron spp., and other agricultural seeds of similar size and weight, or mixtures within this group, or of this group with group A;

C. Sixteen seeds or bulblets per pound of proso, sudangrass, and other agricultural seeds of similar size and weight, or mixtures not specified in groups A, B, and D;

D. Five seeds or bulblets per pound of wheat, oats, rye, barley, buckwheat, sorghum (except sudangrass), vetches, soybeans and other agricultural seeds of a size and weight similar to or greater than those within this group.

For seed mixtures for lawn and turf purposes, the label shall show the name and rate of occurrence per pound of each kind of secondary noxious-weed seed present, and the percentage by weight of all weed seed. Maximum weed seed content is not to exceed one percent by weight.

KANSAS

Noxious-Weed Seeds
2002

Noxious (Prohibited)	
Bindweed, field	Convolvulus arvensis
Blueweed, Texas	Helianthus ciliaris
Hoarycress	Cardaria draba
Johnsongrass, sorghum almum and any plant the seed of which cannot be distinguished from Johnsongrass	Sorghum halepense
Knapweed, Russian	Centaurea repens
Kudzu	Pueraria lobata
Lespedeza, sericea	Lespedeza cuneata
Pignut or Rushpea, Indian	Hoffmannseggia densiflora
Quackgrass	Agropyron repens
Ragweed, bur	Franseria tomentosa or Ambrosia grayi
Rushpea, Indian or Pignut	Hoffmannseggia densiflora
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Thistle, musk or nodding	Carduus nutans

Restricted weed seeds		Limitations
Bindweed, black or Buckwheat, wild	Polygonum convolvulus	9 per pound
Bindweed, hedge	Calystegia spp. or Convolvulus sepium	18 per pound
Buckwheat, wild or Bindweed, black	Polygonum convolvulus	9 per pound
Bullnettle	Solanum carolinense	45 per pound
Butterprint or Velvetleaf	Abutilon theophrasti	9 per pound
Carrot, wild	Daucus carota	18 per pound
Charlock	Sinapis arvensis	18 per pound
Cheat	Bromus secalinus	45 per pound
Chess, hairy	Bromus commutatus	45 per pound
Cocklebur	Xanthium spp.	9 per pound
Daisy, oxeye	Chrysanthemum leucanthemum	45 per pound
Dock	Rumex spp.	45 per pound
Dodder	Cuscuta spp.	18 per pound 45 per pound in lespedeza
Fanweed or Pennycress	Thlaspi arvense	18 per pound
Foxtail, giant	Setaria faberi	45 per pound
Garlic, wild or Onion, wild	Allium spp.	18 per pound
Goatgrass, jointed	Aegilops cylindrica	9 per pound
Horsenettle	Solanum carolinense	45 per pound
Milkweed, climbing or Sandvine	Cynanchum laeve or Gonolobus laevis	9 per pound

Restricted weed seeds		Limitations
Moonflower, purple and Morningglory	Ipomoea spp.	18 per pound
Mustards, wild	Brassica spp.	18 per pound
Nightshade complex, black	Solanum americanum or Solanum interius or Solanum nigrum or Solanum ptycanthum or Solanum sarrachoides	9 per pound
Nightshade, silverleaf	Solanum elaeagnifolium	45 per pound
Oats, wild	Avena fatua	9 per pound
Onion, wild or Garlic, wild	Allium spp.	18 per pound
Pennycress or Fanweed	Thlaspi arvense	18 per pound
Plantain, buckhorn	Plantago lanceolata	45 per pound
Sandvine or Milkweed, climbing	Gonolobus laevis or Cynanchum laeve	9 per pound
Sowthistle, perennial	Sonchus arvensis	45 per pound
Treacle	Erysimum spp.	18 per pound
Velvetleaf or Butterprint	Abutilon theophrasti	9 per pound

It is unlawful for any person to sell, offer for sale, or expose for sale any agricultural seed for seeding purposes which contains:

A. Noxious-weed seed;
B. Restricted weed seeds in excess of the above limitations; or
C. more than 1% of weed seeds by weight, except smooth bromegrass, tall fescue, orchardgrass, wheatgrasses and lespedeza which contain more that 2% weed seed by weight and chaffy range grasses which contain more than 4% weed seed by weight.

The total number of restricted weed seed shall not exceed 90 per pound (in combination) except native grasses, smooth bromegrass, tall fescue, wheatgrasses and lespedeza shall not exceed 150 per pound.

In smooth bromegrass, fescues, orchardgrass, wheatgrasses, and chaffy range grasses, hairy chess or cheat shall not exceed 2,500 per pound.

The following weedy Bromus spp. shall be considered as common weeds and collectively referred to as "chess": Japanese chess (Bromus japonicus), soft chess (Bromus mollis), and field chess (Bromus arvensis).

KENTUCKY

Noxious-Weed Seeds
2002

Prohibited	
Balloonvine	Cardiospermum halicacabum
Johnsongrass and sorghum almum	Sorghum halepense and Sorghum almum and perennial rhizomatous derivatives of these species
Moonflower, purple	Ipomoea turbinata
Quackgrass	Elytrigia repens
Thistle, Canada	Cirsium arvense

Restricted		Limitations (per pound)
Bluegrass, annual	Poa annua	256
Buckhorn	Plantago lanceolata	304
Corncockle	Agrostemma githago	192
Daisy, oxeye	Chrysanthemum leucanthemum	256
Dodder	Cuscuta spp.	192
Foxtail, giant	Setaria faberi	192
Garlic, wild and Onion, wild	Allium spp.	96
Sorrel	Rumex acetosella	256

Agricultural seed shall be labeled to show the name and number per pound of noxious-weed seeds, except that the sale of agricultural seed is prohibited if it contains in excess of the number per pound shown or a total of 480 noxious-weed seeds per pound.

Kentucky law prohibits sale of agricultural seed containing in excess of two percent by weight of all weed seeds. It requires that no tolerance shall be applied to Prohibited Noxious-Weed Seed.

LOUISIANA

Noxious-Weed Seeds
2002

Prohibited		
Balloonvine	Cardiospermum halicacabum	
Bindweed, field	Convolvulus arvensis	
Bindweed, hedge	Convolvulus sepium	
Itchgrass or raoulgrass	Rottboellia exaltata or Rottboellia cochinchinensis	
Nutgrass	Cyperus rotundus or Cyperus esculentus	

Restricted		Limitations
Bermudagrass	Cynodon dactylon	300 per pound
Blueweed, Texas	Helianthus ciliaris	200 per pound
Cheat	Bromus secalinus	300 per pound
Chess	Bromus commutatus	300 per pound
Corncockle	Agrostemma githago	300 per pound
Cocklebur	Xanthium spp.	5 per pound
Darnel	Lolium temulentum	300 per pound
Dock	Rumex spp.	300 per pound
Dodder	Cuscuta spp.	100 per pound
Horsenettle	Solanum carolinense	300 per pound
Garlic, wild or Onion, wild	Allium spp.	9 per pound
Indigo, curly	Aeschynomene virginica	300 per pound
Johnsongrass	Sorghum halepense	100 per pound
Knapweed, Russian	Centaurea repens	100 per pound
Mexicanweed	Caperonia castaneaefolia	300 per pound
Moonflower, purple	Ipomoea turbinata	9 per pound
Morningglory	Ipomoea spp.	18 per pound
Mustard, wild or Turnip, wild	Brassica spp.	300 per pound
Nightshade, purple	Solanum elaeagnifolium	300 per pound
Onion, wild or Garlic, wild	Allium spp.	9 per pound
Plantain, bracted	Plantago aristata	300 per pound
Plantain, buckhorn	Plantago lanceolata	300 per pound
Poinsettia, wild	Euphorbia or Euphorbia heterophylla	18 per pound
Quackgrass	Agropyron repens	100 per pound
Rice, red	Oryza sativa var.	9 per pound
Sesbania, hemp	Sesbania exaltata	300 per pound
Sorrel, sheep	Rumex acetosella	300 per pound
Spearhead	Rhynchospora spp.	5 per pound
Thistle, Canada	Cirsium arvense	100 per pound
Turnip, wild or Mustard, wild	Brassica spp.	300 per pound

The label shall show the name and number per pound of each kind of the seeds or bulblets of noxious weeds that are present.

Louisiana seed law prohibits the sale of seed containing any prohibited noxious-weed seeds. Of the remaining listed noxious-weed seeds, the sum total shall not exceed 500 per pound, subject to the above limitations.

No agricultural or vegetable seed containing in excess of two and one-half percent (2.5%) of total weed seed shall be sold, offered for sale, or exposed for sale.

MAINE

Noxious-Weed Seeds
2002

Primary

Bindweed	Convolvulus arvensis
Nutgrass	Cyperus esculentus
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense
Woundwort	Stachys palustris

It shall be unlawful for any person to sell, offer for sale or expose for sale any agricultural or vegetable seed within this State containing primary noxious-weed seeds.

Secondary

Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Garlic, wild	Allium vineale
Horsenettle	Solanum carolinense
Mustard, wild	Brassica spp.
Onion, wild	Allium canadense
Plantain, buckhorn	Plantago lanceolata
Radish, wild	Raphanus raphanistrum
Rocket, yellow	Barbarea vulgaris
Sowthistle, perennial	Sonchus arvensis

The label for agricultural seed shall show the same name and approximate number of each kind of secondary noxious-weed seed present:

Per ounce in Agrostis spp., Poa spp., rhodesgrass, Bermudagrass, timothy, orchardgrass, fescues, alsike and white clover, reed canary grass, dallisgrass, ryegrass, foxtail millet, alfalfa, red clover, sweetclovers, lespedezas, smooth brome, crimson clover, Brassica spp., flax, Agropyron spp., and other agricultural seeds of similar size and weight, or mixtures within this group; and

Per pound in proso, sudangrass, wheat, oats, rye, barley, buckwheat, sorghum, vetches, and other agricultural seeds of a size and weight similar to or greater than those within this group, or any mixtures within this group.

Maine law prohibits the sale of agricultural or vegetable seed if noxious-weed seeds are present singly or collectively in excess of 500 per pound.

Maine law prohibits the sale of "lawn grass seed" or "lawn seed mixture" containing in excess of 1.5 percent by weight of weed seeds.

MARYLAND

Noxious-Weed Seeds
2002

Prohibited

Balloonvine	Cardiospermum halicacabum
Quackgrass	Elytrigia repens
Sicklepod	Senna obtusifolia
Sorghum species which include Johnsongrass and hybrids that contain Johnsongrass as a parent, and any other kinds of grass that produce seed which cannot be distinguished readily from Johnsongrass seed	Sorghum spp., Sorghum halepense
Thistle, Canada	Cirsium arvense
Thistle, plumeless which includes musk thistle and curled thistle	Carduus spp.
Tussock, serrated	Nassella trichotoma

Maryland law prohibits the sale of agricultural, lawn and turf, vegetable, flower, tree, or shrub seed consisting of or containing prohibited noxious-weed seeds. A tolerance may not be allowed for prohibited seed.

Restricted Noxious-Weed Seed in agricultural, vegetable, flower, tree and shrub seed

Anoda, spurred	Anoda cristata
Bermudagrass or Giant bermudagrass	Cynodon dactylon
Bindweed	Convolvulus arvensis
Cocklebur	Xanthium strumarium
Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Garlic, wild	Allium vineale
Horsenettle	Solanum carolinense
Onion, wild	Allium canadense

The label shall show the name and number of each kind of restricted noxious-weed seeds per ounce in group 1 and per pound in group 2, when present singly or collectively in any amounts whatsoever - provided, however, that the amount does not exceed 16 per ounce in group 1 and 16 per pound in group 2.

Group 1: Agropyron spp., Agrostis spp., alfalfa, Bermudagrass, Brassica spp., orchardgrass, alsike and white clover, crimson clover, dallisgrass, fescues, flax, foxtail millet, lespedezas, Poa spp., red clover, reed canarygrass, rhodesgrass, ryegrass, sweetclover, smooth brome, timothy, and other agricultural seeds of similar size and weight, or mixtures within this group.

Restricted Noxious-Weed Seed in agricultural, vegetable, flower, tree and shrub seed

Group 2: Barley, buckwheat, oats, proso, rye, sorghum, sudangrass, vetches, wheat, and other agricultural seeds of a size and weight similar to or greater than those within this group, or any mixtures within this group.

The sale of any agricultural, vegetable, flower, and tree or shrub seed containing in excess of 2.5 percent by weight of all weed seed is prohibited.

Restricted Noxious-Weed Seed in Lawn and Turf Seed and Mixtures

Except as provided below, seed of the following plants shall be restricted noxious-weed seed and shall be listed on the tag or label under the heading "Noxious-Weed Seed" or "Undesirable Grass Seed" by name and number per pound or ounce when present in bentgrass, Kentucky bluegrass, chewings fescue, hard fescue, red fescue, varieties of named turf-type tall fescue, varieties of perennial ryegrass, or a mixture containing any of these grasses:

Bentgrass, (Colonial Creeping Velvet)	Agrostis spp. 1/
Bermudagrass, (common and giant)	Cynodon dactylon
Bluegrass, annual	Poa annua
Bluegrass, rough	Poa trivialis 1/
Fescue, meadow	Festuca pratensis 1/
Fescue, tall	Festuca arundinacea 1/
Orchardgrass	Dactylis glomerata
Redtop	Agrostis gigantea 1/
Timothy	Phleum pratense
Velvetgrass	Holcus lanatus

Restricted noxious-weed seed set forth above may not exceed 0.5 percent by weight.

If included on the tag or label, seed designated as noxious-weed seed in other states shall be listed under the heading "Noxious-Weed Seed" or "Undesirable Grass Seed."

1/ May be included as a labeled component of a mixture when each is present in excess of five percent, by weight of the mixture.

Restricted Noxious Weed Seed in Lawn and Turf Seed and Mixtures - continued
The restricted noxious-weed seed set forth above may not apply to grasses or mixtures clearly labeled for:

A. Pasture;
B. Forage;
C. Hay;
D. Conservation; or
E. Spoil bank reclamation usage.

Total weed seed, including lawn and turf restricted noxious-weed seed may not exceed 1 percent by weight.

MASSACHUSETTS

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense

Massachusetts's law prohibits the sale of agricultural, vegetable, flower, or tree and shrub seed containing prohibited noxious-weed seeds.

Restricted

Bedstraw	Galium spp.
Bluegrass, annual	Poa annua
Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Garlic, wild and wild onion	Allium spp.
Horsenettle	Solanum carolinense
Mustards, wild limited to India mustard, Charlock or wild mustard, and black mustard	Brassica spp., limited to Brassica juncea, Sinapis arvensis = Brassica kaber or Brassica arvensis, and Brassica nigra
Plantain, buckhorn	Plantago lanceolata
Radish, wild	Raphanus raphanistrum
Sowthistle, perennial	Sonchus arvensis

The label shall show the name and number per pound of each kind of restricted noxious-weed seed when present in agricultural, vegetable, flower, or tree and shrub seed under the heading: Restricted Noxious-Weed Seed or Noxious-Weed Seed.

Massachusetts's law prohibits the sale of any agricultural, vegetable, flower, or tree and shrub seed containing in excess of 1 percent of all weed seeds.

MICHIGAN

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Dodder	Cuscuta species
Horsenettle	Solanum carolinense
Johnsongrass including sorghum almum and seed that cannot be readily distinguished from Johnsongrass	Sorghum halepense
Knapweed, Russian	Centaurea picris
Knapweed, spotted	Centaurea maculosa
Morning glory	Ipomoea species
Nutsedge, yellow (both seed and tubers)	Cyperus esculentus
Puncturevine	Tribulus terrestris
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Bull	Cirsium vulgare
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Thistle, Plumeless	Carduus acanthoides
Tussock, serrated	Nassella trichotoma
Whitetop	
= hoary cress	
= perennial peppergrass	Cardaria draba

The sale of primary noxious-weed seed, or the sale of agricultural seed containing primary noxious-weed seeds is unlawful.

Restricted

Alyssum, hoary	Berteroa incana
Carrot, wild	Daucus carota
Charlock	Sinapis arvensis
Cocklebur	Xanthium strumarium
Dock, curled	Rumex crispus
Fanweed	Thlaspi arvense
Foxtail, giant	Setaria faberi
Garlic, wild	Allium vineale
Jimsonweed	Datura stramonium
Mustard, Indian	Brassica juncea
Mustard, black	Brassica nigra

Nightshade complex, including all of the following Solanum species and any other species with indistinguishable seed:

Restricted	
Nightshade, bitter	Solanum dulcamara
Nightshade, black	Solanum nigrum
Nightshade, Eastern black	Solanum ptycanthum
Nightshade, silverleaf = purple nightshade	Solanum elaeagnifolium
Nightshade, hairy	Solanum sarrachoides
Onion, wild	Allium canadense
Oat, wild	Avena fatua
Plantain, buckhorn	Plantago lanceolata
Radish, wild	Raphanus raphanistrum
Rocket, yellow	Barbarea vulgaris
Velvetleaf	Abutilon theophrasti

Labeling for agricultural, vegetable, flower, and herb seeds shall show the name and number per pound of restricted noxious-weed seeds present except that buckhorn and yellow rocket must be shown on the label only when in excess of 90 seeds per pound.

Michigan law prohibits the sale of agricultural, vegetable, flower, and herb seeds if restricted noxious-weed seeds are present in excess of one seed to 2,000 seeds of the seed being considered except that for buckhorn and yellow rocket the ratio shall be 1 to 1,000 seeds.

MINNESOTA

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Hemp	Cannabis sativa
Knapweed, Russian	Centaurea repens
Peppergrass, perennial	Lepidium draba
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, bull	Cirsium vulgare
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Thistle, plumeless	Carduus acanthoides

Minnesota law prohibits the sale of agricultural seed containing any prohibited noxious-weed seeds.

Restricted

Alyssum, hoary	Berteroa incana
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Frenchweed	Thlaspi arvense
Horsenettle	Solanum carolinense
Mustard, wild	Brassica arvensis
Nightshade, eastern black	Solanum ptycanthum
Plantain, buckhorn	Plantago lanceolata
Quackgrass	Agropyron repens
Radish, wild	Raphanus raphanistrum

Agricultural seeds shall be labeled to show the name and number of each kind of restricted noxious-weed seeds per pound.

The sale of agricultural seed is prohibited if it contains restricted noxious-weed seeds in excess of 25 seeds per pound.

Minnesota law prohibits the sale of agricultural seed containing in excess of one percent by weight of all weed seeds.

MISSISSIPPI

Noxious-Weed Seeds
2002

Prohibited	
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Calystegia sepium
Crotalaria	Crotalaria spp.
Nutgrass	Cyperus esculentus or Cyperus rotundus
Tropical Soda Apple	Solanum spp.
Tussock, serrated	Nassella trichotoma

Restricted		Allowed per pound	
Balloonvine	Cardiospermum halicacabum	2	1/
Bermudagrass	Cynodon spp.	100	
Cheat and Chess	Bromus secalinus and Bromus commutatus	144	
Cocklebur	Xanthium spp.	2	1/
Corncockle	Agrostemma githago	100	
Darnel	Lolium temulentum	54	
Dock and sorrel	Rumex spp.	100	
Dodder	Cuscuta spp.	54	
Foxtail, giant	Setaria spp.	54	
Garlic, wild and Onion, wild	Allium spp.	5	1/
	When sold in mixed wheat	27	1/
Johnsongrass and sorghum almum and perennial rhizomatous derivatives of these	Sorghum halepense	54	
Moonflower, purple	Ipomoea turbinata	2	1/
Morningglory	Ipomoea spp.	9	
when sold in a wildlife reseeding soybean or wildlife mixture		27	
Mustards, wild and Turnips, wild	Brassica spp.	54	
Plantain, bracted and Plantain, buckhorn	Plantago spp	100	
Quackgrass	Elytrigia repens	54	
Radish, wild	Raphanus raphanistrum	18	
Rice, red	Oryza spp.	1	1/
Sicklepod	Senna obtusifolia	5	
Sorrel and dock	Rumex spp.	100	
Thistle, blessed	Cnicus benedictus	27	
Thistle, Canada	Cirsium arvense	54	
Turnips, wild and Mustards, wild	Brassica spp.	54	

The label shall show the name and number per pound of each kind of "restricted" noxious-weed seed.

1/ no tolerance applied by Mississippi

Agricultural or vegetable seed that contain in excess of a sum total of 200 noxious-weed seed per pound (subject to above limitations) is prohibited from sale in Mississippi.

The sale of agricultural seed containing any "prohibited" noxious-weed seeds is unlawful.

The sale of agricultural seed is prohibited if it contains more than 2.5 percent by weight of weed seed including noxious-weed seed, except that common lespedeza may contain 5 percent weed seed, including noxious-weed seed.

MISSOURI

Noxious-Weed Seeds
2002

Prohibited

Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Johnsongrass	Sorghum halepense
Nassella trichotoma	Nassella trichotoma
Sorghum almum	Sorghum almum
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans

It shall be unlawful for any person to sell, offer for sale, or expose for sale any agricultural or vegetable seed within this State containing prohibited weed seeds.

Restricted

Bindweed, hedge	Convolvulus sepium
Buckhorn	Plantago lanceolata
Docks	Rumex spp.
Dodders	Cuscuta spp.
Foxtail, giant	Setaria faberi
Garlic, wild	Allium vineale
Hoarycress	Cardaria draba
Moonflower, purple	Calonyction muricatum
Nightshade, Eastern black	Solanum ptycanthum
Oat, slender	Avena barbata
Oats, wild	Avena fatua
Onion, wild	Allium canadense
Quackgrass	Agropyron repens
Sorrel, red	Rumex acetosella
Spurge, leafy	Euphorbia esula
Star thistle, yellow	Centaurea solstitialis
Thistle, Russian	Salsola pestifer

It shall be unlawful for any person to sell, offer for sale, or expose for sale within this State any agricultural or vegetable seed containing:

A. noxious-weed seeds in excess of one half percent.
B. more than 2 percent by weight of weed seed except for smooth brome (bromegrass), orchardgrass, and fescue, which may not exceed 3 percent.

The label for agricultural seeds shall show noxious-weed seed content as follows:

Noxious-weed seed contents in excess of that allowed by paragraphs A, B, C, and D must be named by their common name and the number per pound.

A. Eighty seeds or bulblets per pound, or 18 per one hundred grams, of Agrostis species, Poa species, Bermudagrass, timothy, orchardgrass, fescues (except meadow and tall fescues), alsike and white clover, reed canarygrass, and other agricultural seeds of similar size and weight, or mixtures within this group;

B. Forty-eight seeds or bulblets per pound, or eleven per one hundred grams, of meadow and tall fescues, millets, alfalfa, red clover, ryegrasses, sweetclovers, lespedezas, smooth brome, crimson clover, rape, Agropyron species, and other agricultural seeds of similar size and weight, or mixtures within this group, or of this group with group A above:

C. Sixteen seeds or bulblets per pound, or four per one hundred grams, of vetches, sudangrass, and other agricultural seeds of similar size and weight, or mixtures not specified in groups A, B, or D of this section;

D. Five seeds or bulblets per pound, or one per one hundred grams, of wheat, oats, rye, barley, buckwheat, sorghums (except sudangrass), soybeans, cowpeas, and other agricultural seeds of a size and weight similar to or greater than those within this group.

If noxious-weed seeds are not present in excess of the number prescribed in paragraphs A, B, C, and D above, then there shall be shown on the label or tag under "noxious weeds" either the name and number of each kind of noxious-weed seeds present per pound, or per 100 grams, as may be the case, or the words "not in excess of _____," and in the blank to be inserted the maximum number permitted in paragraphs A, B, C, or D.

Up to 144 seeds of giant foxtail per pound of lespedeza or 32 seeds of giant foxtail per 100 grams of lespedeza may be present, and the labeling "not in excess of _____," and in the blank to be inserted the number allowed by paragraphs A, B, C, and D above for noxious-weed seeds other than giant foxtail.

The word "none," if shown on the label or tag under "noxious-weed," shall be construed as meaning that no noxious-weed seeds are present.

MONTANA

Noxious-Weed Seeds
2002

Prohibited

Buttercup, tall	Ranunculus acris
Bindweed, field	Convolvulus arvensis
Cinquefoil, sulfur (Erect)	Potentilla recta
Crupina, Common	Crupina vulgaris
Daisy, Ox-eye	Chrysanthemum leucanthemum
Houndstongue	Cynoglossum officinale
Knapweed, diffuse	Centaurea diffusa
Knapweed, Russian	Centaurea repens
Knapweed, spotted	Centaurea maculosa
Hawkweed Complex, Meadow	Hieracium pratense, H. floribundum, H. piloselloides
Hawkweed, Orange	Hieracium aurantiacum
Loosestrife, Purple or Lythrum	Lythrum salicaria, L. virgatum, and any hybrid crosses thereof
Ragwort, Tansy	Senecio jacobea
St. Johnswort	Hypericum perforatum
Skeletonweed, rush	Chondrilla juncea
Spurge, leafy	Euphorbia esula
Starthistle, yellow	Centaurea solstitialis
Tamarisk (Saltcedar)	Tamarix spp.
Tansy, Common	Tanacetum vulgare
Thistle, Canada	Cirsium arvense
Toadflax, Dalmatian	Linaria dalmatica
Whitetop or Hoary Cress	Cardaria draba
Woad, dyers	Isatis tinctoria

Montana law prohibits the sale or transportation of agricultural, vegetable, or flower seeds containing "prohibited" noxious-weed seeds.

Restricted

Darnel, Persian	Lolium persicum	9 per pound	of grass seed
		0 per pound	of all other seed
Dock, curly	Rumex crispus	45 per pound	
Dodder	Cuscuta spp.	9 per pound	
Goatgrass, jointed	Aegilops cylindrica	0 per pound	
Oat, wild	Avena fatua	45 per pound	of grass seed
		5 per pound	of all other seed
Sowthistle, perennial	Sonchus arvensis	0 per pound	
Toadflax, yellow	Linaria vulgaris	0 per pound	
Quackgrass	Agropyron repens	0 per pound	

Restricted - continued

Labeling for agricultural, vegetable, and flower seed must show the name and approximate number of restricted noxious-weed seeds per pound.

Montana law prohibits the sale of agricultural, vegetable, and flower seed containing:

A. restricted noxious-weed seeds in excess of the indicated limitation.
B. in excess of 2 percent by weight of weed seed.

NEBRASKA

Noxious-Weed Seeds
2002

Primary

Knapweed, diffuse	Centaurea diffusa
Knapweed, spotted	Centaurea maculosa
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Thistle, plumeless	Carduus acanthoides

Nebraska law prohibits the sale of agricultural seed consisting of or containing primary noxious-weed seeds, with no tolerance allowed.

Prohibited

Bindweed, field	Convolvulus arvensis
Bursage, skeletonleaf	Ambrosia discolor 1/
Bursage, woollyleaf	Ambrosia tomentosa 1/
Hoarycress	Cardaria draba 1/
Johnsongrass	Sorghum halepense
Knapweed, Russian	Centaurea repens
Morning glory	Ipomoea purpurea (field crops only) 1/
Puncturevine	Tribulus terrestris
Thistle, Scotch	Onopordum acanthium
Tussock, serrated	Nassella trichotoma

Nebraska law prohibits the sale of agricultural seed consisting of or containing prohibited noxious-weed seeds, subject to recognized tolerances.

The Nebraska lab reports all bur-sage (Ambrosia spp.) as noxious even though the Nebraska law is not that inclusive.

Restricted

Charlock	Brassica arvensis
Dock	Rumex spp.
Dock, curled	Rumex crispus
Dock, smoothleaf	Rumex altissimus
Dock, winged	Rumex venosus
Dodder	Cuscuta spp.

1/ Nebraska law requires that in all sampling conducted by the laboratory, the official report shall include the seed of globe-podded hoary cress (Hymenophysa pubescens), lens-podded hoary cress (Lepidium draba var. repens), all bursage (Ambrosia species), and all morning glory (Ipomea species when found in field crop seed) within the definition of prohibited noxious weed seed and the classification shall be as prohibited noxious weed seed.

Restricted (continued)

Horsenettle	Solanum carolinense
Loosestrife, purple	Lythrum salicaria
Mustard, black	Brassica nigra
Mustard, Indian	Brassica juncea
Mustard, wild	Brassica spp.
Pennycress	Thlaspi arvense
Quackgrass	Elytrigia repens
Rape, bird	Brassica campestris
Sorrel, red	Rumex acetosella

The label shall show the name and number per pound of each kind of restricted noxious-weed seed for Agrostis spp., bluegrass, timothy, orchardgrass, fescue, alsike clover, white clover, reed canarygrass, ryegrass, foxtail millet, alfalfa, red clover, sweetclover, lespedeza, smooth brome, crimson clover, Brassica spp., flax, wheatgrass, and other agricultural seed of similar size and weight or mixtures within such groups when present singly or collectively in excess of 18 per pound.

The label shall show the name and number per pound of each kind of restricted noxious-weed seed for all agricultural seed and mixtures thereof not shown in the preceding paragraph.

The label shall show the name and number per pound of each kind of restricted noxious-weed seed for all vegetable seed and flower seed.

Agricultural, vegetable, or flower seed containing in excess of 2 percent by weight of weed seed is prohibited for sale except that bluestems, gramas, indiangrass, prairie sandreed and mixtures thereof shall not contain in excess of 4 percent weed seed.

The term "dodder" (Cuscuta spp.) shall be interpreted as seed of all species of dodder, when found in agricultural seeds.

The term "wild mustard" (Brassica spp.) shall be interpreted as Indian mustard (Brassica juncea), Charlock (Brassica arvensis), black mustard (Brassica nigra), bird rape (Brassica campestris), and all other members of the Brassica genus when occurring incidentally in agricultural seeds.

The term "dock" (Rumex spp.) shall be interpreted as curled dock (Rumex crispus), smoothleaf dock (Rumex altissimus), winged dock (Rumex venosus), red sorrel (Rumex acetosella), and seed of all other members of the dock (Rumex) species that may incidentally occur in agricultural seeds.

Nebraska law prohibits the sale of agricultural seed containing more than 0.5 percent by weight of restricted noxious-weed seeds.

NEVADA

Noxious-Weed Seeds
2002

Prohibited

Camelthorn	Alhagi camelorum
Fieldcress, Austrian	Rorippa austriaca
Goatgrass, barb	Aegilops triuncialis
Halogeton	Halogeton glomeratus
Horsenettle, Carolina	Solanum carolinense
Horsenettle, white	Solanum elaeagnifolium
Klamathweed	Hypericum perforatum
Knapweed, Russian	Centaurea repens
Medusa head, rye	Taeniatherum asperum
Peaweed, Austrian	Swainsona salsula
Quackgrass	Agropyron repens
Skeletonweed, rush	Chondrilla juncea
Sorghum, perennial such as, but not limited to, Johnsongrass, Sorghum almum and perennial sweet sudangrass	Sorghum spp.
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Starthistle, Iberian	Centaurea iberica
Starthistle, purple	Centaurea calcitrapa
Starthistle, yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense
Toadflax, Dalmatian	Linaria dalmatica
Whitetop or hoary cress	Cardaria chalepensis or Cardaria draba or Cardaria pubescens

Nevada law prohibits the sale of agricultural, flower, vegetable, or tree and shrub seeds consisting of or containing any of the above noxious-weed seeds.

Restricted

Bindweed, field	Convolvulus arvensis
Charlock	Brassica kaber
Crabgrass	Digitaria sanguinalis or Digitaria ischaemum
Dock, curly	Rumex crispus
Dodder	Cuscuta spp.
Fanweed	Thlaspi arvense
Mustard, wild	Brassica kaber
Pennycress	Thlaspi arvense
Puncturevine	Tribulus terrestris
Sandbur, field	Cenchrus pauciflorus

Agricultural seed, including lawn or turf seed mixtures, shall be labeled to show the name and number per pound of each restricted noxious-weed seed present. Agricultural, flower, vegetable, or tree and shrub seed containing in excess of 27 per pound of restricted noxious-weed seeds, singly or collectively, is prohibited from sale.

Nevada has a limitation on the percent by weight of all weed seed that may be found in agricultural seed. The amount is 1.5% by weight in agricultural, vegetable, herb, flower, tree or shrub seed. Anyone shipping seed into Nevada should obtain a copy of the Nevada State law and regulations for guidance in labeling seed.

NEW HAMPSHIRE

Noxious-Weed Seeds
2002

Prohibited

Bedstraw	Galium spp.
Bindweed, field	Convolvulus arvensis
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense
Velvetleaf	Abutilon theophrasti

New Hampshire law prohibits the sale of agricultural, vegetable, flower, or tree and shrub seed containing any prohibited noxious-weed seeds.

Restricted

Corncockle	Agrostemma githago
Crabgrass	Digitaria sanguinalis
Dodder	Cuscuta spp.
Horsenettle	Solanum carolinense
Loosestrife, purple	Lythrum salicaria
Mustard, wild	Brassica spp.
Nutsedge (Nutgrass)	Cyperus esculentus
Radish, wild	Raphanus raphanistrum
Rocket, yellow	Barbarea vulgaris

New Hampshire law prohibits the sale of agricultural, vegetable, flower, or tree and shrub seed containing in excess of 2.5 percent of all weed seed.

The label of agricultural seed shall show the name and the rate of occurrence per pound of each kind of restricted noxious-weed seed.

NEW JERSEY

Noxious-Weed Seeds
2002

Prohibited weed seed
The prohibited noxious weed seeds shall be the seeds of the following plants:

Bindweed	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Horsenettle	Solanum carolinense
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense

No prohibited noxious weed seed shall be allowed in agricultural, vegetable, flower, tree, shrub or lawn and turf seed. A seed lot containing prohibited noxious weed seed shall be in violation of the New Jersey Seed Law.

Restricted weed seed in agricultural, vegetable, flower, or shrub seed
The restricted noxious weed seeds shall be the seeds of the following plants when occurring in agricultural, vegetable, flower, or shrub seed and mixtures of such seed:

Anoda, spurred	Anoda cristata
Bermudagrass	Cynodon dactylon
Bur cucumber	Sicyos angulatus
Cheat	Bromus secalinus
Cockle, corn	Agrostemma githago
Dodder	Cuscuta spp.
Garlic, wild	Allium vineale
Johnsongrass, perennial sweet sudangrass, sorghum almum, and hybrids derived therefrom	Sorghum spp. perennial
Onion, wild	Allium canadense
Ragweed, giant	Ambrosia trifida

Restricted noxious weed seed present in a seed lot shall be listed on the label under the heading "Noxious weed seed." The name and number of seed per pound or ounce shall be declared. No deviation from the labeled amount shall be allowed for a seed lot containing restricted noxious weed seed. The terms "Free" and "None" shall mean that no noxious weed seed was found in a test conducted using methods established by the Association of Official Seed Analysts.

Restricted weed seed in lawn and turf seed and mixtures

Seeds of the following plants shall be considered restricted noxious weeds and shall be listed on the tag or label under the heading "Undesirable grass seed" or "Noxious Weed Seed" by name and number per pound or ounce when present in lawngrasses:

Bermudagrass	Cynodon spp.
Annual bluegrass	Poa annua
Rough bluegrass	Poa trivialis
Bentgrass	Agrostis spp.
(including, but not limited to creeping, colonial, velvet, and redtop)	
Meadow fescue	Festuca pratensis
Tall fescue	Festuca arundinacea
Orchardgrass	Dactylis glomerata
Timothy	Phleum pratense
Velvetgrass	Holcus lanatus

The requirements for restricted weed seed in lawn and turf seed and mixtures shall not apply to the seeds of plants of rough bluegrass, bentgrass, meadow fescue, and tall fescue when present in amounts of five percent or more, by weight, of the mixture.

The total amount of restricted noxious weed seeds in lawn and turf seed and mixtures shall not exceed 0.5 percent by weight.

The restricted noxious weed seeds in lawn and turf seed and mixtures shall not apply to grasses or mixtures clearly labeled for pasture, forage, hay, conservation, or soil bank reclamation usage.

The label for agricultural seed and mixtures thereof shall show the name and number per pound of each kind of restricted noxious-weed seed.

New Jersey law prohibits the sale of agricultural, vegetable, tree, shrub, or flower seed:

A. if it contains in excess of 1 percent by weight of all weed seed.
B. if it consists of or contains restricted noxious-weed seeds in excess of the number declared on the label attached to the seed container or associated with the seed.
C. if the seed or mixture of seed consists of or contains prohibited noxious-weed seed.

NEW MEXICO

Noxious-Weed Seeds
2002

Prohibited	
Bindweed	Convolvulus arvensis
Camelthorn	Alhagi camelorum
Halogeton	Halogeton glomeratus
Knapweed, Russian	Centaurea repens
Nutgrass	Cyperus esculentus or Cyperus rotundus
Povertyweed	Franseria discolor
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense
Whitetop	Cardaria draba or Cardaria pubescens

Restricted		Limitations
Blueweed, Texas	Helianthus ciliaris	45 per pound
Dodder	Cuscuta spp.	45 per pound
Goatgrass, jointed	Aegilops spp.	1 per pound
Horsenettle, white	Solanum elaeagnifolium	90 per pound
Johnsongrass	Sorghum halepense	45 per pound
Morningglory	Ipomoea spp.	45 per pound
Oat, wild	Avena fatua	90 per pound

The label shall show the name and number per pound of each restricted noxious-weed seed present.

New Mexico law prohibits the sale of agricultural or vegetable seed that consists of or contains:

A. prohibited noxious-weed seed, or
B. restricted noxious-weed seed in excess of the maximum amount shown above, or
C. in excess of 2.5 percent by weight of all weed seeds.

NEW YORK

Noxious-Weed Seeds
2002

Restricted	
Bedstraw	Galium spp.
Bindweed	Convolvulus arvensis
Bluegrass, annual	Poa annua (in lawn seed) 1/
Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Horsenettle	Solanum carolinense
Knapweed, Russian	Centaurea repens
Onion, wild	Allium canadense or Allium vineale
Quackgrass	Agropyron repens
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense

The label for agricultural seed or mixtures thereof shall show the name and number of seeds per pound of each kind of noxious-weed seed present.

The commissioner or his authorized agents may remove from further sale or prohibit from sale:

- wheat, oat, rye, barley, and other seeds of similar size or larger containing noxious-weed seeds at a rate of 10 or more per pound.

- seeds of grasses, small seeded legumes, and all other seeds smaller in size than wheat containing noxious-weed seeds at a rate of 100 or more per pound.

New York law prohibits the sale of any seed for planting purposes containing more than 1 percent by weight of all weed seeds, except that Japanese and Hungarian millet, smooth brome, Colonial bentgrass, redtop, and Kentucky bluegrass seed may not contain in excess of 2 percent weed seed.

1/ Annual bluegrass (Poa annua) seeds are considered noxious-weed seeds when present in lawn seeds, unless listed as a kind of seed and the percentages of pure seed and germination are given.

NORTH CAROLINA

Noxious-Weed Seeds
2002

Prohibited	
Balloonvine	Cardiospermum halicacabum
Crotalaria, showy	Crotalaria spectabilis
Crotalaria, smooth	Crotalaria pallida
Itchgrass	Rottboellia cochinchinensis
Jimsonweed	Datura stramonium
Johnsongrass	Sorghum halepense
Tussock, serrated	Nassella trichotoma
Witchweed	Striga asiatica

North Carolina law prohibits the sale of any agricultural or vegetable seed containing any prohibited noxious-weed seeds.

Restricted		Limitations (Seeds per pound)
Anoda, spurred	Anoda cristata	4
Bermudagrass	Cynodon dactylon	27
Bindweed, field	Convolvulus arvensis	27
Bindweed, hedge	Calystegia sepium	27
Cockle, corn	Agrostemma githago	10
Cocklebur	Xanthium spp.	4
Cornflower	Centaurea cyanus	27
Dock, broadleaf	Rumex obtusifolius	54
Dock, curly	Rumex crispus	54
Dodder	Cuscuta spp.	54
Foxtail, giant	Setaria faberi	54
Garlic, wild	Allium spp.	
	small grains or larger seeds:	4 bulblets
	grasses and small seeded legumes:	27 bulblets
Horsenettle	Solanum carolinense	54
Morning-glory	Ipomoea spp.	8
Mustard, wild (et al.)	Brassica spp.	54
Nutsedge, yellow	Cyperus esculentus	27 (or 2 tubers)
Nutsedge, purple	Cyperus rotundus	27 (or 2 tubers)
Onion, wild	Allium spp.	
	small grains or larger seeds:	4 bulblets
	grasses and small seeded legumes:	27 bulblets
Panicum, Texas	Panicum texanum	27
Plantain, bracted	Plantago aristata	54
Plantain, buckhorn	Plantago lanceolata	54
Quackgrass	Elytrigia repens	54
Radish, wild	Raphanus raphanistrum	12

Restricted - continued		Limitations (Seeds per pound)
Sandbur	Cenchrus spp.	4
Sicklepod	Cassia obtusifolia	4
Thistle, blessed	Cnicus benedictus	4
Thistle, Canada	Cirsium arvense	27
Velvetleaf	Abutilon theophrasti	4

When restricted noxious-weed seeds are present in agricultural seed, the name of the weed seed and the number per pound shall be stated on the seed tag or label.

North Carolina law prohibits the sale of any agricultural seed containing in excess of:

A. 144 noxious-weed seeds per pound, occurring singly or in any combination.
B. 1 percent by weight of weed seed.

NORTH DAKOTA

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Creeping Jenny	Convolvulus arvensis
Cress, hoary	Cardaria draba or Cardaria pubescens or Lepidium repens
Hemp	Cannabis sativa
Knapweed, Russian	Centaurea picris
Knapweed, spotted	Centaurea maculosa
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Starthistle, Yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Wormwood, absinth	Artemisia absinthium

The sale of seed that contains any of the prohibited noxious-weed seeds is unlawful.

Restricted

Bindweed, hedge	Convolvulus sepium
Dodder	Cuscuta spp., except coryli
Oat, wild	Avena fatua
Quackgrass	Agropyron repens

The label for agricultural or vegetable seeds shall show the name and rate of occurrence per pound of each kind of restricted noxious-weed seeds present, if the restricted noxious-weed seeds are present:

A. In seeds of grasses and small seeded legumes, in excess of thirteen seeds per pound, and
B. In other agricultural seeds including the cereals, oil seed crops, millets, and seeds of similar size, in excess of five seeds per pound.

Percentage by weight of all weed seeds shall not exceed 1 percent.

The maximum number of restricted noxious-weed seeds allowed in a seed lot is 25 per pound.

OHIO

Noxious-Weed Seeds
2002

Prohibited

Ballcress or Whitetop, hairy	Cardaria pubescens
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Calystegia sepium
Columbus grass	Sorghum x almum
Hoarycress, heart-podded	Cardaria draba
Johnsongrass	Sorghum halepense
Knapweed, Russian	Acroptilon repens
Loosestrife, purple	Lythrum salicaria
Quackgrass	Elytrigia repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Tussock, serrated	Nassella trichotoma
Whitetop, hairy or Ballcress	Cardaria pubescens

Ohio law prohibits the sale of any agricultural or vegetable seed containing prohibited noxious-weed seeds if the seed contains, singly or collectively, prohibited noxious-weed seeds, subject to a tolerance of not to exceed:

A. nine prohibited noxious-weed seeds per pound in seed of redtop, timothy, orchardgrass, bluegrass, fescue, bromegrass, red clover, white clover, alsike clover, sweet clover, or any seed of similar size;

B. five prohibited noxious-weed seeds per pound in seed of millet, rape, sudangrass, wheat, oats, rye, barley, buckwheat, vetches, or any other seed as large as or larger than wheat.

Secondary

Buckhorn	Plantago lanceolata
Corncockle	Agrostemma githago
Daisy, Oxeye	Leucanthemum vulgare
Dock, curly	Rumex crispus
Dodder	Cuscuta spp.
French weed	Thlaspi arvense
Garlic, wild	Allium vineale
Horsenettle	Solanum carolinense
Mustard, wild	Brassica arvensis or Brassica kaber
Onion, wild	Allium canadense
Poison-Hemlock	Conium maculatum

Ohio law prohibits the sale of agricultural seed containing more than 0.25 percent by weight of secondary noxious-weed seeds or bulblets, or more than 2.5 percent of all weed seeds.

The label for agricultural seed shall show the name and number of each kind of secondary noxious-weed seed or bulblet per ounce in groups A and B, and per pound in group C when present in excess of:

A. One seed or bulblet in each 10 grams of timothy, redtop, tall meadow oatgrass, orchardgrass, crested dogtail, Kentucky bluegrass, Canada bluegrass, fescues, smooth brome, perennial and Italian ryegrass, western ryegrass, crimson clover, red clover, white clover, alsike clover, sweetclover, alfalfa, and all other grasses and clovers not otherwise classified;

B. One seed or bulblet in each 50 grams of millet, rape, flax, sudangrass, and other seed not specified in groups A or C;

C. One seed or bulblet in each 200 grams of wheat, oats, rye, barley, buckwheat, vetches, and other seed as large or larger than wheat.

OKLAHOMA

Noxious-Weed Seeds
2002

Prohibited		
Bindweed, field	Convolvulus arvensis or Solanum elaegnifolium	
Knapweed, Russian	Centaurea picris	
Nutgrass	Cyperus rotundus	
Oat, wild and other wild noncultivated	Avena spp. (in wheat only) Avena fatua, Avena sterilis	
Poppy, red horned	Glacium corniculatum	
Sicklepod	Cassia obtusifolia	
Thistle, musk	Carduus nutans	
Thistle, Canada	Cirsium arvense	
Thistle, Scotch	Onopordum acanthium	
Tussock, serrated	Nassella trichotoma	
Whitetop or hoary cress	Cardaria draba	
Yerba De Tajo	Eclipta alba	

Restricted		Limitations
Balloonvine	Cardiospermum halicacabum	9 per pound
Bindweed, hedge	Convolvulus sepium	27 per pound
Blueweed, Texas	Helianthus ciliaris	45 per pound
Buckwheat, wild	Polygonum convolvulus	18 per pound
Cheat or chess	Bromus secalinus	200 per pound
Cocklebur	Xanthium spp.	3 per pound
Corncockle	Agrostemma githago	45 per pound
Darnel	Lolium temulentum	90 per pound
Dock	Rumex spp.	90 per pound
Dodder	Cuscuta spp.	90 per pound
Foxtail, giant	Setaria faberi	54 per pound
Garlic, wild or Onion, wild	Allium spp.	18 per pound
Goatgrass, jointed	Aegilops cylindrica	5 per pound
Horsenettle	Solanum carolinense	90 per pound
Johnsongrass (Except Johnsongrass will be permitted in Yellow bluestem, Caucasian bluestem, and chaffy grasses not to exceed 300 per pound)	Sorghum halepense	45 per pound
Lespedeza, Sericea	Lespedeza cuneata	9 per pound
Moonflower or Morningglory, giant	Calonyction muricatum	5 per pound
Morningglory, wild	Ipomoea purpurea	27 per pound
Mustard, wild	Brassica spp.	45 per pound
Nightshade, purple	Solanum elaeagnifolium	90 per pound
Oat, wild and other wild noncultivated	Avena spp. (Except in Wheat) Avena fatua, Avena sterilis	9 per pound
Onion, wild or Garlic, wild	Allium spp.	18 per pound
Plantain, bracted	Plantago aristata	45 per pound
Plantain, buckhorn	Plantago lanceolata	90 per pound

Restricted - continued

Quackgrass	Agropyron repens	45 per pound
Sorrel, sheep or Sorrel, red	Rumex acetosella	90 per pound

Sum total noxious weeds (subject to above limitations) shall not exceed 200 per pound (except in Yellow bluestem, Caucasian bluestem, and chaffy grasses. The sum total noxious weeds shall not exceed 500 per pound.)

The name and number of noxious-weed seeds per pound must be shown on the label when present in any amount, subject to the limitations above.

Oklahoma law prohibits the sale of agricultural seed containing in excess of 2 percent weed seeds, except for certain grasses and special seeds.

OREGON

Noxious-Weed Seeds
2002

Prohibited

Bindweed or Morningglory, wild	Convolvulus arvensis
Camelthorn	Alhagi camelorum
Creeper, bearded	Crupina vulgaris
Fieldcress, Austrian	Rorippa austriaca
Garlic, wild	Allium vineale
Goatgrass, jointed	Aegilops spp.
Halogeton	Halogeton glomeratus
Knapweed, diffuse	Centaurea diffusa
Knapweed, Russian	Acroptilon repens
Knapweed, spotted	Centaurea maculosa
Knapweed, squarerose	Centaurea virgata
Morningglory, wild or Bindweed	Convolvulus arvensis
Peaweed, Austrian	Sphaerophysa salsula
Pepperweed, perennial	Lepidium latifolium
Quackgrass	Elytrigia repens
Ragwort, tansy	Senecio jacobaea
Skeletonweed	Chondrilla juncea
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Starthistle, Iberian	Centaurea iberica
Starthistle, Malta	Centaurea melitensis
Starthistle, purple	Centaurea calcitrapa
Starthistle, yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense
Thistle, Italian	Carduus pycnocephalus
Thistle, musk	Carduus nutans
Thistle, slenderflower	Carduus tenuiflorus
Toadflax, Dalmatian	Linaria dalmatica
Tussock, serrated	Nassella trichotoma
Whitetop	Cardaria draba var. or Cardaria pubescens
Woad, dyers	Isatis tinctoria

Oregon law prohibits the sale of agricultural or vegetable seeds containing any prohibited noxious-weed seeds.

Noxious-Weed Seeds
2002

Restricted		Limitations
Bedstraw	Galium tricorne	45 per pound
Dodder	Cuscuta spp.	9 per pound
Goatweed or St. Johnswort	Hypericum perforatum	180 per pound
Johnsongrass	Sorghum halepense	5 per pound
Medusahead, rye	Elymus caput-medusae	45 per pound
Ragweed	Ambrosia artemisiifolia	18 per pound
St. Johnswort or Goatweed	Hypericum perforatum	180 per pound

The label for agricultural and vegetable seed shall show the name and number per pound of each kind of restricted noxious-weed seed.

Oregon law prohibits the sale of agricultural or vegetable seeds containing restricted noxious-weed seeds in excess of the amounts indicated.

PENNSYLVANIA

Noxious-Weed Seeds
2002

Prohibited in all seeds

Bindweed	Convolvulus spp.
Johnsongrass and seeds indistinguishable from johnsongrass seeds	Sorghum halepense
Quackgrass	Elytrigia repens
Rose, multiflora	Rosa multiflora
Thistle, Canada	Cirsium arvense

Pennsylvania law prohibits the sale of seed containing any of the above weed seeds.

Restricted in agricultural seeds

Bedstraw	Galium spp.
Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Garlic, wild	Allium vineale 1/
Horsenettle	Solanum carolinense
Mustard, wild	Brassica juncea or Brassica nigra or Sinapis arvensis
Onion, wild	Allium canadense 1/
Plantain, buckhorn	Plantago lanceolata
Sowthistle, perennial	Sonchus arvensis

The label for seeds shall show the name and number per pound of each kind of restricted noxious-weed seed or bulblet present in groups A and B below.

It is unlawful to sell or offer for sale agricultural, vegetable, and flower seed which contains noxious-weed seeds in excess of one seed or bulblet, singly or collectively, in each 5 grams (approximately 90 seeds per pound) of group A and in each 100 grams (approximately 5 seeds per pound) in group B except in the case of buckhorn plantain where not more than 5 seeds shall be allowed in 5 grams (approximately 450 seeds per pound) of group A and 5 seeds in 100 grams (approximately 25 seeds per pound) of group B.

A. Agrostis spp., Bermudagrass, timothy, orchardgrass, fescues, alsike and white clover, reed canarygrass, ryegrass, foxtail millet, alfalfa, red clover, sweetclover, lespedezas, smooth brome, tall oatgrass, crimson clover, Brassica spp., flax, Agropyron spp., and other seeds of similar size and weight, or mixtures within this group.

B. Wheat, sudangrass, oats, rye, barley, buckwheat, sorghums, vetches, and other seeds of a size and weight similar to or greater than those within this group, or any mixtures within this group.

1/ Seed wheat is not permitted to contain bulblets of wild garlic or wild onion - equivalent to zero bulblets per pound.

Noxious-Weed Seeds
2002

Pennsylvania law prohibits the sale of agricultural, vegetable, tree, shrub, or flower seed containing in excess of 1 percent by weight of all weed seeds.

Restricted noxious-weed seeds must be listed on the label under the heading "Noxious-Weed Seeds."

Seed wheat is not permitted to contain bulblets of wild garlic or wild onion - equivalent to zero bulblets per pound.

Restricted (Undesirable Grass Seeds) in lawn and turf seeds

Bentgrass (creeping, colonial, velvet)	Agrostis spp.
Bermudagrass	Cynodon spp.
Bluegrass, annual	Poa annua
Bluegrass, rough	Poa trivialis
Fescue, meadow	Festuca pratensis
Fescue, tall	Festuca arundinacea
Orchardgrass	Dactylis glomerata
Redtop	Agrostis gigantea
Timothy	Phleum pratense
Velvetgrass	Holcus lanatus

Undesirable grass seeds shall be listed on the label under the heading "Undesirable Grass Seeds" by name and number per pound when present in bentgrass, Kentucky bluegrass, Chewings fescue, hard fescue, red fescue, varieties of named turf type tall fescue, varieties of perennial ryegrass, or mixtures containing these grasses.

This restriction shall not apply to grasses or mixtures clearly labeled for pasture, forage, hay, conservation or spoil bank reclamation usages, or when the seeds are present in excess of 5 percent of the whole and the label contains the information required of lawn or turf grasses and mixtures.

Undesirable grass seeds shall not exceed 0.50 percent by weight.

RHODE ISLAND

Noxious-Weed Seeds
2002

Prohibited	
Bindweed	Convolvulus spp.
Nutgrass	Cyperus spp.
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense
Tussock, serrated	Nassella trichotoma
Velvetleaf	Abutilon theophrasti

Restricted	
Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Garlic, wild	Allium vineale
Horsenettle	Solanum carolinense
Mustard, wild	Brassica spp.
Onion, wild	Allium canadense
Plantain, buckhorn	Plantago lanceolata
Radish, wild	Raphanus raphanistrum
Sowthistle, perennial	Sonchus arvensis

The label shall show the name and approximate number of each kind of restricted noxious-weed seed:

A. per ounce in Agrostis spp., Poa spp., timothy, orchardgrass, fescues, alsike and white clover, reed canarygrass, ryegrass, foxtail millet, alfalfa, red clover, sweetclovers, lespedezas, smooth brome, crimson clover, and other agricultural seeds of similar size and weight, or mixtures within this group; and

B. per pound in sudangrass, wheat, oats, rye, barley, buckwheat, sorghums, vetches, and other agricultural seeds of a size and weight similar to or greater than those in this group, or any mixtures within this group.

Rhode Island law prohibits the sale of agricultural, vegetable, or lawn seed containing any primary noxious-weed seeds.

SOUTH CAROLINA

Noxious-Weed Seeds
2002

Prohibited	
Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Foxtail, giant	Setaria faberi
Itchgrass	Rottboellia exaltata
Nutgrass	Cyperus rotundus
Tropical soda apple	Solanum viarum dunal
Tussock, serrated	Nassella trichotoma
Witchweed	Striga asiatica

Restricted		Limitations
Bermudagrass	Cynodon dactylon	200 per pound
Blueweed	Helianthus ciliaris	200 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	200 per pound
Cocklebur	Xanthium spp.	1 per pound
Corncockle	Agrostemma githago	200 per pound
Darnel	Lolium temulentum	200 per pound
Docks	Rumex spp.	100 per pound
Dodders	Cuscuta spp.	100 per pound
Horsenettle	Solanum carolinense	200 per pound
Johnsongrass	Sorghum halepense	10 per pound
Knapweed, Russian	Centaurea picris	100 per pound
Moonflower, purple	Calonyction muricatum	9 per pound
Mustard, wild or turnips, wild	Brassica spp.	50 per pound
Nightshade	Solanum elaeagnifolium	200 per pound
Oats, wild	Avena fatua	50 per pound
Onion, wild	Allium spp.	18 per pound
Plantain, bracted	Plantago aristata	200 per pound
Plantain, buckhorn	Plantago lanceolata	200 per pound
Quackgrass	Agropyron repens	100 per pound
Radish, wild	Raphanus raphanistrum	50 per pound
Rice, red	Oryza sativa var.	200 per pound
Sandbur	Cenchrus pauciflorus	1 per pound
Sorghum almum	Sorghum almum	10 per pound
Sorgrass	Sorghum spp.	10 per pound
Sorrel, sheep	Rumex acetosella	100 per pound
Sudangrass, perennial sweet-type	Sorghum spp.	10 per pound
Thistle, blessed	Cnicus benedictus	27 per pound
Thistle, Canada	Cirsium arvense	100 per pound
Turnips, wild or Mustard, wild	Brassica spp.	50 per pound

The label shall show the name and number per ounce or per pound of all noxious-weed seeds present in agricultural seed.

The single limitation listed above is the maximum number allowable for that weed seed, with not over 200 total noxious-weed seeds singly or collectively in any combination.

Agricultural seeds will be prohibited from sale when such seeds contain more than 2 percent by weight of all weed seed.

SOUTH DAKOTA

Noxious-Weed Seeds
2002

Prohibited	
Bindweed, field	Convolvulus arvensis
Cress, hoary	Cardaria draba
Horsenettle	Solanum carolinense
Knapweed, Russian	Centaurea repens
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula or Euphorbia pseudovirgata
Thistle, Canada	Cirsium arvensis
Restricted	
Bindweed, hedge	Convolvulus sepium
Bluegrass, annual	Poa annua
Carrot, wild	Daucus carota
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Knapweed, spotted	Centaurea maculosa
Mustard, wild	Brassica arvensis (=Brassica kaber) or Brassica juncea or Brassica nigra
Oat, wild	Avena fatua
Pennycress, field	Thlaspi arvense
Thistle, musk	Carduus nutans
Thistle, plumeless	Carduus acanthoides

Each label of agricultural seed shall show the name and rate of occurrence of each kind of restricted noxious-weed seed present.

Agricultural and vegetable seed containing in excess of 2 percent by weight of weed seed is prohibited from sale, except that the following grasses or mixtures thereof shall not contain more than 5 percent: bluestems, indiangrass, gramas, and prairie sandreed grasses.

South Dakota prohibits the sale of agricultural or vegetable seed containing or consisting of prohibited noxious-weed seeds.

TENNESSEE

Noxious-Weed Seeds
2002

Prohibited

Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Crotalaria	Crotalaria spectabilis
Itchgrass	Rottboellia exaltata
Johnsongrass	Sorghum halepense
Nutgrass	Cyperus rotundus or Cyperus esculentus
Sicklepod	Cassia obtusifolia
Sorghum almum	Sorghum almum
Thistle, Canada	Cirsium arvense

Restricted

Bluegrass, annual (Lawn and turf seed only)	Poa annua	300 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	300 per pound
Cocklebur	Xanthium spp.	2 per pound
Corncockle	Agrostemma githago	100 per pound
Darnel	Lolium temulentum	100 per pound
Dock	Rumex spp.	100 per pound
Dodder	Cuscuta spp.	100 per pound
Foxtail, giant	Setaria faberi	100 per pound
Garlic, wild or Onion, wild	Allium spp.	27 per pound
Horsenettle	Solanum carolinense	200 per pound
Mustard, wild or Turnips, wild	Brassica spp.	27 per pound
Plantain, buckhorn	Plantago lanceolata	200 per pound
Quackgrass	Agropyron repens	100 per pound
Sorrel, sheep	Rumex acetosella	200 per pound
Thistles, plumeless: includes Musk Thistle, Nodding Thistle, and Curled Thistle	Carduus spp.	100 per pound
Turnips, wild or Mustard, wild	Brassica spp.	27 per pound

The label shall show the name and rate of occurrence of each kind of restricted noxious-weed seed present.

Tennessee law prohibits the sale of agricultural seed containing in excess of 2.0 percent by weight of total weed seed.

Annual Bluegrass shall be claimed on the label if present in lawn and turf seed such as, bentgrass, Kentucky bluegrass, chewings fescue, red fescue, hard fescue, varieties of perennial ryegrass, varieties of turf type tall fescue, and/or mixtures containing these grasses.

Tennessee law prohibits the sale of agricultural seed that contain in excess of a sum total of 300 restricted noxious-weed seed per pound (subject to above limitations).

Exceptions:

A. Crimson clover may contain one hundred (100) Brassica spp. seed per pound.
B. KY 31 tall fescue may contain a sum total of five hundred (500) restricted noxious-weed seed per pound. However, maximum limitations for each kind remain the same.
C. Black soybeans used for hay purposes may contain two (2) sicklepod per pound.

TEXAS

Noxious-Weed Seeds
2002

Prohibited

Common Name	Scientific Name
Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Calystegia sepium
Castor	Ricinus communis
Cocklebur	Xanthium spp.
Itchgrass	Rottboellia cochinchinensis
Nutsedge	Cyperus esculentus or Cyperus rotundus
Nutsedge tubers	Cyperus spp.
Tropical Soda Apple	Solanum viarum
Tussock, serrated	Nassella trichotoma

Restricted

Common Name	Scientific Name	Limitations
Bermudagrass	Cynodon dactylon	name and number
Bluegrass, annual	Poa annua 1/	name and number
Blueweed	Helianthus ciliaris	100 per pound
Carrot, wild	Daucus carota	300 per pound
Cheat or Chess	Bromus secalinus or Bromus commutatus	300 per pound
Corncockle	Agrostemma githago	300 per pound
Darnel	Lolium temulentum	300 per pound
Dock	Rumex spp.	300 per pound
Dodder	Cuscuta spp.	100 per pound
Foxtail, giant	Setaria faberi	100 per pound
Garlic, wild or Onion, wild	Allium spp.	100 per pound
Goatgrass	Aegilops spp.	20 per pound
Horsenettle or Nightshade, purple	Solanum carolinense	300 per pound
Johnsongrass	Sorghum halepense	name and number
Knapweed, Russian	Centaurea repens	100 per pound
Maypop or Passionflower	Passiflora incarnata	name and number
Morningglory	Ipomoea spp.	name and number
Mustard, common giant	Rapistrum rugosum	300 per pound
Mustards, wild and Turnips, wild	Brassica and Sinapis spp.	300 per pound
Nightshade, purple or Horsenettle	Solanum elaeagnifolium	300 per pound
Oat, feral	Avena spp.	300 per pound

1/ Annual bluegrass seeds are considered noxious-weed seed when present in lawn and turf seed such as perennial ryegrass, turf type tall fescue, chewings fescue, rough bluegrass, turf type annual ryegrass, and/or a mixture containing these grasses.

Restricted - continued

Common Name	Scientific Name	Limitations
Oat, wild	Avena fatua	300 per pound
Onion, wild or Garlic, wild	Allium spp.	100 per pound
Passionflower or Maypop	Passiflora incarnata	name and number
Plantain, bracted and	Plantago aristata and	
Plantain, buckhorn	Plantago lanceolata	300 per pound
Puncturevine	Tribulus terrestris	300 per pound
Quackgrass	Elytrigia repens	100 per pound
Radish, wild	Raphanus raphanistrum	100 per pound
Rice, red	Oryza sativa var.	1 per pound
Ryegrass, Persian	Lolium persicum	300 per pound
Sorrel	Rumex spp.	300 per pound
Thistle, blessed	Cnicus benedictus	100 per pound
Thistle, blessed milk	Silybum marianum	20 per pound
Thistle, Canada	Cirsium arvense	100 per pound
Turnips, wild and Mustards, wild	Brassica and Sinapis spp.	300 per pound

The label for agricultural seed, regardless of size of container, and vegetable seed in containers of 1 pound or more shall show the rate per pound of restricted noxious-weed seeds.

If bermudagrass (*Cynodon dactylon*) or giant bermudagrass (*Cynodon spp.*) occurs in excess of 5.0% of the whole by weight, its presence therein must be indicated as an agricultural seed on the labeling of such seed. When either bermudagrass or giant bermudagrass is considered an agricultural seed, the seed of the other kind, if present shall also be classified as an agricultural seed and must meet the requirements for labeling of agricultural seed.

Johnsongrass includes sorghum almum (*Sorghum almum*) and all seeds indistinguishable from Johnsongrass. If Johnsongrass occurs in excess of 5.0% of the whole by weight, its presence therein must be indicated as an agricultural seed on the labeling of such seed.

Texas law prohibits the sale of agricultural seed containing any prohibited noxious-weed seeds or tubers.

Texas law prohibits the sale of agricultural seed containing any combination of restricted noxious-weed seeds in any combination in excess of 500 per pound except that annual bluegrass, bermudagrass, giant bermudagrass, Johnsongrass, and morningglory are exempt from the total count.

UTAH

Noxious-Weed Seeds
2002

Prohibited

Bermudagrass	Cynodon dactylon 1/
Bindweed or Morning-glory, Wild	Convolvulus spp.
Knapweed, diffuse	Centaurea diffusa
Knapweed, Russian	Centaurea repens
Knapweed, spotted	Centaurea maculosa
Knapweed, squarrose	Centaurea squarrosa
Loosestrife, purple	Lythrum salicaria
Medusahead	Taeniatherum caput-medusae
Morning-glory, Wild or Bindweed	Convolvulus spp
Peppergrass, broad-leaved or Whitetop, tall	Lepidium latifolium
Quackgrass	Agropyron repens
Sorghum spp., perennial including but not limited to Johnson grass (Sorghum halepense) and Sorghum almum (Sorghum almum)	Sorghum spp.
Spurge, leafy	Euphorbia esula
Starthistle, yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense
Thistle, cotton or Thistle, Scotch	Onopordum acanthium
Thistle, musk	Carduus nutans
Thistle, Scotch or Thistle, cotton	Onopordum acanthium
Whitetop	Cardaria spp.
Whitetop, tall or Peppergrass, broad-leaved	Lepidium latifolium
Woad, dyers	Isatis tinctoria

Restricted noxious weed seeds

Utah law restricts Restricted noxious weed seeds to 27 seeds per pound, singly or in combination.

Dodder	Cuscuta spp.
Halogeton	Halogeton glomeratus
Goatgrass, jointed	Aegilops cylindrica
Oat, wild	Avena fatua
Povertyweed	Iva axillaris

1/ Except in Washington County.

In agricultural seeds and in vegetable seeds in containers of more than 1 pound, the labels shall show the name and rate of occurrence per pound of each kind of noxious-weed seed for which tolerance is permitted.

It shall be unlawful for any person, firm or corporation to sell, offer or expose for sale, or distribute in the State of Utah, any agricultural, vegetable, flower, tree, and shrub seeds for seeding purposes which:

A. Contain any prohibited noxious-weed seeds, or
B. Contain more than 27 per pound of any of the restricted weed seeds as a single species or in combination. The following maximum percentage of weed seeds by weight shall be allowed:
    1. Two percent (2.0%) of Cheat (Bromus secalinus), Chess (Bromus brizaformis), (B. commutatus), (B. mollis), Japanese brome (Bromus japonica), and downy brome (Bromus tectorum) either as a single species or in combination in grass seeds.
    2. One percent (1.0%) of any weed seeds not listed above in grass, flower, tree, and shrub seeds.
    3. One-half of one percent (0.50%) in all other kinds or types of seeds.

VERMONT

Noxious-Weed Seeds
2002

Prohibited

Bedstraw	Galium spp.
Bindweed, field	Convolvulus arvensis
Quackgrass	Agropyron repens
Thistle, Canada	Cirsium arvense
Tussock, serrated	Nassella trichotoma
Velvetleaf	Abutilon theophrasti

Vermont law prohibits the sale of agricultural or vegetable seed consisting of or containing prohibited noxious-weed seeds, subject to recognized tolerances.

Restricted

Corncockle	Agrostemma githago
Dodder	Cuscuta spp.
Horsenettle	Solanum carolinense
Loosestrife, purple	Lythrum salicaria
Mustard, wild	Brassica spp.
Onion, wild	Allium spp.
Radish, wild	Raphanus raphanistrum
Sowthistle, perennial	Sonchus arvensis

The label of agricultural seed shall show the name and rate of occurrence per pound of each kind of restricted noxious-weed seed.

Vermont law prohibits the sale of agricultural or vegetable seed containing in excess of 0.50 percent by weight of all weed seeds.

VIRGINIA

Noxious-Weed Seeds
2002

Prohibited

Balloonvine	Cardiospermum halicacabum
Bindweed, field	Convolvulus arvensis
Johnsongrass, Sorgrass, Sorghum X almum and Sorghum hybrids derived therefrom	Sorghum spp. perennial
Quackgrass	Elytrigia repens
Sicklepod	Senna obtusifolia
Thistle, Canada	Cirsium arvense
Thistle, plumeless, musk, and curled	Carduus spp.
Tussock, serrated	Nassella trichotoma

Virginia law prohibits the sale of:
Agricultural or vegetable seed consisting of or containing any prohibited noxious-weed seeds.

Korean lespedeza, orchardgrass (hulled), tall oatgrass, or redtop if it contains more than 1.50 percent by weight of weed seeds.

Any other agricultural or vegetable seed if it contains more than 1 percent by weight of weed seeds.

Restricted

Dodder	Cuscuta spp.	4 per ounce or 64 per pound
Foxtail, giant	Setaria faberi	4 per ounce or 64 per pound
Garlic, wild and Onion, wild - bulblets	Allium spp.	5 per ounce or 80 per pound in orchardgrass; 2 per ounce or 32 per pound in other kinds.
Mustard, wild	Brassica spp. and Sinapis arvensis	5 per ounce or 80 per pound
Radish	Raphanus spp.	1 per ounce or 16 per pound

Wild mustard (Sinapis arvensis and Brassica spp.) includes all species when occurring incidentally in agricultural seed, provided that species listed in regulations of the Virginia seed law may be sold as such when labeled as required.

Virginia law prohibits the sale of agricultural and/or vegetable seed if the number per ounce or per pound of restricted noxious-weed seeds exceeds the limitation allowed for each.

Restricted - Lawn and turf seed only

Bentgrasses (colonial, creeping, velvet)	Agrostis spp.
Bermudagrass and Bermudagrass, giant	Cynodon spp.
Bluegrass, annual	Poa annua
Bluegrass, rough	Poa trivialis
Fescue, meadow	Festuca pratensis
Fescue, tall	Festuca arundinacea
Orchardgrass	Dactylis glomerata
Redtop	Agrostis gigantea
Timothy	Phleum pratense
Velvetgrass	Holcus lanatus

Restricted lawn and turf seed shall be labeled as "Noxious-weed seed" or "Undesirable grass seed," with the label showing the rate of occurrence per pound when present in bentgrasses, Kentucky bluegrass, chewings fescue, red fescue, hard fescue, varieties of perennial ryegrass, varieties of named turf type tall fescue, and/or mixture containing these grasses. The maximum amount that is allowed is 1 percent weed seeds.

Bentgrasses (creeping, colonial, velvet), bermudagrass, giant bermudagrass, rough bluegrass, meadow fescue, tall fescue and redtop may be included as a labeled component of a mixture when in excess of 5 percent of the whole.

WASHINGTON

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Bindweed, hedge	Convolvulus sepium
Bladder campion	Silene cucubalus (Only in timothy - *Phleum pratense*)
Camelthorn	Alhagi camelorum
Cockle, white	Lychnis alba (Only in timothy - *Phleum pratense*)
Fieldcress, Austrian	Rorippa austriaca
Goatgrass, jointed	Aegilops cylindrica (only in small grain)
Hoary cress	Cardaria draba
Knapweed complex including	
Knapweed, bighead	Centaurea macrocephala
Knapweed, black	Centaurea nigra
Knapweed, brown	Centaurea jacea
Knapweed, diffuse	Centaurea diffusa
Knapweed, meadow	Centaurea jacea x nigra
Knapweed, Russian	Centaurea repens
Knapweed, spotted	Centaurea maculosa
Knapweed, Vochin	Centaurea nigrescens
Lepyrodiclis	Lepyrodiclis holosteoides
Pepperweed, perennial	Lepidium latifolium
Quackgrass	Elytrigia repens
Ragwort, tansy	Senecio jacobaea
Skeletonweed, yellow-flowering	Chondrilla juncea
Sorghum, perennial; such as, but not limited to, Johnsongrass, sorghum almum and perennial sweet sudangrass	Sorghum spp.
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Starthistle, purple	Centaurea calcitrapa
Starthistle, yellow	Centaurea solstitialis
Thistle, Canada	Cirsium arvense
Tussock, serrated	Nassella trichotoma
Velvetleaf	Abutilon theophrasti
Whitetop, hairy	Cardaria pubescens

Washington law prohibits the distribution of agricultural, vegetable, and flower seed containing prohibited seed.

Restricted

Blackgrass	Alopecurus myosuroides
Docks	Rumex spp.
Dodder	Cuscuta spp.
Fanweed or Pennycress, field	Thlaspi arvense
Gromwell (only in small grain)	Buglossoides arvensis

Restricted- continued

Halogeton	Halogeton glomeratus
Lettuce, blue	Lactuca tatarica subsp. pulchella
Medusahead	Taeniatherum caput-medusae subsp. caput-medusae
Mustard, wild	Sinapis arvensis subsp. arvensis
Oat, wild	Avena fatua
Pennycress, field or Fanweed	Thlaspi arvense
Plantains	Plantago spp.
Poverty weed	Iva axillaris
Puncturevine	Tribulus terrestris
Ragweed, western	Ambrosia psilostachya
Sandbur, field	Cenchrus incertus
Sorrel	Rumex spp.
St. Johnswort	Hypericum perforatum
Toadflax, Dalmatian	Linaria dalmatica
Toadflax, yellow	Linaria vulgaris
Woad, dyers	Isatis tinctoria

The label shall show the name and approximate number of each kind of restricted noxious-weed seed per pound.

It shall be unlawful for any person to distribute mislabeled seed. Seed shall be deemed to be mislabeled if it consists of or contains any of the restricted noxious-weed seeds in excess of the number declared on the label.

Washington law prohibits the distribution of agricultural, vegetable, and flower seed if it contains a weed seed content in excess of 2 percent.

In addition, Washington has issued a list of "PLANTS AND SEEDS WHOSE SALES ARE PROHIBITED IN WASHINGTON STATE (1995)." You may obtain this list from Washington State Department of Agriculture, Plant Services Division, Post Office Box 42560, Olympia, Washington 98504-2560. For more information, call 253-872-2972

WEST VIRGINIA

Noxious-Weed Seeds
2002

Prohibited

Johnsongrass	Sorghum halepense
Quackgrass	Agropyron repens
Sowthistle, perennial	Sonchus arvensis
Thistle, Canada	Carduus arvensis
Tussock, serrated	Nassella trichotoma

West Virginia law prohibits the sale of agricultural seed containing any prohibited noxious-weed seed.

Restricted

Bindweed	Convolvulus arvensis
Buckhorn	Plantago lanceolata
Carrot, wild	Daucus carota
Charlock, English	Brassica arvensis
Corncockle	Agrostemma githago
Daisy, oxeye	Chrysanthemum leucanthemum
Dodder	Cuscuta spp.
Hawkweed	Hieracium spp.
Horsenettle	Solanum carolinense
Morningglory, wild	Ipomoea purpurea
Mustard, Indian	Brassica juncea
Mustard, wild	Brassica arvensis
Onion, wild	Allium vineale
Peppergrass, field	Lepidium campestre
Star thistle	Centaurea solstitialis

The label for agricultural seeds shall show the name and approximate number of each kind of noxious-weed seed:

A. per ounce in Agrostis spp., Poa spp., Rhodesgrass, Bermudagrass, timothy, orchardgrass, fescues, alsike and white clovers, reed canarygrass, dallisgrass, ryegrass, foxtail millet, alfalfa, red clover, sweetclovers, lespedezas, smooth brome, crimson clover, Brassica spp., flax, Agropyron spp., and other agricultural seeds of similar size and weight, or mixtures within this group; and
B. per pound in proso, sudangrass, wheat, oat, rye, barley, buckwheat, sorghums, vetches, and other agricultural seeds of a size and weight to or greater than those within this group, or any mixtures within this group.

Restricted noxious-weed seed in lawn and turf seed and mixtures

When present in bluegrass, Kentucky bluegrass, Chewings fescue, hard fescue, red fescue, varieties of named turf-type tall fescue, varieties of perennial ryegrass, or a mixture containing any of these grasses, seed of the following plants are restricted noxious weed seed and shall be listed on the tab or label by name and number per pound or ounce under the heading "Noxious Weed Seed" or "Undesirable Grass Seed:"

Bentgrass - colonial, creeping, velvet	Agrostis spp.
Bermudagrass or	
Bermudagrass, giant	Cynodon dactylon
Annual bluegrass	Poa annua
Rough bluegrass	Poa trivialis
Meadow fescue	Festuca pratensis
Tall fescue	Festuca arundinacea
Orchardgrass	Dactylis glomerata
Redtop	Agrostis gigantea
Timothy	Phleum pratense
Velvetgrass	Holcus lanatus

West Virginia law prohibits the distribution or transport for sale of:

1. agricultural seeds containing weed seed in excess of 2.5 percent by weight,
2. grass seed mixtures intended for lawn or turf purposes containing:
    a. restricted noxious weed seed in excess of 0.5 percent by weight,
    b. weed seed in excess of 0.5 percent by weight.

WISCONSIN

Noxious-Weed Seeds
2002

Prohibited

Bindweed, field	Convolvulus arvensis
Quackgrass	Agropyron repens
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense

Wisconsin law prohibits the sale of agricultural seed containing prohibited noxious-weed seed.

Restricted

Alyssum, hoary	Berteroa incana
Brome, downy	Bromus tectorum
Buckhorn	Plantago lanceolata
Cockle, white	Silene alba
Daisy, oxeye	Leucanthemum vulgare
Dodder	Cuscuta spp.
Foxtail, giant	Setaria faberi
Mustard, Indian	Brassica juncea
Mustard, wild	Sinapis arvensis
Oat, wild	Avena fatua
Radish, wild	Raphanus raphanistrum
Rocket, yellow	Barbarea vulgaris
Sowthistle, perennial	Sonchus arvensis

	For these seeds and seeds of similar size and weight, or mixtures of those seeds:	Label must show name and rate of occurrence per pound:	Seeds are prohibited from sale:
		If in excess of 1 seed in:	
1.	redtop, bentgrass	2.5 grams (182/lb)	1 gram (454/lb)
2.	rough bluegrass (Poa trivialis)	5 grams (91/lb)	1 gram (454/lb)
3.	Kentucky bluegrass, timothy	10 grams (45/lb)	5 grams (91/lb)
4.	alsike clover, white clover, reed canarygrass	20 grams (23/lb)	10 grams (45/lb)
5.	orchardgrass, chewings fescue, red fescue, birdsfoot trefoil	30 grams (15/lb)	10 grams (45/lb)
6.	alfalfa, red clover, sweet clover, ryegrass, tall fescue, foxtail millet	50 grams (9/lb)	10 grams (45/lb)
7.	smooth brome, rape	70 grams (6/lb)	15 grams (30/lb)
8.	Japanese millet	90 grams (5/lb)	20 grams (23/lb)
9.	crown vetch	100 grams (4.5/lb)	20 grams (23/lb)
10.	proso millet, flax	150 grams (3/lb)	30 grams (15/lb)
11.	Sudan grass	250 grams (2/lb)	50 grams (9/lb)
12.	oat, rye, barley, wheat, sorghum, buckwheat, sunflower	500 grams (1/lb)	100 grams (4.5/lb)
13.	field bean, pea, corn, soybean	500 grams (1/lb)	100 grams (4.5/lb)

WYOMING

Noxious-Weed Seeds
2002

Prohibited	
Bindweed, field	Convolvulus arvensis
Burdock, common	Arctium minus
Bursage, skeletonleaf	Ambrosia tomentosa or Franseria discolor
Cress, hoary	Cardaria draba or Cardaria draba subsp. draba
Daisy, oxeye	Chrysanthemum leucanthemum or Leucanthemum vulgare
Houndstongue	Cynoglossum officiale
Knapweed, Russian	Acroptilon repens or Centaurea repens
Pepperweed, perennial	Lepidium latifolium
Quackgrass	Agropyron repens or Elytrigia repens var. repens
Sowthistle, perennial	Sonchus arvensis
Spurge, leafy	Euphorbia esula
Thistle, Canada	Cirsium arvense
Thistle, musk	Carduus nutans
Thistle, plumeless	Carduus acanthoides
Thistle, Scotch	Onopordum acanthium
Toadflax, Dalmation	Linaria dalmatica
Toadflax, yellow	Linaria vulgaris
Woad, dyers	Isatis tinctoria

Wyoming law prohibits the sale of agricultural or vegetable seed or screenings thereof containing
any of the noxious-weed seeds listed above.

Restricted

The tolerance on the following restricted noxious weed seed shall not exceed forty-five (45) seeds per pound in small seeded crops and five (5) seeds per pound in small grains and seeds of similar size:

Lettuce, blue	Lactuca pulchella or Lactuca tatarica subsp. pulchella
Licorice, wild	Glycyrrhiza lepidota
Mustard, blue	Chorispora tenella
Oat, wild	Avena fatua
Plantain, buckhorn	Plantago lanceolata
Poverty weed	Iva axillaris
Puncturevine	Tribulus terrestris
Ragweed, perennial	Ambrosia psilostachya
Star-thistle, yellow	Centaurea solstitialis
Swainsonpea	Sphaerophysa salsula or Swainsona salsula
Tansy	Tanacetum vulgare
Tansymustard	Descurainia pinnata

Restricted - Zero Tolerance

The tolerance on the following restricted noxious weed seed shall be zero (0) seeds per pound in all seed:

Dodder	Cuscuta spp.
Goatgrass, jointed	Aegilops cylindrica
Knapweed, diffuse	Centaurea diffusa
Knapweed, spotted	Centaurea biebersteinii or Centaurea maculosa
Loosestrife, purple	Lythrum salicaria
Millet, wild proso	Panicum miliaceum subsp. ruderale

The label shall show the name and number per pound of each kind of restricted noxious-weed seed.

Wyoming law prohibits in the retail trade any agricultural or vegetable seed containing in excess of 2 percent by weight of common weed seeds.

APPENDIX A

Common name	Botanical name	States (US = Federal Noxious Weeds)
Acuate	Lagascea mollis	HI
Aeginetia spp.	Aeginetia spp.	US
Alectra spp.	Alectra spp.	US
Alfombrilla	Drymaria arenarioides	AZ and US
Algarrobo	Prosopis pallida	US
Alyssum, hoary	Berteroa incana	MI, MN, and WI
Amargo, mesquite	Prosopis articulata	US
Ambulia	Limnophila sessiliflora	US
Amorseco	Chrysopogon aciculatus	US
Anoda, spurred	Anoda cristata	CO, DE, MD, NJ, and NC
Ardisia, shoebutton	Ardisia elliptica	HI
Arrowhead	Sagittaria sagittifolia	US
Azolla, ferny	Azolla pinnata	US
Ballcress	Cardaria pubescens	OH
(see cress, hoarycress, and whitetop)		
Shown as globe-podded hoary cress	Cardaria pubescens	CA
Shown as hoary cress	Cardaria pubescens	ND, and NV
Shown as hoarycress	Cardaria pubescens	AZ
Shown as whitetop	Cardaria pubescens	AK
Shown as hairy whitetop	Cardaria pubescens	OH
Balloonvine	Cardiospermum halicacabum	AL, AR, DE, FL, GA, KY, LA, MD, MS, MO, NC, OK, SC, TN, TX, and VA
Barbwire grass	Cymbopogon refractus	HI
Barnyardgrass	Echinochloa crusgalli	AR
Beancaper, Syrian	Zygophyllum fabago	ID
Bedding grass	Pennisetum macrourum	US
Bedstraw	Galium spp.	CT, MA, NH, NY, PA, and VT
Bedstraw	Galium tricorne	OR
Bentgrass (Colonial, Creeping, Velvet)	Agrostis spp.	DE, MD, NJ, PA, VA, and WV
Bermudagrass	Cynodon dactylon	AL, AR, DC, FL, GA, LA, MD, NJ, NC, SC, TX, UT and WV
Bermudagrass (, Common and giant)	Cynodon spp.	DE, MS, NJ, PA, and VA
Bermudagrass, giant	Cynodon dactylon	MD, VA, and WV
Bermudagrass, giant	Cynodon dactylon var. aridus	DC
Bindweed	Convolvulus arvensis	CT, DE, FL, ME, MD, NJ, NM, NY, OR, and WV
Shown as Bindweed, field	Convolvulus arvensis	AL, AK, AZ, AR, CA, CO, DC, GA, HI, ID, IL, IN, KS, LA, MA, MI, MN, MS, MO, MT, NE, NV, NH, NC, ND, OH, OK, SC, SD, TN, TX, VT, VA, WA, WI, and WY
Shown as Bindweed, Field	Solanum elaeagnifolium	OK
Shown as Creeping Jenny	Convolvulus arvensis	ND

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Shown as Morningglory, European	Convolvulus arvensis	IA
Shown as Morningglory, wild	Convolvulus arvensis	OR
Bindweed	Convolvulus spp.	DE, PA, RI, and UT
Bindweed, black	Polygonum convolvulus	KS
Shown as Buckwheat, wild	Polygonum convolvulus	AK, KS, and OK
Bindweed, hedge	Calystegia spp.	KS
Bindweed, hedge	Calystegia sepium	GA, MS, NC, OH, and TX
Bindweed, hedge	Convolvulus sepium	AL, AR, HI, KS, LA, MI, MO, NJ, ND, OK, SC, SD, TN, and WA
Bitterbush	Chromolaena odorata	HI
Blackberry, prickly Florida	Rubus argutus	HI
Blackgrass	Alopecurus myosuroides	WA
Blue burr	Lappula echinata	AK
(Lappula echinata is a synonym of Lappula squarrosa)		
Bluegrass, annual	Poa annua	AK, CT, DE, DC, FL, KY, MD, MA, NJ, NY, PA, SD, TN, TX, VA, and WV
Bluegrass, rough	Poa trivialis	DE, MD, NJ, PA, VA, and WV
Blueweed (, Texas)	Helianthus ciliaris	AZ, AR, CA, CO, GA, HI, KS, LA, NM, OK, SC, and TX
Borreria alata	Borreria alata	US
Borreria alata is a synonym of Spermacoce alata		
Bouncingbet	Saponaria officinalis	CO
Box, Victorian	Pittosporum undulatum	HI
Boxthorn, African	Lycium ferocissimum	US
Brome, downy	Bromus tectorum	WI
Broom, French	Cytisus monspessulanus	HI
Broom, Scotch	Cytisus scoparius	HI
Broom, Spanish	Spartium junceum	HI
Broomrape	Orobanche spp.	US
Broomsedge	Andropogon virginicus	HI
Buckhorn	Plantago lanceolata	AL, IL, IN, IA, KY, MO, OH, WV, and WI
Shown as Plantain	Plantago spp.	AK, CT, MS, and WA
Shown as Plantain, bracted	Plantago aristata	AL, GA, LA, NC, OK, SC, and TX
Shown as Plantain, buckhorn	Plantago lanceolata	AR, CO, FL, GA, ID, KS, LA, ME, MA, MI, MN, MS, NC, OK, PA, RI, SC, TN, TX, and WY
Buckwheat, wild	Polygonum convolvulus	AK, KS, and OK
Shown as black bindweed	Polygonum convolvulus	KS
Buffalobur	Solanum rostratum	HI, and ID
Buffalograss	Panicum texanum	FL
Shown as Millet, Texas	Panicum texanum	FL, and GA
Shown as Panicum, Texas	Panicum texanum	FL, GA, and NC
See Texas millet and Texas panicum		

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Bullnettle	Solanum carolinense	IL, KS
Shown as Horsenettle, (Carolina)	Solanum carolinense	AL, AK, AZ, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, LA, ME, MD, MA, MI, MN, NE, NV, NH, NJ, NY, NC, OH, OK, PA, RI, SC, SD, TN, TX, VT, and WV
Bur, New Zealand	Acaena novae-zelandiae	HI
Bur, paroquet	Triumfetta rhomboidea	HI
Bur, Sacramento	Triumfetta semitriloba	HI
Bur, star	Acanthospermum hispidum	HI
Burcucumber	Sicyos angulatus	DE and NJ
Burdock, common	Arctium minus	CO and WY
Bur-reed, exotic	Sparganium erectum	US
Bur-sage (see povertyweed, and ragweed)		
The Nebraska lab reports all bur-sage (Ambrosia spp.) as noxious		
Bur-sage skeleton-leaf	Ambrosia tomentosa	ID, and WY
Bur-sage skeleton-leaf	Ambrosia discolor	NE
Ambrosia discolor is a synonym of Ambrosia tomentosa		
Bur-sage skeleton-leaf	Franseria discolor	WY
Shown as Povertyweed, silverleaf	Franseria discolor	CO and NM
Franseria discolor is a synonym of Ambrosia tomentosa		
Bur-sage woolly-leaf	Ambrosia tomentosa	NE
Woolly-leaf Bur-sage is a common name for Ambrosia grayi		
See ragweed, and woolly-leaf povertyweed		
Butter and eggs	Linaria vulgaris	ID
Shown as Toadflax, yellow	Linaria vulgaris	AK, CO, ID, MT, WA, and WY
Buttercup, tall	Ranunculus acris	MT
Butterprint	Abutilon theophrasti	CO and IA
Shown as velvetleaf	Abutilon theophrasti	CO, KS, MI, NH, NC, RI, VT, and WA
Cactus, moon	Eriocereus martinii	HI
Cactus, spiny tree	Cereus uruguayanus	HI
Caesarweed	Urena lobata	HI
Camelthorn	Alhagi camelorum	ID, NV, NM, OR, and WA
Camelthorn	Alhagi maurorum	HI, and ID
Camelthorn	Alhagi pseudalhagi	AZ, CA, and CO
Alhagi camelorum and Alhagi pseudalhagi are synonyms of Alhagi maurorum		
Campion, bladder	Silene cucubalus	WA
Silene cucubalus is a synonym of Silene vulgaris subsp. vulgaris		
Carrot, wild	Daucus carota	IL, IA, KS, MI, SD, TX, and WV
Carrot, wild	Daucus carota subsp. carota	ID
Shown as Queen Anne's Lace	Daucus carota subsp. carota	ID
Cartwheel-flower	Heracleum mantegazzianum	US
Castor	Ricinus communis	TX
Chamomile, scentless	Anthemis arvensis	CO

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Charlock (see also mustard, rape, and turnip)		
Charlock	Sinapis arvensis	KS, MA, and MI
Charlock	Brassica arvensis	NE
Brassica arvensis is a synonym of Sinapis arvensis		
Charlock, English	Brassica arvensis	WV
Charlock	Brassica kaber	MA, and NV
Brassica kaber is a synonym of Sinapis arvensis		
Shown as Mustard (, wild)	Sinapis arvensis	CO, IA, IN, MA, PA, VA, and WI
Shown as Mustard, wild	Sinapis arvensis subsp. arvensis	WA
Shown as Mustard, wild	Sinapis spp.	TX
Shown as Mustard (, wild)	Brassica arvensis	IN, MN, OH, SD, and WV
Shown as Mustard (, wild)	Brassica kaber	AK, CO, IL, MA, NV, OH, and SD
Brassica kaber is a synonym of Sinapis arvensis		
Shown as Mustard(s), wild	Brassica spp.	AL, AZ, CT, FL, GA, IL, KS, LA, ME, MS, NE, NH, NC, OK, RI, SC, TN, TX, VT, and VA
Shown as Turnips, wild	Sinapis spp.	TX
Shown as Turnips, wild	Brassica spp.	AL, FL, GA, LA, MS, SC, TN, and TX
Cheat	Bromus secalinus	AL, AR, DE, FL, GA, KS, LA, MS, NJ, OK, SC, TN, and TX
Chess, (hairy)	Bromus commutatus	AL, AR, FL, GA, KS, LA, MS, SC, TN, and TX
Cinquefoil, sulfur (erect)	Potentilla recta	CO, and MT
Clematis, Chinese	Clematis orientalis	CO
Coat-buttons	Tridax procumbens	US
Cockle, white	Lychnis alba	CT and WA
Cockle, white	Silene alba	WI
Lychnis alba and Silene alba are synonyms of Silene latifolia subsp. alba		
Cocklebur	Xanthium spp.	AL, AR, FL, GA, HI, KS, LA, MS, NC, OK, SC, TN, and TX
Cocklebur	Xanthium pensylvanicum	IN
Xanthium pensylvanicum is a synonym of Xanthium strumarium		
Cocklebur	Xanthium strumarium	DE, IA, MD, and MI
Coffeebean	Sesbania exaltata	AR
Shown as Indigo, tall	Sesbania exaltata	AR
Shown as Sesbania, hemp	Sesbania exaltata	LA
Cogongrass	Imperata cylindrica	HI and US
Columbus grass	Sorghum X almum	OH
Shown as Sorghum almum	Sorghum X Almum	CO, FL, GA, HI, KY, MS, MO, SC, TN, UT and VA
Shown as Sorghum almum	Sorghum halepense	CA, IL, KS, MI, MS, IN, and TX
Shown as Sorghum almum	Sorghum spp.	AZ, DE, NV, NJ, UT, VA, and WA
See also johnsongrass, sorghum and sudangrass		
Cortaderia jubata	Cortaderia jubata	HI

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Corncockle	Agrostemma githago	AL, AR, DE, FL, GA, IN, KY, LA, ME, MD, MA, MS, NH, NJ, NY, NC, OH, OK, PA, RI, SC, TN, TX, VT, and WV
Cornflower	Centaurea cyanus	NC
Couch grass, African	Digitaria abyssinica	US
Couch, water	Paspalum scrobiculatum	US
Crabgrass	Digitaria sanguinalis	NV and NH
Crabgrass	Digitaria ischaemum	NV
Creeper, bearded	Crupina vulgaris	OR
Shown as Common crupina	Crupina vulgaris	ID, and MT
Shown as Crupina vulgaris	Crupina vulgaris	US
Cress, hoary	Cardaria draba subsp. chalepensis	
Shown as Hoarycress	Cardaria chalepensis	NV
Cardaria chalepensis is a synonym of Cardaria draba subsp. chalepensis		
Shown as Lens-podded hoary cress	Cardaria chalepensis	CA
Shown as Hoary cress	Lepidium repens	ND
Lepidium repens is a synonym of Cardaria draba subsp. chalepensis		
Cress, hoary	Cardaria draba	
Shown as Heart-podded hoary cress	Cardaria draba	CA
Shown as Hoary cress	Cardaria draba	MI, NV, ND, OK, SD, WA, and WY
Shown as Hoarycress	Cardaria draba	HI, IL, KS, MO, MT, NE, and OH
Shown as Perennial peppergrass	Cardaria draba	IA, and MI
Shown as Whitetop	Cardaria draba	AK, CO, MI, and OK
Cress, hoary	Cardaria draba var. repens	AZ
Shown as hoarycress	Cardaria draba var. repens	AZ
Cress, hoary	Cardaria draba subsp. draba	ID, and WY
Shown as Perennial peppergrass	Lepidium draba	IN and MN
(Lepidium draba is a synonym of Cardaria draba subsp. draba)		
Shown as Whitetop	Cardaria draba subsp. draba	ID
Cress, hoary	Cardaria pubescens	NV
Shown as Hoarycress	Cardaria pubescens	AZ, ND, and CA
Shown as Globe-podded hoary cress	Cardaria pubescens	CA
Shown as Whitetop	Cardaria pubescens	AK
(see ballcress, hoarycress, peppercress, peppergrass, pepperweed, and whitetop)		
Croftonweed	Ageratina adenophora	HI and US
Croftonweed, creeping	Ageratina riparia	HI
Crotalaria	Crotalaria spp.	AL, AR, GA, and MS
Shown as Rattlepod, long-beaked	Crotalaria longirostrata	HI
Crotalaria (showy)	Crotalaria spectabilis	FL, HI, NC, and TN
Crotalaria	Crotalaria mucronata	FL
Crotalaria mucronata is a synonym of Crotalaria pallida		
Crotalaria	Crotalaria striata	FL
Crotalaria striata is a synonym of Crotalaria pallida		
Crotalaria, smooth	Crotalaria pallida	NC

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Crupina, common	Crupina vulgaris	ID, and MT
Shown as Bearded creeper	Crupina vulgaris	OR
Shown as Crupina vulgaris	Crupina vulgaris	US
Curse, Koster's	Clidemia hirta var. hirta	HI
Cusqui	Prosopis calingastana	US
Daisy, ox-eye	Chrysanthemum leucanthemum	CO, HI, IL, IN, KS, KY, MT, WV, and WY
Chrysanthemum leucanthemum is a synonym of Leucanthemum vulgare.		
Daisy, ox-eye	Leucanthemum vulgare	OH, WI, and WY
Daisy, tridax	Tridax procumbens	US
Daisy, tree	Montanoa hibiscifolia	HI
Darnel	Lolium temulentum	AL, AR, FL, GA, LA, MS, OK, SC, TN, and TX
Darnel and/or Persian ryegrass	Lolium temulentum and/or Lolium persicum	TX
Darnel, Persian	Lolium persicum	MT
Dayflower	Commelina benghalensis	US
Dock	Rumex spp.	AR, CT, GA, KS, LA, MS, MO, NE, OK, SC, TN, TX, and WA
Dock and/or Sorrel	Rumex spp.	AR, MS, TX, and WA
Dock	Rumex spp. except hastatulus	AL
Dock, broadleaf	Rumex obtusifolius	NC
Docks	Rumex obtusifolius	FL
Docks	Rumex conglomeratus	FL
Dock, curled (curly)	Rumex crispus	AZ, CO, IL, IN, MI, MT, NE, NV, NC, and OH
Dock, sour	Rumex crispus	IA
Docks	Rumex crispus	FL
Dock, smooth(leaf)	Rumex altissimus	IA and NE
Dock, winged (see sorrel)	Rumex venosus	NE
Dodder	Cuscuta spp.	AL, AZ, AR, CA, CO, CT, DE, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, and WY
Dodder	Cuscuta spp., except coryli	ND
Duck-beak, wrinkled	Ischaemum rugosum	US
Duck-lettuce	Ottelia alismoides	US
Elephant's foot	Elephantopus mollis	HI
Elephantopus	Elephantopus spp.	HI
Emex	Emex australis	HI and US
Emex, spiny	Emex spinosa	HI and US

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Fanweed	Thlaspi arvense	KS, MI, NV, and WA
Shown as Frenchweed	Thlaspi arvense	MN, and OH
Shown as Pennycress (field)	Thlaspi arvense	IN, KS, NE, NV, SD, and WA
(see frenchweed and pennycress)		
Feathergrass, African	Pennisetum macrourum.	US
Fern, butterfly	Salvinia auriculata	US
Fern, mosquito	Azolla pinnata	US
Fescue, meadow	Festuca pratensis	DE, MD, NJ, PA, VA, and WV
Fescue, tall	Festuca arundinacea	DE, MD, NJ, PA, VA, and WV
Fieldcress, Austrian	Rorippa austriaca	AK, CA, HI, ID, NV, OR, and WA
Finger grass, Abyssinian	Digitaria abyssinica	US
Finger grass, (long-plume) (velvet)	Digitaria velutina	US
Firetree	Myrica faya	HI
Fireweed	Senecio madagascariensis	HI
Florida-elodea	Hydrilla verticillata	US
Fountaingrass	Pennisetum setaceum	HI
Foxtail, giant	Setaria faberi	AL, AR, CO, DE, GA, IL, IN, IA, KS, KY, MD, MI, MN, MO, NC, OK, SC, SD, TN, TX, VA, and WI
Foxtail, giant	Setaria spp.	MS
Foxtail, slender	Alopecurus myosuroides	WA
Foxtail, West Indian	Andropogon bicornis	HI
Frenchweed	Thlaspi arvense	MN, and OH
Shown as Fanweed	Thlaspi arvense	KS, MI, NV, and WA
Shown as Pennycress (field)	Thlaspi arvense	IN, KS, NE, NV, SD, and WA
(see fanweed and pennycress)		
Galega	Galega officinalis	US
Galinsoga	Galinsoga parviflora	AK
Garlic, wild (see Onion, wild)		Allium vineale CA, DC, HI, IL, ME, MD, MI, MO, NJ, OH, OR, PA, and RI
Shown as wild onion	Allium vineale	NY and WV
Garlic, wild	Allium spp.	AL, AR, DE, GA, IN, KS, KY, LA, MA, MS, NC, OK, TN, TX, VT and VA
Shown as wild garlic	Allium spp.	DE, NC, and VT
Shown as wild onion	Allium spp.	DE, NC, SC, VT
Shown as wild onion and/or wild garlic	Allium spp.	AL, AR, GA, IN, KS, KY, LA, MA, MS, OK, TN, TX, and VA
Gaura	Gaura spp.	HI
Geshoumi	Saccharum spontaneum	US
Goatgrass, barb	Aegilops triuncialis	HI and NV
Goatgrass, jointed	Aegilops cylindrica	AZ, CO, ID, KS, MT, OK, UT, and WY
Goatgrass, jointed (only in small grain)	Aegilops cylindrica	WA
Goatgrass	Aegilops spp.	AL

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Goatgrass, jointed	Aegilops spp.	NM, OR, and TX
Goat's-rue	Galega officinalis	US
Goatweed	Hypericum perforatum	OR
Shown as Klamathweed	Hypericum perforatum	CA, and NV
Shown as Common St. Johnswort	Hypericum perforatum	HI, and ID
Shown as St. Johnswort	Hypericum perforatum	CO, MT, OR, and WA
Goatweed (see St. Johnswort and Klamathweed)		
Gorse	Ulex europaeus	HI
Gourd, ivy	Coccinia grandis	HI
Grevillea, Bank's	Grevillea banksii	HI
Gromwell	Buglossoides arvensis	WA (only in small grain)
Groundcherry, purpleflower	Quincula lobata	CO
Groundcherry, purpleflower	Physalis lobata	CO
Physalis lobata is a synonym of Quincula lobata		
Groundcherry, smooth	Physalis longifolia var. subglabrata	ID
Halogeton	Halogeton glomeratus	CA, CO, HI, ID, NV, NM, OR, UT, and WA
Hastate-leaf-pondweed	Monochoria hastata	US
Hawkweed		MT, and WV
Shown as Hawkweed	Hieracium spp.	WV
Shown as Meadow Hawkweed Complex (Hieracium pratense, H. floribundum, H. piloselloides)		MT
Shown as Orange Hawkweed	Hieracium aurantiacum	MT
Hemlock, poison	Conium maculatum	CO, and IA
Shown as Poison-hemlock	Conium maculatum	ID, and OH
Hemp	Cannabis sativa	MN and ND
Hempnettle	Galeopsis tetrahit	AK
Hempweed, climbing	Mikania scandens	HI
Henbane, black	Hyoscyamus niger	CO, ID
Hoarycress	Cardaria chalepensis subsp. chalepensis	
Shown as Hoary cress	Cardaria chalepensis	NV
Shown as Lens-podded hoary cress	Cardaria chalepensis	CA
Cardaria chalepensis is a synonym of Cardaria draba subsp. chalepensis		
Shown as Hoary cress	Lepidium repens	ND
Lepidium repens is a synonym of Cardaria draba subsp. chalepensis		
Hoarycress	Cardaria draba	
Shown as Heart-podded hoary cress	Cardaria draba	CA
Shown as Hoary cress	Cardaria draba	MI, MT, NV, ND, OK, SD, WA, and WY
Shown as Hoarycress	Cardaria draba	HI, IL, KS, MO, NE, and OH
Shown as Perennial peppergrass	Cardaria draba	MI
Shown as Whitetop	Cardaria draba	AK, CO, MI, MT, and OK
Hoarycress	Cardaria draba subsp. draba	
Shown as Hoary cress	Cardaria draba subsp. draba	ID, and WY
Shown as Perennial peppergrass	Lepidium draba	IN and MN
(Lepidium draba is a synonym of Cardaria draba subsp. draba)		

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Shown as Whitetop	Cardaria draba subsp. draba	ID
Hoarycress	Cardaria draba var. repens	AZ
Hoarycress	Cardaria pubescens	
Shown as Ballcress	Cardaria pubescens	OH
Shown as Globe-podded hoary cress	Cardaria pubescens	CA
Shown as Hairy whitetop	Cardaria pubescens	CO, HI, OH, and WA
Shown as Hoary cress	Cardaria pubescens	ND, and NV
Shown as Hoarycress	Cardaria pubescens	AZ
Shown as Perennial peppergrass	Cardaria pubescens	ND
Shown as Whitetop	Cardaria pubescens	NM, NV, and OR
Shown as Whitetops and its varieties	Cardaria pubescens	AK
(see ballcress, cress, peppercress, peppergrass, and whitetop)		
Hogweed, giant	Heracleum mantegazzianum	US
Horsenettle, (Carolina) (shown as bullnettle in IL and KS)	Solanum carolinense	AL, AK, AZ, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, LA, ME, MD, MA, MI, MN, NE, NV, NH, NJ, NY, NC, OH, OK, PA, RI, SC, SD, TN, TX, VT, and WV
Horsenettle, white	Solanum elaeagnifolium	AZ, CA, CO, NV, and NM
Shown as Nightshade	Solanum elaeagnifolium	AL, AR, FL, GA, HI, ID, KS, LA, MI, OK, SC, and TX
Houndstongue	Cynoglossum officiale	CO, MT and WY
Huarango	Prosopis pallida	US
Hydrilla	Hydrilla verticillata	US
Hyptis, comb	Hyptis pectinata	HI
Indian-rhododendron	Melastoma malabathricum	US
Indigo, curly	Aeschynomene spp.	AR
Indigo, curly	Aeschynomene virginica	LA
Aeschynomene virginica is a synonym of *Aeschynomene indica* L.		
Indigo, tall	Sesbania exaltata	AR
Shown as Coffeebean	Sesbania exaltata	AR
Shown as Sesbania, hemp	Sesbania exaltata	LA
Itchgrass (raoulgrass)	Rottboellia cochinchinensis	LA, NC, TX and US
Itchgrass (raoulgrass)	Rottboellia exaltata	AR, LA, SC, and TN
Rottboellia exaltata is a synonym of *Rottboellia cochinchinensis* (Lour.) Clayton		
Jenny, creeping (see field bindweed)		
Jimsonweed	Datura stramonium	MI, and NC
Johnsongrass	Sorghum halepense	AL, AR, CA, CO, FL, GA, HI, ID, IL, IN, KS, KY, LA, MI, MS, MO, NE, NJ, NM, NC, OH, OK, OR, PA, SC, TN, TX, UT, VA, and WV
hybrids derived therefrom		DE, MD, and VA
rhizomatous derivatives of S. almum and S. halepense		AL, KY, and MS
seed indistinguishable from johnsongrass		IL, KS, KY, MD, MI, PA, and TX
(see also columbus grass, sorghum, and sudangrass)		

*** SEE INDIVIDUAL STATES FOR INTERPRETATIONS ***

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Jointvetch, Indian	Aeschynomene indica	HI
Joyweed, sessile	Alternanthera sessilis	US
Kahiliflower	Grevillea banksii	HI
Kanchura	Commelina benghalensis	US
Kariba-weed	Salvinia molesta	US
Kat sola	Aeschynomene indica	HI
Kayasuwa grass	Pennisetum pedicellatum	US
Kiawe	Prosopis pallida	US
Kikuyu grass	Pennisetum clandestinum	US
Klamathweed	Hypericum perforatum	CA and NV
(Shown as St. Johnswort)	Hypericum perforatum	CO, HI, ID, MT, OR, and WA
Knapweed, bighead	Centaurea macrocephala	WA
Knapweed, black	Centaurea nigra	CO, and WA
Knapweed, brown	Centaurea jacea	WA
Knapweed, diffuse	Centaurea diffusa	CO, ID, MT, NE, OR, UT, WA, and WY
Knapweed, meadow	Centaurea jacea x nigra	WA
Knapweed, Russian	Acroptilon repens	AZ, CA, CO, GA, HI, ID, OH, OR, and WY
Knapweed, Russian	Centaurea picris	IL, MI, ND, OK, SC, and UT
Knapweed, Russian	Centaurea repens	AK, CO, CT, ID, IN, IA, KS, LA, MN, MT, NE, NV, NM, NY, OK, SD, TX, UT, WA, and WY
(Centaurea picris and Centaurea repens are synonyms of Acroptilon repens)		
Knapweed, spotted	Centaurea maculosa	CO, ID, MI, MT, NE, ND, OR, SD, UT, WA, and WY
Knapweed, spotted	Centaurea biebersteinii	WY
Knapweed, squarrose	Centaurea squarrosa	UT
(Centaurea squarrose is a synonym of Centaurea virgata subsp. squarrosa)		
Knapweed, squarrose	Centaurea virgata	CO, and OR
(squarerose) (Centaurea virgata is a synonym of Centaurea virgata subsp. squarrosa)		
Knapweed, Vochin	Centaurea nigrescens	WA
Kudzu	Pueraria lobata	KS
(Pueraria lobata is a synonym of Pueraria montana var. lobata)		
Kudzu, tropical	Pueraria phaseoloides	HI
Kyasuwa grass (annual)	Pennisetum pedicellatum	US
Lettuce, blue	Lactuca tatarica subsp. pulchella	CO, ID, WA and WY
Lettuce, blue (flowering)	Lactuca pulchella	AK, CO, HI, ID, and WY
Lepyrodiclis	Lepyrodiclis holosteoides	WA
Lespedeza, sericea	Lespedeza cuneata	KS, and OK
Licorice, wild	Glycyrrhiza lepidota	WY
Little-bell	Ipomoea triloba	US
Liverseed grass	Urochloa panicoides	US

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Loosestrife, purple	Lythrum salicaria	CO, ID, MT, NE, NH, OH, UT, VT and WY
Loosestrife, purple	Lythrum virgatum	CO and MT
(see Lythrum, purple)		
Shown as Purple Loosestrife or Lythrum (Lythrum salicaria, L. virgatum, and any hybrid crosses thereof)		MT
Locoweeds	Astragalus spp.	HI
Locoweeds	Oxytropis spp.	HI
Love grass	Chrysopogon aciculatus	US
Lyon's grass	Themeda villosa	HI
Lythrum, purple	Lythrum salicaria	ID and MT
(see Loosestrife, purple)		
Malachra	Malachra alceifolia	HI
Mallow, alkali	Sida hederacea	AZ
	(Sida hederacea is a synonym of Malvella leprosa)	
Mallow, alkali	Malvella leprosa	CA
Mallow, Venice	Hibiscus trionum	CO
Marabu	Dichrostachys nutans	HI
Dichrostachys nutans is a synonym of Dichrostachys cinerea		
Marigold, wild	Tagetes minuta	HI
Maypop or passion flower	Passiflora incarnata	TX
Medinilla venosa	Medinilla venosa	HI
Medusa head, rye	Taeniatherum asperum	NV
Taeniatherum asperum is a synonym of Taeniatherum caput-medusae subsp. asperum.		
Medusahead	Taeniatherum caput-medusae	CA, CO, HI and UT
Medusahead	Taeniatherum caput-medusae subsp. caput-medusae	WA
Medusahead rye	Elymus caput-medusae	ID
Elymus caput-medusae is a synonym of Taeniatherum caput-medusae subsp. caput-medusae		
Medusahead rye	Taeniatherum caput-medusae subsp. caput-medusae	ID
Medusahead, rye	Elymus caput-medusae	OR
Melaleuca	Melaleuca quinquenervia	US
Melastoma	Melastoma spp.	HI
Melastoma, banks	Melastoma malabathricum	US
Melon, dudaim	Cucumis melo var. dudaim	CA
Cucumis melo var. dudaim is a synonym of Cucumis melo subsp. melo var. chito		
Mexicanweed	Caperonia castaneifolia	LA
Miconia	Miconia spp.	HI
Mile-a-minute	Mikania micrantha	HI and US
Mile-a-minute	Mikania cordata	US
Milkweeds	Asclepias spp.	HI
Milkweed, climbing	Cynanchum laeve	KS
Milkweed, climbing	Gonolobus laevis	KS
Gonolobus laevis is a synonym of Cynanchum laeve		
Millet, kodo	Paspalum scrobiculatum	US

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Millet, Texas	Panicum texanum	FL, and GA
Shown as Buffalograss	Panicum texanum	FL
Shown as Panicum, Texas	Panicum texanum	FL,GA, and NC
See buffalograss and Panicum, Texas		
Millet, wild proso	Panicum miliaceum subsp. ruderale	CO and WY
Miramar-weed	Hygrophila polysperma	US
Miscanthus	Miscanthus floridulus	HI
Mission grass	Pennisetum polystachion	US
Monochoria	Monochoria hastata	US
Monochoria, oval-leaf	Monochoria vaginalis	US
Moonflower (purple)	Calonyction muricatum	AL, GA, MO, OK, and SC
Shown as Morningglory, giant	Calonyction muricatum	AL, OK
Moonflower (Morningglory)	Ipomoea spp.	AR, KS, LA, MI, MS, NE, NM, NC, OK, and TX
Moonflower (Morningglory)	Ipomoea turbinata	AR, GA, KY, LA, and MS
Morning-glory, swamp	Ipomoea aquatica	US
Morningglory	Ipomoea spp.	NM
Morningglory	Ipomoea spp.	NE (when found in field crop seed)
Morningglory	Ipomoea spp. except I. carnea and I. aborescens	AZ
Morningglory, European	Convolvulus arvensis	IA
Shown as Bindweed	Convolvulus arvensis	CT, DE, FL, ME, MD, NJ, NM, NY, OR, and WV
Shown as Field bindweed	Convolvulus arvensis	AL, AK, AZ, AR, CA, CO, DC, GA, HI, ID, IL, IN, KS, LA, MA, MI, MN, MS, MO, MT, NE, NV, NH, NC, ND, OH, OK, SC, SD, TN, TX, VT, VA, WA, WI, and WY
Shown as Creeping Jenny	Convolvulus arvensis	ND
Shown as Morningglory, wild	Convolvulus arvensis	OR
Morningglory, (wild)	Ipomoea purpurea	OK, and WV
Morning glory	Ipomoea purpurea	(Ipomea species when found in field crop seed) NE
Morningglory, giant	Calonyction muricatum	AL, OK
Shown as Moonflower (purple)	Calonyction muricatum	AL, GA, MO, OK, and SC
Mullein	Verbascum thapsus	HI
Murain grass	Ischaemum rugosum	US
Mustard (see also charlock, rape, and turnip)		
Mustard (wild)	Brassica arvensis	IN, MN, MA, NE, OH, SD, and WV
Mustard (wild)	Brassica kaber	AK, CO, IL, MA, NV, OH, and SD
Mustard (wild)	Sinapis arvensis	CO, IA, PA, VA, and WI
Shown as Charlock	Sinapis arvensis	KS, MA and MI
Mustard (wild)	Sinapis arvensis subsp. arvensis	WA
Mustard (wild)	Sinapis spp.	TX
Mustard (wild)	Brassica spp.	AL, AZ, CT, FL, IL, KS, LA, ME, MA, MS, NE, NH, NC, OK, RI, SC,

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
		TN, TX, VT, and VA
Mustard (wild)	Brassica spp. (except B. napus var. biennis and B. rapa var. rapa)	GA
Mustard (India)	Brassica juncea	AK, CO, IL, IA, MI, NE, PA, SD, WI, and WV
Mustard (black)	Brassica nigra	CO, IL, IA, MA, MI, NE, PA, and SD
Mustard, blue	Chorispora tenella	WY
Mustard, common giant	Rapistrum rugosum	TX
Mustard, purple	Chorispora tenella	CA
Myrtle, candleberry	Myrica faya	HI
Nassella trichotoma	(see serrated tussock)	
Needlegrasses	Stipa spp.	HI
Nightshade	Solanum americanum	KS
Nightshade, bitter	Solanum dulcamara	MI
Nightshade, black	Solanum nigrum	KS, MI
Nightshade, (complex, black)	Solanum interius	KS
Nightshade, Eastern black	Solanum ptycanthum	IN, KS, MI, MN, and MO
Nightshade, hairy	Solanum sarrachoides	KS, MI
Nightshade, (purple) (silverleaf) (white)	Solanum elaeagnifolium	AL, AR, FL, GA, HI, ID, KS, LA, MI, OK, SC, and TX
Shown as Horsenettle (see Horsenettle)	Solanum elaeagnifolium	AZ, CA, CO, NV, and NM
Nightshade, silverleaf	Solanum robustum	HI
Nutsedge (nutgrass), yellow	Cyperus esculentus	AZ, CA, CO, CT, HI, GA, LA, ME, MI, MS, NH, NM, NC, TN, TX, and WA
Nutsedge, purple	Cyperus rotundus	AL, AZ, AR, CA, FL, GA, HI, LA, MS, NM, NC, OK, SC, TN, and TX
Nutsedge (nutgrass) (tubers)	Cyperus spp.	RI and TX
Oat, feral	Avena spp.	TX
Oat, slender	Avena barbata	MO
Oat, wild	Avena fatua	AZ, AK, CO, ID, KS, MI, MO, MT, NM, ND, OK, SC, SD, TX, UT, WI, and WY
*** SEE OK AND TX FOR INTERPRETATIONS ***		
Oat, wild	Avena sterilis (including Avena ludoviciana)	US
Onion, wild	Allium canadense	DC, FL, IL, ME, MD, MI, MO, NJ, NY, OH, PA, and RI
Onion, wild	Allium vineale	NY and WV
Onion, wild	Allium spp.	AL, AR, DE, GA, IN, KS, KY, LA, MA, MS, OK, NC, SC, TN, TX, VT, and VA
Shown as wild garlic	Allium spp.	DE, NC, and VT
Shown as wild onion and/or wild garlic	Allium spp.	AL, AR, GA, IN, KS, KY, LA, MA, MS, OK, TN, TX, and VA
(see Garlic, wild)		

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Onionweed	Asphodelus fistulosus	US
Orchardgrass	Dactylis glomerata	DE, MD, NJ, PA, VA, and WV
Ottelia, water-plantain	Ottelia alismoides	US
Oval-leaf-pondweed	Monochoria vaginalis	US
Oxygen-weed	Lagarosiphon major	US
Oxyspora paniculata	Oxyspora paniculata	HI
Pamakani, Hamakua	Ageratina riparia	HI
Pamakani, Maui	Ageratina adenophora	HI and US
Panicum, Texas	Panicum texanum	FL, GA, and NC
Shown as Buffalograss	Panicum texanum	FL
Shown as Millet, Texas	Panicum texanum	FL, and GA
See buffalograss and millet, Texas		
Paperbark, broadleaf	Melaleuca quinquenervia	US
Paspalum, creeping (Indian)	Paspalum scrobiculatum	US
Passion flower or maypop	Passiflora incarnata	TX
Passionfruit, winged-leaf	Passiflora pulchella	HI
Passionfruit, banana	Passiflora mollissima	HI
Payal, African	Salvinia auriculata	US
Peaweed, Austrian	Sphaerophysa salsula	OR
(See Swainsonpea)	Swainsona salsula	NV
Pennisetum, feather	Pennisetum polystachion	US
Pennycress (field)	Thlaspi arvense	IN, KS, NE, NV, SD, and WA
Shown as Fanweed	Thlaspi arvense	KS, MI, NV, and WA
Shown as Frenchweed	Thlaspi arvense	MN, and OH
(see fanweed and frenchweed)		
Pepper, spiked	Piper aduncum	HI
Peppercress, perennial	Lepidium latifolium	HI and UT
Shown as broad-leaved peppergrass	Lepidium latifolium	UT
Shown as tall whitetop	Lepidium latifolium	UT
(see whitetop)		
Peppergrass, field	Lepidium campestre	IN and WV
Peppergrass, perennial	Cardaria draba	IA, and MI
(see hoarycress and whitetop)		
Shown as Heart-podded hoary cress	Cardaria draba	CA
Shown as Hoary cress	Cardaria draba	NV, ND, OK, SD, WA, and WY
Shown as Hoarycress	Cardaria draba	HI, IL, KS, MI, MO, MT, NE, and OH
Shown as Whitetop	Cardaria draba	AK, CO, MI, and OK
Peppergrass, perennial	Lepidium draba	IN, and MN
Lepidium draba is a synonym of Cardaria draba subsp. draba		
Shown as Hoary cress	Cardaria draba subsp. draba	ID, and WY
Shown as Whitetop	Cardaria draba subsp. draba	ID
Pepperweed, perennial	Lepidium latifolium	CA, ID, OR, WA, and WY
Periquito-sessil	Alternanthera sessilis	US
Peruvian apple	Cereus uruguayanus	HI
Pickerel-weed	Monochoria vaginalis	US

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Pigeon grass	Setaria pumila	US
Pignut (Indian rushpea)	Hoffmannseggia densiflora	KS
Hoffmannseggia densiflora is a synonym of Hoffmannseggia glauca		
Pilipiliula	Chrysopogon aciculatus	US
Piripiri	Acaena novae-zelandiae	HI
Plantain	Plantago spp.	AK, CT, MS, and WA
Plantain, bracted	Plantago aristata	AL, GA, LA, NC, OK, SC, and TX
Plantain, buckhorn	Plantago lanceolata	AR, CO, FL, GA, ID, KS, LA, ME, MA, MI, MN, MS, NC, OK, PA, RI, SC, TN, TX, and WY
Shown as Buckhorn	Plantago lanceolata	AL, IL, IN, IA, KY, MO, OH, WV, and WI
Poinsettia, wild	Euphorbia dentata	LA
Poinsettia, wild	Euphorbia heterophylla	LA
Poison-hemlock	Conium maculatum	ID, and OH
Shown as Hemlock, Poison	Conium maculatum	CO, and IA
Poka, banana	Passiflora mollissima	HI
Poppy, plume	Bocconia frutescens	HI
Poppy, red horned	Glaucium corniculatum	OK
Povertyweed, (mouse-ear)	Iva axillaris	CA, CO, UT, WA, and WY
Shown as Sumpweed, poverty	Iva axillaris	ID
Povertyweed, silverleaf	Ambrosia tomentosa	CO
Shown as Bur-sage woolly-leaf	Ambrosia tomentosa	NE
Povertyweed, silverleaf	Franseria discolor	CO and NM
Shown as Bur-sage skeleton-leaf	Franseria discolor	WY
Franseria discolor is a synonym of Ambrosia tomentosa		
Povertyweed, woollyleaf	Ambrosia grayi	CO
Shown as Ragweed, bur	Ambrosia grayi	KS
Povertyweed, woollyleaf	Franseria tomentosa	CO
Shown as Ragweed, bur	Franseria tomentosa	KS
Franseria tomentosa is a synonym of Ambrosia grayi		
See bursage, and ragweed		
Prosopis alpataco	Prosopis alpataco	US
Prosopis argentina	Prosopis argentina	US
Prosopis burkartii	Prosopis burkartii	US
Prosopis caldenia	Prosopis caldenia	US
Prosopis campestris	Prosopis campestris	US
Prosopis castellanosii	Prosopis castellanosii	US
Prosopis denudans	Prosopis denudans	US
Prosopis elata	Prosopis elata	US
Prosopis farcta	Prosopis farcta	US
Prosopis ferox	Prosopis ferox	US
Prosopis fiebrigii	Prosopis fiebrigii	US
Prosopis hassleri	Prosopis hassleri	US
Prosopis humilis	Prosopis humilis	US
Prosopis juliflora	Prosopis juliflora	HI

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Prosopis kuntzei	Prosopis kuntzei	US
Prosopis palmeri	Prosopis palmeri	US
Prosopis reptans var. reptans	Prosopis reptans var. reptans	US
Prosopis rojasiana	Prosopis rojasiana	US
Prosopis ruizlealii	Prosopis ruizlealii	US
Prosopis ruscifolia	Prosopis ruscifolia	US
Prosopis sericantha	Prosopis sericantha	US
Prosopis strombulifera	Prosopis strombulifera	US
Prosopis torquata	Prosopis torquata	US
Puncturevine	Tribulus terrestris	AZ, CA, CO, HI, ID, IA, MI, NE, NV, TX, WA, and WY
Quackgrass	Elytrigia repens	AK, AL, AZ, CA, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, MA, MD, ME, MI, MN, MO, MS, MT, NC, ND, NE, NH, NJ, NM, NV, NY, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WI, WV, and WY
Agropyron repens and Elytrigia repens var. repens are synonyms of Elytrigia repens		
Queen Anne's Lace	Daucus carota subsp. carota	ID
Shown as Carrot, wild	Daucus carota	IL, IA, KS, MI, SD, TX, and WV
Shown as Carrot, wild	Daucus carota subsp. carota	ID
Prickly-pear, jointed	Opuntia aurantiaca	US
Radish (wild)	Raphanus spp.	AL and VA
	Raphanus raphanistrum	AK, CT, FL, GA, ME, MA, MI, MN, MS, NH, NC, RI, SC, TX, VT, and WI
Ragweed	Ambrosia artemisiifolia	OR
Ragweed, bur	Ambrosia grayi	KS
Shown as Povertyweed, woollyleaf	Ambrosia grayi	CO
Ragweed, bur	Franseria tomentosa	KS
Shown as Povertyweed, woollyleaf	Franseria tomentosa	CO
Franseria tomentosa is a synonym of Ambrosia grayi		
Ragweed, perennial (Western)	Ambrosia psilostachya	ID, WA, and WY
Ragweed, (giant)	Ambrosia trifida	DE and NJ
Ragweeds	Ambrosia spp.	HI
(see bursage, povertyweed, and sumpweed)		
Ragwort, tansy	Senecio jacobaea	ID, MT, OR, and WA
Rape (see charlock, mustard, and turnip)		
Rape, bird	Brassica campestris	IL and NE
Brassica campestris is a synonym of Brassica rapa L. subsp. campestris		
Raspberry, hill	Rubus niveus	HI
Raspberry, Molucca	Rubus sieboldii	HI
Raspberry, yellow Himalayan	Rubus ellipticus var. obcordatus	HI

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Rattlepod, long-beaked	Crotalaria longirostrata	HI
Shown as Crotalaria	Crotalaria spp.	AL, AR, GA, and MS
Redtop	Agrostis gigantea	DE, MD, NJ, PA, VA, and WV
Rhodomyrtus, downy	Rhodomyrtus tomentosa	HI
Rice, red	Oryza longistaminata	US
	Oryza sativa (var.)	AR, FL, LA, SC, and TX
	Oryza spp.	MS
	Oryza punctata	US
	Oryza rufipogon	GA and US
Rocket, dame's	Hesperis matronalis	CO
Rocket, yellow	Barbarea vulgaris	CT, ME, MI, NH, and WI
(see wintercress)		
Rose, multiflora	Rosa multiflora	PA
Rosemyrtle, downy	Rhodomyrtus tomentosa	HI
Rubus fruticosus (complex)	(synonym of Rubus plicatus)	US
Rubus moluccanus	Rubus moluccanus	US
Rue, African	Peganum harmala	CO
Rye, medusa head (see medusa head)		
Ryegrass, Persian (see darnel)		
Safflower, wild	Carthamus oxyacanthus	US
Sage, Mediterranean	Salvia aethiopis	CA, and CO
Salsola, wormleaf	Salsola vermiculata	US
Saltcedar	Tamarix parviflora and T. ramosissima	CO
Saltcedar (Tamarisk)	Tamarix spp.	MT
Saltwort, Mediterranean	Salsola vermiculata	US
Salvinia, giant	Salvinia auriculata	US
Salvinia, giant	Salvinia biloba	US
Salvinia, giant	Salvinia herzogii	US
Salvinia, giant	Salvinia molesta	US
Sandbur	Cenchrus pauciflorus	AZ, NV, and SC
	Cenchrus spp.	NC
Sandbur, coast (field)	Cenchrus incertus	CA, GA, and WA
Sandbur, mat (longspine)	Cenchrus longispinus	CA, and CO
Sandbur, southern	Cenchrus echinatus	CA
Sandvine (see milkweed)		
Saramatta grass	Ischaemum rugosum	US
Satintail, Brazilian	Imperata brasiliensis	US
Sensitiveplant, giant	Mimosa invisa (synonym of M. diplotricha)	HI and US
Sensitiveplant, thorny	Mimosa pigra	HI and US
Sesbania, hemp	Sesbania exaltata	LA
Shown as Coffeebean	Sesbania exaltata	AR
Shown as Indigo, tall	Sesbania exaltata	AR
Siamweed	Chromolaena odorata	HI

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Sicklepod	Cassia tora	DE
	Cassia obtusifolia	NC, OK, and TN
	Senna obtusifolia	MD, MS, and VA
Silvergrass, Japanese	Miscanthus floridulus	HI
Skeletonweed (rush)	Chondrilla juncea	CO, ID, MT, NV, OR, and WA
Snakeroot, white	Ageratina altissima	HI
Sorghum (see also columbus grass, johnsongrass, and sudangrass)		
Sorghum almum	Sorghum X Almum	CO, FL, GA, HI, KY, MS, MO, SC, TN, UT and VA
(shown as Sorghum almum)		Sorghum halepense CA, IL, KS, MI, MS, IN, and TX
(shown as Sorghum almum)		Sorghum spp. AZ, DE, NV, NJ, UT, VA, and WA
(shown as columbus grass)	Sorghum X Almum	OH
Sorghum species (perennial)	Sorghum spp.	AZ, CA, DE, MD, NV, UT, and WA
hybrids derived therefrom		DE, MD, and VA
rhizomatous derivatives of S. almum and S. halepense		AL, KY, and MS
seed indistinguishable from johnsongrass		IL, KS, KY, MD, MI, PA, and TX
(shown as Sorgrass)	Sorghum spp.	SC
*** SEE INDIVIDUAL STATES FOR INTERPRETATIONS ***		
Sorrel (sheep or red) (see dock)	Rumex acetosella	AL, FL, GA, IA, KY, LA, MO, NE, OK, SC, and TN
Sowthistle, perennial	Sonchus arvensis	AK, AZ, CA, CO, CT, HI, ID, IL, IN, IA, KS, ME, MA, MI, MN, MT, NV, ND, OH, OR, PA, RI, SD, VT, WA, WV, WI, and WY
Spearhead	Rhynchospora spp.	LA
Spikenard, wild	Hyptis suaveolens	HI
Sprangletop, Asian	Leptochloa chinensis	US
Spurge, cypress	Euphorbia cyparissias	CO
Spurge, leafy	Euphorbia esula	AK, AZ, CA, CO, HI, ID, IL, IA, KS, MI, MN, MO, MT, NE, NV, NY, ND, OH, OR, SD, UT, WA, WI, and WY
Spurge, leafy	Euphorbia pseudovirgata (synonym of E. esula)	SD
Spurge, myrtle	Euphorbia myrsinites	CO
Spurge, toothed	Euphorbia serrata	HI
St. Johnswort	Hypericum perforatum	CO, MT, OR, and WA
Shown as Common St. Johnswort	Hypericum perforatum	HI, ID
Shown as Goatweed	Hypericum perforatum	OR
Shown as Klamathweed	Hypericum perforatum	CA and NV
Starthistle, Iberian	Centaurea iberica	NV and OR
Starthistle Malta	Centaurea melitensis	OR
Starthistle purple	Centaurea calcitrapa	NV, OR, and WA

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Starthistle yellow	Centaurea solstitialis	AZ, CA, CO, HI, ID, MT, NV, ND, MO, OR, UT, WA, WV, and WY
Sudangrass, perennial sweet-type	Sorghum spp.	AZ and SC
(see also columbus grass, johnsongrass, and sorghum)		
hybrids derived therefrom		DE, MD, and VA
rhizomatous derivatives of S. almum and S. halepense		AL, KY, and MS
seed indistinguishable from johnsongrass		IL, KS, KY, MD, MI, PA, and TX
Sugarcane, wild	Saccharum spontaneum	US
Sumpweed, poverty	Iva axillaris	ID
Shown as Povertyweed, (mouse-ear)	Iva axillaris	CA, CO, UT, WA, and WY
Sunflower, wild	Helianthus annuus	IA
Swainsonpea	Swainsona salsula	ID and WY
(see Peaweed , Austrian)	Sphaerophysa salsula	ID and WY
Swampweed, East Indian	Hygrophila polysperma	US
Tamarisk (Saltcedar)	Tamarix spp.	MT
Tansy (Common)	Tanacetum vulgare	MT, WY
Tansymustard	Descurainia pinnata	WY
Tarweed, coast	Madia sativa	CO
Teatree, broadleaf	Melaleuca quinquenervia	US
Terongan	Solanum torvum	HI and US
Thistle, blessed	Cnicus benedictus	AL, FL, GA, MS, NC, SC, and TX
Thistle blessed milk	Silybum marianum	TX
Thistle bull	Cirsium vulgare	CO, MI and MN
Thistle, Canada	Cirsium arvense	AL, AK, AZ, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, and WY
Thistle, cotton - see Scotch	Onopordum acanthium	UT
Thistle, Italian	Carduus pycnocephalus	CA and OR
Thistle, musk (nodding)	Carduus nutans	CA, CO, ID, KS, MI, MN, MO, NE, ND, OH, OK, OR, SD, UT, and WY
Thistle, onopordum	Onopordum spp.	CA
Thistle, plumeless	Carduus acanthoides	CA, CO, MI, MN, NE, SD, and WY
	Carduus spp.	DE, MD, TN, HI, and VA
Thistle, Russian	Salsola kali	HI
	Salsola kali var. tenuifolia	AZ
	Salsola pestifer	MO
(S. kali vars. and S. pestifer are synonyms of S. australis)		
Thistle, Scotch	Onopordum acanthium	CO, ID, NE, OK, UT, and WY
	Onopordum tauricum	CO
Thistle, slenderflower	Carduus tenuiflorus	CO, and OR
Thistle, smooth distaff	Carthamus baeticus	CA
Thistle, star (See Starthistle)		

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Thistle, wavyleaf	Cirsium undulatum	CA
Thistle, whitestem distaff	Carthamus leucocaulos	CA
Thistle, woolly distaff	Carthamus lanatus CA	
Three-awns	Aristida spp.	HI
Tibouchina	Tibouchina spp.	HI
Tiger-pear	Opuntia aurantiaca	US
Timothy	Phleum pratense	DE, MD, NJ, PA, VA, and WV
Toadflax, Dalmatian	Linaria genistifolia subsp. dalmatica ID	
	Linaria dalmatica	CO, MT, NV, OR, WA, and WY
Toadflax, yellow	Linaria vulgaris	AK, CO, ID, MT, WA, and WY
Shown as Butter and eggs	Linaria vulgaris	ID
Torpedograss	Panicum repens	HI
Treacle	Erysimum spp.	KS
Tropical soda apple	Solanum viarum	AR, FL, GA, SC, TX and US
	Solanum spp.	MS
Turkeyberry	Solanum torvum	HI and US
Turnip (see also charlock, mustard, and rape)		
Turnip, wild	Sinapis spp.	TX
Shown as Charlock	Sinapis arvensis	KS, MA and MI
Shown as Mustard (wild)	Sinapis arvensis	CO, IA, PA, VA, and WI
Shown as Mustard (wild)	Sinapis arvensis subsp. arvensis WA	
Turnip, wild	Brassica spp.	AL, FL, GA, LA, MS, SC, TN, and TX
Turnip, wild	Brassica spp. (except B. napus var. biennis and B. rapa var. rapa) GA	
Tussock, nasella	Stipa trichotoma	HI
	(Synonym of Nassella trichotoma)	
Tussock, serrated	Nassella trichotoma	AL, AR, DE, FL, GA, IL, MD, MI, MO, MS, NE, NC, OH, OK, OR, RI, SC, TX, VT, VA, WA, WV and US
(shown as Nassella trichotoma)		MO and US
Velvetgrass	Holcus lanatus	DE, MD, NJ, PA, VA and WV
Velvetleaf	Abutilon theophrasti	CO, KS, MI, NH, NC, RI, VT, and WA
Shown as Butterprint	Abutilon theophrasti	CO and IA
(see butterprint)		
Vetch, tufted	Vicia cracca	AK
Wandering-Jew	Commelina benghalensis	US
Water-hyacinth, anchored	Eichhornia azurea	US
Water-spinach	Ipomoea aquatica	US
Water-thyme	Hydrilla verticillata	US
Water-velvet	Azolla pinnata	US
Wattle, Black	Acacia mearnsii	HI
Whitetop		
(see ballcress, cress, hoarycress, peppercress, peppergrass, and pepperweed)		
Shown as hoary cress	Cardaria chalepensis	NV
Shown as lens-podded hoary cress	Cardaria chalepensis	CA

COMMON NAME CROSS REFERENCE

Common name	Botanical name	States (US = Federal Noxious Weeds)
Cardaria chalepensis is a synonym of Cardaria draba subsp. chalepensis		
Shown as hoary cress	Lepidium repens	ND
Lepidium repens is a synonym of Cardaria draba subsp. chalepensis		
Shown as hoarycress	Cardaria draba var. repens	AZ
Cardaria draba var. repens is a synonym of Cardaria draba subsp. chalepensis		
Whitetop	Cardaria draba	AK, CO, MI, MT, and OK
Shown as heart-podded hoary cress	Cardaria draba	CA
Shown as hoary cress	Cardaria draba	NV, ND, OK, SD, WA, and WY
Shown as hoarycress	Cardaria draba	HI, IL, KS, MI, MO, MT, NE, and OH
Shown as perennial peppergrass	Cardaria draba	IA, and MI
Whitetop	Cardaria draba subsp. draba	ID
Shown as Hoary cress	Cardaria draba subsp. draba	ID, and WY
Shown as Perennial peppergrass	Lepidium draba	IN, and MN
(Lepidium draba is a synonym of Cardaria draba subsp. draba)		
Whitetop	Cardaria draba var.	OR
Whitetop	Cardaria pubescens	NV, NM, and OR
Shown as Hairy whitetop	Cardaria pubescens	CO, HI, OH, and WA
Shown as Hoarycress	Cardaria pubescens	AZ
Shown as Globe-podded hoary cress	Cardaria pubescens	CA
Shown as Hoary cress	Cardaria pubescens	ND, and NV
Whitetops and its varieties	Cardaria pubescens	AK
Whitetop (tall)	Cardaria spp.	UT
Whitetop (tall)	Lepidium draba	IN, and MN
Whitetop (tall)	Lepidium latifolium	AK, CO, and UT
Wintercress, bitter (see rocket)	Barbarea vulgaris	IN
Witchweed	Striga spp.	HI and US
	Striga asiatica	NC and SC
Woad, dyers	Isatis tinctoria	CO, ID, MT, OR, UT, WA, and WY
Wormwood, absinth	Artemisia absinthium	ND
Woundwort	Stachys palustris	ME
Wrinkled grass	Ischaemum rugosum	US
Yerba de tajo	Eclipta alba	OK
Eclipta alba is a synonym of Eclipta prostrata		

BOTANICAL NAME CROSS REFERENCE

APPENDIX B

Botanical name	Common name	States (US = Federal Noxious Weeds)
Abutilon theophrasti	Butterprint (velvetleaf)	CO, KS, IA, MI, NC, NH, RI, VT, and WA
Acacia mearnsii	Black wattle	HI
Acaena novae-zelandiae	Piripiri	HI
	New Zealand bur	HI
Acanthospermum hispidum	Star bur	HI
Acroptilon repens	Russian Knapweed	AZ, CA, CO, GA, HI, ID, OH, OR, and WY
Shown as Centaurea picris		IL, MI, ND, OK, SC, and UT
Centaurea picris is a synonym of Acroptilon repens		
Shown as Centaurea repens		AK, CO, CT, ID, IN, IA, KS, LA,
Centaurea repens is a synonym of Acroptilon repens		MN, MT, NE, NV, NM, NY, SD, TX, UT, WA, and WY
Aegilops cylindrica	Jointed Goatgrass	AZ, CO, ID, KS, MT, OK, UT, and WY
Aegilops cylindrica	Jointed Goatgrass (only in small grain)	WA
Aegilops spp.		AL, NM, OR, and TX
Aegilops spp.	Goatgrass	AL
Aegilops spp.	Jointed Goatgrass	NM, OR, and TX
Aegilops triuncialis	Barb Goatgrass	HI and NV
Aeginetia spp.	Aeginetia spp.	US
Aeschynomene indica	Indian jointvetch	HI
Aeschynomene indica	Kat sola	HI
Aeschynomene virginica	Curly indigo	LA
Aeschynomene virginica is a synonym of Aeschynomene indica L.		
Aeschynomene spp.	Curly indigo	AR
Ageratina adenophora	Croftonweed	HI and US
Ageratina adenophora	Maui pamakani	HI and US
Ageratina altissima	White snakeroot	HI
Ageratina riparia	Creeping croftonweed	HI
Ageratina riparia	Hamakua pamakani	HI
Agropyron repens	(see Elytrigia repens)	
Agrostemma githago	Corncockle	AL, AR, DE, FL, GA, IN, KY, LA, ME, MD, MA, MS, NH, NJ, NY, NC, OH, OK, PA, RI, SC, TN, TX, VT, and WV
Agrostis gigantea	Redtop	DE, MD, NJ, PA, VA, and WV
Agrostis spp.	Bentgrass (Creeping, Colonial, Velvet)	DE, MD, NJ, PA, VA, and WV
Alectra spp.	Alectra spp.	US
Alhagi camelorum	Camelthorn	ID, NV, NM, OR, and WA
Alhagi maurorum	Camelthorn	HI, and ID
Alhagi pseudalhagi	Camelthorn	AZ, CA, and CO
Alhagi camelorum and Alhagi pseudalhagi are synonyms of Alhagi maurorum		

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Allium canadense	Onion, wild	DC, FL, IL, ME, MD, MI, MO, NJ, NY, OH, PA, and RI
Allium spp.	Onion, wild and/or Garlic, wild	AL, AR, DE, GA, IN, KS, KY, LA, MA, MS, NC, OK, SC, TN, TX, VT, and VA
Shown as wild garlic	Allium spp.	DE, NC, and VT
Shown as wild onion	Allium spp.	DE, NC, SC, VT
Allium vineale	Garlic, wild	CA, DC, HI, IL, ME, MD, MI, MO, NJ, OH, OR, PA, and RI
Shown as wild onion	Allium vineale	NY and WV
Alopecurus myosuroides	Blackgrass	WA
Alternanthera sessilis	Joyweed, sessile	US
Ambrosia artemisiifolia	Ragweed	OR
Ambrosia discolor	Bursage, skeleton-leaf	NE
Ambrosia discolor synonym of Ambrosia tomentosa		
Ambrosia grayi	Povertyweed, woollyleaf	CO
(see Franseria)	Ragweed, bur	KS
Ambrosia psilostachya	Ragweed, perennial(Western)	ID, WA, and WY
Ambrosia spp.	Ragweeds	HI
Ambrosia tomentosa	Bursage, skeleton leaf	ID, and WY
Ambrosia tomentosa	Bursage, woollyleaf	NE
Woollyleaf Bursage is a common name for Ambrosia grayi, not Ambrosia tomentosa		
The Nebraska lab reports all bur-sage (Ambrosia spp.) as noxious		
Ambrosia trifida	Ragweed, giant	DE and NJ
Andropogon bicornis	Foxtail, West Indian	HI
Andropogon virginicus	Broomsedge	HI
Anoda cristata	Anoda, spurred	CO, DE, MD, NC, and NJ
Anthemis arvensis	Chamomile, scentless	CO
Arctium minus	Burdock, common	CO, and WY
Ardisia elliptica	Shoebutton ardisia	HI
Aristida spp.	Three-awns	HI
Artemisia absinthium	Wormwood	ND
Asclepias spp.	Milkweeds	HI
Asphodelus fistulosus	Onionweed	US
Astragalus spp.	Locoweeds	HI
Avena barbata	Oat, slender	MO
Avena fatua	Oat, wild	AK, AZ, CO, ID, KS, MO, MI, MT, NM, ND, OK, SC, SD, TX, UT, WA, WI, and WY
Avena spp.	Oat, wild and/or feral	TX
Avena sterilis	Oat, wild	OK
SEE OK AND TX FOR INTERPRETATIONS		
Avena sterilis (including Avena ludoviciana Dur.)		US
Azolla pinnata	Azolla, ferny	US
Barbarea vulgaris	Rocket, yellow or wintercress, bitter	CT, IN, MI, ME, NH, and WI

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Berteroa incana	Alyssum, hoary	MI, MN, and WI
Bocconia frutescens	Plume poppy	HI
Borreria alata	Borreria alata	US
Borreria alata is a synonym of Spermacoce alata		
Brassica arvensis	Mustard	IN, MA, MN, NE, OH, SD, and WV
Brassica arvensis is a synonym of Sinapis arvensis		
Brassica campestris	Rape, bird	IL and NE
Brassica campestris is a synonym of B. rapa		
Brassica juncea	Mustard, Indian	AK, CO, IL, IA, MA, MI, NE, PA, SD, WV, and WI
Brassica kaber	Mustard, wild	AK, CO, IL, MA, NV, OH, and SD
Brassica kaber is a synonym of Sinapis arvensis		
Brassica nigra	Mustard, wild, or black	CO, IL, IA, MA, MI, NE, PA, and SD
Brassica spp.	Mustard, wild and/or Turnip, wild	AL, AZ, CT, FL, IL, KS, LA, ME, MS, NE, NH, NC, OK, RI, SC, TN, TX, VT, and VA
Brassica spp. (except B. napus var. biennis and B. rapa var. rapa) GA (See also Sinapis)		
Bromus commutatus	Chess, (hairy)	AL, AR, FL, GA, KS, LA, MS, SC, TN, and TX
Bromus secalinus	Cheat	AL, AR, DE, FL, GA, KS, LA, MS, NJ, OK, SC, TN, and TX
Bromus tectorum	Brome, downy	WI
Buglossoides arvensis	Gromwell	WA (only in small grain)
Calonyction muricatum (see Ipomoea turbinata)	Moonflower or giant morningglory	AL, GA, MO, OK, and SC
Calystegia spp.	Bindweed, hedge	KS
Calystegia sepium (see also Convolvulus)		GA, MS, NC, OH and TX
Cannabis sativa	Hemp	MN and ND
Caperonia castaneifolia	Mexicanweed	LA
Cardaria draba subsp. chalepensis	Hoary cress	CA, NV, and ND
Shown as Cardaria chalepensis	Hoary cress	NV
Shown as Cardaria chalepensis	Lens-podded hoary cress	CA
Shown as Lepidium repens	Hoary cress	ND
Lepidium repens is a synonym of Cardaria draba subsp. chalepensis		
Cardaria draba		AK, AZ, CA, CO, HI, IL, IA, KS, MI, MO, MT, NE, NM, ND,OH, OK, NV, OR, SD, WA, and WY
Cardaria draba	Heart-podded hoary cress	CA and OH,
Cardaria draba	Hoary cress	HI, IL, KS, MO, MT, NE, NV, ND, OK, SD, WA, and WY
Cardaria draba	Peppergrass, perennial	IA, and MI
Cardaria draba	Whitetop	AK, CO, MI, MT, NV, NM, OK,

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Cardaria draba subsp. draba		ID, IN, MN, and WY
Cardaria draba subsp. draba	Hoary cress	ID, and WY
Cardaria draba subsp. draba	Whitetop	ID
Shown as Lepidium draba	Perennial peppergrass	IN, and MN
Lepidium draba is a synonym of Cardaria draba subsp. draba		
Cardaria draba var.	Whitetop	OR
Cardaria draba var. repens	Hoary cress	AZ
Cardaria pubescens		AK, AZ, CA, CO, HI, NV, NM, ND, OH, OR, and WA
Cardaria pubescens	Ballcress	OH
Cardaria pubescens	Globe-podded hoary cress	CA
Cardaria pubescens	Hairy whitetop	CO, HI, OH, and WA
Cardaria pubescens	Hoary cress	ND, and NV
Cardaria pubescens	Hoarycress	AZ
Cardaria pubescens	Perennial peppergrass	ND
Cardaria pubescens	Whitetop	NM, NV, and OR
Cardaria pubescens	Whitetops and its varieties	AK
Cardaria spp. (see also Lepidium)	Whitetop	UT
Cardiospermum halicacabum	Balloonvine	AL, AR, DE, FL, GA, KY, LA, MD, MS, MO, NC, OK, SC, TN, TX, and VA
Carduus acanthoides	Thistle, plumeless	CA, CO, MI, MN, NE, SD, and WY
Carduus nutans	Thistle, musk (nodding)	CA, CO, ID, KS, MI, MN, MO, NE, ND, OH, OK, OR, SD, UT, and WY
Carduus pycnocephalus	Thistle, Italian	CA, and OR
Carduus spp.	Thistle, plumeless, musk, or curled	DE, HI, MD, TN, and VA
Carduus tenuiflorus	Thistle, slenderflower	CA, and OR
Carthamus baeticus	Thistle, smooth distaff	CA
Carthamus lanatus	Thistle, woolly distaff	CA
Carthamus leucocaulos	Thistle, whitestem distaff	CA
Carthamus oxyacanthus	Safflower, wild	US
Cassia obtusifolia	Sicklepod	OK, NC, and TN
Cassia obtusifolia is a synonym of Senna obtusifolia		
Cassia tora	Sicklepod	DE
Cassia tora is a synonym of Senna tora		
Cenchrus echinatus	Sandbur, southern	CA
Cenchrus incertus	Sandbur, coast (field)	CA, and WA
Cenchrus incertus	Sandbur, field	GA
Cenchrus longispinus	Sandbur, mat (longspine)	CA, and CO
Cenchrus pauciflorus	Sandbur	AZ, GA, NV, and SC
Cenchrus spp.	Sandbur	NC
Centaurea calcitrapa	Starthistle, purple	NV, OR, and WA
Centaurea biebersteinii	Knapweed, spotted	WY
Centaurea cyanus	Cornflower	NC

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Centaurea diffusa	Knapweed, diffuse	CO, ID, MT, NE, OR, UT, WA, and WY
Centaurea iberica	Starthistle, Iberian	NV, and OR
Centaurea jacea	Knapweed, brown	WA
Centaurea jacea x nigra	Knapweed, meadow	WA
Centaurea maculosa	Knapweed, spotted	CO, ID, MI, MT, NE, ND, OR, SD, UT, WA, and WY
Centaurea macrocephala	Knapweed, bighead	WA
Centaurea melitensis	Starthistle, Malta	OR
Centaurea nigra	Knapweed, black	CO, and WA
Centaurea nigrescens	Knapweed, Vochin	WA
Centaurea picris	Knapweed, Russian	IL, MI, ND, OK, SC, and UT
Centaurea repens	Knapweed, Russian	AK, CO, CT, ID, IN, IA, KS, LA, MN, MT, NE, NV, NM, NY, SD, TX, UT, WA, and WY
Shown as Acroptilon repens	Knapweed, Russian	AZ, CA, CO, GA, HI, ID, OH, OR, and WY
Centaurea picris and Centaurea repens are synonyms of Acroptilon repens		
Centaurea solstitialis	Starthistle, yellow	AZ, CA, CO, HI, ID, MO, MT, NV, ND, OR, UT, WA, WV, and WY
Centaurea squarrosa	Knapweed, squarrose	UT
Centaurea squarrose is a synonym of Centaurea virgata subsp. squarrosa		
Centaurea virgata	Knapweed, squarerose	CO, and OR
Centaurea virgata is a synonym of Centaurea virgata subsp. squarrosa		
Cereus uruguayanus	Spiny tree cactus	HI
Cereus uruguayanus	Peruvian apple	HI
Chondrilla juncea	Skeletonweed (rush)	CO, ID, MT, NV, OR, and WA
Chorispora tenella	Mustard, purple	CA
	Mustard, blue	WY
Chromolaena odorata	Bitterbush	HI
	Siamweed	
Chrysanthemum leucanthemum (Synonym of Leucanthemum vulgare.)		
	Daisy, oxeye	CO, HI, IL, IN, KS, KY, MT, WV, and WY
Shown as Leucanthemum vulgare (see Leucanthemum)	Daisy, oxeye	OH, WI, and WY
Chrysopogon aciculatus	Amorseco	US
Cirsium arvense (arvensis)	Thistle, Canada	AL, AK, AZ, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, and WY
Cirsium undulatum	Thistle, wavyleaf	CA
Cirsium vulgare	Thistle, bull	CO, MI and MN

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Clematis orientalis	Clematis, Chinese	CO
Clidemia hirta var. hirta	Curse, Koster's	HI
Cnicus benedictus	Thistle, blessed	AL, FL, GA, MS, NC, SC, and TX
Coccinia grandis	Gourd, ivy	HI
Commelina benghalensis	Dayflower	US
Conium maculatum	Hemlock, poison	CO, and IA
Conium maculatum	Poison-Hemlock	ID, and OH
Convolvulus arvensis (also Morningglory and Creeping Jenny)	Bindweed, field	AL, AK, AZ, AR, CA, CO, CT, DE, DC, FL, GA, HI, ID, IL, IA, IN, KS, LA, ME, MA, MD, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, ND, OH, OK, OR, SC, SD, TN, TX, VT, VA, WA, WI, WV, and WY
Convolvulus sepium	Bindweed, hedge	AL, AR, HI, KS, LA, MI, MO, NJ, ND, OK, SC, SD, TN, and WA
Convolvulus spp. (See also Calystegia)	Bindweed	PA, RI, and UT
Cortaderia jubata	Cortaderia jubata	HI
Crotalaria longirostrata	Rattlepod, long-beaked	HI
Crotalaria pallida	Crotalaria, smooth	NC
Crotalaria mucronata	Crotalaria	FL
Crotalaria mucronata is a synonym of Crotalaria pallida		
Crotalaria striata		FL
Crotalaria striata is a synonym of Crotalaria pallida		
Crotalaria spectabilis	Crotalaria (showy)	FL, HI, NC, and TN
Crotalaria spp.		AL, AR, GA, and MS
Crupina vulgaris		ID, MT, OR, and US
Shown as Crupina vulgaris	Creeper, bearded	OR
Shown as Crupina vulgaris	Crupina, common	ID, and MT
Cucumis melo var. dudaim	Melon, dudaim	CA
Cucumis melo var. dudaim is a synonym of Cucumis melo subsp. melo var. chito		
Cuscuta spp.	Dodder	AL, AZ, AR, CA, CO, CT, DE, FL, GA, HI, ID, IL, IN, IA, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NE, NV, NH, NJ, NM, NY, NC, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VT, VA, WA, WV, WI, and WY
Cuscuta spp., except coryli	Dodder	ND
Cymbopogon refractus	Barbwire grass	HI
Cynanchum laeve (see also Gonolobus laevis)	Milkweed, climbing (sandvine)	KS
Cynodon dactylon (includes common and giant in MD)	Bermudagrass	AL, AR, DC, FL, GA, LA, MD, NJ, NC, SC, TX, UT, and WV
Cynodon dactylon var. aridus	Bermudagrass, giant	DC

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Cynodon spp.	Bermudagrass (common and giant)	DE, MS, NJ, PA, and VA
Cynoglossum officiale	Houndstongue	CO, MT, and WY
Cyperus esculentus	Nutsedge (Nutgrass), Yellow	AZ, CA, CO, CT, HI, GA, LA, ME, MI, MS, NH, NM, NC, and TN
Cyperus rotundus	Nutsedge (Nutgrass), Purple	AL, AZ, AR, CA, FL, GA, LA, MS, NM, NC, OK, SC, and TN
Cyperus spp.	Nutsedge (Nutgrass)	RI and TX
Cytisus monspessulanus	Broom, French	HI
Cytisus scoparius	Broom, Scotch	HI
Dactylis glomerata	Orchardgrass	DE, MD, NJ, PA, VA, and WV
Datura stramonium	Jimsonweed	MI, and NC
Daucus carota	Carrot, wild	IL, IA, KS, MI, SD, TX, and WV
Daucus carota subsp. carota	Carrot, wild	ID
Daucus carota subsp. carota	Queen Anne's Lace	ID
Descurainia pinnata	Tansymustard	WY
Dichrostachys nutans	Marabu	HI
Dichrostachys nutans is a synonym of Dichrostachys cinerea		
Digitaria abyssinica	Couch grass, African	US
Digitaria abyssinica	Finger grass, Abyssinian	US
Digitaria abyssinica	(= Digitaria scalarum)	US
Digitaria scalarum is a synonym of Digitaria abyssinica		
Digitaria ischaemum	Crabgrass	NV
Digitaria sanguinalis	Crabgrass	NV and NH
Digitaria velutina	Finger grass, velvet	US
Drymaria arenarioides	Alfombrilla	AZ and US
Echinochloa crusgalli	Barnyardgrass	AR
Eclipta alba	Yerba De Tajo	OK
Eclipta alba is a synonym of Eclipta prostrata		
Eichhornia azurea	Water- hyacinth, anchored	US
Elephantopus spp.	Elephantopus	HI
Elephantopus mollis	Elephant's foot	HI
Elymus caput-medusae	Medusahead Rye	ID
Elymus caput-medusae	Rye Medusahead	OR
Elymus caput-medusae is a synonym of Taeniatherum caput-medusae subsp. caput-medusae (see also Taeniatherum caput-medusae subsp. asperum)		
Elytrigia repens	Quackgrass	AL, AK, AZ, CA, CO, CT, DE, DC, FL, GA, HI, ID, IA, IL, IN, KS, KY, LA, ME, MD, MA, MI, MN, MS, MO, MT, NC, ND, NE, NH, NJ, NM, NY, NV, OH, OK, OR, PA, RI, SC, SD, TN, TX, UT, VA, VT, WA, WV, WI, and WY
Agropyron repens and Elytrigia repens var. repens are synonyms of Elytrigia repens		
Emex australis	Emex	HI and US
Emex spinosa	Emex, spiny	HI and US

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Eriocereus martinii	Cactus, moon	HI
Erysimum spp.	Treacle	KS
Euphorbia cyparissias	Spurge, cypress	CO
Euphorbia dentata	Poinsettia, wild	LA
Euphorbia esula	Spurge, leafy	AK, AZ, CA, CO, HI, ID, IL, IA, KS, MI, MN, MO, MT, NE, NV, NY, ND, OH, OR, SD, UT, WA, WI, and WY
Euphorbia heterophylla	Poinsettia, wild	LA
Euphorbia myrsinites	Spurge, myrtle	CO
Euphorbia pseudovirgata	Spurge, leafy	SD
Euphorbia pseudovirgata is a synonym of Euphorbia esula		
Euphorbia serrata	Spurge, toothed	HI
Festuca arundinacea	Fescue, tall	DE, MD, NJ, PA, VA, and WV
Festuca pratensis	Fescue, meadow	DE, MD, NJ, PA, VA, and WV
Franseria discolor	Povertyweed, silverleaf	CO, NM, and WY
Shown as Franseria discolor	Bursage, skeleton-leaf	WY
Franseria discolor is a synonym of Ambrosia tomentosa		
Franseria tomentosa	Povertyweed, woollyleaf	CO
Franseria tomentosa	Ragweed, bur	KS
Franseria tomentosa is a synonym of Ambrosia grayi (see Ambrosia)		
Galeopsis tetrahit	Hempnettle	AK
Galinsoga parviflora	Galinsoga	AK
Galium spp.	Bedstraw	CT, MA, NH, NY, PA, and VT
Galium tricorne	Bedstraw	OR
Gaura spp.	Gaura	HI
Glaucium corniculatum	Poppy, red horned	OK
Glycyrrhiza lepidota	Licorice, wild	WY
Galega officinalis	Galega	US
Gonolobus laevis (see Cynanchum laeve)	Milkweed, climbing (sandvine)	KS
Gonolobus laevis is a synonym of Cynanchum laeve		
Grevillea banksii	Kahiliflower	HI
Grevillea banksii	Bank's grevillea	HI
Halogeton glomeratus	Halogeton	CA, CO, HI, ID, NV, NM, OR, UT, and WA
Helianthus annuus	Sunflower, wild	IA
Helianthus ciliaris	Blueweed (, Texas)	AZ, AR, CA, CO, GA, HI, KS, LA, NM, OK, SC, and TX
Heracleum mantegazzianum	Cartwheel-flower	US
Hesperis matronalis	Rocket, dame's	CO
Hibiscus trionum	Mallow, Venice	CO
Hieracium aurantiacum	Hawkweed, Orange	MT
Hieracium pratense, H. floribundum, H. piloselloides	Hawkweed Complex, Meadow	MT

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Hieracium spp.	Hawkweed	WV
Hoffmannseggia densiflora	Pignut (Indian rushpea)	KS
Hoffmannseggia densiflora is a synonym of H. glauca		
Holcus lanatus	Velvetgrass	DE, MD, NJ, PA, VA, and WV
Hydrilla verticillata	Hydrilla	US
Hygrophila polysperma	Swampweed, East Indian	US
Hyoscyamus niger	Henbane, black	CO, and ID
Hypericum perforatum		CA, CO, HI, ID, MT, OR, and WA
Hypericum perforatum	Goatweed	OR
Hypericum perforatum	Klamathweed	CA, and NV
Hypericum perforatum	Common St. Johnswort	HI, and ID
Hypericum perforatum	St. Johnswort	CO, HI, ID, MT, OR, and WA
Hyptis pectinata	Hyptis, comb	HI
Hyptis suaveolens	Spikenard, wild	HI
Imperata brasiliensis.	Satintail, Brazilian	US
Imperata cylindrica	Cogongrass	HI and US
Ipomoea aquatica	Morning-glory, swamp	US
Ipomoea purpurea	Morningglory, wild	NE, OK, and WV
Ipomoea spp.	Morningglory (wild)	AR, KS, LA, MI, MS, NE, NM, NC, OK, and TX
Ipomoea spp. except I. carnea and I. aborescens		AZ
Ipomoea triloba	Little-bell	US
Ipomoea turbinata	Moonflower (purple) or Morningglory, giant	AR, GA, KY, LA, and MS
(shown as Calonyction muricatum)		AL, GA, MO, OK, and SC
Isatis tinctoria	Woad, dyers	CO, ID, MT, OR, UT, WA, and WY
Ischaemum rugosum	Duck-beak, wrinkled	US
Iva axillaris	Povertyweed or Sumpweed, poverty	CA, CO, ID, UT, WA, and WY
Lactuca pulchella	Lettuce, blue (flowering)	AK, CO, HI, ID, and WY
Lactuca tatarica subsp. pulchella		CO, WA, and WY
Lagarosiphon major	Oxygen-weed	US
Lagascea mollis	Acuate	HI
Lappula echinata	Blue burr	AK
Lappula echinata is a synonym of Lappula squarrosa		
Lepidium campestre	Peppergrass, field	IN and WV
Lepidium draba	Perennial peppergrass	IN, and MN
Lepidium draba is a synonym of Cardaria draba subsp. draba		
Shown as Cardaria draba subsp. draba	Hoary cress	ID, and WY
Shown as Cardaria draba subsp. draba	Whitetop	ID
Lepidium latifolium		AK, CA, CO, HI, ID, OR, UT, WA, and WY
Lepidium repens		
Lepidium repens is a synonym of Cardaria draba subsp. chalepensis		
Shown as Cardaria chalepensis	Hoary cress	NV
Shown as Cardaria chalepensis	Lens-podded hoary cress	CA

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Shown as Lepidium repens (see also Cardaria)	Hoary cress	ND
Leptochloa chinensis	Sprangletop, red	US
Lepyrodiclis holosteoides	Lepyrodiclis	WA
Lespedeza cuneata	Lespedeza, sericea	KS, and OK
Leucanthemum vulgare	Daisy, oxeye	OH, WI, and WY
Shown as Chrysanthemum leucanthemum	Daisy, oxeye	CO, HI, IL, IN, KS, KY, WV, and WY
Chrysanthemum leucanthemum is a synonym of Leucanthemum vulgare. (see Chrysanthemum)		
Limnophila sessiliflora	Ambulia	US
Linaria dalmatica	Toadflax, Dalmatian	CO, MT, NV, OR, WA, and WY
Linaria genistifolia subsp. dalmatica	Toadflax, Dalmatian	ID
Linaria vulgaris	Butter and eggs	ID
Linaria vulgaris	Toadflax, yellow	AK, CO, ID, MT, WA, and WY
Lolium persicum	Darnel; Ryegrass, Persian	MT, TX
Lolium temulentum	Darnel	AL, AR, FL, GA, LA, MS, OK, SC, TN, and TX
Lycium ferocissimum	Boxthorn, African	US
Lychnis alba	Cockle, white	CT and WA
Shown as Silene alba	Cockle, white	WI
Lychnis alba and Silene alba are synonyms of Silene latifolia subsp. alba		
Lythrum salicaria	Loosestrife, purple	CO, ID, MT, NE, NH, OH, UT, VT, and WY
Lythrum salicaria	Lythrum, purple	ID
Lythrum virgatum	Loosestrife, purple	CO and MT
Shown as Lythrum salicaria, L. virgatum, and any hybrid crosses thereof	Purple Loosestrife or Lythrum	MT
Madia sativa	Tarweed, coast	CO
Malachra alceifolia	Malachra	HI
Malvella leprosa	Mallow, alkali	CA
shown as Sida hederacea	Mallow, alkali	AZ
Sida hederacea is a synonym of Malvella leprosa		
Medinilla venosa	Medinilla venosa	HI
Melaleuca quinquenervia	Melaleuca	US
Melastoma malabathricum	Indian-rhododendron	US
Melastoma malabathricum	Melastoma, banks	US
Melastoma malabathricum	Rhododendron, Indian	US
Melastoma spp.	Melastoma	HI
Miconia spp.	Miconia	HI
Mikania cordata	Mile-a-minute	US
Mimosa diplotricha	Sensitiveplant, giant	HI and US
Mikania micrantha	Mile-a-minute	HI
Mikania scandens	Hempweed, climbing	HI
Mimosa invisa	Sensitiveplant, giant	HI and US

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
(synonym of M. diplotricha)		
Mimosa pigra	Sensitiveplant, thorny	HI and US
Miscanthus floridulus	Miscanthus	HI
	Silvergrass, Japanese	
Monochoria hastata	Hastate-leaf-pondweed	US
Monochoria vaginalis	Monochoria, oval-leaf	US
Montanoa hibiscifolia	Daisy, tree	HI
Myrica faya	Firetree	HI
Myrica faya	Myrtle, candleberry	HI
Nassella trichotoma	Tussock, serrated	AL, AR, DE, FL, GA, IL, MO, MD, MI, MS, NE, NC, OH, OK, OR, RI, SC, TX, VT, VA, WA, WV and US
(shown as Stipa trichotoma)	Tussock, nasella	HI
Onopordum acanthium	Thistle, Scotch (cotton)	CO, ID, NE, OK, UT, and WY
Onopordum spp.	Thistles, onopordum	CA
Onopordum tauricum	Thistle, Scotch	CO
Opuntia aurantiaca	tiger-pear	US
Orobanche spp.	Broomrape	US
Oryza longistaminata	Rice, red	US
Oryza sativa (var.)	Rice, red	AR, FL, LA, SC, and TX
Oryza spp.		MS
Oryza punctata	Rice, red	US
Oryza rufipogon	Rice, red	GA and US
Ottelia alismoides	Duck-lettuce	US
Oxyspora paniculata	Oxyspora paniculata	HI
Oxytropis spp.	Locoweeds	HI
Panicum miliaceum subsp. ruderale		
	Millet, wild proso	CO and WY
Panicum repens	Torpedograss	HI
Panicum texanum	Buffalograss	FL
Panicum texanum	Millet, Texas	GA, and NC
Panicum texanum	Panicum, Texas	GA, and NC
Paspalum scrobiculatum	Couch, water	US
Passiflora incarnata	Passionflower or maypop	TX
Passiflora mollissima	Passionfruit, banana	HI
Passiflora mollissima	Poka, banana	HI
Passiflora pulchella	Passionfruit, wingleaf	HI
Peganum harmala	Rue, African	CO
Pennisetum clandestinum	Kikuyu grass	US
Pennisetum macrourum.	Bedding grass	US
Pennisetum pedicellatum	Kayasuwa grass	US
Pennisetum polystachion	Mission grass	US
Pennisetum setaceum	Fountaingrass	HI
Phleum pratense	Timothy	DE, MD, NJ, PA, VA and WV

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Physalis lobata	Groundcherry, purpleflower	CO
Physalis lobata is a synonym of Quincula lobata		
Physalis longifolia var. subglabrata	Groundcherry, smooth	ID
Piper aduncum	Pepper, spiked	HI
Pittosporum undulatum	Box, Victorian	HI
Plantago aristata	Plantain, bracted	AL, GA, LA, NC, OK, SC, and TX
Plantago lanceolata	Plantain, buckhorn	AL, CO, FL, ID, IL, IN, IA, KS, KY, LA, ME, MA, MI, MN, MO, NC, OH, OK, PA, RI, SC, TN, TX, WV, WI, and WY
Plantago spp.	Plantain (bracted and buckhorn)	AK, CT, MS, and WA
Poa annua	Bluegrass, annual	AK, CT, DE, DC, FL, KY, MD, MA, NJ, NY, PA, SD, TN, TX, VA, and WV
Poa trivialis	Bluegrass, rough	DE, MD, NJ, PA, VA and WV
Polygonum convolvulus	Buckwheat, wild	AK, KS, and OK
Polygonum convolvulus	Bindweed, black	KS
Potentilla recta	Cinquefoil, sulfur (erect)	CO, and MT
Prosopis alpataco	Prosopis alpataco	US
Prosopis argentina	Prosopis argentina	US
Prosopis articulata	Amargo, mesquite	US
Prosopis burkartii	Prosopis burkartii	US
Prosopis caldenia	Prosopis caldenia	US
Prosopis calingastana	Cusqui	US
Prosopis campestris	Prosopis campestris	US
Prosopis castellanosii	Prosopis castellanosii	US
Prosopis denudans	Prosopis denudans	US
Prosopis elata	Prosopis elata	US
Prosopis farcta	Prosopis farcta	US
Prosopis ferox	Prosopis ferox	US
Prosopis fiebrigii	Prosopis fiebrigii	US
Prosopis hassleri	Prosopis hassleri	US
Prosopis humilis	Prosopis humilis	US
Prosopis juliflora	Prosopis juliflora	HI
Prosopis kuntzei	Prosopis kuntzei	US
Prosopis pallida	Algarrobo	US
Prosopis palmeri	Prosopis palmeri	US
Prosopis reptans var. reptans	Prosopis reptans var. reptans	US
Prosopis rojasiana	Prosopis rojasiana	US
Prosopis ruizlealii	Prosopis ruizlealii	US
Prosopis ruscifolia	Prosopis ruscifolia	US
Prosopis sericantha	Prosopis sericantha	US
Prosopis strombulifera	Prosopis strombulifera	US
Prosopis torquata	Prosopis torquata	US
Pueraria lobata	Kudzu	KS
(Pueraria lobata is a synonym of Pueraria montana var. lobata)		

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Pueraria phaseoloides	Kudzu, tropical	HI
Quincula lobata	Groundcherry, purpleflower	CO
Ranunculus acris	Buttercup, tall	MT
Raphanus raphanistrum	Radish	AK, CT, FL, GA, ME, MA, MI, MN, MS, NH, NC, RI, SC, TX, VT, and WI
Raphanus spp.	Radish	AL and VA
Rapistrum rugosum	Mustard, common giant	TX
Rhodomyrtus tomentosa	Rosemyrtle, downy	HI
Rhynchospora spp.	Spearhead	LA
Ricinus communis	Castor	TX
Rorippa austriaca	Fieldcress, Austrian	AK, CA, HI, ID, NV, OR, and WA
Rosa multiflora	Rose, multiflora	PA
Rottboellia cochinchinensis	Itchgrass	LA, NC, TX and US
Rottboellia exaltata	Itchgrass (raoulgrass)	AR, LA, SC, and TN
Rottboellia exaltata is a synonym of *Rottboellia cochinchinensis* (Lour.) Clayton		
Rubus argutus	Blackberry, prickly Florida	HI
Rubus ellipticus var. obcordatus	Raspberry, yellow Himalayan	HI
Rubus fruticosus (complex)	Rubus fruticosus	US
Rubus fruticosus is a synonym of *Rubus plicatus* Weihe & Nees		
Rubus moluccanus	Rubus moluccanus	US
Rubus niveus	Raspberry, hill	HI
Rubus sieboldii	Raspberry, Molucca	HI
Rumex acetosella	Sorrel, sheep (or red)	AL, FL, GA, IA, KY, LA, MO, NE, OK, SC, and TN
Rumex altissimus	Dock, smooth	IA, NE
Rumex crispus	Dock, curly	AZ, CO, IL, IN, IA, MI, MT, NE, NV, NC, and OH
Rumex crispus, obtusifolius and conglomeratus	Docks	FL
Rumex obtusifolius	Dock, broadleaf	NC
Rumex spp.	Dock and/or Sorrel	AR, CT, GA, KS, LA, NE, MO, MS, OK, SC, TN, TX, and WA
Rumex spp. except hastatulus		AL
Rumex venosus	Dock, winged	NE
Saccharum spontaneum	Sugarcane, wild	US
Saccharum spontaneum	Geshoumi	US
Sagittaria sagittifolia	Arrowhead	US
Salsola kali	Thistle, Russian	HI
Salsola kali var. tenuifolia		AZ
Salsola pestifer		MO
Salsola kali vars. and Salsola pestifer are synonyms of Salsola australis		
Salsola vermiculata	Salsola, wormleaf	US
Salvia aethiopis	Sage, Mediterranean	CA and CO
Salvinia auriculata	Fern, butterfly	US

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Salvinia biloba	Salvinia, giant	US
Salvinia herzogii	Salvinia, giant	US
Salvinia molesta	Salvinia, giant	US
Saponaria officinalis	Bouncingbet	CO
Senecio jacobaea	Ragwort, tansy	ID, MT, OR, and WA
Senecio madagascariensis	Fireweed	HI
Senna obtusifolia	Sicklepod	MD, MS, and VA
Sesbania exaltata	Indigo, tall; coffeebean;	AR, LA
Sesbania exaltata	Sesbania, hemp ;	AR, LA
Setaria faberi	Foxtail, giant	AL, AR, CO, DE, GA, IL, IN, IA, KS, KY, MD, MI, MN, MO, NC, OK, SC, SD, TN, TX, VA, and WI
Setaria pallide-fusca	Bristle grass, yellow	US
Setaria spp.	Foxtail, giant	MS
Sicyos angulatus	Burcucumber	DE and NJ
Sida hederacea	Mallow, alkali	AZ
shown as Malvella leprosa	Mallow, alkali	CA
Sida hederacea is a synonym of Malvella leprosa		
Silene alba	Cockle, white	WI
Shown as Lychnis alba	Cockle, white	CT and WA
Lychnis alba and Silene alba are synonyms of Silene latifolia subsp. alba		
Silene cucubalus	Campion, bladder	WA
Silene cucubalus is a synonym of Silene vulgaris subsp. vulgaris		
Silene latifolia subsp. alba	Cockle, white	
Shown as Lychnis alba	Cockle, white	CT and WA
Shown as Silene alba	Cockle, white	WI
Lychnis alba and Silene alba are synonyms of Silene latifolia subsp. alba		
Silybum marianum	Thistle, blessed milk	TX
Sinapis arvensis		CO, IA, KS, MA, MI, PA, VA, and WI
Sinapis arvensis	Charlock	KS, MA, and MI
Sinapis arvensis	Mustard(, wild)	CO, IA, IN, MA, PA, VA, and WI
Shown as Brassica kaber	Mustard(, wild)	AK, CO, IL, MA, NV, OH, and SD
Brassica kaber is a synonym of Sinapis arvensis		
Shown as Brassica arvensis	Mustard(, wild)	IN, MN, OH, SD, and WV
Brassica arvensis is a synonym of Sinapis arvensis		
Sinapis arvensis subsp. arvensis	Mustard, wild	WA
Sinapis spp.	(see also Brassica)	TX
Solanum americanum	Nightshade complex, black	KS
Solanum carolinense	Horsenettle; bullnettle;	AL, AK, AZ, AR, CA, CO, CT, DE, FL, GA, HI, IL, IN, IA, KS, LA, ME, MD, MA, MI, MN, NE, NV, NH, NJ, NY, NC, OH, OK, PA, RI, SC, SD, TN, TX, VT, and WV

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Solanum carolinense and/or Solanum elaeagnifolium	Horsenettle and/or nightshades	FL and TX
Solanum dulcamara	Nightshade, bitter	MI
Solanum elaeagnifolium	Horsenettle; Nightshade (purple) (silverleaf) (white)	AL, AZ, AR, CA, CO, FL, GA, HI, ID, KS, LA, MI, NV, NM, OK, SC, and TX
Solanum interius	Nightshade complex, black	KS
Solanum nigrum	Nightshade complex, black	KS and MI
Solanum ptycanthum	Nightshade, eastern black	IN, MI, MN, and MO
	Nightshade complex, black	KS
Solanum robustum	Nightshade, silverleaf	HI
Solanum rostratum	Buffalobur	HI, and ID
Solanum sarrachoides	Nightshade complex, black	KS and MI
Solanum spp.	Tropical soda apple	MS
Solanum torvum	Terongan	HI and US
	Turkeyberry	HI and US
Solanum viarum	Tropical soda apple	AR, FL, GA, SC, TX and US
Sonchus arvensis	Sowthistle, perennial	AK, AZ, CA, CO, CT, HI, ID, IL, IN, IA, KS, ME, MA, MI, MN, MT, NV, ND, OH, OR, PA, RI, SD, VT, WA, WV, WI, and WY
Sorghum X Almum	Columbus grass	OH
Sorghum X Almum	Sorghum almum	CO, GA, HI, IN, KY, MO, MS, SC, TN, and UT
Sorghum halepense	Johnsongrass, etc.	AL, AZ, AR, CA, CO, FL, GA, HI, ID, IL, IN, KS, KY, LA, MI, MS, MO, NE, NV, NM, NC, OH, OK, OR, PA, SC, TN, TX, UT, WA, and WV
SEE INDIVIDUAL STATES FOR INTERPRETATIONS		
Sorghum spp.	Sorghum species (perennial)	DE, MD, NJ, SC, UT, and VA
Sparganium erectum	Bur-reed, exotic	US
Spartium junceum	Broom, Spanish	HI
Spermacoce alata	Borreria	US
Sphaerophysa salsula	Peaweed, Austrian	OR
Sphaerophysa salsula (see also Swainsona salsula)	Swainsonpea	ID and WY
Stachys palustris	Woundwort	ME
Stipa spp.	Needlegrasses	HI
Stipa trichotoma	Tussock, nasella	HI
(see Nasella trichotoma) Stipa trichotoma is a synonym of Nassella trichotoma		
Striga asiatica	Witchweed	NC and SC
Striga spp.	Witchweeds	HI and US
Swainsona salsula	Swainsonpea	ID and WY
Swainsona salsula	Peaweed, Austrian	NV
Swainsona salsula is a synonym of Sphaerophysa salsula		

BOTANICAL NAME CROSS REFERENCE

Botanical name	Common name	States (US = Federal Noxious Weeds)
Taeniatherum asperum	Rye Medusa head	NV
Taeniatherum asperum is a synonym of Taeniatherum caput-medusae subsp. asperum.		
Taeniatherum caput-medusae	Medusahead	CA, CO, HI, and UT
Taeniatherum caput-medusae subsp. caput-medusae	Medusahead rye	ID
Taeniatherum caput-medusae subsp. caput-medusae	Medusahead	WA
Elymus caput-medusae is a synonym of Taeniatherum caput-medusae subsp. caput-medusae		
Elymus caput-medusae	Rye Medusahead	OR
Elymus caput-medusae	Medusahead rye	ID
Tagetes minuta	Marigold, wild	HI
Tamarix parviflora	Saltcedar	CO
Tamarix ramosissima	Saltcedar	CO
Tamarix spp.	Tamarisk (Saltcedar)	MT
Tanacetum vulgare	Tansy (common)	MT, WY
Themeda villosa	Lyon's grass	HI
Thlaspi arvense		IN, KS, MI, MN, NE, NV, OH, SD, and WA
Shown as Thlaspi arvense	Pennycress (field)	IN, KS, NE, NV, SD, and WA
Shown as Thlaspi arvense	Fanweed	KS, MI, NV, and WA
Shown as Thlaspi arvense	Frenchweed	MN, and OH
Tibouchina spp.	Tibouchina	HI
Tribulus terrestris	Puncturevine	AZ, CA, CO, HI, ID, IA, MI, NE, NV, TX, WA, and WY
Tridax procumbens	Coat-buttons	US
Triumfetta rhomboidea	Bur, paroquet	HI
Triumfetta semitriloba	Bur, Sacramento	HI
Ulex europaeus	Gorse	HI
Urena lobata	Caesarweed	HI
Urochloa panicoides	Liverseed grass	US
Verbascum thapsus	Mullein	HI
Vicia cracca	Vetch, tufted	AK
Xanthium pensylvanicum	Cocklebur	IN
Xanthium pensylvanicum is a synonym of Xanthium strumarium		
Xanthium spp.	Cocklebur	AL, AR, FL, GA, HI, KS, LA, MS, NC, OK, SC, TN, and TX
Xanthium strumarium	Cocklebur	DE, IA, MD, and MI
Zygophyllum fabago	Beancaper, Syrian	ID

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice or TDD). USDA is an equal opportunity provider and employer.