



Daily Spot Cotton Quotations

Agricultural Marketing Service
Cotton and Tobacco Market News

16-May-22

Volume 104, No. 200

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS			SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program	
	ICE Futures	Staple 34	Staple 35	Today	Season
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>
Southeast	0 Jul-22	150.65	152.90	0	51,324
North Delta	-100 Jul-22	149.65	151.90	0	8,435
South Delta	-100 Jul-22	149.65	151.90	0	5,730
East TX-OK	-800 Jul-22	142.65	144.90	453	396,935
West Texas	-800 Jul-22	142.65	144.15	0	1,139,810
Desert SW	-875 Jul-22	141.90	144.15	0	11,046
SJ Valley	-825 Jul-22	142.40	151.30	0	0
Average	-500 Jul-22	145.65	148.74	Upland Total	
Previous day	-500 Jul-22	140.20	143.29	453	1,613,280
AMERICAN PIMA SPOT PRICE QUOTATIONS					
	Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46	AP Total	
American Pima	300.00	281.50	289.25	0	14,733
ICE FUTURES US - CONTRACT NO. 2 1/			7-MARKET		May 13 - May 19
COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			BASE QUOTATIONS		ADJ. WORLD PRICE
Month	<i>Cents per pound</i>			FOR UPLAND COTTON	
	Today	Previous	Change		
Jul-22	150.65	145.20	↑ 5.45	Season high	
Oct-22	139.61	134.70	↑ 4.91		
Dec-22	132.96	127.99	↑ 4.97	5/4/2022	149.76
Mar-23	127.25	122.82	↑ 4.43	Season low	
May-23	121.55	117.21	↑ 4.34		
Jul-23	115.86	111.51	↑ 4.35		
Oct-23	107.71	103.84	↑ 3.87		
Dec-23	97.38	94.49	↑ 2.89	9/20/2021	85.77
Mar-24	95.75	92.74	↑ 3.01		
May-24	94.69	91.68	↑ 3.01		
May 13 - May 19 ADJ. WORLD PRICE 140.82 CC ADJUSTMENT 0.00 FC ADJUSTMENT 2020 2021 0.27 0.52 LOAN DEFICIENCY PMT. 0.00 PIMA COMPETITIVENESS PAYMENT 0.00					

TODAY'S REPORT REFLECTS CHANGES INDICATED BELOW:

Market	Basis	Color Leaf Staple	Mike	Strength	Extraneous Matter	Uniformity
Southeast						
North Delta						
South Delta						
East TX-OK						
West Texas						
Desert SW						
SJ Valley						
American Pima						

1/ Settlement prices provided by ICE Futures US

THIS REPORT IS AVAILABLE ON THE WORLD WIDE WEB AT:<http://www.ams.usda.gov/mnreports/cnddsq.pdf>

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>

SOUTHEAST DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-50	150	250	375	425	425	25-26	-1075
	3	-225	-50	150	225	350	400	400	27-29	-675
	4	-225	-125	75	175	275	300	300	30-32	-525
	5	-475	-325	-225	-75	-25	-25	-25	33-34	-400
	6	-600	-450	-400	-325	-300	-300	-300	Base 35-36	0
31	7	-725	-575	-550	-450	-425	-425	-425	37-42	0
	1 & 2	-225	-100	75	225	350	375	375	Base 43-49	0
	3	-225	-100	75	225	325	350	350	50-52	-200
	4	-225	-125	75	175	250	275	275	53 & Above	-375
	5	-475	-325	-225	-75	-50	-50	-50		
41	6	-600	-450	-400	-375	-350	-350	-350		
	7	-725	-575	-550	-500	-475	-475	-475		
	1 & 2	-275	-150	50	150	200	200	225	Strength	
	3	-275	-150	50	125	175	175	200	(Grams per Tex)	
	4	-275	-200	150.65	100	175	175	200	Range	Diff.
51	5	-550	-450	-300	-175	-125	-125	-125	21.0 - 21.9	-725
	6	-675	-550	-525	-450	-425	-425	-425	22.0 - 22.9	-675
	7	-775	-675	-650	-600	-575	-575	-575	23.0 - 23.9	-650
	1 & 2	-475	-350	-225	-175	-150	-150	-150	24.0 - 24.9	-625
	3	-550	-375	-300	-225	-175	-175	-175	25.0 - 25.9	-600
61	4	-575	-375	-325	-275	-250	-250	-250	26.0 - 26.9	-300
	5	-775	-650	-550	-500	-475	-475	-475	Base 27.0 - 28.9	0
	6	-850	-675	-625	-625	-600	-600	-600	29.0 - 29.9	0
	7	-925	-800	-775	-775	-750	-750	-750	30.0 - 30.9	25
	1-5	-775	-700	-625	-600	-600	-600	-600	31.0 - 32.9	50
71	6	-950	-875	-825	-800	-800	-800	-800	33.0 & Above	50
	7	-1075	-950	-900	-875	-875	-875	-875		
	1-6	-1075	-1000	-950	-950	-950	-950	-950		
12 & 22	7	-1100	-1025	-975	-975	-975	-975	-975		
	1 & 2	-275	-100	50	150	250	250	275	Extraneous Matter	
	3	-275	-100	50	125	225	225	250	Type - Level	Diff.
	4	-275	-125	0	100	200	200	225	Prep - Level 1	-200
	5	-525	-425	-300	-100	-75	-75	-75	Prep - Level 2	-800
32	6	-650	-525	-525	-450	-425	-425	-425	Other - Level 1	-550
	7	-750	-650	-650	-600	-575	-575	-575	Other - Level 2	-800
	1 & 2	-325	-175	-25	0	50	50	50	Plastic - Level 1	-4000
	3	-350	-200	-50	0	25	25	25	Plastic - Level 2	-4000
	4	-450	-200	-150	-100	-50	-50	-50		
42	5	-625	-450	-400	-375	-350	-350	-350		
	6	-700	-550	-550	-525	-500	-500	-500		
	7	-800	-675	-675	-650	-625	-625	-625		
	1-3	-550	-350	-225	-200	-175	-175	-175	Uniformity	
	4	-575	-375	-275	-275	-250	-250	-250	Unit	Points
52	5	-775	-650	-425	-375	-350	-350	-350	77.9 & Below	-125
	6	-825	-675	-625	-625	-600	-600	-600	78.0 - 78.9	-110
	7	-925	-800	-775	-750	-725	-725	-725	79.0 - 79.9	-100
	1-4	-825	-700	-575	-500	-500	-500	-500	80.0 - 80.9	0
	5	-850	-850	-675	-650	-650	-650	-650	Base 81.0 - 81.9	0
62	6	-925	-900	-850	-825	-825	-825	-825	82.0 - 82.9	0
	7	-1075	-1000	-950	-925	-925	-925	-925	83.0 - 83.9	20
	1-5	-950	-875	-825	-825	-825	-825	-825	84.0 - 84.9	30
43	6	-1125	-1050	-1000	-1000	-1000	-1000	-1000	85.0 - 85.9	40
	1-3	-900	-850	-800	-750	-725	-725	-725	86.0 & Above	50
	4	-925	-900	-850	-775	-750	-750	-750		
	5	-950	-900	-850	-825	-825	-825	-825		
	6	-1000	-925	-875	-850	-850	-850	-850		
53	7	-1125	-1000	-950	-925	-925	-925	-925		
	1-4	-1000	-900	-850	-800	-800	-800	-800		
	5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1150	-1100	-1000	-1000	-1000	-1000	-1000		
63	7	-1250	-1200	-1100	-1100	-1100	-1100	-1100		
	1-5	-1125	-1075	-975	-975	-975	-975	-975		
	6	-1250	-1200	-1100	-1100	-1100	-1100	-1100		

NORTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike		
		32	33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-225	-75	150	275	375	425	425	25-26	-1000	
	3	-225	-75	150	225	350	375	375	27-29	-650	
	4	-275	-200	75	125	250	275	275	30-32	-525	
	5	-450	-325	-150	-75	-50	-25	-25	33-34	-425	
	6	-500	-475	-350	-300	-300	-300	-300	Base 35-36	0	
	7	-600	-575	-450	-400	-400	-400	-400	37-42	25	
	31	1 & 2	-225	-100	125	250	350	375	375	Base 43-49	0
3		-225	-100	125	225	325	350	350	50-52	-225	
4		-275	-250	75	125	175	200	200	53 & Above	-375	
5		-450	-325	-225	-125	-100	-75	-75			
6		-500	-475	-350	-300	-300	-300	-300			
7		-600	-575	-450	-400	-400	-400	-400			
41		1 & 2	-350	-250	50	100	225	225	250	Strength	
	3	-350	-250	25	50	175	200	225	(Grams per Tex)		
	4	-375	-275	149.65	0	125	150	150	Range	Diff.	
	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850	
	6	-675	-600	-500	-425	-400	-400	-400	22.0 - 22.9	-800	
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750	
	51	1-2	-675	-475	-350	-250	-250	-250	-250	24.0 - 24.9	-700
3		-725	-475	-375	-275	-275	-275	-275	25.0 - 25.9	-650	
4		-750	-500	-400	-350	-350	-350	-350	26.0 - 26.9	-300	
5		-825	-725	-650	-575	-550	-550	-550	Base 27.0 - 28.9	0	
6		-950	-925	-775	-700	-700	-700	-700	29.0 - 29.9	0	
7		-1000	-975	-825	-775	-775	-775	-775	30.0 - 30.9	25	
61		1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
	6	-950	-950	-775	-750	-750	-750	-750	33.0 & Above	50	
	7	-1025	-1000	-875	-850	-850	-850	-850			
71	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025			
	7	-1275	-1225	-1075	-1075	-1075	-1075	-1075			
12 & 22	1 & 2	-275	-125	50	100	225	250	250	Extraneous Matter		
	3	-275	-125	25	50	175	225	225	Type - Level	Diff.	
	4	-300	-250	0	0	150	175	175	Prep - Level 1	-200	
	5	-600	-475	-300	-200	-175	-150	-150	Prep - Level 2	-800	
	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 1	-375	
	7	-775	-750	-625	-550	-525	-525	-525	Other - Level 2	-785	
	32	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 1	-4000
3		-400	-250	-100	-25	25	25	25	Plastic - Level 2	-4000	
4		-425	-275	-200	-100	-75	-75	-75			
5		-700	-525	-350	-325	-300	-300	-300			
6		-800	-750	-575	-525	-500	-500	-500			
7		-900	-850	-675	-625	-625	-625	-625			
42		1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-250	-250	-250	Unit	Points	
	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90	
	6	-850	-750	-600	-550	-525	-525	-525	78.0 - 78.9	-80	
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70	
	52	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
		5	-825	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
6		-975	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0	
7		-1000	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30	
62	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40	
	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50	
43	1-3	-900	-675	-500	-475	-475	-475	-475	86.0 & Above	60	
	4	-925	-700	-525	-500	-500	-500	-500			
	5	-950	-850	-775	-750	-750	-750	-750			
	6	-1050	-950	-875	-850	-850	-850	-850			
	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000			
53	1-4	-1000	-900	-825	-800	-800	-800	-800			
	5	-1075	-1000	-925	-900	-900	-900	-900			
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000			
	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100			
63	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075			
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075			

SOUTH DELTA DIFFERENCES

Color	Leaf	Staple							Mike	
		32	33	34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	-225	-75	175	300	375	425	425	25-26	-1100
	3	-225	-75	150	250	350	375	375	27-29	-750
	4	-275	-200	75	125	250	275	275	30-32	-525
	5	-450	-325	-175	-100	-75	-50	-50	33-34	-425
	6	-500	-475	-450	-400	-400	-400	-400	Base 35-36	0
31	7	-600	-575	-550	-500	-500	-500	-500	37-42	25
	1 & 2	-225	-100	125	250	350	375	375	Base 43-49	0
	3	-225	-100	125	225	325	350	350	50-52	-225
	4	-275	-250	75	125	175	200	200	53 & Above	-375
	5	-550	-425	-225	-150	-125	-100	-100		
41	6	-600	-575	-450	-400	-400	-400	-400		
	7	-700	-675	-550	-500	-500	-500	-500		
	1 & 2	-350	-250	100	150	250	250	275	Strength	
	3	-350	-250	75	100	225	225	250	(Grams per Tex)	
	4	-375	-275	149.65	50	175	200	200	Range	Diff.
51	5	-625	-500	-325	-225	-175	-175	-175	21.0 - 21.9	-850
	6	-675	-600	-500	-425	-400	-425	-425	22.0 - 22.9	-800
	7	-800	-775	-650	-550	-550	-550	-550	23.0 - 23.9	-750
	1-2	-675	-475	-300	-200	-200	-200	-200	24.0 - 24.9	-700
	3	-725	-475	-325	-225	-225	-225	-225	25.0 - 25.9	-650
61	4	-750	-500	-350	-300	-300	-300	-300	26.0 - 26.9	-300
	5	-825	-725	-625	-575	-550	-550	-550	Base 27.0 - 28.9	0
	6	-925	-825	-775	-700	-700	-700	-700	29.0 - 29.9	0
	7	-1100	-1075	-925	-800	-800	-800	-800	30.0 - 30.9	25
	1-5	-850	-750	-650	-575	-575	-575	-575	31.0 - 32.9	50
71	6	-925	-850	-775	-750	-750	-750	-750	33.0 & Above	50
	7	-1125	-1100	-975	-850	-850	-850	-850		
	1-6	-1225	-1175	-1075	-1025	-1025	-1025	-1025		
12 & 22	7	-1275	-1225	-1125	-1075	-1075	-1075	-1075	Extraneous Matter	
	1 & 2	-275	-125	50	100	250	275	275	Type - Level	Diff.
	3	-275	-125	25	50	200	250	250	Prep - Level 1	-200
	4	-300	-250	0	0	150	175	175	Prep - Level 2	-800
	5	-600	-475	-300	-200	-175	-150	-150	Other - Level 1	-375
32	6	-725	-650	-525	-425	-400	-400	-400	Other - Level 2	-785
	7	-775	-750	-625	-550	-525	-525	-525	Plastic - Level 1	-4000
	1 & 2	-400	-250	-100	0	50	50	50	Plastic - Level 2	-4000
	3	-400	-250	-100	-25	25	25	25		
	4	-425	-275	-200	-100	-75	-75	-75		
42	5	-700	-525	-350	-325	-300	-300	-300		
	6	-800	-750	-575	-525	-500	-500	-500		
	7	-900	-850	-675	-625	-625	-625	-625		
	1-3	-550	-425	-325	-200	-175	-175	-175	Uniformity	
	4	-575	-450	-350	-275	-225	-225	-225	Unit	Points
52	5	-725	-575	-425	-375	-325	-325	-325	77.9 & Below	-90
	6	-850	-750	-600	-525	-500	-500	-500	78.0 - 78.9	-80
	7	-900	-850	-700	-650	-650	-650	-650	79.0 - 79.9	-70
	1-4	-750	-575	-525	-500	-500	-500	-500	80.0 - 80.9	0
	5	-875	-725	-650	-600	-600	-600	-600	Base 81.0 - 81.9	0
62	6	-925	-875	-800	-775	-775	-775	-775	82.0 - 82.9	0
	7	-1025	-975	-900	-875	-875	-875	-875	83.0 - 83.9	30
	1-5	-1025	-925	-850	-825	-825	-825	-825	84.0 - 84.9	40
43	6	-1175	-1075	-950	-925	-925	-925	-925	85.0 - 85.9	50
	1-3	-900	-675	-475	-450	-450	-450	-450	86.0 & Above	60
	4	-925	-700	-525	-500	-500	-500	-500		
	5	-950	-850	-775	-750	-750	-750	-750		
	6	-1050	-950	-875	-850	-850	-850	-850		
53	7	-1200	-1100	-1025	-1000	-1000	-1000	-1000		
	1-4	-1000	-900	-825	-800	-800	-800	-800		
	5	-1075	-1000	-925	-900	-900	-900	-900		
	6	-1250	-1100	-1025	-1000	-1000	-1000	-1000		
63	7	-1275	-1225	-1125	-1100	-1100	-1100	-1100		
	1-5	-1225	-1175	-1100	-1075	-1075	-1075	-1075		
	6	-1275	-1225	-1100	-1075	-1075	-1075	-1075		

EAST TEXAS-OKLAHOMA DIFFERENCES

16-May-22

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-450	-400	-200	125	350	550	650	675
	3	-500	-450	-225	75	325	525	600	625
	4	-575	-450	-250	50	125	400	500	500
	5	-625	-500	-425	-100	75	200	325	325
	6	-750	-600	-575	-300	-275	-150	-50	-50
	7	-825	-700	-675	-375	-350	-225	-150	-150
31	1 & 2	-500	-425	-225	50	275	550	625	650
	3	-525	-450	-250	25	225	525	575	600
	4	-625	-525	-300	0	125	325	425	425
	5	-675	-525	-450	-100	50	125	250	250
	6	-775	-625	-600	-300	-275	-175	-125	-125
	7	-850	-725	-700	-375	-350	-250	-225	-225
41	1 & 2	-625	-450	-250	25	225	475	500	500
	3	-650	-475	-275	0	175	325	350	375
	4	-700	-550	-425	142.65	75	225	250	275
	5	-825	-650	-575	-225	-75	100	150	175
	6	-925	-725	-675	-375	-350	-250	-250	-250
	7	-1025	-825	-775	-475	-425	-350	-350	-350
51	1 & 2	-825	-675	-550	-150	-100	50	75	75
	3	-825	-700	-550	-150	-100	50	50	75
	4	-875	-725	-575	-225	-175	-50	-50	-25
	5	-925	-800	-725	-325	-250	-225	-200	-175
	6	-1050	-850	-825	-425	-400	-300	-300	-300
	7	-1150	-875	-850	-500	-475	-350	-350	-350
61	1-5	-1000	-850	-775	-375	-350	-225	-225	-225
	6	-1175	-975	-925	-550	-500	-375	-375	-375
	7	-1275	-1075	-1025	-650	-600	-475	-475	-475
71	1-6	-1200	-1100	-1025	-625	-600	-475	-475	-475
	7	-1300	-1150	-1100	-700	-675	-550	-550	-550
12 & 22	1 & 2	-625	-400	-200	50	275	500	625	625
	3	-650	-450	-250	50	225	450	500	500
	4	-700	-475	-275	-25	100	400	425	425
	5	-775	-650	-575	-225	-125	200	325	325
	6	-950	-750	-725	-375	-375	-200	-75	-75
	7	-1075	-875	-825	-475	-475	-300	-225	-225
32	1 & 2	-800	-700	-500	-100	25	75	175	175
	3	-825	-700	-525	-125	-75	0	100	100
	4	-875	-725	-600	-200	-175	-100	-50	-50
	5	-975	-850	-800	-375	-300	-125	-50	-50
	6	-1150	-950	-925	-550	-500	-425	-375	-375
	7	-1300	-1075	-1050	-650	-600	-525	-475	-475
42	1-3	-875	-775	-675	-200	-125	-100	-50	-50
	4	-925	-800	-700	-225	-175	-175	-125	-125
	5	-1075	-925	-825	-425	-375	-325	-275	-275
	6	-1300	-1025	-950	-575	-525	-525	-450	-450
	7	-1425	-1150	-1075	-700	-625	-575	-525	-525
	52	1-4	-1125	-925	-825	-500	-500	-425	-375
5		-1200	-1025	-900	-550	-550	-500	-425	-425
6		-1425	-1225	-1125	-700	-675	-600	-550	-550
7		-1525	-1350	-1250	-825	-800	-675	-625	-625
62	1-5	-1250	-1100	-1050	-625	-600	-525	-475	-475
	6	-1475	-1300	-1250	-825	-800	-700	-650	-650

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1200	-1050	-950	-500	-425	-325	-225	-225
	3	-1225	-1075	-975	-525	-450	-350	-250	-250
	4	-1275	-1150	-1025	-575	-500	-400	-300	-300
	5	-1400	-1250	-1150	-700	-625	-525	-425	-425
	6	-1525	-1325	-1200	-800	-725	-625	-525	-525
	7	-1625	-1425	-1325	-925	-850	-750	-650	-650
33	1 & 2	-1275	-1100	-1000	-530	-475	-375	-275	-275
	3	-1275	-1100	-1000	-555	-500	-400	-275	-275
	4	-1350	-1175	-1050	-605	-550	-450	-325	-325
	5	-1500	-1275	-1175	-730	-675	-575	-450	-450
	6	-1575	-1350	-1250	-855	-800	-700	-575	-575
	7	-1675	-1475	-1350	-980	-925	-825	-700	-700
43	1-3	-1325	-1175	-1050	-605	-550	-450	-325	-325
	4	-1400	-1250	-1100	-630	-575	-475	-350	-350
	5	-1525	-1350	-1200	-760	-700	-600	-475	-475
	6	-1625	-1425	-1300	-880	-850	-750	-625	-625
	7	-1725	-1525	-1400	-980	-950	-850	-725	-725
53	1-4	-1450	-1350	-1225	-780	-775	-700	-575	-575
	5	-1550	-1425	-1325	-855	-850	-775	-650	-650
	6	-1650	-1525	-1425	-1005	-975	-900	-775	-775
	7	-1750	-1625	-1550	-1105	-1050	-975	-850	-850
63	1-5	-1650	-1500	-1375	-955	-875	-800	-675	-675
	6	-1750	-1625	-1475	-1075	-1000	-925	-800	-800
34	1 & 2	-1400	-1275	-1200	-750	-725	-650	-575	-575
	3	-1400	-1275	-1200	-750	-725	-650	-575	-575
	4	-1525	-1400	-1300	-850	-825	-750	-675	-675
	5	-1625	-1500	-1425	-975	-950	-875	-800	-800
	6	-1800	-1675	-1600	-1150	-1125	-1050	-975	-975
44	1-3	-1500	-1375	-1300	-850	-825	-750	-675	-675
	4	-1575	-1475	-1350	-900	-875	-800	-725	-725
	5	-1650	-1550	-1450	-1000	-975	-900	-825	-825
	6	-1825	-1700	-1625	-1175	-1150	-1075	-1000	-1000
54	1-4	-1600	-1500	-1425	-925	-925	-850	-800	-800
	5	-1700	-1600	-1500	-1025	-1000	-925	-875	-875

Mike	
Range	Diff.
24 & Below	-1950
25-26	-1950
27-29	-1400
30-32	-775
33-34	-525
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-275
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	5
31.0 - 32.9	10
33.0 & above	25

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-400
Bark - Level 2	-525
Other - Level 1	-750
Other - Level 2	-800
Plastic - Level 1	-4000
Plastic - Level 2	-4000

WEST TEXAS DIFFERENCES

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-325	-225	-25	125	275	525	655	655
	3	-425	-300	-100	100	200	450	580	580
	4	-425	-325	-200	50	200	375	450	450
	5	-525	-375	-250	0	150	275	325	325
	6	-675	-500	-425	-200	-175	-125	-125	-125
	7	-750	-550	-500	-275	-250	-200	-200	-200
31	1 & 2	-500	-325	-125	75	175	400	575	575
	3	-575	-375	-175	50	150	375	525	525
	4	-600	-450	-325	25	125	300	425	425
	5	-650	-500	-375	-100	0	125	175	175
	6	-775	-600	-475	-275	-275	-250	-250	-250
	7	-875	-650	-550	-325	-325	-300	-300	-300
41	1 & 2	-650	-475	-275	25	150	175	225	225
	3	-675	-500	-300	0	75	150	200	200
	4	-725	-500	-425	142.65	0	0	50	50
	5	-800	-600	-500	-250	-125	-75	-50	-50
	6	-875	-700	-625	-425	-400	-275	-275	-275
	7	-1000	-800	-725	-475	-450	-375	-375	-375
51	1 & 2	-800	-625	-525	-175	-75	-75	-75	-75
	3	-800	-625	-525	-175	-75	-75	-75	-75
	4	-825	-625	-600	-250	-150	-150	-150	-150
	5	-825	-650	-650	-350	-275	-200	-200	-200
	6	-975	-750	-750	-475	-425	-300	-300	-300
	7	-1075	-850	-850	-575	-525	-425	-425	-425
61	1-5	-925	-750	-750	-425	-325	-225	-225	-225
	6	-1050	-825	-825	-625	-525	-400	-400	-400
	7	-1150	-975	-950	-700	-600	-500	-500	-500
71	1-6	-1125	-950	-900	-700	-600	-525	-525	-525
	7	-1200	-975	-950	-725	-675	-600	-600	-600
12 & 22	1 & 2	-625	-450	-225	75	200	325	425	425
	3	-650	-475	-250	75	150	275	325	325
	4	-700	-475	-400	-100	25	150	225	225
	5	-750	-550	-450	-125	-50	25	25	25
	6	-825	-650	-575	-350	-350	-250	-200	-200
	7	-950	-750	-675	-425	-425	-325	-275	-275
32	1 & 2	-825	-600	-375	-150	-25	0	50	75
	3	-875	-650	-400	-200	-25	0	25	25
	4	-925	-700	-575	-250	-50	-25	0	0
	5	-1050	-875	-750	-425	-250	-225	-200	-200
	6	-1100	-875	-825	-525	-450	-425	-375	-375
	7	-1200	-975	-875	-625	-525	-500	-450	-450
42	1-3	-950	-725	-625	-300	-200	-125	-75	-75
	4	-1000	-800	-650	-350	-250	-150	-100	-100
	5	-1100	-950	-800	-500	-325	-325	-275	-275
	6	-1300	-1000	-875	-600	-525	-450	-400	-400
	7	-1300	-1075	-975	-725	-600	-525	-475	-475
	52	1-4	-1150	-900	-850	-600	-475	-425	-375
5		-1225	-1000	-925	-650	-525	-475	-425	-425
6		-1425	-1175	-1100	-775	-675	-625	-575	-575
7		-1500	-1275	-1200	-875	-775	-725	-675	-675
62	1-5	-1275	-1075	-1025	-750	-650	-600	-550	-550
	6	-1450	-1225	-1175	-900	-825	-775	-725	-725

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1050	-825	-775	-450	-350	-325	-275	-275
	3	-1100	-850	-800	-475	-375	-350	-300	-300
	4	-1125	-925	-875	-525	-425	-400	-350	-350
	5	-1225	-1000	-975	-650	-550	-500	-450	-450
	6	-1325	-1075	-1050	-725	-625	-575	-525	-525
	7	-1400	-1175	-1125	-775	-725	-675	-625	-625
33	1 & 2	-1175	-900	-825	-500	-425	-400	-350	-350
	3	-1175	-900	-825	-500	-425	-400	-350	-350
	4	-1250	-975	-925	-575	-500	-450	-400	-400
	5	-1375	-1075	-1025	-725	-625	-550	-500	-500
	6	-1425	-1150	-1150	-775	-725	-650	-600	-600
	7	-1500	-1250	-1200	-900	-825	-750	-700	-700
43	1-3	-1225	-1000	-950	-575	-500	-450	-400	-400
	4	-1300	-1075	-1000	-625	-525	-450	-400	-400
	5	-1400	-1150	-1075	-750	-650	-575	-525	-525
	6	-1475	-1225	-1175	-850	-800	-725	-675	-675
	7	-1550	-1325	-1250	-925	-875	-800	-750	-750
53	1-4	-1400	-1250	-1150	-750	-700	-650	-600	-600
	5	-1475	-1275	-1200	-850	-800	-750	-700	-700
	6	-1600	-1375	-1300	-950	-925	-875	-825	-825
	7	-1675	-1450	-1400	-1075	-1050	-1000	-950	-950
63	1-5	-1625	-1400	-1300	-900	-825	-775	-725	-725
	6	-1675	-1475	-1350	-1050	-1000	-950	-900	-900
34	1 & 2	-1300	-1075	-1000	-650	-625	-575	-525	-525
	3	-1300	-1075	-1000	-650	-625	-575	-525	-525
	4	-1425	-1200	-1100	-750	-725	-675	-625	-625
	5	-1500	-1275	-1200	-875	-850	-800	-750	-750
	6	-1650	-1425	-1350	-1075	-1050	-1000	-950	-950
44	1-3	-1425	-1200	-1125	-775	-750	-700	-650	-650
	4	-1500	-1300	-1175	-825	-800	-750	-700	-700
	5	-1575	-1350	-1250	-925	-900	-850	-800	-800
	6	-1725	-1500	-1425	-1150	-1125	-1075	-1025	-1025
54	1-4	-1525	-1325	-1250	-900	-875	-825	-775	-775
	5	-1600	-1375	-1275	-1025	-1000	-950	-900	-900

Mike	
Range	Diff.
24 & Below	-1800
25-26	-1800
27-29	-1250
30-32	-825
33-34	-575
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-325
53 & Above	-400

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-375
22.0 - 22.9	-375
23.0 - 23.9	-350
24.0 - 24.9	-350
25.0 - 25.9	-275
26.0 - 26.9	-250
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	10
31.0 - 32.9	25
33.0 & above	50

Uniformity	
Unit	Points
77.9 & Below	-90
78.0 - 78.9	-75
79.0 - 79.9	-60
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	0
83.0 - 83.9	0
84.0 - 84.9	0
85.0 - 85.9	0
86.0 & Above	0

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-200
Prep - Level 2	-500
Bark - Level 1	-400
Bark - Level 2	-525
Other - Level 1	-550
Other - Level 2	-600
Plastic - Level 1	-4000
Plastic - Level 2	-4000

DESERT SOUTHWEST DIFFERENCES

Color	Leaf	Staple						Mike		
		33	34	35	36	37	38	Range	Diff.	
11 & 21	1 & 2	-125	75	375	800	835	900	24 & Below	-1350	
	3	-125	50	300	750	775	800	25-26	-1150	
	4	-325	25	250	360	395	420	27-29	-1050	
	5	-400	-200	-25	75	160	160	30-32	-675	
	6	-475	-375	-150	-110	-55	-55	33-34	-475	
	7	-675	-400	-225	-165	-125	-125	35-36	0	
	31	1 & 2	-200	50	325	750	800	850	37-42	25
3		-200	25	225	675	700	750	43-49	0	
4		-375	0	150	310	345	395	50-52	-325	
5		-425	-225	-100	-25	45	45	53 & Above	-525	
6		-500	-400	-185	-145	-65	-65			
7		-700	-425	-275	-220	-140	-140			
41	1 & 2	-600	0	25	110	120	220	Strength (Grams per Tex)		
	3	-600	0	10	85	95	195			
	4	-650	141.90	0	35	70	120	Range	Diff.	
	5	-675	-525	-425	-390	-330	-330	21.0 - 21.9	-600	
	6	-825	-700	-525	-490	-440	-440	22.0 - 22.9	-450	
	7	-975	-850	-700	-670	-635	-635	23.0 - 23.9	-300	
	51	1 & 2	-725	-550	-350	-340	-330	-330	24.0 - 24.9	-225
3		-725	-550	-350	-340	-330	-330	25.0 - 25.9	-200	
4		-750	-625	-475	-425	-365	-365	26.0 - 26.9	-125	
5		-850	-800	-675	-650	-600	-600	Base 27.0 - 28.9	0	
6		-1000	-900	-775	-775	-725	-725	29.0 - 29.9	0	
7		-1200	-1100	-975	-975	-950	-950	30.0 - 30.9	0	
12 & 22		1 & 2	-500	25	200	310	395	395	31.0 - 32.9	25
	3	-500	25	175	260	345	345	33.0 & above	50	
	4	-600	-25	175	260	345	345			
	5	-625	-450	-150	-150	-75	-75			
	6	-775	-650	-350	-350	-275	-275			
	7	-950	-825	-600	-600	-525	-525			
	32	1 & 2	-600	-225	0	85	95	95	Extraneous Matter	
3		-600	-225	0	85	95	95	Type - Level	Diff.	
4		-650	-450	-100	-15	-5	-5	Prep - Level 1	-50	
5		-700	-700	-450	-450	-450	-450	Prep - Level 2	-800	
6		-900	-825	-575	-575	-575	-575	Other - Level 1	-400	
7		-1050	-1000	-825	-825	-825	-825	Other - Level 2	-800	
42		1-3	-700	-525	-250	-200	-200	-200	Plastic - Level 1	-4000
	4	-725	-600	-350	-300	-300	-300	Plastic - Level 2	-4000	
	5	-800	-775	-550	-550	-550	-550			
	6	-975	-900	-675	-675	-675	-675			
	7	-1175	-1075	-925	-925	-925	-925			
	52	1-4	-925	-800	-600	-550	-550	-550	Uniformity	
		5	-975	-875	-700	-700	-700	-700	Unit	Points
6		-1075	-975	-800	-800	-800	-800	77.9 & Below	-100	
7		-1325	-1225	-1100	-1075	-1075	-1075	78.0 - 78.9	-90	
43	1-3	-800	-725	-650	-575	-575	-575	79.0 - 79.9	-80	
	4	-900	-825	-700	-650	-650	-650	80.0 - 80.9	0	
	5	-1000	-900	-725	-700	-700	-700	Base 81.0 - 81.9	0	
	6	-1100	-1000	-975	-975	-975	-975	82.0 - 82.9	0	
	7	-1200	-1125	-1100	-1100	-1100	-1100	83.0 - 83.9	30	
	53	1-4	-1050	-950	-875	-875	-875	-875	84.0 - 84.9	40
		5	-1100	-1000	-925	-925	-925	-925	85.0 - 85.9	50
6		-1200	-1100	-1025	-1025	-1025	-1025	86.0 & Above	60	
7		-1450	-1350	-1350	-1350	-1350	-1350			

Color	Leaf	Staple					Mike	
		34	35	36	37	38	Range	Diff.
11 & 21	1 & 2	415	1040	1390	1540	1765	27-29	-1600
	3	365	990	1340	1465	1665	30-32	-1000
	4	75	350	400	500	500	33-34	-500
	5	-125	75	130	190	190	Base 35-36	0
	6	-400	-200	-150	-100	-100	37-42	25
	7	-625	-525	-475	-425	-425	Base 43-49	0
31	1 & 2	315	940	1290	1415	1590	50-52	-500
	3	265	890	1240	1365	1540		
	4	50	300	330	410	410		
	5	-200	0	55	115	115		
	6	-500	-325	-275	-225	-225		
	7	-675	-575	-525	-475	-475		
41	1 & 2	100	350	430	440	440	Strength	
	3	50	250	330	340	340	(Grams per Tex)	
	4	142.40	200	280	290	290	Range	Diff.
	5	-425	-200	-195	-185	-185	24.0 - 24.9	-500
	6	-625	-450	-450	-450	-450	25.0 - 25.9	-400
	7	-825	-725	-725	-725	-725	26.0 - 26.9	-300
51	1 & 2	-675	-225	-175	-175	-175	Base 27.0 - 28.9	0
	3	-700	-250	-200	-200	-200	29.0 - 29.9	0
	4	-750	-300	-275	-275	-275	30.0 - 30.9	75
	5	-775	-375	-325	-325	-325	31.0 - 32.9	125
	6	-900	-800	-800	-800	-800	33.0 & Above	250
	7	-1050	-1000	-1000	-1000	-1000		
12 & 22	1 & 2	125	575	830	965	1140		
	3	50	500	780	890	1040		
	4	-75	325	375	440	440		
	5	-250	-50	0	50	50		
	6	-525	-400	-350	-300	-300		
	7	-775	-700	-650	-600	-600		
32	1 & 2	0	250	325	375	475	Extraneous Matter	
	3	-50	200	275	325	425	Type - Level	Diff.
	4	-200	25	50	100	100	Prep - Level 1	-50
	5	-525	-275	-275	-275	-275	Prep - Level 2	-800
	6	-675	-475	-475	-475	-475	Other - Level 1	-350
	7	-850	-750	-750	-750	-750	Other - Level 2	-925
42	1-3	-450	-100	-75	-75	-75	Plastic - Level 1	-4000
	4	-500	-175	-150	-150	-150	Plastic - Level 2	-4000
	5	-675	-350	-300	-300	-300		
	6	-800	-775	-775	-775	-775		
	7	-1000	-950	-950	-950	-950		
52	1-4	-825	-775	-775	-775	-775	Uniformity	
	5	-875	-825	-825	-825	-825	Unit	Points
	6	-1025	-1025	-1025	-1025	-1025	77.9 & Below	-60
	7	-1225	-1225	-1225	-1225	-1225	78.0 - 78.9	-50
33	1 & 2	-500	-500	-500	-500	-500	79.0 - 79.9	-40
	3	-500	-500	-500	-500	-500	80.0 - 80.9	0
	4	-600	-600	-600	-600	-600	Base 81.0 - 81.9	0
	5	-800	-800	-800	-800	-800	82.0 - 82.9	50
	6	-1075	-1075	-1075	-1075	-1075	83.0 - 83.9	80
	7	-1225	-1225	-1225	-1225	-1225	84.0 - 84.9	90
43	1-3	-875	-875	-875	-875	-875	85.0 - 85.9	100
	4	-925	-925	-925	-925	-925	86.0 & Above	110
	5	-1075	-1075	-1075	-1075	-1075		
	6	-1225	-1225	-1225	-1225	-1225		
	7	-1425	-1425	-1425	-1425	-1425		

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/

AMERICAN PIMA SPOT QUOTATIONS

Color	Leaf	Staple			
		44	46	48	50
1	1	294.75	300.50	302.25	302.25
	2	294.50	300.25	302.00	302.00
	3	287.75	295.50	296.50	296.50
	4				
	5				
	6				
2	1	294.50	300.25	302.00	302.00
	2	294.25	300.00	301.75	301.75
	3	287.50	295.25	296.25	296.25
	4	277.50	285.75	286.75	286.75
	5				
	6				
3	1	286.25	294.00	295.00	295.00
	2	283.75	291.50	292.50	292.50
	3	281.50	289.25	290.25	290.25
	4	272.50	280.25	281.25	281.25
	5	256.50	263.75	264.75	264.75
	6				
4	1	267.50	275.25	277.00	277.00
	2	267.25	275.00	276.25	276.25
	3	266.00	273.75	274.75	274.75
	4	261.00	268.75	269.75	269.75
	5	249.75	257.50	258.50	258.50
	6				
5	1				
	2	244.25	254.25	254.25	254.25
	3	244.25	253.75	254.00	254.00
	4	244.25	248.25	248.25	248.25
	5	244.00	248.00	248.00	248.00
	6				
6	1				
	2	236.50	239.50	239.50	239.50
	3	236.50	239.50	239.50	239.50
	4	236.50	239.50	239.50	239.50
	5	236.25	239.25	239.25	239.25
	6	235.75	238.75	238.75	238.75

The current Pima spot quotations represent prices from local sales, export sales, and offerings last reported on January 18, 2022

Mike	
Range	Diff.
26 & Below	-1900
27-29	-1400
30-32	-900
33-34	-400
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
34.9 & Below	-1350
35.0 – 35.9	-1100
36.0 – 36.9	-850
37.0 – 37.9	-500
38.0 – 38.9	0
39.0 – 39.9	0
40.0 & Above	500

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-810
Prep - Level 2	-1095
Other - Level 1	-715
Other - Level 2	-1035
Plastic - Level 1	-4000
Plastic - Level 2	-4000

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

UNITED STATES AVERAGE DIFFERENCES

16-May-22

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
11 & 21	1 & 2	-388	-260	-92	174	409	627	708	753
	3	-463	-285	-108	149	359	588	653	689
	4	-500	-310	-217	61	193	330	385	389
	5	-575	-450	-342	-139	4	76	129	129
	6	-713	-540	-479	-354	-261	-219	-190	-190
	7	-788	-635	-596	-461	-386	-341	-318	-318
	31	1 & 2	-500	-285	-142	116	349	577	649
3		-550	-300	-154	99	309	541	602	638
4		-613	-350	-271	43	161	266	326	333
5		-663	-500	-388	-186	-57	1	51	51
6		-775	-585	-513	-382	-305	-271	-245	-245
7		-863	-680	-629	-479	-418	-381	-359	-359
41		1 & 2	-638	-380	-296	50	164	266	280
	3	-663	-390	-304	29	112	209	226	255
	4	-713	-415	-375	145.65	61	145	169	184
	5	-813	-610	-533	-339	-207	-148	-127	-124
	6	-900	-690	-646	-521	-432	-384	-381	-381
	7	-1013	-800	-783	-654	-571	-542	-537	-537
	51	1 & 2	-813	-625	-517	-346	-196	-163	-158
3		-813	-665	-521	-368	-214	-177	-176	-172
4		-850	-685	-550	-418	-289	-257	-249	-245
5		-875	-775	-721	-582	-461	-425	-414	-411
6		-1013	-865	-833	-696	-632	-596	-589	-589
7		-1113	-950	-958	-821	-761	-725	-721	-721
61		1-5	-963	-815	-745	-545	-485	-440	-440
	6	-1113	-925	-885	-710	-665	-615	-615	-615
	7	-1213	-1055	-1005	-820	-755	-710	-710	-710
71	1-6	-1163	-1115	-1055	-885	-840	-800	-800	-800
	7	-1250	-1155	-1105	-920	-895	-855	-855	-855
12 & 22	1 & 2	-625	-335	-213	61	229	384	455	484
	3	-650	-350	-225	43	182	338	394	419
	4	-700	-365	-317	-32	104	241	284	287
	5	-763	-585	-504	-279	-125	-50	-7	-7
	6	-888	-700	-650	-496	-396	-339	-296	-296
	7	-1013	-785	-767	-629	-557	-500	-464	-464
	32	1 & 2	-813	-485	-358	-100	36	91	121
3		-850	-500	-371	-121	7	62	89	103
4		-900	-545	-429	-236	-86	-41	-22	-22
5		-1013	-750	-625	-446	-329	-289	-275	-275
6		-1125	-825	-783	-611	-511	-486	-471	-471
7		-1250	-930	-892	-736	-657	-639	-625	-625
42		1-3	-913	-630	-533	-336	-182	-146	-132
	4	-963	-665	-558	-379	-254	-214	-200	-200
	5	-1088	-820	-704	-521	-389	-357	-343	-343
	6	-1300	-910	-829	-671	-600	-579	-561	-561
	7	-1363	-990	-954	-811	-736	-714	-700	-700
	52	1-4	-1138	-830	-742	-621	-550	-525	-511
5		-1213	-915	-850	-704	-636	-621	-604	-604
6		-1425	-1045	-992	-846	-793	-775	-761	-761
7		-1513	-1145	-1121	-986	-939	-911	-896	-896
62	1-5	-1263	-1035	-960	-780	-745	-720	-700	-700
	6	-1463	-1200	-1125	-925	-895	-865	-845	-845

Color	Leaf	Staple							
		26-31	32	33	34	35	36	37	38
13 & 23	1 & 2	-1125	-938	-863	-475	-388	-325	-250	-250
	3	-1163	-963	-888	-500	-413	-350	-275	-275
	4	-1200	-1038	-950	-550	-463	-400	-325	-325
	5	-1313	-1125	-1063	-675	-588	-513	-438	-438
	6	-1425	-1200	-1125	-763	-675	-600	-525	-525
	7	-1513	-1300	-1225	-850	-788	-713	-638	-638
33	1 & 2	-1225	-1000	-913	-510	-467	-425	-375	-375
	3	-1225	-1000	-913	-518	-475	-433	-375	-375
	4	-1300	-1075	-988	-593	-550	-500	-442	-442
	5	-1438	-1175	-1100	-752	-700	-642	-583	-583
	6	-1500	-1250	-1200	-902	-867	-808	-750	-750
	7	-1588	-1363	-1275	-1035	-992	-933	-875	-875
43	1-3	-1275	-975	-833	-651	-607	-571	-546	-546
	4	-1350	-1020	-883	-701	-643	-607	-582	-582
	5	-1463	-1070	-979	-841	-782	-754	-729	-729
	6	-1550	-1150	-1067	-940	-914	-889	-864	-864
	7	-1638	-1275	-1175	-1065	-1039	-1014	-989	-989
53	1-4	-1425	-1120	-1021	-830	-792	-771	-742	-742
	5	-1513	-1195	-1117	-922	-892	-871	-842	-842
	6	-1625	-1310	-1204	-1018	-988	-967	-938	-938
	7	-1713	-1375	-1342	-1147	-1125	-1104	-1075	-1075
63	1-5	-1638	-1295	-1220	-1006	-965	-940	-905	-905
	6	-1713	-1380	-1295	-1085	-1050	-1025	-990	-990
34	1 & 2	-1350	-1175	-1100	-700	-675	-613	-550	-550
	3	-1350	-1175	-1100	-700	-675	-613	-550	-550
	4	-1475	-1300	-1200	-800	-775	-713	-650	-650
	5	-1563	-1388	-1313	-925	-900	-838	-775	-775
	6	-1725	-1550	-1475	-1113	-1088	-1025	-963	-963
44	1-3	-1463	-1288	-1213	-813	-788	-725	-663	-663
	4	-1538	-1388	-1263	-863	-838	-775	-713	-713
	5	-1613	-1450	-1350	-963	-938	-875	-813	-813
	6	-1775	-1600	-1525	-1163	-1138	-1075	-1013	-1013
54	1-4	-1563	-1413	-1338	-913	-900	-838	-788	-788
	5	-1650	-1488	-1388	-1025	-1000	-938	-888	-888

Mike	
Range	Diff.
24 & Below	-1700
25-26	-1346
27-29	-1054
30-32	-693
33-34	-475
Base 35-36	0
37-42	14
Base 43-49	0
50-52	-296
53 & Above	-408

Strength (Grams per Tex)	
Range	Diff.
19.0 - 19.9	-400
20.0 - 20.9	-400
21.0 - 21.9	-629
22.0 - 22.9	-579
23.0 - 23.9	-525
24.0 - 24.9	-493
25.0 - 25.9	-436
26.0 - 26.9	-261
Base 27.0 - 28.9	0
29.0 - 29.9	0
30.0 - 30.9	24
31.0 - 32.9	48
33.0 & Above	75

Uniformity	
Unit	Points
77.9 & Below	-92
78.0 - 78.9	-80
79.0 - 79.9	-69
80.0 - 80.9	0
Base 81.0 - 81.9	0
82.0 - 82.9	7
83.0 - 83.9	27
84.0 - 84.9	34
85.0 - 85.9	41
86.0 & Above	49

Extraneous Matter	
Type - Level	Diff.
Prep - Level 1	-157
Prep - Level 2	-714
Bark - Level 1	-400
Bark - Level 2	-525
Other - Level 1	-479
Other - Level 2	-785
Plastic - Level 1	-4000
Plastic - Level 2	-4000



Daily Spot Cotton Quotations - Tenderable Differences

Agricultural Marketing Service
Cotton and Tobacco Market News

16-May-22

Volume 104, No. 200

Premium and discounts for cotton delivered against the ICE Futures US Cotton No 2 Futures Contract.

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 1/						
Color	Leaf	Staple				
		33	34	35	36	37
11	1 & 2	-95	128	308	525	598
	3	-115	105	258	485	546
	4	-220	55	175	332	384
	5	-345	-138	8	93	150
21	1 & 2	-95	128	308	525	598
	3	-115	105	258	485	546
	4	-220	55	175	332	384
	5	-345	-138	8	93	150
31	1 & 2	-150	75	250	480	550
	3	-165	60	210	445	500
	4	-275	35	140	272	334
	5	-390	-175	-53	13	67
41	1 & 2	-305	35	135	240	257
	3	-315	20	92	187	207
	4	-395	0	40	117	144
	5	-540	-325	-205	-133	-106
51	1 & 2	-525	-285	-185	-148	-141
	3	-530	-305	-200	-158	-156
	4	-560	-360	-280	-240	-228
	5	-720	-533	-455	-420	-405
12	1 & 2	-230	50	185	325	392
	3	-245	45	145	280	327
22	1 & 2	-230	50	185	325	392
	3	-245	45	145	280	327
32	1 & 2	-380	-120	0	52	84
	3	-395	-140	-25	27	54
Strength	25.0 - 25.9	-465				

Source: USDA, AMS Cotton and Tobacco Market News
 Memphis, Tennessee | 901-384-3016 | cottonmn@ams.usda.gov
<https://www.ams.usda.gov/market-news/cotton>
<https://mymarketnews.ams.usda.gov>

Daily Spot Cotton Quotations

Volume 104, No. 200 16-May-22

Spot quotations and differences are for cotton equal to the official standards, net weight, in mixed lots. Upland quotations are FOB car/truck, which includes compression and any brokerage charges. The upland base quality is color 41, leaf grade 4, staple 34 (1.05 to 1.07), mike 3.5, 3.6 and 4.3 to 4.9, strength 27.0 to 28.9 grams per tex and uniformity 81.0 to 81.9. American Pima quotations are UD free, FOB warehouse, and brokerage fees included.

Growth Areas	UPLAND SPOT PRICE QUOTATIONS				SPOT TRANSACTIONS	
	Basis	Color 41 Leaf 4	Color 31 Leaf 3	Number of Bales Provided to Cotton Program		
	N.Y. Futures	Staple 34	Staple 35	Today	Season	
	<i>Points</i>	<i>Cents per pound</i>		<i>Bales</i>	<i>Bales</i>	
Southeast	0 Jul-22	150.65	152.90	0	51,324	
North Delta	-100 Jul-22	149.65	151.90	0	8,435	
South Delta	-100 Jul-22	149.65	151.90	0	5,730	
East TX-OK	-800 Jul-22	142.65	144.90	453	396,935	
West Texas	-800 Jul-22	142.65	144.15	0	1,139,810	
Desert SW	-875 Jul-22	141.90	144.15	0	11,046	
SJ Valley	-825 Jul-22	142.40	151.30	0	0	
Average	-500 Jul-22	145.65	148.74	Upland Total		
Previous day	-500 Jul-22	140.20	143.29	453	1,613,280	

AMERICAN PIMA SPOT PRICE QUOTATIONS				AP Total	
Color 02, Leaf 2 - Staple 46	Color 03, Leaf 3 - Staple 44	Color 03, Leaf 3 - Staple 46			
300.00	281.50	289.25	0	14,733	

ICE FUTURES US - CONTRACT NO. 2 1/ COLOR 41 LEAF 4, STAPLE 34, MIKE 35-49, STRENGTH 25 OR HIGHER			7-MARKET BASE QUOTATIONS FOR UPLAND COTTON		May 13 - May 19 ADJ. WORLD PRICE	
Month	<i>Cents per pound</i>				140.82	
	Today	Previous	Change			CC ADJUSTMENT
Jul-22	150.65	145.20	↑ 5.45	Season high		0.00
Oct-22	139.61	134.70	↑ 4.91	5/4/2022	149.76	FC ADJUSTMENT
Dec-22	132.96	127.99	↑ 4.97	Season low		2018 2019
Mar-23	127.25	122.82	↑ 4.43	9/20/2021	85.77	0.27 0.52
May-23	121.55	117.21	↑ 4.34	Pima Competitiveness		0.00
Jul-23	115.86	111.51	↑ 4.35	Payment		0.00
Oct-23	107.71	103.84	↑ 3.87			
Dec-23	97.38	94.49	↑ 2.89			
Mar-24	95.75	92.74	↑ 3.01			
May-24	94.69	91.68	↑ 3.01			

PREMIUMS AND DISCOUNTS - TENDERABLE QUALITIES 2/								
	Color							
	11	21	31	41	51	12	22	32
Staple 33								
Leaf 1 & 2	-95	-95	-150	-305	-525	-230	-230	-380
3	-115	-115	-165	-315	-530	-245	-245	-395
4	-220	-220	-275	-395	-560	NOT TENDERABLE		
5	-345	-345	-390	-540	-720	NOT TENDERABLE		
Staple 34								
Leaf 1 & 2	128	128	75	35	-285	50	50	-120
3	105	105	60	20	-305	45	45	-140
4	55	55	35	0	-360	NOT TENDERABLE		
5	-138	-138	-175	-325	-532.5	NOT TENDERABLE		
Staple 35								
Leaf 1 & 2	308	308	250	135	-185	185	185	0
3	258	258	210	92	-200	145	145	-25
4	175	175	140	40	-280	NOT TENDERABLE		
5	8	8	-53	-205	-455	NOT TENDERABLE		
Staple 36								
Leaf 1 & 2	525	525	480	239.5	-148	324.5	325	52
3	485	485	445	187	-158	279.5	280	27
4	332	332	272	117	-240	NOT TENDERABLE		
5	93	93	13	-133	-420	NOT TENDERABLE		
Staple 37								
Leaf 1 & 2	598	598	550	256.5	-141	391.5	392	84
3	546	546	500	206.5	-156	326.5	327	54
4	384	384	334	144	-228	NOT TENDERABLE		
5	150	150	67	-106	-405	NOT TENDERABLE		

1/ Settlement prices provided by ICE Futures US

2/ The average of the differences from the Southeast, North and South Delta average, East Texas-Oklahoma, West Texas, and Desert Southwest markets.