



## Quality of Cotton Classed by Classing Office

Volume 60, No. 30

22-Feb-19

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**  
*For The Week Ending February 21, 2019*

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Abilene	32	58,209	40	1,143,559
Corpus Christi	8	6,272	56	1,776,671
Dumas*	1	-	40	1,393,173
Florence	15	4,001	53	1,250,362
Lamesa	5	17,969	36	858,341
Lubbock	8	26,241	72	3,356,000
Macon	48	24,708	79	2,526,559
Memphis	7	17,702	81	3,026,922
Rayville	2	3,909	21	530,871
Visalia	13	17,294	34	586,407
<b>United States</b>	<b>139</b>	<b>176,305</b>	<b>512</b>	<b>16,448,865</b>
Percent tenderable		48.7		64.9
<b>AMERICAN PIMA</b>				
Visalia	12	19,724	26	732,768
<b>United States</b>	<b>12</b>	<b>19,724</b>	<b>26</b>	<b>732,768</b>
<b>United States all cotton</b>	<b>151</b>	<b>196,029</b>	<b>527</b>	<b>17,181,633</b>

\* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN100

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 4.3	Pct. 3.3	-	16.6	-	0.4	0.3	0.1	7.5	5.8	
	3	3.0	2.9	-	10.4	-	0.7	0.3	0.2	7.2	4.2	
	4	0.4	0.3	-	0.7	-	0.1	-	*	0.6	0.4	
	5	*	*	-	*	-	*	-	*	*	*	
	6	-	*	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>7.7</b>	<b>6.5</b>	-	<b>27.7</b>	-	<b>1.2</b>	<b>0.6</b>	<b>0.4</b>	<b>15.3</b>	<b>10.4</b>
	31	1-2	9.7	9.5	-	5.6	-	1.7	0.7	1.8	4.2	10.0
3		18.1	23.7	-	11.3	-	13.2	5.6	13.8	19.6	25.8	
4		5.6	7.2	-	3.3	-	6.5	1.2	6.9	11.2	10.8	
5		0.8	0.8	-	0.2	-	0.4	-	0.6	1.4	1.6	
6		*	*	-	*	-	*	-	*	0.1	0.1	
7		-	*	-	*	-	-	-	-	-	*	
<b>Total</b>		-----	<b>34.1</b>	<b>41.3</b>	-	<b>20.4</b>	-	<b>21.9</b>	<b>7.6</b>	<b>23.1</b>	<b>36.4</b>	<b>48.3</b>
41		1-2	3.4	2.3	*	1.7	-	0.9	7.4	1.9	0.1	0.9
	3	11.2	13.9	1.1	5.5	-	17.4	15.4	23.7	0.9	7.1	
	4	8.3	11.7	1.5	2.7	-	33.1	2.2	23.3	2.0	8.9	
	5	6.4	4.4	0.1	0.4	-	10.7	0.1	5.3	0.8	4.3	
	6	2.5	0.9	-	*	-	0.7	-	0.4	0.2	1.2	
	7	0.4	0.1	-	*	-	*	-	*	*	0.3	
	<b>Total</b>	-----	<b>32.1</b>	<b>33.3</b>	<b>2.7</b>	<b>10.3</b>	-	<b>62.8</b>	<b>25.1</b>	<b>54.6</b>	<b>4.0</b>	<b>22.8</b>
	51	1-2	0.1	*	*	0.4	-	*	4.5	0.2	-	*
3		0.5	0.3	7.7	2.1	-	0.5	20.8	1.9	-	*	
4		0.8	0.6	29.8	1.6	-	2.0	9.1	2.4	-	0.1	
5		0.5	0.7	5.2	0.3	-	1.8	0.3	1.3	-	0.1	
6		0.2	0.3	0.1	*	-	0.3	-	0.2	-	0.2	
7		*	0.1	-	*	-	*	-	*	*	0.2	
<b>Total</b>		-----	<b>2.1</b>	<b>2.1</b>	<b>42.8</b>	<b>4.5</b>	-	<b>4.6</b>	<b>34.7</b>	<b>6.0</b>	<b>*</b>	<b>0.6</b>
61		1-2	-	-	-	*	-	-	0.2	*	-	-
	3	*	*	0.3	0.1	-	-	5.6	0.1	-	-	
	4	-	*	1.8	0.1	-	*	4.8	0.1	-	-	
	5	-	*	1.2	*	-	*	0.4	*	-	-	
	6	-	*	0.2	*	-	*	-	*	-	*	
	7	-	*	-	*	-	-	-	*	-	-	
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>3.5</b>	<b>0.3</b>	-	<b>*</b>	<b>11.0</b>	<b>0.1</b>	-	<b>*</b>
	71	1-2	-	-	-	*	-	*	-	*	-	-
3		-	-	-	*	-	-	0.1	*	-	-	
4		-	-	-	*	-	-	0.5	*	-	-	
5		-	-	-	*	-	-	*	*	-	-	
6		-	-	-	*	-	-	-	*	-	-	
7		-	-	-	-	-	-	-	-	-	-	
<b>Total</b>		-----	-	-	-	*	-	*	<b>0.6</b>	<b>*</b>	-	-
12 & 22		1-2	0.1	0.2	0.1	4.1	-	*	-	*	1.3	0.5
	3	0.3	0.5	*	3.9	-	*	-	*	3.4	1.1	
	4	0.1	0.1	-	0.7	-	*	-	*	0.9	0.2	
	5	*	*	-	*	-	-	-	*	*	*	
	6	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.5</b>	<b>0.8</b>	<b>0.1</b>	<b>8.8</b>	-	<b>*</b>	-	<b>*</b>	<b>5.5</b>	<b>1.9</b>
	32	1-2	0.2	0.5	0.1	1.0	-	*	-	0.1	1.3	0.5
3		2.1	2.4	0.1	3.1	-	0.4	0.3	1.0	8.3	3.7	
4		1.7	1.4	*	1.5	-	0.4	0.1	0.6	8.4	3.2	
5		0.5	0.4	-	0.2	-	*	-	0.1	2.3	0.9	
6		0.1	*	-	*	-	*	-	*	0.2	0.1	
7		*	*	-	*	-	-	-	-	*	*	
<b>Total</b>		-----	<b>4.5</b>	<b>4.7</b>	<b>0.2</b>	<b>5.9</b>	-	<b>0.9</b>	<b>0.4</b>	<b>1.8</b>	<b>20.5</b>	<b>8.4</b>
42		1-2	0.3	0.3	-	0.5	-	*	0.1	0.4	*	0.1
	3	2.1	1.8	0.1	2.8	-	1.1	2.4	4.5	0.2	0.7	
	4	3.0	2.2	0.6	2.4	-	3.3	1.8	4.0	1.0	1.1	
	5	2.6	1.2	0.1	0.6	-	1.4	0.1	0.8	0.6	0.9	
	6	1.3	0.4	-	0.1	-	0.1	-	0.1	0.2	0.4	
	7	0.3	0.1	-	*	-	*	-	*	0.1	0.1	
	<b>Total</b>	-----	<b>9.5</b>	<b>6.0</b>	<b>0.8</b>	<b>6.3</b>	-	<b>6.0</b>	<b>4.5</b>	<b>9.8</b>	<b>2.2</b>	<b>3.3</b>
	52	1-2	*	*	*	0.2	-	*	*	0.1	-	*
3		0.1	0.2	4.2	1.8	-	0.1	2.1	0.9	-	*	
4		0.3	0.3	20.1	2.8	-	0.6	4.2	1.1	-	*	
5		0.4	0.3	6.5	1.1	-	0.7	0.4	0.4	*	*	
6		0.2	0.2	0.4	0.2	-	0.2	-	0.1	-	*	
7		0.1	*	0.1	*	-	*	-	*	-	*	
<b>Total</b>		-----	<b>1.1</b>	<b>1.0</b>	<b>31.3</b>	<b>6.1</b>	-	<b>1.6</b>	<b>6.8</b>	<b>2.5</b>	<b>*</b>	<b>0.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	0.1	*	-	*	-	*	-	*
	3	-	*	1.5	0.4	-	*	0.6	*	-	*
	4	-	*	1.8	0.7	-	*	0.9	*	-	*
	5	-	*	0.9	0.4	-	*	0.1	*	-	*
	6	-	*	0.5	0.1	-	*	-	*	-	*
	7	-	*	0.1	*	-	*	-	*	-	*
<b>Total</b>	-----	-	<b>0.1</b>	<b>4.9</b>	<b>1.5</b>	-	<b>*</b>	<b>1.6</b>	<b>0.1</b>	-	<b>*</b>
13 & 23	1-2	0.1	*	*	0.4	-	-	-	*	0.4	*
	3	0.2	0.1	-	0.5	-	*	-	*	0.2	0.1
	4	*	0.1	-	0.2	-	*	-	*	0.2	0.1
	5	-	*	-	*	-	-	-	-	*	*
	6	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.3</b>	<b>0.2</b>	<b>*</b>	<b>1.1</b>	-	<b>*</b>	-	<b>*</b>	<b>0.8</b>	<b>0.2</b>
33	1-2	0.1	0.1	0.1	0.1	-	*	-	*	1.2	0.1
	3	0.6	0.5	0.1	0.4	-	*	-	0.1	2.6	0.7
	4	0.6	0.5	-	0.3	-	*	-	0.1	2.7	1.1
	5	0.2	0.2	-	0.1	-	*	-	*	1.1	0.5
	6	*	*	-	*	-	-	-	*	0.1	0.1
	7	*	*	-	*	-	-	-	*	-	*
<b>Total</b>	-----	<b>1.4</b>	<b>1.2</b>	<b>0.2</b>	<b>0.9</b>	-	<b>0.1</b>	-	<b>0.2</b>	<b>7.7</b>	<b>2.4</b>
43	1-2	*	*	-	*	-	*	-	*	-	*
	3	0.5	0.3	*	0.4	-	0.1	0.3	0.3	0.3	0.1
	4	1.4	0.6	*	0.5	-	0.3	0.7	0.4	1.2	0.3
	5	1.2	0.5	*	0.2	-	0.2	0.1	0.2	1.1	0.4
	6	0.3	0.2	-	0.1	-	*	-	*	0.5	0.2
	7	*	*	-	*	-	*	-	*	0.1	0.1
<b>Total</b>	-----	<b>3.5</b>	<b>1.6</b>	<b>*</b>	<b>1.3</b>	-	<b>0.6</b>	<b>1.1</b>	<b>0.9</b>	<b>3.1</b>	<b>1.1</b>
53	1-2	0.1	*	*	*	-	*	-	*	-	*
	3	0.3	0.1	0.8	0.4	-	*	0.9	0.1	-	*
	4	0.3	0.1	4.1	0.9	-	0.1	3.2	0.1	-	*
	5	0.3	0.1	2.2	0.7	-	0.1	0.7	0.1	-	*
	6	0.2	0.1	0.1	0.2	-	*	*	*	-	*
	7	*	*	-	*	-	*	-	*	-	*
<b>Total</b>	-----	<b>1.2</b>	<b>0.4</b>	<b>7.3</b>	<b>2.3</b>	-	<b>0.3</b>	<b>4.9</b>	<b>0.3</b>	-	<b>0.1</b>
63	1-2	-	*	0.1	*	-	-	-	*	-	-
	3	-	*	0.8	0.2	-	*	-	*	-	-
	4	*	*	1.2	0.7	-	*	0.2	*	-	-
	5	-	*	0.4	0.6	-	*	0.2	*	-	-
	6	-	*	*	0.2	-	*	-	*	-	-
	7	-	*	*	*	-	*	-	*	-	-
		*	*	<b>2.5</b>	<b>1.7</b>	-	<b>*</b>	<b>0.4</b>	<b>*</b>	-	-
24 - 54	1-7	1.2	0.6	0.4	0.4	-	0.1	0.5	0.1	4.4	0.5
25 - 35	1-7	-	*	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	0.2	0.1	3.0	0.4	-	*	0.2	*	*	*
All Colors	8 2/	<b>0.3</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>	-	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		29.3	18.1	6.0	1.5	-	1.4	0.3	2.4	35.8	13.0
Bark - Level 2		-	*	-	-	-	-	-	-	-	-
Grass - Level 1		*	*	-	0.6	-	0.2	-	0.1	*	*
Grass - Level 2		*	*	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	*	*	-	0.8	-	*	-	*
Prep - Level 2		-	-	-	-	-	*	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	*	-	-	-	-	-	-	-	-
29		*	*	-	*	-	-	-	*	-	-
30		*	*	0.1	0.2	-	-	-	*	-	*
31		0.5	0.2	0.7	0.8	-	-	-	*	*	*
32		1.3	1.1	1.8	2.2	-	*	0.5	0.1	0.5	0.4
33		5.4	4.0	2.4	5.7	-	0.2	3.0	1.3	3.2	2.8
34		13.7	9.9	4.8	12.5	-	1.9	10.3	6.6	23.9	11.9
35		26.1	18.0	11.8	18.3	-	6.7	26.9	17.7	27.6	24.8
36		30.6	25.2	23.1	22.2	-	13.7	37.3	24.3	29.9	25.8
37		17.6	26.1	14.6	22.0	-	28.7	18.2	28.2	12.1	22.2
38 & longer		4.7	15.6	40.8	16.0	-	48.8	3.8	21.8	2.9	12.1
<b>Average staple</b>		<b>35.5</b>	<b>36.1</b>	<b>36.7</b>	<b>35.9</b>	-	<b>37.4</b>	<b>35.7</b>	<b>36.4</b>	<b>35.3</b>	<b>35.9</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	3.5	4.3	0.1	0.7	*	0.5	-	0.6	11.8	23.0
	3	9.6	5.6	0.1	1.4	0.8	0.5	*	1.1	6.5	6.7
	4	1.1	0.9	*	0.1	0.2	*	0.1	0.1	0.3	0.3
	5	*	*	-	*	-	*	-	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>14.1</b>	<b>10.8</b>	<b>0.1</b>	<b>2.2</b>	<b>1.0</b>	<b>1.0</b>	<b>0.1</b>	<b>1.8</b>	<b>18.6</b>	<b>30.0</b>
31	1-2	3.7	9.2	1.1	2.6	0.1	0.9	0.4	2.5	15.4	12.4
	3	19.7	25.9	7.1	17.5	4.9	5.5	2.1	14.1	28.2	17.7
	4	14.0	12.5	3.6	8.5	8.4	3.1	7.0	5.8	6.2	3.6
	5	1.9	2.2	0.2	0.5	0.6	0.3	1.6	0.5	1.0	0.4
	6	0.1	0.2	-	*	-	*	0.1	*	0.1	*
	7	*	*	-	*	-	-	-	*	*	*
<b>Total</b>	-----	<b>39.4</b>	<b>49.9</b>	<b>11.9</b>	<b>29.1</b>	<b>13.9</b>	<b>9.9</b>	<b>11.1</b>	<b>22.9</b>	<b>51.0</b>	<b>34.2</b>
41	1-2	0.3	1.1	1.6	1.3	0.2	1.6	0.5	1.9	4.1	3.7
	3	2.8	8.5	11.2	16.5	12.2	17.9	2.1	17.6	13.0	12.9
	4	7.2	10.7	8.3	20.1	31.7	26.0	11.7	17.7	5.3	7.3
	5	9.5	5.5	1.1	4.4	8.8	7.9	9.2	4.1	1.6	1.8
	6	5.7	1.5	0.1	0.2	0.4	0.6	1.3	0.4	0.6	0.4
	7	1.3	0.3	-	*	*	*	*	*	0.3	0.1
<b>Total</b>	-----	<b>26.9</b>	<b>27.6</b>	<b>22.3</b>	<b>42.5</b>	<b>53.2</b>	<b>54.0</b>	<b>24.7</b>	<b>41.7</b>	<b>24.9</b>	<b>26.1</b>
51	1-2	-	*	2.7	0.3	0.1	0.1	*	0.5	0.9	0.1
	3	-	*	20.7	3.0	2.0	1.5	1.2	2.5	0.9	1.0
	4	*	0.1	14.4	4.4	6.8	4.7	4.3	2.0	0.3	1.1
	5	-	0.2	3.6	1.8	1.6	3.5	0.9	0.6	0.2	0.4
	6	0.1	0.1	0.4	0.3	0.1	0.5	0.5	0.1	0.2	0.1
	7	0.1	0.1	*	*	-	*	-	*	0.1	*
<b>Total</b>	-----	<b>0.2</b>	<b>0.5</b>	<b>41.7</b>	<b>9.8</b>	<b>10.5</b>	<b>10.3</b>	<b>6.9</b>	<b>5.7</b>	<b>2.6</b>	<b>2.8</b>
61	1-2	-	-	*	*	-	-	-	*	*	*
	3	-	-	1.0	0.1	-	*	0.1	0.1	0.1	*
	4	-	*	4.2	0.3	0.1	*	0.5	0.1	-	*
	5	-	-	2.6	0.2	0.1	*	0.2	*	-	-
	6	-	-	0.4	*	-	*	-	*	-	-
	7	-	*	0.1	*	-	*	-	-	-	-
<b>Total</b>	-----	<b>-</b>	<b>*</b>	<b>8.4</b>	<b>0.6</b>	<b>0.2</b>	<b>*</b>	<b>0.8</b>	<b>0.1</b>	<b>0.1</b>	<b>*</b>
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-
	4	-	-	*	*	-	-	-	*	-	-
	5	-	-	*	*	-	-	-	-	-	-
	6	-	-	*	*	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
		-	-	*	*	-	-	-	*	-	-
12 & 22	1-2	0.5	0.3	*	*	-	*	-	0.1	0.1	0.7
	3	2.0	0.7	*	0.1	-	*	-	0.2	0.1	0.5
	4	0.2	0.2	-	*	-	*	0.2	*	-	0.1
	5	*	*	-	*	-	*	0.1	*	-	*
	6	-	*	-	-	-	-	-	*	-	-
	7	-	*	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>2.8</b>	<b>1.3</b>	<b>0.1</b>	<b>0.1</b>	<b>-</b>	<b>0.1</b>	<b>0.3</b>	<b>0.4</b>	<b>0.2</b>	<b>1.4</b>
32	1-2	0.7	0.6	0.1	0.2	-	0.2	-	0.2	0.1	0.2
	3	4.6	2.5	0.3	1.6	0.4	0.9	-	1.2	0.3	1.0
	4	3.5	2.0	0.4	0.9	1.1	0.6	0.3	0.8	0.1	0.3
	5	1.7	0.6	*	0.1	0.2	0.1	0.9	0.2	0.1	0.1
	6	0.2	0.1	-	*	-	*	0.2	*	*	*
	7	-	*	-	-	-	*	-	*	-	*
<b>Total</b>	-----	<b>10.9</b>	<b>5.7</b>	<b>0.8</b>	<b>2.8</b>	<b>1.7</b>	<b>1.7</b>	<b>1.4</b>	<b>2.5</b>	<b>0.6</b>	<b>1.7</b>
42	1-2	*	0.1	0.1	0.2	0.1	0.5	-	0.4	*	0.1
	3	0.2	0.7	0.8	2.3	5.8	6.5	0.6	4.9	0.2	0.8
	4	0.5	0.9	0.8	3.4	7.2	8.8	5.8	5.8	0.2	1.1
	5	0.8	0.5	0.2	1.0	2.7	2.6	6.8	1.7	0.1	0.4
	6	0.7	0.2	*	0.1	0.1	0.2	1.4	0.2	*	0.1
	7	0.4	0.1	-	*	-	*	0.1	*	-	*
<b>Total</b>	-----	<b>2.5</b>	<b>2.5</b>	<b>1.9</b>	<b>7.0</b>	<b>15.9</b>	<b>18.6</b>	<b>14.7</b>	<b>13.2</b>	<b>0.6</b>	<b>2.4</b>
52	1-2	-	*	0.1	*	-	*	-	0.2	*	*
	3	*	*	1.5	0.5	0.2	0.3	0.7	2.0	0.1	0.1
	4	*	*	2.4	1.3	0.9	1.2	5.1	2.8	0.1	0.3
	5	*	*	1.2	0.8	0.5	0.9	6.0	1.2	0.2	0.2
	6	*	*	0.2	0.1	0.2	0.2	4.0	0.2	0.1	0.1
	7	*	*	*	*	*	*	0.5	*	*	*
<b>Total</b>	-----	<b>0.1</b>	<b>0.1</b>	<b>5.5</b>	<b>2.8</b>	<b>1.8</b>	<b>2.7</b>	<b>16.2</b>	<b>6.5</b>	<b>0.6</b>	<b>0.7</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	*	*	*	-	-	-	*	-	*
	3	-	*	0.4	*	*	*	0.1	0.3	*	*
	4	-	*	1.3	0.2	0.1	*	0.2	0.4	*	*
	5	-	*	1.8	0.2	0.1	*	0.2	0.1	*	*
	6	-	*	0.6	0.1	*	*	*	*	*	*
	7	-	*	0.2	*	-	*	-	*	*	*
<b>Total</b>	-----	-	*	<b>4.3</b>	<b>0.5</b>	<b>0.2</b>	<b>*</b>	<b>0.4</b>	<b>0.9</b>	<b>0.1</b>	<b>*</b>
13 & 23	1-2	0.1	*	-	*	-	*	-	*	*	*
	3	0.4	0.1	-	*	-	*	-	*	-	*
	4	0.1	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*
	6	-	*	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.6</b>	<b>0.2</b>	-	<b>*</b>	-	<b>*</b>	-	<b>*</b>	<b>*</b>	<b>0.1</b>
33	1-2	0.1	0.1	-	*	-	*	-	*	*	*
	3	0.6	0.4	*	0.2	*	*	-	0.1	*	*
	4	0.4	0.4	0.1	0.1	*	*	0.3	*	-	*
	5	0.1	0.1	*	*	*	*	0.8	*	-	*
	6	*	*	-	*	-	*	0.6	*	-	*
	7	*	*	-	-	-	*	*	*	-	*
<b>Total</b>	-----	<b>1.3</b>	<b>0.9</b>	<b>0.2</b>	<b>0.4</b>	<b>0.1</b>	<b>0.1</b>	<b>1.8</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>
43	1-2	-	*	*	*	-	*	-	0.1	-	*
	3	*	*	0.1	0.4	0.1	0.4	0.1	0.5	*	*
	4	*	0.1	0.2	0.6	0.3	0.6	0.6	0.8	*	0.1
	5	*	0.1	0.2	0.2	0.2	0.2	0.7	0.3	-	*
	6	0.1	*	*	*	*	*	0.6	0.1	-	*
	7	*	*	-	*	-	*	0.1	*	-	*
<b>Total</b>	-----	<b>0.1</b>	<b>0.3</b>	<b>0.5</b>	<b>1.2</b>	<b>0.7</b>	<b>1.3</b>	<b>2.0</b>	<b>1.7</b>	<b>*</b>	<b>0.2</b>
53	1-2	-	*	*	*	-	*	-	*	-	-
	3	*	*	0.2	0.1	*	*	0.5	0.4	*	*
	4	*	*	0.5	0.2	0.2	0.1	3.7	0.7	0.2	*
	5	-	*	0.1	0.1	0.2	0.1	3.7	0.5	0.1	0.1
	6	*	*	*	*	0.2	*	1.7	0.1	*	*
	7	*	*	*	*	*	*	0.4	*	-	*
<b>Total</b>	-----	<b>0.1</b>	<b>*</b>	<b>0.9</b>	<b>0.5</b>	<b>0.6</b>	<b>0.3</b>	<b>9.9</b>	<b>1.8</b>	<b>0.3</b>	<b>0.2</b>
63	1-2	-	-	-	*	-	*	-	*	-	-
	3	-	-	0.1	*	-	*	0.9	0.1	-	-
	4	-	*	0.4	*	*	*	2.2	0.2	-	*
	5	-	*	0.3	*	*	*	1.2	0.1	*	*
	6	-	-	0.1	*	0.1	*	0.1	*	*	*
	7	-	*	*	*	0.1	*	-	*	*	*
		-	*	<b>0.9</b>	<b>0.1</b>	<b>0.3</b>	<b>*</b>	<b>4.3</b>	<b>0.4</b>	<b>*</b>	<b>*</b>
24 - 54	1-7	0.6	0.1	0.1	0.2	0.1	0.1	1.4	0.2	-	*
25 - 35	1-7	-	*	-	*	-	*	-	*	-	-
81 - 85 1/	1-7	*	*	0.3	*	*	*	3.8	0.1	*	*
All Colors	8 2/	<b>0.4</b>	<b>0.1</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>0.4</b>	<b>*</b>	<b>0.3</b>	<b>0.1</b>
<b>EXTRANEIOUS MATTER</b>											
Bark - Level 1		43.7	10.3	3.8	13.3	1.6	1.1	63.6	6.3	1.5	1.4
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		-	*	*	*	-	0.1	*	0.1	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	0.1	-	*	-	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	*	-	*	-	-
Other - Level 2		-	*	-	-	-	-	-	-	-	-
<b>STAPLE</b>											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	*	-	-	-	-	-	-	-	-
30		*	*	-	*	-	*	-	*	-	-
31		0.1	*	0.1	*	-	*	*	0.1	-	*
32		0.7	0.3	1.3	0.2	-	*	0.7	0.5	*	*
33		3.3	1.9	6.7	1.6	*	0.1	4.1	1.9	0.1	0.1
34		15.5	8.7	14.2	6.8	2.1	0.9	3.8	4.8	1.3	1.3
35		25.7	21.6	17.7	14.4	7.9	6.3	52.3	13.4	4.9	5.3
36		18.2	27.7	28.3	19.0	18.5	19.8	32.5	19.0	15.2	14.2
37		22.7	26.4	25.5	29.5	41.3	39.7	1.8	25.2	40.7	28.5
38 & longer		13.9	13.3	6.2	28.5	30.1	33.3	4.8	35.1	37.7	50.5
<b>Average staple</b>		<b>35.9</b>	<b>36.1</b>	<b>35.7</b>	<b>36.6</b>	<b>37.0</b>	<b>37.1</b>	<b>35.4</b>	<b>36.9</b>	<b>37.3</b>	<b>37.6</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	*	*	*	0.1	-	-	-	-	-	-
22	*	*	0.2	0.2	-	-	-	*	-	*
23	0.1	*	0.1	0.4	-	-	0.1	*	*	*
24	0.2	0.1	2.5	1.1	-	*	0.8	0.2	0.1	*
25	1.1	0.5	1.4	2.3	-	0.1	5.6	1.1	0.4	0.2
26	3.4	1.7	2.1	4.3	-	0.5	10.7	3.6	2.0	1.1
27	10.3	5.0	8.8	7.3	-	2.1	20.8	7.6	12.2	4.1
28	20.2	13.2	25.7	12.2	-	7.5	23.9	14.6	11.9	10.9
29	26.9	21.7	35.8	19.2	-	20.8	21.6	22.0	21.5	18.9
30	18.8	22.0	16.4	20.8	-	31.7	14.4	22.2	26.6	21.9
31	10.0	17.0	5.4	16.5	-	22.8	1.7	14.7	13.0	20.1
32	6.0	10.5	1.3	8.9	-	9.5	0.3	8.0	7.7	13.2
33	2.4	5.7	0.2	3.9	-	3.6	*	3.9	3.0	5.9
34	0.5	1.9	*	1.7	-	1.2	*	1.6	1.4	2.4
35	0.1	0.5	-	0.7	-	0.3	-	0.4	0.2	1.0
36 & above	*	0.2	*	0.3	-	*	-	0.1	*	0.3
<b>Average</b>	<b>29.1</b>	<b>29.9</b>	<b>28.6</b>	<b>29.5</b>	<b>-</b>	<b>30.1</b>	<b>27.9</b>	<b>29.5</b>	<b>29.5</b>	<b>30.2</b>
MIKE										
24 & below	0.1	*	-	*	-	-	-	*	0.1	0.1
25	0.3	0.1	-	*	-	*	-	-	0.4	0.6
26	0.4	0.2	-	*	-	*	-	*	2.0	0.8
27	0.4	0.2	-	*	-	*	-	*	4.1	1.0
28	0.8	0.3	-	*	-	*	-	*	3.4	1.1
29	1.0	0.4	-	*	-	*	-	*	4.2	1.3
30	1.3	0.5	-	0.1	-	*	-	*	4.6	1.6
31	1.2	0.7	-	0.1	-	*	-	*	3.9	1.8
32	1.3	1.1	-	0.1	-	*	-	*	4.0	2.2
33	1.7	1.3	-	0.2	-	*	-	*	3.7	2.7
34	2.5	1.7	-	0.3	-	*	-	0.1	3.7	3.0
35	2.8	2.1	0.2	0.3	-	*	-	0.2	4.8	3.8
36	3.6	2.6	0.1	0.4	-	0.1	-	0.3	5.6	4.5
37	4.5	3.5	0.2	0.6	-	0.1	0.2	0.6	6.9	5.1
38	5.2	4.2	0.3	1.0	-	0.3	0.6	1.0	7.5	5.5
39	6.5	5.2	1.0	1.4	-	0.5	1.0	1.7	7.9	6.3
40	8.6	6.5	0.9	1.9	-	0.9	2.1	2.9	5.8	7.0
41	8.7	7.9	0.9	2.7	-	1.7	2.5	4.5	5.1	7.5
42	8.3	8.5	1.9	3.9	-	2.8	3.7	6.5	3.8	7.6
43	8.0	8.8	3.5	5.4	-	4.3	8.2	8.7	3.8	7.8
44	7.3	9.2	6.2	7.3	-	6.4	12.8	11.0	2.9	6.9
45	8.2	9.3	18.5	9.2	-	9.3	16.9	13.2	4.3	6.4
46	6.6	8.2	23.3	10.9	-	13.4	15.5	14.3	2.8	5.2
47	4.7	6.4	20.5	11.5	-	16.6	14.9	12.9	2.1	3.7
48	3.1	4.5	11.4	10.9	-	16.7	13.1	9.7	0.9	2.7
49	1.8	2.9	5.6	9.1	-	13.1	4.0	6.0	0.5	1.9
50	0.7	1.7	2.0	7.1	-	7.4	3.0	3.5	0.7	1.0
51	0.3	1.0	1.8	5.5	-	3.5	0.5	1.8	0.2	0.5
52	0.1	0.5	0.5	4.0	-	1.6	0.8	0.9	*	0.2
53	*	0.2	0.3	2.8	-	0.8	*	0.3	-	*
54	*	0.1	0.5	1.9	-	0.3	-	0.1	-	*
55	-	*	0.3	0.9	-	*	-	*	-	*
56	-	*	0.1	0.3	-	*	-	*	-	*
57	-	-	-	0.1	-	*	-	*	-	-
58	-	-	-	*	-	-	-	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>42</b>	<b>46</b>	<b>47</b>	<b>-</b>	<b>47</b>	<b>46</b>	<b>45</b>	<b>37</b>	<b>40</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	*	-	*	-	-	-	-	-	-
21	-	*	-	*	-	-	-	*	-	-
22	*	*	*	*	-	-	-	*	-	-
23	*	*	0.3	*	-	*	*	*	-	-
24	0.1	*	2.1	0.3	*	*	0.1	0.2	-	*
25	0.5	0.1	6.8	1.4	0.3	0.1	0.3	0.5	-	*
26	1.5	0.6	12.9	5.1	3.8	0.8	2.1	1.6	0.2	0.1
27	5.1	2.1	18.9	12.4	11.0	4.2	12.3	4.1	0.4	0.5
28	11.6	6.3	20.6	21.3	23.2	14.4	29.3	8.5	2.1	2.3
29	16.2	13.1	20.8	26.1	22.8	27.7	34.3	18.4	7.9	7.3
30	16.1	19.0	12.8	19.0	15.9	26.2	9.3	27.3	14.6	13.7
31	19.4	21.8	3.2	9.2	16.3	15.2	6.7	20.4	17.0	17.0
32	16.7	18.9	1.2	3.6	5.1	7.4	2.7	11.3	15.8	16.8
33	4.4	11.3	0.2	1.2	1.4	3.0	2.7	5.0	17.3	14.2
34	1.6	4.8	*	0.4	0.2	0.8	0.1	1.9	15.2	9.5
35	2.9	1.5	*	0.1	0.1	0.2	0.1	0.5	8.2	6.5
36 & above	3.7	0.5	*	*	*	*	-	0.2	1.4	12.1
<b>Average</b>	<b>30.4</b>	<b>30.8</b>	<b>27.8</b>	<b>28.8</b>	<b>29.1</b>	<b>29.7</b>	<b>28.8</b>	<b>30.1</b>	<b>31.9</b>	<b>32.3</b>
MIKE										
24 & below	0.1	0.2	-	-	-	-	-	-	*	*
25	0.4	0.4	-	*	-	*	-	*	0.1	*
26	0.7	0.5	-	*	-	*	*	*	0.1	0.1
27	0.7	0.6	-	*	-	*	*	*	0.1	0.1
28	0.8	0.7	-	*	-	*	-	*	0.1	0.1
29	0.9	0.9	*	*	-	*	-	*	0.2	0.1
30	1.2	1.2	*	*	-	*	*	*	0.2	0.2
31	1.8	1.6	0.1	0.1	-	*	0.1	*	0.4	0.2
32	2.9	2.0	*	0.2	-	*	0.1	*	0.6	0.3
33	4.8	2.5	0.1	0.4	*	*	0.1	*	0.7	0.5
34	8.4	3.2	0.1	0.7	0.1	0.1	0.4	*	0.6	0.7
35	8.9	3.8	0.2	1.0	0.1	0.1	0.2	0.1	0.8	0.9
36	6.4	4.4	0.3	1.5	0.2	0.2	0.8	0.1	0.8	1.2
37	7.7	5.0	0.8	2.2	1.5	0.4	1.2	0.2	0.8	1.5
38	7.7	5.7	1.3	3.4	1.2	0.7	2.5	0.3	0.9	2.0
39	7.8	6.3	2.1	5.2	1.8	1.1	3.1	0.7	1.5	2.7
40	8.1	6.8	3.6	7.6	1.4	1.7	3.6	1.0	2.9	3.5
41	7.0	7.0	5.8	10.1	2.5	2.8	7.0	1.6	6.3	4.9
42	4.6	7.0	8.3	12.5	4.8	4.4	13.9	2.6	8.1	6.4
43	4.2	6.8	10.4	13.3	7.9	6.2	8.6	3.6	9.5	8.0
44	4.1	6.4	12.1	12.3	11.0	8.5	14.2	4.6	9.6	9.2
45	3.0	6.0	13.0	10.3	13.5	10.6	12.5	7.0	10.5	9.9
46	2.2	5.4	14.7	7.7	12.5	11.7	3.5	9.6	12.0	10.6
47	1.8	4.6	11.3	5.3	8.5	11.7	0.9	13.0	8.3	9.9
48	1.4	3.6	9.0	3.2	9.1	11.0	1.6	15.4	7.5	8.7
49	1.1	2.8	4.4	1.8	10.1	9.4	4.8	14.7	8.2	6.5
50	0.6	1.9	1.8	0.8	7.3	7.4	6.7	11.8	5.1	4.8
51	0.4	1.3	0.6	0.3	4.6	5.3	4.8	7.3	2.0	3.5
52	0.2	0.7	0.1	0.1	1.4	3.4	5.4	3.9	1.2	1.9
53	0.1	0.4	*	*	0.1	1.9	4.1	1.7	0.3	1.0
54	*	0.1	*	*	0.4	0.8	0.2	0.4	0.5	0.4
55	-	0.1	-	*	0.1	0.2	-	0.1	0.2	0.1
56	-	*	-	*	-	*	-	*	*	0.1
57	-	*	-	*	-	*	-	*	-	0.1
58	-	*	-	*	-	*	-	-	-	*
59	-	-	-	*	-	-	-	-	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
<b>Average</b>	<b>38</b>	<b>41</b>	<b>45</b>	<b>43</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>47</b>	<b>45</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	*	-	*	-	-	-	*	0.1	0.1
25 - 26	0.8	0.3	-	*	-	-	-	*	2.4	1.4
27 - 29	2.2	0.9	-	0.1	-	*	-	*	11.7	3.4
30 - 32	3.9	2.3	-	0.3	-	*	-	*	12.6	5.6
33 - 34	4.2	3.1	-	0.4	-	*	-	0.1	7.4	5.7
35 - 36	6.4	4.7	0.3	0.8	-	0.1	-	0.5	10.4	8.2
37 - 42	41.7	35.7	5.1	11.4	-	6.4	10.2	17.1	37.0	39.0
43 - 49	39.7	49.4	89.1	64.3	-	79.8	85.4	75.7	17.4	34.6
50 - 52	1.1	3.3	4.4	16.7	-	12.6	4.3	6.1	0.8	1.8
53 & above	*	0.3	1.2	6.1	-	1.1	*	0.4	-	*
<b>Average</b>	<b>41</b>	<b>42</b>	<b>46</b>	<b>47</b>	<b>-</b>	<b>47</b>	<b>46</b>	<b>45</b>	<b>37</b>	<b>40</b>
HVI TRASH 1/										
00	*	*	-	*	-	-	-	-	-	*
01	3.4	2.6	*	7.6	-	0.2	1.5	0.3	3.2	4.0
02	18.3	17.3	0.9	25.3	-	4.8	15.9	6.4	16.3	18.3
03	21.1	24.5	5.3	24.5	-	15.7	27.6	20.7	23.8	23.9
04	15.6	19.9	18.9	17.5	-	22.9	25.6	26.1	22.0	19.4
05	10.9	13.4	27.9	10.9	-	22.0	15.9	20.8	15.2	13.1
06	8.1	8.5	24.8	6.4	-	16.2	8.1	12.9	9.1	8.3
07	6.3	5.3	12.4	3.5	-	9.7	3.2	6.9	5.3	5.1
08	5.1	3.3	5.5	1.9	-	4.9	1.2	3.3	2.6	3.1
09	3.7	2.0	2.6	1.0	-	2.2	0.6	1.5	1.1	1.8
10	2.7	1.2	0.8	0.6	-	0.9	0.2	0.7	0.7	1.1
11	1.8	0.8	0.4	0.3	-	0.3	-	0.3	0.4	0.8
12	1.2	0.5	0.1	0.2	-	0.1	-	0.1	0.2	0.5
13	0.7	0.3	0.1	0.1	-	0.1	-	*	0.1	0.3
14	0.4	0.1	*	0.1	-	*	-	*	*	0.1
15	0.2	0.1	*	*	-	*	0.1	*	*	0.1
16	0.1	0.1	*	*	-	*	-	*	*	*
17	0.1	*	*	*	-	*	-	*	*	*
18 & above	0.2	0.1	*	*	-	*	*	*	*	*
<b>Average</b>	<b>0.47</b>	<b>0.43</b>	<b>0.55</b>	<b>0.36</b>	<b>-</b>	<b>0.50</b>	<b>0.39</b>	<b>0.46</b>	<b>0.41</b>	<b>0.42</b>
UNIFORMITY 2/										
72.4 & below	-	*	-	*	-	-	-	-	-	-
72.5-73.4	*	*	-	*	-	-	-	-	-	-
73.5-74.4	*	*	0.4	*	-	-	*	*	-	*
74.5-75.4	0.1	*	1.2	0.2	-	-	0.1	*	*	*
75.5-76.4	0.2	0.2	1.9	0.8	-	-	0.1	0.1	0.2	0.2
76.5-77.4	2.0	1.2	3.1	2.1	-	-	1.5	0.4	1.4	1.1
77.5-78.4	6.8	5.1	8.9	4.8	-	0.7	7.4	2.2	6.4	4.0
78.5-79.4	19.2	16.5	22.6	9.5	-	3.6	20.8	10.2	15.3	12.8
79.5-80.4	32.7	31.4	39.3	17.0	-	17.6	32.8	29.2	31.9	29.2
80.5-81.4	29.4	30.4	18.3	24.7	-	38.7	30.1	34.9	36.1	32.7
81.5-82.4	9.0	12.6	3.9	24.1	-	30.0	6.4	18.4	7.7	15.6
82.5-83.4	0.6	2.3	0.4	13.7	-	8.2	0.7	4.0	0.9	3.7
83.5-84.4	0.1	0.3	-	2.7	-	1.2	0.1	0.5	0.1	0.4
84.5-85.4	*	*	-	0.2	-	0.1	-	*	*	*
85.5-86.4	*	*	-	*	-	-	-	*	-	-
86.5-87.4	*	*	-	-	-	-	-	*	-	-
87.5-88.4	*	*	-	-	-	-	-	-	-	-
88.5-89.4	*	*	-	-	-	-	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.1</b>	<b>80.3</b>	<b>79.6</b>	<b>80.9</b>	<b>-</b>	<b>81.2</b>	<b>80.0</b>	<b>80.6</b>	<b>80.2</b>	<b>80.5</b>
Tenderable 3/	<b>53.8</b>	<b>68.0</b>	<b>43.6</b>	<b>54.5</b>	<b>-</b>	<b>77.3</b>	<b>63.8</b>	<b>77.6</b>	<b>40.2</b>	<b>67.7</b>
<b>SAMPLES CLASSED</b>										
Week	<b>58,209</b>		<b>6,272</b>		<b>-</b>		<b>4,001</b>		<b>17,969</b>	
Season		<b>1,143,559</b>		<b>1,776,671</b>		<b>1,393,173</b>		<b>1,250,362</b>		<b>858,341</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**For The Week Ending February 21, 2019**

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.1	0.2	-	-	-	-	-	-	*	*
25 - 26	1.1	0.8	-	*	-	*	*	*	0.2	0.1
27 - 29	2.4	2.2	*	*	-	*	*	*	0.3	0.3
30 - 32	5.8	4.9	0.1	0.3	-	*	0.2	0.1	1.2	0.8
33 - 34	13.2	5.7	0.2	1.0	0.1	0.1	0.4	0.1	1.3	1.2
35 - 36	15.3	8.2	0.5	2.5	0.3	0.4	1.0	0.2	1.6	2.1
37 - 42	42.9	37.7	21.9	40.9	13.1	11.2	31.3	6.3	20.5	21.0
43 - 49	17.8	35.7	74.8	53.9	72.7	69.2	46.0	68.0	65.5	62.8
50 - 52	1.3	3.9	2.4	1.3	13.2	16.1	16.8	23.1	8.3	10.1
53 & above	0.1	0.6	*	*	0.6	3.0	4.2	2.3	1.0	1.6
<b>Average</b>	<b>38</b>	<b>41</b>	<b>45</b>	<b>43</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>47</b>	<b>45</b>	<b>45</b>
HVI TRASH 1/										
00	-	*	-	-	-	-	-	-	-	*
01	1.1	2.3	0.4	0.4	-	0.3	-	0.5	6.4	13.1
02	10.7	16.7	8.2	7.2	1.1	4.5	1.1	9.1	30.8	31.5
03	21.3	23.8	21.6	20.1	9.9	14.0	2.4	22.1	30.0	24.8
04	20.1	20.4	23.7	25.0	21.6	21.3	6.0	24.3	15.6	14.4
05	13.9	14.4	18.0	20.6	27.2	21.7	12.8	18.6	7.4	7.7
06	8.4	9.2	11.8	13.1	21.1	16.8	15.3	11.6	3.9	4.0
07	6.2	5.6	7.1	7.2	10.8	10.7	16.4	6.5	2.1	2.0
08	5.3	3.3	4.4	3.5	4.9	5.8	13.3	3.4	1.2	1.0
09	4.3	1.9	2.3	1.6	1.8	2.8	11.0	1.8	0.7	0.6
10	3.1	1.1	1.2	0.7	0.8	1.3	8.9	0.9	0.6	0.3
11	2.1	0.6	0.7	0.3	0.3	0.5	5.1	0.5	0.4	0.2
12	1.5	0.3	0.3	0.1	0.2	0.2	3.3	0.3	0.3	0.1
13	0.9	0.2	0.2	0.1	0.1	0.1	1.9	0.2	0.2	0.1
14	0.5	0.1	0.1	*	0.1	*	1.0	0.1	0.1	*
15	0.3	0.1	*	*	*	*	0.5	*	0.1	*
16	0.2	*	*	*	*	*	0.2	*	*	*
17	0.1	*	*	*	*	*	0.2	*	*	*
18 & above	0.1	*	*	*	-	*	0.4	*	0.2	*
<b>Average</b>	<b>0.51</b>	<b>0.43</b>	<b>0.47</b>	<b>0.46</b>	<b>0.53</b>	<b>0.52</b>	<b>0.76</b>	<b>0.46</b>	<b>0.34</b>	<b>0.31</b>
UNIFORMITY 2/										
72.4 & below	-	*	-	-	-	-	-	*	-	-
72.5-73.4	-	*	-	-	-	-	-	*	-	*
73.5-74.4	-	*	-	-	-	-	-	*	-	-
74.5-75.4	*	*	-	-	-	-	0.1	0.1	-	*
75.5-76.4	0.1	0.1	0.1	*	*	*	0.1	0.2	*	*
76.5-77.4	0.9	0.5	0.6	0.2	0.1	*	0.4	0.7	*	*
77.5-78.4	4.1	2.1	3.1	1.0	0.9	0.2	3.4	2.6	0.5	0.4
78.5-79.4	13.0	7.8	10.4	5.5	3.0	1.4	8.7	9.4	3.8	2.3
79.5-80.4	22.7	21.6	25.8	21.7	15.0	8.0	15.8	22.3	12.2	9.1
80.5-81.4	33.0	33.8	37.3	40.0	44.3	25.7	43.3	34.5	31.2	26.2
81.5-82.4	22.7	24.9	20.1	24.4	27.6	36.5	24.7	22.4	39.6	34.6
82.5-83.4	3.1	7.9	2.6	6.2	8.8	23.2	3.0	6.4	11.3	16.5
83.5-84.4	0.3	1.2	0.1	0.9	0.3	4.7	0.4	1.3	1.1	7.3
84.5-85.4	*	0.1	*	0.1	*	0.3	0.1	0.2	0.1	3.4
85.5-86.4	-	*	-	*	*	*	-	*	-	0.2
86.5-87.4	-	*	-	*	-	*	-	*	-	*
87.5-88.4	-	-	-	-	-	*	-	*	-	-
88.5-89.4	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.6</b>	<b>80.9</b>	<b>80.6</b>	<b>81.0</b>	<b>81.2</b>	<b>81.8</b>	<b>80.8</b>	<b>80.8</b>	<b>81.4</b>	<b>81.8</b>
Tenderable 3/	<b>39.8</b>	<b>69.7</b>	<b>57.8</b>	<b>71.5</b>	<b>66.1</b>	<b>62.0</b>	<b>13.1</b>	<b>53.7</b>	<b>85.2</b>	<b>81.1</b>
<b>SAMPLES CLASSED</b>										
<b>Week</b>	<b>26,241</b>		<b>24,708</b>		<b>17,702</b>		<b>3,909</b>		<b>17,294</b>	
<b>Season</b>		<b>3,356,000</b>		<b>2,526,559</b>		<b>3,026,922</b>		<b>530,871</b>		<b>586,407</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

For The Week Ending February 21, 2019

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA		
		Week	Season		Week	Season	
01	1	19.9	19.9	MIKE	-	*	
	2	20.5	21.8	24 & below	-	0.1	
	3	0.2	0.4	25-26	0.6	0.4	
	4	-	*	30-32	4.4	1.0	
	5	-	-	33-34	2.4	1.6	
	6	-	-	35-36	8.8	4.6	
	7	-	-	37-42	46.1	53.1	
	<b>Total -----</b>		<b>40.7</b>	<b>42.1</b>	43-49	37.6	39.3
02	1	7.6	6.4	50-52	*	*	
	2	37.8	38.4	53 & above	-	*	
	3	3.9	7.0	<b>Average</b>	<b>40</b>	<b>41</b>	
	4	0.1	0.1	ALL RANGE MIKE	-	*	
	5	-	*	24 & below	-	*	
	6	-	-	25	-	*	
	7	-	-	26	-	*	
	<b>Total -----</b>		<b>49.3</b>	<b>52.0</b>	27	0.1	0.1
03	1	0.1	0.1	28	0.1	0.1	
	2	3.7	2.6	29	0.5	0.2	
	3	2.5	2.1	30	0.9	0.2	
	4	0.5	0.3	31	2.3	0.3	
	5	-	*	32	1.2	0.4	
	6	-	*	33	1.0	0.6	
	7	-	-	34	1.4	1.1	
	<b>Total -----</b>		<b>6.8</b>	<b>5.2</b>	35	3.3	1.8
04	1	-	*	36	5.5	2.8	
	2	0.6	0.2	37	10.3	4.2	
	3	1.3	0.3	38	12.4	6.1	
	4	0.3	0.1	39	7.4	8.3	
	5	*	*	40	5.6	10.4	
	6	-	*	41	5.0	11.3	
	7	-	*	42	5.3	12.8	
	<b>Total -----</b>		<b>2.1</b>	<b>0.6</b>	43	7.7	13.6
05	1	-	*	44	10.2	12.1	
	2	0.2	*	45	9.3	7.9	
	3	0.6	0.1	46	6.0	3.9	
	4	0.2	*	47	2.9	1.4	
	5	*	*	48	1.1	0.3	
	6	*	*	49	0.3	0.1	
	7	-	*	50	*	*	
	<b>Total -----</b>		<b>1.0</b>	<b>0.1</b>	51	*	*
06	1	-	*	52	-	*	
	2	-	*	53	-	*	
	3	-	*	54	-	*	
	4	-	*	55	-	*	
	5	-	-	56	-	*	
	6	*	*	57	-	-	
	7	*	*	58	-	-	
	<b>Total -----</b>		*	*	59	-	-
07	1	-	-	60 & above	-	-	
	2	-	-	<b>Average</b>	<b>40</b>	<b>41</b>	
	3	-	*	Strength	-	-	
	4	-	*	17 & below	-	-	
	5	-	*	18	-	-	
	6	*	*	19	-	-	
	7	*	*	20	-	-	
	<b>Total -----</b>		*	*	21	-	-
STAPLE	40 & shorter	-	-	22	-	-	
	42	-	*	23	-	-	
	44	0.3	0.2	24	-	-	
	46	9.8	4.9	25	-	-	
	48 & longer	89.9	95.0	26	-	-	
	<b>Average</b>	<b>48.5</b>	<b>49.2</b>	27	-	-	
	UNIFORMITY	72.4 & below	-	-	28	-	-
		72.5-73.4	-	-	29	-	-
73.5-74.4		-	-	30	-	-	
74.5-75.4		-	-	31	-	*	
75.5-76.4		-	-	32	-	*	
76.5-77.4		-	-	33	*	*	
77.5-78.4		-	-	34	0.1	*	
78.5-79.4		-	-	35	0.2	*	
79.5-80.4		-	-	36	0.8	0.1	
80.5-81.4		*	*	37	2.7	0.5	
81.5-82.4		0.4	0.1	38	7.7	1.4	
82.5-83.4		1.0	0.4	39	16.1	3.2	
83.5-84.4		4.7	2.1	40	9.6	4.3	
84.5-85.4		38.2	13.8	41	5.6	4.2	
85.5-86.4		32.4	41.2	42	6.7	6.7	
86.5-87.4		18.5	37.3	43	10.4	13.2	
87.5-88.4	4.4	4.8	44	13.1	20.4		
88.5-89.4	0.3	0.3	45 & above	27.1	46.0		
89.5 & above	*	*	<b>Average</b>	<b>42.1</b>	<b>43.9</b>		
<b>Average</b>		<b>85.7</b>	<b>86.2</b>	EXTRANEIOUS MATTER	-	-	
SAMPLES CLASSED	Week	19,724		Bark	0.2	0.1	
	Season		732,768	Grass	-	0.1	
				Spindle Twist Preparation	0.2	0.2	

\* Less than 0.05 percent.



**Cotton and Tobacco Program**  
 3275 Appling Road, Memphis, TN 38133  
 (901) 384-3016

## Extraneous Matter By Classing Office

22-Feb-19

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Week ending Thursday, February 21, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	-	-	29.3%	-	*	*	-	-	-	-	-	-	-	-	29.4%	*	58,209
Corpus Christi	*	-	6.0%	-	-	-	7.2%	-	-	-	-	-	-	-	13.2%	-	6,272
Dumas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florence	-	-	0.3%	-	-	-	0.5%	-	-	-	-	-	-	-	0.8%	-	4,001
Lamesa	-	-	35.8%	-	*	-	*	-	-	-	-	-	-	-	35.8%	-	17,969
Lubbock	*	-	43.7%	-	-	-	-	-	-	-	-	-	*	-	43.7%	-	26,241
Macon	*	-	3.8%	-	*	-	25.0%	-	-	-	-	-	-	-	28.8%	-	24,708
Memphis	-	-	1.6%	-	-	-	1.7%	-	-	-	*	-	-	-	3.4%	-	17,702
Rayville	-	-	63.6%	-	*	-	0.6%	-	-	-	-	-	-	-	64.2%	-	3,909
Visalia	-	-	1.5%	-	-	-	-	-	-	-	-	-	-	-	1.5%	-	17,294
United States	*	-	22.3%	-	*	*	4.0%	-	-	-	*	-	*	-	26.2%	*	176,305

\* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office  
 For the Season ending Thursday, February 21, 2019**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	18.1%	*	*	*	*	-	*	-	-	-	*	-	18.1%	*	1,143,559
Corpus Christi	*	-	1.5%	-	0.6%	-	3.9%	-	*	-	-	-	*	-	6.1%	-	1,776,671
Dumas	0.8%	*	1.4%	-	0.2%	*	0.1%	-	*	-	*	-	*	-	2.5%	*	1,393,173
Florence	*	-	2.4%	-	0.1%	-	*	-	*	-	-	-	*	-	2.5%	-	1,250,362
Lamesa	*	-	13.0%	-	*	-	*	-	-	-	-	-	-	-	13.0%	-	858,341
Lubbock	*	-	10.3%	-	*	-	*	-	*	-	-	-	*	-	10.4%	*	3,356,000
Macon	0.1%	-	13.3%	*	*	-	2.2%	-	*	-	-	-	*	-	15.7%	*	2,526,559
Memphis	*	-	1.1%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	1.3%	-	3,026,922
Rayville	*	-	6.3%	-	0.1%	-	0.1%	-	*	-	*	-	*	-	6.5%	-	530,871
Visalia	*	-	1.4%	-	*	-	0.6%	-	*	-	-	-	-	-	2.0%	-	586,407
United States	0.1%	*	7.0%	*	0.1%	*	0.8%	-	*	-	*	-	*	*	8.0%	*	16,448,865

\* Less than 0.05 percent.