



Quality of Cotton Classed by Classing Office

Volume 60, No. 15

9-Nov-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **CLASSING OFFICE**
For The Week Ending November 8, 2018

Classing Office	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Abilene	18	25,205	19	67,609
Corpus Christi	35	66,899	54	1,503,422
Dumas	39	119,703	40	638,058
Florence	52	150,007	52	446,705
Lamesa	23	28,429	23	56,767
Lubbock	66	163,627	67	247,886
Macon	75	237,596	76	744,006
Memphis	81	257,941	81	1,512,495
Rayville	20	53,361	20	290,984
Visalia	17	18,963	19	79,571
United States	426	1,121,731	451	5,587,503
Percent tenderable		67.2		64.9
AMERICAN PIMA				
Visalia	19	49,345	19	141,208
United States	19	49,345	19	141,208
United States all cotton	442	1,171,076	466	5,728,711

* Data Withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN100

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct. 3.6	Pct. 4.1	Pct. 7.3	Pct. 19.4	Pct. 0.3	Pct. 0.7	Pct. 0.1	Pct. 0.2	Pct. 2.9	Pct. 8.1	
	3	3.2	6.1	3.6	12.1	0.4	1.3	0.1	0.2	0.9	3.3	
	4	0.1	0.6	0.2	0.8	*	0.1	*	*	*	0.3	
	5	*	*	*	*	-	*	-	*	-	-	
	6	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	7.0	10.8	11.2	32.3	0.7	2.1	0.2	0.4	3.8	11.8
	31	1-2	6.2	4.4	3.6	6.5	1.4	1.9	2.0	2.2	8.4	7.9
3		21.4	20.9	2.9	13.1	12.4	16.0	16.3	15.8	18.7	20.1	
4		6.7	7.6	1.2	3.9	5.7	9.0	7.0	6.5	4.1	6.6	
5		0.5	0.5	0.1	0.2	0.3	0.6	0.6	0.5	0.2	0.6	
6		*	*	*	*	*	*	*	*	*	*	
7		-	-	-	*	-	-	-	-	-	-	
Total		-----	34.7	33.4	7.7	23.6	19.9	27.5	26.0	25.1	31.4	35.2
41		1-2	0.9	0.7	0.9	1.8	0.7	0.6	2.2	2.0	1.0	0.7
	3	17.7	10.9	5.4	5.6	15.9	14.3	24.1	24.4	15.0	9.6	
	4	18.1	11.2	4.2	2.7	37.3	32.5	23.1	20.8	21.2	13.4	
	5	4.8	3.2	0.7	0.4	12.7	11.6	5.2	4.0	8.1	5.5	
	6	0.5	0.4	0.1	*	0.7	0.9	0.2	0.1	1.1	1.1	
	7	*	*	*	*	*	*	*	*	*	0.1	
	Total	-----	42.0	26.4	11.2	10.5	67.4	59.8	54.9	51.3	46.4	30.5
	51	1-2	*	*	0.6	0.2	*	*	0.1	0.1	-	-
3		0.3	0.2	3.5	1.0	0.1	0.1	1.0	0.8	*	*	
4		0.5	0.4	3.5	0.9	1.3	0.8	1.0	0.9	*	*	
5		0.7	0.5	1.1	0.2	1.9	1.1	0.4	0.3	0.4	0.2	
6		0.1	0.3	0.2	*	0.3	0.2	0.1	*	0.6	0.3	
7		*	0.1	*	*	*	*	*	*	0.2	0.3	
Total		-----	1.6	1.4	9.0	2.4	3.6	2.1	2.6	2.1	1.3	0.9
61		1-2	-	-	*	*	-	-	-	-	-	-
	3	-	-	*	*	-	-	*	*	-	-	
	4	-	-	*	*	-	-	*	*	-	-	
	5	-	-	*	*	-	-	-	*	-	-	
	6	-	-	*	*	-	-	-	-	-	-	
	7	-	-	-	*	-	-	-	-	-	-	
	Total	-----	-	-	0.1	0.1	-	-	*	*	-	-
	71	1-2	-	-	-	*	-	-	-	-	-	-
3		-	-	-	*	-	-	-	-	-	-	
4		-	-	-	*	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	*	-	-	-	-	-	
12 & 22		1-2	0.2	0.5	2.4	4.5	*	*	*	0.1	0.6	1.7
	3	0.4	1.5	2.8	4.3	*	*	*	*	1.2	1.7	
	4	0.1	0.4	0.6	0.8	-	*	-	*	0.1	0.2	
	5	*	*	*	*	-	-	-	-	*	*	
	6	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.7	2.4	5.9	9.7	*	*	*	0.1	1.8	3.6
	32	1-2	0.2	0.3	0.5	1.2	*	*	0.1	0.2	0.3	0.3
3		2.3	2.8	1.9	3.5	0.3	0.4	0.9	1.3	3.8	3.5	
4		1.4	2.8	1.4	1.7	0.2	0.4	0.4	0.6	2.5	3.4	
5		0.2	0.7	0.3	0.2	*	*	*	*	0.5	0.8	
6		*	*	*	*	*	*	-	-	*	0.1	
7		-	-	-	*	-	-	-	-	-	-	
Total		-----	4.2	6.6	4.1	6.6	0.5	0.8	1.4	2.1	7.1	8.1
42		1-2	*	0.1	0.8	0.4	*	*	0.5	0.7	0.1	*
	3	1.2	2.0	5.9	2.7	0.9	0.9	5.3	7.4	1.9	1.5	
	4	2.3	2.7	6.1	2.2	3.3	3.2	4.2	5.7	2.6	2.7	
	5	1.0	1.5	1.4	0.5	1.3	1.5	0.6	0.8	1.2	1.4	
	6	0.1	0.4	0.1	0.1	0.1	0.1	*	*	0.2	0.3	
	7	*	0.1	*	*	*	*	-	*	-	0.1	
	Total	-----	4.6	6.8	14.4	5.9	5.7	5.8	10.7	14.6	6.0	6.1
	52	1-2	*	*	0.5	0.1	*	*	0.1	0.2	-	-
3		0.1	*	5.1	1.1	0.1	*	1.1	1.3	*	*	
4		0.6	0.3	7.9	1.5	0.7	0.5	1.5	1.3	*	*	
5		1.4	0.6	4.0	0.6	0.8	0.8	0.5	0.4	0.1	*	
6		0.4	0.2	0.8	0.1	0.1	0.2	0.1	0.1	0.1	0.1	
7		*	*	0.1	*	*	*	*	*	*	0.1	
Total		-----	2.4	1.2	18.5	3.5	1.7	1.5	3.4	3.2	0.2	0.2

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	Leaf	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	-	-	*	*	-	-
	3	*	*	0.3	0.1	*	*	*	*	-	-
	4	*	*	0.8	0.2	*	*	*	*	-	-
	5	-	-	0.4	0.1	*	*	-	*	-	-
	6	-	-	0.1	*	*	*	*	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
Total	-----	*	*	1.6	0.4	*	*	*	*	-	-
13 & 23	1-2	*	*	0.3	0.3	-	-	-	*	-	0.1
	3	*	0.6	0.4	0.5	-	-	*	*	*	0.4
	4	*	0.5	0.2	0.2	-	-	-	*	*	0.2
	5	-	*	*	0.1	-	-	-	-	-	*
	6	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	0.1	1.2	0.8	1.1	-	-	*	*	*	0.6
33	1-2	*	*	0.1	0.1	*	*	*	*	-	*
	3	0.3	0.8	0.4	0.4	*	*	*	0.1	0.3	0.3
	4	0.6	1.5	0.3	0.3	*	*	*	*	0.5	0.9
	5	*	0.5	0.1	0.1	*	*	*	*	0.1	0.4
	6	*	*	*	*	-	-	-	-	*	0.1
	7	-	-	-	*	-	-	-	-	-	-
Total	-----	1.0	2.9	1.0	0.9	*	*	0.1	0.1	0.9	1.7
43	1-2	-	*	*	*	*	*	*	*	-	*
	3	0.1	0.2	0.7	0.3	0.1	*	0.2	0.2	*	*
	4	0.3	0.5	1.0	0.4	0.2	0.1	0.2	0.3	0.2	0.2
	5	0.2	0.6	0.4	0.2	0.1	0.1	*	0.1	0.2	0.3
	6	0.1	0.4	0.1	0.1	*	*	*	*	*	0.1
	7	*	0.1	*	*	-	-	-	-	-	-
Total	-----	0.7	1.7	2.2	1.0	0.4	0.2	0.5	0.6	0.5	0.6
53	1-2	-	*	*	*	-	-	*	*	-	-
	3	*	*	1.2	0.2	*	*	0.1	0.1	-	-
	4	*	*	2.8	0.5	0.1	*	0.1	0.1	0.1	0.1
	5	0.1	*	2.2	0.3	0.1	0.1	0.1	*	0.2	0.1
	6	*	*	0.6	0.1	*	*	*	*	0.1	0.1
	7	-	*	0.2	*	-	*	-	*	*	*
Total	-----	0.1	0.1	6.9	1.2	0.1	0.1	0.2	0.2	0.5	0.2
63	1-2	-	-	*	*	-	*	-	*	-	-
	3	-	-	0.3	0.1	*	*	-	*	-	-
	4	-	-	1.6	0.2	*	*	*	*	-	-
	5	-	-	1.2	0.1	-	*	-	-	-	-
	6	-	-	0.4	*	*	*	-	-	-	-
	7	-	-	0.2	*	-	-	-	-	-	-
Total	-----	-	-	3.7	0.5	*	*	*	*	-	-
24 - 54	1-7	0.7	3.8	0.8	0.2	*	*	*	*	*	0.2
25 - 35	1-7	-	0.5	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	0.1	0.8	0.9	0.1	*	*	*	*	*	*
All Colors	8 2/	*	*	0.1	*	*	*	*	*	*	*
EXTRANEIOUS MATTER											
Bark - Level 1		11.1	18.6	3.7	1.1	1.3	0.7	2.0	1.8	7.8	8.1
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	*	0.7	0.7	0.2	0.3	*	0.1	-	*
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	*	0.1	*	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	*	*	0.1	*	*	-	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	*	*	-	-	*	*	-	-
30		-	0.1	0.2	0.2	-	-	-	*	*	*
31		*	*	1.0	0.7	-	-	*	*	0.1	0.1
32		0.2	0.6	2.0	2.1	*	*	*	*	0.5	0.3
33		2.1	4.5	4.2	5.7	*	0.2	0.3	0.4	2.7	2.0
34		5.9	7.0	12.4	12.0	1.2	2.0	3.8	4.2	9.8	7.7
35		11.6	14.2	21.4	18.3	5.7	6.3	15.2	14.6	25.4	21.2
36		26.2	22.9	24.7	22.8	10.6	13.3	24.1	24.6	24.5	25.0
37		35.0	30.2	27.0	21.5	28.3	29.5	28.1	27.6	21.6	24.3
38 & longer		19.1	20.5	7.2	16.7	54.2	48.7	28.5	28.7	15.4	19.4
Average staple		36.5	36.4	35.7	35.9	37.6	37.4	36.7	36.7	36.0	36.2

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	0.5	1.3	0.9	1.4	*	0.9	0.4	0.9	39.9	51.7
	4	1.0	2.6	2.0	2.9	0.1	0.9	0.7	1.7	5.9	15.1
	5	0.1	0.3	0.3	0.3	*	0.1	*	0.1	*	0.8
	6	-	*	*	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	1.6	4.1	3.2	4.6	0.2	1.8	1.1	2.7	45.8
31	1-2	3.8	3.4	3.7	4.5	0.4	1.1	2.2	3.3	9.2	6.1
	3	17.3	16.7	30.1	31.8	4.1	7.2	11.1	19.4	15.3	8.1
	4	8.7	9.6	17.6	15.5	2.2	4.2	3.7	8.1	1.3	1.3
	5	1.1	1.3	1.2	0.9	0.1	0.5	0.1	0.6	*	0.1
	6	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	-	-	-	-	-	-
	Total	----	30.9	31.1	52.7	52.8	6.9	13.0	17.1	31.4	25.7
41	1-2	1.7	1.4	0.8	0.7	1.3	1.1	2.1	1.3	0.8	0.3
	3	16.8	13.5	11.8	11.4	18.2	14.6	20.6	15.9	9.2	2.8
	4	22.1	18.1	17.1	15.0	28.0	23.4	19.5	18.1	5.6	1.6
	5	8.3	7.3	4.1	3.4	8.8	8.1	3.2	4.2	0.6	0.2
	6	1.1	1.1	0.2	0.1	0.8	0.7	0.1	0.3	*	*
	7	0.1	*	*	*	-	*	*	*	*	*
	Total	-----	50.0	41.4	34.0	30.6	57.0	47.9	45.6	39.8	16.2
51	1-2	-	*	*	*	*	*	0.2	0.1	-	*
	3	0.1	0.1	0.1	0.1	0.8	0.4	2.3	1.1	1.5	0.4
	4	0.5	0.4	0.3	0.3	3.8	2.8	2.3	1.2	3.5	0.9
	5	0.7	0.6	0.3	0.3	3.8	2.8	0.9	0.5	1.0	0.3
	6	0.5	0.5	*	0.1	0.8	0.4	0.2	0.1	*	*
	7	0.1	0.1	*	*	-	*	*	*	-	-
	Total	----	1.9	1.7	0.8	0.9	9.2	6.4	5.9	2.9	6.1
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	*	*	-	*	*	*	-	-
	5	-	-	-	*	*	*	*	*	-	-
	6	-	-	*	*	*	*	-	*	-	-
	7	-	-	*	*	-	-	-	-	-	-
	Total	-----	-	-	*	*	*	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	*	-	-	-	-	-
12 & 22	1-2	*	0.5	*	0.1	-	*	*	0.1	0.1	3.8
	3	0.2	1.3	0.1	0.1	*	0.1	*	0.4	0.2	1.7
	4	0.1	0.4	*	*	*	*	-	0.1	*	0.7
	5	*	*	*	*	-	*	-	*	-	0.1
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	0.3	2.2	0.1	0.1	*	0.1	*	0.6	0.3
32	1-2	0.4	0.5	0.2	0.3	0.1	0.3	0.2	0.2	0.3	0.3
	3	2.9	3.8	2.0	2.5	0.6	1.2	1.1	1.5	1.2	0.9
	4	2.7	4.1	1.2	1.3	0.6	0.7	0.5	0.8	0.1	0.5
	5	0.7	1.3	0.1	0.1	0.1	0.1	*	0.1	-	0.4
	6	*	0.1	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*
	Total	-----	6.7	9.8	3.5	4.3	1.4	2.2	1.9	2.5	1.6
42	1-2	0.2	0.2	0.1	0.1	0.5	0.8	0.5	0.3	*	*
	3	2.5	2.4	1.5	1.9	6.7	9.1	5.8	4.5	0.2	0.1
	4	3.2	3.4	2.3	2.5	9.9	11.2	7.0	5.7	0.4	0.1
	5	1.3	1.5	0.6	0.7	2.7	2.8	1.4	1.6	0.1	0.1
	6	0.3	0.4	*	*	0.2	0.2	0.1	0.1	-	0.1
	7	*	*	*	*	-	*	*	*	-	0.1
	Total	-----	7.5	8.0	4.4	5.2	19.9	24.1	14.7	12.3	0.8
52	1-2	-	*	-	*	*	*	0.2	0.1	*	*
	3	*	*	0.1	0.1	0.5	0.3	2.7	1.4	0.2	0.1
	4	0.1	0.1	0.3	0.4	1.7	1.3	4.4	2.1	2.4	0.6
	5	0.2	0.2	0.2	0.2	1.2	1.1	2.1	1.0	0.7	0.2
	6	*	0.1	*	*	0.2	0.2	0.5	0.2	*	*
	7	*	0.1	*	*	-	*	0.1	*	-	*
	Total	-----	0.3	0.4	0.6	0.7	3.6	2.9	10.0	4.7	3.4

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	Leaf	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	*	*	*	*	0.1	-	-
	4	-	-	*	*	*	*	*	*	-	-
	5	*	*	*	*	*	*	*	*	-	-
	6	-	-	*	*	*	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
Total	-----	*	*	*	*	*	*	*	0.1	-	-
13 & 23	1-2	-	*	*	*	-	*	-	*	0.1	0.1
	3	*	0.1	*	*	-	*	-	*	0.1	0.1
	4	*	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total	-----	*	0.1	*	*	-	*	-	*	0.1	0.2
33	1-2	*	*	*	*	*	*	*	*	*	*
	3	0.1	0.2	0.1	0.2	*	*	*	*	*	*
	4	0.2	0.3	0.1	0.1	*	*	*	*	-	0.1
	5	0.1	0.1	*	*	*	*	-	*	-	0.1
	6	*	*	-	*	*	*	-	*	-	*
	7	*	*	-	-	-	-	-	-	-	*
Total	-----	0.3	0.6	0.3	0.4	*	*	0.1	0.1	0.1	0.2
43	1-2	*	*	*	*	*	*	*	*	-	-
	3	*	*	0.1	0.1	0.4	0.4	0.4	0.2	-	-
	4	0.1	0.1	0.2	0.1	0.7	0.6	0.6	0.5	-	*
	5	0.1	0.1	0.1	*	0.2	0.2	0.3	0.2	-	*
	6	0.1	*	*	*	*	*	*	*	-	*
	7	*	*	-	-	-	-	-	*	-	*
Total	-----	0.3	0.3	0.3	0.3	1.4	1.2	1.3	0.9	-	0.1
53	1-2	-	-	-	-	*	*	*	*	-	-
	3	*	*	*	*	0.1	0.1	0.2	0.2	-	-
	4	-	-	*	*	0.2	0.1	0.8	0.6	-	-
	5	-	*	*	*	0.1	0.1	0.6	0.5	-	-
	6	-	*	*	*	*	*	0.2	0.1	-	*
	7	*	*	*	*	-	-	*	*	-	*
Total	-----	*	*	0.1	0.1	0.3	0.3	1.9	1.4	-	*
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	*	0.2	-	-
	4	-	-	*	*	-	*	*	0.2	-	-
	5	*	*	*	*	-	*	*	0.1	-	-
	6	-	-	-	-	-	*	*	*	-	-
	7	-	-	-	*	-	-	-	-	-	-
		*	*	*	*	-	*	0.1	0.4	-	-
24 - 54	1-7	*	*	*	*	0.1	*	0.2	0.1	*	*
25 - 35	1-7	-	-	-	*	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	0.1	*	*	*	*	*	*	*	0.1
EXTRANEIOUS MATTER											
Bark - Level 1		10.6	13.2	8.1	6.8	1.0	0.6	3.0	2.1	0.2	0.7
Bark - Level 2		-	-	-	*	-	-	-	-	-	-
Grass - Level 1		-	*	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.2
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	*	*	*	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	*	*	*	*	*	*	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	*	*	-	-
31		*	*	*	*	*	*	*	0.1	-	-
32		0.2	0.3	0.1	0.1	*	*	0.2	0.3	-	-
33		1.4	1.7	0.8	0.8	*	0.1	1.1	1.3	-	-
34		6.5	6.8	4.5	4.6	0.7	0.7	3.6	3.6	0.5	0.8
35		17.7	17.1	12.3	12.7	5.6	5.4	13.6	10.6	3.8	4.7
36		29.8	29.0	18.8	18.4	18.8	19.0	18.0	17.6	12.5	16.5
37		27.6	27.2	29.2	30.9	39.2	39.2	26.2	27.2	32.2	32.0
38 & longer		16.8	17.9	34.4	32.5	35.6	35.5	37.2	39.3	51.1	46.0
Average staple		36.3	36.3	36.9	36.8	37.2	37.2	36.9	37.1	37.8	37.5

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	*	-	-	-	-	-	-	-	-
18	-	-	-	*	-	-	-	-	-	-
19	-	*	-	*	-	-	-	-	-	-
20	-	*	*	*	-	-	-	-	-	-
21	*	*	0.1	*	-	-	-	-	-	-
22	*	*	0.2	0.1	-	-	-	-	-	-
23	*	0.1	0.7	0.3	-	-	*	*	*	*
24	0.1	0.1	2.0	0.7	*	*	*	*	0.1	*
25	0.6	0.7	4.1	1.4	*	*	0.2	0.3	0.4	0.2
26	0.8	2.2	9.5	2.8	0.2	0.3	1.5	2.0	2.1	1.2
27	2.0	4.2	15.4	5.4	1.0	1.6	3.4	4.9	6.4	4.0
28	6.5	8.9	15.8	11.0	5.0	6.4	9.2	11.9	14.8	12.3
29	19.5	15.9	16.2	19.6	16.9	19.0	21.0	23.3	22.3	19.7
30	24.1	19.9	12.4	22.5	31.1	32.2	27.3	26.4	20.0	19.7
31	18.2	17.1	9.7	18.5	27.4	24.5	19.5	17.0	18.3	19.2
32	12.4	12.5	6.4	10.1	11.9	10.2	10.2	8.5	9.8	13.9
33	9.1	9.6	3.7	4.4	4.6	4.0	5.0	3.9	3.4	5.9
34	4.5	5.8	2.0	1.9	1.4	1.4	2.1	1.5	1.7	3.0
35	1.7	2.6	1.3	0.8	0.4	0.3	0.4	0.3	0.5	0.7
36 & above	0.5	0.6	0.5	0.3	0.1	*	0.1	*	0.1	0.1
Average	30.5	30.4	28.7	29.8	30.4	30.2	30.0	29.8	29.7	30.1
MIKE										
24 & below	-	*	-	-	-	-	-	-	-	-
25	-	0.1	-	*	-	-	-	-	-	-
26	*	0.2	-	*	-	-	-	-	*	*
27	*	0.2	*	*	-	-	-	*	*	*
28	0.1	0.3	*	*	-	-	*	*	0.1	*
29	0.1	0.3	*	*	-	-	*	*	*	0.1
30	0.1	0.3	*	0.1	-	-	*	*	0.1	0.1
31	0.1	0.4	*	0.1	-	-	*	*	0.1	0.2
32	0.1	0.4	0.1	0.2	-	*	*	*	0.2	0.3
33	0.2	0.9	*	0.2	*	*	0.1	*	0.3	0.4
34	0.1	1.9	0.1	0.3	*	*	0.1	0.1	1.1	0.8
35	0.2	1.5	0.1	0.4	*	*	0.2	0.1	1.7	1.2
36	0.3	1.4	0.4	0.5	*	*	0.5	0.3	2.7	1.7
37	1.9	2.7	0.5	0.7	0.1	0.1	0.5	0.4	2.6	2.4
38	2.4	2.6	0.8	1.0	0.2	0.2	0.7	0.7	3.3	3.4
39	4.0	3.2	1.6	1.5	0.4	0.5	1.3	1.4	4.6	4.5
40	5.4	5.5	1.9	2.0	0.9	0.9	2.3	2.4	6.3	6.8
41	8.0	6.6	2.6	2.7	1.4	1.6	4.6	4.3	8.1	9.5
42	9.1	7.1	4.3	3.9	2.7	2.6	6.4	6.4	9.2	8.9
43	9.6	8.2	5.6	5.4	4.4	4.1	8.4	8.5	12.5	11.6
44	9.9	9.4	7.6	7.2	6.4	6.4	11.6	11.2	11.6	11.0
45	10.1	9.9	12.4	9.0	9.4	9.7	14.3	13.9	10.1	9.6
46	11.3	10.1	15.5	10.4	13.0	14.1	15.0	15.1	9.6	8.5
47	9.6	9.0	12.9	10.8	16.5	17.6	12.7	13.1	6.5	6.6
48	7.2	6.8	9.2	10.3	17.5	17.3	9.5	9.9	4.3	4.9
49	6.1	5.6	7.1	9.0	13.3	12.7	5.2	5.8	3.1	4.2
50	3.4	2.8	5.0	7.3	6.8	6.9	3.7	3.6	1.6	2.1
51	0.8	1.4	3.3	5.9	3.5	3.2	1.9	1.8	0.4	1.0
52	0.1	0.6	3.1	4.4	1.6	1.3	0.8	0.8	0.1	0.3
53	*	0.3	3.0	3.2	1.4	0.6	0.2	0.3	*	*
54	*	0.1	2.0	2.2	0.4	0.2	*	0.1	*	*
55	-	0.2	0.7	1.0	*	*	*	*	-	-
56	-	0.1	0.1	0.3	-	-	*	*	-	-
57	-	-	*	0.1	-	-	*	*	-	-
58	-	-	*	*	-	-	-	-	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	*	-	-	-	-	-	-
Average	44	43	46	47	47	47	45	45	43	43

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	*	-	-	-	-	-	-
21	-	-	-	*	-	-	-	-	-	-
22	-	-	*	*	-	-	-	*	-	-
23	*	*	*	*	*	*	*	*	-	-
24	*	*	*	0.1	*	*	*	0.1	-	-
25	*	*	0.5	1.0	*	*	0.1	0.4	-	-
26	0.1	0.1	3.5	4.9	0.6	0.4	1.0	1.0	-	*
27	0.6	0.7	10.9	13.2	4.1	2.8	3.4	3.0	*	*
28	3.2	3.6	20.3	24.2	13.7	11.2	10.3	6.3	0.2	2.3
29	9.5	10.3	28.8	28.8	27.4	26.1	21.8	14.0	4.2	10.6
30	16.3	17.5	21.0	17.4	27.0	29.0	31.5	26.8	9.7	10.5
31	21.0	21.4	10.2	7.3	16.2	17.4	20.4	23.7	15.5	10.4
32	21.7	20.4	3.5	2.2	7.3	8.3	8.0	14.3	16.5	12.4
33	16.1	15.2	0.9	0.6	2.9	3.6	2.7	6.7	13.2	14.5
34	7.5	7.1	0.2	0.1	0.6	1.0	0.5	2.8	6.0	8.3
35	2.9	2.7	0.1	*	0.1	0.2	0.1	0.7	7.4	5.1
36 & above	1.1	1.0	0.1	*	*	*	0.1	0.2	27.4	25.9
Average	31.4	31.3	29.0	28.7	29.7	29.9	29.8	30.4	33.3	33.0
MIKE										
24 & below	*	0.1	-	-	-	-	-	-	-	-
25	*	0.1	-	-	-	-	*	*	-	*
26	*	0.1	-	*	-	-	-	-	-	*
27	*	0.1	*	*	-	-	-	*	-	*
28	*	0.1	*	*	-	-	-	*	-	*
29	*	0.2	*	*	-	*	-	*	-	*
30	0.2	0.3	*	*	*	*	-	*	*	*
31	0.4	0.4	0.1	0.1	*	*	-	*	*	*
32	0.6	0.6	0.2	0.1	*	*	*	*	0.3	0.1
33	1.1	1.1	0.5	0.4	*	*	*	*	0.5	0.2
34	1.8	1.7	1.0	0.8	*	*	*	*	1.1	0.4
35	2.5	2.4	1.4	1.2	0.1	0.1	-	*	1.3	0.6
36	2.9	2.9	1.8	1.7	0.2	0.2	*	0.1	2.3	1.0
37	3.3	3.4	2.6	2.5	0.4	0.3	0.1	0.1	2.4	1.2
38	4.2	4.4	4.2	4.0	0.6	0.6	0.2	0.2	2.3	1.6
39	5.4	5.3	6.1	5.8	1.2	1.0	0.4	0.5	3.2	3.1
40	6.2	6.0	8.8	7.8	2.0	1.6	0.5	0.8	3.6	3.7
41	7.0	6.8	11.7	9.9	2.6	2.6	1.3	1.6	5.6	6.6
42	7.7	7.4	13.6	12.1	4.2	4.4	2.0	2.8	8.6	8.7
43	7.7	7.5	13.2	13.2	6.3	6.2	2.4	3.7	6.9	9.9
44	7.6	7.8	10.7	12.0	8.6	8.7	3.8	4.5	7.6	10.5
45	8.0	8.1	8.7	9.8	10.8	10.7	6.9	6.8	7.3	9.8
46	7.7	7.7	6.0	7.2	10.9	11.7	10.2	10.3	10.6	10.3
47	7.0	7.0	4.1	4.9	11.2	11.4	12.2	13.6	11.2	10.2
48	6.0	6.1	2.5	3.1	10.7	10.9	16.6	15.6	7.8	8.0
49	4.7	4.8	1.4	1.8	9.6	9.3	19.0	14.5	3.5	4.7
50	3.2	3.3	0.6	0.9	7.9	7.5	10.8	11.4	4.2	3.4
51	2.2	2.2	0.3	0.4	5.4	5.6	7.0	7.1	4.1	2.9
52	1.3	1.2	0.1	0.2	3.4	3.8	4.5	4.0	3.8	2.2
53	0.7	0.6	0.1	*	2.3	2.1	1.6	1.7	1.1	0.6
54	0.2	0.2	*	*	1.1	0.9	0.5	0.4	0.3	0.1
55	0.1	0.1	-	*	0.4	0.3	0.1	0.2	0.3	0.1
56	*	*	-	*	0.1	*	*	*	-	-
57	-	-	-	*	*	*	*	*	-	-
58	-	-	-	-	-	*	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
Average	43	43	42	43	47	47	48	48	45	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	ABILENE		CORPUS CHRISTI		DUMAS		FLORENCE		LAMESA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	-	-	-	-
25 - 26	*	0.3	-	*	-	-	-	-	*	*
27 - 29	0.2	0.9	*	0.1	-	-	*	*	0.1	0.1
30 - 32	0.2	1.1	0.1	0.3	-	*	*	*	0.3	0.6
33 - 34	0.3	2.8	0.1	0.5	*	*	0.2	0.1	1.3	1.1
35 - 36	0.4	2.8	0.5	0.8	0.1	0.1	0.7	0.4	4.4	3.0
37 - 42	30.9	27.6	11.7	11.7	5.6	5.8	15.8	15.5	34.0	35.4
43 - 49	63.7	59.0	70.2	62.0	80.5	81.9	76.6	77.4	57.6	56.4
50 - 52	4.2	4.7	11.5	17.6	12.0	11.4	6.4	6.1	2.2	3.5
53 & above	*	0.7	5.8	7.0	1.8	0.9	0.3	0.3	0.1	*
Average	44	43	46	47	47	47	45	45	43	43
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	*
01	1.0	1.1	5.8	8.7	0.1	0.2	0.2	0.3	2.7	5.4
02	10.6	9.2	13.6	28.2	4.1	4.8	7.1	7.5	12.1	14.3
03	21.3	20.3	18.0	25.9	13.9	15.1	21.9	23.1	20.2	20.5
04	22.4	22.2	18.7	17.2	21.5	22.4	26.3	27.3	20.5	18.5
05	17.1	17.6	15.6	9.7	22.7	22.0	20.3	20.1	16.3	14.6
06	11.8	11.9	11.4	5.1	17.9	16.4	12.6	11.7	11.2	10.1
07	7.1	7.2	7.0	2.5	10.7	9.9	6.5	5.8	7.1	6.4
08	4.3	4.4	4.3	1.3	5.4	5.2	3.1	2.6	4.3	4.1
09	2.2	2.6	2.4	0.7	2.3	2.3	1.3	1.0	2.3	2.3
10	1.2	1.6	1.4	0.3	0.9	0.9	0.5	0.4	1.5	1.5
11	0.6	0.9	0.7	0.2	0.3	0.3	0.2	0.1	0.8	0.9
12	0.3	0.5	0.4	0.1	0.1	0.1	0.1	*	0.5	0.5
13	0.1	0.2	0.3	0.1	*	*	*	*	0.3	0.4
14	*	0.1	0.2	*	*	*	*	*	0.1	0.2
15	*	0.1	0.1	*	*	*	*	*	0.1	0.2
16	*	*	0.1	*	-	*	*	*	*	0.2
17	-	*	*	*	-	-	*	*	*	*
18 & above	-	*	0.1	*	-	-	*	*	*	*
Average	0.46	0.48	0.45	0.33	0.51	0.50	0.45	0.44	0.46	0.45
UNIFORMITY 2/										
72.4 & below	-	*	*	*	-	-	-	-	-	-
72.5-73.4	-	-	*	*	-	-	-	-	-	-
73.5-74.4	-	*	0.1	*	-	-	*	*	-	-
74.5-75.4	-	*	0.3	0.2	-	-	*	*	*	*
75.5-76.4	*	0.1	1.2	0.6	-	-	*	*	0.1	*
76.5-77.4	0.2	0.4	3.1	1.5	-	-	0.2	0.2	0.4	0.3
77.5-78.4	1.1	2.0	8.6	3.1	0.4	0.4	1.2	1.1	1.7	1.3
78.5-79.4	6.0	7.0	21.7	6.6	2.1	2.2	7.3	6.8	7.9	6.3
79.5-80.4	23.4	20.7	25.1	15.1	14.5	14.2	27.1	26.1	23.4	25.9
80.5-81.4	36.2	32.5	21.9	26.1	36.1	37.4	37.1	38.6	39.1	38.7
81.5-82.4	24.2	24.6	12.4	27.4	34.3	34.5	22.4	21.9	22.4	21.9
82.5-83.4	7.2	10.2	4.8	16.0	10.4	9.7	4.3	4.6	4.2	4.9
83.5-84.4	1.6	2.2	0.7	3.2	1.9	1.4	0.4	0.6	0.8	0.6
84.5-85.4	0.1	0.2	0.1	0.3	0.2	0.1	*	*	0.1	*
85.5-86.4	-	*	*	*	-	-	*	*	-	-
86.5-87.4	-	-	-	-	-	-	*	*	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	81.0	81.1	80.0	81.2	81.4	81.3	80.8	80.8	80.8	80.8
Tenderable 3/	76.9	64.8	32.8	59.1	78.6	80.0	78.0	74.6	78.8	75.8
SAMPLES CLASSED										
Week	25,205		66,899		119,703		150,007		28,429	
Season	67,609		1,503,422		638,058		446,705		56,767	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE
For The Week Ending November 8, 2018

Quality Designation	LUBBOCK		MACON		MEMPHIS		RAYVILLE		VISALIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	*	0.1	-	-	-	-	-	-	-	-
25 - 26	*	0.3	-	*	-	-	*	*	-	*
27 - 29	0.1	0.3	*	*	-	*	-	*	-	0.1
30 - 32	1.2	1.3	0.4	0.2	*	*	*	*	0.3	0.1
33 - 34	2.9	2.8	1.6	1.2	0.1	0.1	*	*	1.6	0.5
35 - 36	5.5	5.3	3.2	2.9	0.3	0.3	*	0.1	3.5	1.6
37 - 42	33.8	33.3	47.0	42.1	10.9	10.5	4.5	6.1	25.7	24.9
43 - 49	48.7	49.0	46.7	52.0	68.0	68.9	71.0	69.1	54.9	63.5
50 - 52	6.7	6.8	1.1	1.5	16.8	16.9	22.3	22.4	12.2	8.5
53 & above	1.0	0.9	0.1	0.1	3.9	3.3	2.1	2.3	1.7	0.8
Average	43	43	42	43	47	47	48	48	45	45
HVI TRASH 1/										
00	-	-	-	-	-	-	-	-	-	*
01	0.5	0.7	0.4	0.5	0.1	0.3	0.6	0.5	20.0	27.9
02	7.0	7.4	7.4	9.5	3.1	4.7	8.9	9.3	34.1	40.3
03	18.1	18.1	21.6	24.3	12.4	13.9	22.0	22.6	21.2	18.1
04	22.3	21.8	26.6	26.7	21.2	21.1	25.4	24.4	11.0	6.7
05	19.2	18.6	20.9	19.2	22.3	21.5	19.8	19.0	7.5	3.4
06	13.7	13.4	12.4	10.7	17.7	16.8	11.4	11.9	3.8	1.7
07	8.6	8.6	6.2	5.2	11.4	10.7	6.1	6.5	1.5	0.8
08	4.9	5.0	2.7	2.2	6.3	5.9	2.9	3.1	0.6	0.4
09	2.8	2.9	1.1	0.9	3.1	2.9	1.5	1.5	0.2	0.2
10	1.5	1.6	0.4	0.4	1.4	1.3	0.6	0.6	0.1	0.1
11	0.7	0.8	0.1	0.1	0.6	0.6	0.3	0.3	0.1	0.1
12	0.4	0.5	0.1	0.1	0.2	0.2	0.2	0.2	*	*
13	0.2	0.3	*	*	0.1	0.1	0.1	0.1	*	*
14	0.1	0.1	*	*	*	*	0.1	*	*	*
15	*	0.1	*	*	*	*	*	*	-	*
16	*	*	*	*	*	*	-	-	-	*
17	*	*	*	*	*	*	-	-	-	*
18 & above	*	*	*	*	*	*	-	-	-	*
Average	0.49	0.50	0.45	0.43	0.53	0.52	0.45	0.45	0.28	0.23
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	-	-	-	-	-	*	*	-	-
73.5-74.4	-	-	-	-	-	-	*	*	-	-
74.5-75.4	-	*	-	-	-	-	*	*	-	-
75.5-76.4	*	*	*	*	*	*	0.1	0.2	*	*
76.5-77.4	*	0.2	*	0.1	*	*	0.4	0.6	*	*
77.5-78.4	0.4	0.7	0.4	0.8	0.2	0.1	1.6	1.9	0.2	0.1
78.5-79.4	2.7	3.2	3.1	5.2	1.0	0.8	12.5	7.2	1.4	0.9
79.5-80.4	13.1	13.8	18.1	24.7	6.3	4.9	27.2	20.1	4.8	5.8
80.5-81.4	32.1	31.4	42.3	42.6	23.9	20.8	34.6	34.4	16.8	20.5
81.5-82.4	34.9	33.5	28.0	21.5	38.4	37.5	18.5	24.8	30.6	33.2
82.5-83.4	14.4	14.6	7.1	4.5	24.7	29.1	4.5	8.5	21.3	20.5
83.5-84.4	2.3	2.4	0.9	0.5	5.2	6.4	0.5	1.9	15.8	13.6
84.5-85.4	0.2	0.2	0.1	*	0.3	0.3	*	0.3	8.7	5.2
85.5-86.4	*	*	*	*	*	*	*	*	0.3	0.3
86.5-87.4	*	*	*	*	-	-	-	*	0.1	*
87.5-88.4	-	-	-	-	-	-	-	*	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	81.5	81.4	81.1	80.9	81.9	82.0	80.6	81.0	82.4	82.2
Tenderable 3/	69.7	65.5	82.9	83.0	60.1	57.8	56.1	59.8	82.5	87.0
SAMPLES CLASSED										
Week	163,627		237,596		257,941		53,361		18,963	
Season		247,886		744,006		1,512,495		290,984		79,571

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. * Less than 0.05 percent.

QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

For The Week Ending November 8, 2018

Color Grade	Leaf	VISALIA		Quality Designation	VISALIA	
		Week	Season		Week	Season
01	1	17.5	24.5	MIKE		
	2	21.9	23.7	24 & below	-	-
	3	0.4	0.4	25-26	-	-
	4	-	-	27-29	*	*
	5	-	-	30-32	0.2	0.1
	6	-	-	33-34	0.4	0.3
	7	-	-	35-36	2.3	1.8
Total -----		39.8	48.6	37-42	53.2	45.6
02	1	6.1	7.0	43-49	43.8	52.2
	2	40.5	34.9	50-52	-	-
	3	7.8	6.5	53 & above	-	-
	4	0.1	0.1	Average	42	42
	5	-	*	ALL RANGE MIKE		
	6	-	-	24 & below	-	-
	7	-	-	25	-	-
Total -----		54.6	48.6	26	-	-
03	1	*	*	27	*	*
	2	2.3	1.1	28	-	-
	3	2.5	1.3	29	*	*
	4	0.3	0.2	30	*	*
	5	*	*	31	0.1	*
	6	-	*	32	0.1	*
	7	-	-	33	0.1	0.1
Total -----		5.2	2.6	34	0.3	0.2
04	1	*	*	35	1.0	0.7
	2	0.1	*	36	1.4	1.1
	3	0.3	0.1	37	2.2	1.6
	4	*	*	38	5.1	3.8
	5	*	*	39	8.5	6.7
	6	-	*	40	11.3	9.1
	7	-	-	41	13.1	10.8
Total -----		0.5	0.2	42	12.9	13.5
05	1	-	-	43	15.0	18.2
	2	-	-	44	14.2	17.5
	3	*	*	45	9.3	10.5
	4	*	*	46	3.9	4.5
	5	-	-	47	1.2	1.2
	6	-	-	48	0.2	0.2
	7	-	-	49	*	*
Total -----		*	*	50	-	-
06	1	-	-	51	-	-
	2	-	-	52	-	-
	3	-	-	53	-	-
	4	-	-	54	-	-
	5	-	-	55	-	-
	6	-	-	56	-	-
	7	-	-	57	-	-
Total -----		-	-	58	-	-
07	1	-	-	59	-	-
	2	-	-	60 & above	-	-
	3	-	-	Average	42	42
	4	-	-	Strength		
	5	-	-	17 & below	-	-
	6	-	-	18	-	-
	7	-	-	19	-	-
Total -----		-	-	20	-	-
STAPLE				21	-	-
40 & shorter	-	-	22	-	-	
42	-	-	23	-	-	
44	0.5	0.4	24	-	-	
46	5.4	6.4	25	-	-	
48 & longer	94.1	93.2	26	-	-	
Average	49.1	48.9	27	-	-	
UNIFORMITY				28	-	-
72.4 & below	-	-	29	-	-	
72.5-73.4	-	-	30	-	-	
73.5-74.4	-	-	31	-	-	
74.5-75.4	-	-	32	-	-	
75.5-76.4	-	-	33	-	-	
76.5-77.4	-	-	34	-	-	
77.5-78.4	-	-	35	*	*	
78.5-79.4	-	-	36	*	0.1	
79.5-80.4	-	-	37	0.2	0.5	
80.5-81.4	-	-	38	1.4	1.4	
81.5-82.4	*	*	39	2.5	3.1	
82.5-83.4	0.1	0.1	40	3.4	3.4	
83.5-84.4	1.7	1.6	41	3.7	2.9	
84.5-85.4	10.9	10.2	42	7.1	5.6	
85.5-86.4	40.2	39.7	43	16.3	12.1	
86.5-87.4	41.8	42.8	44	24.1	22.2	
87.5-88.4	5.0	5.2	45 & above	41.2	48.9	
88.5-89.4	0.3	0.3	Average	43.9	44.1	
89.5 & above	-	-	EXTRANEIOUS MATTER			
Average	86.3	86.3	Bark	-	-	
SAMPLES CLASSED			Grass	0.6	0.5	
Week	49,345		Spindle Twist	*	*	
Season		141,208	Preparation	*	*	

* Less than 0.05 percent.



Extraneous Matter By Classing Office

09-Nov-18

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Week ending Thursday, November 8, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	11.1%	-	-	-	-	-	-	-	-	-	-	-	11.1%	-	25,205
Corpus Christi	*	-	3.7%	-	0.7%	-	10.1%	-	-	-	-	-	*	-	14.5%	-	66,899
Dumas	0.1%	-	1.3%	-	0.2%	-	*	-	*	-	-	-	*	-	1.7%	-	119,703
Florence	-	-	2.0%	-	*	-	-	-	*	-	-	-	-	-	2.0%	-	150,007
Lamesa	*	-	7.8%	-	-	-	-	-	*	-	-	-	-	-	7.8%	-	28,429
Lubbock	*	-	10.6%	-	-	-	*	-	*	-	-	-	*	-	10.6%	-	163,627
Macon	*	-	8.1%	-	0.1%	-	*	-	-	-	-	-	*	-	8.3%	-	237,596
Memphis	*	-	1.0%	-	0.1%	-	0.1%	-	*	-	-	-	*	-	1.2%	-	257,941
Rayville	*	-	3.0%	-	0.1%	-	0.1%	-	-	-	*	-	*	-	3.2%	-	53,361
Visalia	*	-	0.2%	-	0.4%	-	-	-	-	-	-	-	-	-	0.6%	-	18,963
United States	*	-	4.7%	-	0.1%	-	0.6%	-	*	-	*	-	*	-	5.5%	*	1,121,731

* Less than 0.05 percent.

**Percentage of Extraneous Matter by specified causes of upland cotton classed in the United States, by Classing Office
 For the Season ending Thursday, November 8, 2018**

Classing Office	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Abilene	*	-	18.6%	-	*	-	0.1%	-	-	-	-	-	*	-	18.6%	-	67,609
Corpus Christi	*	-	1.1%	-	0.7%	-	0.9%	-	*	-	-	-	0.1%	-	2.8%	-	1,503,422
Dumas	*	-	0.7%	-	0.3%	-	*	-	*	-	-	-	*	-	1.1%	-	638,058
Florence	*	-	1.8%	-	0.1%	-	-	-	*	-	-	-	*	-	1.9%	-	446,705
Lamesa	*	-	8.1%	-	*	-	-	-	*	-	-	-	*	-	8.1%	-	56,767
Lubbock	*	-	13.2%	-	*	-	*	-	*	-	-	-	*	-	13.3%	-	247,886
Macon	*	-	6.8%	*	0.1%	-	0.1%	-	-	-	-	-	*	-	7.0%	*	744,006
Memphis	*	-	0.6%	-	0.1%	-	*	-	*	-	-	-	*	-	0.7%	-	1,512,495
Rayville	*	-	2.1%	-	0.2%	-	0.1%	-	*	-	*	-	*	-	2.3%	-	290,984
Visalia	*	-	0.7%	-	0.2%	-	-	-	-	-	-	-	-	-	0.9%	-	79,571
United States	*	-	2.6%	*	0.3%	-	0.3%	-	*	-	*	-	*	-	3.2%	*	5,587,503

* Less than 0.05 percent.