

Quality of Cotton Classed by State

mp_cn811

Volume 19, No. 42

04-May-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,
 For The Week Ending **MAY 3, 2018**

State	Week		Season	
	Gins	Bales	Gins	Bales
UPLAND				
Alabama	-	-	30	774,914
Arizona	-	-	15	458,850
Arkansas	-	-	30	1,123,871
California	-	-	18	222,677
Florida	-	-	4	119,040
Georgia *	1	-	59	2,192,822
Kansas	2	4,249	3	180,662
Louisiana	-	-	18	407,696
Mississippi	-	-	40	1,287,347
Missouri	-	-	24	682,976
New Mexico	-	-	4	43,246
North Carolina	-	-	33	763,203
Oklahoma	9	22,638	13	885,393
South Carolina	-	-	16	405,645
Tennessee	-	-	24	718,537
Texas	6	10,395	199	9,190,914
Virginia	-	-	4	182,007
United States	18	37,282	534	19,639,800
Percent Tenderable		34.7		67.0
AMERICAN PIMA				
Arizona	-	-	4	29,891
California	-	-	18	609,106
New Mexico	-	-	2	14,412
Texas	-	-	2	23,556
United States	-	0	26	676,965
United States all cotton	18	37,282	548	20,316,765

*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP_CN106

NOTE: This is the last Quality of Cotton Classed by State report for the 2017-18 season.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	-	1.3	-	1.8	-	69.5	-	49.1	-	0.8	-	2.0	
	3	-	1.7	-	2.9	-	12.8	-	14.0	-	1.8	-	2.5	
	4	-	0.2	-	0.3	-	0.6	-	0.4	-	0.1	-	0.1	
	5	-	*	-	*	-	*	-	*	-	*	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	3.2	-	5.1	-	82.9	-	63.5	-	2.7	-	4.6
	31	1-2	-	6.8	-	2.2	-	3.7	-	10.4	-	7.3	-	9.6
3		-	28.8	-	17.9	-	5.8	-	15.8	-	43.3	-	34.4	
4		-	14.4	-	19.9	-	2.6	-	3.1	-	16.8	-	9.8	
5		-	1.6	-	4.3	-	0.5	-	0.2	-	0.8	-	0.4	
6		-	0.1	-	0.1	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	*	-	*	
Total		-----	-	51.7	-	44.4	-	12.6	-	29.6	-	68.1	-	54.3
41		1-2	-	1.5	-	0.3	-	0.1	-	0.2	-	1.2	-	4.1
	3	-	12.4	-	6.6	-	0.4	-	0.3	-	12.5	-	20.3	
	4	-	17.9	-	20.3	-	0.3	-	0.4	-	11.7	-	12.0	
	5	-	7.4	-	16.0	-	0.3	-	0.2	-	1.7	-	1.6	
	6	-	1.2	-	2.4	-	0.1	-	*	-	0.1	-	0.1	
	7	-	0.1	-	0.1	-	*	-	*	-	*	-	*	
	Total	-----	-	40.5	-	45.6	-	1.3	-	1.1	-	27.2	-	38.1
	51	1-2	-	0.1	-	*	-	*	-	*	-	*	-	0.2
3		-	0.3	-	0.2	-	*	-	*	-	0.6	-	1.0	
4		-	0.3	-	1.6	-	*	-	*	-	0.5	-	0.5	
5		-	0.1	-	2.0	-	*	-	0.1	-	0.1	-	0.1	
6		-	0.1	-	0.4	-	-	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	*	-	*	
Total		-----	-	0.9	-	4.2	-	*	-	*	-	1.2	-	1.8
61		1-2	-	*	-	-	-	-	-	-	-	-	-	*
	3	-	*	-	-	-	-	-	-	-	*	-	*	
	4	-	*	-	*	-	-	-	-	-	*	-	*	
	5	-	-	-	*	-	-	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	*	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	*	
	Total	-----	-	*	-	*	-	-	-	-	*	-	*	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	*	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	*	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	*	-	*	-	0.7	-	0.4	-	-	-	0.1
	3	-	*	-	*	-	0.6	-	0.6	-	*	-	*	
	4	-	*	-	*	-	0.1	-	*	-	-	-	*	
	5	-	*	-	-	-	*	-	*	-	*	-	*	
	6	-	-	-	-	-	*	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	*	-	*	-	1.4	-	1.1	-	*	-	0.1
	32	1-2	-	0.1	-	*	-	0.1	-	0.4	-	*	-	0.1
3		-	0.6	-	*	-	0.4	-	2.3	-	0.2	-	0.3	
4		-	0.6	-	0.1	-	0.5	-	0.9	-	0.2	-	0.1	
5		-	0.1	-	*	-	0.2	-	0.2	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	-	-	*	
7		-	-	-	*	-	*	-	-	-	-	-	-	
Total		-----	-	1.3	-	0.1	-	1.2	-	3.8	-	0.4	-	0.5
42		1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.4	-	0.1	-	*	-	0.1	-	0.1	-	0.2	
	4	-	0.8	-	0.2	-	0.1	-	0.3	-	0.1	-	0.2	
	5	-	0.5	-	0.1	-	0.2	-	0.3	-	0.1	-	*	
	6	-	0.1	-	*	-	0.1	-	0.1	-	*	-	*	
	7	-	*	-	*	-	*	-	*	-	*	-	*	
	Total	-----	-	1.8	-	0.4	-	0.4	-	0.8	-	0.3	-	0.5
	52	1-2	-	*	-	-	-	*	-	*	-	-	-	*
3		-	*	-	*	-	*	-	*	-	*	-	*	
4		-	*	-	*	-	*	-	*	-	*	-	*	
5		-	*	-	*	-	*	-	*	-	*	-	*	
6		-	*	-	*	-	*	-	*	-	*	-	*	
7		-	*	-	*	-	*	-	*	-	*	-	*	
Total		-----	-	0.1	-	*	-	*	-	*	-	*	-	*

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	*	-	-	-	*	-	-	-	-	-	-
	3	-	*	-	*	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*
Total	-----	-	*	-	*	-	*	-	-	-	-	-	*
13 & 23	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	-	-	*	-	-	-	*	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	*	-	*	-	*	-	*	-	*	-	*
33	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	*	-	*	-	0.1	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	0.1	-	*	-	0.1	-	0.1	-	*	-	*
43	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	0.1	-	*	-	*	-	*	-	*	-	*
	4	-	0.1	-	0.1	-	*	-	*	-	*	-	*
	5	-	0.1	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	-	-	*	-	*	-	-	-	-
Total	-----	-	0.3	-	0.1	-	0.1	-	*	-	*	-	*
53	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	-	*	-	*	-	*	-	*	-	*	-	*
	4	-	*	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	*	-	*	-	*	-	*	-	*
	6	-	*	-	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*	-	*
Total	-----	-	*	-	*	-	*	-	*	-	*	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	*
Total	-----	-	-	-	*	-	*	-	-	-	-	-	*
24 - 54	1-7	-	*	-	*	-	*	-	*	-	*	-	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	*	-	*	-	*	-	*	-	*	-	*
All Colors	8 2/	-	*	-	*	-	*	-	*	-	*	-	*
EXTRANEIOUS MATTER													
Bark - Level 1		-	4.8	-	0.9	-	2.1	-	1.8	-	5.8	-	4.9
Bark - Level 2		-	*	-	-	-	-	-	-	-	-	-	*
Grass - Level 1		-	0.1	-	0.1	-	*	-	*	-	0.1	-	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	*
Prep - Level 1		-	0.1	-	*	-	*	-	*	-	*	-	0.1
Prep - Level 2		-	*	-	-	-	-	-	*	-	-	-	*
Other - Level 1		-	*	-	*	-	*	-	*	-	*	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	*	-	-	-	-	-	-
30		-	-	-	-	-	*	-	-	-	-	-	*
31		-	*	-	*	-	*	-	*	-	*	-	*
32		-	0.1	-	*	-	0.1	-	*	-	0.1	-	0.4
33		-	1.0	-	*	-	0.4	-	0.1	-	0.8	-	3.1
34		-	4.7	-	0.1	-	2.2	-	0.7	-	3.5	-	9.4
35		-	10.3	-	0.8	-	10.4	-	4.0	-	11.5	-	14.8
36		-	14.8	-	6.7	-	24.8	-	13.9	-	16.8	-	15.0
37		-	30.6	-	33.9	-	33.4	-	24.3	-	24.3	-	23.7
38 & longer		-	38.5	-	58.5	-	28.7	-	57.0	-	43.1	-	33.7
Average staple		-	37.0	-	37.8	-	36.9	-	37.8	-	37.1	-	36.6

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 0.6	Pct. 17.0	Pct. -	Pct. 1.9	Pct. -	Pct. 2.8	Pct. -	Pct. 3.4	Pct. -	Pct. 1.0	Pct. -	Pct. 71.1
	3	3.6	15.7	-	3.9	-	3.5	-	7.6	-	0.9	-	7.6
	4	0.5	2.1	-	0.4	-	0.2	-	0.9	-	0.1	-	0.2
	5	-	0.1	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	4.7	34.9	-	6.2	-	6.5	-	11.9	-	2.0	-
31	1-2	1.7	8.0	-	3.6	-	3.7	-	2.5	-	3.4	-	9.0
	3	15.7	19.1	-	26.3	-	22.4	-	24.5	-	15.7	-	7.4
	4	11.3	6.0	-	15.1	-	16.0	-	22.4	-	7.4	-	1.3
	5	0.5	0.9	-	1.6	-	2.2	-	4.7	-	0.9	-	0.1
	6	-	0.1	-	0.1	-	*	-	0.2	-	*	-	*
	7	-	*	-	-	-	-	-	-	-	-	-	-
	Total	-----	29.2	34.1	-	46.7	-	44.4	-	54.2	-	27.4	-
41	1-2	*	0.4	-	1.1	-	0.5	-	0.4	-	1.8	-	0.3
	3	0.1	3.5	-	12.5	-	8.7	-	6.0	-	22.6	-	1.1
	4	0.5	3.3	-	19.8	-	20.9	-	12.7	-	30.4	-	0.4
	5	0.1	0.7	-	7.3	-	13.7	-	8.8	-	9.1	-	*
	6	-	0.1	-	1.2	-	1.7	-	2.2	-	0.9	-	*
	7	-	0.1	-	-	-	*	-	0.3	-	0.1	-	*
	Total	-----	0.8	8.1	-	41.7	-	45.4	-	30.4	-	64.9	-
51	1-2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	0.3	-	0.2	-	0.1	-	0.2	-	*
	4	-	*	-	0.5	-	1.2	-	0.5	-	0.8	-	*
	5	-	*	-	0.4	-	1.4	-	0.6	-	0.7	-	*
	6	-	*	-	0.1	-	0.3	-	0.3	-	0.2	-	-
	7	-	-	-	-	-	*	-	*	-	*	-	-
	Total	-----	-	*	-	1.4	-	3.1	-	1.6	-	1.9	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	*	-	*	-	-	-	-
	Total	-----	-	-	-	*	-	*	-	*	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	0.2	0.5	-	*	-	*	-	*	-	*	-	0.2
	3	1.0	1.2	-	*	-	*	-	*	-	*	-	0.2
	4	0.4	0.2	-	*	-	*	-	*	-	*	-	*
	5	-	*	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	Total	-----	1.5	2.0	-	*	-	*	-	*	-	*	-
32	1-2	0.5	1.0	-	*	-	*	-	*	-	*	-	0.2
	3	9.4	3.8	-	0.2	-	0.1	-	0.2	-	0.3	-	0.4
	4	6.9	1.7	-	0.2	-	0.1	-	0.2	-	0.3	-	0.1
	5	1.5	0.2	-	*	-	*	-	0.1	-	0.1	-	0.1
	6	*	*	-	-	-	-	-	*	-	*	-	*
	7	-	-	-	-	-	-	-	*	-	*	-	-
	Total	-----	18.4	6.8	-	0.4	-	0.2	-	0.5	-	0.8	-
42	1-2	-	*	-	*	-	*	-	*	-	*	-	*
	3	0.1	0.3	-	0.5	-	0.1	-	0.1	-	0.6	-	0.1
	4	0.4	0.4	-	1.1	-	0.1	-	0.3	-	1.3	-	*
	5	0.3	0.2	-	0.5	-	0.1	-	0.2	-	0.5	-	*
	6	*	*	-	0.1	-	*	-	0.1	-	0.1	-	*
	7	-	*	-	-	-	-	-	-	-	*	-	*
	Total	-----	0.8	1.0	-	2.2	-	0.3	-	0.8	-	2.6	-
52	1-2	-	*	-	*	-	*	-	*	-	*	-	-
	3	-	*	-	0.1	-	*	-	*	-	*	-	-
	4	-	*	-	0.3	-	*	-	*	-	0.1	-	-
	5	-	*	-	0.4	-	*	-	*	-	0.1	-	-
	6	-	*	-	0.1	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
	Total	-----	-	*	-	0.8	-	*	-	*	-	0.2	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	*	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	-	-	-	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	-	-	0.1	-	-	-	*	-	*	-	-
13 & 23	1-2	-	0.1	-	-	-	-	-	*	-	-	-	*
	3	0.1	0.2	-	-	-	*	-	*	-	-	-	*
	4	*	0.1	-	-	-	-	-	*	-	-	-	*
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	0.2	0.4	-	-	-	*	-	*	-	-	-	*
33	1-2	0.3	0.7	-	*	-	*	-	*	-	*	-	*
	3	8.8	3.2	-	*	-	*	-	0.1	-	*	-	*
	4	12.9	1.6	-	*	-	*	-	0.1	-	*	-	*
	5	2.3	0.2	-	*	-	*	-	*	-	*	-	*
	6	0.1	*	-	-	-	-	-	*	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	24.5	5.7	-	*	-	*	-	0.1	-	0.1	-	*
43	1-2	-	0.1	-	*	-	*	-	*	-	*	-	*
	3	1.6	0.4	-	0.1	-	*	-	*	-	*	-	*
	4	5.2	0.8	-	0.2	-	*	-	0.2	-	0.1	-	-
	5	1.7	0.3	-	0.1	-	*	-	0.1	-	0.1	-	-
	6	0.6	0.1	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	*	-	-
Total	-----	9.1	1.6	-	0.3	-	0.1	-	0.3	-	0.2	-	*
53	1-2	-	*	-	-	-	-	-	-	-	*	-	-
	3	-	*	-	-	-	-	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	*	-	*	-	*	-	*	-	*	-	-
	7	-	*	-	*	-	*	-	*	-	*	-	-
Total	-----	-	*	-	0.1	-	*	-	*	-	*	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-
	4	-	-	-	*	-	-	-	*	-	*	-	-
	5	-	-	-	*	-	-	-	-	-	-	-	-
	6	-	-	-	*	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
Total	-----	-	-	-	*	-	*	-	*	-	*	-	-
24 - 54	1-7	7.9	4.1	-	*	-	*	-	*	-	*	-	-
25 - 35	1-7	*	0.2	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	2.8	1.0	-	*	-	*	-	*	-	*	-	-
All Colors	8 2/	*	*	-	*	-	*	-	*	-	*	-	-
EXTRANEOUS MATTER													
Bark - Level 1		55.2	29.0	-	1.9	-	0.9	-	1.1	-	1.7	-	0.3
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	-	-	0.2	-	*	-	0.1	-	0.2	-	0.1
Grass - Level 2		-	*	-	-	-	-	-	*	-	-	-	-
Prep - Level 1		-	*	-	*	-	*	-	*	-	*	-	-
Prep - Level 2		-	-	-	*	-	-	-	-	-	-	-	-
Other - Level 1		-	*	-	*	-	*	-	*	-	*	-	-
Other - Level 2		-	-	-	-	-	*	-	-	-	-	-	-
STAPLE													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	*	-	-
31		*	*	-	-	-	-	-	*	-	*	-	*
32		*	0.1	-	*	-	*	-	*	-	*	-	0.2
33		2.8	1.4	-	0.1	-	*	-	0.1	-	0.9	-	0.2
34		6.9	10.8	-	1.7	-	*	-	0.6	-	5.8	-	1.2
35		26.4	31.9	-	9.4	-	0.4	-	3.1	-	17.1	-	7.8
36		52.0	36.4	-	23.5	-	3.9	-	12.0	-	28.1	-	23.9
37		11.8	18.8	-	29.3	-	29.7	-	30.2	-	28.0	-	36.9
38 & longer		0.1	0.6	-	36.0	-	66.0	-	53.9	-	20.1	-	29.8
Average staple		35.6	35.6	-	37.1	-	37.9	-	37.9	-	36.5	-	37.0

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
		24.9	41.0	-	1.5	-	2.9	15.0	29.9	-	0.2
	3	11.0	12.2	-	2.6	-	3.4	32.6	16.6	-	0.3
	4	1.0	0.5	-	0.2	-	0.2	11.2	1.7	-	*
	5	0.1	*	-	*	-	*	1.1	0.1	-	*
	6	*	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
Total	-----	36.9	53.7	-	4.3	-	6.6	59.9	48.3	-	0.5
31	1-2	3.2	7.9	-	7.0	-	4.3	0.9	9.0	-	2.9
	3	9.6	15.8	-	29.1	-	22.6	3.1	13.9	-	13.5
	4	3.0	4.7	-	14.3	-	14.8	1.6	4.6	-	6.1
	5	0.6	0.6	-	1.4	-	1.9	0.8	0.6	-	0.4
	6	*	*	-	*	-	0.1	0.2	0.1	-	*
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	16.6	29.1	-	51.8	-	43.6	6.5	28.1	-
41	1-2	*	0.1	-	2.9	-	1.4	*	0.6	-	3.6
	3	0.1	0.8	-	16.7	-	14.4	*	2.0	-	36.9
	4	0.1	1.2	-	16.8	-	20.0	*	1.5	-	24.8
	5	0.1	0.8	-	4.3	-	8.4	*	0.5	-	2.4
	6	*	0.2	-	0.4	-	1.0	*	0.1	-	0.1
	7	-	*	-	*	-	*	-	*	-	*
	Total	-----	0.3	3.1	-	41.2	-	45.2	0.1	4.7	-
51	1-2	-	-	-	*	-	*	-	*	-	*
	3	-	*	-	0.1	-	0.8	-	0.1	-	0.8
	4	-	*	-	0.2	-	1.4	-	0.1	-	0.7
	5	-	*	-	0.1	-	0.6	-	*	-	0.1
	6	-	*	-	*	-	0.1	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	Total	-----	-	*	-	0.5	-	2.9	-	0.4	-
61	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	*	-	*	-	*	-	-
	4	-	-	-	*	-	*	-	*	-	-
	5	-	-	-	-	-	*	-	*	-	-
	6	-	-	-	*	-	*	-	*	-	-
	7	-	-	-	*	-	-	-	*	-	-
	Total	-----	-	-	-	*	-	*	-	*	-
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	-	-	-	-	-	-	-	*	-
12 & 22	1-2	7.3	2.9	-	*	-	*	2.6	3.5	-	-
	3	4.0	1.7	-	*	-	*	6.8	3.5	-	*
	4	0.8	0.2	-	*	-	*	3.1	0.7	-	*
	5	*	*	-	-	-	-	0.2	*	-	-
	6	*	*	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	-----	12.1	4.9	-	*	-	*	12.7	7.8	-
32	1-2	0.3	0.2	-	0.1	-	*	-	0.8	-	*
	3	1.7	1.1	-	0.4	-	0.3	0.4	2.0	-	0.3
	4	1.7	0.8	-	0.2	-	0.3	1.1	1.1	-	0.2
	5	0.3	0.2	-	*	-	0.1	0.4	0.2	-	*
	6	*	*	-	*	-	*	0.1	*	-	*
	7	*	*	-	*	-	*	*	*	-	*
	Total	-----	4.0	2.4	-	0.7	-	0.7	2.1	4.2	-
42	1-2	-	*	-	*	-	*	-	0.2	-	0.1
	3	0.1	0.2	-	0.3	-	0.2	*	1.0	-	2.2
	4	0.2	0.3	-	0.5	-	0.3	*	0.7	-	2.4
	5	0.2	0.2	-	0.2	-	0.1	0.1	0.3	-	0.3
	6	0.1	0.1	-	*	-	*	-	0.1	-	*
	7	*	*	-	*	-	*	*	*	-	*
	Total	-----	0.6	0.9	-	1.1	-	0.7	0.2	2.3	-
52	1-2	-	-	-	*	-	*	-	-	-	*
	3	-	*	-	*	-	*	-	0.3	-	0.5
	4	-	*	-	*	-	*	-	0.2	-	0.7
	5	-	*	-	*	-	*	-	*	-	0.1
	6	*	*	-	*	-	*	-	*	-	*
	7	-	*	-	*	-	*	-	*	-	*
	Total	-----	*	*	-	0.1	-	*	-	0.6	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	*
	4	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	*	-	-
	6	-	-	-	-	-	*	-	*	-	-
	7	-	*	-	-	-	*	-	*	-	-
	Total	----	-	*	-	-	-	*	-	*	-
13 & 23	1-2	9.5	1.5	-	-	-	-	1.2	0.9	-	-
	3	5.3	0.8	-	-	-	*	7.9	1.0	-	-
	4	0.5	0.1	-	-	-	-	3.7	0.2	-	-
	5	*	*	-	-	-	-	0.5	*	-	-
	6	*	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	----	15.3	2.5	-	-	-	*	13.3	2.1	-
33	1-2	0.6	0.2	-	*	-	*	-	0.1	-	*
	3	1.7	0.8	-	0.1	-	*	0.9	0.3	-	*
	4	1.3	0.5	-	*	-	*	1.6	0.2	-	*
	5	0.4	0.2	-	*	-	*	0.7	0.1	-	*
	6	*	*	-	*	-	*	0.1	*	-	*
	7	-	*	-	-	-	-	-	*	-	-
	Total	----	4.1	1.7	-	0.1	-	0.1	3.3	0.6	-
43	1-2	-	*	-	*	-	*	-	*	-	*
	3	*	0.1	-	*	-	*	*	0.2	-	0.1
	4	0.3	0.1	-	0.1	-	0.1	0.1	0.1	-	0.1
	5	0.5	0.1	-	*	-	*	0.2	0.1	-	*
	6	0.5	0.1	-	*	-	*	*	*	-	*
	7	0.2	*	-	*	-	-	-	*	-	-
	Total	----	1.5	0.5	-	0.1	-	0.1	0.3	0.4	-
53	1-2	-	-	-	*	-	*	-	*	-	*
	3	-	-	-	*	-	*	-	0.1	-	*
	4	-	*	-	*	-	*	-	0.1	-	*
	5	*	*	-	*	-	*	-	*	-	*
	6	0.1	*	-	*	-	*	-	*	-	*
	7	*	*	-	*	-	*	-	*	-	*
	Total	----	0.1	*	-	*	-	*	-	0.2	-
63	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	*	-	-
	6	-	*	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	----	-	*	-	-	-	-	-	*	-
24 - 54	1-7	7.9	1.2	-	*	-	*	1.5	0.3	-	*
25 - 35	1-7	0.1	*	-	-	-	-	-	*	-	-
81 - 85 1/	1-7	0.1	*	-	*	-	*	*	*	-	*
All Colors	8 2/	0.4	*	-	*	-	*	*	*	-	*
EXTRANEOUS MATTER											
Bark - Level 1		26.7	13.8	-	2.2	-	0.8	71.8	11.1	-	0.5
Bark - Level 2		-	-	-	-	-	-	-	*	-	*
Grass - Level 1		-	*	-	0.3	-	*	*	0.1	-	*
Grass - Level 2		-	*	-	-	-	-	-	*	-	-
Prep - Level 1		-	*	-	*	-	*	*	*	-	*
Prep - Level 2		-	-	-	-	-	-	-	*	-	-
Other - Level 1		*	*	-	*	-	*	0.2	*	-	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	*	-	-	-	-	-	*	-	-
29		-	-	-	-	-	-	-	*	-	-
30		-	*	-	*	-	*	-	*	-	-
31		-	*	-	*	-	*	*	0.2	-	*
32		0.3	0.2	-	0.4	-	*	0.3	1.5	-	*
33		3.7	1.2	-	2.7	-	*	2.6	5.8	-	0.1
34		11.2	6.1	-	9.4	-	0.2	13.1	13.9	-	2.3
35		18.9	15.9	-	16.9	-	2.4	32.0	21.7	-	14.3
36		20.7	24.0	-	19.9	-	15.8	34.3	23.8	-	28.7
37		32.0	31.9	-	24.6	-	46.8	16.3	21.5	-	37.9
38 & longer		13.1	20.7	-	26.2	-	34.8	1.3	11.5	-	16.6
Average staple		36.1	36.5	-	36.4	-	37.3	35.5	35.8	-	36.6

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	*	-	-	-	*	-	-	-	-	-	*
22	-	*	-	-	-	*	-	-	-	*	-	*
23	-	*	-	*	-	*	-	-	-	*	-	*
24	-	*	-	*	-	0.1	-	-	-	0.1	-	0.1
25	-	0.3	-	*	-	0.2	-	*	-	0.7	-	0.9
26	-	1.6	-	*	-	0.4	-	*	-	2.3	-	4.1
27	-	5.9	-	0.6	-	1.2	-	*	-	7.1	-	11.1
28	-	14.8	-	4.7	-	3.4	-	0.1	-	14.5	-	17.2
29	-	23.9	-	15.9	-	7.0	-	0.6	-	21.7	-	23.1
30	-	23.3	-	26.6	-	15.2	-	2.1	-	22.6	-	20.6
31	-	15.9	-	22.8	-	22.6	-	4.7	-	16.2	-	12.4
32	-	8.7	-	14.6	-	21.5	-	11.3	-	9.1	-	6.7
33	-	3.8	-	8.0	-	16.3	-	13.9	-	3.9	-	2.7
34	-	1.3	-	4.2	-	8.0	-	11.8	-	1.3	-	0.8
35	-	0.4	-	1.8	-	3.0	-	15.3	-	0.3	-	0.2
36 & above	-	0.1	-	0.7	-	1.1	-	40.3	-	0.1	-	0.1
Average	-	29.7	-	30.7	-	31.4	-	34.6	-	29.6	-	29.2
MIKE												
24 & below	-	*	-	-	-	0.1	-	*	-	-	-	*
25	-	*	-	*	-	0.2	-	*	-	-	-	*
26	-	*	-	*	-	0.2	-	*	-	-	-	*
27	-	*	-	*	-	0.2	-	*	-	-	-	*
28	-	*	-	*	-	0.3	-	*	-	-	-	*
29	-	0.1	-	*	-	0.3	-	0.1	-	*	-	*
30	-	0.2	-	*	-	0.4	-	0.1	-	*	-	*
31	-	0.2	-	0.1	-	0.6	-	0.3	-	*	-	0.1
32	-	0.3	-	0.2	-	0.6	-	0.5	-	*	-	0.1
33	-	0.6	-	0.4	-	0.8	-	0.6	-	0.1	-	0.3
34	-	0.9	-	0.8	-	0.9	-	0.8	-	0.2	-	0.5
35	-	1.5	-	1.5	-	1.3	-	1.1	-	0.4	-	0.8
36	-	2.1	-	2.6	-	1.7	-	1.6	-	0.6	-	1.4
37	-	2.9	-	3.9	-	2.2	-	2.2	-	1.2	-	2.0
38	-	4.0	-	5.6	-	2.6	-	3.4	-	1.6	-	2.6
39	-	5.1	-	7.2	-	3.0	-	4.7	-	2.1	-	3.3
40	-	6.4	-	8.7	-	4.0	-	6.3	-	3.1	-	4.3
41	-	7.9	-	9.6	-	5.0	-	7.9	-	5.0	-	5.8
42	-	8.7	-	9.7	-	6.2	-	9.1	-	7.7	-	7.9
43	-	9.1	-	9.1	-	7.8	-	10.5	-	10.0	-	10.2
44	-	9.4	-	8.7	-	9.9	-	10.3	-	11.6	-	12.1
45	-	9.6	-	7.8	-	10.4	-	10.6	-	12.2	-	12.3
46	-	9.0	-	6.8	-	10.4	-	9.2	-	11.9	-	11.1
47	-	7.7	-	5.7	-	9.7	-	7.9	-	11.0	-	9.0
48	-	6.1	-	4.3	-	8.1	-	5.4	-	8.9	-	6.7
49	-	4.1	-	3.1	-	6.6	-	3.5	-	6.2	-	4.5
50	-	2.5	-	2.0	-	3.8	-	1.9	-	3.4	-	2.9
51	-	1.2	-	1.2	-	2.0	-	1.0	-	1.6	-	1.4
52	-	0.4	-	0.6	-	0.6	-	0.5	-	0.6	-	0.4
53	-	0.1	-	0.3	-	0.2	-	0.2	-	0.2	-	0.1
54	-	*	-	0.1	-	0.1	-	0.1	-	0.1	-	0.1
55	-	*	-	*	-	*	-	*	-	*	-	*
56	-	*	-	*	-	-	-	0.1	-	*	-	*
57	-	*	-	*	-	-	-	0.1	-	*	-	*
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	*	-	-	-	-	-	-
60 & above	-	*	-	-	-	-	-	-	-	-	-	*
Average	-	43	-	43	-	44	-	43	-	45	-	44

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	-	-	-	-	-	-
19	-	*	-	-	-	-	-	-	-	-	-	-
20	-	0.1	-	-	-	-	-	-	-	-	-	-
21	-	0.2	-	-	-	-	-	-	-	-	-	-
22	-	0.4	-	-	-	-	-	-	-	-	-	*
23	*	0.7	-	-	-	-	-	*	-	*	-	*
24	-	1.1	-	*	-	*	-	*	-	*	-	0.1
25	0.1	2.1	-	*	-	*	-	*	-	0.2	-	0.3
26	2.1	4.1	-	*	-	*	-	0.1	-	1.1	-	1.0
27	7.3	7.6	-	0.1	-	0.5	-	0.4	-	4.4	-	3.2
28	13.0	17.8	-	0.8	-	3.8	-	1.7	-	8.7	-	15.5
29	47.3	28.2	-	5.1	-	15.4	-	5.2	-	14.3	-	26.2
30	23.8	22.3	-	16.9	-	32.4	-	13.1	-	20.3	-	26.9
31	6.4	10.5	-	29.4	-	29.2	-	26.1	-	20.0	-	19.9
32	*	3.6	-	26.5	-	13.0	-	27.3	-	15.1	-	4.5
33	*	1.1	-	14.4	-	3.9	-	15.7	-	8.9	-	2.0
34	-	0.2	-	5.0	-	1.3	-	7.5	-	4.3	-	0.4
35	-	*	-	1.1	-	0.4	-	2.3	-	1.8	-	0.1
36 & above	-	*	-	0.6	-	0.1	-	0.7	-	0.9	-	*
Average	29.0	28.9	-	31.4	-	30.5	-	31.6	-	30.5	-	29.6
MIKE												
24 & below	-	0.4	-	-	-	*	-	-	-	-	-	*
25	-	3.8	-	-	-	*	-	*	-	*	-	0.4
26	*	5.5	-	*	-	*	-	*	-	*	-	0.2
27	0.6	3.8	-	*	-	*	-	*	-	*	-	0.7
28	1.7	3.8	-	*	-	*	-	*	-	*	-	1.2
29	0.5	4.1	-	*	-	*	-	*	-	*	-	1.6
30	0.4	3.9	-	*	-	*	-	0.1	-	*	-	2.2
31	2.9	4.4	-	*	-	0.1	-	0.1	-	*	-	3.1
32	9.3	4.7	-	0.1	-	0.1	-	0.3	-	*	-	4.8
33	9.4	4.7	-	0.1	-	0.2	-	0.7	-	0.1	-	5.1
34	8.9	5.4	-	0.2	-	0.5	-	1.2	-	0.1	-	5.8
35	10.5	6.3	-	0.3	-	0.8	-	1.6	-	0.2	-	5.6
36	4.3	6.0	-	0.8	-	1.2	-	2.3	-	0.3	-	5.9
37	4.2	6.1	-	1.2	-	2.1	-	3.1	-	0.5	-	7.5
38	5.2	5.8	-	1.6	-	3.3	-	4.1	-	0.9	-	6.4
39	8.3	6.3	-	2.5	-	4.7	-	4.7	-	1.3	-	6.1
40	4.6	6.0	-	3.2	-	6.3	-	5.8	-	2.3	-	7.1
41	10.4	6.1	-	3.8	-	8.4	-	6.9	-	3.5	-	5.9
42	13.6	4.8	-	5.4	-	10.5	-	7.8	-	5.4	-	6.2
43	4.0	3.3	-	7.0	-	10.8	-	8.7	-	7.8	-	5.0
44	1.1	2.4	-	9.0	-	10.0	-	9.3	-	10.4	-	3.8
45	0.1	1.0	-	11.6	-	9.0	-	9.4	-	12.4	-	3.7
46	-	0.5	-	12.6	-	8.0	-	8.7	-	13.1	-	3.7
47	-	0.4	-	12.3	-	6.9	-	7.3	-	12.2	-	2.3
48	-	0.2	-	10.8	-	5.8	-	5.8	-	10.2	-	2.6
49	-	0.1	-	7.0	-	4.6	-	4.4	-	7.9	-	1.4
50	-	0.1	-	4.8	-	3.1	-	3.2	-	5.4	-	1.3
51	-	*	-	3.1	-	2.1	-	2.2	-	3.1	-	0.4
52	-	*	-	1.7	-	1.0	-	1.3	-	1.7	-	*
53	-	*	-	0.6	-	0.3	-	0.5	-	0.7	-	-
53	-	-	-	0.1	-	0.1	-	0.2	-	0.3	-	-
55	-	-	-	*	-	0.1	-	0.1	-	0.1	-	-
56	-	-	-	*	-	*	-	*	-	*	-	-
57	-	-	-	*	-	*	-	*	-	*	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	37	35	-	45	-	44	-	43	-	46	-	39

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	-	*	-	-
20	-	*	-	-	-	-	0.1	*	-	-
21	-	*	-	-	-	-	0.3	*	-	-
22	*	*	-	-	-	-	0.6	*	-	-
23	0.1	*	-	*	-	-	1.6	0.1	-	*
24	0.2	0.1	-	0.1	-	*	4.3	0.4	-	*
25	0.4	0.2	-	0.6	-	*	8.3	1.1	-	0.3
26	2.4	0.8	-	2.6	-	0.1	12.4	3.5	-	2.2
27	6.7	3.8	-	7.6	-	1.2	15.2	8.8	-	6.7
28	15.9	11.9	-	14.9	-	5.9	17.2	16.4	-	12.3
29	24.5	23.0	-	20.9	-	17.3	16.2	21.3	-	16.0
30	24.9	24.3	-	23.6	-	27.1	12.2	20.5	-	18.2
31	14.4	18.7	-	15.2	-	24.0	6.3	14.5	-	18.3
32	7.9	11.7	-	7.5	-	13.9	3.2	7.9	-	13.4
33	2.5	4.5	-	4.0	-	6.5	1.3	3.5	-	7.5
34	0.2	0.9	-	1.9	-	2.7	0.5	1.3	-	3.6
35	0.1	0.1	-	0.8	-	1.0	0.1	0.4	-	1.2
36 & above	*	*	-	0.3	-	0.3	*	0.2	-	0.4
Average	29.4	29.9	-	29.6	-	30.5	27.8	29.4	-	30.1
MIKE										
24 & below	0.2	*	-	-	-	-	13.0	1.0	-	-
25	0.6	0.1	-	*	-	*	15.1	1.8	-	-
26	0.8	0.1	-	*	-	*	20.1	2.4	-	-
27	0.8	0.2	-	0.2	-	*	10.0	2.7	-	-
28	1.2	0.2	-	*	-	*	7.5	3.1	-	*
29	1.6	0.3	-	*	-	*	6.1	3.6	-	*
30	1.3	0.4	-	*	-	0.1	4.6	4.0	-	*
31	1.7	0.5	-	*	-	0.1	3.6	4.4	-	*
32	2.0	0.9	-	*	-	0.2	2.7	4.6	-	*
33	2.0	1.3	-	*	-	0.3	2.4	4.8	-	0.1
34	2.7	1.8	-	0.1	-	0.5	1.9	5.0	-	0.2
35	3.6	2.4	-	0.1	-	0.7	1.5	5.1	-	0.3
36	4.8	3.5	-	0.2	-	1.1	1.1	5.2	-	0.5
37	7.3	4.7	-	0.5	-	1.7	1.0	5.2	-	0.6
38	9.3	6.2	-	0.8	-	2.3	1.1	5.1	-	1.0
39	8.8	7.6	-	1.5	-	3.1	1.1	4.8	-	1.7
40	9.3	9.0	-	2.9	-	4.1	1.5	4.5	-	2.9
41	8.5	9.5	-	5.0	-	5.2	1.7	4.3	-	4.9
42	8.2	9.9	-	8.6	-	6.8	1.4	4.0	-	7.8
43	6.9	9.6	-	12.5	-	8.3	0.8	3.8	-	10.9
44	7.0	8.5	-	14.7	-	8.8	0.5	3.8	-	14.7
45	4.9	7.1	-	14.6	-	9.2	0.2	3.7	-	15.6
46	3.0	5.6	-	12.9	-	9.4	0.3	3.6	-	13.2
47	2.3	4.1	-	10.2	-	8.8	0.3	3.2	-	10.5
48	0.8	2.8	-	6.7	-	8.2	0.2	2.5	-	7.1
49	0.4	1.7	-	4.2	-	7.0	0.2	1.7	-	3.7
50	0.3	1.1	-	2.2	-	5.8	0.1	1.1	-	1.9
51	*	0.4	-	1.0	-	4.2	0.1	0.6	-	1.2
52	*	0.2	-	0.6	-	2.8	*	0.3	-	0.5
53	*	*	-	0.3	-	1.0	-	0.1	-	0.3
53	-	*	-	0.1	-	0.4	-	*	-	0.1
55	-	*	-	*	-	0.1	-	*	-	*
56	-	-	-	*	-	*	-	*	-	*
57	-	-	-	*	-	*	-	*	-	*
58	-	-	-	-	-	*	-	*	-	*
59	-	-	-	*	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	-
Average	39	41	-	45	-	45	29	37	-	45

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	0.1	-	*	-	-	-	*
25 - 26	-	*	-	*	-	0.4	-	*	-	-	-	*
27 - 29	-	0.1	-	*	-	0.8	-	0.2	-	*	-	*
30 - 32	-	0.7	-	0.3	-	1.6	-	0.9	-	0.1	-	0.2
33 - 34	-	1.4	-	1.1	-	1.7	-	1.4	-	0.4	-	0.8
35 - 36	-	3.5	-	4.1	-	3.0	-	2.7	-	1.0	-	2.2
37 - 42	-	35.0	-	44.8	-	23.0	-	33.6	-	20.7	-	25.9
43 - 49	-	55.0	-	45.4	-	62.8	-	57.3	-	71.9	-	65.9
50 - 52	-	4.1	-	3.8	-	6.4	-	3.5	-	5.7	-	4.7
53 & above	-	0.1	-	0.4	-	0.3	-	0.4	-	0.3	-	0.2
Average	-	43	-	43	-	44	-	43	-	45	-	44
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	*
01	-	1.0	-	0.4	-	36.9	-	26.1	-	0.5	-	2.1
02	-	10.9	-	5.6	-	41.5	-	40.3	-	10.8	-	19.6
03	-	21.6	-	13.5	-	12.8	-	21.5	-	27.4	-	31.7
04	-	23.1	-	18.8	-	4.4	-	7.3	-	28.2	-	24.1
05	-	17.9	-	19.7	-	1.9	-	2.7	-	18.5	-	13.0
06	-	11.5	-	16.7	-	1.0	-	1.2	-	8.9	-	5.8
07	-	6.6	-	11.8	-	0.6	-	0.5	-	3.5	-	2.3
08	-	3.7	-	7.1	-	0.3	-	0.2	-	1.4	-	0.8
09	-	2.0	-	3.7	-	0.2	-	0.1	-	0.5	-	0.3
10	-	0.9	-	1.6	-	0.1	-	0.1	-	0.2	-	0.1
11	-	0.4	-	0.6	-	0.1	-	*	-	0.1	-	*
12	-	0.2	-	0.3	-	*	-	*	-	*	-	*
13	-	0.1	-	0.1	-	*	-	*	-	*	-	*
14	-	*	-	*	-	*	-	*	-	*	-	*
15	-	*	-	*	-	*	-	*	-	*	-	*
16	-	*	-	*	-	*	-	*	-	*	-	*
17	-	*	-	*	-	*	-	*	-	*	-	*
18 & above	-	*	-	*	-	*	-	*	-	*	-	*
Average	-	0.45	-	0.53	-	0.20	-	0.23	-	0.41	-	0.36
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	*	-	*	-	-	-	-
72.5-73.4	-	-	-	-	-	*	-	*	-	-	-	-
73.5-74.4	-	-	-	*	-	*	-	*	-	-	-	*
74.5-75.4	-	*	-	*	-	*	-	*	-	-	-	*
75.5-76.4	-	*	-	*	-	*	-	*	-	*	-	*
76.5-77.4	-	*	-	*	-	0.1	-	0.1	-	*	-	*
77.5-78.4	-	0.3	-	0.1	-	0.7	-	0.4	-	0.1	-	0.2
78.5-79.4	-	1.8	-	0.6	-	4.1	-	1.5	-	0.5	-	1.5
79.5-80.4	-	8.5	-	4.2	-	17.4	-	8.1	-	4.4	-	7.6
80.5-81.4	-	24.7	-	20.4	-	40.4	-	24.3	-	20.6	-	25.4
81.5-82.4	-	36.6	-	39.7	-	30.4	-	22.9	-	36.0	-	38.6
82.5-83.4	-	22.1	-	28.1	-	6.4	-	26.8	-	27.6	-	20.8
83.5-84.4	-	5.4	-	6.4	-	0.4	-	14.6	-	9.3	-	5.1
84.5-85.4	-	0.6	-	0.5	-	*	-	1.1	-	1.4	-	0.7
85.5-86.4	-	*	-	*	-	*	-	0.1	-	0.1	-	*
86.5-87.4	-	*	-	*	-	-	-	-	-	*	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	*
88.5-89.4	-	-	-	*	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	81.8	-	82.1	-	81.1	-	82.1	-	82.1	-	81.8
Tenderable 3/	-	85.0	-	90.1	-	86.0	-	90.8	-	87.1	-	87.9
SAMPLES CLASSED												
WEEK	-	-	-	-	-	-	-	-	-	-	-	-
SEASON		774,914		1,123,871		458,850		222,677		119,040		2,192,822

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	0.4	-	-	-	*	-	-	-	-	-	*
25 - 26	*	9.3	-	*	-	*	-	*	-	*	-	0.6
27 - 29	2.8	11.7	-	*	-	*	-	0.1	-	*	-	3.5
30 - 32	12.6	12.9	-	0.1	-	0.2	-	0.5	-	0.1	-	10.1
33 - 34	18.2	10.1	-	0.3	-	0.7	-	1.9	-	0.2	-	11.0
35 - 36	14.8	12.3	-	1.1	-	2.0	-	4.0	-	0.5	-	11.5
37 - 42	46.3	35.1	-	17.8	-	35.3	-	32.5	-	13.9	-	39.2
43 - 49	5.2	7.9	-	70.3	-	55.1	-	53.5	-	74.0	-	22.4
50 - 52	-	0.1	-	9.6	-	6.2	-	6.7	-	10.2	-	1.7
53 & above	-	*	-	0.7	-	0.5	-	0.8	-	1.1	-	-
Average	37	35	-	45	-	44	-	43	-	46	-	39
HVI TRASH 1/												
00	-	*	-	-	-	-	-	-	-	-	-	*
01	*	6.5	-	0.8	-	0.6	-	0.6	-	0.7	-	42.8
02	3.8	23.7	-	9.9	-	7.7	-	9.0	-	7.6	-	40.4
03	15.5	27.7	-	23.2	-	16.1	-	19.4	-	18.3	-	11.6
04	23.2	19.8	-	25.4	-	18.9	-	21.9	-	23.2	-	3.4
05	23.4	11.2	-	18.5	-	18.1	-	18.4	-	20.3	-	1.2
06	16.3	5.7	-	11.2	-	15.1	-	13.1	-	13.9	-	0.4
07	9.2	2.8	-	5.8	-	10.6	-	8.3	-	8.1	-	0.1
08	4.1	1.4	-	2.9	-	6.6	-	4.7	-	4.2	-	0.1
09	2.1	0.6	-	1.3	-	3.6	-	2.5	-	2.0	-	*
10	1.4	0.3	-	0.6	-	1.6	-	1.2	-	0.9	-	*
11	0.5	0.1	-	0.2	-	0.6	-	0.5	-	0.4	-	-
12	0.3	0.1	-	0.1	-	0.3	-	0.2	-	0.2	-	-
13	0.1	*	-	*	-	0.1	-	0.1	-	0.1	-	-
14	*	*	-	*	-	*	-	*	-	*	-	-
15	-	*	-	-	-	*	-	*	-	*	-	-
16	*	*	-	-	-	*	-	*	-	*	-	-
17	*	*	-	-	-	*	-	*	-	*	-	-
18 & above	-	-	-	-	-	*	-	*	-	*	-	-
Average	0.50	0.35	-	0.44	-	0.51	-	0.48	-	0.48	-	0.18
UNIFORMITY 2/												
72.4 & below	-	*	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	0.2	-	-	-	-	-	-	-	*	-	-
74.5-75.4	-	0.6	-	-	-	*	-	*	-	*	-	*
75.5-76.4	*	1.2	-	*	-	*	-	*	-	*	-	-
76.5-77.4	0.3	3.3	-	*	-	*	-	*	-	*	-	0.1
77.5-78.4	2.0	7.1	-	0.1	-	0.1	-	0.2	-	0.2	-	1.7
78.5-79.4	7.2	16.1	-	0.7	-	0.2	-	1.3	-	1.3	-	9.6
79.5-80.4	33.9	30.9	-	9.0	-	2.0	-	6.2	-	7.3	-	25.9
80.5-81.4	42.6	29.6	-	37.7	-	12.1	-	22.3	-	24.7	-	36.1
81.5-82.4	13.3	9.5	-	38.8	-	34.4	-	41.0	-	37.2	-	23.6
82.5-83.4	0.6	1.3	-	12.5	-	36.4	-	23.3	-	22.7	-	3.0
83.5-84.4	0.1	0.1	-	1.1	-	13.1	-	5.1	-	5.8	-	*
84.5-85.4	-	*	-	0.1	-	1.5	-	0.6	-	0.7	-	-
85.5-86.4	-	*	-	-	-	0.1	-	*	-	*	-	-
86.5-87.4	-	*	-	-	-	*	-	*	-	*	-	-
87.5-88.4	-	*	-	-	-	*	-	*	-	*	-	-
88.5-89.4	-	*	-	-	-	-	-	*	-	-	-	-
89.5 & above	-	*	-	-	-	-	-	-	-	-	-	-
Average	80.6	80.0	-	81.5	-	82.5	-	81.9	-	81.9	-	80.7
Tenderable 3/	23.0	40.2	-	83.8	-	89.3	-	84.8	-	82.8	-	72.4
SAMPLES CLASSED												
WEEK	4,249		-		-		-		-		-	
SEASON		180,662		407,696		682,976		1,287,347		763,203		43,246

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
For The Week Ending MAY 3, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	0.2	*	-	-	-	-	13.0	1.0	-	-
25 - 26	1.4	0.2	-	*	-	*	35.2	4.3	-	-
27 - 29	3.5	0.7	-	*	-	0.1	23.6	9.4	-	*
30 - 32	5.0	1.8	-	0.1	-	0.3	10.9	13.0	-	0.1
33 - 34	4.7	3.1	-	0.1	-	0.7	4.3	9.8	-	0.3
35 - 36	8.3	5.9	-	0.3	-	1.8	2.5	10.3	-	0.8
37 - 42	51.3	47.0	-	19.3	-	23.1	7.8	27.8	-	19.0
43 - 49	25.2	39.5	-	75.9	-	59.6	2.4	22.3	-	75.8
50 - 52	0.3	1.6	-	3.8	-	12.8	0.2	1.9	-	3.6
53 & above	*	0.1	-	0.5	-	1.5	-	0.2	-	0.4
Average	39	41	-	45	-	45	29	37	-	45
HVI TRASH 1/										
00	-	*	-	-	-	-	-	*	-	-
01	13.6	19.9	-	1.3	-	1.1	1.5	14.5	-	0.4
02	35.3	34.4	-	12.9	-	9.3	18.7	34.3	-	8.4
03	22.8	21.1	-	24.1	-	19.3	28.1	24.8	-	25.0
04	11.7	11.1	-	24.3	-	21.7	21.6	13.7	-	29.5
05	6.4	5.7	-	17.7	-	18.3	14.8	6.7	-	20.5
06	3.6	3.2	-	10.2	-	13.0	8.3	3.1	-	10.2
07	2.0	1.8	-	5.2	-	8.2	3.6	1.4	-	4.0
08	1.3	1.1	-	2.4	-	4.7	1.9	0.7	-	1.4
09	0.8	0.6	-	1.1	-	2.5	0.7	0.3	-	0.4
10	0.7	0.4	-	0.5	-	1.1	0.4	0.2	-	0.1
11	0.5	0.2	-	0.2	-	0.5	0.2	0.1	-	*
12	0.3	0.1	-	0.1	-	0.2	0.1	0.1	-	*
13	0.2	0.1	-	*	-	0.1	0.1	*	-	*
14	0.1	0.1	-	*	-	*	*	*	-	*
15	0.1	*	-	*	-	*	*	*	-	*
16	0.1	*	-	*	-	*	*	*	-	*
17	*	*	-	*	-	*	*	*	-	*
18 & above	0.3	*	-	*	-	*	-	*	-	*
Average	0.32	0.28	-	0.42	-	0.47	0.39	0.29	-	0.42
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	*	-	-
72.5-73.4	-	*	-	-	-	-	-	*	-	-
73.5-74.4	-	*	-	*	-	-	0.2	*	-	*
74.5-75.4	-	*	-	*	-	*	0.7	0.2	-	*
75.5-76.4	*	*	-	*	-	*	2.7	1.1	-	*
76.5-77.4	0.2	0.3	-	*	-	*	8.6	4.0	-	0.1
77.5-78.4	1.1	1.7	-	0.2	-	0.2	17.4	11.1	-	0.2
78.5-79.4	6.6	6.4	-	1.4	-	0.8	25.1	21.2	-	0.9
79.5-80.4	21.0	18.6	-	8.0	-	4.2	25.0	26.0	-	5.5
80.5-81.4	38.2	35.3	-	30.7	-	15.4	14.4	20.8	-	22.0
81.5-82.4	26.3	27.7	-	38.9	-	33.2	5.0	11.3	-	37.7
82.5-83.4	5.9	8.7	-	17.3	-	33.1	0.7	3.6	-	27.5
83.5-84.4	0.6	1.0	-	3.2	-	11.5	0.1	0.5	-	5.9
84.5-85.4	*	0.1	-	0.2	-	1.4	0.1	*	-	0.4
85.5-86.4	-	*	-	*	-	0.1	0.1	*	-	*
86.5-87.4	-	*	-	*	-	*	*	*	-	*
87.5-88.4	-	*	-	-	-	-	-	*	-	*
88.5-89.4	-	*	-	-	-	-	-	*	-	-
89.5 & above	-	*	-	-	-	-	-	*	-	-
Average	81.0	81.1	-	81.7	-	82.3	79.2	79.9	-	82.0
Tenderable 3/	50.6	77.4	-	90.8	-	81.7	4.6	51.4	-	88.5
SAMPLES CLASSED										
WEEK	22,638		-		-		10,395		-	
SEASON		885,393		405,645		718,537		9,190,914		182,007

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending MAY 3, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	66.7	-	34.7	-	23.0	-	29.9
	2	-	20.2	-	26.0	-	34.6	-	33.5
	3	-	1.2	-	0.3	-	1.0	-	1.3
	4	-	*	-	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	88.1	-	61.1	-	58.6	-	64.7
02	1	-	6.1	-	10.7	-	6.2	-	6.6
	2	-	5.1	-	24.0	-	27.8	-	20.5
	3	-	0.4	-	2.0	-	6.4	-	4.2
	4	-	*	-	*	-	0.3	-	0.1
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	11.6	-	36.8	-	40.7	-	31.4
03	1	-	*	-	0.1	-	*	-	*
	2	-	0.1	-	1.0	-	0.2	-	1.8
	3	-	*	-	0.7	-	0.4	-	1.5
	4	-	*	-	0.1	-	0.1	-	0.1
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	0.2	-	1.9	-	0.7	-	3.4
04	1	-	*	-	*	-	*	-	*
	2	-	-	-	*	-	-	-	0.1
	3	-	*	-	0.1	-	-	-	*
	4	-	-	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	*
	7	-	-	-	*	-	-	-	*
Total -----		-	*	-	0.2	-	-	-	0.3
05	1	-	-	-	*	-	-	-	*
	2	-	-	-	*	-	-	-	*
	3	-	-	-	*	-	-	-	*
	4	-	-	-	*	-	-	-	*
	5	-	-	-	*	-	-	-	*
	6	-	-	-	*	-	-	-	0.1
	7	-	0.1	-	*	-	*	-	0.1
Total -----		-	0.1	-	*	-	*	-	0.3
06	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	*	-	*	-	-	-	-
Total -----		-	*	-	*	-	-	-	-
07	1	-	-	-	*	-	-	-	-
	2	-	-	-	*	-	-	-	-
	3	-	-	-	*	-	-	-	-
	4	-	-	-	*	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	*	-	-	-	-
Total -----		-	-	-	*	-	-	-	-
STAPLE		-	-	-	-	-	-	-	-
40 & shorter		-	-	-	*	-	*	-	*
42		-	-	-	*	-	*	-	*
44		-	0.1	-	0.8	-	0.4	-	1.2
46		-	14.9	-	8.3	-	17.3	-	18.1
48 & longer		-	85.0	-	90.8	-	82.3	-	80.7
Average		-	48.4	-	49.2	-	47.9	-	47.8
UNIFORMITY		-	-	-	-	-	-	-	-
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	*	-	-	-	-
80		-	-	-	*	-	-	-	-
81		-	*	-	*	-	*	-	*
82		-	*	-	*	-	*	-	*
83		-	0.3	-	0.4	-	0.3	-	0.8
84		-	1.9	-	5.0	-	2.6	-	3.7
85		-	29.1	-	13.8	-	22.2	-	11.4
86		-	49.8	-	37.7	-	54.8	-	51.9
87		-	18.7	-	36.6	-	19.4	-	31.0
88		-	0.2	-	6.0	-	0.6	-	1.1
89		-	*	-	0.4	-	*	-	0.1
90 & above		-	-	-	*	-	-	-	-
Average		-	85.8	-	86.2	-	85.9	-	86.1
SAMPLES CLASSED		-	-	-	-	-	-	-	-
WEEK		-	-	-	-	-	-	-	-
SEASON		-	29,891	-	609,106	-	14,412	-	23,556

* Less than 0.05 percent.

MP_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending MAY 3, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	*	-	-	-	-
25 - 26	-	*	-	*	-	0.1	-	-
27 - 29	-	0.2	-	0.2	-	0.7	-	0.7
30 - 32	-	1.2	-	1.1	-	3.1	-	2.1
33 - 34	-	4.5	-	1.6	-	6.8	-	2.8
35 - 36	-	12.7	-	3.1	-	11.3	-	4.7
37 - 42	-	80.0	-	54.8	-	55.6	-	55.5
43 - 49	-	1.2	-	39.0	-	22.5	-	34.2
50 - 52	-	-	-	*	-	*	-	-
53 & above	-	-	-	-	-	-	-	-
Average	-	38	-	41	-	40	-	41.0
ALL RANGE MIKE								
24 & below	-	-	-	*	-	-	-	-
25	-	-	-	*	-	*	-	-
26	-	*	-	*	-	*	-	-
27	-	*	-	*	-	0.1	-	0.2
28	-	0.1	-	0.1	-	0.2	-	0.2
29	-	0.1	-	0.1	-	0.4	-	0.3
30	-	0.1	-	0.2	-	0.5	-	0.2
31	-	0.5	-	0.3	-	1.6	-	1.1
32	-	0.6	-	0.5	-	1.0	-	0.8
33	-	1.4	-	0.7	-	2.6	-	1.3
34	-	3.1	-	1.0	-	4.2	-	1.5
35	-	5.1	-	1.2	-	5.5	-	2.2
36	-	7.6	-	1.9	-	5.8	-	2.5
37	-	13.9	-	2.8	-	5.0	-	3.5
38	-	17.6	-	4.4	-	8.0	-	6.5
39	-	16.4	-	7.1	-	11.2	-	9.7
40	-	15.1	-	10.5	-	9.8	-	11.8
41	-	10.8	-	13.7	-	11.7	-	11.7
42	-	6.2	-	16.3	-	9.9	-	12.4
43	-	1.0	-	15.2	-	7.5	-	11.0
44	-	0.1	-	11.8	-	7.8	-	11.3
45	-	*	-	7.0	-	5.0	-	7.8
46	-	*	-	3.3	-	1.6	-	3.6
47	-	*	-	1.2	-	0.3	-	0.6
48	-	-	-	0.4	-	0.3	-	0.1
49	-	*	-	0.1	-	*	-	*
50	-	-	-	*	-	*	-	-
51	-	-	-	*	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	-	38	-	41	-	40	-	41.0
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	*	-	-	-	-
30	-	-	-	*	-	-	-	-
31	-	-	-	*	-	*	-	-
32	-	*	-	*	-	*	-	*
33	-	*	-	*	-	*	-	*
34	-	*	-	0.1	-	0.1	-	0.3
35	-	*	-	0.3	-	0.4	-	0.6
36	-	0.1	-	0.7	-	0.4	-	0.5
37	-	0.3	-	1.8	-	2.5	-	1.9
38	-	1.2	-	3.6	-	3.4	-	2.0
39	-	6.0	-	4.3	-	5.3	-	4.3
40	-	9.5	-	3.6	-	12.6	-	9.0
41	-	12.6	-	4.2	-	17.5	-	17.2
42	-	18.6	-	7.8	-	16.6	-	20.4
43	-	23.8	-	13.2	-	14.4	-	14.5
44	-	17.5	-	18.2	-	10.5	-	12.1
45 & above	-	10.3	-	42.2	-	16.2	-	17.4
Average	-	42.3	-	43.5	-	42.0	-	42.2
EXTRANEIOUS MATTER								
Bark	-	0.1	-	*	-	0.3	-	0.4
Grass	-	0.1	-	0.1	-	0.1	-	0.4
Spindle Twist	-	*	-	0.4	-	-	-	*
Preparation	-	-	-	*	-	-	-	-

* Less than 0.05 percent.



Cotton and Tobacco Program
 3275 Appling Road, Memphis, TN 38133
 (901) 384-3016

Extraneous Matter By State

04-May-18

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Week ending Thursday, May 3, 2018**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arkansas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
California	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Florida	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Georgia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kansas	-	-	55.2%	-	-	-	*	-	-	-	-	-	-	-	55.3%	-	4,249
Louisiana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oklahoma	-	-	26.7%	-	-	-	-	-	-	-	-	-	*	-	26.7%	-	22,638
South Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	*	-	71.8%	-	*	-	*	-	*	-	-	-	0.2%	-	72.1%	-	10,395
Virginia	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
United States	*	-	42.4%	-	*	-	*	-	*	-	-	-	0.1%	-	42.5%	*	37,282

* Less than 0.05 percent.

**Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states
 For the Season ending Thursday, May 3, 2018**

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	0.1%	*	4.8%	*	0.1%	-	*	-	*	-	*	-	*	-	5.0%	*	774,914
Arizona	-	-	2.1%	-	2.1%	-	0.5%	-	*	-	*	-	*	-	2.6%	-	458,850
Arkansas	*	-	0.9%	-	0.1%	-	*	-	*	-	-	-	*	-	1.0%	-	1,123,871
California	*	-	1.8%	-	*	-	*	-	*	-	-	-	*	-	1.8%	-	222,677
Florida	*	-	5.8%	-	0.1%	-	*	-	-	-	*	-	*	-	6.0%	-	119,040
Georgia	0.1%	*	4.9%	*	0.1%	*	*	-	*	-	-	-	*	-	5.1%	*	2,192,822
Kansas	*	-	29.0%	-	-	*	*	-	-	-	-	-	*	-	29.1%	*	180,662
Louisiana	*	*	1.9%	-	0.2%	-	0.1%	-	*	-	-	-	*	-	2.1%	*	407,696
Mississippi	*	-	1.1%	-	0.1%	*	*	-	*	-	-	-	*	-	1.2%	*	1,287,347
Missouri	*	-	0.9%	-	*	-	*	-	-	-	-	-	*	*	0.9%	*	682,976
New Mexico	-	-	0.3%	-	0.1%	-	0.1%	-	-	-	-	-	-	-	0.5%	-	43,246
North Carolina	*	-	1.7%	-	0.2%	-	*	-	-	-	-	-	*	-	1.9%	-	763,203
Oklahoma	*	-	13.8%	-	*	*	0.1%	-	*	-	-	-	*	-	13.9%	*	885,393
South Carolina	*	-	2.2%	-	0.3%	-	*	-	-	-	-	-	*	-	2.4%	-	405,645
Tennessee	*	-	0.8%	-	*	-	*	-	*	-	-	-	*	-	0.8%	-	718,537
Texas	*	*	11.1%	*	0.1%	*	0.1%	-	*	*	-	-	*	-	11.3%	*	9,190,914
Virginia	*	-	0.5%	-	*	-	-	-	-	-	-	-	*	-	0.5%	-	182,007
United States	*	*	7.3%	*	0.1%	*	*	-	*	*	-	-	*	*	7.5%	*	19,639,800

* Less than 0.05 percent.