

## Quality of Cotton Classed by State

mp\_cn811

Volume 20, No. 15

09-Nov-18

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY **STATE**,  
*For The Week Ending NOVEMBER 8, 2018*

State	Week		Season	
	Gins	Bales	Gins	Bales
<b>UPLAND</b>				
Alabama	29	65,071	29	284,611
Arizona	5	6,113	6	33,469
Arkansas	28	107,749	28	637,789
California	9	11,997	10	45,249
Florida	3	6,938	4	17,754
Georgia	56	191,263	56	561,095
Kansas *	1	-	2	8,651
Louisiana	18	45,983	18	257,160
Mississippi	37	112,097	38	599,219
Missouri	21	55,489	21	390,995
New Mexico	2	536	2	536
North Carolina	33	97,384	33	276,129
Oklahoma	8	12,711	8	33,343
South Carolina	15	34,131	15	103,751
Tennessee	22	78,946	22	417,572
Texas	135	274,787	155	1,853,355
Virginia	4	18,492	4	66,825
<b>United States</b>	<b>426</b>	<b>1,119,687</b>	<b>451</b>	<b>5,587,503</b>
Percent Tenderable		67.2		64.9
<b>AMERICAN PIMA</b>				
Arizona	3	2,032	3	3,311
California	14	45,988	14	136,572
New Mexico *	1	-	1	-
Texas *	1	-	1	-
<b>United States</b>	<b>19</b>	<b>48,020</b>	<b>19</b>	<b>139,883</b>
<b>United States all cotton</b>	<b>442</b>	<b>1,167,707</b>	<b>466</b>	<b>5,727,386</b>

\*Data withheld to avoid disclosure of individual gin or less than 500 bales classed.

MP\_CN106

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	0.3	0.5	*	0.2	0.2	37.3	60.3	62.6	-	-	1.0	1.7
	4	0.4	0.8	*	0.3	*	17.5	9.1	13.6	*	*	2.3	3.5
	5	*	0.1	*	*	-	1.6	0.1	0.1	-	-	0.4	0.3
	6	-	*	-	-	-	0.1	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.8</b>	<b>1.4</b>	<b>0.1</b>	<b>0.5</b>	<b>0.3</b>	<b>56.5</b>	<b>69.5</b>	<b>76.3</b>	<b>*</b>	<b>*</b>	<b>3.7</b>
31	1-2	1.5	1.6	0.3	0.7	3.9	1.2	11.5	9.6	0.2	0.2	4.1	5.3
	3	18.3	16.3	2.7	5.7	13.6	4.1	14.6	10.6	4.2	6.2	32.6	35.5
	4	9.1	7.7	1.0	4.4	1.1	1.3	1.4	1.2	2.6	4.1	19.8	17.6
	5	0.6	0.5	0.1	0.6	-	0.2	*	0.1	0.3	0.2	1.4	1.1
	6	*	*	*	*	-	*	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>29.5</b>	<b>26.1</b>	<b>4.1</b>	<b>11.4</b>	<b>18.7</b>	<b>6.9</b>	<b>27.5</b>	<b>21.5</b>	<b>7.2</b>	<b>10.7</b>	<b>57.9</b>
41	1-2	0.7	0.7	0.5	0.4	2.3	0.7	*	*	0.4	0.3	0.7	0.7
	3	13.9	14.3	16.1	12.5	27.9	6.5	*	*	18.5	15.7	10.6	9.6
	4	22.4	19.9	31.8	29.5	17.4	3.7	*	*	40.1	40.8	15.1	12.3
	5	7.2	5.3	12.1	13.1	1.7	0.4	-	*	9.7	8.3	3.3	2.5
	6	0.9	0.4	1.1	1.4	0.1	*	-	-	0.2	0.2	0.1	0.1
	7	*	*	*	*	*	*	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>45.1</b>	<b>40.6</b>	<b>61.5</b>	<b>56.9</b>	<b>49.5</b>	<b>11.3</b>	<b>0.1</b>	<b>0.1</b>	<b>68.8</b>	<b>65.2</b>	<b>29.8</b>
51	1-2	*	*	*	*	-	*	-	-	-	*	*	*
	3	0.2	0.2	1.5	0.5	4.7	1.1	-	-	1.2	0.6	*	*
	4	0.7	0.7	6.3	4.5	10.9	2.2	-	-	3.6	4.1	0.1	0.1
	5	0.6	0.7	6.9	5.0	3.2	0.6	-	-	3.9	4.2	0.1	*
	6	0.2	0.2	1.5	0.8	0.1	*	-	-	0.3	0.4	*	*
	7	*	*	*	*	*	*	-	-	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.7</b>	<b>1.9</b>	<b>16.2</b>	<b>10.8</b>	<b>19.0</b>	<b>3.9</b>	<b>-</b>	<b>-</b>	<b>9.0</b>	<b>9.4</b>	<b>0.2</b>
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	*	-	-	-	-	-	-	-	-
	5	-	-	*	*	-	-	-	-	-	-	-	*
	6	*	*	*	*	-	-	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>*</b>	<b>*</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
12 & 22	1-2	*	*	-	*	-	8.8	0.2	0.1	-	-	*	0.1
	3	*	*	-	0.1	-	3.8	0.3	0.1	-	-	0.1	0.1
	4	*	*	-	*	-	1.6	*	*	-	-	*	*
	5	-	-	-	-	-	0.2	-	-	-	-	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>-</b>	<b>0.1</b>	<b>-</b>	<b>14.4</b>	<b>0.5</b>	<b>0.3</b>	<b>-</b>	<b>-</b>	<b>0.1</b>
32	1-2	0.1	0.2	*	*	-	*	0.5	0.4	-	-	0.2	0.4
	3	1.6	2.2	0.1	0.4	*	0.3	1.7	1.3	*	0.1	2.3	2.8
	4	1.8	1.9	0.1	0.3	*	1.1	0.1	0.1	0.1	0.1	1.3	1.4
	5	0.2	0.2	*	*	-	1.0	-	-	-	*	0.1	0.1
	6	*	*	-	*	-	0.3	-	-	-	-	*	*
	7	-	-	-	-	-	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>3.8</b>	<b>4.4</b>	<b>0.2</b>	<b>0.7</b>	<b>*</b>	<b>2.7</b>	<b>2.3</b>	<b>1.8</b>	<b>0.1</b>	<b>0.2</b>	<b>3.9</b>
42	1-2	0.2	0.2	0.1	0.1	*	*	*	*	-	*	0.1	0.1
	3	4.4	6.4	3.3	4.5	0.5	0.1	0.1	*	1.3	1.3	1.1	1.2
	4	8.1	11.6	7.7	8.5	1.1	0.3	*	*	3.6	3.5	1.9	1.9
	5	3.1	2.9	1.8	2.6	0.5	0.3	-	-	1.6	1.1	0.5	0.6
	6	0.3	0.2	0.1	0.2	-	0.3	-	-	0.1	*	*	*
	7	-	*	-	*	-	0.2	-	-	-	-	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>16.0</b>	<b>21.4</b>	<b>13.0</b>	<b>15.9</b>	<b>2.1</b>	<b>1.1</b>	<b>0.1</b>	<b>0.1</b>	<b>6.6</b>	<b>5.9</b>	<b>3.6</b>
52	1-2	-	*	*	*	-	-	*	*	-	-	-	*
	3	0.1	0.3	0.3	0.2	0.8	0.1	-	-	1.5	1.3	*	*
	4	0.7	1.0	1.5	1.1	7.4	1.4	-	-	3.6	4.0	*	*
	5	0.7	0.7	1.1	1.1	2.2	0.4	-	-	1.8	1.9	*	*
	6	0.1	0.1	0.2	0.2	0.1	*	-	-	0.6	0.4	*	*
	7	-	*	*	*	-	*	-	-	0.1	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>1.7</b>	<b>2.1</b>	<b>3.1</b>	<b>2.7</b>	<b>10.4</b>	<b>2.0</b>	<b>*</b>	<b>*</b>	<b>7.6</b>	<b>7.6</b>	<b>0.1</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	*
	4	*	*	*	*	-	-	-	-	-	*	*	*
	5	*	*	*	*	-	-	-	-	-	*	-	-
	6	*	*	*	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	*	*	*	*	-	-	-	-	-	<b>0.1</b>	*	*
13 & 23	1-2	*	*	-	*	-	0.3	-	-	-	-	-	*
	3	*	*	-	*	-	0.1	-	-	-	-	-	*
	4	-	-	-	*	-	0.1	-	-	-	-	-	*
	5	-	-	-	-	-	*	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	*	*	-	*	-	<b>0.4</b>	-	-	-	-	-	*
33	1-2	*	*	-	*	-	*	-	-	-	-	*	0.1
	3	0.1	*	-	*	-	*	-	*	*	*	0.1	0.3
	4	*	*	*	*	-	0.1	-	-	0.1	*	0.1	0.1
	5	*	*	*	*	-	0.2	-	-	-	-	*	*
	6	*	*	-	-	-	0.1	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-
<b>Total</b>	-----	<b>0.1</b>	<b>0.1</b>	*	*	-	<b>0.4</b>	-	*	<b>0.1</b>	<b>0.1</b>	<b>0.3</b>	<b>0.5</b>
43	1-2	*	*	*	*	-	-	-	-	-	-	-	*
	3	0.1	0.3	0.4	0.1	-	-	-	-	*	0.1	0.1	0.1
	4	0.4	0.9	0.8	0.4	-	*	-	-	0.2	0.1	0.2	0.2
	5	0.3	0.3	0.2	0.1	-	0.1	-	-	-	-	0.1	0.1
	6	0.1	*	*	*	-	0.1	-	-	-	-	*	*
	7	-	-	-	-	-	0.1	-	-	-	-	-	-
<b>Total</b>	-----	<b>1.0</b>	<b>1.5</b>	<b>1.3</b>	<b>0.7</b>	-	<b>0.2</b>	-	-	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.3</b>
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	0.1	*	*	-	-	-	-	-	*	*	*
	4	0.1	0.2	0.2	0.1	-	-	-	-	0.1	0.2	*	*
	5	0.1	0.1	0.1	0.1	-	-	-	-	0.1	0.3	*	*
	6	*	*	*	*	-	*	-	-	0.1	0.1	*	*
	7	-	*	-	-	-	*	-	-	*	*	*	*
<b>Total</b>	-----	<b>0.3</b>	<b>0.4</b>	<b>0.3</b>	<b>0.2</b>	-	*	-	-	<b>0.4</b>	<b>0.5</b>	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	*	*	-	-	-	-	-	-	-	-	-	-
	4	*	*	-	-	-	-	-	-	-	*	-	-
	5	*	*	-	*	-	-	-	-	-	*	-	-
	6	-	-	-	*	-	-	-	-	-	-	-	-
	7	-	*	-	-	-	-	-	-	-	-	-	-
<b>Total</b>	-----	*	*	-	*	-	-	-	-	-	*	-	-
24 - 54	1-7	*	*	0.1	*	-	*	-	-	-	-	*	*
25 - 35	1-7	-	*	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	0.2	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1		7.1	6.1	1.8	1.1	0.6	1.7	-	*	16.7	12.3	7.2	5.7
Bark - Level 2		-	*	-	-	-	-	-	-	-	-	-	*
Grass - Level 1		0.1	0.1	0.1	0.1	-	*	0.6	0.3	*	*	0.1	0.1
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	*	*	-	*	*	*	*	*	*	*
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	*	-	*	-	-	-	-	-	-	*	*
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	-	-	-	-	-	-	-
31		*	*	-	-	-	-	-	-	-	-	*	*
32		*	0.1	-	*	-	*	-	-	-	-	0.1	0.1
33		0.2	0.4	*	*	-	*	-	-	-	*	0.9	0.9
34		2.4	2.9	0.4	0.4	1.2	1.8	*	0.1	0.1	0.5	4.9	5.0
35		10.5	11.0	1.7	2.6	4.5	9.1	3.5	1.5	2.8	1.6	12.7	13.4
36		23.4	22.7	10.0	10.9	17.0	32.0	9.7	4.9	13.7	10.0	18.4	18.7
37		37.1	36.8	35.9	36.8	38.8	38.5	28.7	27.2	39.0	40.5	27.7	29.1
38 & longer		26.5	26.0	52.0	49.3	38.4	18.5	58.1	66.4	44.3	47.3	35.2	32.8
<b>Average staple</b>		<b>36.8</b>	<b>36.8</b>	<b>37.7</b>	<b>37.6</b>	<b>37.3</b>	<b>36.7</b>	<b>38.0</b>	<b>38.1</b>	<b>37.3</b>	<b>37.4</b>	<b>36.8</b>	<b>36.8</b>

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	-	0.5	0.3	0.9	-	1.3	0.3	0.8	0.1	0.2	56.5	56.5
	3	-	3.4	0.5	1.6	-	1.3	0.7	1.5	0.2	0.2	4.5	4.5
	4	-	0.7	*	0.1	-	0.1	0.1	0.2	*	*	-	-
	5	-	*	-	*	-	*	-	*	-	*	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>4.6</b>	<b>0.8</b>	<b>2.6</b>	-	<b>2.7</b>	<b>1.0</b>	<b>2.5</b>	<b>0.3</b>	<b>0.3</b>	<b>61.0</b>
31	1-2	-	3.2	2.3	3.4	0.4	1.1	1.4	2.0	2.0	2.2	8.6	8.6
	3	-	11.4	11.5	20.7	3.9	8.5	13.5	16.9	16.5	15.2	22.2	22.2
	4	-	3.6	3.8	8.8	0.9	4.9	7.3	9.6	7.1	5.9	1.1	1.1
	5	-	0.5	0.1	0.6	0.1	0.6	0.4	0.7	0.6	0.5	-	-
	6	-	*	-	*	-	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>18.6</b>	<b>17.6</b>	<b>33.5</b>	<b>5.3</b>	<b>15.1</b>	<b>22.6</b>	<b>29.2</b>	<b>26.3</b>	<b>23.8</b>	<b>31.9</b>
41	1-2	-	0.1	2.0	1.2	0.5	0.7	1.0	0.7	1.7	1.7	-	-
	3	-	5.4	21.6	16.0	18.6	17.7	15.3	14.2	24.1	24.6	-	-
	4	-	3.6	21.0	19.3	39.1	30.5	35.1	30.2	22.7	21.3	-	-
	5	-	0.6	3.6	4.6	12.9	9.1	11.9	10.4	4.5	3.7	-	-
	6	-	*	0.1	0.3	0.9	0.5	0.6	0.7	0.2	0.1	-	-
	7	-	*	-	-	-	*	*	*	*	*	-	-
	<b>Total</b>	-----	-	<b>9.7</b>	<b>48.3</b>	<b>41.4</b>	<b>72.0</b>	<b>58.5</b>	<b>63.9</b>	<b>56.2</b>	<b>53.1</b>	<b>51.3</b>	-
51	1-2	-	-	0.2	0.1	*	*	*	*	0.1	*	-	-
	3	-	-	2.4	1.0	0.3	0.3	0.2	0.2	0.9	0.7	-	-
	4	-	-	2.4	1.2	2.8	2.6	1.1	0.7	1.1	1.2	-	-
	5	-	-	0.9	0.5	3.3	2.4	1.7	1.0	0.4	0.4	-	-
	6	-	-	0.2	0.1	0.4	0.3	0.3	0.2	*	*	-	-
	7	-	-	*	*	-	*	*	*	*	*	-	-
	<b>Total</b>	-----	-	-	<b>6.1</b>	<b>2.8</b>	<b>6.8</b>	<b>5.6</b>	<b>3.2</b>	<b>2.1</b>	<b>2.6</b>	<b>2.3</b>	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	*	*	*	-	-
	4	-	-	*	*	-	-	-	-	-	*	-	-
	5	-	-	*	*	-	-	-	-	-	*	-	-
	6	-	-	-	*	*	*	*	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	*	*	*	*	-	*	*	*	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	0.1	*	*	-	*	*	*	-	0.1	0.2	0.2
	3	-	2.7	*	0.1	-	*	*	*	-	*	0.4	0.4
	4	-	1.6	-	*	-	*	-	-	-	-	-	-
	5	-	0.1	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>4.5</b>	*	<b>0.1</b>	-	*	*	*	-	<b>0.1</b>	<b>0.6</b>
32	1-2	-	*	0.3	0.2	*	0.1	0.1	*	0.1	0.2	-	-
	3	-	1.9	1.0	1.2	0.3	0.6	0.3	0.4	0.7	1.2	0.2	0.2
	4	-	4.7	0.3	0.6	0.1	0.2	0.2	0.4	0.3	0.6	-	-
	5	-	2.0	*	*	*	*	*	0.1	*	*	-	-
	6	-	0.1	-	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>8.8</b>	<b>1.5</b>	<b>2.1</b>	<b>0.4</b>	<b>0.9</b>	<b>0.6</b>	<b>0.9</b>	<b>1.2</b>	<b>1.9</b>	<b>0.2</b>
42	1-2	-	-	0.5	0.3	0.1	0.1	*	0.1	0.4	0.6	-	-
	3	-	-	5.8	3.8	3.3	4.7	0.9	1.3	5.9	7.7	-	-
	4	-	0.1	6.7	5.2	7.3	7.9	3.1	3.5	4.9	6.4	-	-
	5	-	0.3	1.2	1.4	2.4	2.1	1.9	2.0	0.6	0.9	-	-
	6	-	0.2	*	0.1	0.1	0.1	0.2	0.2	*	*	-	-
	7	-	*	-	-	-	-	*	*	*	*	-	-
	<b>Total</b>	-----	-	<b>0.6</b>	<b>14.2</b>	<b>10.7</b>	<b>13.2</b>	<b>15.0</b>	<b>6.1</b>	<b>7.0</b>	<b>11.8</b>	<b>15.6</b>	-
52	1-2	-	-	0.1	0.1	*	*	*	*	0.1	0.1	-	-
	3	-	*	2.4	1.2	0.1	0.1	0.3	0.1	1.1	1.3	-	-
	4	-	-	4.1	1.9	0.6	0.8	0.5	0.5	1.8	1.6	-	-
	5	-	-	1.4	0.8	0.6	0.8	0.9	0.8	0.7	0.5	-	-
	6	-	-	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.1	-	-
	7	-	-	*	*	-	-	*	*	*	*	-	-
	<b>Total</b>	-----	-	*	<b>8.2</b>	<b>4.1</b>	<b>1.4</b>	<b>1.9</b>	<b>1.9</b>	<b>1.6</b>	<b>3.8</b>	<b>3.7</b>	-

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	*	-	-	-	-	*	*	-	-
	3	-	-	*	0.1	-	-	*	*	*	*	-	-
	4	-	-	*	*	-	-	*	*	*	*	-	-
	5	-	-	*	*	-	-	*	*	*	*	-	-
	6	-	-	-	*	-	-	*	*	*	*	-	-
	7	-	-	-	*	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	*	<b>0.1</b>	-	-	*	*	*	*	-
13 & 23	1-2	-	0.1	-	-	-	-	-	-	*	*	1.9	1.9
	3	-	3.6	-	-	-	-	-	-	*	*	1.9	1.9
	4	-	4.1	-	-	-	-	-	-	-	-	-	-
	5	-	*	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>7.8</b>	-	-	-	-	-	-	*	*	<b>3.7</b>
33	1-2	-	0.1	*	*	*	*	*	*	*	*	0.6	0.6
	3	-	2.0	*	*	*	*	*	*	*	*	1.5	1.5
	4	-	7.6	*	*	*	*	*	*	*	*	-	-
	5	-	3.2	-	*	-	*	-	*	*	*	-	-
	6	-	0.2	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>13.0</b>	<b>0.1</b>	<b>0.1</b>	*	*	*	*	<b>0.1</b>	<b>0.1</b>	<b>2.1</b>
43	1-2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	*	0.4	0.2	0.2	0.1	0.1	*	0.2	0.2	-	-
	4	-	0.2	0.6	0.4	0.4	0.1	0.2	0.1	0.2	0.2	-	-
	5	-	0.5	0.2	0.2	0.2	0.1	0.1	0.1	0.1	*	-	-
	6	-	0.3	*	*	*	*	*	*	*	*	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	<b>1.0</b>	<b>1.3</b>	<b>0.9</b>	<b>0.7</b>	<b>0.2</b>	<b>0.4</b>	<b>0.2</b>	<b>0.5</b>	<b>0.5</b>	-
53	1-2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	0.3	0.2	*	*	*	*	0.1	0.1	-	-
	4	-	*	0.7	0.5	*	*	*	*	0.1	0.1	-	-
	5	-	-	0.5	0.5	0.1	*	*	0.1	0.1	*	-	-
	6	-	*	0.1	*	*	*	*	*	*	*	-	-
	7	-	*	*	*	-	-	-	*	-	*	-	-
	<b>Total</b>	-----	-	*	<b>1.6</b>	<b>1.2</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	-
63	1-2	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	0.1	0.1	-	-	*	*	-	*	-	-
	4	-	-	*	0.1	-	-	*	*	*	*	-	-
	5	-	-	*	0.1	-	-	*	*	-	-	-	-
	6	-	-	*	*	-	-	*	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	0.1	<b>0.4</b>	-	-	*	*	*	*	-
24 - 54	1-7	-	23.4	0.2	0.1	*	*	0.1	*	*	*	0.6	*
25 - 35	1-7	-	3.8	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	4.1	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*
<b>EXTRANEIOUS MATTER</b>													
Bark - Level 1	-	46.3	1.5	1.5	0.6	0.4	1.1	0.6	1.3	1.2	-	-	-
Bark - Level 2	-	-	-	-	-	-	-	-	-	-	-	-	-
Grass - Level 1	-	0.1	0.1	0.1	0.1	0.1	0.2	0.2	*	0.1	-	-	-
Grass - Level 2	-	-	-	-	-	-	-	-	-	-	-	-	-
Prep - Level 1	-	-	*	*	*	*	0.1	0.1	-	*	-	-	-
Prep - Level 2	-	-	-	-	-	-	-	-	-	-	-	-	-
Other - Level 1	-	0.1	*	*	*	*	*	*	-	-	-	-	-
Other - Level 2	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>STAPLE</b>													
28 & shorter	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	*	*	-	-
30	-	-	-	*	-	-	-	-	-	*	*	-	-
31	-	-	*	*	*	*	*	*	*	*	*	-	-
32	-	*	0.1	*	*	*	*	*	*	*	*	-	-
33	-	0.1	0.4	0.4	*	*	0.1	0.3	0.2	0.3	-	-	-
34	-	0.5	2.6	2.6	0.1	0.3	1.5	2.3	3.3	3.7	1.3	1.3	
35	-	19.7	12.9	9.1	1.6	2.7	7.5	7.6	17.0	15.9	5.2	5.2	
36	-	22.3	19.0	17.5	7.5	11.3	12.0	14.3	26.4	26.3	33.0	33.0	
37	-	43.6	27.3	27.5	38.8	40.7	27.8	29.2	28.4	28.1	53.2	53.2	
38 & longer	-	13.9	37.7	42.8	52.0	45.1	51.0	46.3	24.6	25.6	7.3	7.3	
<b>Average staple</b>	-	<b>36.6</b>	<b>37.0</b>	<b>37.3</b>	<b>37.6</b>	<b>37.5</b>	<b>37.5</b>	<b>37.3</b>	<b>36.6</b>	<b>36.6</b>	<b>36.6</b>	<b>36.6</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct. 5.9	Pct. 3.5	Pct. *	Pct. 0.2	Pct. *	Pct. 1.4	Pct. 2.4	Pct. 16.3	Pct. *	Pct. *
	3	5.7	8.9	0.1	0.5	*	1.2	1.7	10.3	*	0.1
	4	0.2	0.7	-	*	-	0.1	0.1	0.7	-	*
	5	-	-	-	*	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>11.8</b>	<b>13.0</b>	<b>0.1</b>	<b>0.8</b>	<b>*</b>	<b>2.7</b>	<b>4.2</b>	<b>27.3</b>	<b>*</b>
31	1-2	4.3	2.7	1.2	1.2	0.9	2.0	4.3	6.1	3.6	4.0
	3	20.3	27.5	9.7	12.5	3.1	7.5	13.9	13.8	27.3	23.6
	4	5.9	10.5	8.3	10.1	1.0	2.3	6.3	4.7	4.1	3.7
	5	0.2	0.5	1.1	0.8	*	0.1	0.7	0.4	*	*
	6	*	*	*	*	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	<b>30.6</b>	<b>41.1</b>	<b>20.2</b>	<b>24.6</b>	<b>4.9</b>	<b>11.9</b>	<b>25.2</b>	<b>24.9</b>	<b>35.1</b>
41	1-2	0.5	0.2	2.5	1.8	3.1	2.6	1.4	1.7	4.6	3.2
	3	18.3	9.5	17.5	18.3	24.6	16.8	13.5	6.9	36.3	33.2
	4	20.4	12.5	31.2	26.2	20.3	12.8	17.2	5.3	10.5	10.5
	5	2.5	2.3	10.1	7.2	3.4	2.2	6.3	1.5	0.3	0.3
	6	0.1	0.3	0.5	0.2	0.2	0.1	0.9	0.2	-	-
	7	-	*	*	*	-	-	*	*	-	-
	<b>Total</b>	-----	<b>41.9</b>	<b>24.8</b>	<b>61.8</b>	<b>53.7</b>	<b>51.6</b>	<b>34.5</b>	<b>39.3</b>	<b>15.6</b>	<b>51.7</b>
51	1-2	-	-	0.3	0.3	*	*	0.2	0.1	*	*
	3	*	*	1.7	1.3	0.5	0.2	0.9	0.9	0.2	0.4
	4	0.1	*	0.9	0.7	2.3	0.9	1.3	0.8	0.1	0.2
	5	0.1	*	0.6	0.3	1.0	0.5	0.8	0.3	*	*
	6	-	*	0.1	*	0.1	0.1	0.4	0.1	-	-
	7	*	*	*	*	-	-	0.1	*	-	-
	<b>Total</b>	-----	<b>0.1</b>	<b>0.1</b>	<b>3.6</b>	<b>2.7</b>	<b>3.8</b>	<b>1.7</b>	<b>3.7</b>	<b>2.2</b>	<b>0.4</b>
61	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	<b>*</b>	<b>0.1</b>	<b>*</b>
71	1-2	-	-	-	-	-	-	-	*	-	-
	3	-	-	-	-	-	-	-	*	-	-
	4	-	-	-	-	-	-	-	*	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	*	-
12 & 22	1-2	0.2	0.3	*	0.1	-	0.1	0.7	3.8	-	-
	3	0.4	0.9	*	0.1	*	0.1	1.0	3.8	-	-
	4	0.1	0.1	-	*	*	*	0.2	0.7	-	-
	5	-	-	-	-	-	*	*	*	-	-
	6	-	-	-	-	-	-	-	*	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.7</b>	<b>1.3</b>	<b>*</b>	<b>0.2</b>	<b>*</b>	<b>0.2</b>	<b>1.9</b>	<b>8.4</b>	-
32	1-2	0.4	0.4	0.2	0.2	0.3	0.8	0.4	1.1	0.1	0.3
	3	3.7	3.7	1.1	1.5	0.9	2.5	2.7	3.5	1.4	1.7
	4	1.5	2.7	0.5	0.8	0.7	1.0	2.3	2.1	0.3	0.4
	5	0.2	0.5	*	0.1	*	0.1	0.5	0.4	-	*
	6	*	*	-	-	-	*	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	<b>Total</b>	-----	<b>5.8</b>	<b>7.3</b>	<b>1.8</b>	<b>2.6</b>	<b>1.9</b>	<b>4.4</b>	<b>6.0</b>	<b>7.1</b>	<b>1.8</b>
42	1-2	*	0.1	0.6	1.0	1.3	2.4	0.3	0.4	0.5	0.7
	3	1.7	2.0	3.2	4.9	13.4	18.9	3.3	2.7	6.5	9.8
	4	2.1	2.1	3.1	4.3	12.6	14.1	4.0	2.5	2.7	5.1
	5	0.8	1.1	1.0	1.0	1.8	2.0	1.4	0.8	0.2	0.3
	6	0.2	0.5	0.1	0.1	0.1	0.1	0.2	0.1	*	*
	7	-	0.1	-	*	-	-	*	*	-	-
	<b>Total</b>	-----	<b>4.8</b>	<b>5.9</b>	<b>8.0</b>	<b>11.3</b>	<b>29.2</b>	<b>37.5</b>	<b>9.2</b>	<b>6.5</b>	<b>9.9</b>
52	1-2	-	-	0.2	0.2	*	*	0.1	0.1	-	0.1
	3	*	*	1.4	1.2	1.2	0.8	1.3	0.9	0.6	1.5
	4	0.1	*	1.4	0.9	3.4	2.2	2.2	1.3	0.4	0.5
	5	0.1	0.1	0.3	0.2	1.5	1.2	1.4	0.6	*	*
	6	*	*	*	*	0.1	0.1	0.3	0.1	*	*
	7	*	*	*	*	-	*	0.1	*	-	-
	<b>Total</b>	-----	<b>0.2</b>	<b>0.2</b>	<b>3.3</b>	<b>2.6</b>	<b>6.1</b>	<b>4.3</b>	<b>5.4</b>	<b>3.1</b>	<b>1.0</b>

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-	
	3	*	*	*	*	*	*	0.1	0.1	-	-	
	4	*	*	*	*	-	-	0.2	0.1	-	-	
	5	-	-	-	-	*	*	0.1	0.1	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	-----	*	*	<b>0.1</b>	*	*	*	<b>0.4</b>	<b>0.3</b>	-	-
13 & 23	1-2	*	*	-	*	-	*	0.1	0.3	-	-	
	3	*	0.1	-	*	-	*	0.1	0.4	-	-	
	4	*	*	-	*	-	-	*	0.2	-	-	
	5	-	*	-	-	-	-	*	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	-----	<b>0.1</b>	<b>0.2</b>	-	*	-	*	<b>0.2</b>	<b>0.9</b>	-	-
33	1-2	*	*	*	*	*	*	*	0.1	-	*	
	3	0.5	0.8	*	0.1	*	*	0.2	0.3	-	*	
	4	0.7	0.8	*	0.1	*	*	0.3	0.3	-	*	
	5	*	0.1	*	*	*	*	0.1	0.1	-	*	
	6	*	*	-	-	-	*	*	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	-----	<b>1.3</b>	<b>1.9</b>	<b>0.1</b>	<b>0.2</b>	<b>0.1</b>	<b>0.1</b>	<b>0.6</b>	<b>0.9</b>	-	*
43	1-2	-	*	0.1	0.1	0.1	0.1	*	*	-	*	
	3	0.2	0.3	0.3	0.3	0.7	1.0	0.2	0.3	*	0.1	
	4	0.5	0.6	0.2	0.5	0.9	0.9	0.3	0.4	*	0.1	
	5	0.3	0.6	*	0.1	0.1	0.1	0.2	0.2	-	*	
	6	0.1	0.2	*	*	*	*	0.1	0.1	-	-	
	7	*	*	-	-	-	-	*	*	-	-	
	<b>Total</b>	-----	<b>1.1</b>	<b>1.8</b>	<b>0.6</b>	<b>1.1</b>	<b>1.8</b>	<b>2.1</b>	<b>0.8</b>	<b>0.9</b>	*	<b>0.2</b>
53	1-2	-	*	-	*	*	*	*	*	-	*	
	3	*	0.1	*	*	0.2	0.2	0.3	0.2	*	0.1	
	4	*	*	0.1	0.2	0.3	0.3	0.7	0.4	*	*	
	5	*	*	0.1	0.1	0.1	0.2	0.6	0.3	-	*	
	6	0.1	*	*	*	*	*	0.2	0.1	-	-	
	7	-	*	-	-	-	-	0.1	*	-	-	
	<b>Total</b>	-----	<b>0.1</b>	<b>0.2</b>	<b>0.2</b>	<b>0.3</b>	<b>0.5</b>	<b>0.6</b>	<b>1.9</b>	<b>1.0</b>	*	<b>0.1</b>
63	1-2	-	-	-	-	-	-	*	*	-	-	
	3	-	-	-	-	-	-	0.1	0.1	-	-	
	4	-	-	-	-	-	*	0.4	0.2	-	-	
	5	-	-	-	-	-	-	0.3	0.1	-	-	
	6	-	-	-	-	-	-	0.1	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	<b>Total</b>	-----	-	-	-	-	-	-	<b>0.9</b>	<b>0.4</b>	-	-
24 - 54	1-7	1.4	1.6	*	*	*	*	0.2	0.2	-	*	
25 - 35	1-7	-	0.1	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	0.1	0.6	*	*	*	*	0.2	0.1	*	*	
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*	
<b>EXTRANEIOUS MATTER</b>												
Bark - Level 1		4.7	9.2	4.9	4.4	0.5	0.2	9.1	3.3	0.3	0.2	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	-	0.1	0.2	*	*	0.2	0.6	-	*	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		*	*	-	*	*	*	*	*	-	-	
Prep - Level 2		-	-	-	-	Prep	-	-	-	-	-	
Other - Level 1		-	-	-	*	-	-	*	*	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	
<b>STAPLE</b>												
28 & shorter		-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	*	*	-	-	
30		-	-	-	-	-	-	*	0.2	-	-	
31		-	*	-	-	-	*	0.3	0.6	-	-	
32		0.3	0.6	*	*	-	*	0.7	1.8	*	*	
33		1.9	3.2	0.6	0.7	0.1	0.1	2.4	5.1	0.5	0.3	
34		6.1	7.5	3.6	3.9	1.3	1.0	8.4	11.2	6.9	6.6	
35		11.3	12.4	7.5	7.3	11.1	9.9	19.0	18.2	19.8	20.7	
36		23.0	21.4	14.1	14.6	33.6	34.2	27.6	23.6	30.3	33.0	
37		37.8	34.2	28.9	28.6	42.4	41.4	26.6	22.3	24.9	23.6	
38 & longer		19.7	20.7	45.3	44.9	11.5	13.4	15.2	17.0	17.7	15.9	
<b>Average staple</b>		<b>36.5</b>	<b>36.5</b>	<b>37.2</b>	<b>37.2</b>	<b>36.5</b>	<b>36.6</b>	<b>36.2</b>	<b>36.0</b>	<b>36.3</b>	<b>36.2</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	*
21	-	-	-	-	-	-	-	-	-	-	-	*
22	-	-	-	-	-	-	-	-	-	-	*	*
23	-	*	-	*	-	-	-	-	*	*	*	*
24	*	0.1	*	*	-	-	-	-	*	0.1	0.1	0.1
25	0.2	0.6	*	*	-	-	-	-	1.2	0.8	0.6	1.0
26	1.6	2.4	0.4	0.3	-	*	-	-	3.5	4.0	3.9	5.4
27	7.8	8.6	2.9	2.2	-	*	*	*	12.8	17.6	11.2	13.6
28	21.4	23.3	8.8	8.5	0.2	5.2	0.1	0.1	31.3	37.6	19.4	22.9
29	32.8	32.9	24.5	25.0	9.4	22.5	1.4	1.8	30.8	28.5	27.6	27.2
30	23.1	20.9	28.0	29.7	12.6	19.8	5.8	3.0	13.8	7.6	21.1	17.9
31	9.1	7.9	20.4	19.5	33.7	20.1	5.5	3.0	6.4	3.1	10.9	8.4
32	3.1	2.5	10.1	9.8	27.3	18.5	10.9	7.8	0.1	0.4	3.9	2.6
33	0.7	0.7	3.9	3.9	11.2	11.5	14.8	16.8	-	0.2	1.0	0.7
34	0.2	0.2	0.7	0.9	4.9	2.1	6.9	13.1	-	*	0.3	0.1
35	*	*	0.2	0.2	0.7	0.2	11.3	8.8	-	*	0.1	*
36 & above	*	*	*	*	*	*	43.3	45.5	-	-	0.1	*
<b>Average</b>	<b>29.1</b>	<b>28.9</b>	<b>30.0</b>	<b>30.0</b>	<b>31.3</b>	<b>30.6</b>	<b>34.4</b>	<b>34.8</b>	<b>28.5</b>	<b>28.2</b>	<b>29.0</b>	<b>28.7</b>
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	*	-	-	-	-	-	-
26	-	-	-	-	-	*	-	-	-	-	-	*
27	-	-	-	-	-	*	-	-	-	-	*	*
28	-	-	-	-	-	0.1	-	-	-	-	*	*
29	*	*	-	-	-	*	-	-	-	-	*	*
30	*	*	-	*	-	*	*	*	-	-	*	*
31	*	*	-	*	-	*	0.1	*	-	-	0.1	0.1
32	*	*	-	*	-	0.1	0.5	0.1	-	-	0.3	0.2
33	0.2	0.2	*	*	-	0.1	0.7	0.2	*	*	0.6	0.5
34	0.4	0.3	*	*	0.9	0.3	1.4	0.5	-	*	1.1	1.0
35	0.4	0.6	0.1	0.1	1.4	0.5	1.3	0.7	0.2	0.1	1.6	1.4
36	0.8	1.0	0.2	0.1	1.5	1.0	2.9	1.1	-	*	2.1	1.9
37	1.3	1.7	0.3	0.2	0.3	1.1	3.6	1.2	0.6	0.5	2.9	2.8
38	2.1	2.5	0.3	0.4	1.1	1.6	3.0	1.7	1.1	1.4	4.7	4.5
39	3.5	3.2	0.9	0.9	2.0	3.5	3.7	2.7	0.9	0.9	6.8	6.6
40	5.9	5.1	2.2	1.7	1.3	3.4	4.8	3.9	1.8	1.7	9.6	8.7
41	7.7	6.6	2.8	3.0	3.6	7.3	6.6	6.2	6.5	4.2	12.5	11.0
42	8.4	8.4	5.2	5.2	5.2	7.7	9.9	9.3	10.4	8.6	14.7	13.3
43	11.1	10.4	7.5	7.3	4.1	8.8	7.4	10.6	12.0	12.4	13.5	13.8
44	11.3	10.9	10.1	10.7	3.9	9.4	9.1	11.4	14.3	17.3	10.5	11.9
45	10.7	11.4	11.9	13.2	7.8	8.6	7.0	10.7	12.0	16.2	8.1	9.0
46	10.3	11.1	11.6	13.8	14.8	8.6	8.1	11.5	11.2	11.1	5.0	6.0
47	8.2	8.9	11.9	12.6	18.7	11.2	7.2	9.4	10.3	8.9	3.1	3.7
48	6.9	6.7	10.5	10.9	12.9	9.3	5.6	7.1	8.6	7.2	1.6	2.1
49	5.0	4.8	8.2	7.6	4.0	6.0	3.6	3.9	6.2	6.4	0.6	0.9
50	2.9	3.0	6.2	5.3	5.6	4.5	3.8	2.6	2.5	2.2	0.2	0.3
51	1.7	1.7	4.4	3.4	5.9	3.7	3.5	2.4	1.0	0.7	0.1	0.1
52	0.8	0.9	2.7	1.9	4.8	2.4	3.7	2.1	0.3	0.1	0.1	*
53	0.3	0.4	1.5	0.9	0.3	0.7	1.6	0.5	0.1	*	*	*
54	0.1	0.1	0.8	0.4	-	0.1	0.5	0.2	-	-	*	*
55	-	*	0.5	0.2	-	-	0.5	0.2	-	-	-	*
56	-	*	0.2	0.1	-	-	-	-	-	-	-	*
57	-	*	*	*	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>44</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>42</b>	<b>42</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.



**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	*	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	*	*	*	*	*	-	-	-	-
24	-	0.2	*	*	*	*	*	*	*	*	-	-
25	-	2.2	*	*	*	*	*	0.1	0.1	0.2	-	-
26	-	4.4	0.3	0.3	0.2	0.3	0.5	0.5	0.9	1.4	-	-
27	-	9.8	1.6	1.1	1.4	2.1	2.2	2.4	2.2	3.7	-	-
28	-	14.5	9.9	4.5	9.5	9.8	6.5	7.5	7.2	9.7	1.3	1.3
29	-	31.1	23.6	14.4	22.7	20.7	17.6	19.8	18.7	21.2	10.4	10.4
30	-	25.5	33.3	28.6	32.6	30.9	32.0	31.5	27.1	26.5	62.5	62.5
31	-	7.2	19.8	24.6	19.6	20.6	25.3	22.9	21.4	19.0	24.4	24.4
32	-	5.0	7.8	15.2	7.7	8.9	10.6	9.5	12.6	10.6	1.3	1.3
33	-	0.1	2.9	7.2	4.8	4.6	4.0	4.1	6.4	5.1	-	-
34	-	*	0.6	3.0	1.1	1.8	1.0	1.4	2.6	2.1	-	-
35	-	*	0.1	0.8	0.3	0.3	0.3	0.3	0.6	0.4	-	-
36 & above	-	-	0.1	0.2	*	*	*	*	0.1	0.1	-	-
<b>Average</b>	-	<b>28.9</b>	<b>29.9</b>	<b>30.6</b>	<b>30.0</b>	<b>30.1</b>	<b>30.2</b>	<b>30.1</b>	<b>30.3</b>	<b>30.0</b>	<b>30.2</b>	<b>30.2</b>
MIKE												
24 & below	-	0.1	-	-	-	-	-	-	-	-	-	-
25	-	0.4	*	*	-	-	-	-	-	-	-	-
26	-	1.7	-	-	-	-	-	-	-	-	-	-
27	-	1.7	-	-	-	-	-	-	-	*	-	-
28	-	1.9	-	-	-	-	-	-	*	*	-	-
29	-	1.8	-	-	-	-	-	*	*	*	-	-
30	-	1.6	-	-	*	*	-	*	*	*	-	-
31	-	1.6	-	*	-	-	*	*	*	*	-	-
32	-	2.1	-	*	*	*	*	*	*	*	-	-
33	-	6.2	*	*	-	*	*	*	0.1	*	-	-
34	-	12.4	-	*	*	*	*	*	0.1	0.1	-	-
35	-	9.5	-	*	*	*	0.1	0.1	0.2	0.1	-	-
36	-	7.0	-	*	*	*	0.1	0.1	0.5	0.3	-	-
37	-	13.8	0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.4	-	-
38	-	8.0	0.2	0.1	0.5	0.3	0.4	0.4	0.7	0.6	-	-
39	-	7.0	0.2	0.3	1.0	0.6	0.6	0.6	1.2	1.1	-	-
40	-	8.3	0.3	0.5	1.3	0.9	1.0	1.0	1.8	1.7	-	-
41	-	6.8	1.1	1.3	1.5	1.7	1.4	1.7	3.5	2.8	1.3	1.3
42	-	4.0	1.7	2.3	3.0	3.6	2.9	2.8	5.0	4.7	15.1	15.1
43	-	3.2	1.9	3.1	5.6	5.7	4.6	4.3	6.9	7.0	15.9	15.9
44	-	0.4	2.8	3.8	8.2	8.1	6.5	6.5	11.0	10.4	15.9	15.9
45	-	0.4	5.7	6.2	12.0	10.1	9.6	9.4	14.7	14.3	10.4	10.4
46	-	0.1	9.8	10.2	11.6	11.2	12.8	13.6	15.4	15.8	19.2	19.2
47	-	*	12.3	13.9	11.4	12.2	15.7	16.7	13.3	14.0	19.8	19.8
48	-	*	16.5	16.3	10.3	11.4	17.7	16.8	10.6	11.0	2.4	2.4
49	-	*	20.2	15.2	9.4	10.2	13.7	12.8	5.9	7.1	-	-
50	-	*	11.9	12.1	7.9	8.0	6.7	7.1	4.4	4.6	-	-
51	-	-	7.7	7.7	6.3	6.3	3.2	3.3	2.4	2.3	-	-
52	-	-	5.1	4.4	4.5	4.7	1.3	1.5	1.2	1.0	-	-
53	-	-	1.8	1.9	3.6	2.9	1.2	0.8	0.3	0.4	-	-
54	-	-	0.6	0.5	1.3	1.2	0.3	0.3	0.1	0.1	-	-
55	-	-	0.1	0.2	0.2	0.3	*	*	*	*	-	-
56	-	-	*	*	0.2	0.1	-	*	*	*	-	-
57	-	-	*	*	*	*	-	-	*	*	-	-
58	-	-	-	-	-	*	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	-	<b>36</b>	<b>48</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>45</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	*	-	-
19	-	*	-	-	-	-	-	*	-	-
20	-	-	-	-	-	-	*	*	-	-
21	*	*	-	-	-	-	*	*	-	-
22	*	*	-	-	-	-	*	0.1	-	-
23	*	*	-	-	-	*	0.2	0.2	*	*
24	0.1	*	*	*	*	*	0.5	0.6	0.1	*
25	0.4	0.2	0.3	0.4	0.1	*	1.1	1.2	0.7	0.5
26	0.2	0.4	1.8	2.7	0.8	0.4	2.7	2.4	4.4	3.6
27	2.0	2.3	6.0	7.1	6.2	3.6	4.9	4.7	4.7	6.6
28	4.8	5.7	12.8	14.0	19.2	13.6	7.7	10.1	13.1	17.6
29	16.0	11.4	22.7	24.8	31.1	29.4	12.8	18.2	29.6	29.5
30	27.0	19.9	29.3	28.0	20.8	27.1	16.1	21.7	24.6	23.1
31	17.4	17.2	17.1	14.7	13.3	14.8	18.3	19.0	14.3	12.2
32	10.1	13.4	5.7	5.2	5.9	7.3	16.4	11.7	5.7	4.8
33	11.1	13.8	2.7	2.1	1.9	2.7	11.2	6.0	2.0	1.5
34	7.1	9.9	1.3	0.9	0.6	0.8	5.2	2.7	0.7	0.5
35	2.9	4.7	0.2	0.1	0.1	0.1	2.1	1.0	0.1	0.1
36 & above	0.8	1.0	*	*	0.1	*	0.8	0.4	-	-
<b>Average</b>	<b>30.8</b>	<b>31.2</b>	<b>29.6</b>	<b>29.4</b>	<b>29.4</b>	<b>29.7</b>	<b>30.5</b>	<b>30.0</b>	<b>29.4</b>	<b>29.2</b>
MIKE										
24 & below	-	*	-	-	-	-	*	*	-	-
25	-	*	-	-	-	-	*	*	-	-
26	-	*	-	-	-	-	*	*	-	-
27	-	*	-	-	-	-	*	*	-	-
28	-	*	-	-	-	-	*	*	-	-
29	-	0.1	-	-	-	-	*	0.1	-	-
30	-	0.1	-	-	-	-	0.1	0.1	-	-
31	-	0.2	-	-	-	*	0.2	0.2	-	-
32	*	0.3	-	*	-	*	0.4	0.2	-	-
33	0.2	0.3	*	*	-	*	0.7	0.3	*	*
34	0.1	0.6	0.2	0.1	*	*	1.2	0.5	-	-
35	0.2	0.5	0.3	0.2	*	*	1.7	0.6	-	-
36	0.1	0.7	0.6	0.5	0.1	0.1	2.1	0.8	*	*
37	0.3	1.4	0.7	0.8	0.2	0.2	2.4	1.1	-	-
38	1.9	2.3	1.3	1.3	0.3	0.3	3.1	1.6	*	*
39	2.2	2.9	2.2	2.9	0.6	0.5	4.2	2.1	0.3	0.1
40	4.6	5.7	4.8	5.8	0.9	1.1	5.1	2.7	0.4	0.2
41	6.9	7.4	9.9	10.4	1.8	1.6	6.0	3.5	0.6	0.7
42	9.1	8.5	12.9	13.6	2.2	2.4	7.0	4.6	1.6	1.9
43	9.2	9.3	15.4	15.4	3.6	3.6	7.7	6.0	3.2	3.7
44	11.6	11.2	15.8	15.3	5.5	5.4	8.1	7.4	6.9	7.9
45	12.1	11.4	13.2	11.9	8.3	7.8	9.5	8.9	14.0	15.2
46	12.7	10.4	9.5	9.0	9.9	10.0	10.1	10.0	23.2	22.0
47	9.8	7.9	6.4	6.3	12.6	11.5	8.6	10.2	20.7	19.7
48	7.9	6.3	3.2	4.0	12.8	12.7	6.8	9.6	15.4	14.5
49	5.9	5.9	1.9	1.5	12.7	12.3	5.3	8.2	7.3	7.2
50	4.3	3.3	1.0	0.7	11.4	10.9	3.5	6.5	4.6	4.2
51	0.8	1.7	0.7	0.3	7.3	8.6	2.3	5.1	1.4	1.8
52	0.1	0.7	0.2	0.1	4.6	5.9	1.6	3.8	0.3	0.6
53	*	0.2	*	*	3.3	3.3	1.1	2.7	0.1	0.3
54	*	0.2	-	*	1.7	1.5	0.6	1.8	-	*
55	-	0.3	-	*	0.4	0.3	0.2	0.9	-	*
56	-	0.1	-	-	*	*	0.1	0.3	-	*
57	-	-	-	*	-	*	*	0.1	-	*
58	-	-	-	-	-	-	*	*	-	-
59	-	-	-	*	-	-	-	*	-	-
60 & above	-	-	-	-	-	-	-	*	-	-
<b>Average</b>	<b>45</b>	<b>44</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>48</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	*	-	-	-	-	-	-
25 - 26	-	-	-	-	-	*	-	-	-	-	-	*
27 - 29	*	*	-	-	-	0.1	-	-	-	-	-	*
30 - 32	*	0.1	-	*	-	0.1	0.5	0.1	-	-	0.4	0.3
33 - 34	0.6	0.5	0.1	*	0.9	0.4	2.1	0.6	*	*	1.8	1.5
35 - 36	1.2	1.5	0.3	0.2	2.8	1.4	4.2	1.8	0.2	0.1	3.7	3.4
37 - 42	28.9	27.5	11.8	11.4	13.4	24.7	31.6	24.9	21.3	17.4	51.1	46.9
43 - 49	63.4	64.2	71.6	76.2	66.2	61.9	48.1	64.5	74.6	79.4	42.5	47.4
50 - 52	5.4	5.7	13.3	10.7	16.3	10.6	10.9	7.1	3.8	3.0	0.4	0.5
53 & above	0.4	0.5	3.0	1.5	0.3	0.8	2.6	0.9	0.1	*	*	*
<b>Average</b>	<b>44</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>44</b>	<b>44</b>	<b>45</b>	<b>45</b>	<b>42</b>	<b>42</b>
HVI TRASH 1/												
00	-	-	-	-	-	*	-	*	-	-	-	-
01	0.1	0.2	*	0.1	0.3	22.4	29.9	32.2	-	*	0.4	0.7
02	4.6	5.2	1.6	2.1	9.6	33.6	47.1	45.6	1.1	1.0	7.9	10.6
03	18.6	19.2	9.4	9.3	25.3	18.9	18.5	17.4	10.8	10.0	21.9	25.2
04	25.4	26.8	18.9	18.1	24.8	10.5	3.5	3.7	24.1	25.3	26.8	26.6
05	21.1	21.7	22.2	21.8	20.8	6.9	0.9	0.9	27.0	28.2	20.8	18.7
06	13.9	13.4	19.4	19.4	11.4	3.7	0.2	0.2	19.3	19.1	12.2	10.3
07	8.1	7.2	13.1	13.5	4.5	1.8	*	*	9.9	9.4	5.9	4.8
08	4.2	3.5	7.7	8.0	1.9	0.9	-	*	4.9	4.2	2.5	2.0
09	2.3	1.6	4.1	4.2	0.7	0.5	-	*	2.0	1.7	0.9	0.7
10	1.1	0.7	2.0	2.0	0.3	0.3	-	-	0.4	0.5	0.4	0.3
11	0.4	0.3	0.9	0.9	0.2	0.2	-	-	0.2	0.2	0.1	0.1
12	0.1	0.1	0.4	0.4	*	0.1	-	-	0.1	0.1	*	*
13	0.1	*	0.1	0.1	*	0.1	-	-	*	*	*	*
14	*	*	*	*	*	0.1	-	-	*	*	*	*
15	*	*	*	*	-	*	-	-	-	-	*	*
16	*	*	-	*	-	*	-	-	-	-	*	*
17	*	*	*	*	-	*	-	-	-	-	*	*
18 & above	-	*	*	*	-	*	-	-	*	*	*	*
<b>Average</b>	<b>0.48</b>	<b>0.47</b>	<b>0.56</b>	<b>0.56</b>	<b>0.43</b>	<b>0.28</b>	<b>0.20</b>	<b>0.20</b>	<b>0.52</b>	<b>0.51</b>	<b>0.44</b>	<b>0.42</b>
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	-	-	-	-	-	-	-
75.5-76.4	*	*	*	*	-	*	*	*	-	-	*	*
76.5-77.4	0.1	0.1	*	*	*	*	*	*	0.1	0.1	*	0.1
77.5-78.4	0.5	0.8	0.1	0.1	0.3	0.1	0.1	*	0.2	0.2	0.4	0.8
78.5-79.4	3.4	4.5	0.6	0.7	3.1	1.6	0.6	0.4	2.3	3.3	3.0	5.1
79.5-80.4	16.7	20.9	5.1	4.7	9.5	11.0	2.7	2.0	38.8	45.3	16.9	23.5
80.5-81.4	42.3	41.2	24.1	22.3	29.2	35.2	11.4	9.9	50.1	44.9	41.6	41.9
81.5-82.4	29.9	25.6	40.5	39.6	45.5	41.9	24.0	27.1	8.0	5.6	29.0	22.7
82.5-83.4	6.3	6.0	24.3	27.2	12.0	10.0	22.2	27.1	0.4	0.5	7.9	5.3
83.5-84.4	0.8	0.8	5.1	5.3	0.3	0.2	24.6	23.7	0.2	0.1	1.1	0.6
84.5-85.4	0.1	0.1	0.2	0.1	*	*	13.8	9.1	*	*	0.1	*
85.5-86.4	*	*	-	*	-	-	0.4	0.5	-	-	*	*
86.5-87.4	-	-	-	-	-	-	0.1	0.1	-	-	*	*
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>81.1</b>	<b>81.0</b>	<b>81.9</b>	<b>82.0</b>	<b>81.5</b>	<b>81.4</b>	<b>82.9</b>	<b>82.8</b>	<b>80.6</b>	<b>80.5</b>	<b>81.2</b>	<b>80.9</b>
Tenderable 3/	68.6	63.1	68.5	70.6	79.3	81.7	83.1	90.8	67.7	72.8	85.1	86.3
SAMPLES CLASSED												
WEEK	65,071		107,749		6,113		11,997		6,938		191,263	
SEASON		284,611		637,789		33,469		45,249		17,754		561,095

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	0.1	-	-	-	-	-	-	-	-	-	-
25 - 26	-	2.1	*	*	-	-	-	-	-	-	-	-
27 - 29	-	5.5	-	-	-	-	-	*	*	*	*	-
30 - 32	-	5.3	-	*	*	*	*	*	*	*	*	-
33 - 34	-	18.6	*	*	*	*	0.1	*	0.2	0.1	-	-
35 - 36	-	16.4	-	*	*	0.1	0.2	0.2	0.7	0.5	-	-
37 - 42	-	47.9	3.5	4.6	7.4	7.4	6.5	6.8	12.7	11.3	16.4	16.4
43 - 49	-	4.2	69.3	68.6	68.6	69.0	80.5	80.0	77.9	79.7	83.6	83.6
50 - 52	-	*	24.7	24.3	18.7	19.1	11.2	11.9	8.0	7.9	-	-
53 & above	-	-	2.4	2.5	5.3	4.5	1.5	1.1	0.4	0.5	-	-
<b>Average</b>	-	<b>36</b>	<b>48</b>	<b>48</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>45</b>	<b>45</b>
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	0.2	0.5	0.5	*	0.2	0.2	0.3	0.2	0.3	32.8	32.8
02	-	4.9	8.6	9.0	1.5	3.7	4.7	5.4	6.5	6.9	32.8	32.8
03	-	14.2	22.1	22.0	8.9	12.3	14.4	16.2	21.9	22.6	23.7	23.7
04	-	19.6	26.5	24.6	17.8	19.9	21.8	22.7	26.9	27.6	8.0	8.0
05	-	19.1	20.4	19.6	22.8	22.3	22.4	21.7	20.8	20.6	1.7	1.7
06	-	15.8	11.5	12.3	20.9	18.5	17.2	15.9	12.6	11.9	0.9	0.9
07	-	10.4	5.9	6.6	14.5	12.0	10.3	9.4	6.3	5.9	-	-
08	-	6.7	2.6	3.1	7.9	6.3	5.2	4.9	2.9	2.6	-	-
09	-	4.2	1.2	1.4	3.6	2.9	2.3	2.2	1.3	1.0	-	-
10	-	2.3	0.4	0.6	1.4	1.2	0.9	0.9	0.4	0.4	-	-
11	-	1.2	0.1	0.2	0.5	0.4	0.3	0.3	0.1	0.1	-	-
12	-	0.8	0.1	0.1	0.2	0.2	0.1	0.1	*	*	-	-
13	-	0.4	*	*	0.1	*	*	*	*	*	-	-
14	-	0.1	*	*	*	*	*	*	*	*	-	-
15	-	*	*	*	*	*	*	*	*	*	-	-
16	-	*	-	-	*	*	-	*	*	*	-	-
17	-	*	-	-	*	*	-	*	*	*	-	-
18 & above	-	*	-	-	-	*	*	*	*	*	-	-
<b>Average</b>	-	<b>0.54</b>	<b>0.44</b>	<b>0.45</b>	<b>0.56</b>	<b>0.53</b>	<b>0.50</b>	<b>0.49</b>	<b>0.45</b>	<b>0.44</b>	<b>0.22</b>	<b>0.22</b>
UNIFORMITY 2/												
72.4 & below	-	*	*	*	-	-	-	*	-	-	-	-
72.5-73.4	-	-	*	*	-	-	-	*	-	-	-	-
73.5-74.4	-	-	*	*	-	-	-	*	*	*	-	-
74.5-75.4	-	*	*	*	-	-	-	*	*	*	-	-
75.5-76.4	-	0.1	0.1	0.1	-	*	*	*	*	*	-	-
76.5-77.4	-	0.6	0.2	0.3	*	*	*	0.1	0.2	0.2	-	-
77.5-78.4	-	3.3	1.2	1.0	*	*	0.6	0.6	1.2	1.2	-	-
78.5-79.4	-	5.4	11.5	5.4	0.2	0.2	3.2	3.0	7.4	6.6	-	-
79.5-80.4	-	32.4	26.8	18.6	1.9	1.2	16.3	15.4	26.0	24.6	1.3	1.3
80.5-81.4	-	46.6	34.6	35.6	9.7	10.5	36.1	36.4	35.6	37.6	5.2	5.2
81.5-82.4	-	9.1	20.0	27.1	35.3	34.0	32.8	33.2	24.4	23.9	17.5	17.5
82.5-83.4	-	2.5	5.1	9.5	41.0	41.0	9.8	10.0	4.6	5.2	70.3	70.3
83.5-84.4	-	*	0.6	2.1	11.4	12.5	1.1	1.2	0.5	0.7	5.6	5.6
84.5-85.4	-	-	*	0.3	0.4	0.6	0.1	0.1	*	0.1	-	-
85.5-86.4	-	-	*	*	*	*	*	*	*	*	-	-
86.5-87.4	-	-	-	*	-	-	-	-	*	*	-	-
87.5-88.4	-	-	-	*	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	-	<b>80.5</b>	<b>80.7</b>	<b>81.1</b>	<b>82.5</b>	<b>82.5</b>	<b>81.3</b>	<b>81.3</b>	<b>80.8</b>	<b>80.9</b>	<b>82.6</b>	<b>82.6</b>
<b>Tenderable 3/</b>	-	<b>30.4</b>	<b>56.8</b>	<b>60.7</b>	<b>65.6</b>	<b>64.4</b>	<b>78.7</b>	<b>78.2</b>	<b>76.2</b>	<b>72.9</b>	<b>93.7</b>	<b>93.7</b>
<b>SAMPLES CLASSED</b>												
<b>WEEK</b>	-		<b>45,983</b>		<b>55,489</b>		<b>112,097</b>		<b>97,384</b>		<b>536</b>	
<b>SEASON</b>		<b>8,651</b>		<b>257,160</b>		<b>390,995</b>		<b>599,219</b>		<b>276,129</b>		<b>536</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,  
For The Week Ending NOVEMBER 8, 2018**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	*	-	-	-	-	*	*	-	-
25 - 26	-	0.1	-	-	-	-	*	*	-	-
27 - 29	-	0.2	-	-	-	-	0.1	0.1	-	-
30 - 32	*	0.6	-	*	-	*	0.8	0.5	-	-
33 - 34	0.3	0.9	0.2	0.1	*	*	1.9	0.8	*	*
35 - 36	0.3	1.2	0.9	0.7	0.1	0.1	3.9	1.5	*	*
37 - 42	25.0	28.1	31.7	34.7	5.9	6.0	27.9	15.5	3.0	2.9
43 - 49	69.1	62.4	65.3	63.3	65.3	63.4	56.1	60.4	90.7	90.1
50 - 52	5.2	5.6	1.9	1.1	23.3	25.4	7.3	15.4	6.3	6.6
53 & above	*	1.0	*	*	5.3	5.1	2.0	5.8	0.1	0.3
<b>Average</b>	<b>45</b>	<b>44</b>	<b>44</b>	<b>43</b>	<b>48</b>	<b>48</b>	<b>44</b>	<b>46</b>	<b>46</b>	<b>46</b>
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	-	-
01	1.2	0.5	0.3	0.3	0.3	0.9	2.0	7.4	0.3	0.4
02	10.4	6.7	6.2	6.1	6.7	9.8	9.2	24.5	11.5	11.8
03	20.2	20.6	14.7	17.0	18.9	21.8	18.3	24.5	34.9	34.6
04	25.9	26.8	21.5	24.0	25.1	25.1	20.9	17.9	31.5	31.4
05	20.3	20.8	21.6	22.2	21.9	19.5	17.8	11.2	15.0	15.1
06	11.6	11.6	16.9	15.4	14.2	11.8	12.9	6.5	4.9	4.9
07	5.3	5.6	10.1	8.5	7.5	6.1	8.2	3.6	1.3	1.4
08	2.5	3.1	5.1	4.0	3.4	2.9	4.8	2.0	0.4	0.4
09	1.2	1.6	2.1	1.6	1.3	1.2	2.7	1.1	0.1	0.1
10	0.6	1.1	0.9	0.7	0.5	0.5	1.5	0.6	*	*
11	0.4	0.7	0.3	0.2	0.2	0.2	0.8	0.3	*	*
12	0.2	0.4	0.1	0.1	0.1	0.1	0.4	0.2	*	*
13	0.1	0.2	*	*	*	*	0.2	0.1	-	*
14	0.1	0.2	*	*	*	*	0.1	0.1	-	-
15	*	0.1	*	*	-	*	0.1	*	*	*
16	*	*	*	*	-	*	*	*	-	-
17	-	*	-	-	-	*	*	*	-	-
18 & above	-	*	-	*	-	*	*	*	-	-
<b>Average</b>	<b>0.44</b>	<b>0.47</b>	<b>0.50</b>	<b>0.48</b>	<b>0.46</b>	<b>0.44</b>	<b>0.48</b>	<b>0.36</b>	<b>0.37</b>	<b>0.37</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	*	*	-	-
72.5-73.4	-	-	-	-	-	-	*	*	-	-
73.5-74.4	-	*	-	*	-	-	*	*	*	*
74.5-75.4	-	*	*	*	-	-	0.1	0.1	-	*
75.5-76.4	*	*	*	*	*	*	0.3	0.5	*	*
76.5-77.4	0.1	0.1	0.2	0.2	*	*	0.9	1.3	0.2	0.1
77.5-78.4	0.8	0.7	1.1	1.2	0.2	0.1	2.6	2.8	1.2	1.0
78.5-79.4	3.2	3.1	7.0	7.4	1.4	0.9	8.2	6.3	7.0	6.6
79.5-80.4	19.7	15.9	29.5	28.4	8.8	7.0	17.7	15.4	28.0	29.1
80.5-81.4	37.1	30.4	39.8	40.4	29.3	26.4	30.6	27.4	40.0	40.1
81.5-82.4	26.2	29.6	18.4	18.3	39.6	39.0	27.3	27.9	19.5	18.9
82.5-83.4	10.2	15.7	3.7	3.7	17.5	22.8	10.5	15.2	3.8	3.8
83.5-84.4	2.6	3.9	0.4	0.4	2.8	3.4	1.7	2.9	0.3	0.3
84.5-85.4	0.1	0.5	*	0.1	0.4	0.2	0.2	0.3	*	*
85.5-86.4	-	*	-	*	*	*	*	*	-	-
86.5-87.4	-	-	-	-	-	-	*	*	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>81.2</b>	<b>81.5</b>	<b>80.7</b>	<b>80.7</b>	<b>81.7</b>	<b>81.8</b>	<b>81.0</b>	<b>81.2</b>	<b>80.8</b>	<b>80.8</b>
<b>Tenderable 3/</b>	<b>81.6</b>	<b>75.1</b>	<b>80.7</b>	<b>78.5</b>	<b>47.1</b>	<b>39.3</b>	<b>61.1</b>	<b>60.3</b>	<b>82.7</b>	<b>75.8</b>
<b>SAMPLES CLASSED</b>										
<b>WEEK</b>	<b>12,711</b>		<b>34,131</b>		<b>78,946</b>		<b>274,787</b>		<b>18,492</b>	
<b>SEASON</b>		<b>33,343</b>		<b>103,751</b>		<b>417,572</b>		<b>1,853,355</b>		<b>66,825</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. \* Less than 0.05 percent.

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending NOVEMBER 8, 2018

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	7.0	8.3	18.3	25.1	-	-	-	-
	2	21.8	41.9	22.4	23.4	-	-	-	-
	3	3.0	5.1	0.3	0.3	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>31.8</b>	<b>55.3</b>	<b>41.1</b>	<b>48.8</b>	-	-	-	-
02	1	4.4	2.7	6.2	7.1	-	-	-	-
	2	15.4	11.3	41.9	35.6	-	-	-	-
	3	3.5	3.1	7.6	6.4	-	-	-	-
	4	-	-	0.1	0.1	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>23.3</b>	<b>17.2</b>	<b>55.7</b>	<b>49.2</b>	-	-	-	-
03	1	0.1	0.1	*	*	-	-	-	-
	2	22.9	14.1	1.4	0.7	-	-	-	-
	3	13.7	8.4	1.6	1.0	-	-	-	-
	4	0.2	0.1	0.1	0.2	-	-	-	-
	5	-	-	-	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>37.0</b>	<b>22.7</b>	<b>3.1</b>	<b>1.9</b>	-	-	-	-
04	1	*	*	*	*	-	-	-	-
	2	2.5	1.5	*	*	-	-	-	-
	3	4.7	2.9	0.1	*	-	-	-	-
	4	0.6	0.4	*	*	-	-	-	-
	5	-	-	*	*	-	-	-	-
	6	-	-	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		<b>7.9</b>	<b>4.8</b>	<b>0.1</b>	<b>0.1</b>	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-
	4	-	-	*	*	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	*	*	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
40 & shorter		-	-	-	-	-	-	-	-
42		-	-	-	-	-	-	-	-
44		0.1	0.1	0.6	0.4	-	-	-	-
46		34.2	55.5	3.8	5.1	-	-	-	-
48 & longer		65.7	44.4	95.7	94.4	-	-	-	-
<b>Average</b>		<b>48.1</b>	<b>47.3</b>	<b>49.2</b>	<b>49.0</b>	-	-	-	-
UNIFORMITY									
72 & below		-	-	-	-	-	-	-	-
73		-	-	-	-	-	-	-	-
74		-	-	-	-	-	-	-	-
75		-	-	-	-	-	-	-	-
76		-	-	-	-	-	-	-	-
77		-	-	-	-	-	-	-	-
78		-	-	-	-	-	-	-	-
79		-	-	-	-	-	-	-	-
80		-	-	-	-	-	-	-	-
81		-	-	-	-	-	-	-	-
82		-	*	*	*	-	-	-	-
83		*	0.1	0.1	0.1	-	-	-	-
84		0.1	0.1	1.8	1.7	-	-	-	-
85		22.6	36.0	10.7	9.7	-	-	-	-
86		41.3	41.6	39.4	39.4	-	-	-	-
87		32.3	19.9	42.4	43.4	-	-	-	-
88		3.5	2.2	5.2	5.3	-	-	-	-
89		*	*	0.3	0.3	-	-	-	-
90 & above		-	-	-	-	-	-	-	-
<b>Average</b>		<b>86.1</b>	<b>85.8</b>	<b>86.3</b>	<b>86.4</b>	-	-	-	-
SAMPLES CLASSED									
WEEK		2,032		45,988		-	-	-	-
SEASON			3,311		136,572	-	-	-	-

\* Less than 0.05 percent.

MP\_CN110

QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,

For The Week Ending NOVEMBER 8, 2018

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-
27 - 29	-	-	*	*	-	-	-	-
30 - 32	-	-	0.2	0.1	-	-	-	-
33 - 34	-	-	0.5	0.3	-	-	-	-
35 - 36	-	0.8	2.5	1.9	-	-	-	-
37 - 42	81.2	87.6	51.5	44.4	-	-	-	-
43 - 49	18.8	11.6	45.3	53.4	-	-	-	-
50 - 52	-	-	-	-	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>42</b>	<b>42</b>	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	*	*	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	*	*	-	-	-	-
30	-	-	*	*	-	-	-	-
31	-	-	0.1	*	-	-	-	-
32	-	-	0.1	*	-	-	-	-
33	-	-	0.2	0.1	-	-	-	-
34	-	-	0.3	0.2	-	-	-	-
35	-	-	1.1	0.7	-	-	-	-
36	-	0.8	1.5	1.2	-	-	-	-
37	0.9	3.1	2.3	1.6	-	-	-	-
38	11.7	16.9	4.9	3.5	-	-	-	-
39	17.0	23.7	7.9	6.2	-	-	-	-
40	15.6	19.7	11.1	8.8	-	-	-	-
41	18.8	13.6	12.5	10.6	-	-	-	-
42	17.3	10.6	12.8	13.6	-	-	-	-
43	14.3	8.8	15.3	18.6	-	-	-	-
44	2.1	1.3	15.1	18.1	-	-	-	-
45	2.3	1.4	9.8	10.8	-	-	-	-
46	*	*	3.8	4.6	-	-	-	-
47	0.1	0.1	1.0	1.2	-	-	-	-
48	-	-	0.2	0.2	-	-	-	-
49	-	-	*	*	-	-	-	-
50	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>42</b>	<b>42</b>	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	*	*	-	-	-	-
36	0.1	0.1	*	0.1	-	-	-	-
37	0.1	0.2	0.2	0.5	-	-	-	-
38	-	2.1	1.5	1.4	-	-	-	-
39	3.0	15.3	2.6	2.8	-	-	-	-
40	14.0	24.3	3.0	2.9	-	-	-	-
41	12.2	11.7	3.5	2.7	-	-	-	-
42	10.5	8.8	7.1	5.5	-	-	-	-
43	21.8	13.9	16.0	12.0	-	-	-	-
44	26.5	16.3	24.0	22.3	-	-	-	-
45 & above	11.9	7.4	42.1	49.9	-	-	-	-
<b>Average</b>	<b>42.6</b>	<b>41.5</b>	<b>43.9</b>	<b>44.1</b>	-	-	-	-
EXTRANEIOUS MATTER								
Bark	-	-	-	-	-	-	-	-
Grass	-	-	0.6	0.5	-	-	-	-
Spindle Twist	-	-	*	*	-	-	-	-
Preparation	*	*	-	-	-	-	-	-

\* Less than 0.05 percent.



### Extraneous Matter By State

09-Nov-18

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states  
 For the Week ending Thursday, November 8, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	*	-	7.1%	-	0.1%	-	0.1%	-	-	-	-	*	-	7.3%	-	65,071	
Arizona	-	-	0.6%	-	-	-	-	-	-	-	-	-	-	0.6%	-	6,113	
Arkansas	*	-	1.8%	-	0.1%	-	*	-	*	-	-	-	-	1.9%	-	107,749	
California	*	-	-	-	0.6%	-	-	-	-	-	-	-	-	0.6%	-	11,997	
Florida	-	-	16.7%	-	*	-	0.5%	-	-	-	-	-	-	17.2%	-	6,938	
Georgia	*	-	7.2%	-	0.1%	-	*	-	-	-	-	-	*	7.3%	-	191,263	
Kansas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Louisiana	*	-	1.5%	-	0.1%	-	0.1%	-	-	-	*	-	*	1.7%	-	45,983	
Mississippi	0.1%	-	1.1%	-	0.2%	-	0.1%	-	*	-	-	-	*	1.6%	-	112,097	
Missouri	*	-	0.6%	-	0.1%	-	-	-	-	-	-	-	*	0.7%	-	55,489	
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	536	
North Carolina	-	-	1.3%	-	*	-	-	-	*	-	-	-	-	1.3%	-	97,384	
Oklahoma	*	-	4.7%	-	-	-	-	-	-	-	-	-	-	4.8%	-	12,711	
South Carolina	-	-	4.9%	-	0.1%	-	-	-	-	-	-	-	-	4.9%	-	34,131	
Tennessee	*	-	0.5%	-	*	-	*	-	*	-	-	-	-	0.5%	-	78,946	
Texas	*	-	9.1%	-	0.2%	-	2.5%	-	*	-	-	-	*	11.8%	-	274,787	
Virginia	-	-	0.3%	-	-	-	-	-	-	-	-	-	-	0.3%	-	18,492	
United States	*	-	4.7%	-	0.1%	-	0.6%	-	*	-	*	-	*	5.5%	*	1,119,687	

\* Less than 0.05 percent.

Percentage of Extraneous matter by specified causes of upland cotton classed in the United States, by states  
 For the Season ending Thursday, November 8, 2018

State	Preparation		Bark		Grass		Seed Coat Fragments		Oil		Spindle Twist		Other		Total		Bales Classed
	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	Level 1	Level 2	
Alabama	*	-	6.1%	*	0.1%	-	0.2%	-	-	-	-	*	-	6.5%	*	284,611	
Arizona	-	-	1.7%	-	*	-	-	-	-	-	-	-	-	1.7%	-	33,469	
Arkansas	*	-	1.1%	-	0.1%	-	*	-	*	-	-	-	*	1.3%	-	637,789	
California	*	-	*	-	0.3%	-	-	-	-	-	-	-	-	0.3%	-	45,249	
Florida	*	-	12.3%	-	*	-	0.6%	-	-	-	-	-	-	12.9%	-	17,754	
Georgia	*	-	5.7%	*	0.1%	-	*	-	-	-	-	-	*	5.8%	*	561,095	
Kansas	-	-	46.3%	-	0.1%	-	0.4%	-	-	-	-	-	0.1%	46.9%	-	8,651	
Louisiana	*	-	1.5%	-	0.1%	-	0.1%	-	*	-	*	-	*	1.6%	-	257,160	
Mississippi	0.1%	-	0.6%	-	0.2%	-	*	-	*	-	-	-	*	0.9%	-	599,219	
Missouri	*	-	0.4%	-	0.1%	-	*	-	*	-	-	-	*	0.5%	-	390,995	
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	536	
North Carolina	*	-	1.2%	-	0.1%	-	-	-	*	-	-	-	-	1.3%	-	276,129	
Oklahoma	*	-	9.2%	-	-	-	*	-	-	-	-	-	-	9.2%	-	33,343	
South Carolina	*	-	4.4%	-	0.2%	-	-	-	-	-	-	-	*	4.6%	-	103,751	
Tennessee	*	-	0.2%	-	*	-	*	-	*	-	-	-	-	0.3%	-	417,572	
Texas	*	-	3.3%	-	0.6%	-	0.7%	-	-	-	-	-	*	4.7%	-	1,853,355	
Virginia	-	-	0.2%	-	*	-	-	-	-	-	-	-	-	0.2%	-	66,825	
United States	*	-	2.6%	*	0.3%	-	0.3%	-	*	-	*	-	*	3.2%	*	5,587,503	

\* Less than 0.05 percent.