

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

**U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
SCIENCE AND TECHNOLOGY  
PLANT VARIETY PROTECTION OFFICE  
BELTSVILLE, MD 20705**

**EXHIBIT C**

**OBJECTIVE DESCRIPTION OF VARIETY  
WHEATGRASS**

NAME OF APPLICANT (S)	TEMPORARY OR EXPERIMENTAL DESIGNATION	VARIETY NAME
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Country)		<div style="background-color: #cccccc; padding: 2px;">FOR OFFICIAL USE ONLY</div> PVPO NUMBER

**PLEASE READ ALL INSTRUCTIONS CAREFULLY:** Place the appropriate number that describes the varietal character of this variety in the spaces below.

Place a zero in the first space (e.g. 0 9 or 0 9 9) when number is either 99 or less or 9 or less respectively. Data for quantitative plant characters should be based on a minimum of 25 plants. Comparative data should be determined from varieties entered in the same trial. Royal Horticultural Society or an recognized color standard may be used to determine plant colors; designate system used:

**Please answer all questions for your variety; lack of response may delay progress of your application.**

**1. SPECIES**

\_\_\_ Common and Scientific Name:

- 1 = Fairway Crested Wheatgrass (*Agropyron cristatum*)
- 2 = Standard Crested Wheatgrass (*Agropyron desertorum*)
- 3 = Siberian Wheatgrass (*Agropyron fragile* ssp. *sibiricum*)
- 4 = Streambank Wheatgrass (*Elymus lanceolatus* ssp. *lanceolatus*)
- 5 = Slender Wheatgrass (*Elymus trachycaulus*)
- 6 = Tall Wheatgrass (*Elytrigia elongata*)
- 7 = Intermediate Pubescent Wheatgrass (*Elytrigia intermedia* ssp. *intermedia*)
- 8 =
- 9 = Thickspike Wheatgrass
- 10 = Western Wheatgrass (*Pascopyrum smithii*)
- 11 = Beardless Wheatgrass (*Pseudoroegneria spicata* ssp. *inermis*)
- 12 = Bluebunch Wheatgrass (*Pseudoroegneria spicata* ssp. *spicata*)
- 13 = Other:  
(Specify) \_\_\_\_\_

\_\_\_ Interspecific Hybrid:

- 1 = *Agropyron cristatum* x *desertorum* = Crested Wheatgrass
- 2 = *Elytrigia repens* ssp. *repens* x *Pseudoroegneria spicata* = RS Wheatgrass
- 3 = *Pseudoroegneria spicata* x *Elymus lanceolatus*

\_\_\_ Ploidy Level:

- 1 = 2n=2x    2 = 2n=4x    3 = 2n=6x    4 = 2n=8x

**2. ADAPTATION**

Geographical Region: \_\_\_\_\_

Land Resource Areas: \_\_\_\_\_

\_\_\_ USDA Plant Hardiness Zones:

- 1 = 1    4 = 4    7 = 7    10 = 10
- 2 = 2    5 = 5    8 = 8    11 = 11
- 3 = 3    6 = 6    9 = 9



**6. SPIKE** (Continued)

\_\_\_ Glume Color: 1 = Green 2 = Grey-Green 3 = Yellow 4 = Tan 5 = Tawny 6 = Buff 7 = Other (Specify) \_\_\_\_\_

\_\_\_ Spike Length in Centimeters.

\_\_\_ Spike Density: 1 = Lax 2 = Laxidense 3 = Dense

\_\_\_ Glume Shape: 1 = Lanceolate 2 = Obovate 3 = Ovate

**7. SEED** (Please note the decimal point)

\_\_\_ Glume Length in Millimeters.

Glume Color: \_\_\_\_\_

\_\_\_ Lemma Length in Millimeters.

Glume Awn (Descriptors): \_\_\_\_\_

\_\_\_ Lemma Width in Millimeters.

\_\_\_ Lemma Pubescence: 1 = Pubescent 2 = Partial 3 = Glabrous

\_\_\_ Lema Awn Size: 1 = Very Short 2 = Short 3 = Medium Short 4 = Medium 5 = Medium Long 6 = Long 7 = Very Long

\_\_\_ Seed Weight in Milligrams per 1000 Seeds.

**8. DISEASE AND PEST RESISTANCE:** 1 = Suseptible 2 = Resistant 3 = Tolerant 4 = Avoidance 0 = Not Tested

\_\_\_ Leaf Rust (*Uromyces dactylidis*)

\_\_\_ Stem Rust (*Puccinia graminis* ssp. *graminicola*)

\_\_\_ Stripe Rust (*Puccinia striiformis*)

\_\_\_ Other Disease(s) \_\_\_\_\_

\_\_\_ Black Grass Bug

\_\_\_ Grass Billbug

\_\_\_ Pacific Grass Bug

\_\_\_ Nematode(s) (Please Specify Species) \_\_\_\_\_

**9. INTENDED USE:** (Please indicate all that apply)

\_\_\_ Hay and Pasture

\_\_\_ Silage/Green Manure

\_\_\_ Range Reseeding

\_\_\_ Wildlife Habitat Plantings

\_\_\_ Conservation Cover

\_\_\_ Saline/Alkaline Soil Stabilization

\_\_\_ Erosion Control

\_\_\_ Other (Specify) \_\_\_\_\_

**10. COMMENTS:**