

AMS Unpasteurized Liquid Whole Eggs for Further Processing Contractor Indicator Organism Performance - Fiscal Year: 2025^{1,2/}

<u>Contractor</u>	# Lots Produced <i>(% of Total)</i>	<u>Standard Plate Count^{3/}</u>		<u>Total Coliforms^{4/}</u>		<u>Generic <i>E. coli</i>^{5/}</u>	
		<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>	<u># Exceeding Critical Limit</u>	<u>% Exceeding Critical Limit</u>
C1	31 (100.0)	1	3.2	0	0	1	3.2
Total	31 (100.0)	1	3.2	0	0	1	3.2

^{1/}A full description of the unpasteurized liquid whole eggs for further processing purchase program specification is available at <https://www.ams.usda.gov/selling-food/product-specs#Eggs>.

^{2/}Production Dates: October 1, 2024 to December 31, 2024.

^{3/}Standard Plate Count Critical Limit: 50,000 CFU/g.

^{4/}Total Coliforms Critical Limit: 5,000 CFU/g.

^{5/}Generic *E. coli* Critical Limit: 1,000 CFU/g.