

AMS Boneless Beef Supplier Indicator Organism Performance - Fiscal Year: 2021<sup>1/2/</sup>

Supplier	# Lots Produced (% of Total)	Standard Plate Count <sup>3/</sup>		Total Coliforms <sup>4/</sup>		Generic <i>E. coli</i> <sup>5/</sup>	
		# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit	# Exceeding Critical Limit	% Exceeding Critical Limit
S1	5693 (13.2)	0	0	0	0	0	0
S2	1 (0)	0	0	0	0	0	0
S4	10,527 (24.4)	9	0.09	2	0.02	5	0.05
S5	3,769 (8.7)	1	0.03	0	0	0	0
S6	78 (0.02)	0	0	1	1.28	2	2.56
S10	4,093 (9.5)	4	0.10	19	0.46	7	0.17
S11	647 (1.5)	8	1.24	10	1.55	12	1.85
S12	517 (1.2)	0	0	9	1.74	0	0
S14	7,540 (17.5)	24	0.32	1	0.01	0	0
S21	6,082 (14.1)	0	0	5	0.08	12	0.20
S29	2,044 (4.7)	0	0	0	0	1	0.05
S43	682 (1.6)	0	0	0	0	0	0
S44	969 (2.2)	3	0.31	2	0.21	0	0
S47	577 (1.3)	3	0.52	3	0.52	0	0
<b>Total</b>	<b>43,219 (100)</b>	<b>52</b>	<b>0.12</b>	<b>52</b>	<b>0.12</b>	<b>39</b>	<b>0.09</b>

<sup>1/</sup>A full description of the boneless beef purchase program specification is available at <https://www.ams.usda.gov/selling-food/product-specs#Beef>.

<sup>2/</sup>Production Dates: October 1, 2020 to September 30, 2021.

<sup>3/</sup>Standard Plate Count Critical Limit: 100,000 CFU/g.

<sup>4/</sup>Total Coliforms Critical Limit: 1,000 CFU/g.

<sup>5/</sup>Generic *E. coli* Critical Limit: 500 CFU/g.