Ammonium Hydroxide

Processing

Identification

Chemical Name(s):
Ammonium hydroxide
Other Names:
Aqua ammonia, ammonia water, aqueous ammonia, Spirit of Hartshorn

CAS Number:
1336-21-6 (ammonium hydroxide)
7664-41-7 (ammonia)
Other Codes:
International Numbering System: INS 527
RTECS: BO0875000
DOT ID: 2672 60 (12-44% solution)
2073 15 (44+% solution)

Summary of Advised Recommendation*

Synthetic / Non-Synthetic:	Allowed or Prohibited:	Suggested Annotation:
Synthetic	Prohibited	none.

Characterization

Composition:

 NH_4OH (or $NH_3 \bullet H_2O$)

Properties:

Colorless liquid, intense, pungent, suffocating odor; acrid taste; strong alkaline reaction; dissolves copper, zinc; fumes are formed when ammonia water is brought near volatile acids; forms exothermic reaction with sulfuric acid; infinitely soluble; specific gravity 0.9 (28% NH₄OH) at 25° C;pH 11.6 (1.0N solution); boiling point ca. 36°C (ca. 97F); melting point –72C (-98F); stable under ordinary conditions of use and storage.; produces low temperatures by its own evaporation.

How Made:

Ammonia is produced by a number of different processes. Historically, one of the oldest, and basis for most currently used methods is the Haber-Bosch process, where natural gas is used to convert atmospheric nitrogen to ammonia (Budavari, 1996). This can be characterized as:

$$N_2 + 3H_2 \leftrightarrow 2NH_3$$

Industrial-scale production requires the maintenance of high temperatures, generally in the range of 700°K to 900°K (427°C - 627°C or 800°F - 1,160°F). Processes generally involve the direct reaction of disassociated hydrogen and nitrogen atoms over a catalytic surface coated with a metallic iron. Ammonium hydroxide is produced by the addition of the resulting ammonia to water.

$$NH_3 + H_2O \leftrightarrow NH_4^+ + OH^-$$

This reaction is reversible. The existence of undisassociated ammonium hydroxide (NH4OH) is considered doubtful, but aqueous solutions of ammonia are basic and behave similarly to metal cation hydroxides, such as

^{*} This Technical Advisory Panel (TAP) review is based on the information available as of the date of this review. This review addresses the requirements of the Organic Foods Production Act to the best of the investigator's ability, and has been reviewed and commented on by experts on the TAP. The substance is evaluated against the criteria found in section 2119(m) of the OFPA (7 USC 6517(m)). The information and advice presented to the NOSB is based on the technical evaluation against that criteria, and is not intended to incorporate commercial availability, socio-economic impact, or any other factor that the NOSB and the USDA may want to consider in making their decisions.

sodium hydroxide (Czuppon, Knez, and Rovner, 1992). Ammonium hydroxide has an NH₃ equivalent weight of 48.59 (EPA, 2000).

Most commercial solutions of 28-29% NH₃ in water, although 44% solutions of NH₃ are marketed for food processing use.

Specific Uses:

Ammonia is one of the top industrial chemicals produced in the world. The hydroxide form is petitioned for use as a boiler water additive, but it is also used in processing as a direct food ingredient for leavening, pH control, and as a surface-finishing agent (Lewis, 1989). Ammonium hydroxide is also used to extract food colorants and dyes (Budavari, 1996). Other uses in food processing facilities are as a refrigerant, cleaning agent, wastewater treatment, and reactant, for example, as a starter for a cheese culture (EPA, 1998). Ammonia is also released as a by-product of a number of food processing activities (EPA, 1998).

Ammonia is a precursor to synthesize amino acids, and is used in animal feeds by itself as a nitrogen source. One of the largest uses of ammonia, by production volume, is as a fertilizer, including the ammonium hydroxide form. The review will focus on the ammonium hydroxide form, and the petitioned use as a boiler water additive but some of the other forms, uses, and applications will also be addressed as relevant to the TAP review.

Action:

Ammonia in solution is alkali in pH, and ammonia (NH₃) reactive. Neutralizes carbonic acid in condensate to prevent corrosion. Used as a boiler additive to neutralize carbonic acid in condensate thus preventing corrosion to boiler equipment. The petition was for use as a boiler water additive. Ammonia is a precursor to amines, will form amines under certain conditions in the presence of certain other co-reactants, and functions similarly to the volatile amines but ammonium hydroxide is technically not a volatile amine.

Combinations:

Contained in an aqueous solution. Food processing applications are numerous. As a boiler water additive, may be with other volatile amines, such as cyclohexylamine, diethyleneaminoethanol (DEAE), morpholine, and octadecylamine. Combined with other yeast nutrients, with various animal feed ingredients such as molasses, and as a precursor to amino acids for use in livestock feed, as nutritional supplements, and for other applications. It is also used in the manufacture of animal drugs. Ammonia is also used with a variety of cleaners, sanitizers, and disinfectants (Czuppon, Knez, and Rovner, 1992). It is also a waste product in effluent from a number of food processing operations (EPA, 1998).

The largest single use of ammonia has long been as an ingredient in fertilizers (NRC, 1978; Czuppon, Knez, and Rovner, 1992; Johnson, 2000). The next largest use is as a precursor to polymers and to make explosives (Czuppon, Knez, and Rovner, 1992). Applications to the textile industry are also significant. It is also used to tan hides, and is an ingredient in moth-proofing and preservative compounds for leather and furs. It is also widely used in a number of cosmetics (Czuppon, Knez, and Rovner, 1992). Ammonia is used to make or in combination with a large number of industrial chemicals (Czuppon, Knez, and Rovner, 1992).

Status

OFPA

May be added to the National List as equipment cleaner (7 USC 6517(c)(1)(B)(i). Prohibited as a synthetic nitrogen fertilizer (7 USC 6508(b)(2)).

Regulatory

FDA CFR Title 21, Subpart B, Sec. 582.1139 Generally Recognized as Safe (GRAS) is discussed below.

EPA/NIEHS/Other Appropriate Sources

EPA -

FIFRA: Residues of ammonium hydroxide are exempted from the requirement of a tolerance when used as a solvent, co-solvent, neutralizer, or solublilizing agent in accordance with good agricultural practices as inert (or occasionally active) ingredients in pesticide formulations applied to growing crops or to raw agricultural commodities after harvest. Also appears on EPA List 3.

CERCLA: Ammonium hydroxide is considered a Hazardous Substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (40 CFR 302.4).

SARA/EPCRA: The substance appears on the Superfund Amendments and Reauthorization Act (SARA) Title III and Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) List of Extremely Hazardous Substances (40 CFR 355 Appendix A). It is also subject to SARA reporting requirements contained in 40 CFR 311 and 40 CFR 312. Manufacturers of CHA are subject to Superfund requirements in 40 CFR 313. Ammonia use presents a number of special considerations for food processors to consider (EPA, 1998). Given the numerous uses and sources, special guidance is required for reporting aqueous ammonia (EPA, 2000).

CWA: Ammonia discharges from certain types of meat processing facilities are regulated under the Clean Water Act (40 CFR 432.45 *inter alia*).

CAA: Does not appear on the Clean Air Act list of Volatile Organic Chemicals.

NIEHS - The National Toxicology Program does not consider ammonium hydroxide to be a carcinogen. The NTP database does not include data on either ammonia or ammonium hydroxide. The NOSB may want to consider supporting a petition to have the NTP review ammonia and ammonium hydroxide.

Other sources -

Occupational Safety and Health Administration (OSHA) revised the limits for Final Rule on Air Contaminants Project (54 Fed Reg. 2324). This rule was remanded by the U.S. Circuit Court of Appeals and the limits are not currently in force. OSHA's former exposure limit for ammonia was 50 ppm as an 8-hour TWA [Time Weighted Average]. OSHA proposed to revise this limit to 25 ppm TWA and to add a 35-ppm 15-minute short-term exposure limit (STEL), based on the limits established by the ACGIH. However, in the final rule, the Agency has determined that it is not appropriate to establish a 25-ppm TWA limit for ammonia; the final rule does revise OSHA's exposure limit to 35 ppm as a 15-minute STEL. . .

Ammonia is a primary eye and upper respiratory tract irritant. Ammonia concentrations in the range of 20 to 25 ppm elicited complaints of discomfort from workers engaged in blueprinting and copying operations (Detroit Department of Health, 1986). Pigs exposed to ammonia also showed systemic effects (Stombaugh et al., 1969). Thus the ACGIH established both a full-shift TWA of 25 ppm to protect against chronic effects and a 35-ppm STEL to protect against ammonia's irritant effects.

OSHA also considered NIOSH's recommended 5-minute ceiling limit for ammonia of 50 ppm. NIOSH relied on several reports that ammonia concentrations as low as 50 ppm are moderately irritating. Their findings concluded that the "irritating or annoying effects...[of exposure to ammonia are] more dependent upon concentration than length of exposure," and that "a standard expressed as a time-weighted average is inappropriate since it would permit fluctuations to concentrations considerably higher than 50 ppm.(NIOSH, 1974).

Some workers experience eye and upper respiratory tract irritation. For example, one source cites that 5-minute exposures to 32 ppm caused nasal dryness in 10 percent of exposed volunteers, and that 5-minute exposures to 50 ppm ammonia caused nasal irritation and dryness in 20 percent of exposed volunteers (Proctor, Hughes, and Fischman).

Pigs exposed continuously to between 103 and 145 ppm ammonia reduced their consumption of food and lost weight (Stombaugh, Teague, and Roller, 1960 cited in ACGIH, 1986). The ACGIH interprets this study to mean that systemic toxicity occurs as a result of chronic exposure to ammonia. However, OSHA interprets this

study differently, believing instead that it shows a secondary effect of the irritation traditionally associated with ammonia exposure. OSHA considered this as evidence that the pigs were experiencing too much respiratory and eye irritation to be interested in their food (OSHA, 1989). OSHA concluded that the eye and upper respiratory tract irritation associated with ammonia exposure constitute material impairments of health and pose a significant risk to exposed workers.

Status Among U.S. Certifiers

Most US certifiers do not include it on their materials lists, and prohibit boiler water additives according to the Organic Good Manufacturing Practices established by the NOSB in 1995. Oregon Tilth Certified Organic classifies ammonium hydroxide as 'regulated' but this appears to be unique among certifiers worldwide. See the discussion regarding boiler water additives in the background paper Steam Generation in Organic Food Processing Systems (Steam Paper).

International

Canada - Not included in the list of permitted non-organic additives substances for organic food products (CGSB, 1999).

CODEX- Not in Annex 2, Table 4, 'Processing Aids' (FAO/WHO, 1999).

EU 2092/91 - Not in Annex VI, Processing Aids' (EU 2092/91).

IFOAM - Not on Appendix IV, approved processing aids and other products (IFOAM, 2000).

Japan — Not on the list of approved food additives (Woolsey, 2000).

OFPA 2119(m) Criteria

The potential of such substances for detrimental chemical interactions with other materials used in organic farming systems.
 As this is a processing material, the substance is prohibited from synthetic sources for use in organic farming systems as a synthetic nitrogen source. Use from natural sources (e.g. manure) is generally

restricted. Chemical interactions within a processing environment is discussed in the Steam Paper.

- 2. The toxicity and mode of action of the substance and of its breakdown products or any contaminants, and their persistence and areas of concentration in the environment.

 See processor criteria 3 below.
- 3. The probability of environmental contamination during manufacture, use, misuse or disposal of such substance.

 This is considered below under item (2).
- 4. The effect of the substance on human health.

 The effects of ammonia on human health have a vast literature associated with it. Two of the best summaries have been prepared by the National Research Council's Committee on Medical and Biologic Effects of Environmental Pollutants (1979) and the World Health Organization's International Programme on Chemical Safety (1986). The TAP review will limit consideration of those factors related to the effect on nutrition (3) below as well as the consideration of GRAS and residues (5) below.

- 5. The effects of the substance on biological and chemical interactions in the agroecosystem, including the physiological effects of the substance on soil organisms (including the salt index and solubility of the soil), crops and livestock.
 - Ammonia's chemical interactions in the agroecosystem and physiological effects on soil organisms are the subject of significant study (NRC, 1979) but is beyond the scope of the petitioned processing use. While some food handling uses may result in the release of significant amounts of ammonia into the agroecosystem, this TAP review assumes that disposal takes place outside the organic farming system.
- 6. The alternatives to using the substance in terms of practices or other available materials. See discussion of alternatives in the Steam Paper.
- 7. Its compatibility with a system of sustainable agriculture.

 This is considered more specifically below in the context of organic handling in (6) below.

Criteria from the February 10, 1999 NOSB Meeting

A PROCESSING AID OR ADJUVANT may be used if;

- 1. It cannot be produced from a natural source and has no organic ingredients as substitutes.

 Ammonia is naturally occurring in foods at low levels in both aqueous and ammonium hydroxide forms. It is commonly found in manure and decaying organic matter. However, all commercial sources are synthetically manufactured from atmospheric nitrogen, usually using natural gas as a fuel source.
 - As for substitutes for the petitioned use, steam can be produced from water without the addition of boiler water additives. A list of substances that are FDA approved for boiler water contact is attached. When considering chemical means to condition steam lines in boiler systems, the additives to the steam lines must be volatile, so that they purposely travel along with the steam. There are no known non-synthetic boiler additives that can serve this purpose. The alternatives are discussed in greater depth in the Steam Paper.
- 2. Its manufacture, use, and disposal do not have adverse effects on the environment and are done in a manner compatible with organic handling.
 Ammonia production does not generate any significant waste stream. Production of ammonia requires a significant energy input to drive the synthetic reaction (Budavari, 1996). Ammonia production—primarily for fertilizer—continues to account for one of the largest uses of energy of all chemicals produced (Johnson, 2000). Coal production methods may cause significant air pollution. About two-thirds of all ammonia production involves the use of natural gas as a fossil fuel (Czuppon, Knez, and Rovner, 1992).

Ammonium hydroxide is an irritant and must be handled properly. There are significant worker health issues that could be a problem if it is improperly handled. Exposure to humans and other mammals by ammonium hydroxide is a serious toxicological concern. It is toxic by all routes (inhalation, ingestion, and dermal contact (Toxnet, 2001). Various published guidelines for use of this material all prescribe the use of protective equipment, for eyes, lungs, skin, and ingestion (NIOSH, 1979; NTP, 2001). Short-term exposure can result in irritation of the eyes, throat, skin, and mucous membranes, as well as dyspnea, bronchspasm, and pulmonary edema; ingestion can cause burning pains in the throat, mouth, stomach, and thorax; brief exposure to higher concentrations (5000 ppm) can be fatal (Budavari, 1996; Chermishinoff). Long-term exposure can result in chronic irritation to the eyes and respiratory tract (NIOSH, 1978).

Ammonium hydroxide produces a pungent odor that is an irritant. It is an air and water pollutant. For example, ammonia is considered a greenhouse gas (NRC, 1978). Ammonia produced as the effluent of sparged boiler water is a potential water pollutant. Ammonia is a plant nutrient. As an effluent, it will favor some species over others and may be a factor in contributing to eutrophication (NRC, 1978). Ammonia is also toxic to fish and other aquatic animals (IPSC, 1986).

3. If the nutritional quality of the food is maintained and the material itself or its breakdown products do not have adverse effects on human health as defined by applicable Federal regulations.

Acute oral exposure and ingestion are linked to liver damage (NRC, 1978) and hepatic coma (IPCS, 1986). Ammonium hydroxide has an acrid taste, and can affect the flavors of foods; as it participates in a strong alkaline reaction with a variety of materials, the resultant products can be made bitter. Ammonia has a pungent odor and imparts a distinct flavor defect, even at relatively low rates. For example, the threshold value for detection in water is 3.4 x 10+1 or about 35 ppm (Fazzalari et al., 1978, cited by petitioners; supported by IPCS, 1986).

The full effects of reactions between ammonium hydroxide and foodstuffs are not as well documented as other forms of exposure in the scientific literature (NRC, 1978; IPCS, 1986). There is substantial disagreement among researchers as to the long-term effects of exposure (IPCS, 1986). It would appear that it has minimal adverse effects on human health if used as intended (IPCS, 1986). However, there have been incidents and indications that ammonia can have documented adverse effects on human health at relatively low levels, not far above the levels at which workers and consumers could potentially be exposed. Accidental exposure is also a possibility when a chemical is being handled in a food processing operation. Ammonia will form nitrates and nitrites under certain conditions (NRC, 1978). Nitrates and nitrites are prohibited by the Organic Foods Production Act (7 USC 6510(a)(3)).

The Federal Centers for Disease Control reported that the accidental release of ammonia resulted in non-lethal acute poisoning of schoolchildren from consumption of contaminated milk. These children reported severe burning of the mouth and throat, as well as nausea. The symptoms developed within 1 hour of drinking the contaminated milk (CDC, 1986). There has been a noted case where milk was contaminated by ammonium hydroxide during processing (CDC). Especially when considering that the ammonium hydroxide would be contacting foodstuffs under heated conditions, reactivity is likely in at least some cases. The reaction of this synthetic material with organic foodstuffs may create a variety of synthetic by-products, the health implications of which are not completely known, especially over the long-term.

There is no indication that addition of aqua ammonia to the processing stream has a beneficial effect on the nutritional quality of food. The petition does not provide a food safety benefit for allowing its use. Furthermore, ammonium hydroxide is a good solvent for many materials, including certain metals such as copper and zinc (Budavari, 1996), which could result in the toxic accumulation of these metals in organic food products, if the material is not used with caution, or is used in incompatible steam systems.

Ammonium hydroxide is an eye and respiratory tract irritant. Another characteristic is that under certain common conditions, aqueous ammonia can damage metals and cause rather than prevent corrosion (Bradford, 1993). For example, ammonium hydroxide is corrosive of copper and zinc (Budavari, 1996). Ammonia in high pH systems or beyond the optimum level will actually increase the amount of copper in boiler water copper-nickel systems above a zero-treatment control (Burgmayer, 1989). While copper and zinc are essential trace elements, both can be toxic in excess. This is a concern where copper or zinc are used as either sacrifice coatings or as the primary materials in the waterside wall of boilers. Ammonia will also react with chlorine-based disinfectants in water to form chloramines (EPA, 1998).

4. Its primary purpose is not as a preservative or used only to recreate/improve flavors, colors, textures, or nutritive value lost during processing except in the latter case as required by law.

The petitioned use is not to change the quality of the food, but rather to maintain and prevent corrosion of the boiler and steam line equipment used to produce steam that is in contact with the food. Ammonium hydroxide as a boiler water additive is not intended to have any technical or functional affect on the food product. If used, however, some of the material will come into contact with organic foods, thus the reason for the petition. Other uses will have a functional effect, such as in chocolate processing, as an extractant for glycyrrhizin (licorice); and as a synthetic nitrogen source in a feed additive. These functions are not covered in the TAP review.

5. Is Generally Recognized as Safe (GRAS) by FDA when used in accordance with Good Manufacturing Practices (GMP), and contains no residues of heavy metals or other contaminants in excess of FDA tolerances

Ammonium hydroxide is listed as GRAS by FDA (21 CFR 184.1139) food with no limitation other than current good manufacturing practices for the following uses:

Leavening agent	21 CFR 170.3(o)(17)
pH control agent	21 CFR 170.3(o)(23)
surface-finishing agent	21 CFR 170.3(o)(30)
boiler water additive	21 CFR 173.310
Feed additive	21 CFR 582.1139.

FDA requires that as an ingredient used in food it cannot exceed levels used in current good manufacturing practice. When used as a boiler water additive, levels also are not to exceed current good manufacturing practice. The GMPs do not cite a quantitative level that can be carried over in steam, in contrast to some of the other boiler water additives that have been petitioned.

6. Its use is compatible with the principles of organic handling.

As a general rule, ammonia products are not considered compatible with organic production or handling. The NOSB considered the issue of boiler chemicals in 1995, and determined that boiler water additives are not allowed to be in live steam that is in direct contact with organic food. While this did not specify ammonia and volatile amines, this particular application was excluded for use. All organic production and processing certification standards are based on the premise that synthetic toxic substances should not be

used in a way that brings them in contact with organic foods.

As ingredients in processed food products, an exception was made to ammonium carbonates used in baked goods. However, the NOSB voted to prohibit ammonium phosphate and ammonium soaps in organic handling. The NOSB has already recommended that several be listed. Different additives have different functionalities. As a caustic, sodium carbonates, potassium carbonate, potassium hydroxide, sodium hydroxide.

Ammonium carbonates are on the National List as an alternative yeast food. No petitioner has requested any use other than as a boiler chemical, although some certifiers have reportedly encountered these other uses by processors.

See the Steam Paper and the reviewers' comments below for a further discussion.

7. There is no other way to produce a similar product without its use and it is used in the minimum quantity

required to achieve the process.

Live steam can be generated without the use of any boiler chemicals. There are boiler chemicals that are already on the National List. These include other caustics, such as potassium hydroxide and sodium hydroxide. There are methods to keep live steam from coming into direct contact with food. These include the use of heat exchangers, traps, filters, and other equipment. See the Steam Paper for further discussion.

TAP Reviewer Discussion*

TAP Reviewer Comments

Reviewer 1 [Food Science and Nutrition Professor with inspection and certification experience]
Ammonium hydroxide NH4OH is considered a strong alkali which is manufactured from both natural gas and atmospheric nitrogen to ammonia gas which is readily soluble in water at concentrations of 28 to 44%. Most ammonium hydroxide is marketed to food processing operations at 44% being more concentrated which reduces the liquid handling and shipping cost of water, but presents perhaps more of a dangerous environmental impact issue should spillage occur.

Ammonium hydroxide is considered a neutralizing amine with the highest distribution ratio of 10 when compared to the other neutralizing volatile amines (Betz, 1980). This means it has a greater percentage in the vapor phase rather than the aqueous phase. Therefore its effectiveness may be based on its distribution ratio. This may be the main argument as to why the industry has not embraced the options of using sodium carbonate, sodium bicarbonate, potassium carbonate, potassium hydroxide or sodium hydroxide. However, if boiler feed water is deaerated followed by ion exchange, these alternatives may be as effective since the internal rate of corrosion of steam lines will be reduced. However, if optimization of alternatives is considered coupled with boiler feed water treatments, then a satisfactory solution or alternative is provided.

Overall, the toxicity of ammonium hydroxide and gaseous ammonia is well documented as eye and respiratory tract irritant. In the baking industry, ammonium bicarbonate decomposes to ammonia gas and carbon dioxide and serves as leavening agent for cracker food products. However, the ammonia gas must be exhausted or ammonium hydroxide will form which will cause a yellow discoloration of the wheat flour based cracker as well as contribute to a strong, astringent off flavor in the product.

Since there are no FDA limitations on its use, the potential for excessive use exists resulting in high concentrations of ammonia in the steam (i.e. greater than 25 ppm). Therefore due to environmental and worker safety issues, toxicity issues and the potential for direct contact (as with all volatile amine boiler additives) of ammonium hydroxide to organic food products, I recommend that it be prohibited for all organic food processing operations where there is direct steam contact with the food.

Summary Recommendation:

- 1. Synthetic
- Prohibited
- 3. Suggested annotation: for processing operations where there is direct steam or food contact.

Reviewer 2 [Consultant to organic certifiers]

Although ammonia does result from natural fermentative processes and can be found in nature as such, collection of the gas from these sources for use in processing systems is not practical and not done. For the purposes of this TAP review, ammonium hydroxide is considered a synthetic material.

[A]mmonium hydroxide . . . [is used] as an additive to steam [that] comes into direct contact with organic foods during processing. The function of the aqua ammonia is to neutralize carbonic acid which forms from the steam generation system; neutralization of the acidic condensate stream reduces corrosion of boiler equipment most notably steam lines.

Ammonium hydroxide may be used in the synthesis of other compounds which might subsequently be used in food processing, such as leavening agents. Such materials should be deemed beyond the scope of this review. The NOSB has already reviewed some such materials which the NOP placed on the National List (ammonium carbonate and ammonium bicarbonate) as allowed non-organic ingredients for processing organic foods. Other ammonium compounds have traditionally been prohibited in organic production systems, for agriculture,

^{*}OMRI's information is enclosed in square brackets in italics. Where a reviewer corrected a technical point (e.g., the word should be "intravenous" rather than "subcutaneous"), these corrections were made in this document and are not listed here in the Reviewer Comments. The rest of the TAP Reviewer's comments are edited for identifying comments, redundant statements, and typographical errors. Any text removed is identified by ellipses [. . .] Statements expressed by reviewers are their own, and do not reflect the opinions of any other individual or organization.

livestock, and processing applications. The only noted exception in the NOP rule is the allowance of ammonium carbonate in insect traps (no contact with soil or crops allowed). (7 CFR 205)

Comments on the Criteria

Organic certifiers in the United States, if they take a position at all on this issue, are consistent in repeating the prohibition recommended by the NOSB. The NOSB did make exceptions to this by allowing ammonium carbonate and ammonium bicarbonate as leavening agents, but has recommended prohibitions on other ammonium products. The reason for the exceptions made for the leavening agents is unknown to this reviewer, but judging by the processing techniques and materials available to processors of organic foods, it would seem more consistent if those materials were also removed from the National List. Adding another ammonium product does not seem compatible, especially given the other considerations mentioned in this review.

Live steam can be and is produced in many processing systems without the use of any boiler additives that carry over onto the food products. Boiler water can be treated in advance of use in the system by a variety of methods to soften, deionize, filter, and otherwise purify it. These steps reduce the need for addition of synthetic materials not on the National List to the boiler system. In some applications, the steam or heating system for the food may be changed to one where live steam is not the active agent, but rather heating (of food contents directly, or of steam in contact with food) is done via a heat exchange system. The wide variety and individuality of processing systems which exist is indicative of the many ways in which the full range of processed food products can be made without the need for toxic boiler additives to be used in contact with organic foods. This reviewer does not know of any food product type that absolutely requires ammonium hydroxide in steam which contacts organic food.

Justification of use of ammonium hydroxide by the petitioners is based on the constraints of their particular boiler and steam systems as they currently exist, and on the financial and/or logistical challenges involved with changing those systems so as to avoid contact of the organic food by the aqua ammonia. However, economic considerations are clearly not one of the criteria (either in OFPA or the final NOP rule) for determining the suitability of materials used in organic production systems.

History shows that quite often it has been the case that an organic operator (producer or handler) has had to make substantial changes to their system in order to be compliant with organic standards. These changes often involved redesigning of systems, practices, and techniques. In many cases, such changes resulted in the need for financial investment, as well as an investment in time. Some creativity on the part of the operator was often needed, to devise a new system. This has indeed been the case for certain processors, who made adjustments to their boiler systems or manufacturing practices in order to comply with the prohibition of contact of organic foodstuffs by synthetic boiler chemicals. The inconvenience of having to retool or readjust systems should not be the determining factor in whether or not such materials are added to the National List.

For certain processors, where organic processing events are not frequent, the boiler may be operated without the ammonium hydroxide for a limited time, without significant affect on the boiler or steam line system. For these operations, no retooling may be needed; instead, a procedure can be designed whereby it is verifiable that the volatile boiler chemical has been exhausted from the system prior to handling the organic goods.

For processors who intend to process frequently enough, or for long enough run times, redesigning of the system will be necessary, in one way or another. Prohibition on the use of volatile boiler chemicals can exist without consigning processors to premature deterioration of their equipment. It is often the case in industry that the creative process involved in redesigning systems has unpredicted benefits (short- and long-term) to the operator and the environment, in terms of long-tern cost-effectiveness and sustainability; efforts in this direction should be encouraged, especially if not doing so results in a compromise of organic principles.

In fact, running boiler equipment designed for use with synthetic additives without the additives in place does lead to deterioration, and consequent lower efficiency of the system, which generally means greater energy consumption (Kohan, 1997). While greater efficiency of energy consumption seems undoubtedly to be desirable (both economically and ecologically), energy balance as a whole has not been considered as factor by the NOSB or certifiers when making determinations on the compatibility or allowability of materials or

methods. To use such a factor as a criterion in the case for the volatile boiler additive is therefore inconsistent with the rest of the paradigm, and should not be a determining factor at this time.

Summary and Recommendation

Ammonium hydroxide should be deemed a synthetic, prohibited material, and not be added to the National List for any purpose.

Reviewer 3 [University staff in Food Science with inspection, consulting, and certification experience]
Ammonium Hydroxide (NH₃) is petitioned for use as a steam additive chemical to reduce corrosion in pipes.
There could be direct food contact in many processing operations when steam is used to cook or heat food, such as in a blancher, cooker, canner, or other operations. NH3 has no functionality toward the food.

Comments on the Criteria

[The]... environmental impact [of the petitioned use] is likely to be negligible. [However, g]enerally ammonium products are not considered compatible [with organic production and processing].

There are other solutions that could be used to produce the desired result (no corrosion of piping). To summarize many of the citations reviewed, 'use of stainless steel piping completely solves the problem of corrosion.' The justification statement in the petition and the alternative control methods do not mention this as a possible solution. They do mention the costs of capital equipment and provide anecdotal evidence of the life expectancy and replacement needs should boiler water additives not be used, but provide no data to support this. There are numerous tests that can and should be performed periodically to determine the corrosion rates, (even with the use of inhibitors) to insure that equipment is being operated and maintained in a safe and efficient manner. Without confirming studies to show the differences in corrosion rates with and without the use of corrosion inhibitors, it appears that these petitioners are using anecdotal evidence to justify their continued use of cheap toxic chemicals instead of more expensive, but viable alternatives. There are several cited alternatives: stainless steel piping (suitable for all operations); discontinued use during organic processing (some operations); steam to steam heat exchanger (suitable for some operations); secondary boiler for food contact application only (suitable for all operations) that could be used. None of these are necessarily cheap, but all offer a viable alternative to the use of toxic chemicals.

In spite of the minimal health and environmental impact of ammonium hydroxide, alternatives exist with even lower impacts. Because of ammonium hydroxide's GRAS status and minimal health and environmental concerns, I could see reviewing its use with restrictions on concentration, if studies indicate the necessity for its use. Such studies would have to be completed in a timely fashion (1-2 years) and demonstrate a significant improvement in the life expectancy of a boiler and it's piping systems. Studies demonstrating no adverse impact on the composition, flavor or nutritional parameters of the food at the recommended concentrations should also be undertaken prior to granting approval. Additional studies and regulations to insure worker exposure safety should also be included prior to further review.

Conclusion

The reviewers unanimously consider ammonium hydroxide to be synthetic, and unanimously advise the NOSB to not add it to the National List. Use should remain prohibited in organic handling.

References

See the Steam Paper.

Occupational Health Guideline for Ammonia

INTRODUCTION

This guideline is intended as a source of information for employees, employers, physicians, industrial hygienists, and other occupational health professionals who may have a need for such information. It does not attempt to present all data; rather, it presents pertinent information and data in summary form.

SUBSTANCE IDENTIFICATION

- Formula: NH-
- Synonyms: Anhydrous ammonia
- Appearance and odor: Colorless gas with a penetrating, pungent, suffocating odor; it can be a liquid under pressure.

PERMISSIBLE EXPOSURE LIMIT (PEL)

The current OSHA standard for ammonia is 50 parts of ammonia per million parts of air (ppm) averaged over an eight-hour work shift. This may also be expressed as 35 milligrams of ammonia per cubic meter of air (mg/m³). NIOSH has recommended that the permissible exposure limit be changed to a ceiling of 50 ppm ammonia (35 mg/m³) averaged over a five-minute period. The NIOSH Criteria Document for Ammonia should be consulted for more detailed information.

HEALTH HAZARD INFORMATION

· Routes of exposure

Ammonia can affect the body if it is inhaled or if it comes in contact with the eyes or skin. It may also affect the body if it is swallowed.

Effects of overexposure

I. Short-term Exposure: Ammonia is a severe irritant of the eyes, respiratory tract, and skin. It may cause burning and tearing of the eyes, runny nose, coughing, chest pain, cessation of respiration, and death. It may cause severe breathing difficulties which may be delayed in onset. Exposure of the eyes to high gas concentrations may produce temporary blindness and severe eye damage. Exposure of the skin to high concentrations of the gas may cause burning and blistering of the skin. Contact with liquid ammonia may produce severe eye and skin burns. Contact of the eyes, nose, throat, and skin with solutions of ammonia may produce severe burns.

- 2. Long-term Exposure: Repeated exposure to ammonia gas may cause chronic irritation of the eyes and upper respiratory tract.
- 3. Reporting Signs and Symptoms: A physician should be contacted if anyone develops any signs or symptoms and suspects that they are caused by exposure to ammonia.

Recommended medical surveillance

The following medical procedures should be made available to each employee who is exposed to ammonia at potentially bazardous levels:

- —A complete history and physical examination: The purpose is to detect pre-existing conditions that might place the exposed employee at increased risk, and to establish a baseline for future health monitoring. Examination of the eyes and respiratory tract should be stressed. The skin should be examined for evidence of chronic disorders.
- -14" x 17" chest roentgenogram: Ammonia causes human lung damage. Surveillance of the lungs is indicated.
- —FVC and FEV (1 sec): Ammonia is a respiratory irritant. Persons with impaired pulmonary function may be at increased risk from exposure. Periodic surveillance is indicated.
- 2. Periodic Medical Examinations: The above medical examinations should be repeated on an annual basis, except that an x-ray is necessary only when indicated by the results of pulmonary function testing, or by signs and symptoms of respiratory disease.

Summary of toxicology

Ammonia vapor is a severe irritant of the eyes, especially the cornea, the respiratory tract, and skin. Inhalation of concentrations of 2500 to 6500 ppm causes dyspnea,

These recommendations reflect good industrial hygiene and medical surveillance practices and their implementation will assist in achieving an effective occupational health program. However, they may not be sufficient to achieve compliance with all requirements of OSHA regulations.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service Centers for Disease Control
National Institute for Occupational Safety and Health

U.S. DEPARTMENT OF LABOR
Occupational Safety and Health Administration

bronchospasm, chest pain and pulmonary edema which may be fatal; production of pink frothy sputum often occurs. Consequences can include bronchitis or pneumonia; some residual reduction in pulmonary function has been reported. In a human experimental study which exposed 10 subjects to various vapor concentrations for 5 minutes, 134 ppm caused irritation of the eyes, nose, and throat in most subjects and 1 person complained of chest irritation; at 72 ppm, several reported the same symptoms; at 50 ppm, 2 reported nasal dryness and at 32 ppm only 1 reported nasal dryness. In a survey of 8 workers in a blueprint shop, ammonia concentrations of 4 to 29 ppm caused "barely noticeable" to "moderate" eye irritation; no respiratory irritation was reported. Tolerance to usually irritating concentrations of ammonia may be acquired by adaptation, a phenomenon frequently observed among workers who became inured to the effects of exposure; no data are available on concentrations that are irritating to workers who are regularly exposed to ammonia and who presumably have a higher irritation threshold. Liquid anhydrous ammonia in contact with the eyes may cause serious eye injury or blindness; on the skin it causes first- and second-degree burns which are often severe, and if extensive, may be fatal. Vapor concentrations of 10,000 ppm are mildly irritating to the moist skin, while 30,000 ppm or greater causes a stinging sensation and may produce skin burns and vesiculation. Increased cancer has been reported in workers exposed to high levels of ammonia and amines, although lack of details makes evaluation difficult.

CHEMICAL AND PHYSICAL PROPERTIES

Physical data

- 1. Molecular weight: 17
- 2. Boiling point (760 mm Hg): -33.4 C (-28 F)
- 3. Specific gravity (water = 1): Liquid 0.67 at boiling point
- 4. Vapor density (air = 1 at boiling point of ammonia): 0.6
 - 5. Melting point: -77.7 C (-108 F)
- 6. Vapor pressure at 20 C (68 F): Greater than 1 atmosphere
- 7. Solubility in water, g/100 g water at 20 C (68 F):
- 8. Evaporation rate (butyl acetate = 1): Not applicable

· Reactivity

- 1. Conditions contributing to instability: Elevated temperatures may cause containers to explode.
- 2. Incompatibilities: Contact with strong oxidizers may cause fires and explosions. Contact with calcium, hypochlorite bleaches, gold, mercury, and silver may form highly explosive products. Contact with halogens may cause violent spattering.
 - 3. Hazardous decomposition products: None.
- 4. Special precautions: Liquid ammonia will attack some forms of plastics, rubber, and coatings.

• Flammability

- 1. Flash point: Not applicable
- 2. Autoignition temperature: 651 C (1204 F)
- 3. Flammable limits in air, % by volume: Lower: 16; Upper: 25
 - 4. Extinguishant: Stop flow of gas.

Warning properties

- 1. Odor Threshold: The AIHA Hygienic Guide states that "ammonia is a colorless gas with a characteristic odor detectable at 1 to 5 ppm."
- 2. Eye Irritation Level: Grant states that "ammonia is slightly irritant to human eyes at a concentration of 140 ppm in air and immediately irritating at 700 ppm."
- 3. Other Information: The *Hygienic Guide* states that "irritation of the respiratory tract in workers inhaling 100 ppm has been found, but 55 ppm was unobjectionable."
- 4. Evaluation of Warning Properties: Because of its low thresholds of odor and irritation, ammonia is treated as a material with good warning properties.

MONITORING AND MEASUREMENT PROCEDURES

Eight-Hour Exposure Evaluation

Measurements to determine employee exposure are best taken so that the average eight-hour exposure is based on a single eight-hour sample or on two four-hour samples. Several short-time interval samples (up to 30 minutes) may also be used to determine the average exposure level. Air samples should be taken in the employee's breathing zone (air that would most nearly represent that inhaled by the employee).

• Ceiling Evaluation

Measurements to determine employee ceiling exposure are best taken during periods of maximum expected airborne concentrations of ammonia. Each measurement should consist of a fifteen (15) minute sample or series of consecutive samples totalling fifteen (15) minutes in the employee's breathing zone (air that would most nearly represent that inhaled by the employee). A minimum of three (3) measurements should be taken on one work shift and the highest of all measurements taken is an estimate of the employee's exposure.

Method

Sampling and analyses may be performed by collection of vapors using an adsorption tube with a subsequent chemical analysis of the adsorption tube. Also, detector tubes certified by NIOSH under 42 CFR Part 84 or other direct-reading devices calibrated to measure ammonia may be used. An analytical method for ammonia is in the NIOSH Manual of Analytical Methods, 2nd Ed., Vol. 5, 1979, available from the Government Printing Office, Washington, D.C. 20402 (GPO No. 017-033-00349-1).

RESPIRATORS

- · Good industrial hygiene practices recommend that engineering controls be used to reduce environmental concentrations to the permissible exposure level. However, there are some exceptions where respirators may be used to control exposure. Respirators may be used when engineering and work practice controls are not technically feasible, when such controls are in the process of being installed, or when they fail and need to be supplemented. Respirators may also be used for operations which require entry into tanks or closed vessels, and in emergency situations. If the use of respirators is necessary, the only respirators permitted are those that have been approved by the Mine Safety and Health Administration (formerly Mining Enforcement and Safety Administration) or by the National Institute for Occupational Safety and Health.
- In addition to respirator selection, a complete respiratory protection program should be instituted which includes regular training, maintenance, inspection, cleaning, and evaluation.

PERSONAL PROTECTIVE EQUIPMENT

- Employees should be provided with and required to use impervious clothing, gloves, face shields (eight-inch minimum), and other appropriate protective clothing necessary to prevent any possibility of skin contact with liquid anhydrous ammonia or aqueous solutions of ammonia containing more than 10% by weight of ammonia and to prevent the skin from becoming frozen from contact with vessels containing liquid anhydrous ammonia.
- Employees should be provided with and required to use impervious clothing, gloves, face shields (eight-inch minimum), and other appropriate protective clothing necessary to prevent repeated or prolonged skin contact with solutions containing 10% or less by weight of ammonia.
- Where there is any possibility of exposure of an employee's body to liquid anhydrous ammonia or aqueous solutions containing more than 10% ammonia by weight, facilities for quick drenching of the body should be provided within the immediate work area for emergency use.
- Non-impervious clothing which becomes contaminated with anhydrous ammonia or aqueous solutions containing more than 10% ammonia by weight should be removed immediately and not reworn until the ammonia is removed from the clothing.
- Non-impervious clothing which becomes wet with solutions containing 10% ammonia by weight or less should be removed promptly and not reworn until the ammonia is removed from the clothing.
- Clothing wet with liquid anhydrous ammonia or aqueous solutions of ammonia should be placed in closed containers for storage until it can be discarded or until provision is made for the removal of ammonia

from the clothing. If the clothing is to be laundered or otherwise cleaned to remove the ammonia, the person performing the operation should be informed of ammonia's hazardous properties.

- Employees should be provided with and required to use splash-proof safety goggles where there is any possibility of liquid anhydrous ammonia or aqueous solutions containing more than 10% ammonia by weight contacting the eyes.
- Employees should be provided with and required to use splash-proof safety goggles where solutions containing 10% ammonia by weight or less may contact the eyes.
- Where there is any possibility that employees' eyes may be exposed to liquid anhydrous ammonia or aqueous solutions containing more than 10% ammonia by weight, an eye-wash fountain should be provided within the immediate work area for emergency use.

SANITATION

- Skin that becomes contaminated with liquid anhydrous ammonia or solutions containing more than 10% ammonia by weight should be immediately washed or showered to remove any ammonia.
- Skin that becomes wet with solutions containing 10% ammonia by weight or less should be promptly washed or showered to remove any ammonia.
- Employees who handle liquid anhydrous ammonia or aqueous solutions of ammonia should wash their hands thoroughly before eating, smoking, or using toilet facilities.

COMMON OPERATIONS AND CONTROLS

The following list includes some common operations in which exposure to ammonia may occur and control methods which may be effective in each case:

Operation

Use as a chemical in manufacture of fertilizers, as solvent in manufacture of textiles, leather, and pulp and paper processing; as a stabilizer in rubber manufacture

Controls

Process enclosure; local exhaust ventilation; general dilution ventilation; personal protective equipment

September 1978 Ammonia 3

Operation

Use in organic and inorganic synthesis of nitric acid, urea, plastics, fibers, synthetic resins, pharmaceuticals, pesticides, explosives, rocket fuels, cyanides, amides, dyestuffs, amines, flame retardants, and household cleaners

Controls

Process enclosure; local exhaust ventilation; personal protective equipment

Use in mining/ metallurgy ore extraction and purification, treatment of scrap metal, annealing, atomic hydrogen welding, electronics, nitriding steel Local exhaust ventilation; general dilution ventilation; personal protective equipment

Use in petroleum refining as a neutralizing agent; manufacture and recovery of cracking catalysts; and in dewaxing of lubrication oils

Process enclosure; iocal exhaust ventilation; personal protective equipment

Use as a refrigerant in food installations, production of ice, cold-storage, food lockers, deicing

Local exhaust ventilation; general dilution ventilation; personal protective equipment

Use during blueprinting and photography, electroplating, and as a laboratory reagent

Local exhaust ventilation; general dilution ventilation; personal protective equipment

EMERGENCY FIRST AID PROCEDURES

In the event of an emergency, institute first aid procedures and send for first aid or medical assistance.

Eye Exposure

If liquid anhydrous ammonia, solutions containing ammonia, or high concentrations of ammonia gas get into the eyes, wash eyes immediately with large amounts of water, lifting the lower and upper lids occasionally. Get medical attention immediately. Contact lenses should not be worn when working with this chemical.

• Skin Exposure

If liquid anhydrous ammonia, strong solutions of ammonia, or high concentrations of ammonia gas get on the skin, immediately flush the contaminated skin with water. If liquid anhydrous ammonia, strong solutions

containing ammonia, or high concentrations of ammonia gas penetrate through the clothing, remove the clothing immediately and flush the skin with water. If irritation or burns are present after washing, get medical attention.

Breathing

If a person breathes in large amounts of ammonia, move the exposed person to fresh air at once. If breathing has stopped, perform artificial respiration. Keep the affected person warm and at rest. Get medical attention as soon as possible.

Swallowing

When ammonia has been swallowed and the person is conscious, give the person large quantities of water immediately to dilute the ammonia. Do not attempt to make the exposed person vomit. Get medical attention immediately.

• Rescue

Move the affected person from the hazardous exposure. If the exposed person has been overcome, notify someone else and put into effect the established emergency rescue procedures. Do not become a casualty. Understand the facility's emergency rescue procedures and know the locations of rescue equipment before the need arises.

SPILL AND LEAK PROCEDURES

- Persons not wearing protective equipment and clothing should be restricted from areas of spills or leaks until cleanup has been completed.
- If ammonia is spilled or leaked, the following steps should be taken:
- 1. Ventilate area of spill or leak to disperse gas.
- 2. If in gaseous form, stop flow of gas. If source of leak is a cylinder and the leak cannot be stopped inplace, remove the leaking cylinder to a safe place in the open air, and repair the leak or allow the cylinder to empty.
- 3. If in liquid form, allow to vaporize.

REFERENCES

- American Conference of Governmental Industrial Hygienists: "Ammonia," Documentation of the Threshold Limit Values for Substances in Workroom Air (3rd ed., 2nd printing), Cincinnati, 1974.
- American Industrial Hygiene Association: "Ammonia," Hygienic Guide Series, Detroit, Michigan, 1971.
- Deichmann, W. B., and Gerarde, H. W.: Toxicology of Drugs and Chemicals, Academic Press, New York, 1969.
- Gleason, M. N., Gosselin, R. E., Hodge, H. C., and Smith, R. P.: Clinical Toxicology of Commercial Products (3rd ed.), Williams and Wilkins, Baltimore, 1969.
- Grant, W. M.: Toxicology of the Eye (2nd ed.), C. C. Thomas, Springfield, Illinois, 1974.
- 'Exposure to Ammonia, Proposed Standards,' Federal Register, 40:54684-54693, November 25, 1975.

- Manufacturing Chemists Association, Inc.: Chemical Safety Data Sheet SD-8, Ammonia, Washington, D.C., 1960.
- Matheson Company: Anhydrous Ammonia Data Sheets.
- National Institute for Occupational Safety and Health, U.S. Department of Health, Education, and Welfare: Criteria for a Recommended Standard.... Occupational Exposure to Ammonia, HEW Publication

No. (NIOSH) 74-136, GPO No. 017-033-00036, U.S. Government Printing Office, Washington, D.C., 1974.

- Patty, F. A. (ed.): Toxicology, Vol. II of Industrial Hygiene and Toxicology (2nd ed. rev.), Interscience, New York, 1963.
- Spector, W. S. (Vols. I, II), Negherbon, W. O. (Vol. III), Grebe, R. M. (Vol. IV), and Dittmer, D. S. (Vol. V) (eds.): *Handbook of Toxicology*, Saunders, Philadelphia, 1956-1959.

RESPIRATORY PROTECTION FOR AMMONIA

Condition	Minimum Respiratory Protection* Required Above 50 ppm			
Gas Concentraton				
100 ppm or less	Any chemical cartridge respirator with an ammonia cartridge(s).			
	Any supplied-air respirator.			
	Any self-contained breathing apparatus.			
300 ppm or less	A chemical cartridge respirator with a full facepiece and an ammonia cartridge(s).			
500 ppm or less	A gas mask with a chin-style or a front- or back-mounted ammonia canister.			
	Any supplied-air respirator with a full facepiece, helmet, or hood.			
	Any self-contained breathing apparatus with a full facepiece.			
Greater than 500 ppm** or entry and escape from unknown concentrations	Self-contained breathing apparatus with a full facepiece operated in pressure- demand or other positive pressure mode.			
	A combination respirator which includes a Type C supplied-air respirator with a full facepiece operated in pressure-demand or other positive pressure or continuous-flow mode and an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive pressure mode.			
Fire Fighting	Self-contained breathing apparatus with a full facepiece operated in pressure- demand or other positive pressure mode.			
Escape	Any gas mask providing protection against ammonia.			
	Any escape self-contained breathing apparatus.			

^{*}Only NIOSH-approved or MSHA-approved equipment should be used.

September 1978 Ammonia 5

^{**}Use of supplied-air suits may be necessary to prevent skin contact while providing respiratory protection from airborne concentrations of ammonia; however, this equipment should be selected, used, and maintained under the immediate supervision of trained personnel. Where supplied-air suits are used above a concentration of 500 ppm, an auxiliary self-contained breathing apparatus operated in positive pressure mode should also be worn.

(Gas) Density: Not pertinent; Ratio of Specific Heats of Vapor (Gas): Not pertinent; Latent Heat of Vaporization: Not pertinent; Heat of Combustion: Data not available; Heat of Decomposition: Not pertinent; (iv) Health Hazards Information — Recommended Personal Protective Equipment: Respirator for nuisance dust; Symptoms Following Exposure: Inhalation of dust irritates nose and throat. Contact with eyes causes mild irritation; General Treatment for Exposure: INHALATION: remove to fresh air. EYES OR SKIN: flush with water; Toxicity by Inhalation (Threshold Limit Value): Data not available; Short-Term Exposure Limits: Data not available; Toxicity by Ingestion: Data not available; Late Toxicity: Data not available; Vapor (Gas) Irritant Characteristics: Data not available; Liquid or Solid Irritant Characteristics: Data not available; Odor Threshold: Data not available.

Ammonium Hydroxide (< 20 % Aqueous Ammonia) — (i) Chemical Designations — Synonyms: Ammonia Water, Aqueous Ammonia, Household Ammonia; Chemical Formula: NH₄OH—H₂O; (ii) Observable Characteristics — Physical State (as normally shipped): Liquid; Color: Colorless; Odor: Pungent; (iii) Physical and Chemical Properties — Physical State at 15 °C and 1 atm.: Liquid; Molecular Weight: Not pertinent; Boiling Point at 1 atm.: Not pertinent; Freezing Point: Not pertinent; Critical Temperature: Not pertinent; Critical Pressure: Not pertinent; Specific Gravity: 0.89 at 20°C (liquid); Vapor (Gas) Density: Not pertinent; Ratio of Specific Heats of Vapor (Gas): Not pertinent; Latent Heat of Vaporization: Not pertinent; Heat of Combustion: Not pertinent; Heat of Decomposition: Not pertinent; (iv) Health Hazards Information — Recommended Personal Protective Equipment: Rubber boots, gloves, apron, and coat; broad-brimmed rubber or felt hat; safety goggles. Use of protective oil will reduce skin irritation from ammonia; Symptoms Following Exposure: Contact of liquid or vapor with skin, mucous membranes, lungs, or gastroenteric tract causes marked local irritation. Ingestion causes burning pain in mouth, throat, stomach, and thorax. constriction of throat, and coughing. This is soon followed by vomiting of blood or by passage of loose stools containing blood. Breathing difficulty, convulsions, and shock may result. Brief exposure to 5000 ppm of ingestion of 3-4 ml may be fatal; General Treatment for Exposure: INHALATION: give artificial respiration and oxygen if needed; enforce rest. INGESTION: do NOT induce vomiting; lavage stomach with water or lemon juice, milk, or demulcents; delay may cause perforation of esophagus or stomach; swelling of glottis may necessitate tracheostomy. EYES OR SKIN: wash with plenty of water; Toxicity by Inhalation (Threshold Limit Val. ppm; Short-Term Exposure Limits: (ammonia gas ppm for 30 min.; 500 ppm for 10 min.; Toxic. Ingestion: Grade 3; oral rat, LD₅₀ 350 mg/kg; Toxicity: Data nat available; Vapor (Gas) Irritant Cl teristics: Vapors cause moderate irritation sucl personnel will find high concentrations intolerable effect is temporary; Liquid or Solid Irritant Cl teristics: Causes smarting of the skin and first-c burns on short exposure; may cause second-degree on long exposure; Odor Threshold: 50 ppm.

Ammonium Iodide — (i) Chemical Designation Synonyms: No common synonyms; Chemical For NH₄I; (ii) Observable Characteristics — *Physical* (as normally shipped): Solid; Color: White; Odor: 1 (iii) Physical and Chemical Properties — Physical at 15 °C and 1 atm.: Solid; Molecular Weight: 14 Boiling Point at 1 atm.: Not pertinent (sublimes); Fre Point: Not pertinent; Critical Temperature: Not pert Critical Pressure: Not pertinent; Specific Gravity: 2 20°C (solid); Vapor (Gas) Density: Not pertinent; Re Specific Heats of Vapor (Gas): Not pertinent; Lateni of Vaporization: Not pertinent; Heat of Combustion pertinent; Heat of Decomposition: Not pertinent Health Hazards Information — Recommended Per Protective Equipment: Dust mask; goggles or face s rubber gloves; Symptoms Following Exposure: Inha causes irritation of nose and throat. Contact with causes irritation; General Treatment for Expe INHALATION: remove to fresh air. INGESTIC significant amount has been ingested, get m attention. EYES: flush with water; Toxicity by Inha (Threshold Limit Value): Data not available; Short Exposure Limits: Data not available; Toxicity by Inge Data not available: Late Toxicity: Data not avail Vapor (Gas) Irritant Characteristics: Data not avai Liquid or Solid Irritant Characteristics: Data not avai Odor Threshold: Odorless.

Ammonium Lactate — (i) Chemical Designatio Synonyms: Ammonium Lactate Syrup; dl-Lactic Ammonium Salt; Chemical Formula: Cl (OH)COONH₄; (ii) Observable Characteristics — sical State (as normally shipped): Solid or liquid; (White; Odor: None; (iii) Physical and Che Properties — Physical State at 15 °C and 1 atm.: Molecular Weight: 107.11; Boiling Point at 1 atm. pertinent; Freezing Point: Not pertinent; Critical T rature: Not pertinent; Critical T ressure: Not pertinent; Critical Pressure: Not pertinent; Critical T could be specific Gravity: 1.2 at 15°C (solid); Vapor (Gas) Description of the superior of the superi

and symptoms included nausea, flushing of seed blood pressure; weakness; convulsions

sis: Other causes of conferentiated from 2-am.

These include idiopath ensive encephalopathy ces, such as hypoglycuremia, and porphymathy, such infections and exposure to other conference.

convulsions occur, diagnald include analysis of calcium, urea nitrogen.

olution is splashed in the . immediately flush with of convulsions, diazepan 1 phenobarbital may be or intramuscularly.4 In of 5 to 10 mg Valium ide into a large vein over te and repeated every two cessary. Rapid injection cardiac arrest. The alter nobarbital, may also be in a dose of 200 mg, to be y every four hours. If the ponsive to these doses of phenobarbital, it is worth ier occasional seizure serious consequence that -induced coma that would ng doses of medication.

Preplacement screening emphasis on detecting e disorders. Such person risk from exposure.

eferences

Heterocyclic and miscan compounds. In Fassir, D. D. (eds.): Toxicology, F. A. (ed.): Industrial Toxicology, ed. 2, 774 / York: Interscience, 1965 / Coxicology of the Eye.

3. A.C.G.I.H.: 2-Aminopyridine. Documentation of the TLVs for Substances in Workroom Air. ed. 3, p. 11. Cincinnati,

Adams, R. D.: The convulsive state and idiopathic epilepsy. *In Thorn*, G. W., et al. (eds.): Harrison's Principles of Internal Medicine. ed. 8, pp. 127–135. New York: McGraw-Hill, 1977.

AMMONIA

 NH_3

1977 TLV 25 ppm

Synonyms: Ammonia gas

Physical Form: Colorless gas

Uses: Refrigeration: petroleum

Uses: Refrigeration; petroleum refining; manufacture of fertilizers, nitric acid, explosives, plastics and other chemicals

Exposure: Inhalation

Toxicology: Ammonia is a severe irritant of the eyes, respiratory tract, and skin.

Exposure to and inhalation of concentrations of 2500 to 6500 ppm cause severe corneal irritation, dyspnea, bronchospasm, chest pain, and pulmonary edema, which may be fatal; production of pink frothy sputum often occurs. Consequences can include bronchitis or pneumonia; some residual reduction in pulmonary function has been reported.¹

In a human experimental study which exposed ten subjects to various vapor concentrations for five minutes, 134 ppm caused irritation of the eyes, nose, and throat in most subjects, and one person complained of chest imitation; at 72 ppm, several reported the same symptoms; at 50 ppm, two reported masal dryness, and at 32 ppm only one reported nasal dryness.² In a survey of eight workers in a blueprint shop, ammonia concentrations of 4 to 29 ppm caused "barely moticeable" to "moderate" eye irritation; no respiratory irritation was reported.³

Tolerance to usually irritating concentrations of ammonia may be acquired by adaptation, a phenomenon frequently observed among workers who became inured to the effects of exposure; no data are available on concentrations that are irritating to workers who are regularly exposed to ammonia and who presumably have a higher irritation threshold.

Liquid anhydrous ammonia in contact with the eyes may cause serious eye injury or blindness; on the skin, it causes first- and second-degree burns, which are often severe and, if extensive, may be fatal. Vapor concentrations of 10,000 ppm are mildly irritating to the moist skin, while 30,000 ppm or greater cause a stinging sensation and may produce skin burns and vesiculation.⁴

The TLV is set at a level to prevent irritation to the eyes and respiratory tract.⁵

Diagnosis: Signs and symptoms include eye, nose, throat irritation; dyspnea, bronchospasm, chest pain, pulmonary edema, pink frothy sputum; skin and eye burns and vesiculation.

Differential Diagnosis: In mild exposure resulting in mucous membrane irritation, the symptoms may mimic a viral upper respiratory tract infection. The latter may be characterized by fever, myalgias, and lymphocytosis. As the tracheobronchial tree and pulmonary parenchyma become involved, the symptoms and signs must be differentiated from cardiogenic pulmonary edema, severe viral or bacterial pneumonia, and adult respiratory distress syndromes.

Special Tests: Diagnostic studies should include electrocardiogram, sputum gram stain and culture, differential white blood count, and arterial blood gas analysis.

Treatment: If the liquid is splashed in the eyes or on the skin, immediately flush with water. If severe exposure is suspected, immediate hospitalization and observation for 72 hours for delayed onset of severe pulmonary edgma are advisable.

Refer to Therapeutic Maneuvers in Treatment of Respiratory Irritants, Chapter 6. Obtain chest X-ray and examine for infiltrates. Perform analysis of arterial blood gases. Maintain P_{O_2} above 60 mm Hg by instituting, in stepwise fashion, the following measures as needed:

- 1. Administration of 60 to 100 per cent oxygen by mask or cannula
- 2. Intubation and mechanical ventilation
- 3. Positive end expiratory pressure breathing Fluid balance must be maintained; use of a diuretic may be required. Steroids may be administered on a short-term basis (two to

Preter The Chemical Hazards of the Workplace

four days) to decrease the inflammatory response of the lung.

Medical Control: Preplacement and annual physical examinations with emphasis on examination of the respiratory system, eyes, and skin; pulmonary function testing, such as FVC and FEV (1 sec.); $14'' \times 17''$ chest roentgenogram.

References

Principal

102

1. Department of Labor: Exposure to Ammonia, Proposed Standard. Federal Register, 40:54684, 1975.

2. National Institute for Occupational Safety and Health, U.S. Department of Health, Education and Welfare: Criteria for a Recommended Standard. Occupational Exposure to Ammonia (NIOSH). pp. 74-136. Washington, D.C.: U.S. Government Printing Office, 1974.

3. Hygienic Guide Series: Anhydrous ammonia. Am. Ind. Hyg. Assoc. J., 32:139, 1971.

Supplemental

- 4. Patty, F. A.: Alkaline materials. In Fassett, D. W., and Irish, D. D. (eds.): Toxicology. vol. 2. In Patty, F. A. (ed.): Industrial Hygiene and Toxicology. 2, pp. 859-862. New York: Interscience, 1963.
- 5. A.C.G.I.H.: Ammonia. Documentation of the TLVs for Substances in Workroom Air. ed. 3, p. 289. Cincinnati, 1976.

AMMONIUM SULFAMATE

NH₄SO₃NH₂

1977 TLV 10 mg/m3

Synonyms: Ammate

Physical Form: Hygroscopic crystals

Uses: Manufacture of weed-killing compounds and fire-retardant compositions

Exposure: Inhalation

Toxicology: Ammonium sulfamate is of low toxicity; there are no reports of effects in hu-

Repeated application of a 4 per cent solu-

tion to the anterior surface of one arm of each of five human subjects for five days caused no skin irritation.1

In rats, the intraperitoneal injection of 0.8 g./kg caused the death of six of ten animals: effects were stimulation of respiration and then prostration.1

The TLV is recommended as a guide for good industrial hygiene practice for agents of low toxicity.3

Diagnosis: There are no known signs and symptoms.

Differential Diagnosis: None is specific.

Special Tests: None is specific.

Treatment: Remove from exposure; flush eyes and skin with water. 308

Medical Control: None required.

References

- 1. Ambrose, A. M.: Studies on the physic logical effects of sulfamic acid and ammonium sulfamate. J. Ind. Hyg. Toxicol, 25:26, 1943
- 2. A.C.G.I.H.: Ammonium sulfamate (ammate). Documentation of the TLVs for Substances in Workroom Air. ed., 3, p. 12. Cincinnati, 1976.

n-AMYL ACETATE

 $C_7H_{14}O_2$

1977 TLV 100 ppm

Synonyms: Amyl acetic ether; pear oil Physical Form: Liquid

Uses: Manufacture of lacquers, artificial leather, photographic film, artificial glass, cel luloid, artificial silk and furniture polish

Exposure: Inhalation; minor skin absorp

Toxicology: n-Amyl acetate is an irritant mucous membranes; at high concentrations causes narcosis in animals, and it is expected that severe exposure will produce the same effect in humans.

Human subjects exposed to 900 ppm for minutes experienced irritation of the nose, and throat, with cough and slight fatigue. Early reports of systemic injury

humans may have been caused in the n-amyl acetate.1 This sul faiting agent, and prolonged produce dermatitis.1

Narcosis occurred in guine ppm but not at 2000 ppm; howed injury to the lungs, I neys. Several drops of the lieyes caused temporary corner

Amyl acetate may be reco centrations of 7 ppm by the characteristic of esters.2

The TLV was set to preve the eyes and respiratory passag Diagnosis: Signs and sympto ation of the eyes, nose, an matitis. By analogy with effe mimals, signs and symptoms vous system depression may from sustained exposure to h Hôns:

Differential Diagnosis: Diffe ner causes of conjunctiviti membrane irritation, such as vi the upper respiratory tract and Special Tests: None is specific Treatment: Institute appro ures such as removal from ex

Medical Control: Preplacer re with emphasis on detecti chronic respiratory disease o persons may be at incre exposure.

of skin areas, and irrigatic

References

Browning, E.: Toxicity and Industrial Solvents. pp. . ork: Elsevier, 1965. Hygienic Guide Series: Am

Ind. Hyg. Assoc. J., 26:199 Crant, W. M.: Toxicology pp. 133-134. Springfie Lhomas, 1974.

ACG.I.H.: n-Amyl acetat for of the TLVs for Subst wom: Air. ed. 3, pp. 12ne contains particles that readily ad onjunctiva; they often induce ulcera orneal epithelium and stromal opacity penetrate to the iris or lens. It is sential to wash out the conjunctivally. A .01-.05 M near-neutral solution etate (EDTA) is said to be useful to ent particles. See also Calcium Salts

Jnknown d.

nong chronically exposed workers, ce itis assumes many forms: skin dryness rophy of nails, eczematous rashes, etc. f cement dermatitis have been widely st American authorities regard the wet cement (pH about 12), its abraperhaps its hydroscopicity as the s that make it hazardous to skin and ibranes. Several European dermatol er, have reported skin hypersensitive dent chromium (see Chromium trior. lex) among cement workers. Because ean cements (e.g., from Switzerland) iderable amounts of chromates, chro-/ has been regarded as a contributory ent dermatitis (Calnan, 1960, 1973). A 4 found no evidence that allergies to ickel or cobalt were importantly renatitis in the American cement indus et al., 1974). Because the older Euroe has not been adequately explained not satisfactorily resolved. Acute der is to wet cement are usually treated s. Obviously gloves, impervious books rotective gear should be worn when

1973; Perone et al., 1974; Rowe and

und dishwasher products. The most all corrosive substance in such mixtures. A solution in water has a pH of about 125 lively high buffer capacity. Dangerous eyes and on all mucous membranes.

isually has a mole ratio of 2.0 to 2.5 the ratio (e.g., the less sodium) the lubility and alkalinity. Less soluble and than sodium metasilicate, which has

mole ratio of 1:1 (see latter above). The acute oral LD $_{50}$ in the rat varies from 1.1 to 1.6 gm./kg. Forms gelatinous mixtures with water. Except for nonspecific irritation of skin, cornea and mucous membranes, and perhaps corrosive lesions with the

more alkaline mixtures, no toxic actions are recognized. Said to be partly absorbed and excreted in the urine; thus excretion during chronic exposures may contribute to the production of urinary calculi.

See also: Lye, Reference Congener in Section III.

Ref.: Morris, 1953; Task Force on the Health Effects of non-NTA Detergent Builders, 1981.

59 Potassium Phosphate (Tribasic)

59

Aqueous solutions are alkaline and may produce a caustic burn like Trisodium Phosphate. See also

Potassium salts in the index.

See also: Lye, Reference Congener in Section III.

60 Trisodium Phosphate

60

Sodium phosphate tribasic

Aqueous solutions are highly alkaline and may produce a caustic burn.

See also: Lye, Reference Congener in Section III. Ref.: Cann and Verhulst, 1958a.

61 Lithium Hydride

61

Lithium hydride has many uses in space and nuclear technology. It reacts vigorously when placed in water to liberate hydrogen and form lithium hydroxide. If powdered, lithium hydride may ignite spontaneously in humid air or on contact with moist mucous surfaces. The resulting tissue injury may have features of both thermal damage and strong alkali corrosion. The accidental explosion of

See also: Lye, Reference Congener in Section III. Ref.: Cracovaner, 1964.

a cylinder of lithium hydride sprayed material in the eye of a physicist and caused him to swallow a small amount of the dust. The resulting burns caused scarring of both corneas, stricture of the larynx, trachea, bronchi and esophagus. Despite intensive surgical treatment this case eventually terminated fatally.

62 Calcium Carbide

62

Used to generate acetylene for lighting purposes. Inert when dry, but reacts quickly with water to form acetylene and calcium hydroxide in a vigorously exothermic reaction. In contact with moist mucous membranes this reaction would probably result in a severe thermal and caustic burn. Pre-

See also: Lye, Reference Congener in Section III. Ref.: Manufacturing Chemists' Assoc., 1948b.

sumably the acetylene produced would be of less toxic significance than the local lesion. Contact of calcium carbide dust with the eye or moist areas of the skin may produce marked irritation. Systemic effects do not occur.

Ammonia and amines that form strongly alkaline solutions

63 Ammonia

63

Ammonia water, Ammonium hydroxide, Ammonia gas

Most freshly opened bottles of household ammonia range from 5 to 10% (w/v) ammonia (NH₃). Dilute ammonia water (USP) is 9 to 10% (w/v) NH₃, whereas strong ammonia solution (USP) is 27 to 30% (w/v) NH₃. When ingested, any of these solutions is capable of producing a corrosive esophagitis, sometimes with an associated gastritis. The

inhalation of anhydrous ammonia gas accidentally released in industrial accidents has produced acute and chronic respiratory disease. Anhydrous liquid ammonia produces second-degree burns on the skin and extensive destruction of the anterior chamber in the eye.

See also: Ammonia, Reference Congener in Section III.

64 Monoethanolamine (and Salts)

64

2-Aminoethanol, β -Aminoethyl alcohol, β -Hydroxyethylamine, β -Ethanolamine

Toxicity Rating: 3. A somewhat viscous, clear, hydroscopic fluid. Used to remove H₂S and CO₂ from

natural gas, also as an emulsifier in polishes and hair wave solution and as a dispersing agent for

Pontyot A Comprehensive Guiter Petride 1992 the the za don Properties of Chemical Substance

can initiate base-catalyzed polymerizations of acrylonitrile, allyl alcohol, and other viganic unsaturates susceptible to polymetization, often resulting in explosions.

Most hazardous reactions of potassium hydroxide are similar to those of caustic soda and many are well documented (NFPA 1986). Explosions occurred when caustic potash was added to liquid chlorine dioxide (Mellor 1946), nitrogen trichloride, N-nitrosomethyl urea in n-butyl ether (NFPA 1986), and maleic anhydride (MCA 1960). Reaction with phosphorus yields

TABLE 6.1 Compound/Sy CAS No.

> Rubidium hydi dium hydrate

Toxicity and Hazardous Reactions of Miscellaneous Alkalies

Composite Synonyms/ CAS No	Formula/ MW	Toxicity	Hazardous Reactions
Lithium Adroxide (lithium hydraxe [1310-65-2]; lithium Aydroxide monohydraxe [1310-66-3]	LiOH 23.95 LiOH·H ₂ O 41.97	Highly corrosive, very irritating to skin and eyes; caustic effects similar to caustic soda but to a lesser extent; low toxicity; systemic toxicity similar to other compounds of lithium; DOT Label: Corrosive Material, UN 2679 (for anhydrous salt), UN 2680 (for hydrate)	Explosive polymerization may occur when in contact with certain unsaturate organics; strongly alkaline but less caustic to sodium hydroxide; expected to undergo many hazardous reactions similar to caustic soda
Ammoniu hydroxide (aquecin ammonia, aqua ammonii ammonia soluticin ammonia water) [1336-2-0]	NH4OH 35.06	Highly caustic and corrosive; contact with eyes and skin can cause severe irritation; concentrated solutions emit ammonia, which can cause lachrymation and severe irritation of respiratory tract and acute pulmonary edema (see Section 20.1); static 24-hr median lethal tests with channel catfish indicated that while ammonia was lethal with LC ₅₀ value of 1.45 NH ₃ -N mg/L, NH ₄ ion from NH ₄ Cl was essentially nontoxic to channel catfish at the same pH (Sheehan and Lewis 1986); moderately toxic by ingestion; LD ₅₀ oral (rats): 350 mg/kg; DOT Label: Corrosive Material, NA 2672 (for 12–44% ammonia content)	Reacts violently with many silver salts, such as silver nitrate, silver oxide, silver perchlorate, and permanganate, causing explosions—attributed to the formation of shock-sensitive silver nitride or silver complexes; explosion may occur when its reaction products with gold and mercury with variable compositions are heated and dried; in concentrated solution it reacts with excess of iodine to form nitrogen iodide, which may detonate on drying (Mellor 1946, Suppl. 1964); produces flame and/or explosion when mixed with fluorine; reacts violently with dimethyl sulfate (NFPA 1986); exothermic reactions occur when its concentrated solution is mixed

(continued)

Wew look: Vin Noghand fein hold

Barium hydrox hydrate, caust [17194-00-2]

Calcium hydro lime, calciun **[1305-62-0]**

Potassium car (dipotassium pearl ash, po [584-08-7]

Sodium carbo tassium carb tol carbonate [497-19-8]

United States
Environmental Protection
Agency

Office of Environmental Information Washington, DC 20460 Revised December 2000 EPA 745-R-00-005



EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW SECTION 313

Guidance for Reporting Aqueous Ammonia

Section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) requires certain facilities manufacturing, processing, or otherwise using listed toxic chemicals to report their environmental releases of such chemicals annually. Beginning with the 1991 reporting year, such facilities also must report pollution prevention and recycling data for such chemicals, pursuant to section 6607 of the Pollution Prevention Act, 42 U.S.C. 13106. When enacted, EPCRA section 313 established an initial list of toxic chemicals that was comprised of more than 300 chemicals and 20 chemical categories. EPCRA section 313(d) authorizes EPA to add chemicals to or delete chemicals from the list, and sets forth criteria for these actions.

CONTENTS

Section 1.	Introduction	3
1.1	Who Must Report	3
1.2	Thresholds	3
1.3	Chemical Sources of Aqueous Ammonia	4
1.4	De Minimis Concentrations	
Section 2.	Guidance for Reporting Aqueous Ammonia	5
2.1	Determining Threshold and Release Quantities for Ammonia	5
2.2	Chemical Sources of Aqueous Ammonia	6
2.2.1	Reporting Aqueous Ammonia Generated from Anhydrous Ammonia in	
	Water	6
2.2.2	Reporting Aqueous Ammonia Generated from the Dissociation of	
	Ammonium Salts (Other Than Ammonium Nitrate)	7
2.2.3	Reporting Aqueous Ammonia Generated from the Dissociation of	
	Ammonium Nitrate	8
Section 3.	CAS Number List of Some Chemical Sources of Aqueous Ammonia 1	1

FOREWORD

This document is an updated version of the previous document, EPA 745-R-95-012. This version has the following updates:

- Under Section 1.4. *de minimis* concentrations on page 4, the second sentence is modified to clarify *de minimis* concentration for aqueous ammonia; and
- References to *List of Toxic Chemicals within the Water Dissociable Nitrate Compounds Category and Guidance for Reporting* (EPA #745-R-00-006, Revised December, 2000) are added in the last sentence on page 8, in the example 6 on page 9, and in the example 7 on page 10.

Section 1. Introduction

On June 30, 1995 EPA finalized four actions in response to a petition received in 1989 to delete ammonium sulfate (solution) from the list of toxic chemicals subject to reporting under section 313 of the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA), 42 U.S.C. 11001. The four actions taken are summarized as follows: (1) deleted ammonium sulfate (solution) from the EPCRA section 313 list of toxic chemicals, (2) required that threshold and release determinations for aqueous ammonia be based on 10 percent of the total aqueous ammonia present in aqueous solutions of ammonia, (3) modified the ammonia listing by adding the following qualifier: ammonia (includes anhydrous ammonia and aqueous ammonia from water dissociable ammonium salts and other sources; 10 percent of total aqueous ammonia is reportable under this listing), and (4) deleted ammonium nitrate (solution) as a separately listed chemical on the EPCRA section 313 list of toxic chemicals. All actions are effective for the 1994 reporting year for reports due July 1, 1995, with the exception of the deletion of ammonium nitrate (solution) as a separately listed chemical, which is effective for the 1995 reporting year for reports due July 1, 1996. At the time that these actions were finalized, EPA indicated that the Agency would develop, as appropriate, interpretations and guidance that the Agency determines are necessary to facilitate accurate reporting for aqueous ammonia. This document constitutes such guidance for reporting under the ammonia listing.

Section 1.1 Who Must Report

A facility is subject to the provisions of EPCRA section 313, if it meets <u>all</u> three of the following criteria:

- It is included in Standard Industrial Classification (SIC) Code 10 (except SIC Codes 1011, 1081, and 1094); SIC Code 12 (except SIC Code 1241); SIC Codes 20 through 39; SIC Code 4911 (limited to facilities that combust coal and/or oil for the purpose of generating power for distribution in commerce); SIC Code 4931 (limited to facilities that combust coal and/or oil for the purpose of generating power for distribution in commerce); SIC Code 4939 (limited to facilities that combust coal and/or oil for the purpose of generating power for distribution in commerce); SIC Code 4953 (limited to facilities regulated under the Resource Conservation and Recovery Act, Subtitle C, 42 U.S.C. Section 6921 et seq.); SIC Code 5169; SIC Code 5171; and SIC Code 7389 (limited to facilities primarily engaged in solvent recovery services on a contract or fee basis); and
- It has 10 or more full-time employees (or the equivalent 20,000 hours per year); and
- It manufactures, imports, processes, or otherwise uses any of the toxic chemicals listed on the EPCRA section 313 list in amounts greater than the "threshold" quantities specified in Section 1.2.

Section 1.2 Thresholds

Thresholds are specified amounts of toxic chemicals used during the calendar year that trigger reporting requirements.

If a facility *manufactures* or *imports* any of the listed toxic chemicals, the threshold quantity will be:

! 25,000 pounds per toxic chemical or category during the calendar year.

If a facility *processes* any of the listed toxic chemicals, the threshold quantity will be:

• 25,000 pounds per toxic chemical or category during the calendar year.

If a facility *otherwise uses* any of the listed toxic chemicals (without incorporating it into any product or producing it at the facility), the threshold quantity is:

• 10,000 pounds per toxic chemical or category during the calendar year.

Section 1.3 Chemical Sources of Aqueous Ammonia

If a facility manufactures, processes, or otherwise uses anhydrous ammonia or aqueous ammonia, they must report under the ammonia listing. EPA is providing a table of Chemical Abstract Service (CAS) numbers and chemical names to aid the regulated community in determining whether they need to report under the ammonia listing for aqueous ammonia. This table includes a list of water dissociable ammonium salts which, when placed in water, are a source of aqueous ammonia. The table contains only commonly used ammonium salts and therefore is not exhaustive. If a facility manufactures, processes, or otherwise uses aqueous ammonia, regardless of its source, it must report under the ammonia listing, even if the source of the aqueous ammonia is not listed in the table provided in this document.

Section 1.4 De Minimis Concentrations

The ammonia listing is subject to the one percent *de minimis* concentration. Thus, mixtures containing total aqueous ammonia at concentrations equal to or in excess of *one percent* should be factored into threshold and release determinations.

Section 2. Guidance for Reporting Aqueous Ammonia

Note: for the purposes of reporting under the ammonia listing for aqueous ammonia, water dissociable ammonium salts means that the ammonium ion dissociates from its counterion when in solution.

Section 2.1 Determining Threshold and Release Quantities for Ammonia

If a facility manufactures, processes, or otherwise uses *anhydrous ammonia*, the quantity applied towards threshold determinations for the ammonia listing is the total quantity of the anhydrous ammonia manufactured, processed, or otherwise used. The quantity reported when calculating the amount of ammonia that is released, transferred, or otherwise managed is the total quantity of *anhydrous ammonia* released or transferred.

If the facility manufactures, processes, or otherwise uses *anhydrous ammonia* in quantities that exceed the appropriate threshold and subsequently dissolves some or all of the *anhydrous ammonia* in *water*, then the following applies: 1) threshold determinations are based on 100 percent of the *anhydrous ammonia*; 2) release, transfer, and other waste management quantities for the *aqueous ammonia* are calculated as 10 percent of total ammonia; and 3) release, transfer, and other waste management quantities for the *anhydrous ammonia* are calculated as 100 percent of the *anhydrous ammonia*.

If a facility manufactures, processes, or otherwise uses *aqueous ammonia*, the quantity applied toward threshold determinations for the ammonia listing is 10 percent of the total quantity of the *aqueous ammonia* manufactured, processed, or otherwise used. The quantity reported when calculating the amount of ammonia that is released, transferred, or otherwise managed is 10 percent of the total quantity of *aqueous ammonia* released or transferred.

If a facility dissolves a water dissociable ammonium salt in water that facility has manufactured aqueous ammonia and 10 percent of the total aqueous ammonia manufactured from these salts is to be included in manufacturing threshold determinations under the ammonia listing.

If *aqueous ammonia* from water dissociable ammonium salts is processed or otherwise used, then 10 percent of the total *aqueous ammonia* is to be included in all processing and otherwise use threshold determinations under the ammonia listing.

<u>Example 1</u>: In a calendar year, a facility places 25,000 lbs of anhydrous ammonia in water for processing and processes 25,000 lbs of aqueous ammonia from an ammonium salt. The facility must include all of the 25,000 lbs of anhydrous ammonia in the determination of the processing threshold, but only 10 percent (or 2,500 lbs) of the aqueous ammonia from the ammonium salt in the processing threshold determination.

Total aqueous ammonia is the sum of the two forms of ammonia (un-ionized, NH₃, and ionized, NH₄⁺) present in aqueous solutions. A precise calculation of the weight of total aqueous ammonia would require determining the ratio of the two forms of ammonia present using the pH and temperature of the solution. The weight of total aqueous ammonia can be more easily calculated by assuming that aqueous ammonia is comprised entirely of the NH₄⁺ form or the NH₃ form. For the purpose of determining threshold and release quantities under EPCRA section 313, EPA recommends that total aqueous ammonia be calculated in terms of NH₃ equivalents (i.e., for determining weights, assume total ammonia is comprised entirely of the NH₃ form). This method is simpler than using pH and temperature data to determine the ratio of the two forms present and is consistent with the presentation of total ammonia toxicity in a separate EPA document, *Ambient Water Quality Criteria for Ammonia* (EPA document #440/5-85-001, January 1985).

Section 2.2 Chemical Sources of Aqueous Ammonia

Aqueous ammonia may be generated in solution from a variety of sources that include the release of anhydrous ammonia to water and the dissociation of ammonium salts in water. Water dissociable ammonium salts are not reportable in their entirety under the ammonia listing; these salts are reportable to the extent that they dissociate in water, and only 10 percent of the total aqueous ammonia that results when these salts dissociate is reportable. If these salts are not placed in water, they are not reportable.

If ammonium salts are purchased neat or as solids by a facility, then placed in water by that facility, the facility is *manufacturing* aqueous ammonia.

Section 2.2.1 Reporting Aqueous Ammonia Generated from Anhydrous Ammonia in Water

If the source of aqueous ammonia is anhydrous ammonia in water, total aqueous ammonia (calculated in terms of NH₃ equivalents) is equal to the quantity of anhydrous ammonia manufactured, processed, or otherwise used. A hypothetical scenario demonstrating the calculations involved in reporting aqueous ammonia generated from anhydrous ammonia in water is given in Example 2.

Example 2: In a calendar year, a facility uses 30,000 pounds of anhydrous ammonia to neutralize acids in a waste water stream. The neutralized waste stream (containing aqueous ammonia from dissociated ammonium salts) is then transferred to a POTW. The quantity to be applied toward threshold determinations is the total quantity of anhydrous ammonia used in the waste stream neutralization, or 30,000 pounds. The quantity of ammonia reported as transferred is 10 percent of the total quantity of aqueous ammonia transferred, or 3,000 pounds.

Section 2.2.2 Reporting Aqueous Ammonia Generated from the Dissociation of Ammonium Salts (Other Than Ammonium Nitrate)

If the source of aqueous ammonia is the dissociation of ammonium salts in water, total aqueous ammonia (calculated in terms of NH_3 equivalents) is calculated from the weight percent (wt%) of the NH_3 equivalents of the ammonium salt. The NH_3 equivalent wt% of an ammonium salt is calculated using the following equation:

 NH_3 equivalent wt% = $(NH_3$ equivalent weight)/(MW ammonium salt) x 100.

If the source of aqueous ammonia is a monovalent compound (such as ammonium chloride, NH₄Cl, ammonium nitrate, NH₄NO₃, or ammonium bicarbonate, NH₄HCO₃), the NH₃ equivalent weight is equal to the MW of NH₃ (17.03 kg/kmol). If divalent compounds are involved (such as ammonium carbonate, (NH₄)₂CO₃), then the NH₃ equivalent weight is equal to the MW of NH₃ multiplied by two. Similarly, if trivalent compounds are involved, then the NH₃ equivalent weight is equal to the MW of NH₃ multiplied by three.

Example 3:

The NH₃ equivalent wt% of ammonium chloride is calculated as follows:

NH₃ equivalent wt% = (NH₃ equivalent weight)/(MW ammonium chloride) x 100

 NH_3 equivalent wt% = $(17.03)/(53.49) \times 100$

 NH_3 equivalent wt% = 31.84%.

The NH₃ equivalent wt% of ammonium carbonate is calculated as follows:

 NH_3 equivalent wt% = 2 x (NH_3 equivalent weight)/(MW ammonium carbonate) x 100

 NH_3 equivalent wt% = 2 x (17.03)/(96.09) x 100

 NH_3 equivalent wt% = 35.45%

To aid the regulated community in reporting under the ammonia listing for aqueous ammonia, the table of chemical sources of aqueous ammonium provided in Section 3 of this document includes, in addition to CAS number, chemical name, and molecular weight, the NH₃ equivalent wt% of the commonly used, water dissociable ammonium salts listed in Table 1.

Example 4: In a calendar year, a facility uses 100,000 pounds of ammonium chloride, NH₄Cl, *in aqueous solution* which is released to waste water streams, then transferred to a POTW. The NH₃ equivalent wt% of ammonium chloride is 31.84% (taken from Table 1 in section 3 below or calculated as in Example 3 above). The total quantity of aqueous ammonia present in solution is 31.84% of the 100,000 pounds of ammonia chloride used, or 31,840 pounds. The quantity applied towards threshold determinations for the ammonia listing is 10 percent of the total quantity of aqueous ammonia present in solution, or 3,184 pounds. The quantity of ammonia reported as released or transferred is 10 percent of the total quantity of aqueous ammonia released or transferred, or 3,184 pounds.

Example 5: In a calendar year, a facility uses 500,000 pounds of ammonium carbonate, (NH₄)₂CO₃, and 400,000 pounds of ammonium bicarbonate, NH₄HCO₃, *in aqueous solution* which is released to waste water streams, then transferred to a POTW. The NH₃ equivalent wt% of ammonium carbonate is 35.45%, and the NH₃ equivalent wt% of ammonium bicarbonate is 21.54% (taken from Table 1 in Section 3 below or calculated as in Example 3 above). The quantity of aqueous ammonia present in solution from ammonium carbonate is 35.45% of the 500,000 pounds of ammonia carbonate used, or 177,250 pounds. The quantity of aqueous ammonia present in solution from ammonium bicarbonate is 21.54% of the 400,000 pounds of ammonia bicarbonate used, or 86,160 pounds. The total quantity of aqueous ammonia present in solution is 263,410 pounds. The quantity applied towards threshold determinations for the ammonia listing is 10 percent of the total quantity of aqueous ammonia present in solution, or 26,341 pounds. The quantity of ammonia reported as released or transferred is 10 percent of the total quantity of aqueous ammonia released or transferred, or 26,341 pounds.

Section 2.2.3 Reporting Aqueous Ammonia Generated from the Dissociation of Ammonium Nitrate

Some sources of aqueous ammonia may be reportable under other EPCRA section 313 category listings. Ammonium nitrate (solution) is relevant to reporting under the ammonia listing to the extent that 10 percent of the total aqueous ammonia that results when ammonium nitrate dissociates is reported when determining thresholds and calculating releases. However, under the nitrate compounds category listing, ammonium nitrate (and other mixed salts containing ammonium and nitrate) must be reported in its entirety. When reporting ammonium nitrate under this category listing, the total nitrate compound, including both the nitrate ion portion and the ammonium counterion, is included when

determining threshold quantities. However, only the nitrate ion portion is included when determining the amount of ammonium nitrate that is released, transferred, or otherwise managed in wastes. The calculations involved in determining threshold and release quantities for reporting under the nitrate compounds category listing are described in a separate directive, *List of Toxic Chemicals within the Water Dissociable Nitrate Compounds Category and Guidance for Reporting* (EPA #745-R-00-006, Revised December, 2000). Note: reporting ammonium nitrate under the ammonia listing and the nitrate compounds category listing is effective for the 1995 reporting year for reports due July 1, 1996.

Example 6: In a calendar year, a facility uses 1,250,000 pounds of ammonium nitrate, NH₄NO₃, *in aqueous solution* which is released to waste water streams, then transferred to a POTW. The NH₃ equivalent wt% of ammonium nitrate is 21.28% (taken from Table 1 in Section 3 below or calculated as in Example 3 above). The total quantity of aqueous ammonia present in solution is 21.28% of the 1,250,000 pounds of ammonia chloride used, or 266,000 pounds. The quantity applied towards threshold determinations for the ammonia listing is 10 percent of the total quantity of aqueous ammonia present in solution, or 26,600 pounds. The quantity of ammonia reported as released or transferred is 10 percent of the total quantity of aqueous ammonia released or transferred, or 26,600 pounds. For determining thresholds and calculating releases under the nitrate compounds category listing, see the separate directive, *List of Toxic Chemicals within the Water Dissociable Nitrate Compounds Category and Guidance for Reporting* (EPA #745-R-00-006, Revised December, 2000).

Example 7: In a calendar year, a facility transfers 100,000 pounds of nitric acid (HNO₃) to an onsite treatment facility. The nitric acid is neutralized with anhydrous ammonia, and treatment efficiency is 95 percent (the nitrate compound formed as a result of the treatment is ammonium nitrate, NH₄NO₃). The neutralized waste stream (containing aqueous ammonia from dissociated ammonium nitrate) is then transferred to a POTW. The quantity of nitric acid neutralized is 95 percent of 100,000 pounds or 95,000 pounds. The quantity of nitric acid neutralized is converted first to kilograms then to kilomoles using the following equations:

```
Kilograms HNO_3 neutralized = (lbs HNO_3 neutralized) x (0.4536 kg/lb)
Kilomoles HNO_3 neutralized = (kg HNO_3) ÷ (MW of HNO_3 in kg/kmol).
```

Substituting the appropriate values into the above equations yields:

```
Kilograms HNO<sub>3</sub> neutralized = 95,000 lbs x 0.4536 kg/lb = 43,092 kg
Kilomoles HNO<sub>3</sub> neutralized = 43,092 kg \div 63.01 kg/kmol = 683.9 kmol.
```

(Example 7 is continued below)

(Example 7, continued)

The quantity of anhydrous ammonia used in kilomoles in the acid neutralization and the quantity of ammonium nitrate generated in kilomoles from the neutralization are equal to the quantity of nitric acid neutralized (683.9 kmol). The quantity of anhydrous ammonia used in kilograms and pounds in the acid neutralization is calculated as follows:

```
Kilograms NH_3 used = (kmol NH_3) x (MW of NH_3 in kg/kmol).
Pounds NH_3 used = (kg NH_3) x (2.205 lbs/kg).
```

Substituting the appropriate values into the above equations yields:

```
Kilograms NH<sub>3</sub> used = (683.9 kmol) x (17.03 kg/kmol).
= 11,647 kmol.
Pounds NH<sub>3</sub> used = (11,647 NH<sub>3</sub>) x (2.205 lbs/kg).
= 25,682 pounds.
```

The quantity reported applied towards threshold determinations for the ammonia listing is the total quantity of anhydrous ammonia used in the acid neutralization, or 25,682 pounds. The quantity of ammonia reported as released or transferred is 10 percent of the total quantity of aqueous ammonia released or transferred, or 2,568 pounds. For determining thresholds and calculating releases under the nitrate compounds category listing, see the separate directive, *List of Toxic Chemicals within the Water Dissociable Nitrate Compounds Category and Guidance for Reporting* (EPA #745-R-00-006, Revised December, 2000).

Section 3. CAS Number List of Some Chemical Sources of Aqueous Ammonia

EPA is providing the following table of CAS numbers and chemical names to aid the regulated community in determining whether they need to report under the ammonia listing for aqueous ammonia. If a facility manufactures, processes, or otherwise uses, *in aqueous solution*, a chemical which is listed below, they must report 10 percent of the total aqueous ammonia that is the result of the dissociation of this chemical. However, this list is not exhaustive. If a facility manufactures, processes, or otherwise uses, *in aqueous solution*, a water dissociable ammonium compound, they must report 10 percent of the total aqueous ammonia that is the result of the dissociation of the compound, even if the compound does not appear in the following table.

Table 1. Listing by CAS Number and Molecular Weight of Some Chemical Sources of Aqueous Ammonia				
Chemical Name	Molecular Weight*	NH ₃ Equivalent Wt%	CAS Number	
Ammonium acetate	77.08	22.09	631-61-8	
Ammonium aluminum sulfate (Ammonium aluminum disulfate)	237.14	7.181	7784-25-0	
Ammonium antimony fluoride (Diammonium pentafluoroantimonate)	252.82	13.47	32516-50-0	
Ammonium arsenate (Ammonium arsenate, hydrogen) (Ammonium arsenate, dihydrogen)	158.97	10.71	13462-93-6	
Ammonium arsenate (Diammonium arsenate) (Diammonium arsenate, hydrogen) (Diammonium arsenate, monohydrogen)	176.00	19.35	7784-44-3	
Ammonium arsenite	124.96	13.63	13462-94-7	
Ammonium azide	60.06	28.35	12164-94-2	
Ammonium benzenesulfonate	175.20	9.720	19402-64-3	
Ammonium benzoate	139.15	12.24	1863-63-4	
Ammonium bromate	145.94	11.67	13843-59-9	
Ammonium bromide	97.94	17.39	12124-97-9	
Ammonium cadmium chloride (Ammonium cadmium trichloride)	236.81	7.191	18532-52-0	
Ammonium carbamate	78.07	21.81	1111-78-0	
Ammonium carbonate carbamate	157.13	21.68	8000-73-5	
Ammonium carbonate (Diammonium carbonate)	96.09	35.45	506-87-6	

Ammonium carbonate, hydrogen (Ammonium bicarbonate)	79.06	21.54	1066-33-7
Ammonium cerium nitrate (Ammonium hexanitratocerate) (Ammonium hexanitratocerate (IV)) (Diammonium cerium hexanitrate)	548.23	6.213	16774-21-3
Ammonium cerous nitrate (Ammonium cerous nitrate, tetrahydrate)	486.22	7.005	13083-04-0
Ammonium chlorate	101.49	16.78	10192-29-7
Ammonium perchlorate	117.49	14.49	7790-98-9
Ammonium chloride	53.49	31.84	12125-02-9
Ammonium chromate (Ammonium chromate (VI)) (Diammonium chromate)	152.07	22.40	7788-98-9
Ammonium chromate (Ammonium dichromate) (Ammonium dichromate (VI)) (Ammonium bichromate) (Diammonium dichromate)	252.06	13.51	7789-09-5
Ammonium chromium sulfate (Ammonium chromic sulfate)	265.17	6.422	13548-43-1
Ammonium citrate (Ammonium citrate, monohydrogen) (Ammonium citrate, dibasic) (Diammonium citrate) (Diammonium citrate, hydrogen)	226.19	15.06	3012-65-5
Ammonium citrate (Ammonium citrate, tribasic) (Triammonium citrate)	243.22	21.01	3458-72-8
Ammonium cobalt sulfate (Ammonium cobaltous sulfate)	289.14	11.78	13596-46-8
Ammonium cupric chloride (Ammonium chlorocuprate (II)) (Diammonium copper tetrachloride) (Diammonium tetrachlorocuprate)	241.43	14.11	15610-76-1
Ammonium cyanate (Ammonium isocyanate)	60.06	28.35	22981-32-4
Ammonium cyanide	44.06	38.65	12211-52-8
Ammonium cyanoaurate, monohydrate (Ammonium tetracyanoaurate, monohydrate)	319.07	5.337	14323-26-3

			
Ammonium cyanoaurate (Ammonium dicyanoaurate)	267.04	6.377	31096-40-9
Ammonium ferricyanide (Ammonium hexacyanoferrate (III)) (Triammonium hexacyanoferrate)	266.07	19.20	14221-48-8
Ammonium ferrocyanide (Ammonium hexacyanoferrate (II)) (Tetraammonium ferrocyanide) (Tetraammonium hexacyanoferrate)	284.11	23.98	14481-29-9
Ammonium fluoride	37.04	45.98	12125-01-8
Ammonium fluoride (Ammonium difluoride) (Ammonium bifluoride) (Ammonium fluoride, hydrogen) (Ammonium difluoride, hydrogen) (Ammonium bifluoride, hydrogen)	57.04	29.86	1341-49-7
Ammonium fluoroborate (Ammonium tetrafluoroborate)	104.84	16.24	13826-83-0
Ammonium fluorogermanate (IV) (Ammonium hexafluorogermanate (IV)) (Diammonium hexafluorogermanate)	222.66	15.30	16962-47-3
Ammonium fluorophosphate (Ammonium hexafluorophosphate)	163.00	10.45	16941-11-0
Ammonium fluorosulfate (Ammonium fluorosulfonate)	117.10	14.54	13446-08-7
Ammonium formate	63.06	27.01	540-69-2
Ammonium gallium sulfate	282.90	6.020	15335-98-5
Ammonium hydroxide	35.05	48.59	1336-21-6
Ammonium iodide	144.94	11.75	12027-06-4
Ammonium iridium chloride (Ammonium chloroiridate (III)) (Ammonium hexachloroiridate) (Triammonium hexachloroiridate)	459.05	11.13	15752-05-3
Ammonium iron sulfate (Ammonium ferric sulfate) (Ammonium iron disulfate)	269.02	6.330	10138-04-2
Ammonium iron sulfate (Ammonium ferrous sulfate) (Diammonium iron disulfate) (Diammonium ferrous disulfate)	286.05	11.91	10045-89-3

	· · · · · · · · · · · · · · · · · · ·		
Ammonium lactate (Ammonium 2-hydroxypropionate)	107.11	15.90	515-98-0
Ammonium laurate (Ammonium dodecanoate)	217.35	7.835	2437-23-2
Ammonium magnesium sulfate	252.50	13.49	14727-95-8
Ammonium malate	168.15	20.26	6283-27-8
Ammonium malate, hydrogen (Ammonium bimalate)	151.12	11.27	5972-71-4
Ammonium molybdate (Diammonium molybdate)	196.01	17.38	13106-76-8
Ammonium molybdate (Ammonium heptamolybdate) (Ammonium molybdate, hydrate) (Ammonium molybdate, tetrahydrate) (Ammonium para molybdate, tetrahydrate)	1163.8	8.780	12054-85-2
Ammonium nickel chloride, hexahydrate	183.09	9.301	16122-03-5
Ammonium nickel sulfate (Ammonium nickel sulfate, hexahydrate) (Ammonium nickel disulfate, hexahydrate) (Diammonium nickel disulfate, hexahydrate)	286.88	11.87	7785-20-8
Ammonium nitrate	80.04	21.28	6484-52-2
Ammonium nitrate sulfate	212.18	24.08	12436-94-1
Ammonium nitrite	64.04	26.59	13446-48-5
Ammonium oleate	299.50	5.686	544-60-5
Ammonium oxalate	124.10	27.45	1113-38-8
Ammonium palladium chloride (Ammonium chloropalladate (II)) (Ammonium tetrachloropalladate (II)) (Diammonium tetrachloropalladate)	284.31	11.98	13820-40-1
Ammonium phosphate (Ammonium orthophosphate)	149.09	34.27	10124-31-9
Ammonium phosphate (Ammonium biphosphate) (Ammonium phosphate, hydrogen) (Ammonium phosphate, dihydrogen) (Ammonium orthophosphate, dihydrogen) (Ammonium phosphate, monobasic)	115.03	14.80	7722-76-1

Ammonium phosphate (Ammonium phosphate, hydrogen) (Ammonium orthophosphate, monohydrogen) (Ammonium phosphate, dibasic) (Ammonium orthophosphate, dibasic) (Diammonium phosphate) (Diammonium orthophosphate) (Diammonium phosphate, hydrogen) (Diammonium phosphate, monohydrogen) (Diammonium orthophosphate, hydrogen)	132.06	25.79	7783-28-0
Ammonium phosphinate (Ammonium hypophosphite)	83.03	20.51	7803-65-8
Ammonium phosphite (Ammonium biphosphite) (Ammonium phosphite, dihydrogen)	99.03	17.20	13446-12-3
Ammonium picramate	216.15	7.879	1134-85-6
Ammonium propionate	91.11	18.69	17496-08-1
Ammonium rhodium chloride (Ammonium chlororhodate (III)) (Ammonium hexachlororhodate (III)) (Triammonium rhodium hexachloride) (Triammonium hexachlororhodate)	369.74	13.82	15336-18-2
Ammonium salicylate (Ammonium 2-hydroxybenzoate)	155.15	10.98	528-94-9
Ammonium selenide	115.04	29.61	66455-76-3
Ammonium silicon fluoride (Ammonium fluorosilicate) (Ammonium hexafluorosilicate) (Diammonium silicon hexafluoride) (Diammonium fluorosilicate) (Diammonium hexafluorosilicate)	178.15	19.12	16919-19-0
Ammonium stearate (Ammonium octadecanoate)	301.51	5.648	1002-89-7
Ammonium succinate (Diammonium succinate)	152.15	22.39	2226-88-2
Ammonium sulfamate (Ammonium amidosulfate) (Ammonium amidosulfonate)	114.12	14.92	7773-06-0
Ammonium sulfate (Diammonium sulfate)	132.13	25.78	7783-20-2

Ammonium sulfate (Ammonium bisulfate) (Ammonium sulfate, hydrogen) (Ammonium sulfate, monohydrogen)	115.10	14.80	7803-63-6
Ammonium persulfate (Ammonium peroxysulfate) (Ammonium peroxydisulfate) (Diammonium persulfate) (Diammonium peroxydisulfate)	228.19	14.93	7727-54-0
Ammonium sulfide (Ammonium bisulfide) (Ammonium sulfide, hydrogen)	51.11	33.32	12124-99-1
Ammonium sulfide (Ammonium monosulfide) (Diammonium sulfide)	68.14	49.99	12135-76-1
Ammonium sulfide (Diammonium pentasulfide)	196.39	17.34	12135-77-2
Ammonium sulfite, monohydrate (Diammonium sulfite, monohydrate)	116.13	29.33	7783-11-1
Ammonium sulfite (Ammonium bisulfite) (Ammonium sulfite, hydrogen)	99.10	17.18	10192-30-0
Ammonium tetrachloroaurate (III), hydrate	356.82	4.772	13874-04-9
Ammonium thiocarbamate	94.13	18.09	16687-42-6
Ammonium thiocarbonate (Diammonium trithiocarbonate)	144.27	23.61	13453-08-2
Ammonium thiocyanate (Ammonium isothiocyanate) (Ammonium sulfocyanate) (Ammonium rhodanate) (Rhodanid)	76.12	22.37	1762-95-4
Ammonium dithionate	196.19	17.36	60816-52-6
Ammonium thiosulfate (Ammonium hyposulfite) (Diammonium thiosulfate)	148.20	22.98	7783-18-8
Ammonium tin bromide (Ammonium bromostannate (IV)) (Ammonium hexabromostannate (IV)) (Diammonium hexabromostannate)	634.19	5.371	16925-34-1

Ammonium tin chloride (Ammonium chlorostannate (IV)) (Ammonium hexachlorostannate (IV)) (Diammonium tin hexachloride) (Diammonium hexachlorostannate)	367.48	9.269	16960-53-5
Ammonium titanium fluoride (Ammonium fluorotitanate (IV)) (Ammonium hexafluorotitanate (IV)) (Diammonium titanium hexafluoride) (Diammonium hexafluorotitanate)	197.95	17.21	16962-40-6
Ammonium titanium oxalate, monohydrate (Diammonium dioxalatooxotitanate, monohydrate)	276.00	12.34	10580-03-7
Ammonium tungstate (Ammonium tungstate (VI)) (Ammonium paratungstate) (Hexaammonium tungstate)	1779.2	5.743	12028-06-7
Ammonium tungstate (Ammonium tungstate (VI)) (Ammonium para tungstate) (Decaammonium tungstate)	3058.6	5.568	11120-25-5
Ammonium valerate (Ammonium pentanoate)	119.16	14.29	42739-38-8
Ammonium zinc chloride (Ammonium chlorozincate) (Ammonium tetrachlorozincate) (Diammonium tetrachlorozincate)	243.27	14.00	14639-97-5

^{*} For hydrated compounds, e.g. ammonium sulfite, monohydrate, the molecular weight excludes the weight of the hydrate portion.

K. Vk - Othmer (2) 1992

Ammonia [7664-41-7], NH3, a colorless alkaline gas, is lighter than air and possesses a unique, penetrating odor. The preparation of ammonium salts dates back to the early Egyptians in the fourth century BC. Ammonia gas was first produced as a pure compound by Priestly in 1774.

The value of nitrogen compounds as an ingredient of mineral fertilizers was recognized in 1840. Nitrogen is an essential element to plant growth and ammonia is the primary nitrogen source used in fertilizers (qv). Until the early 1900s, the nitrogen source in farm soils was entirely derived from natural sources: from mineral resources such as Chilean nitrates, from manure and the putrefaction of vegetable wastes; and from ammonium sulfate from coal coking, seed meals, sewage sludges, and food processing by-products. The synthesis of ammonia directly from hydrogen [1333-74-0] (qv) and nitrogen [7727-37-9] (qv) on a commercial scale was pioneered by Haber and Bosch in 1913, for which they were awarded Nobel prizes. Further developments in economical, large scale ammonia production for fertilizers have made a significant impact on increases in the world's food supply.

Physical Properties

Table 1 lists the important physical properties of ammonia; Table 2 gives the densities at 15°C; Figure 1 is a Mollier diagram giving additional thermodynamic data for ammonia. The flammable limits of ammonia in air are 16 to 25% by volume; in oxygen the range is 15 to 79%. Such mixtures can explode although ammonia-air mixtures are quite difficult to ignite. The ignition temperature is about 650°C.

Ammonia is readily absorbed in water to make ammonia liquor. Figure 2 summarizes the vapor-liquid equilibria of aqueous ammonia solutions and Figure 3 shows the solution vapor pressures. Additional thermodynamic properties may be found in the literature (1,2). Considerable heat is evolved during the solution of ammonia in water: approximately 2180 kJ (520 kcal) of heat is evolved upon the dissolution of 1 kg of ammonia gas.

Ammonia is an excellent solvent for salts, and has an exceptional capacity to ionize electrolytes. The alkali metals and alkaline earth metals (except beryllium) are readily soluble in ammonia. Iodine, sulfur, and phosphorus dissolve in ammonia. In the presence of oxygen, copper is readily attacked by ammonia. Potassium, silver, and uranium are only slightly soluble. Both ammonium and beryllium chloride are very soluble, whereas most other metallic chlorides are slightly soluble or insoluble. Bromides are in general more soluble in ammonia than chlorides, and most of the iodides are more or less soluble. Oxides, fluorides, hydroxides, sulfates, sulfites, and carbonates are insoluble. Nitrates (eg, ammonium nitrate) and urea are soluble in both anhydrous and aqueous ammonia making the production of certain types of fertilizer nitrogen solutions possible. Many organic compounds such as amines (qv), nitro compounds, and aromatic sulfonic acids, also dissolve in liquid ammonia. Ammonia is superior to water in solvating organic compounds such as benzene (qv), carbon tetrachloride, and hexane.

and posites back produced

izers was immonia 900s, the ces: from action of id meals, nonia dimmercial awarded a producrld's food

gives the odynamic of 25% by although erature is

Figure 2 nd Figure rties may olution of upon the

apacity to eryllium) in ammootassium, beryllium e slightly onia than fluorides, eg, ammoammonia possible. aromatic water in oride, and

Table 1. Physical Properties of Anhydrous Ammonia

Property	Value
molecular weight	17.03
boiling point, °C	-33.35
freezing point, °C	77.7
critical temp, °C	133.0
critical pressure, kPa ^a	11,425
specific heat, J/(kg·K) ^b	
0°C	2097.2
100°C	2226.2
200°C	2105.6
heat of formation of gas, $\Delta H_{\rm f}$, kJ/mol ^b	
0 K	-39,222
298 K	-46,222
solubility in water, wt %	
0°C	42.8
$20^{\circ}\mathrm{C}$	33.1
40°C	23.4
$60^{\circ}\mathrm{C}$	14.1
specific gravity	
-40°C	0.690
$0^{\circ}\mathrm{C}$	0.639
40°C	0.580

^aTo convert kPa to psi, multiply by 0.145.

Table 2. Density of Aqueous Ammonia at 15°C

Ammonia, wt %	Density, g/L
8	0.970
16	0.947
32	0.889
50	0.832
75	0.733
100	0.618

Chemical Properties

Ammonia is comparatively stable at ordinary temperatures, but decomposes into hydrogen and nitrogen at elevated temperatures. The rate of decomposition is greatly affected by the nature of the surfaces with which the gas comes into contact: glass is very inactive; porcelain and pumice have a distinct accelerating effect; and metals such as iron, nickel, osmium, zinc, and uranium have even more of an effect. At atmospheric pressure, decomposition begins at about 450–500°C, whereas in the presence of catalysts, it begins as low as 300°C and is nearly complete at 500–600°C. At 1000°C, however, a trace of ammonia remains. Ammonia decomposition, a source of high purity hydrogen and nitrogen for use in metals processing, can also be promoted electrically or photochemically.

^bTo convert J to cal, divide by 4.184.




Fig. 1. Mollier diagram for ammonia. Numbers on dashed lines represent specific volume values in m^3/kg . To convert from kPa to psi, multiply by 0.145. To convert kJ to kcal, divide by 4.184. Courtesy of Elliot Company.




Fig. 2. Vapor-liquid equilibrium of ammonia-water system. Numbers represent the weight percent of ammonia in the liquid (1).

Ammonia reacts readily with a large variety of substances (see Ammonium compounds; Amines by reduction; Amines). Oxidation at a high temperature is one of the more important reactions, giving nitrogen and water. Gaseous ammonia is oxidized to water and nitrogen when heated to a relatively high temperature in the presence of oxides of the less positive metals, such as cupric oxide. Powerful oxidizing agents, eg, potassium permanganate, react similarly at ordinary temperatures.

$$2 \text{ NH}_3 + 2 \text{ KMnO}_4 \longrightarrow 2 \text{ KOH} + 2 \text{ MnO}_2 + 2 \text{ H}_2\text{O} + \text{N}_2 \tag{1}$$

The action of chlorine on ammonia can also be regarded as an oxidation reaction.

$$8 \text{ NH}_3 + 3 \text{ Cl}_2 \longrightarrow \text{N}_2 + 6 \text{ NH}_4 \text{Cl}$$
 (2)




Fig. 3. Vapor pressure of aqueous ammonia solution (1). Numbers represent the weight percent of ammonia in the liquid. To convert kPa to psi, multiply by 0.145.

A major step in the production of nitric acid [7697-37-2] (qv) is the catalytic oxidation of ammonia to nitric acid and water. Very short contact times on a platinum-rhodium catalyst at temperatures above 650°C are required.

$$4 \text{ NH}_3 + 5 \text{ O}_2 \longrightarrow 4 \text{ NO} + 6 \text{ H}_2\text{O}$$
 (3)

$$2 \text{ NO} + \text{O}_2 \longrightarrow 2 \text{ NO}_2 \tag{4}$$

$$3 \text{ NO}_2 + \text{H}_2\text{O} \longrightarrow 2 \text{ HNO}_3 + \text{NO}$$
 (5)

The neutralization of acids is of commercial importance. Three principal fertilizers, ammonium nitrate [6484-52-2], NH₄NO₃, ammonium sulfate [7782-20-2], (NH₄)₂SO₄, and ammonium phosphate [10361-65-6], (NH₄)₃PO₄, are made by reaction of the respective acids with ammonia.

The reaction between ammonia and water is reversible.

$$NH_3 + H_2O \rightleftharpoons NH_4^+ + OH^-$$
 (6)

The aqueous solubility of ammonia decreases rapidly as temperature increases. The existence of undissociated ammonium hydroxide [1336-21-6], NH₄OH, in aqueous solution is doubtful although there are indications that ammonia exists in

Vol. 2

water in the form of the hydrates $NH_3 \cdot H_2O$ and $2 \cdot NH_3 \cdot H_2O$. The ammonium ion, NH_4^+ , behaves similarly to the alkali metal cations. Ammonia, a comparatively weak base, however, ionizes in water to a much lesser extent than sodium hydroxide. In a molar solution of aqueous ammonia, the concentration of the hydroxyl ion is about two-hundredths that of the hydroxyl ion concentration in a molar sodium hydroxide solution.

Aqueous ammonia also acts as a base precipitating metallic hydroxides from solutions of their salts, and in forming complex ions in the presence of excess ammonia. For example, using copper sulfate solution, cupric hydroxide, which is at first precipitated, redissolves in excess ammonia because of the formation of the complex tetramminecopper(II) ion.

$$CuSO_4 + 2 NH_3 \cdot H_2O \longrightarrow Cu(OH)_2 + (NH_4)_2SO_4$$
 (7)

$$Cu(OH)_2 \longrightarrow Cu^{2+} + 2 OH^-$$
 (8)

$$4 \text{ NH}_3 + \text{Cu}^{2+} \iff [\text{Cu}(\text{NH}_3)_4]^{2+} \tag{9}$$

Potassium dissolves in liquid ammonia, but the conversion of a small amount of the metallic potassium to the metallic amide takes several days. By applying the same technique using sodium metal, sodium amide [7782-92-5], NaNH₂, a white solid, can be formed.

$$2 \text{ Na} + 2 \text{ NH}_3 \longrightarrow 2 \text{ NaNH}_2 + \text{H}_2 \tag{10}$$

Heating metallic lithium in a stream of gaseous ammonia gives lithium amide [7782-89-0], LiNH₂, which may also be prepared from liquid ammonia and lithium in the presence of platinum black. Amides of the alkali metals can be prepared by double-decomposition reactions in liquid ammonia. For example

$$NaI + KNH_2 \xrightarrow{\text{liq NH}_3} NaNH_2 + KI$$
 (11)

Heating ammonia with a reactive metal, such as magnesium, gives the nitride.

$$3 Mg + 2 NH_3 \longrightarrow Mg_3N_2 + 3 H_2$$
 (12)

Magnesium reacts slowly at lower temperatures to give the amide, as do all active metals; this reaction is catalyzed by transition metal ions. Aluminum nitride [24304-00-5], AlN, barium nitride [12047-79-9], Ba₃N₂, calcium nitride [12013-82-0], Ca₃N₂, strontium nitride [12033-82-8], Sr₃N₂, and titanium nitride [25583-20-4], TiN, may be formed by heating the corresponding amides.

Halogens react with ammonia. Chlorine or bromine liberate nitrogen from excess ammonia and give the corresponding ammonium salt. Substitution probably takes place first. The resulting trihalide combines loosely with another molecule of ammonia, to give NCl₃·NH₃ for example. These ammoniates are very unstable and decompose in the presence of excess ammonia to give the ammonium salt and nitrogen.

$$NCl_3 NH_3 + 3 NH_3 \longrightarrow N_2 + 3 NH_4Cl$$
 (13)

30

resent the 1.145.

catalytic imes on a

(3)

(4)

(5)

principal 7782-20-2], e by reac-

(6)

increases. I, in aqueexists in The iodine compound is more stable and separates as so-called nitrogen triiodide monoammoniate [14014-86-9], NI₃·NH₃, an insoluble brownish-black solid, which decomposes when exposed to light in the presence of ammonia. In reactions of the halogens with the respective ammonium salts, however, the action is different. Chlorine replaces hydrogen and nitrogen chloride [10025-85-1], NCl₃, separates as oily, yellow droplets capable of spontaneous explosive decomposition.

$$NH_4Cl + 3 Cl_2 \longrightarrow NCl_3 + 4 HCl$$
 (14)

The hydrogen of the ammonium salt is not replaced by bromine and iodine. These elements combine with the salt to form perhalides.

$$NH_4Br + Br_2 \longrightarrow NH_4Br_3$$
 (15)

A number of perhalides are known, and one of the most stable is ammonium tetrachloroiodide [19702-43-3], NH₄ICl₄. Ammonia reacts with chlorine in dilute solution to give chloramines, a reaction important in water purification (see Chloramines and Bromamines). Depending upon the pH of the water, either monochloramine [10599-90-3], NH₂Cl, or dichloramine [3400-09-7], NHCl₂, is formed. In the dilutions encountered in waterworks practice, monochloramine is nearly always found, except in the case of very acidic water (see Bleaching agents; Water).

Ammonia reacts with phosphorus vapor at red heat to give nitrogen and phosphine.

$$2 NH_3 + 2 P \longrightarrow 2 PH_3 + N_2$$
 (16)

Sulfur vapor and ammonia react to give ammonium sulfide and nitrogen; sulfur and liquid anhydrous ammonia react to produce nitrogen sulfide [28950-34-7], N_4S_4 .

$$10 S + 4 NH_3 \longrightarrow 6 H_2S + N_4S_4 \tag{17}$$

Ammonia and carbon at red heat give ammonium cyanide [12211-52-8], NH₄CN.

Ammonia forms a great variety of addition or coordination compounds (qv), also called ammoniates, in analogy with hydrates. Thus $CaCl_2\cdot 6NH_3$ and $CuSO_4\cdot 4NH_3$ are comparable to $CaCl_2\cdot 6H_2O$ and $CuSO_4\cdot 4H_2O$, respectively, and, when regarded as coordination compounds, are called ammines and written as complexes, eg, $[Cu(NH_3)_4]SO_4$. The solubility in water of such compounds is often quite different from the solubility of the parent salts. For example, silver chloride, AgCl, is almost insoluble in water, whereas $[Ag(NH_3)_2]Cl$ is readily soluble. Thus silver chloride dissolves in aqueous ammonia. Similar reactions take place with other water insoluble silver and copper salts. Many ammines can be obtained in a crystalline form, particularly those of cobalt, chromium, and platinum.

Of major industrial importance is the reaction of ammonia and carbon dioxide giving ammonium carbamate [1111-78-0], $CH_6N_2O_2$.

$$2 NH_3 + CO_2 \longrightarrow NH_2CO_2NH_4$$
 (18)

odide

which of the erent.

tes as

(14)

odine.

(15)

onium dilute n (see either Cl_2 , is nine is

en and

.CHING

(16)

sulfur *9-34-7*],

(17)

H₄CN. ds (qv), I₃ and y, and, tten as is often iloride, e. Thus be with ited in a

carbon

(18)

which then decomposes to urea (qv) and water

$$NH_2CO_2NH_4 \longrightarrow NH_2CONH_2 + H_2O$$
 (19)

This is an example of an ammonolytic reaction in which a chemical bond is broken by the addition of ammonia. It is analogous to the hydrolysis reactions of water. An impressive number of inorganic and organic compounds undergo ammonolysis.

Manufacture

Vol. 2

Ammonium compounds were produced in the 1890s on a large scale as by-product ammonium sulfate [7783-20-2] from coke oven gas. Coke oven gas also provided the feedstock for the Haber-Bosch process, the first technology to synthesize ammonia directly from elemental hydrogen and nitrogen. The first commercial Haber-Bosch installation went on stream in 1913 at a Badische Anilin and Soda Fabrik (BASF) facility in Ludwigshafen-Oppau, Germany. It had a design capacity of 30 metric tons per day. The successful commercialization of this process not only produced first-of-a-kind high temperature and pressure equipment designs but also resulted in the promoted iron catalyst which is essentially still used for ammonia synthesis.

Between 1930 and 1950, the primary emphasis of ammonia process development was in the area of synthesis gas generation (3) (see FUELS, SYNTHETIC, GASEOUS FUELS). Extensive coal deposits in Europe provided the feedstock for the ammonia industry. The North American ammonia industry was based primarily on abundant supplies of low cost natural gas (see GAS, NATURAL).

Natural gas reforming at successively higher pressures resulted in lower downstream compression requirements. By the early 1960s, the expensive and cumbersome copper liquor process for final carbon oxide removal was being replaced by methanation, which permitted two-stage shift conversion with resultant low carbon monoxide leakage. The development of the second stage low temperature shift catalyst further improved the efficiency of the process by increasing the ultimate hydrogen yield from synthesis gas.

A step change in the capacity attainable from single-train plants occurred in 1963 with the commissioning of a 544 t/d unit designed by The M. W. Kellogg Company; this was followed by a similar size plant for Monsanto in Luling, Louisiana. The Monsanto plant marked the first time centrifugal compressors were used for all process services using full integration with utility systems. These innovations were the forerunner for the large scale single-train 907 and 1500 t/d plant designs which proliferated in the 1970s.

Rapid expansion resulted from engineering efforts to meet an increasing world demand for fixed nitrogen. Improvements in the energy cycle, including high pressure steam generation from waste heat, and technical advances in compressors, reformers, and converters (4,5) all led to more efficient ammonia production taking full advantage of the economy of scale provided by large tonnage single-train plants.

Vol. 2

rate of ercentowever, oroducopera-

, 120 and

dependogen-toe. Most
ver, the
igned to
30).
articles
creases.
thin the
tial flow
lial and
nm size.

Synthesis Gas Preparation Processes. Synthesis gas for ammonia production consists of hydrogen and nitrogen in about a three to one mole ratio, residual methane, argon introduced with the process air, and traces of carbon oxides. There are several processes available for synthesis gas generation and each is characterized by the specific feedstock used. A typical synthesis gas composition by volume is: hydrogen, 73.65%; nitrogen, 24.55%; methane, <1 ppm-0.8%; argon, 100 ppm-0.34%; carbon oxides, 2-10 ppm; and water vapor, 0.1 ppm.

The source of nitrogen is always air. However, hydrogen can be derived from a variety of raw materials including water, light and heavy hydrocarbons (qv) resulting from crude oil refining, coal (qv), natural gas, and sometimes a combination of these raw materials. In all cases, part of the hydrogen produced is derived from water.

Synthesis gas preparation consists of three steps: (1) feedstock conversion, (2) carbon monoxide conversion, and (3) gas purification. Table 4 gives the main processes for each of the feedstocks (qv) used. In each case, except for water electrolysis, concommitant to the reactions shown, the water-gas shift reaction occurs.

$$CO + H_2O \Longrightarrow CO_2 + H_2 \qquad \Delta H = -41 \text{ kJ/mol } (-9.8 \text{ kcal/mol})$$
 (23)

Equilibrium is achieved in steam reforming; equilibrium is approached for partial oxidation process.

Table 4. Hydrogen Generation Raw Materials and Processes

Raw material	Process description	Feedstock conversion reaction
natural gas naphtha fuel oil coal water	steam reforming ^a steam reforming ^b partial oxidation coal gasification electrolysis	$\begin{array}{c} C_n H_{(2n+2)} + n \ H_2 O \leftrightarrows n \ CO + (2n+1) \ H_2 \\ C_n H_{(2n+2)} + n \ H_2 O \leftrightarrows n \ CO + (2n+1) \ H_2 \\ C_n H_{(2n+2)} + n/2 \ O_2 \leftrightarrows n \ CO + (n+1) \ H_2 \\ C + 1/2 \ O_2 \leftrightarrows CO \\ H_2 O \xrightarrow{e^-} 1/2 \ O_2 + H_2 \end{array}$

aNickel is used as catalyst.

In the original Haber-Bosch process, the hydrogen source was coke derived from coal. In this process, shown in Figure 5, coke is first blasted with air and the heat liberated by the formation of carbon dioxide raises the coke to incandescence. The products of combustion leave the system by going to the atmosphere. Steam is added next to produce water gas containing carbon dioxide, carbon monoxide, and hydrogen. The nitrogen is usually furnished by adding a sufficient quantity of the combustion products from the blasting step to the gas stream. Dust particles and undecomposed steam are then removed by water scrubbing. A gas holder provides storage. The carbon monoxide in the gas is

^bPromoted nickel is used as catalyst.





Fig. 5. Haber-Bosch process flow diagram.

converted to hydrogen and carbon dioxide by reaction with steam over a catalyst and the converted gas is stored in another gas holder, compressed, and the carbon dioxide removed by water scrubbing. The gas is then compressed and scrubbed using an ammoniacal cuprous solution to remove unconverted carbon monoxide. The resultant, relatively pure gas, consisting of three parts hydrogen to one part nitrogen, is then fed as makeup gas to the synthesis loop.

The most economic hydrocarbon feedstock is likely to be the one having the highest hydrogen to carbon ratio. From Table 4 it can be seen that, for a given amount of carbon (feed), proportionally more hydrogen is generated by steam reforming than by partial oxidation. Thus, in the manufacture of hydrogen for ammonia synthesis, partial oxidation processes require more feed, ultimately leading to larger carbon dioxide removal facilities. In addition, the raw synthesis gas generated by partial oxidation is much higher in carbon monoxide content than that coming from a steam reforming operation. This high CO content requires larger facilities, both in terms of equipment and catalyst, for shift conversion. Because more CO_2 removal and higher shift conversion lead to higher investment and operating costs, partial oxidation processes are normally used only for materials which cannot be handled by steam reforming such as coal or heavy hydrocarbon feeds.

Hydrogen produced by the electrolysis of water is used in special circumstances only: where electric power is plentiful, inexpensive, and light hydrocarbons are not available.

Catalytic reformer off-gases from oil refinery gasoline production have been a source of hydrogen. Several ammonia plants have been built using this off-gas which is usually about 85% hydrogen, as raw material feed. In such installations,







· a catalyst the carbon 1 scrubbed monoxide. to one part

having the or a given I by steam drogen for ultimately v synthesis de content content relift converto higher mally used as coal or

ial circumt hydrocar-

have been this off-gas stallations, a liquid nitrogen wash system is used to remove the undesirable impurities in the gas feed and to provide the nitrogen required for synthesis. Because of increased demand for hydrogen in refinery hydro-treating operations, little by-product hydrogen is available and generally additional hydrogen is needed. Therefore, fewer ammonia plants using reformer off-gas have been built than in the past.

Of the raw material hydrogen sources—natural gas, coal, and petroleum fractions—natural gas is the most often employed in ammonia plants in the 1990s and steam reforming is by far the most often used process. Partial oxidation processes are utilized where steam-reformable feeds are not available or in special situations where local conditions exist to provide favorable economics. Table 5 lists the contribution of the various feedstocks to world ammonia capacity in 1983 and 1987 (31).

Table 5. Feedstocks for World Ammonia Capacity, Annual %

Feedstock	1983	1987
natural gas	66.4	69.8
natural gas hybrid ^a	7.5	5.8
naphtha, fuel oil, condensate	12.4	10.5
coke oven, refinery gas, hydrogen	4.3	3.9
coal	10.8	10.0
Total	100.0	100.0

^aHybrid plants are naphtha and fuel oil-based plants modified to use natural gas.

Coal-Based Partial Oxidation Processes

Two commercially established processes utilizing coal feeds are the Lurgi process (32) and the Koppers-Totzek process (33); the process schemes are shown in Figures 6 and 7, respectively.

In the Lurgi process, coal is gasified in a fixed bed reactor using oxygen and steam at about 2000-3000 kPa (20-30 atm). The steam and oxygen enter the gasifier through slots in a rotary grate while the coal is charged through specially designed lock hoppers and distributed evenly over the cross section of the gasifier. Ash is removed in a nonslagging operation by the rotary grate. Gasification temperatures range from about 560°C to 620°C depending on the feed characteristics. Because the gasification temperature is in the intermediate range and the operating pressure is relatively high, the methane and carbon dioxide content in the crude gas is considerably greater than for conventional reforming and partial oxidation processes. The methane and carbon dioxide contents from a typical Lurgi gasifier are 10-11% and about 28%, respectively. The crude gas from the Lurgi gasifier is treated in several processing steps including waste heat recovery, shift conversion, removal of tars, phenols, and other by-products, Rectisol (methanol wash) treatment for carbon dioxide and sulfur removal, liquid nitrogen scrubbing to produce a highly purified synthesis gas, compression, and finally ammonia synthesis. The liquid nitrogen scrubbing step removes carbon monoxide and methane which are recycled to a side stream steam reforming and shift 672 AMMONIA Vol. 2

streams (66,67). Purge gas recover systems can be customized to recover argon as needed.

Energy Cycle. The ammonia process is characterized by high process temperatures and compression power requirements. The total energy consumption consists of the process feedstock plus utility fuel requirements. Therefore, the energy efficiency of the process is logically maximized by integrating process waste heat recovery and the utility system by means of the Rankine cycle, using steam as the working medium (see POWER GENERATION).

The efficiency of the Rankine cycle itself can be increased by higher motive steam pressures and superheat temperatures, and lower surface condenser pressures in addition to rotating equipment selection. These parameters are generally optimized on the basis of materials of construction as well as equipment sizes. Typical high pressure steam system conditions are in excess of 10,350 kPa (1500 psi) and 510°C.

Efficient integration of the process with the utility system involves reducing the two principal areas of irreversibility that are inherent in the cycle: the transfer of process heat to the boiler, and the mixing of saturated boiler liquid with cooler condensate make-up. This strategy is implemented by recovering process heat at the highest possible levels into the motive steam system, and extracting cooler steam at the appropriate level after expansion in a turbine to satisfy process steam and lower level heating requirements.

Selection of the high pressure steam conditions is an economic optimization based on energy savings and equipment costs. Heat recovery into the high pressure system is usually available from the process in the secondary reformer and ammonia converter effluents, and the flue gas in the reformer convection section. Recovery is in the form of latent, superheat, or high pressure boiler feedwater sensible heat. Low level heat recovery is limited by the operating conditions of the deaerator.

A schematic of a typical ammonia plant steam system illustrating these principles is shown in Figure 21. High pressure steam is used exclusively for process drivers. The amount of extraction steam is determined by the process steam requirement for the reformer. The only other process requirement for low level heat is the CO₂ removal system which has been a prime area of improvement for reducing energy input. Export of additional low level heat may be available for offsite use, such as building heating, steam tracing, or desalination units where applicable.

A reasonable target for energy minimization is that process requirements dictate fuel firing, with no additional fuel being burned to raise steam. The steam available from waste heat recovery must match the power requirements of the process. Thus careful selection of the process design parameters is needed. In this case, the package or auxiliary boiler firing becomes zero, although this equipment is still included for controllability and start-up. Incremental steam capacity is also convenient for exporting motive steam to other integrated processes, such as urea.

As designs become more efficient with a corresponding reduction in steam requirements, integration with other power cycles becomes feasible. For example, the exhaust from a gas turbine process driver can be used as a source of preheated combustion air for the primary reformer, substantially increasing the efficiency of the conventional Brayton cycle (68). Additional integration options are possible

r argon as

ocess temisumption efore, the g process cle, using

ner motive nser presgenerally nent sizes. 0,350 kPa

reducing cycle: the iler liquid ecovering stem, and turbine to

imization high presormer and n section. feedwater ditions of

ing these sively for e process at for low rovement available ion units

uirements l'he steam nts of the ed. In this quipment apacity is s, such as

in steam example, preheated iciency of possible




Fig. 21. Kellogg ammonia plant steam system.

using steam or electricity cogeneration (69). The result in all cases is an improvement in the overall energy cycle.

Environmental Considerations

Ammonia production per se is relatively clean compared to other chemical process industries, and presents no unique environmental problems. Synthesis gas generation is the principal area requiring environmental controls and the nature of the controls depends on the feedstock and method of processing.

Coal feedstocks present the most serious environmental problems. Particulate emissions from the coal handling and processing facilities must be controlled (see AIR POLLUTION; EXHAUST CONTROL, INDUSTRIAL). The ash and slag solids removed from the gasification step must be disposed of in an environmentally safe manner. Some gasification produces significant amounts of other liquid by-products such as tars, phenols, and naphthas which must be recovered or incinerated (70). Some coals contain significant amounts of sulfur which must be stripped out of the raw syngas as hydrogen and carbonyl sulfides, necessitating further processing in a sulfur recovery unit (see Sulfur Removal and Recovery). Condensate streams from gasifiers may also contain hydrogen cyanide and metals in addition to ammonia complicating disposal further.

Partial oxidation of heavy liquid hydrocarbons requires somewhat simpler environmental controls. The principal source of particulates is carbon, or soot, formed by the high temperature of the oxidation step. The soot is scrubbed from the raw synthesis gas and either recycled back to the gasifier, or recovered as solid pellitized fuel. Sulfur and condensate treatment is similar in principle to

that required for coal gasification, although the amounts of potential pollutants generated is usually less (see COAL CONVERSION PROCESSES, GASIFICATION).

Reforming of natural gas or naphtha are the cleanest synthesis gas generation operations. Most natural gases contain sufficiently low levels of sulfur that it is possible to remove it in a simple fixed-bed adsorption system. Higher levels of sulfur are amenable to treatment in conventional solvent absorption—stripping systems for acid gas removal, such as MEA. Similarly, organic sulfur compounds in naphtha are hydrotreated over a cobalt—molybdynenum catalyst and stripped as hydrogen sulfide. Residual sulfur is removed in a fixed-bed system similar to that used for natural gas before reforming.

Process condensate from reforming operations is commonly treated by steam stripping. The stripper is operated at a sufficiently high pressure to allow the overhead stripping steam to be used as part of the reformer steam requirement (71). Contaminants removed from the process condensate are reformed to extinction, so disposal to the environment is thereby avoided. This system not only reduces atmospheric emissions, but contributes to the overall efficiency of the process by recovering condensate suitable for boiler feedwater make-up because the process is a net water consumer.

Incorporation of a feed gas saturator coil in the convection section of the primary reformer allows for 100% vaporization of the process condensate. The steam is used as process steam in the reformer.

All fired equipment, whether it be a process furnace or a utility boiler, is also subject to regulation, usually in the form of sulfur and nitrous oxide limitations. These flue gases can be suitably treated by a combination of conventional control techniques including low NO_x burners, selective catalytic reduction, and flue gas scrubbing. Effluents from other utility systems, such as blowdowns from steam drums, cooling water systems and polisher regenerates, can normally be handled by neutralization and holding ponds (see AIR POLLUTION CONTROL METHODS).

Federal regulations (72) administered by the EPA establish limitations on the ammonia in aqueous effluents on a site-specific basis. The range of values is 0.05–0.1875 kg of ammonia (as nitrogen) per ton of product on a maximum daily basis; corresponding 30-day average values range from 0.025 to 0.0625 kg ammonia (as nitrogen) per ton of product. Generally, the pH of the effluent must be between 6 and 9.

Storage, Shipping, and Handling

Storage. Anhydrous ammonia is ordinarily stored in refrigerated tanks at the plant site at -33.3° C and atmospheric pressure. The need to store large quantities of ammonia results from the seasonal nature of the ammonia fertilizer market. Cylindrical tanks of large (27,000-50,000 t) capacities, either of single-walled or double-walled construction, have been installed in primary market areas (73). So-called double-integrity tanks have been designed having a secondary containment feature for added safety (74). Ammonia evaporating to maintain the necessary low temperatures must be vented. The vented gas is reliquefied for recycle or absorbed in water to make aqua ammonia.

Relatively small quantities of anhydrous ammonia are stored in spherical

681

Vol. 2

; in tu/ 3/t. 7 is

ive ent ing

nia til-

ner nce of od-

'he 5/t.

L-->

986 ern

. a urng ed

ea he o, he

> ty .s.

ts.

Transportation and Distribution Cost. Although much ammonia serves as feedstock for other processes, the largest single use in the United States is as a direct application fertilizer without further processing. This direct application consumption is mostly in the farm belt and ammonia produced in the Gulf Coast states is shipped to terminal facilities and then distributed by retail outlets to the farmer.

Ammonia is usually transported for long distances by barge, pipeline, and rail, and for short distances by truck. Factors that govern the type of carrier used in anhydrous ammonia transportation systems are distance, location of plant site in relation to consuming area, availability of transportation equipment, and relative cost of available carriers. Typical costs (83) of pipeline, barge, and rail modes for long distance transport are \$0.0153, \$0.0161, and \$0.0215 per ton per kilometer, respectively, for distances of about 1600 km. Short distance truck transportation costs (83) are much higher. Costs are typically \$0.0365/(t·km) for distances on the order of 160 km.

Because of the nature of the industry, agricultural ammonia consumption is cyclic. During the Spring fertilizer season, about 75% of the dedicated production is sold.

To reduce storage costs involved in such a cyclic consumption pattern, there has been substantial growth in the erection of large refrigerated anhydrous ammonia storage terminals at key points within large marketing areas. Terminal cost (84) is reported to add typically about \$11.00/t.

In the United States most liquid and solid fertilizers are supplied to the farmer by retail fertilizer dealers. Because of the highly seasonal nature of the business, marketing cost can be high. In an effort to spread overhead costs over a broader base, retail dealers diversified into other farm products such as seed, pesticides, and farm equipment. In a study of 47 U.S. Midwestern retail fertilizer firms (1974 financial data) (85), using an average ammonia mark-up cost ranging from about \$47.40/t to \$91.50/t was reported for the least and most profitable firms studied, respectively. Inventory position and supply arrangements were reported to be the most significant factors in affecting profitability.

Ammonia in the world trading markets costs on the order of \$35/t to ship between the United States and Western Europe.

Specifications and Analysis

Anhydrous and aqua ammonia are manufactured in various grades depending on use. Specifications are given in Tables 14 and 15, respectively.

Table 14. Anhydrous Ammonia Specifications^a

Material content	Commercial or fertilizer grade	Refrigeration grade	Metallurgical grade
ammonia, min wt % water, max ppm by wt oil, max ppm by wt noncondensable gases, max mL/g	99.5 5000 5	99.98 150 3 0.2	99.99 33 2 10

^aRef. 31.

Table 15. Aqua Ammonia Specifications^a

Grade	Ammonia, wt %	
United States Pharmacopeia		
stronger ammonia water	28 - 30	
ammonia test solution	9.5 - 10.5	
normal (1 N) aqua ammonia	1.7	
chemically pure	28	
technical, Bé° b		
26	29.4	
16	10.3	
18	14	
20	17.75	

^aRefs. 87, 88.

Anhydrous ammonia is normally analyzed for moisture, oil, and residue. The ammonia is first evaporated from the sample and the residue tested (86). In most instances, the amount of oil and sediment in the samples are insignificant and the entire residue may be assumed to be water. For more accurate moisture determinations, the ammonia can be dissociated into nitrogen and hydrogen and the dewpoint of the dissociated gas obtained. This procedure works well where the concentration of water is in the ppm range. Where the amount of water is in the range of a few hundredths of a percent, acetic acid and methanol can be added to the residue and a Karl Fischer titration performed to an electrometrically detected end point (89-92).

Oil can be determined by extracting the residue using carbon tetrachloride and then evaporating the CCl4. Sediment such as iron is determined by dissolving in hydrochloric acid followed by colorimetric estimation. Dissolved noncondensable gases are determined by analyzing the atmosphere above the liquid ammonia.

Gas streams can be analyzed for ammonia by bubbling a measured quantity of the gas through a boric acid solution to absorb the ammonia. The solution is then titrated against sulfuric acid. This analysis is applicable only if other constituents in the gas stream do not react with boric acid.

Ammonia and ammonium ions in industrial water streams, including wastewater streams, can be determined by either of two methods (ASTM Procedure D1426). In the first, the sample is buffered to a pH of 7.4 and distilled into a solution of boric acid where the ammonia nitrogen is determined colorimetrically with Nessler reagents or titrated using standard sulfuric acid.

The other method is less accurate but more rapid and involves direct Nesslerization of the sample for colorimetric determination. Other colorimetric indicators with more sensitivity, such as indophenol, have been used in place of Nessler's reagent. Ion-selective electrodes have also found use in analysis for trace ammonia (93).

Health and Safety

Ammonia is a strong local irritant which also has a corrosive effect on the eyes and the membranes of the pulmonary system. Vapor concentrations of 10,000 ppm

 $^{^{}b}$ Bé° = degree Baumé; specific gravity = 145/(145-Bé°).

are mildly irritating to the skin, whereas 30,000 ppm may cause burns. The physiological effects from inhalation are described in Table 16. Prolonged, intentional exposure to high levels of ammonia is unlikely because its characteristic odor can be detected at levels as low as 1–5 ppm (94). The real danger occurs when escape is impossible, or the exposure victim has lost consciousness.

Table 16. Physiological Effects of Ammonia

Concentration, ppm	Effects
20-50	perceptible odor
40-100	eye and respiratory system irritation
400-700	severe eye and respiratory irritation; potential for permanent
1,700	damage convulsive coughing and bronchial spasms; half hour exposure potentially fatal
5,000-10,000	death from suffocation

^aRef. 97.

Vol. 2

Ammonia is generally not considered to pose a serious fire or explosion hazard. However, although ignition is difficult, it is not impossible as proved by an explosion resulting from a leak in an indoor ammonia refrigeration system (95). Ammonia does not produce unstable or hazardous decomposition products. However, contact with calcium, gold, mercury, silver, or chlorates may result in explosive compounds.

Current OSHA standards specify the threshold limit value (TLV) 8-h exposure to ammonia as 50 ppm (35 mg/m³). However, the ACGIH recommends a TLV of 25 ppm (96). Respiratory protection should be provided for workers exposed to ammonia. Protective clothing such as rubber aprons, boots, gloves, and goggles should be worn when handling ammonia.

Uses

Table 17 gives a breakdown of ammonia uses in the United States for 1986. The primary use is in the fertilizer industry which also determines ammonia demand.

Fertilizers. The fertilizer industry constitutes the largest market for ammonia and direct application of anhydrous ammonia represents the largest single consumption. Some of the advantages (98) of anhydrous ammonia are: (1) Having 82% nitrogen, it is the most concentrated nitrogen fertilizer available. (2) It improves soil tilth, increasing the water-holding capacity, and decomposes crop residue and organic matter. (3) It is applied 150–200 mm deep or at plow depth, expanding laterally to form a band measuring about 200 mm wide. Applied in the form of a slug, or mass, this increases the efficiency for great uptake of nitrogen by crop root. It increases the number, size, and strength of crop roots resulting in deeper penetration, greater plant development, and ability to withstand periods of drought. (4) It is easy to apply; it flows under its own pressure from the applicator tank to the soil. (5) It combines with clay and organic matter to resist leaching losses. (6) It can be applied at various times, fall, winter, or spring as a

ne. The n most and the extermind the ere the in the ided to ally de-

nloride solving indensmonia. iantity tion is er con-

wastecedure into a rically

direct metric lace of sis for

e eyes 0 ppm

Table 17. 1986 Markets for Ammonia in the United States^a

Use	Market, %
fertilizer	
direct application	28.7
urea	22.4
ammonium nitrate	15.8
ammonium phosphates	14.6
ammonium sulfate	3.4
nitrogen solutions and mixed fertilizers	0.6
Total	85.5
industrial	
commercial explosives	4.1
fibers-plastics	5.1
Total	9.2
other	5.3

^aRef. 31.

pre-plant, or in the summer as a sidedress application. (7) It releases other plant food elements that are present in the soil, such as potassium, phosphorus, calcium, and magnesium.

Ammonia is also the primary building block for downstream manufacturing of a wide range of fertilizer products. Table 18 gives the relative amounts of ammonia used for the manufacture of these nitrogen products.

Table 18. Ammonia Use for Production of Nitrogen Fertilizers^a

Product	Raw material	Raw material used, (ton per ton of product)
urea	ammonia	0.58
nitric acid	ammonia	0.29
ammonium nitrate	ammonia	0.21
	nitric acid	0.77
nitrogen solutions ^b	urea	0.33
	ammonium nitrate	0.41
ammonium sulfate	ammonia	0.27
ammonium phosphate ^c	ammonia	1.29

^aRef. 31.

Ammonia and nitric acid are the two basic ingredients in the manufacture of ammonium nitrate. In addition to consuming ammonia directly, the manufacture of ammonium nitrate consumes ammonia by way of nitric acid production. The largest single use of nitric acid is that of ammonium nitrate production (see Ammonium compounds). Urea (qv) is manufactured by reacting ammonia and carbon dioxide. Urea manufacturing facilities are often located close to ammonia plants.

 $[^]b\mathrm{Based}$ on UAN-30.

^cPer ton of contained nitrogen.

685

Ammonia is consumed in the manufacture of ammonium phosphates and ammonium sulfate by reaction with phosphoric acid and sulfuric acid, respectively. The phosphates may contain ortho- and polyphosphate values. Ammonium sulfate is also a by-product from other ammonia-using industries such as caprolactam (qv) and hydrogen cyanide (see CYANIDES).

Nitrogen solutions consist of fertilizer product combinations, eg, ammonium nitrate-ammonia, urea-ammonium nitrate-ammonia, urea-ammonium nitrate, and urea-ammonia solutions. Mixed fertilizers cover a broad range and can be loosely defined as fertilizers which contain chemically mixed nitrogen, phosphorus, and potassium (N-P-K). Examples are ammonium phosphate-potash mixtures and ammonium phosphate nitrates.

Industrial. Nitric acid is itself the starting material for ammonium nitrate, nitroglycerin [55-63-0], trinitrotoluene [118-96-7], nitrocellulose [9004-70-0], and other nitrogen compounds used in the manufacture of explosives (see Explosives AND PROPELLANTS). Nitric acid is made by oxidation of ammonia to nitrogen dioxide [10102-44-0] which is subsequently absorbed by water.

Ammonia is used in the fibers and plastic industry as the source of nitrogen for the production of caprolactam, the monomer for nylon 6. Oxidation of propylene with ammonia gives acrylonitrile (qv), used for the manufacture of acrylic fibers, resins, and elastomers. Hexamethylenetetramine (HMTA), produced from ammonia and formaldehyde, is used in the manufacture of phenolic thermosetting resins (see Phenolic Resins). Toluene 2,4-diisocyanate (TDI), employed in the production of polyurethane foam, indirectly consumes ammonia because nitric acid is a raw material in the TDI manufacturing process (see Amines; Isocyanates). Urea, which is produced from ammonia, is used in the manufacture of urea-formaldehyde synthetic resins (see Amino Resins). Melamine is produced by polymerization of dicyanodiamine and high pressure, high temperature pyrolysis of urea, both in the presence of ammonia (see Cyanamides).

Less importantly, ammonia is used: (1) As a refrigerant in both compression and absorption systems (see Refrigeration and refrigerants). Ammonia's high latent heat, low vapor density, chemical stability, and low corrosion to iron parts promote its use in large industrial installations. (2) In the pulp and paper industry for the pulping of wood and as a dispersant for casein in the coating of paper (see PAPER; PULP). (3) In the metal industry for detinning of scrap metal, in the extraction of certain metals, eg, copper, nickel, molybdenum, and tungsten from their ores, in metal treating where cracked (dissociated) ammonia is used as a reducing atmosphere for the bright annealing of stainless steels, nickel and its alloys, for the reduction of metal oxides and for the nitriding of steels for casehardening (see METAL TREATMENTS). (4) As a medium to reduce nitrogen oxides in stack gases. Both catalytic and noncatalytic systems have been developed. (5) As a modifying reagent in the flotation of phosphate ores, and as collecting reagents for the froth flotation of a wide range of minerals. (6) As a corrosion inhibitor at petroleum refineries and natural gas plants and to neutralize the acid constituents of oil, thereby protecting refinery equipment (see Corrosion and Corrosion INHIBITORS). (7) In the rubber industry for the stabilization of natural and synthetic latex to prevent coagulation during transportation and storage (see RUBBER COMPOUNDING). (8) In the food and beverage industry as a source of

· plant ıs, cal-

turing ints of

acture a. The n (see a and

monia

nitrogen required for the growth of yeast and microorganisms and also to control pH in yeast production; as ammoniating agent for glycyrrhizin; as an extractant for bitter principles; and as a source of nitrogen for ruminant feeding when properly combined with molasses (see FEEDS AND FEED ADDITIVES; FERMENTA-TION; FOODS). (9) As a curing agent in making leather, and as a slime and mold preventative in tanning liquors (see LEATHER), in the manufacture of mothproofing and other protectives agents for furs and hides. (10) In the manufacture of pharmaceuticals, such as sulfanilamide, sulfathiazole, sulfapyridine, and other sulfur drugs (see Antibacterial agents, synthetic; Pharmaceuticals); vitamins (qv), antimalarials, methionine and other amino acids (qv); and of dentifrices (qv), lotions, and cosmetics (qv). (11) In the manufacture of household ammonia, detergents, and cleansers. (12) In combination with chlorine to purify industrial and municipal water supplies; and as an oxygen scavenger in treating boiler feedwater. (13) In the manufacture of numerous organic and inorganic chemicals, such as cyanides, amides, aminos, nitrites, and dye intermediates. (14) As a precipitant in uranium concentrate production.

By-product Ammonia

Recovering ammonia as a by-product from other processes accounted for less than 1% of the total U.S. ammonia production in 1987. The principal source of by-product ammonia is from the coking of coal. In the coking operation, about 15–20% of the nitrogen present in the coal is liberated as ammonia and is recovered from the coke oven gas as ammonium sulfate, ammonia liquor, and ammonium phosphates. The recovery product depends on the scrubbing medium employed, sulfuric acid, milk of lime, and phosphoric acid, respectively. Ammonium sulfate recovery by the so-called semidirect process, is most widely employed.

In the semidirect process, (Fig. 23) the raw coke oven gas is cooled to condense tar and ammonia liquor. The heavy layer, tar phase, is pumped to storage and the aqueous layer containing free and fixed ammonia is subsequently processed in a still operation. Free ammonia is that which is in a form which readily dissociates by heat. Fixed ammonia is in a form which requires the presence of an alkali, such as milk of lime, to effect the ammonia release.

Ammonia liquor is fed to the top of the still and heated using steam vapor which dissociates the unstable ammonium salts, eg, ammonium carbonate and ammonium sulfite.

$$(NH4)2 CO3 + Heat \longrightarrow 2 NH3 + H2O + CO2$$
 (31)

The liquor is then treated with calcium hydroxide (milk of lime) which reacts with the fixed salts, mostly ammonium chloride, to liberate ammonia. The liquor is regenerated in a steam stripping operation.

$$2 \text{ NH}_4\text{Cl} + \text{Ca(OH)}_2 \longrightarrow 2 \text{ NH}_3 + 2 \text{ H}_2\text{O} + \text{CaCl}_2$$
 (32)

The gaseous ammonia is passed through electrostatic precipitators for particulate removal and mixed with the cooled gas stream. The combined stream

chemo-nuclear are being explored in the laboratory for fixing nitrogen as ammonia. The economic viability of these processes depends on the ability to scale-up to large capacities, to increase low yields, and to incorporate efficient energy recovery mechanisms.

A novel route to ammonia synthesis using methane, but without first producing hydrogen, has been proposed (101).

$$CH_4 + 2 H_2O + N_2 \longrightarrow 2 NH_3 + CO_2 + H_2$$
 (33)

A ruthenium-based catalyst is used but low yields resulting from unexpected side reactions are still a problem. Refinement of alternative route ammonia manufacture and advances in genetic engineering, allowing a wider range of plant life to fix nitrogen *in situ*, should provide assurance for long term world food needs.

BIBLIOGRAPHY

"Ammonia" in ECT 1st ed., Vol. 1, pp. 771-810, by R. M. Jones, Barrett Division, and R. L. Baker, Nitrogen Division, Allied Chemical & Dye Corporation; "By-Product Ammonia" ECT 1st ed. under "Ammonia," Vol. 1, pp. 778-780, by R. M. Jones, Barrett Division, and R. L. Baber, Nitrogen Division, Allied Chemical & Dye Corporation; "Ammonia" in ECT 2nd ed., Vol. 2, pp. 258-298, by G. L. Frear and R. L. Baber, Nitrogen Division, Allied Chemical Corporation; "Ammonia, By-Product" in ECT 2nd ed., Vol. 2, pp. 299-312, by Walter E. Carbone and Oscar F. Fissore, Wilputte Coke Oven Division, Allied Chemical Corporation; in ECT 3rd ed., Vol. 2, pp. 470-516, by J. R. Le Blanc, Jr., S. Madhavan, R. E. Porter, Pullman Kellogg Company.

- 1. R. A. Macriss and co-workers, Inst. Gas Technol., Chicago, Res. Bull. 34 (Sept. 1964).
- 2. K. Jones, The Chemistry of Nitrogen, Pergamon Press, Oxford, UK, 1973, pp. 199-227.
- 3. A. V. Slack and G. R. James, ed., Ammonia, Part I, Fertilizer Science and Technology Series, Vol. 2, Marcel Dekker, New York, 1973.
- 4. U.S. Pat. 3,441,393 (Apr. 29, 1969), J. A. Finneran and co-workers (to Pullman Corporation).
- 5. W. Turner, "Ten Years of Single Train Ammonia Plants," AMPO 74, ICI Operating Symposium, Billingham, UK, 1974.
- 6. F. Haber, S. Tamaru, and C. Ponnaz, Z. Elektrochem. 21, 89 (1915).
- 7. A. T. Larson, J. Am. Chem. Soc. 46, 367-372 (Feb. 1924).
- 8. A. T. Larson and R. L. Dodge, J. Am. Chem. Soc. 45, 2918-2930 (Sept. 1923).
- 9. L. J. Gillespie and J. A. Beattie, Phys. Rev. 36, 743-753 (Aug. 15, 1930).
- 10. A. Nielsen, An Investigation on Promoted Iron Catalyst for the Synthesis of Ammonia, 3rd ed., Jul. Gjellerups Forlag, Denmark, 1968, pp. 16-17.
- 11. M. I. Temkin and V. Pyzhev, Russ. J. of Phys. Chem. 13, 851 (1939).
- 12. Ref. 10, p. 73.
- 13. R. Brill, J. Chem. Phys. 19, 1047 (1951).
- 14. V. D. Livshits and I. P. Sidorov, Zh. Fiz. Khim. 26, 538 (1952).
- C. Bokhoven and co-workers, Catalysis, Vol. 3, Reinhold Publishing Corp., New York, 1955
- 16. A. Nielsen, J. Kjaer, and B. Hansen, J. Catal. 3, 68-79 (1964).
- 17. N. Takezawa and I. Toyoshima, J. Phys. Chem. 70(2), 594-595 (Feb. 1966).
- 18. M. I. Temkin, N. M. Morozov, and E. N. Shapatina, Kinet. Catal. (USSR) 4, 565 (1963).
- 19. G. B. Ferraris, G. Donati, F. Rejna, and S. Carra, *Chem. Eng. Sci.* 29, 1621-1627 (Nov. 1974).

ecov-

roduc-

(33)

ed side nufaclife to eeds.

d R. L. nonia" on, and n ECT Allied 312, by temical 1, R. E.

. 1964). 99–227. inology

orpora-

erating

ımonia,

v York,

(1963). 7 (Nov. 20. L. J. Gillespie and J. A. Beattie, Phys. Rev. 36, 1008-1013 (Sept. 1, 1930).

21. Ya. S. Kazarnovskii and M. K. Karapet'yants, Zh. Fiz. Khim. 15, 966 (1941).

22. Ya. S. Kazarnovskii, Zh. Fiz. Khim. 19, 392 (1945).

23. Imperial Chemical Industries, Ltd., Catalyst Handbook, M. V. Twigg, ed., Wolfe Publishing, Frome, England, 1989.

 U.S. Pat. 4,600,571 (1986), J. J. McCarroll, S. R. Tennison, and N. P. Wilkinson (to British Petroleum).

25. U.S. Pat. 4,568,530 (1986), G. S. Benner and co-workers (to M. W. Kellogg Corporation).

26. J. R. Le Blanc and P. J. Shires, Kellogg's Advanced Ammonia Process, Kellogg's Ammonia Club Meetings, San Francisco, Nov. 4-5, 1989.

27. Ref. 10, pp. 56-57.

28. Ref. 10, p. 64.

29. Imperial Chemical Industries, Ltd., private communication, Jan. 1990.

30. Friedrich Uhde GmbH, private communication, Jan. 1990.

31. "Nitrogen Products" in *Chemical Economics Handbook*, SRI International, Menlo Park, Calif., June 1988.

32. P. Rudolph, The Lurgi Pressure Gasification and Its Application for Ammonia Manufacture, Fertilizer Association of India, New Delhi, India, 1973.

33. R. Wintrell, The K-T Process: Koppers Commercially Proven Coal and Multi-Fuel Gasifier for Synthesis Gas Production in the Chemical and Fertilizer Industries, American Institute of Chemical Engineers, New York, Aug. 1974.

34. H. Perry, Chem. Eng. 81(15), 88-102 (July 22, 1974).

35. Hydrocarbon Process. 63(4), 96-97 (Apr. 1984).

36. D. Waitzman, Technical and Economic Aspects of Producing Ammonia from Coal, International Fertilizer Development Center, Muscle Shoals, Ala., 1986.

37. T. Sueyama and T. Tsujino, "Ammonia Production by a Coal Gasification Process," British Sulphur Fertilizer Symposium, British Sulphur Ltd., London, 1985.

38. Hydrocarbon Process. 52(11), 181 (Nov. 1973).

39. Ref. 38, p. 182.

40. S. K. Jain, G. A. Moser, and L. K. Rath, "Coal-to-Ammonia Via the Kellogg/KRW Process," *AIChE Spring National Meeting*, New Orleans, La., Apr. 6–10, 1986, American Institute of Chemical Engineers, New York.

41. T. A. Czuppon and L. J. Buividas, Hydrocarbon Process. 58(9), 197 (Sept. 1979).

42. T. A. Czuppon and J. M. Lee, Oil Gas J. 85(36), 42 (Sept. 7, 1987).

43. W. H. Avery, R. W. Blevins, G. L. Dugyer, and E. J. Francis, Executive Summary—Maritime and Construction Aspects of Ocean Thermal Energy Conversion (OTEC) Plant Ships, Applied Physics Laboratory, The Johns Hopkins University, Baltimore, Md., Apr. 1976.

44. Ref. 23, pp. 191-224.

45. S. Sathe, M. W. Kellogg Corporation, private communication, Jan. 1990.

46. "Natural Gas Reformer Design for Ammonia Plants," Part 1, Nitrogen 166, 24-29 (1987).

47. "Natural Gas Reformer Design for Ammonia Plants," Part 2, Nitrogen 167, 31-36 (1987).

48. J. M. Halstead, A. M. Haslett, and A. Pinto, "Design and Operating Experience of the ICI-LCA Ammonia Process," FAI Seminar, New Delhi, India, Dec. 9, 1988.

49. D. Kitchen, A. Pinto, and H. Van-Praag, "ICI's Operating Experience with Shift Catalyst at Low Steam to Carbon Ratios," *AIChE Ammonia Safety Symposium*, Denver, Colo., Aug. 22–24, 1988, American Institute of Chemical Engineers, New York, 1989.

50. J. H. Carstensen and P. S. Pedersen, "New Developments in HTS Catalyst Technology Solve the Fischer Tropsch Problem," AIChE Ammonia Safety Symposium, San

- Francisco, Calif., Nov. 1989, American Institute of Chemical Engineers, New York,
- 51. A. V. Slack and G. R. James, ed., Ammonia, Part 2, Fertilizer Science and Technology Series, Vol. 2, Marcel Dekker, New York, 1974.
- 52. K. F. Butwell, D. J. Kubek, and P. W. Sigmund, "Amine Guard III," AIChE Ammonia Safety Symposium, Miami, Fla., 1978, Vol. 21, 1979, pp. 156-162.
- 53. "Removing Carbon Oxides from Ammonia Synthesis Gas," Nitrogen 180, 20-30 (July-Aug. 1989).
- 54. O. J. Quartulli, "Developments in Ammonia Production Technology," J. Hungarian Chem. Soc. 30(8), 404 (1975).
- 55. R. N. Maddox, Gas and Liquid Sweetening, 2nd. ed., Campbell Petroleum Series, John M. Campbell, Norman, Okla., 1974.
- 56. P. Nasir and co-workers, "Solubility of CO₂ and H₂S in Amine Solutions," *CNGPA Research Seminar*, Nov. 27, 1975.
- 57. G. Astarita, D. W. Savage, and A. Bisie, Gas Treating with Chemical Solvents, John Wiley & Sons, Inc., New York, 1983.
- 58. V. A. Shah, Energy Prog. 8(2), 67-70 (June 1988).
- 59. K. C. Wilson, B. J. Grotz, M. L. Bhatka, and J. H. Gosnell, "The Status of the Braun Purifier Process," *Nitrogen*, (151), 31–36 (Sept.–Oct. 1984).
- 60. O. J. Quartulli, J. B. Fleming, and J. A. Finneran, Hydrocarbon Process. 47(11) 153-161 (Nov. 1968).
- 61. A. V. Slack and G. R. James, ed., Ammonia, Part 3, Fertilizer Science and Technology Series, Vol. 2, Marcel Dekker, New York, 1974.
- 62. J. R. Le Blanc, Hydrocarbon Process. 65(8), 39-44 (Aug. 1986).
- 63. N. Shannahan, Hydrocarbon Process. 68(1), 60-63 (Jan. 1989).
- 64. S. A. Knez, D. O. Moore, and R. V. Schneider, "KAAP Retrofit for Ammonia Plant Expansion," *Kellogg Ammonia Club Meetings*, San Diego, Calif., Aug. 1990.
- 65. R. Howerton, G. Moser, and R. Strait, "Update on Kellogg's Ammonia Optimizer at Agrico," Kellogg Ammonia Club Meeting, San Francisco, Calif., Nov. 1989.
- 66. A. J. Finn, "Cryogenic Purge Gas Recovery Boosts Ammonia Plan Productivity and Efficiency," *Nitrogen* (175), 25-32 (Sept.-Oct. 1988).
- 67. "Status of Membrane Gas Separation Technology," Nitrogen 173, 25-29 (May-June 1988).
- 68. T. L. Huurdeman, C. J. Feelders, and G. Le Doux, "The Use of Steam and Gas Turbines in Large Ammonia Plants," *ICI Operating Symposium*, Billingham, UK, 1974.
- 69. R. B. Strait and M. J. Fischbach, Hydrocarbon Process. 65(10), 55 (Oct. 1986).
- 70. C. E. Jahnig and R. R. Bertrand, Chem. Eng. Prog. 72(8), 51-56 (Aug. 1976).
- 71. J. B. Pheiffer, Sulfur Removal and Recovery from Industrial Processes, Adv. in Chem. Ser. 139, American Chemical Society, Washington, D.C., 1975.
- 72. Code of Federal Regulations, Title 40, part 418.
- 73. C. Clay Hale, Plant Operations Prog. 3(3), 147-159 (July 1984).
- 74. A. Josefson, "Transportation, Storage, Handling of Ammonia," Ammonia Plant Saf. 27, 175-159, 1986.
- 75. "American Standards Safety Requirements for the Storage and Handling of Anhydrous Ammonia," ASA K61.1- 1960 (Oct. 28, 1960), Boston, Mass., 1986, p. 16.
- 76. Pamphlet G-2, Compressed Gas Association, American National Standards Institute, New York, 1962.
- 77. MAPCO Corp., Tulsa, Okla., private communication, Jan. 1990.
- 78. C. Clay Hale and W. H. Lichtenberg, "US Anhydrous Ammonia Distribution System in Transition," *Ammonia Plant Saf.* 28, 76-90 (1988).
- 79. Global Fertilizer Perspective, 1960–1995, International Fertilizer Development Center, Muscle Shoals, Ala., June 26, 1989.

691

New York,

"echnology

' Ammonia

1**80**, 20-30

Hungarian

eries, John

." CNGPA

ents, John

the Braun

ess. 47(11)

Technology

onia Plant 90. ptimizer at

39. ctivity and

May-June

n and Gas gham, UK,

986). 76).

v. in Chem.

ı Plant Saf.

ig of Anhy. 16. ls Institute,

ion System

ent Center.

80. J. M. Lancaster, "New Developments and Growth in World Fertilizer Demand, Supply and Trade," British Sulphur Corporation, Ltd., Fertilizer Latin American International Conference, Caracas, Venezuala, Apr. 1989.

- 81. Green Markets, McGraw-Hill Publications, New York, Feb. 26, 1990.
- 82. W. F. Sheldrick, World Nitrogen Survey, Technical Paper No. 59, World Bank, Washington, D.C., Apr. 1987.
- 83. Farmland Industries, Inc., private communication, March 7, 1990.
- 84. J. A. Finneran and T. A. Czuppon, *Internal M. W. Kellogg Report*, M. W. Kellogg, Houston, Tex., Nov. 1973.
- W. D. Downey and P. O'Rouke, Retail Fertilizer Plant Costs Efficiency and Profitability, Department of Agricultural Economics, Purdue University, Lafayette, Ind., Apr. 1976
- 86. Joint Army-Navy Specification JAN-A-182, U.S. Government Printing Office, Washington, D.C., April 30, 1945.
- U.S. Pharmacoepeia XVIII, U.S. Pharmacopeial Convention, Inc., New York, Sept. 1970.
- 88. F. A. Lowenheim and M. K. Moran, *Industrial Chemicals*, 4th ed., John Wiley & Sons, Inc., New York, 1975.
- 89. E. D. Peters and J. L. Jangnickel, Anal. Chem. 27, 450 (1955).
- 90. L. F. Fieser, *Experiments in Organic Chemistry*, 3rd ed., D. C. Heath and Co., 1955, p. 289.
- 91. Official Methods of Analysis, 9th ed., Association of Official Agricultural Chemists, Washington, D.C., 1960.
- 92. J. Mitchell and D. M. Smith, Aquametry, Interscience Publishers, New York, 1948.
- 93. W. Cronkrite, M. W. Kellogg Corp., Houston, Tex., private communication, June 25, 1976.
- 94. Occupational Health Guideline for Ammonia, U.S. Dept. of Health and Human Services, Washington, D.C., 1978.
- 95. M. H. McRae, "Anhydrous Ammonia Explosion in an Ice Cream Plant," Ammonia Plant Safety, 27, 1-4 (1986).
- 96. "Documentation of Threshold Limit Values for Substances in Workroom Air,"

 American Conference of Governmental Industrial Hygienists, Cincinnati, Ohio, 1974.
- 97. Matheson Gas Data Book, 5th ed., Matheson Gas Products, Rutherford, N.J., 1971.
- 98. Agricultural Anhydrous Ammonia Operator's Manual, Agricultural Ammonia Institute, Mar. 1966.
- 99. V. Sauchelli, Fertilizer Nitrogen, Reinhold Publishing Corp., New York, 1969, p. 133.
- 100. J. P. Leonard, N. J. Haritatos, and D. V. Law, "Waste Water Treating Process," Chem. Eng. Prog. 80(10), 57-60 (Oct. 1984).
- 101 T. Yamamoto, "Ammonia Synthesis without Hydrogen," Chem. Econ. Eng. Rev. 11, 14-15 (May 1979).

T. A. CZUPPON

S. A. KNEZ

J. M. ROVNER

M. W. Kellogg Company

The project that is the subject of this report was approved by the Governing Board of the National Research Council, whose members are drawn from the Councils of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine. The members of the Committee responsible for the report were chosen for their special competence and with

This report has been reviewed by a group other than the authors according to procedures approved by a Report Review Committee consisting of members of the National Academy of Sciences, the National Academy of Engineering, and the Institute of Medicine.

Ammonia

Subcommittee on Ammonia

Committee on Medical and Biologic Effects of Environmental Pollutants

Division of Medical Sciences Assembly of Life Sciences National Research Council

846)



University Park PressBaltimore

and the mublication is based was performed pursuant to

Preface

In the spring of 1970, the Division of Medical Sciences, National Research Council, entered into a contract with what has since become the Environmental Protection Agency to produce reports that document the available scientific information on the effects of selected environmental pollutants on man, animals, plants, and the ecology of the environment. Since the beginning of this project, a series of reports have been prepared on a variety of pollutants. One of the substances selected for study is ammonia. A subcommittee of the Committee on Medical and Biologic Effects of Environmental Pollutants was formed to study ammonia and met for the first time in July 1975.

Ammonia is a ubiquitous substance and is known widely as a household cleaning agent and as a fertilizer. It plays an important role in the nitrogen cycle—in the life processes and in the death processes. It is both a "friendly" molecule and a hazardous one. This report has the objective of presenting a broad coverage of the available knowledge on ammonia and discusses its physical and chemical properties, the practical methods of measuring it, and the effects of its presence in the environment on man, animals, plants, materials, and the ecology of the environment. The information presented is supported by references to the scientific literature whenever possible or is based on a consensus of the members of the Subcommittee on Ammonia.

In this report, the distinction between ammonium ion (NH₄⁺) and ammonia (NH₃) is not made, except where the distinction is specifically important. Thus, the term "ammonia" is used to describe either or both of these molecules; where quantities or concentrations are given, the term "ammonia" designates the sum of NH₄⁺ and NH₃.

At the first meeting of the Subcommittee on Ammonia, the chairman, a biochemist, pointed to the novelty of the notion that ammonia might be considered as an environmental pollutant. Ammonia had always been regarded by life scientists as a friendly molecule, as a food rather than a hazard, as essential to life as carbon dioxide, water, and energy. It was wondered whether that attitude would survive the thorough examination of the subject that the Subcommittee was about to undertake.

On the whole, the attitude has survived. Ammonia is an important industrial and agricultural hazard, but not a major pollutant of the environment, with the possible exception of the aspects that will be discussed shortly. We have not recommended establishment of any new environmental standards. The fundamental reason why ammonia is not itself a major pollutant is that mechanisms for taking up ammonia in nature are plentiful and effective. Ammonia is a base, and it will be readily sequestered by ubiquitous acidic substances. In addition, plants and animals have active, efficient, and rapidly operating enzyme systems to trap ammonia and to channel it into metabolic pathways.

Ammonia as a "potential pollutant" occupies an unusual, perhaps unique, niche. It may sometimes be a deleterious byproduct of current civilization, but it is also the stuff of life itself. The amount of life that the earth can support is determined by how much nitrogen, usually in the form of ammonia, can be made available. This is emphatically true of human populations. The apparent question of whether food energy (expressed as calories) or nitrogen (expressed as protein) is limiting to the nutriture of the human population is not really a question. In general, populations subject to famine eat simple diets, and the staple food determines both the caloric and the protein intake. The protein content of the

cereal or tuber determines the protein content of the diet, and the amount of plant grown is, in turn, often determined by the availability of soil nitrogen. If the crop fails, both calories and protein will become insufficient, and deprivation of one will exaggerate the effects of deprivation of the other. If the world will have more people, it must have more ammonia, not less. In recognition of this basic truth, the 1977 report, "World Food and Nutrition Study," of the National Research Council has recommended a high priority for research to improve the sources of nitrogen fertilizer, stressing particularly the need for research to increase biologic nitrogen fixation in seed and forage legumes, cereals, and other prasses.

Questions have recently been raised about possible ill effects of rapid increases in the use of fertilizer, be it synthetic ammonia or ammonia formed by biologic processes. It has been suggested that, after cycling, nitrous oxide formed by bacterial denitrification will increase and will deplete the ozone of the upper atmosphere. The Subcommittee did not come to grips with that question, but this report notes that the data are not sufficient to quantify or locate nitrous oxide formed or to assess the potential effects of increased fertilizer application on the magnitude of the process. Our response to this problem was set in part by Subcommittee boundaries and by the fact that the various valence states of nitrogen are in a dynamic relationship with each other. Should the fertilizer-ozone question be addressed by panels on ammonia, on nitrates, on "NO_x." on ozone, or on what? The nitrogen atom defies administrative categorization. Perhaps the best approach is to convene a group of scientists carefully selected for appropriate expertise and instructed to deal specifically with the question of fertilizer and ozone.

However, the Subcommittee cannot ignore what it has learned of the societal context within which ammonia is made and used. This context will be highly pertinent to the question of the importance to be assigned to the fertilizer-ozone relationship. We have learned that ammonia is expensive to make, in both money and energy. In a world that is short of both, ammonia will be applied not randomly, but to areas where it can best be converted into food for human consumption. Any projection of the effect of fertilizer application on ozone must be made within the context of that assumption.

There is yet another assumption that must be taken into account: if there is much more fertilizer and much more food, there will be many more humans. These humans will compete for space and resources; within the context of the enormous problems of the increased human population that would accompany increased fertilizer use, how does one assess the importance of ozone depletion and of skin cancer that may arise from increased ultraviolet radiation? Should one wear long sleeves and a broad-brimmed hat and at the same time eat more protein and have more children? Would all societies give the same answers to those questions? These considerations may be beyond the purview of the Subcommittee on Ammonia, but we feel it our duty to call attention again to the boundless complexities of environmental interrelationships.

Finally, we call attention to suggestions that production of ammonia and fertilizer may have a directly beneficial, rather than a deleterious, effect on the atmosphere. It is now generally agreed that the provision of extra nitrogen enhances the ability of plants to absorb atmospheric carbon dioxide and fix it into photosynthetic products. If the carbon dioxide in the atmosphere is indeed increasing with the massive recent use of fossil fuels, and if increased atmospheric carbon dioxide, via a "greenhouse effect," causes an increase in the world's temperature, then perhaps the action of ammonia and ammonia-derived fertilizer in sequestering this carbon dioxide would be a useful counterbalance.

The Subcommittee has attempted to restrain itself in making recommendations, but it has made some that urge the acquisition of information of broad environmental importance and others that are in more specialized subjects or that deal with environmental problems considered less likely to represent hazards. There are many unanswered ammonia-related questions, including those raised about nitrous oxide, ozone, carbon dioxide, nitrosamine (formed from amines that generally accompany ammonia emission), and radiative climatic effects of ammonium-containing aerosols. The most important recommendation is simple and obvious: one should monitor. No amount of predictive theory can substitute for the continuous and intelligent analysis of the atmosphere for such materials as nitrous oxide, carbon dioxide, and ozone, to see whether the changes predicted by theory are actually occurring and to see whether alarm is necessary. Inappropriate complacency can be disastrous, and excessive alarm can be fearfully expensive.

recommendation for use of glass with ammonia solutions. hydroxide corrodes glass slowly, but this effect is insufficient to preclude

deteriorate under some conditions of temperature and concentration. Exceptions are epoxy fiberglass, nylon, and polyvinylchloride, which Most plastics resist ammonia and ammonium hydroxide corrosion.

Summary

TRANSFORMATIONS AND TRANSPORT MECHANISMS CHEMICAL INTERACTIONS:

ticipant in the nitrogen cycle. In the soil (and in seawater), it is oxidized degradation of plant and animal tissues and is a central and active par-Ammonia is the first inorganic nitrogen compound resulting from the other nitrogenous compounds, completing this portion of the nitrogen level of ammonium nitrogen, which is incorporated into protein and nitrate thus produced is again taken up by plants and is reduced to the to nitrate by "nitrifying" microorganisms as the energy source. The

which are released to the atmosphere. This could result in the delivery of (in the absence of available oxygen) in the metabolism of organic compounds, resulting in the production of nitrogen gas and nitrous oxide, it not for the processes (largely biologic) of "nitrogen fixation," whereby nitrogen pool) than the comparatively rapid transport from soil to plant usable by plants or microorganisms. This constitutes another feature of the relatively inert nitrogen gas is again converted to combined nitrogen essentially all available nitrogen to the atmosphere as nitrogen gas, were and back to soil. the nitrogen cycle-operating much more slowly (because of the large Nitrate ion can also serve as an oxidant for other microorganisms

uptake of nitrate by roots and the reduction of nitrate to ammonium or utilize ammonia directly, but, because it is rapidly nitrified in the soil, the amino nitrogen, which is incorporated into plant tissues. Plants can also more common soil form is nitrate. Nitrate assimilation requires energy that is provided directly or indirectly by photosynthesis. The assimilation of nitrogen by plants has two principal features: the

of energy from a thermodynamic standpoint, but in practice it does. higher plants or fungi. Nitrogen fixation need not require large amounts number of microorganisms, sometimes in symbiotic association with Nitrogen fixation also requires energy and is carried on by a limited

ing (nif) genes into several types of organisms, the production thereby of Much of this energy is expended in splitting the nitrogen molecule. an enzyme that is viable and functional in the organism under normal field conditions has not yet been achieved. Of the many obstacles Although it has now been shown to be possible to insert nitrogen-fix-

involved, the requirement of an anaerobic microenvironment for nitrogenase appears to be the most immediate. Thus, although the possibilities for this approach are attractive and exciting in principle, the problem is far from solved.

In plants, nitrogen is generally transported into cells in the form of reductase. Nitrite is then reduced to the ammonia level of oxidation by a nitrate from the soil: it is reduced to nitrite by the enzyme nitrate single enzyme, nitrite reductase. The ammonia formed is available for further assimilation.

degradation are particularly rapid processes, and glutamine serves as a tamine synthetase, and carbamyl phosphate synthetase dictate that the three enzymes are therefore of major importance in the detoxification of either exogenous or metabolically generated ammonia. Capacity to assimilate ammonia in living systems is high; glutamine synthesis and constants of the reactions catalyzed by glutamic dehydrogenase, glucarbamyl phosphate, and, to a lesser extent, other compounds. This ammonia-derived nitrogen can enter a variety of biologic pathways; the reactions of glutamic dehydrogenase plus transaminase. The equilibrium concentration of free ammonia in animal tissues must be low, and these Ammonia is an active metabolite, central in both the biosynthesis and the degradation of amino acids. It is fixed into organic linkage by reactions with appropriate acceptors, to form glutamic acid, glutamine, amino nitrogen of amino acids arises from ammonia via the combined labile "pool" for the trapping and release of ammonia.

action of transaminases and glutamic dehydrogenase. In the various species of animals, this nitrogen is then excreted either as free ammonia (in fishes), as uric acid (in birds and reptiles), or as urea (in mammals and some other animals). Thus, ammonia is a central intermediate in In amino acid degradation, ammonia is formed by the combined both the biosynthetic and the degradative pathways of amino acids, which are the subunits of proteins.

Transport of ammonia across cellular membranes is rapid and efficient. Unionized ammonia readily traverses cell membranes, but recent evidence indicates that ammonium ions are transported by an enzyme-a sodium-potassium-dependent ATPase.

ammonia is produced in the atmosphere. Chemical reactions relevant to groups: aqueous-phase, heterogeneous, thermal, and photochemical Ammonia is present in the atmosphere as a result of natural and anthropogenic emission. There is no known chemical reaction by which the atmospheric transformations of ammonia can be divided into four

reacts with acids formed from oxides of sulfur and nitrogen. Sulfur Ammonia contributes to the formation of atmospheric aerosols. It

quately described, there is considerable discrepancy in the reported sulfur Although the complex reaction mechanism involved seems to be adedioxide is further oxidized in the presence of ammonia, forming aerosols of ammonium sulfate. Aerosol formation increases substantially at high relative humidity, high ammonia concentrations, and low temperature. dioxide oxidation rates, which range from 2 to 13%/hr.

287

Summary

geneous formation of particulate ammonium complexes. The atmospheric significance of this reaction in the polluted troposphere Reaction of ammonia with soot particles results in the heteroremains to be established.

ammonia and ozone concentrations much higher than those found in the possible importance of the ammonia-sulfur dioxide thermal reaction in the formation of ammonium sulfate aerosols in the troposphere. The studies of Heicklen and co-workers suggest that thermal reactions of ammonia with ozone and with nitric acid to form ammonium nitrate particles are not significant causes of ozone depletion, in that the former is at least second-order and should proceed at substantial rates only at dioxide concentrations (i.e., parts per billion) are needed to assess the More definitive studies conducted at atmospheric ammonia and sulfur Thermal reaction between ammonia and sulfur dioxide leads to the formation of the condensable products amidosulfurous acid and ammonium amidosulfite, which may undergo heteromolecular nucleation.

Kinetic and mechanistic studies are needed to establish whether ammonia oxidation results in a significant source or sink for nitric oxide in the and certainly shorter in photochemically polluted areas. Both photolytic dissociation and reaction with hydroxyl radical produce the amino Two photochemical reactions, the photolytic dissociation of ammonia (which prevails in the stratosphere) and the reaction with the hydroxyl radical in the troposphere, are of major importance for atmospheric removal of ammonia. The latter reaction controls the halflife of ammonia, which is about 16 days in the unpolluted troposphere radical, whose further reactions in the atmosphere are poorly understood. atmosphere.

budget. It has been reported that about half the atmospheric ammonia is destroyed by reaction with the hydroxyl radical, the other half being accounted for by heterogeneous removal processes, dry deposition of various reactions reviewed here in the global atmospheric ammonia There is only limited information on the relative importance of the troposphere.

The biochemical and geochemical mechanisms of transformation of have been described. Quantitative descriptions of the rates and extents the nitrogen atom in natural waters through its various valence states ammonia, and washout as particulate ammonium.

("budgets") of these processes are sparse. Thus, nitrogen budgets for natural waters based on closely spaced measurements of inputs, dynamics, and outputs are not available.

Reservoirs that impound natural waters will influence the concentration and distribution of ammonia through curtailment of mixing processes and stratification of the water column. Populations of nitrifying bacteria may be expected to increase in such environments. These processes will alter the pattern of nitrogen cycling in the previously free-flowing natural waters.

The transfer of nitrogen in the coastal wetlands is poorly understood, and little information is available. An accurate assessment of nitrogen exchanges will be required to establish the flux into the atmosphere from the nitrogen-limited coastal waters.

Models are available for geographic mapping of the seasonal variations in the concentration of dissolved ammonia or ammonium in precipitation and surface waters. The available data sets for many of the regional distribution patterns are too sparse for quantitative purposes.

SOURCES, CONCENTRATIONS, AND SINKS

Production and Use

In 1975, 14.3×10^{-6} t of ammonia was produced in the United States, almost all by the fixation of atmospheric nitrogen. About 1% of the total came from the carbonization of coal. Ammonia is the source of nitrogen in fertilizer and of the chemical nitrogen added to animal feed, and it is used widely in the chemical industry.

Industrial fixation of atmospheric nitrogen began before World War I, and methods were developed for the production of nitrates from ammonia. Synthetic ammonia began to replace imported Chilean saltpeter as a nitrogen source late in the 1920s; by 1930, annual ammonia production was 177,000 t. Production capacity was significantly increased during World War II, when there was a great need for nitrates to make munitions. Ammonia from the wartime plants went into fertilizers when hostilities ceased. Since 1962, the average annual increase in ammonia production has been 8.5%, and continuing increase is expected to meet growing food requirements.

The conversion of nitrogen to ammonia requires both energy and the hydrogen atom. Natural gas is currently the feedstock and fuel in ammonia production in the United States. Significant improvements have been made in the production process, and most of the improvements have resulted in decreased energy consumption. About 9.6×10^6 kcal of energy are required to produce a tonne of ammonia. Emission of

ammonia from the production process was also decreased by technologic improvements. Total annual emission of ammonia during manufacture of the chemical is estimated to be 19,300 t.

The natural-gas shortage has resulted in a search for alternative fuels for feedstock and for process heat. Vaporized fuel oil can be used in the reformer, and this will reduce the natural-gas requirement by about one-third. A suitable alternative fuel for use as a feedstock has not been developed.

An aqueous effluent at ammonia plants results from the condensation of steam from the process gas stream. The effluent contains ammonia and methanol and must be treated to avoid water pollution. The effluent is normally treated by steam stripping, which causes ammonia and methanol to be emitted into the air. Methods should be developed to recycle and to utilize the water and ammonia waste.

About 300,000 t of ammonia are emitted per year during the production and use of fertilizers, industrial chemicals, and the nitrogen products. One of the uses—direct application of ammonia to soil as fertilizer—results in the emission of about 168,000 t/year. Techniques should be developed to minimize these losses.

Volatilization from Cattle Feedlots and Animal Wastes

Recent trends in livestock production in the United States have resulted in large concentrated feedlots, in contrast with the small individual farms of a few years ago. This marked increase in the confinement feeding of animals in relatively small areas has resulted in waste disposal problems and point sources of various odors and ammonia volatilization. Several workers have demonstrated that significant amounts of ammonia are volatilized from the surface of feedlots, as well as from soil surfaces on which animal waste has been applied. The atmospheric ammonia content is much higher in and around the feedlots than in other areas. The major source of the volatilized ammonia appears to be urinary urea, which is readily hydrolyzed by urease to ammonia and carbon dioxide.

The odors normally associated with feedlot areas have been shown to be due to volatile amines. Owing to the alkalinity of the soil surface in these areas, the formation of nitrosamines from these volatile amines seems highly improbable.

The ammonia that is volatilized from the feedlot and soil surfaces does not appear to be totally lost. Atmospheric ammonia has been shown to be absorbed from air by water surfaces in the vicinity of feedlots. In addition, a significant amount of the ammonia appears to be removed from the air by green plants. Atmospheric ammonia appears to enter into metabolism in the same way as ammonium ions—i.e., absorbed through roots or produced by nitrate reduction in plant cells.

radiative climate of the earth and are directly involved in acid rain particles have received more limited attention than other substances in health hazard to human populations in urban areas. These particles can particulate ammonium sulfate and nitrate compounds may affect the precipitation. Despite these potentially important effects, ammonium contribute significantly to the reduction of visibility. Furthermore, Because of their high concentrations in polluted air and their accumulation in the respirable range, particles containing ammonium and the associated anions, nitrate and sulfate, must be evaluated as a potential Atmospheric Sources and Concentrations air pollution research.

logic processes, anthropogenic sources of ammonia-such as combustion and industrial processes, feedlot operations, production and use of fertilizers, and automobile exhaust-account for the observed substantial increase in gaseous ammonia and particulate ammonium concentrations Although most atmospheric ammonia is produced by natural bioin urban atmospheres.

concentration of a few micrograms per cubic meter. The fact that bacterial activity is the major source of ammonia production is reflected in the temperature dependence of seasonal variation (summer > winter) and geographic variations (tropical > temperature zone) in ammonia, as desert, and mountain sites) all indicate a background ammonia Studies conducted in pollution-free areas (such as coastal, maritime, well as in its vertical concentration gradient in the troposphere.

opposite seasonal variations, with a winter maximum that reflects the Ammonia in industrial and urban areas and far downwind in urban plumes often reaches concentrations 5-10 times higher than "background" values that are typical of unpolluted regions and exhibits Ammonia concentrations of up to about 300 $\mu g/m^3$ have been measured in the vicinity of various types of anthropogenic sources. increased contribution of combustion processes.

Particulate ammonium is a major constituent of tropospheric aerosols, in which it exists as ammonium nitrate, in various combinations with sulfate ions (ammonium sulfate, (NH4)3H(SO4)2, ammonium and in traces of ammonium halides (ammonium chloride and ammonium bromide). Measurements conducted at unpolluted sites and vertical distribution profiles in the troposphere indicate a background ammonium bisulfate, and possibly other intermediate combinations of these salts), concentration of about $1 \mu g/m^3$.

hr averaged concentrations) have been measured in polluted areas, where most ammonium associated with nitrate and sulfate accumulates in particles smaller than 1 μm in diameter. Sulfate- and ammonium-containing Particulate ammonium concentrations of up to about 35 $\mu g/m^3$ (24-

291

whereas high ammonium nitrate concentrations are encountered in particles account for a major fraction of the total particulate burden in the atmosphere of northern Europe and the eastern United States, photochemically polluted atmospheres, such as in southern California.

Plant Ammonia Fixation

atmospheric analyses. This raises questions about sources and sinks and supply of nitrogen by 10 kg/ha-year through ammonia absorption at today's ambient concentrations. Unfortunately, ammonia in the form of aerosols, although known to be increasing in the terrestrial environment and recently recognized in the marine environment, has not been adequately evaluated or even distinguished from the gaseous form in many and perhaps in the oceans has a great capacity to absorb ammonia from the air. Available data show that land plants might complement their Because more nitrogen is being fixed for agricultural enterprise, more ammonia may be leaking into the air. However, plant life on the land about the process involved.

biosphere. Wet and dry deposition of ammonium aerosols on plants could provide a pathway for plant absorption through the leaf cuticle ammonia uptake from the air plays a role in damping the carbon dioxide buildup in the atmosphere through storage of more carbon in the gas is absorbed through leaf stomata that open only in daylight. These amounts are small compared with those needed for agricultural crops; however, they could be a significant source for natural ecosystems when the nitrogen available for plant growth is limited. Under these conditions, being absorbed by vegetation growing above ground than previously recognized. The latter is a daytime phenomenon, inasmuch as ammonia going at the earth's surface have recently been used to determine the roles of soil, plants, and animal manure as sources and sinks. More ammonia may be coming from the soil or detritus on the soil surface and Micrometeorologic methods of measuring ammonia gas coming and during both day and night. Little is known about this phenomenon.

and how plants absorb ammonia through dry or wet deposition of increase in ammonia in the ambient atmosphere on a global scale. The status of ammonium aerosols is much less understood. Whether or not The fixation of nitrogen is probably increasing, thus leading to the leakage of more gaseous ammonia to the air, but the land plant capacity to absorb and use the nitrogen will undoubtedly prevent any significant aerosols is unknown.

both near-shore and open-ocean water. Organic-rich coastal sediment is Ammonia is the preferred nitrogen source for phytoplankton. Nitrogen availability frequently is the critical limiting factor in plant growth in

an important, but unmeasured, source of regenerated ammonia for near-

note, not only of the concentrations in the water, but also of the fact that other nitrogen input and concentrations in the coastal zone must take the nitrogen dynamics of near-shore water. Assessments of ammonia or organisms rapidly react to new input of nitrogen by banking it in the Sewage and agricultural nitrogen emission can play an important role in in the nitrogen dynamics of the entire spectrum of marine systems. by undesirable organisms capable of rapid growth. form of standing stocks. The population expansions are often represented Ammonia regeneration in the water column plays an important role

appear to be a significant source of either particulate or gaseous ficult to measure and are poorly understood; however, the ocean does not Nitrogen exchanges between the ocean and the atmosphere are dif-

over the oceans. A quantitative assessment of the global nitrogen cycle exchanges of nitrogen compounds, in addition to further work on will require more accurate estimates of air-sea and sediment-water chemical transformations within the water column. Atmospheric ammonia concentrations are higher over the land than

TOXICOLOGY

Ammonia Toxicology in General

species studied and may be characterized by hyperventilation and clonic chickens, and fishes. The toxic syndrome appears to be the same in all complete recovery was usually observed in 50-60 min. tion, clonic convulsions, hyperirritability, and coma for about 20-45 min; during a tonic extensor convulsion. The survivors also had hyperventilaconvulsions, followed by a graduate onset of coma, with death occurring pounds has been determined in various species, including mice, rats, The intravenous or intraperitoneal toxicity of several ammonium com-

and a more generalized effect on the brain. toxicosis has been attributed to a direct effect of ammonia on the heart shown to increase ammonia toxicity in mice. Death during ammonia toxicity, whereas hyperthermia potentiates it. Hypoxia has also been effect. Hypothermia has been shown to protect animals against ammonia ammonia to cross membranes more readily and thus produce the toxic relatively acid, pH. This difference appears to be due to the ability of Ammonium salts are more toxic at relatively alkaline, rather than

chicks (a uricotelic species) but higher in selected fishes (ammonotelic for ammonium acetate are the same in mice (a ureotelic species) and Comparative studies have shown that the intraperitoneal LD50 values

Urea and Ammonia Toxicity in Ruminants

ammonia is released by the action of bacterial urease in the rumen. restlessness, ataxia, dyspnea, collapse, muscle spasm, tetany, and death. mg/100 ml; death occurs at 2 mg/100 ml. signs are observed at a blood ammonia nitrogen concentration of 1 exceeds the detoxification capacity of the animal, it becomes toxic. Toxic of bacterial protein, it is absorbed through the ruminal epithelium; if it The toxic effects of urea in ruminants are due to ammonia toxicity. The limited by its toxicity. The urea toxicity syndrome is characterized by in ruminant nutrition. The amount of urea that can be used in the diet is Urea is a valuable source of nonprotein nitrogen that is extensively used When the ammonia is released too rapidly to be utilized in the synthesis

Ammonia Toxicity in Fishes

water; these govern the concentration of unionized ammonia in solution. ammonia in fishes. The major factors are the pH and temperature of the Several environmental factors have been shown to affect the toxicity of yet be considered as authoritative. adverse effects on fishes. This value is based on sketchy data and cannot the highest concentration of unionized ammonia that will not cause establishing guidelines concerning safe ammonia concentrations for temperature was not recorded; these reports are of little benefit in be toxic. Several reports have appeared in which the water pH or that relatively high concentrations of ammonium ions do not appear to The unionized ammonia appears to be the toxic form of ammonia, in various fishes. A concentration of 0.024 mg/liter has been suggested as

and 0.097 mg/liter for adult trout seems questionable because these sensitive, and carp the most resistant to aqueous ammonia. demonstrated that the lethal concentration of ammonia for a variety of histopathologic effects in fishes. exposure to ammonia has been reported to cause adverse physiologic and concentrations are about one-tenth those reported elsewhere. Sublethal report that gave 24-hr ammonia TLm values of 0.068 mg/liter for fry fish species is 0.2-2.0 mg/liter. Rainbow trout appear to be the most Several laboratory experiments of relatively short duration have

merged vegetation, and fertilization. management for simultaneous control of fish populations, control of sub-Anydrous ammonia has been used experimentally in fishery

Ammonia Associated with Confined Housing of Domestic Animals

problem can readily be avoided by proper management. Atmospheric decomposition of animal waste and poor ventilation. In most cases, this livestock is the accumulation of atmospheric ammonia due to bacterial A problem that has been encountered in confined housing of domestic

concentrations, 60-100 ppm, were found to result in reduced egg producconsumption, reduced weight gain, airsacculitis, increased susceptibility to respiratory diseases, and a general discomfort in poultry. Higher ammonia at 20-50 ppm has been shown to result in reduced feed tion, tracheitis, and keratoconjunctivitis in poultry.

reported as the cause of reduced growth rate and death of young cattle in managed swine operations. Ammonia, with other manure gases, has been several confined units in Sweden and other parts of Europe. Again, this Atmospheric ammonia does not appear to be a problem in most commercial confined swine or cattle operations, at least in the United States. Laboratory studies have indicated that atmospheric ammonia in excess of 100 ppm will result in reduced growth rate of swine. However, this is about 10 times the concentration normally encountered in properly problem appears to be due to improper management.

Anhydrous ammonia has been used to exterminate wild birds and mice in farm buildings. This technique has been recommended because of its low cost, ease of application, and lack of persistent residue.

The bats have apparently adapted to the high concentrations of Atmospheric ammonia ranged from 85 to 1,850 ppm in some of the Some species of bats that roost in caves in the southwest United States atmospheric ammonia that result from decaying feces in the caves. caves. These concentrations did not appear to have any adverse physiohave been found to have a very high tolerance to atmospheric ammonia. logic effects on the bats.

Animal Toxicology (Gaseous Ammonia)

and most have consisted of gross observations of animal response and There have been few studies of animal exposure to gaseous ammonia, mortality rate.

increasing mortality among exposed animals. Mice appear to be more sensitive than guinea pigs, which are more sensitive than rabbits, to acute There appears to be species and individual susceptibility to the effects of acute exposure to toxic concentrations of ammonia. Increasing concentration or duration of exposure results in progressive injury and toxic exposure to ammonia gas.

As much as 95% of inhaled ammonia is absorbed onto the mucous membranes of the naso-oro-pharynx. This protects the tracheobronchial tree but not the terminal airways and alveoli. The tissue of the terminal airways appears to be more sensitive to the effects of ammonia than the remainder of the tracheobronchial tree.

The subacute or chronic exposure of animals to ammonia at less than 300 ppm in inspired air does not appear to produce light micro-

scopic changes in the lung. In contrast, concentrations greater than 600 ppm resulted in a high mortality rate, with evidence of focal and diffuse interstitial pulmonary inflammation in all animals studied.

mycoplasma. Thus, the effect of ammonia on ciliary activity of the trachobronchial tree does not appear to be a factor in the apparent increased susceptibility to infection that was noted in a few studies of ppm at the trachea-has been shown to increase the infection rate and severity when exposed chicks or rats were inoculated with virus or tracheal ciliary activity. In contrast, the inhalation of approximately 1-10% of that concentration (25-250 ppm)-i.e., approximately 1.0-12 inhaled has been shown to be absorbed by the naso-oro-pharynx, it would require exposure to approximately 2,000 ppm to produce 100 ppm at the trachea in the intact animal-the concentration necessary to affect Direct exposure of the trachea to ammonia at less than 100 ppm appears to have no effect on ciliary activity. Because 95% of ammonia such exposure to low concentrations of ammonia.

sulfur dioxide, and hydrogen sulfide-animal studies on the effects of Although industrial (chronic) and accidental (acute) exposure of humans to ammonia fumes often occurs in association with exposure to other potentially toxic gases-e.g., nitrogen oxides, carbon monoxide, such exposure are rare.

Cerebral Effects of Ammonia Intoxication

factors have been suggested to be responsible for the neurotoxicity of Several possible mechanisms have been presented to explain the cerebral effects observed during ammonia intoxication. The following biochemical ammonia:

- Impaired oxidative decarboxylation of pyruvic acid.
- Slowing of electron chain generation of ATP by NADH depletion.
 - Depletion of α -ketoglutarate.
- Utilization of ATP and glutamate in glutamine formation.
 - Stimulation of membrane ATPase.
- Decreased synthesis of acetylcholine.

of citric acid-cycle intermediates. The brain stem seems most susceptible In general, all these mechanisms postulate an eventual decrease in available cerebral energy, ultimately in the form of ATP, or a depletion to this depletion.

Protective Agents against Ammonia Toxicity

ammonia intoxication. The most effective compounds in mammals are substrates of the urea cycle: arginine, ornithine, and citrulline. A mixture of ornithine and aspartic acid is also very effective. These compounds, Many compounds have been studied as possible protective agents against

agents are the urea-cycle intermediates. postulated to be the stimulation of urea synthesis. The most effective mechanism whereby these compounds exert their protective effects is tion of the LD_{99.9} of ammonium acetate, gave total protection. The when administered intraperitoneally 1 hr before an intraperitoneal injec-

effect in mice. These compounds exert their protective effect through tive effect against ammonia intoxication in chicks but no comparable increased synthesis of uric acid, the end product of nitrogen metabolism Glycine and a mixture of glucose and glycine exert a similar protec-

HUMAN HEALTH EFFECTS

munity to ammonia. The acute toxic effects of ammonia are well defined expect increasing exposure of the population in work areas and the comand include irritation of the eyes, skin, and respiratory tract. With ever-increasing industrialization and use of fertilizer, one may

severe alkali burns of the eye. Because of its lipid solubility, ammonia symblepharon, corneal neovascularization, secondary glaucoma, catauntreated. Complications associated with severe alkali burns include ulcerations, with a tendency toward recurrence and perforation if causes deeper damage. A pH greater than 11.5 is thought to be necessary penetrates the intact cornea more easily than other alkalis and therefore ract, dry eye, and phthisis. for significant tissue destruction. Severe alkali burns cause corneal Liquid ammonia and solutions of ammonia are important causes of

treatment only if begun within 5 sec of injury; the important factor is the irrigation or the type of irrigant used. rapidity with which eye irrigation is begun rather than the duration of the amount of limbal ischemia. Irrigation with water or saline is effective The prognosis for severe alkali burns of the eye is directly related to

proportion of eyes with severe alkali burns. severe alkali burns have come to be understood only in the past few years. medical and surgical, that promise visual rehabilitation of a substantial With this understanding have come new therapeutic approaches, both the epithelium both preoperatively and postoperatively for eyes with The role of collagenase in stromal ulceration and the importance of

nearly fatal acute pulmonary changes. However, the limited number of described. Late respiratory tract sequelae are uncommon, even after skin changes secondary to acute toxic exposure to ammonia are well degree skin burns and death from respiratory injury. Chronic eye and to detect alternations in lung function make it difficult to be certain of patients so examined and the relative insensitivity of the tests performed Exposure to high concentrations of ammonia may result in third-

> exposure-4-8 hr at 560 and 20 ppm, respectively-may induce metaother than mild eye and upper respiratory tract irritation. Longer suggest that brief exposure (5-30 min) to 30-560 ppm has little effect at low or moderate concentrations for 5 min to 8 hr are conflicting and exposure. The results of the few studies of human inhalation of ammonia the true incidence and type of chronic lung changes that follow such cancer need verification. It is apparent that environmental air standards studies that suggested a possible relationship of ammonia exposure and bolic changes. Certainly more such studies are warranted. The three eliminate most complaints of irritation of the eyes and upper respiratory trolled studies. The recommended TLV is an arbitrary value designed to verification with well-designed epidemiologic studies. mg/m³) would result in no health hazard to workers. However, this needs tract. Empirically, it appears that the TLV for ammonia of 35 ppm (25 for work areas are based on a paucity of data mostly from poorly con-

effects of ammonia encountered in the urban environment on the general over a work-life exposure. Finally, there is even less information on the that such ammonia is not a problem-if the current TVLs are truly safe encountered in the workplace or on the farm. What is available suggests There is little information on concentrations of ammonia

Recommendations

because the Subcommittee feels that although the questions raised are of interest, the environmental problems addressed are of less immediate with primary interest in them may be groups, individuals, or agencies with objectives different from those of the Environmental Protection Agency. Other broad environmental recommendations are nonitalicized potential health or environmental effects. The nonitalicized recommendations are not less real, but they encompass narrower subjects, and those "urgent" is used in a special sense: italicized recommendations are those of broad current importance as well as those that deal with subjects in which there is substantial public interest. In addition, italics are used for recommendations that involve important questions or uncertainties about recommendations of all committees were given equal priority, nothing would happen. We have therefore placed our recommendations into two categories; the more urgent of these are printed in italics. The word It is easy to make recommendations, particularly for research. If all public importance.

To illustrate: sections on the nitrogen cycle and denitrification are italicized because there is at the moment a public question of whether or not fertilizer application, followed by denitrification, leads to ozone depletion. A definitive answer cannot yet be given, so relatively high priority is attached to acquiring information on the subject. However, although studies of the inflammatory response to ammonia burns of the eye are of great importance to both patient and doctor, they are of less general public interest and are perhaps better addressed by more specialized agencies.

NITROGEN CYCLE

The evaluation of the interrelationship of ammonia and ammonium relative to other components and processes in the nitrogen cycle necessitates more quantitative information on a number of processes and reactions. Particular needs are:

- 1. Global figures on nitrogen fixation by all biologic and other processes in terrestrial and oceanic environments.
- Estimation of the amount of ammonia produced and volatilized from tidal areas, estuaries, and marshland.

- 3. Determination of the comparative significance of nitrification and denitrification as sources of nitrous oxide on land and in the sea.
- 4. Accurate estimates of the emission, movement, and degradation of ammonia in the atmosphere.

GENETIC MANIPULATION OF PLANTS FOR NITROGEN FIXATION

Research in genetic manipulation of plants to insert nitrogen-fixing genes should continue to be pursued actively, although success is by no means ensured. In addition, the survey of existing species should continue: some strains of Rhizobium compete better in a particular soil than other strains. Understanding the basis of soil-plant interaction would improve chances for the development of more useful agricultural strains. Thousands of different species of legumes grow wild around the world. It is important that these be screened to determine their value for food and for enriching poor soils.

DENITRIFICATION

Additional information is needed regarding denitrification. This process can result, ultimately, in the production of nitrous oxide from nitrogen fertilizer. Atmospheric nitrous oxide concentrations should be monitored, and field, aquatic, and waste-disposal sources should be evaluated as nitrous oxide sources. The rates of natural processes of nitrous oxide production and destruction should be better assessed.

ATMOSPHERIC TRANSFORMATIONS

Several subjects should be explored further to improve our understanding of the physical and chemical transformations of ammonia in the atmosphere. More specifically, the following studies are recommended:

- Kinetic and mechanistic studies of the ammonia-nitric oxide-oxygen system should be directed to establishing whether destruction of ammonia in the atmosphere represents a source of nitric oxide or a sink for nitric oxide. The rate constants for the reaction of the amino radical with oxygen and nitric oxide should be established.
- 2. To understand better the formation and fate of acid rain and of ammonia-containing particles, the dynamics of ammonia gas-to-particle conversion processes should be further investigated. This would require field measurements of aerosol and particulate concentrations and study of the thermodynamics and physics of aerosols

- The processes for the removal of ammonia from the troposphere should be better described. These processes include reactions of gaseous ammonia with receptors and washout as particular ammonium-containing materials.
- 4. Global nitrogen budgets for the troposphere should be refined to include a broad spectrum of often-neglected nitrogen compounds.

WATER

The capability of monitoring ammonia in surface and ground waters in the United States is inadequate for obtaining good descriptions of ammonia concentrations in various regions. Such information should be obtained, mapped (with available computer mapping techniques), and utilized in combination with mapping of rainfall data, to show nationwide trends in ammonia concentrations.

The growth of organisms in coastal waters is nitrogen-limited. A knowledge of nitrogen budgets in wetland areas would improve our understanding of life in coastal waters.

Reservoirs can cause stratification of ammonia concentrations in surface waters. The effect of this phenomenon on plants, animals, and nitrifying bacteria should be assessed.

PRODUCTION AND USES OF AMMONIA

Ammonia production requires a source of energy and of hydrogen. Natural gas can furnish both and can be both a fuel and a feedstock. The shortage of natural gas has led to studies of alternative feedstocks for ammonia production. It is recommended that priority be given to a search for potential feedstocks that will minimize pollution problems or safety hazards during ammonia production and that will permit industry to meet pollution abatement and safety standards with relatively low capital investment. Naphtha and electrolytic hydrogen are feedstocks that create environmental problems comparable with those related to natural gas. Other feedstocks should be sought. No changes in current air-pollution standards are considered necessary for emission from ammonia plants that use natural gas as a feedstock and natural gas or light fuel oil (No. 2) as fuel for the reformers.

At modern ammonia plants, about 972 kg of water condensate is obtained per tonne of ammonia produced. The condensate contains about 1 kg of ammonia per tonne of ammonia produced. Effluent guidelines limit the amount of ammonia that can be discharged, and about 98% of the ammonia must be removed before the effluent can be discharged as a waste. With present water-treatment technology, ammonia-plant

is recommended that studies be undertaken to investigate recycling of the condensate in the ammonia-plant process and thereby eliminate emission of ammonia to the air. Furthermore, recycling the condensate would decrease the consumption of energy in the steam-stripping operation. It condensate is steam-stripped, and ammonia removed from the wastewater is emitted into the air. It may be possible to recycle the ammonia-plant condensate in the process.

tribution of fertilizers. The nitrogen losses in air and groundwater result from denitrification and leaching, respectively, of soil nitrogen. It is recommended that major effort be directed toward development of improved nitrogen fertilizers that are less susceptible to such losses. This should be part of a continuing effort to improve agricultural practices groundwater when nitrogen fertilizers are applied to the soil is about 8 times as much as the loss, as ammonia, during the production and disindustrial-agricultural loss. For resource conservation, efforts should be distribution, and application. The amount of total nitrogen lost in air and Of all ammonia losses from production and application in industry and agriculture, the major portion occurs during the direct application of ammonia to soil. Although this process is relatively efficient (only 5% of ammonia applied is lost to air), the loss accounts for 60% of the total directed toward reducing further the loss of ammonia during production, and to decrease nitrogen losses in air and groundwater.

AMMONIA VOLATILIZATION FROM ANIMAL WASTES

from feedlot surfaces to conserve nitrogen for agricultural use. Study of the ammonia flux from feedlot areas into surface water and plant leaves Methods should be developed to reduce the volatilization of ammonia would provide useful background data.

ATMOSPHERE

Polluted air contains particles and droplets that in turn contain nitrate Some of these particles contain ammonium ion, but it is not known dence suggests that ammonia lessens toxicity. Furthermore, particulate ammonium, sulfate, and nitrate compounds may affect the radiative cliand sulfate, which may constitute a health hazard to human populations in urban areas and contribute significantly to the reduction of visibility. whether the ammonium moiety lessens or heightens toxicity. Present evimate of the earth and are directly involved in acid-rain precipitation.

mendations related to the atmospheric concentrations of ammonia are as Ammonium-containing particles have received more limited attention than other substances in air-pollution research. Specific recom-

An improved inventory of ammonia emission from stationary and automotive sources should be developed. Methods should be developed or refined for the routine measurement of ambient ammonia at parts-per-billion concentrations. These methods should be suitable for continuous measurement of ambient ammonia as part of a limited monitoring network.

needed to elucidate further the role of ammonia in the formation of Simultaneous measurements of ammonia and of particulate hydrogen (acidity), ammonium, sulfate, and nitrate content are particulate ammonium, nitrate, and sulfate and to formulate improved strategies for the control of these major inorganic <u>ښ</u>

PLANT AMMONIA FIXATION

Plants may play a role in the absorption of ammonia and ammonium aerosols. Research is needed to distinguish gaseous and particulate components in the cycling of ammonia between the atmosphere and vegetation.

OCEANS

The effects of municipal sewage on the nitrogen economy of coastal Ammonia is important in the nitrogen dynamics of coastal waters. Municipal sewage effluent is a major source of ammonia in these waters. waters should be examined.

Ammonium fluxes across the sediment-water interface should be measured for the range of sedimentary conditions found in coastal water.

TOXICOLOGY AND HEALTH EFFECTS

The basis of hepatic coma should continue to be studied, and the functional importance of depletion of citric acid-cycle intermediates and ATP Despite much effort, the metabolic basis of ammonia toxicity is insuffidepletion should be examined. The possible role of ATPase, acetylciently understood. Sound research in this area should be encouraged, choline, and other neurotransmitters requires further investigation.

The treatment of urea toxicity in ruminants is not as effective as could be desired, and additional studies are needed on the causes of death due to urea feeding or rumen ammonia production.

Both short- and long-term tolerance limits for ammonia in fishes should be established, so that guidelines can be developed for safe concentrations in natural waters.

should be disseminated to livestock producers. tion about proper technical construction and utilization is available and of ammonia in the ambient air in confined livestock facilities. Informa-Proper ventilation and waste management can prevent the buildup

ammonia; their mechanism of tolerance should be studied in the hope including man. that the information could be used to protect more sensitive species Bats can tolerate extremely high concentrations of atmospheric

and sometimes inadequately controlled. Additional studies of physiologic and biochemical effects of ammonia on pulmonary ultrastructure and function would therefore be useful. Animal studies of pulmonary effects have been limited in number

with other pollutants, such as carbon monoxide, nitrogen oxides, sulfur Ammonia needs to be investigated as a sole pollutant and in mixtures responses to chronic low exposure to ammonia need to be performed. gaseous ammonia as encountered in air pollution adds little to the designed carefully. Available empirical observations on man suggest that diture of effort and resources, these studies should be selected and of various combinations of pollutants at various concentrations could dioxide, and hydrogen sulfide. Because studies of the synergistic effects synergists) with respect to age: and chronic exposure to ammonia (alone or with carefully selected jects warrant evaluation to determine threshold and safe limits for acute combinations of pollutants that need be investigated. The following subpermit proper identification of the problem, if present, and of the specific be preceded by careful, well-controlled epidemiologic surveys. These will as well as for some of the recommendations to follow, that such studies toxicity of other pollutants. Thus, it appears appropriate to suggest here, involve a large number of permutations and require a tremendous expen-Studies of late sequelae of acute toxic inhalation of ammonia and of

- 1. Functional changes of the terminal airways, i.e., frequencydependent compliance, closing volume, and flow rates at low lung
- 2 Structural changes, as studied by ultrastructural techniques, scanning of pulmonary capillary permeability. the lung and bronchial tree, and electron microscopic tracer studies electron microscopy, autoradiographic techniques of cell turnover in
- enzyme systems. serotonin release; lysosomal enzyme alterations; and effects on other bohydrate, and lipid (surfactant) metabolism; histamine and collagen and elastin metabolism; mucin production; protein, car-Biochemical changes in vivo and in vitro, particularly with respect to

'n

4. Changes in lung defenses, as manifested by changes in humoral and cell-mediated immunologic function, macrophage function, and in vivo and in vitro responses to bacterial and viral challenge.

hepatic coma and other types of ammonia intoxication. bral biochemical mechanisms and to assess their significance for human encephalopathy should be encouraged to elucidate the various intracere-The continued study of metabolic ammonia toxicity and of hepatic

slow to epithelialize. tion of the cornea and of the question of why ammonia-burned eyes are needed of the various cellular interactions that result in protease degradato ammonia burns of the eye should be studied further. Study is also The initiation and perpetuation of the acute inflammatory response

necessary, to refine industrial standards. continue to accumulate accurate measurements of ammonia in air and, if Monitoring of the industrial environment and workplace should

gradient, maximal midexpiratory flow, and flow rates at low lung ing volume, frequency-dependent compliance, alveolar-arterial oxygen urea nitrogen, urinary urea nitrogen, serum and urinary ammonia, closmonitoring of such metabolic and respiratory characteristics as blood conducted. They should last at least a few hours and should include Additional well-controlled human inhalation studies should be

should also be determined the effects of air pollutants. The incidence of neoplasm in the group specifically identified because the effect of cigarette smoke may obscure be well-studied control groups. Smokers and nonsmokers should be respiratory and metabolic characteristics are necessary, and there should monitored. Detailed and accurate epidemiologic histories and tests of recommended. Other air pollutants, if present, should be identified and chronically exposed to accurately monitored ammonia concentration are Epidemiologic studies on selected industrial-rural populations

International Chemical Safety Cards

AMMONIUM HYDROXIDE (10%-35% solution)

ICSC: 0215











AMMONIUM HYDROXIDE (10%-35% solution)

Aqua ammonia Ammonium hydrate NH_4OH

Molecular mass: 35.1

CAS # 1336-21-6 RTECS # BQ9625000 ICSC # 0215 UN # 2672 EC # 007-001-01-2




TYPES OF HAZARD/ EXPOSURE	ACUTE HAZARDS/ SYMPTOMS	PREVENTION	FIRST AID/ FIRE FIGHTING
FIRE	Not combustible.		In case of fire in the surroundings: all extinguishing agents allowed.
EXPLOSION	See Notes.		In case of fire: keep drums, etc., cool by spraying with water.
EXPOSURE		STRICT HYGIENE!	IN ALL CASES CONSULT A DOCTOR!
INHALATION	Burning sensation. Cough. Laboured breathing. Shortness of breath. Sore throat.	Ventilation, local exhaust, or breathing protection. Keep containers properly closed.	Fresh air, rest. Artificial respiration if indicated. Refer for medical attention.
SKIN AND THE SKIN	Corrosive. Redness. Serious skin burns. Pain. Blisters.	Protective gloves. Protective clothing.	Remove contaminated clothes. Rinse skin with plenty of water or shower. Refer for medical attention.
EYES	Corrosive. Redness. Pain. Blurred vision. Severe deep burns.	Face shield or eye protection in combination with breathing protection.	First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then take to a doctor.
INGESTION	Corrosive. Abdominal cramps. Abdominal pain. Sore throat. Vomiting (further see Inhalation).	Do not eat, drink, or smoke during work.	Rinse mouth. Do NOT induce vomiting. Give plenty of water to drink. Refer for medical attention.

ICSC: 0215

SPILLAGE DISPOSAL	STORAGE	PACKAGING & LABELLING
Evacuate danger area! Consult an expert in case of a large spillage! Ventilation. Cautiously neutralize spilled liquid with a dilute acid, such as dilute sulfuric acid. Wash away remainder with plenty of water. Do NOT let this chemical enter the environment (extra personal protection: complete protective clothing including self-contained breathing apparatus).	Separated from food and feedstuffs (see Chemical Dangers). Cool. Well closed. Keep in a well-ventilated room (further see Notes).	Unbreakable packaging; put breakable packaging into closed unbreakable container. C symbol R: 34-37 S: (1/2-)7-26-45 Note: B UN Hazard Class: 8 UN Packing Group: III
SE	E IMPORTANT INFORMATION ON	BACK
ICSC: 0215	Prepared in the context of cooperation between the Commission of the European Communities © IPCS version have been made except to add the OSHA P	International Programme on Chemical Safety & the CEC 1993 No modifications to the International ELs, NIOSH RELs and IDLH values.

International Chemical Safety Cards

AMMONIUM HYDROXIDE (10%-35% solution)



NOTES

Ammonia vapour is flammable and explosive under certain conditions. Be aware that ammonia gas can evolve from ammonia solution. Depending on the degree of exposure, periodic medical examination is indicated. Do NOT completely fill bottles with the substance; strong solutions may develop pressure. Release caps with care. Other UN numbers are: UN 1005 Ammonia, anhydrous liquefied or ammonia solutions, relative density of less than 0.880 at 15°C in water, with more than 50% ammonia; UN 2073 Ammonia, 35-50%. Also consult ICSC # 0414 Ammonia.

Transport Emergency Card: TEC (R)-219

NFPA Code: H3; F1; R0

ADDITIONAL INFORMATION

ICSC: 0215

AMMONIUM HYDROXIDE (10%-35% solution)

© IPCS, CEC, 1993

IMPORTANT LEGAL NOTICE:

Neither NIOSH, the CEC or the IPCS nor any person acting on behalf of NIOSH, the CEC or the IPCS is responsible for the use which might be made of this information. This card contains the collective views of the IPCS Peer Review Committee and may not reflect in all cases all the detailed requirements included in national legislation on the subject. The user should verify compliance of the cards with the relevant legislation in the country of use. The only modifications made to produce the U.S. version is inclusion of the OSHA PELs, NIOSH RELs and IDLH values.

Other titles available in the ENVIRONMENTAL HEALTH CRITERIA series include:

Polychlorinated Biphenyls N-Nitroso Compounds Nitrates, Nitrites, and Oxides of Nitrogen and Terphenyls Lead

-: ~:

S.

w. 4;

- Principles and Methods for Evaluating the Toxicity of Photochemical Oxidants Suspended Particulate Chemicals, Part 1 Sulfur Oxides and <u>۰</u>. ∞ 6.
 - DDT and its Derivatives Matter
 - Carbon Disulfide Mycotoxins Noise
- Ultraviolet Radiation Carbon Monoxide 1.2.6.4.5.
 - Fin and Organotin
- Radiofrequency and Compounds Microwaves 16.
- Selected Petroleum Hydrogen Sulfide Manganese Arsenic 17. 19. 20.
- Chlorine and Hydrogen Products Thloride 2
 - Lasers and Optical Ultrasound

Radiation

- Guidelines on Studies in Selected Radionuclides Citanium Styrene
- Environmental Epidemiology Acrylonitrile
 - 2,4-Dichlorophenoxyacetic Acid (2,4-D) 28.

- Associated with Exposure Principles for Evaluating Health Risks to Progeny to Chemicals during 30.
- Methylene Chloride Tetrachloroethylene

Pregnancy

- Epichlorohydrin
- Extremely Low Frequency ELF) Fields Chlordane 32. 33. 34.
 - Fluorine and Fluorides Freshwater) Biotoxins Aquatic (Marine and 36.
 - Heptachlor
- Paraquat and Diquat Endosulfan 38. 39. 40. 44. 45. 45.
 - Quintozene ecnazene
- Chlordecone Mirex
- Camphechlor
- Guidelines for the Study of Genetic Effects in
- Ferm Tests for Carcinogens Summary Report on the (Collaborative Study on Evaluation of Short-Human Populations In Vitro Tests) 47.
 - Dimethyl Sulfate
 - Trichloroethylene Acrylamide 48. 50. 51.
- genic Chemicals (ICPEMC) Mutagenic and Carcino-Guide to Short-Term **Fests for Detecting**
 - Natural Mineral Fibres Asbestos and Other 52. 53.

Coluene

ternational group of experts and does not necessarily represent the decisions or the stated policy of the United Nations Environment Programme, the International Labour Organisation, or the World Health This report contains the collective views of an in-Crganization

Environmental Health Criteria 54

AMMONIA

the United Nations Environment Programme, Published under the joint sponsorship of the International Labour Organisation, and the World Health Organization



World Health Organization Geneva, 1986

the United Nations Environment Programme, the International Labour Organisation, and the World Health Organization. The main objective of the IPCS is to carry out and disseminate evaluations of the effects of chemicals on human health of the biological action of chemicals. testing and epidemiological studies, and promotion of research on the mechanisms ment of know-how for coping with chemical accidents, coordination of laboratory produce internationally comparable results, and the development of manpower in of epidemiological, experimental laboratory, and risk-assessment methods that could and the quality of the environment. Supporting activities include the development the field of toxicology. Other activities carried out by IPCS include the develop-The International Programme on Chemical Safety (IPCS) is a joint venture of

ISBN 92 4 154194 6

©World Health Organization 1986

Publications of the World Health Organization enjoy copyright protection in accordance with the provisions of Protocol 2 of the Universal Copyright Convention. For rights of reproduction or translation of WHO publications, in part or in 1010, application should be made to the Office of Publications. World Health Organization, Geneva, Switzerland. The World Health Organization welcomes such applications.

tion do not imply the expression of any opinion whatsoever on the part of the Secretariat of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The designations employed and the presentation of the material in this publica-

omissions excepted, the names of proprietary products are distinguished by initial not imply that they are endorsed or recommended by the World Health Organiza-tion in preference to others of a similar nature that are not mentioned. Errors and The mention of specific companies or of certain manufacturers' products does

85/6661 - VAMMALA - 5800PRINTED IN FINLAND

21 21 21 23 23

CONTENTS

		Page	
ENV	ENVIRONMENTAL	ENTAL HEALTH CRITERIA FOR AMMONIA	
	SUMMARY	ARY	
	1.1	Properties and analytical methods 11	
	1 .2 2 2	Sources in the environment	
		transformation	
	1.4	ironmental levels and human exposure	
	1.5	netabolism	
		1.5.1 Uptake and absorption	
		Distribution	
		.3 Metabolic transformation	
		.4 Excretion and turnov	
		.5 Plant metabolism of ammonia	
	1.7	Effects on experimental animals and in vitro test	
	•	tems	-
		Single exposures	
		Short-term exposures	-
			~
		Reproduction, embryotoxicity, and terato-	•
		• • • • • • • • • • • • •	~ ~
		Mutagenicity	<i>~</i> ·
		7 8 Mechanisms of toxicity	w
	1.8	ts on man	, 00
		.8.1 Organoleptic effects	OX.
		1.8.2 Clinical, controlled human studies and 18	ဘ
		dogenous ammonia	9
	1.9	aluation of the health risks for man and effects	Þ
		on the environment	טע
	1.1	O Conclusions	
2.	PRO	PROPERTIES AND ANALYTICAL METHODS	\vdash
	2.1	chemical properties of ammonia	
		nd ammonium compounds	ب ب
		queous solutions	-
		.1.3. Chemical	س <
		.1.4 Ammonium compounds	1

Page		er invertebrates er invertebrates toxicity metabolism in fi	tion sh	6.4.3.5 Temperature	wildlife	7.1 Absorption	
Page	• •	3. SOURCES OF HUMAN AND ENVIRONMENT. 3.1 Production and use	sources	4.1 Uptake and transformation in atmosphere	AL LEVELS AND HUMAN EXPOSURE	5.1.5 Other products	6. EFFECTS ON ORGANISMS IN THE ENVIRONMENT

<u></u>

. 143

142 142 142 142

144

144

144 145 145 146 146 146 147

148

206 150

208 207 148 147

Page 140

additive hypertrophic effect of ammonium chloride and unilateral nephrectomy was observed on the remaining kidney. Increased sensitivity to ammonia toxicity was found in young rats (Benyajati & Goldstein, 1975) and in rats that had been castrated, adrenalectomized, or thymectomized (Paik et al., 1975).

8.8.2 Antagonistic effects

L-arginine and the related amino acids, ornithine and aspartic acid, substrates from urea synthesis, have been reported to exert a protective effect against acute ammonia poisoning in rats, dogs, and cats (Morris & Rogers, 1978; NRC, 1979).

High-protein diets exert an antagonistic effect on the toxicity of ammonium salts, unless liver dysfunction is present (section 7.1.2.4). In addition, an increase in toxic response has been observed with increase in age due to the adaptive response of glutaminase activity in rats to ammonia detoxication during acidosis.

8.9 Mechanisms of Toxicity

Hypotheses proposed for the mechanism of ammonia toxicity include impaired decarboxylation of pyruvic acid (McKhann & Tower, 1961), NADH depletion slowing down the generation of ATP (Worcel & Erecinska, 1962), depletion of alpha-ketoglutarate resulting in impairment of the Krebs cycle (Bessman & Bessman, 1955; Fazekas et al., 1956; Warren & Schenker, 1964); depletion of ATP due to glutamine formation by the glutamine synthetase (EC 6.3.1.2) system (Warren & Schenker, 1964; Nakazawa & Quastel, 1968), stimulation of membrane ATPase (EC 3.6.1.8) producing increased nerve cell excitability and activity (Hawkins et al., 1973), and depletion of ATP causing a decrease in cerebral acetylcholine (Braganca et al., 1953; Ulshafer, 1958).

EFFECTS ON MAN

9.1 Organoleptic Aspects

1.1 Taste

campbell et al. (1958) determined the taste threshold concentration for ammonia in redistilled water with 21 - 22 subjects in "difference tests of the triangle type". At ammonia concentrations of 26, 52, and 105 mg/litre, the percentages of correct identifications were 61.9, 71.4, and 85.7, respectively.

Defining the threshold concentration as the level at which correct identification is 50% greater than that expected by chance, the taste threshold of ammonia was determined to be around 35 mg/litre. However, this definition of the threshold concentration seems to be somewhat arbitrary and McBride & Laing (1979) have reported significant positional bias in using the triangle test to determine taste thresholds. Furthermore, the triangle test is not intended to mimic environmental exposures in which the taste thresholds could be substantially higher. It seems reasonable to conclude only that the palatability of water is not likely to be significantly affected by total ammonia levels of < 35 mg/litre (as NH3), but will be affected at higher levels.

1.2 Odour

odour thresholds reported in the literature may vary according to the definition of odour response, mode of presentation of the stimulus, chemical purity of the agent used, and the number of subjects and trials in the study. The detection threshold for ammonia, defined as the concentration that produces the first detectable difference in odour over background, was reported to be 37 mg/m³ (DallaValle & Dudley, 1939). This reference, though often cited, gives no information on the study design from which this number was derived.

The considerable variability in threshold data prompted work by Leonardos et al. (1969), who used a standardized procedure to determine recognition thresholds rather than detection thresholds for 53 chemicals. The odour threshold was defined as the first concentration at which all four panel members (trained odour analysts) were able to recognize the characteristic odour of the chemical. The panel tested only one chemical per day. Concentrations examined were multiples by 10 of 0.7, 1.47, and 3.3 mg/m³ (1, 2.1, and 4.6 ppm). The recognition threshold for the odour of ammonia was 32.6

beings can detect ammonia at much lower levels. the least odour they could detect on entering a room containing various concentrations" was 0.7 $\,\mathrm{mg/m^3}$ (1 $\,\mathrm{ppm})$ detail to evaluate this excessively low estimate. (1966), of an olfactory threshold of $0.55-0.50~{\rm mg/m}^3$ for the most sensitive of 22 subjects, did not include sufficient (1971) reported 2.7 mg/m 3 (3.9 ppm) as the lowest concentraet al. (1948) stated that " a group of 8 persons found that (number of subjects was not reported). A report by Saifutdinov tion producing an odour response, when a contaminated air The results of several other studies suggest that human Again, no other details were given. reference stream were compared by sniffing Carpenter

may detect concentrations an order of magnitude lower. be expected to be detected by taste and odour are 35 mg/litre (as NH_3) and 35 mg/m^3 , respectively. Sensitive individuals The best estimates of the thresholds at which ammonia can

9.2 Clinical and Controlled Human Studies

Inhalation exposure

involving groups of people or individuals. There are no data on actual levels of ammonia in air during such accidents, but al., 1984; NRC, 1979). estimates have been made (Yahagi et al., 1959; Takahashi et ammonia have been severe effects resulting from acute exposure to described in case reports of accidents

irritation; 1200 mg/m³ (1700 ppm) to produce cough; 1700 mg/m³ (2400 ppm) to be life-threatening, and 3500 - 7000 mg/m³ (500 - 10 000 ppm) to cause a high mortality rate (Patty, 1963; Helmers et al., 1971). (400 ppm) has been reported to produce immediate Exposure to an ammonia concentration of 280 throat mg/m³

effects of ammonia (Caplin, 1941). Chest X-rays are generally normal in such mild cases (Watson, 1973; Close et al., 1980). and an increase in respiratory rate are some of the irritant as respiratory distress accompanied by lachrymation, coughing, More severe respiratory effects include laryngeal and pulmonary oedema and bronchopneumonia (Slot, 1938; Caplin, 1983). The signs and symptoms are generally reversible, but chronic bronchitis and bronchiectasis have been reported (Slot, 1938; Sugiyama et al., 1968; Taplin et al., 1976; Close 1941; Levy et al., 1964; Taplin et al., 1976; Flury et al., A burning sensation in the eyes, nose, and throat, as well

been severe lung damage and secondary cardiovascular effects (Slot, 1938; Mulder & van der Zalm, 1967). In cases with a lethal outcome, the cause of death has

> ammonia under laboratory conditions. Some of these studies are summarized in Table 21. There have also been some studies on volunteers exposed to

minute expired volumes were measured, there was a marked spite of the exposure being by oro-nasal mask. The average respiratory minute volume increased markedly compared with Silverman et al. (1949) reported on 7 human volunteers exposed to a concentration of 300 $\mathrm{mg/m}^3$ (500 ppm) ammonia cyclical variation in minute volume with a period of 4 control values, and in the 5 subjects in which minute-byvolunteers. Two subjects experienced marked lachrymation, in respiratory irritation, which lasted up to 24 h in 2 of the 7 min. No coughing was noted. for 30 min using an oral-nasal mask. All 7 experienced upper

27 min). The indices of nitrogen metabolism (BUN, NPN, urine-urea, and urine-ammonia) remained normal. The carbon dioxide combining power did not change. progressively until an equilibrium of 24% retention (ranging values within 5 min of exposure. Ammonia retention decreased below the pre-exposure rate, but returned to pre-exposure from 4 to 30%) was reached at approximately 19 min (range 10 After exposure, respiratory minute volumes fell to levels

subjects left the chamber because the exposure was intolerable. and ranked by 8 experts and 8 non-experts (students) on a scale from 0 to 5. Subjective responses were ranked higher by the non-experts. A concentration of 77 mg/m 3 (110 ppm) was tolerated for 2 h, but at 98 mg/m 3 (140 ppm), all the headache, and general discomfort were monitored every 15 min measured before and after exposure, did not decrease by more than 10%. Subjective variables, including smell, taste, The respiratory variables of vital capacity (VC), forced expiratory volume (FEV), and forced inspiratory volume (FIV), volunteers following exposure to 35, 56, 77, and 98 mg ammonia/ m^3 (50, 80, 110, and 140 ppm) for 0.5, 1, and 2 h. volunteers following exposure to 35, irritation of the eyes, nose, or throat, urge to cough, Verbeck (1977) assessed respiratory function in 16

increased at exposure levels $\geq 106~\text{mg/m}^3$ (151 ppm). In a study by MacEwen et al. (1970), 6 volunteers were mg/m^3 (101, 206, 151, and 336 ppm). Ventilation minute volyears, had 2 periods of exercise in 3 consecutive half-day Respiratory responses to ammonia during exercise were examined by Cole et al. (1977). Eighteen males, aged 18 - 39 ume and total volume decreased, and mean respiratory frequency sessions. Mean exposure levels were 71, 144, 106, and 235

exposed to ammonia concentrations of 21 and 35 mg/m^3 (30 and rated as "moderate" by 4 of the volunteers, while 1 individual no detectable irritation. 10 min. The irritation was rated subjectively on At 35 mg/m^3 (50 ppm), None of the volunteers irritation

found the irritation at $35 \, \mathrm{mg/m^3}$ ($50 \, \mathrm{ppm}$) to be "discom-

Table 21. Effects of inhaled ammonia in human volunteers

Ае fетепсе	Effects and response	(nim) noitstud	noitsitneonoo (°m/gm)	упшрек
Silverman et al. (1949)	irritation of upper respiratory tract (7/7); increase in minute volume; no change in blood chemistry	30	906	L
Werbeck (1977)	10% increase in VC, FEV, and FIV; 98 mg/m³ was not colerated; 77 mg/m³ was tolerated for 2 h	30 - 150	86 - 58	91
Cole et al. (1977)	no effects noted during exercise at 71 mg/m³ except slight irritation; decrease in ventilation minute volume and increase in respiratory frequency 2106 mg/m³	ττ - 8	SEZ - 14	81
MacEwen et al. (1970)	(ζ/λ) "moderate irritation" (ζ/5)	10	35	9
Industrial Biotest Labora- tories (1973)	dryness of the nose (1/10) dryness of the nose (2/10) eye irritation (3/10) throat irritation (8/10)	ς	76 05 5£ 77	01 01 01
Ferguson et al. (1977)	eye irritation (5/10) increase in FEV ₁ , with increasing WH3; adaptation	tor ρ weeks	17.5, 35, or 70+	9
	to irritating effects			

forting" or "painful".

The irritation threshold for ammonia was examined in 10 human volunteers by Industrial Bio-Test Laboratories, Inc. (1973). The subjects were exposed to 4 different concentrations of 22, 35, 50, and 94 mg/m³ (32, 50, 72, and 134 ppm) for 5 min. The frequency of positive findings for the 10 subjects was as follows: at 22 mg/m³, 1 subject complained of dryness of the nose; at 35 mg/m³, 2 subjects experienced dryness of the nose; at 50 mg/m³, 3 subjects had eye irritation, at 94 mg/m³, 5 subjects demonstrated signs of lachrymation, 5 had eye irritation, 7 had nasal irritation, 8 had throat irritation, and 1 complained of chest irritation.

developing with increasing time of exposure. Overall, the ammonia exposure produced 2 incidents of mild irritation (78 observations made) at 17.5 mg/m³ (25 ppm), 22 incidents (198 observations made) at 35 mg/m³ (50 ppm), and 11 incidents (84 observations made) at 70 mg/m³ (100 ppm). Among control irritation of the eyes, nose, or throat, and periodically for pulse rate, respiration rate, pulmonary function (forced vital capacity (FVC) and forced expiratory volume in 1 second (FEV1)), blood pressure, neurological responses, and interexpiratory volume in 1 second (FEV1) with increasing ammonia concentration. In addition, the rate of mild eye, nose, or throat irritations over the last $\bf 3$ weeks of the test was indicated that an acclimatization process had occurred, with ference in task-performance ability. A statistical analysis among the vital functions measured was an increase in forced of the results demonstrated that the only significant change of ammonia A controlled study on human volunteers was conducted by Ferguson et al. (1977) to evaluate the responses to inhaled ammonia at concentrations of 17.5, 35, and 70 mg/m^3 (25, 50, and 100 ppm). Six adults, not acclimatized to ammonia expo-One pair of periods throughout the test. Subjects were examined daily for sure, were divided into 3 groups, which were exposed for 2 6 h each day, 5 days per week, for 6 weeks. One pair o subjects was exposed only to 35 mg ammonia/m³ for 6recorded during exceeded significantly less than during the first 2 weeks. increased tolerance to the irritant effects experienced ammonia concentrations accompanied by dryness of the nose and throat. subjects, 4 irritation incidents were subjects ppm), all When observations, mg/m³ (150

accompanied by dryness of the nose and infoat.

In an inhalation study, the threshold for effects on respiration, skin electric potential, and the electroencephalogram was found to be 22 mg/m³ (31 ppm) (Alpatov & Mikhailov, 1963; Alpatov, 1964).

Reports from industries with ammonia exposure indicate that irritative effects have appeared over a wide range of ammonia concentrations (Elkins, 1950; Vigliani & Zurlo, 1955; Mangold, 1971). A concentration of 88 mg/m³ was called "definitely irritating" (Elkins, 1950), and "barely noticeable" eye irritation was reported at 3 mg/m³ (Mangold, 1971). Giguz (1968), in a study involving 140 subjects exposed to

ammonia and nitrogen oxides, at concentrations not exceeding the "maximum permissible concentration" (20 mg/m³), 3 h per day during 2 - 3 years of vocational training, demonstrated increased incidences of upper respiratory tract disease, compared with those in a control group of unexposed subjects.

9.2.2 Oral exposure

9.2.2.1 Effects of acute oral exposure

Cases of the ingestion of large doses of ammonia have been reported. When solutions of ammonia were ingested orally, a tissue-destructive caustic effect was noted for concentrated solutions, owing to their high pH. A solution of ammonia at a concentration of 100 g/litre, for example, has a pH of 12.5.

Oesophageal burns were reported in 25 cases of accidental

Desophageal burns were reported in 20 cases of accident ammonia ingestion (Hawkins et al., 1980). One child suffered a mild burn. Four adults had mild burns limited to the mucosa and nine adults had oesophageal burns that were moderate or more severe in nature. One adult female suffered from a complication of airway obstruction from supraglottic oedema. Oesophageal stricture from the ingestion of ammonia (100 g/litre) was reported by Vancura et al. (1980) (Table 19).

A fatal outcome after ingestion of a solution containing 24 g ammonia/litre was reported by Klendshoj & Rejent (1966). Autopsy showed haemorrhagic inflammatory changes in the oesophagus, stomach, and small intestine.

There are many reports on the effects of ammonium chloride, but since acidosis is caused by the chloride, such studies have little relevance for evaluating ammonia toxicity.

There are no data on acute effects of ingestion of ammonium compounds, other than the chloride.

2.3 Endogenous hyperammonaemia

9.2.3.1 Inborn errors of metabolism

These affect the uptake of ammonia rather than its rate of production.

Congenital deficiency of carbamyl phosphate synthetase I (EC 6.3.4.1.6), and, to a lesser extent, of other enzymes of

the ornithine cycle, and several other metabolic disorders may lead to hyperammonaemia and various abnormal urinary constitutents. Hyperammonaemia may be lethal in new-born infants, may cause severe symptoms in infancy, or may cause chronic remittent symptoms in older children or adults (Hsia, 107/)

Clinical features in neonates may resemble those of hepatic coma and may be precipitated by protein-rich milk feeds. In older children, episodic vomiting, neurological disorders (including seizures) or coma are precipitated by high-protein foods.

9.2.3.2 Hepatic features

Varied and complex functions of the liver may fail progressively in chronic liver disease or rapidly in acute disorders. The syndromes differ in the extent to which portal blood from the intestine is shunted into the systemic venous circulation either by cirrhotic changes in hepatic vascular resistance or by surgical procedures to correct portal hypertension resulting from it.

In either case, a syndrome is recognised that comprises a spectrum of neurological features from irritability via inappropriate behaviour, tremors, hyper-reflexia and generalised muscular rigidity, to delirium, stupor, convulsions and coma.

hand, over 90% of persons with the disorder have elevated levels of ammonia in the blood or cerebrospinal fluid; the syndrome is an expression of ammonia toxicity. greater than that from an equivalent amount of meat) and the haemorrhage (which leads to intestinal ammonia production by the administration of condition may be treated by reducing intestinal ammonia condition may be induced in those with marginal liver function presence of normal blood-ammonia levels. blood-ammonia level and the condition may occur imperfect correlation between the clinical state and ammonia-producing flora. production, by the administration of antibiotics to eliminate There is disagreement regarding the extent to which this On the other hand, there is ammonium salts or an intestinal On the one

It is unlikely that the syndrome resulting from the failure of an organ as complicated as the liver should be explicable in terms of a single metabolic component, but the similarity between hepatic failure and certain expressions of congenital hyperammonaemias suggests an important role of ammonia toxicity in the pathogenesis of the syndrome.

LO. EVALUATION OF HUMAN HEALTH RISKS AND EFFECTS ON THE ENVIRONMENT

10.1 Atmospheric Exposure and Effects

10.1.1 General population exposure

Background levels of ammonia in community air are low in comparison with levels that have been established as safe in occupational settings, but there is considerable variability according to the type of land use. In general, levels in areas with intensive livestock husbandry or high rates of manure application are in the range of $100-200~\mu g/m^3$, levels in urban areas range from approximately 5 to $40~\mu g/m^3$, while those in rural areas, without intensive manure production or use, range up to $10~\mu g/m^3$. This is in contrast to odour thresholds of the order $10~000~\mu g/m^3$, thresholds for irritation of the order $20~000-50~000~\mu g/m^3$, and the stimation for the rat was $7~600~000~\mu g/m^3$. The LC_5 0 estimation for the rat was $7~600~000~\mu g/m^3$, for a 2-h estimation for the rat was $7~600~000~\mu g/m^3$, for a 2-h estimation for the rate of $7~600~000~\mu g/m^3$. General ambient atmostions below about $500~000~\mu g/m^3$. General ambient atmosticoned levels are therefore of no concern in respect of discomfort or acute toxicity.

Ammonia is not mutagenic and long-term studies on both laboratory and farm animals have not shown any pathological effects at levels below 35 000 $\, \mu g/m^3$. Long-term toxic effects are unlikely, even at levels much higher than ambient levels, both generally and in the neighbourhood of ammoniaemitting systems. There is a lack of evidence regarding recent trends in global atmospheric ammonia concentrations.

10.1.2 Occupational exposure

Occupational problems are predominantly those of accidental exposure.

Though for certain groups in, for example, agriculture, the chemical industry, waste disposal and transport, occupational exposure levels may be very much higher than general, there is historical evidence that, even at levels significantly in excess of current occupational exposure limits, there was a low prevalence of adverse health effects.

The distribution kinetics of absorbed atmospheric ammonia suggest that the rise in blood-ammonia at a typical occupational exposure limit will be within the normal range of variation.

Thus, there is both historical and theoretical evidence that most recommended exposure limits are acceptable.

10.2 Exposure Through Water and Food

Ammonia will have a toxic effect only if intake exceeds the capacity of mammals to detoxify ammonia. Unfortunately, there are no data permitting the evaluation of this capacity addition, there is some evidence that the mode of intake may addition, there is some evidence that the mode of intake may be a factor in the capacity of individuals to detoxify ammonia. Parenteral administration of ammonia results in patterns of metabolism and elimination that are markedly different from those seen in oral administration. Thus, the considerable body of data on the parenteral toxicity of ammonia is not of direct relevance to criteria for oral ammonia is not of direct relevance to ammonia, as patterns between oral and inhalation exposure to ammonia, as patterns between oral and inhalation exposure to ammonia, as the highly irritant effects of ammonia on the lung, the estimation of an acceptable daily intake (ADI) for ingestion. However, it would be possible to define a clearly undesirable level of oral exposure to total ammonia (NH₄+) as well as a level that is clearly tolerable. The range between these 2 levels would exceed the range within which an ADI could be established.

The amount of excess ammonia (i.e., over and above the amount normally produced in the body) that can be safely ingested and assimilated is difficult to define. In shortterm (28 - 90 days) studies carried out on rats and pigs, no adverse effects were reported at higher levels of ammonia intake (75 - 545 mg NH3/kg body weight per day) in the form of sulfamate, phosphate, citrate, or chloride.

The effects attributed directly to elevated ammonium ion levels are acute pulmonary oedema and central nervous system (CNS) toxicity, depression of appetite due to a direct effect of the ammonium ion on the brain, and promotion of growth via the use of ammonium salts as a source of non-essential nitro-

gen under certain circumstances.

Some effects (such as renal growth and demineralization of bone) arising from the administration of ammonium chloride seem to be secondary effects of acidosis.

seem to be secondary elected of activities and surveys of total ammonia (NH3 + NH4+) concentrations surveys of total ammonia (NH3 + NH4+) concentrations in surface waters indicate an average of < 0.18 mg/litre in most areas, and 0.5 mg/litre in waters near large metropolitan areas (Wolaver, 1972; US EPA, 1979a). Levels in ground water are usually low, since ammonia is generally immobile in soil. Ammonia is practically absent when drinking-water is chlorinated.

ammonium compounds are added in small amounts (< 0.001 flavourings, or for other purposes. The daily human intake from these sources is estimated to be $18\ \mathrm{mg}$ as $\mathrm{NH_3}$. 3.2%) to various foods as stabilizers, Ammonia is a negligible natural constituent of food, but leavening agents,

10.3 Ocular and Dermal Exposure

The ocular irritation commonly experienced at atmospheric ammonia concentrations of $>20~\text{mg/m}^3$ (MacEwen et al., reversible when exposure ceases, and may also be reduced by acclimatization (Ferguson et al., 1977). is alkaline and causes burns or inflammation of eyes or skin. 1970; Keplinger et al., 1973; Verberk, 1977) is readily Ammonia in aqueous solution or in contact with body fluids

Serious ocular damage normally occurs, only with a direct blast or splash contact with anhydrous or aqueous ammonia (Grant, 1974). Skin damage is reported to occur at concentrations of ${\approx}7000~\text{mg/m}^3$ (NRC, 1979).

10.4 Accidental Exposure

solutions, and respiratory (and skin and eye) result of gaseous emissions and/or spillages of concentrated locally, both in domestic and work-place environments, as a short biopersistence, major spillages would be expected to disperse rapidly and not to persist in the environment. and plants in the vicinity. insult and would cause serious injury to the people, animals, tanks or refrigeration plant of concentrated ammonia liquor or anhydrous ammonia would constitute a severe environmental High gaseous ammonia concentrations may be encountered On a larger scale, spillage from stock or transport Because of its low density and injury may

10.5 Evaluation of Risks for the Environment

of the ecosystem will be disturbed. may be acidified and nitrogen-enriched. As a consequence of these physical-chemical changes, the structure and functioning Environments that receive more ammonia than can be used

both assimilate and generate ammonia as a part of natural nutrient cycling processes. High levels of ammonia may organisms as a nutrient at low concentrations, but becomes inhibit growth or survival of microbial organisms, including toxic at higher concentrations. For example, microorganisms at higher levels, nitrifying organisms. Ammonia plays an important role in the metabolism of all

The aquatic environment

variable, reflecting the proximity and nature of sources (section 4). Ammonia concentrations in the aquatic environment are

Where there are large numbers of people and animals in relation to the volume of surface waters and drainage flow, ammonia concentrations that constitute a significant local and/or regional environmental problem. industrial effluent is the predominant source and may lead to the load of nitrogen added to surface waters from sewage and

resulting in marked changes in plant community structure with this may result in acidification and nitrogen enrichment and hydrologically dependent on rainfall and/or snow melt, In surface waters that are poorly buffered, poor in nutrients, Otherwise, ammonia deposition contributes a major input.

non-ionized ammonia (NH_3) rather than to ammonium ion levels. This is because non-ionized ammonia easily penetrates concommitant changes in the animal population structure.

The toxic effects on aquatic organisms are attributed to biological membranes, whereas ammonium ions require specialized transport processes.

marked modulating effect. ability), which are more variable in water than in air, have a sition and concentration, temperature, and however, environmental conditions (such as pH, ionic compotoxic action of ammonia in mammals and in fish; in the latter, There are similarities between the modes of the acute oxygen avail-

may increase susceptibility to disease and also cause histoenvironmental levels produces many chronic effects (including and, therefore, the body load is dependent on ammonia concenreduced growth, decreased survival, impaired reproduction) and trations in the water. pathological changes. Aquatic animals have a limited ability to detoxify ammonia Except in open oceans, exposure to

effects, and thus may modify plant community composition. which subsequently results in foliar injury, and severe strain on the carbohydrate metabolism of the plant for plants. The detoxification of excessive ammonia places a High levels of ammonia in aquatic systems are also toxic growth

sensitive to ammonia the effects on the whole ecosystem will Where the dominant species, be it fish or plant, is also

10.5.2 The terrestrial environment

pheric ammonia is foliar injury. ambient The most common effect of exposure of plants to atmosconcentrations of about 75 µg/mg, such as Prolonged exposure to high

in the vicinity of intensive livestock farms, adversely affects more susceptible species such as pine trees. The observed damage is the result of both direct and indirect effects due to, changes in soil, and secondarily, to increased susceptibility to disease and meteorological stress.

The data on ammonia toxicity for wildlife are very limited. There is no evidence that wild-life populations, in general, are at risk from ammonia, but, there may be secondary effects associated with changes in plant communities. Gertain species of bats are able to withstand the very high ammonia levels found in caves where they live.

10.6 Conclusions

The major groups of organisms at risk from elevated ammonia levels are aquatic animals and terrestrial plants. There appears to be little danger for terrestrial animals, including man, except from acute accidental exposure.

10.6.1 General population

There are no data suggesting that present environmental levels of ammonia are hazardous for the general population. Only high-level accidental exposures from domestic sources and transportation and storage accidents pose an occasional acute health hazard.

10.6.2 Sub-populations at special risk

Groups likely to exhibit ammonia toxicity include those with hepatic or renal impairment, though, even in these cases, levels of exogenous ammonia are insignificant in comparison with endogeneous levels, so that, in the absence of any environmental exposure, such persons would still be affected. The mechanism is different in the two cases. Hepatic impairment limits the conversion of ammonia to urea, and renal failure, by increasing urea concentrations and its intestinal secretion, leads to increased endogeneous intestinal ammonia production.

There have been few studies on the chronic effects of ammonia inhalation. It can be speculated that subpopulations that have been found to be hyperreactive to other respiratory irritants (e.g., sulfur dioxide, particulates, ozone) may also be hyperreactive to ammonia. These subpopulations may include children, elderly persons with pre-existing cardiorespiratory symptoms, individuals with asthma or bronchitis, and those engaged in vigorous physical exercise (Calabrese, 1978). However, there is also some indication that previous exposure to

low levels of ammonia may cause inurement to its effects (Ferguson et al., 1977).

- 147

10.6.3 Occupational exposure

Accidental exposures are the predominant problem (section 10.1.1.3). Otherwise, occupational exposure can be controlled by the application of most current occupational exposure limits and proper industrial hygiene.

10.6.4 Farm animals

Farm animals may be at risk, because of continous exposure under confined housing conditions resulting in high atmospheric levels of ammonia within the confinement areas; this applies particularly to cattle, swine, and poultry. Available reported data provide a range of measured exposure levels of from 2 to 1400 mg/m³. In winter months in colder climates, most of the measured concentrations exceeded the admissible upper limit of 35 mg/m³ (50 ppm).

10.6.5 Environment

Environments with a low buffer capacity and poor in nutrients are susceptible to acidification and nitrogen enrichment by elevated ammonia loading; prolonged high ammonia-loading results in changes in both the structure and function of plant and animal communities. Levels of atmospheric ammonia necessary for the onset of these changes have not been established; however, changes in the structure of these communities have been observed where ammonia levels in the atmosphere were possibly up to 100 µg/m³.

Plants use ammonia as a nutrient, but high levels can be toxic. Terrestrial plants show a susceptibility to reduced growth and reduced vitality, when exposed to levels as low as 75 $\,\mathrm{Hg}\,\,\mathrm{NH}_3/\mathrm{m}^3$ in the atmosphere.

Aquatic animals have a low capacity to detoxify ammonia. Acute effects on some fish have been demonstrated in laboratories at concentrations as low as 0.1 mg NH3/litre and chronic effects at concentrations as low as 0.02 mg NH3/litre. Thus, as ammonia levels in some waters are often similar to those shown to cause chronic effects in some fish, it would appear that these animals are at risk. Aquatic invertebrates are, in general, less sensitive to elevated ammonia levels in water.

Aquatic animals are at risk because of increases in ammonia concentrations in water systems, whereas some plant communities appear to be at risk from elevations in atmospheric ammonia loading.

11. RECOMMENDATIONS

11.1 Research Needs

- Long-term monitoring of ammonia and other pollutants in water systems with different aquatic ecosystems.
- Studies of the long-term effects of ammonia on terrestrial vegetation.
- Studies of the global nitrogen balance to identify long-term trends.
- 4. Ecotoxicological studies to elucidate environmental effects.
- 5. Epidemiological studies in relation to ammonia exposure in order to make better hygiene recommendations.
- 6. Long-term experimental animal studies to establish a no-observed-adverse-effect level of exposure.
- 7. Studies on the role of ammonia in modifying physical and chemical conditions of soil and water systems.
- 8. More data are needed to assess accurately the relative contributions of various point and non-point sources of ammonia for surface waters.
- 9. Research into methods and their application directed towards reducing emissions from point sources.
- 10. Additional acute toxicity tests with salt-water fish and invertebrate species.
- 11. Life-cycle and early-life-stage tests with representative fresh-water and salt-water organisms from different families, with investigation of pH effects on chronic toxicity.
- 12. Fluctuating or intermittent exposure tests under a variety of exposure patterns on additional species.
- 13. Both acute and long-term tests at cold-water temperatures.
- 14. Studies on the effects of dissolved and suspended solids on acute and chronic toxicity.

More histopathological and histochemical research with fish, which would provide a rapid means of identifying and quantifying sublethal ammonia effects.

15.

16. In fish, the relative concentration limits for both acclimatization and subsequent acute response need better definition and a more complete explanation.